



RULES AND REGULATIONS
FOR THE
LIBRARY
OF THE
Worcester County Horticultural Society.

ADOPTED BY THE TRUSTEES, FEB. 6. 1849.

ARTICLE I. All Books, Engravings, Paintings, and other articles appertaining to the Library shall be confined to the care of the Librarian, under the supervision of the Trustees.

ARTICLE II. It shall be the duty of the Librarian to keep a correct Catalogue of all the Books, Engravings, &c. belonging to the Library, together with a list of all the Books, &c. presented to the Library, with the date of the bequest, and the name and residence of the donor.

ARTICLE III. Not more than one volume, if of octavo or larger size, or two volumes if smaller than octavo, shall be taken out by any member at one time; or retained more than three weeks, if of the large size, or two weeks for the smaller; and every person shall be subject to a fine of ten cents per week for each volume retained beyond the specified time.


ARTICLE IV. Every Book shall be returned in good order, regard being had to the necessary wear thereof, with proper usage; and if any book shall be lost or injured, the person to whom it stands charged, shall replace it by a new volume or set, if it belonged to a set; or pay the current price of the volume or set, and thereupon the remainder of the set, if the volume belong to a set, shall be delivered to the person so paying for the same, unless otherwise directed by vote of the Trustees.

ARTICLE V. No other person than members of the Society shall be permitted to take Books, &c. from the Library; and no member shall loan a Book to another person.

ARTICLE VI. The Librarian shall keep a record of the names of all the persons who take Books out, together with the titles of the Books, and the dates when they are taken away and returned.

ARTICLE VII. All Books, &c. belonging to the Library shall be returned previous to the time of holding the Annual Meeting in each year. And it shall be the duty of the Librarian to report to the Society at each Annual Meeting the state and condition of the Library, and the addition, if any, made to it during the previous year.

ARTICLE VIII. Every Book shall have a copy of the foregoing Regulations affixed to it.





S
1
C 967
1850
Y. Y
M. H. T.

cm. 4

THE
CULTIVATOR.

A MONTHLY JOURNAL, DEVOTED TO

AGRICULTURE, HORTICULTURE, FLORICULTURE,

AND TO

DOMESTIC AND RURAL ECONOMY.

ILLUSTRATED WITH ENGRAVINGS OF

FARM HOUSES AND FARM BUILDINGS, IMPROVED BREEDS OF
CATTLE, HORSES, SHEEP, SWINE AND POULTRY,
FARM IMPLEMENTS, DOMESTIC
UTENSILS, &c.

NEW SERIES—VOL. VII.

JAN 24 1877
LIBRARY

ALBANY, NEW-YORK :

PUBLISHED BY LUTHER TUCKER, 407 BROADWAY.

OFFICE IN NEW-YORK CITY, AT
M. H. NEWMAN & Co.'s BOOKSTORE, No. 199 BROADWAY,
WHERE SINGLE NUMBERS, OR COMPLETE SETS OF THE BACK VOLUMES CAN ALWAYS BE OBTAINED.

FROM THE STEAM PRESS OF C. VAN BENTHUYSEN.

1850.

INDEX TO VOLUME VII.

(NEW SERIES.)

[EXPLANATION.—In making out the annexed Index, we have placed every thing relating to CATTLE, under that head—so with HORSES, SHEEP, SWINE, POULTRY, DOMESTIC ECONOMY, BOOKS, PERIODICALS, MANURES, &c. Every article referring in any way to these subjects, will be found arranged under these separate heads.]

A.		<i>Apples</i> —Sweet and Sour,..... 205	Briars and Bushes, to destroy,..... 257
Acclimation of Tropical Plants,.... 231, 314		Three years old,..... 123	Brick, advantage of wetting,..... 150
Acknowledgments, 60, 91, 123, 154, 184, 217, 249, 251, 314, 346, 350, 405		Time of ripening at the South,.... 143	Broomcorn, Premium Crops of,..... 116
Acre, number of yards in,..... 122		Wagener,..... 60	— Profits of,..... 259
Addison County (Vt.) Fair,..... 371		Apple Trees, large,..... 47	Buckthorn Hedges,..... 40, 47, 68, 235
Address of Prof. Johnston at Syracuse, 71, 91		— — Grafting old,..... 394	— Hardiness of,..... 47
— of Prof. Dean at Albany,..... 339		— — From the South,..... 395	Buckwheat, Premium Crops,..... 78, 116
Agricultural Chemistry,..... 132, 381		— — To Protect from Borers, Mice, &c.,..... 395	Budding, Science of,..... 206
— College, plan of,..... 114		Apricots, Culture of,..... 238	— Expeditious,..... 207, 395
— — Bill for,..... 154		— Select lists of,..... 45	Bugs, Striped, to destroy,..... 301
— Commissioner,..... 61		Arabian Customs and Tillage,..... 355	BUILDINGS—Bracketed Farm House, 305
— Economy,..... 82		Austria, Silk Culture in,..... 199	Cottages, common defect in,..... 307
— Education, importance of,..... 36		Axle, Oscillating Roller,..... 377	Design for a Country School House, 396
— — in France,..... 73			Design for a Villa,..... 208
— — in Germany,..... 72		B.	Ice-houses,..... 79, 397
— Improvement, obstacles to,..... 75		Barley, Premium Crops of,..... 78, 116	Improvement in, needed,..... 59
— — Encouragement to,..... 76		— Grown with Flax,..... 149	Mechanic's House,..... 243
— Papers, importance of,..... 58, 92		Bavaria, Agriculture of,..... 72	Suburban Cottage,..... 55
— — Circulation of,..... 152		Bean Meal for Milch Cows,..... 239	Bull-fights in Spain,..... 79
— School, in Massachusetts,..... 249		Beans, Culture of,..... 165	Bushel, U. S. standard of,..... 156
— — Remarks on,..... 324		Beadstead, Elastic Bottom,..... 377	Butter, amount from five cows,..... 170
Agriculture, Dignity of,..... 135		Bee-house, Gilmore's,..... 185, 379	— Large product of,..... 346
— General relations of,..... 135		Bee-Moth,..... 184	— Premium, how made,..... 170
— Its Labors, Profits and Pleasures, 353		Bees, in winter,..... 175	— Western,..... 252
— Relations of to Science,..... 136		— Management of,..... 106	
— Proposed school of, in Wayne co., 315		— to take honey without destroying, 298	C.
— State of, in Europe,..... 71		Bennington co. (Vt.) Ag. Society,.... 121	Cabbages, Culture of,..... 147
— Things necessary to the successful pursuit of,..... 233		Belgium, Agriculture of,..... 73	— How to make head,..... 366
— Use of Science to,..... 33		Black-leg in Cattle,..... 89	California, Trees of,..... 173
Albany and Rens. Hort. Society,..... 347		Blight in Pear Trees,..... 87, 111, 204	— Plants from,..... 184
"A little land well tilled,"..... 179		Blind Teeth in Horses,..... 90, 133	Camellias, grown in Ghent,..... 108
"All work and no play makes Jack a dull boy,"..... 341		Birds, Treatment of,..... 341	Canada West, Fair of,..... 230
American Institute Fair,..... 280, 378		BOOKS—American Fowl Breeder, 122, 209	— and the United States,..... 399
— Pomological Congress;		— Poultry Yard,..... 122, 227	— Agricultural enterprise in,..... 123
— — Its list of select fruits,.... 45		— Bird Fancier,..... 216	Cane, Sugar, Seed of,..... 315
— — Its list of rejected fruits, 45		— Fruit Culturist,..... 217	Caponizing, how performed,..... 401
— — Meeting at Cincinnati,.... 301		Annual of Scientific Discovery,.... 155	Carbon in the Soil, use of,..... 282
— — Difficulty selecting fruits, 333		Bennett's Poultry Book,..... 216, 264	— as food for Plants,..... 90
Analysis of Soils, &c.,..... 184		Buist's Kitchen Garden,..... 216	Carriages, Iron,..... 377
— Artificial Manures,..... 193		Colman's European Agriculture,.... 79	Carrots, Culture of,..... 181
— Cow and Hog Manures,..... 193		Downing's Country Houses,..... 305	— Most productive varieties,.... 153
— Oat Straw,..... 260		Dadd's Veterinary Reform,.... 122, 216	— Premium Crops of,..... 78, 186
— Of the Apple,..... 290, 365		Elements of Scientific Agriculture, 216	Catalogues, Long,..... 238
Animalcules on human teeth,..... 250		Farmers' Encyclopedia,..... 61	Cator Oil Bean, Culture of,..... 51
Animals, Breeding,..... 311		— Guide,..... 183, 216	— — To extract oil from,.... 51
— Care of, in Winter,..... 397		— Every-Day Book,.... 250, 314, 345	CATTLE—Ayrshire, Sales of, 61, 282, 346
— Best mode of fattening,..... 321		Illustrated Domestic Bible,..... 314	Alderneys,..... 176, 212, 314, 338
— From Spain and Africa,..... 346		New England Poultry Breeder,.... 209	At State Fair, Albany,..... 337
APPLES—Analyses of,..... 290, 365		Patent Office Report,..... 217	Brahmin,..... 150
As food for Stock,..... 289, 323		Pictorial Field Book of the Revolu- tion,..... 404	Best mode of fattening,..... 322
Best for Wisconsin,..... 111		Phrenology and Physiology,..... 183	Cows for the Dairy,..... 106
Bearing years of,..... 182		Proceedings Seneca Co. Ag. Soci- ety,..... 122	— Spaying,..... 169
For Illinois,..... 142, 143, 239		Report of the Ohio Board of Agri- culture,..... 258	— Liberal Feeding,..... 175
From Vermont,..... 380		Richardson's Domestic Fowl,.... 209	— Bean Meal for,..... 239
From the first tree planted in Mas- sachusetts,..... 374		Transactions N. Y. S. Ag. Society, 86 281, 365	— Valuable,..... 243
Market,..... 141		Bone Disorder in Cows,..... 138	— Good in Massachusetts,..... 40
Melon,..... 91		Bones for Manure,—see <i>Manures</i> .	— Productive,..... 346
Northern Spy,..... 91		Box, the Tree,..... 206	Calves, four at a birth,..... 243
Nutritive properties of,..... 289		Bread, Premium on,..... 380	— How to skin,..... 376
Rejected list of,..... 45		— Importance of good,..... 182	Devons, Mr. Stickney's,.... 282, 346, 381
Seedling,..... 347, 380		Breeding Animals,..... 311	— Bull, Major,..... 81
Select lists of,..... 45, 108, 366			<i>Diseases of</i> ,—Black-leg in,..... 89
			— Bone disorder in,..... 138
			Durhams, History of,..... 177, 295
			— Bates' Stock, Controversy about, 53
			— — — Sale of,..... 92, 186, 245

- Cattle**—Pedigrees of, 177
 — Bull, Locomotive, 184, 217
 — — 3rd Duke of Cambridge 241, 249
 — — Belleville, 347
 — Mr. Sheaf's, Sale of, 276, 346
 — Imported by Col. Sherwood, 251
 — Sales of, 185, 217
 Feeding in winter, 105, 106
 Fat, 123, 154, 184, 185, 381
 For Nova Scotia, 252
 For New Brunswick, 404
 Galloway, 146
 Herefords, Notice of, 61, 282
 Hungarian, Importation of, 314, 338
 Heifers, time for calving, 178
 Jersey, Prices of, 314
 Livingston County, 155
 Maryland, 378
 Suffolk, 112
 New Hampshire Steers, heavy, 381
 Sale of Mr. Stickney's, 405
 Time to turn to grass, 181
 Vermont, 371
 Vermin on, to destroy, 106
 Winter care of, 62, 337
 Cauliflower, large, 405
 Cellars, Fruit in, 366
 — To make Water-tight, 62, 120, 149
 Cement, Water, 313
 Characteristics of the Season of 1850, 400
 Cheese Dairies—see *Dairies*.
 — American, in England, 398
 — Dunlop, how made, 105
 — Large versus Small, 105
 — Manufacture of, in Ohio, 315
 — Press, Kendall's, 272
 — Trade, 245
 Chemical Investigations, 296, 323
 Chemistry, Agricultural, 132
 — Relations of to Agriculture, 302
CHERRIES—Belle Magnifique, 75
 — Best for Wisconsin, 111
 — Kirland's new, 391
 — Notes on New, 270
 — Select Lists of, 45, 366
 Cherry Trees, Mulching, 110
 — — Peeling bark off, 271
 — — Shortening in, 140
 — — Split by Frost, 46
 — — Very Productive, 46
 Cherry Bird, 302
 Chess, will grow, 250
 — Controversy about, 103, 184, 185, 217, 275, 282
 Chicory, Culture of, 243
 Churns, Atmospheric, 60
 Churning, Temperature for, 379
 Cider Mill and Press, Portable, 299
 Cincinnati Hort. Society, 394
 Climbing Plants, Supports for, 43, 171
 Clinton County Ag. Society, 185
 Clod-Crusher, 218
 Clover Seed, how to sow, 119
 — — how to gather, 52, 246
 — — to plow in, 246
 Coal Tar, how applied, 121
 College, Agricultural, Bill for, 154
 — — Report of Committee on, 114
 Compost,—see *Manures*.
 Connecticut, Improvement in, 180
 Cooking Food for Animals, 321
 Corrections, 124, 217, 249, 303
 Coupling for Pipes and Hose, 299, 379
 Cranberry, Culture of, 218, 403
 Crops of 1849, 81
 — of 1850, 400
 — in Bennington County, (Vt.) 115
 — in New Hampshire, 372
 — in Ohio, 253, 308
 — in Seneca County, 308
 — Rotation of, 86, 119, 135, 246
CULTIVATOR, The—Value of, 92
 — Close of the Volume, 385
 — Premiums for, 160, 385
 — To Readers of, 60
 — To Agents and Correspondents of, 404
 — Postage of, 90
 — Award of Premiums for, 154
 Cultivator, Steel-tooth, 183
 — — Steel Teeth for, 404
 Curculio, Early Notices of, 289
 — — Destroyed by jarring, 47, 110, 395
 — — Lime for, 333
 — — Remedies for, 46, 333
 Currants, New Varieties of, 367
 — — Select Lists of, 45, 366
- D.**
 Dairy, Cows for, 106
 — — Cheese, in Washington County, 106
 — — Profitable, 170
 — — Profits of, 85, 104
- Dairy Steamer, 169
 Dairying in St. Lawrence County, 245
 — — in Sullivan County, 373
 — — in Ohio, 315
 Death of C. Hilliard, 61
 Delaware, Agriculture of, 388
 Dictamnus fraxinella, 87
 Dogs, Tax on, in Ohio, 249
DOMESTIC ECONOMY—Bread, Pre-
 mium for, 182, 380
 — Dunlop Cheese, how made, 105
 — Egg Plant, to cook, 303
 — Jellies, to make, 247
 — Pickles, to make, 303
 — Preserves, to make, 247
 — Sausages, to make and preserve, 105
 — Tomato Catsup, 303
 — — Figs, 303
 — — Preserves, 303
 Door Yards, to improve, 364
 Draining, cheap mode of, 163, 164
 — — Effects of, 376
 — — Durability of, 120
 — — Stone and Wood for, 218
 — — Swamp Lands, 257
 — — Tiles for, 346
 — — with Tiles, 5
 Drills for Wheat, 79, 37
 — — Seymour's Grain, 273
- E.**
 Economy of Agriculture, 62
 — — of Farming, 149
 Equinoctial Storms, 239
 Egg, large, 406
 Essex County (Mass) Ag. Society, 60
 Evergreen Screens, 236
 — — to Transplant, 395
- F.**
 False Economy, 155
 Farmers, Good and Bad, 57
 — — Intellectual Improvement of, 35
 — — Knowledge necessary to, 65
 — — Life favorable to the pursuit of
 knowledge, 262
 — — Sound advice to, 248
 — — Studies for, 100
 — — to young, 403
 Farming Economy, 149
 — — in Indiana, 369
 — — in Ohio, 308, 368
 — — Notes on American, 344
 — — on a Large Scale, 185
 — — versus Manufacturing, 56, 182
- FARMS**—Notices of:
 Col. Briggs', Wayne Co., 364
 E. H. Derby's, Mass., 40
 Geo. E. Adams', Mass., 40
 Harvey Dodge's, Mass., 40
 Improvements on suggested, 257
 J. Bennett's, Wayne Co., 373
 J. W. Lincoln's, Mass., 41
 Jos. Watson's, Wayne Co., 364
 Mr. Streeter's, Wayne Co., 364
 N. Dodge's, Mass., 41
 T. G. Yeoman's, 390
 Premium, 73
 S. B. Halliday's, R. I., 245
 Viewing, Advantages of, 312
 Wm. Sutton's, Mass., 40
 Worn out, to restore, 161
 Fences, Live, remarks on, 67
 — — Hedge, 40, 47, 68, 235, 278, 366
 — — Timber for, 152
 — — Wire, Construction of, 84, 144, 145, 278, 359, 366
 — — Durability of doubted, 47
 — — Strength of, 244
 Fish, Reviving after Freezing, 347
 Fire-blight, remarks on, 87
 Flanders, Agriculture of, 73
 Flax, Culture of, in Ohio, 129, 308
 — — grown with Barley, 149
 — — Rust, history of, 130
 Flowers, Autumnal, 44
 — — Native, 239, 302
 Food of Plants, 90, 309
 Forest Trees, Propagating, 379
 Forests, Second Growth of, 175
 France, Agriculture of, 73
 — — Gardens in, 207
 Franklin Institute Fair, 378
 Fruit Gardens and Nurseries near Bos-
 ton, 236
 — — Thinning, 394
 Fruits, at Plattsburg, 111
 — — Culture, Profits of, 173, 207, 237
 — — from Clinton County, 405
 — — for Central Illinois, 239
 — — French names of, 268
 — — to keep in Cellars, 366
- Fruits**—Improvement in, 111
 — — New names to old, 143
 — — Oven for Drying, 542
 — — Selecting for Continued Supplies, 331
 — — Shipment of, 174
 Fruit Trees, Charcoal and Lime for, 79
 — — Labels for, 269
 — — Luck with, 333
 — — Manures for, 111, 143, 173
 — — Successful Treatment of, 172, 393
 — — Summer management of
 young, 170
 — — to keep mice from, 366
 — — Unfavorable Localities for, 271
- G.**
 Gardens and Nurseries near Boston, 236
 — — in France, 207
 — — Irrigation of, 301
 — — Market, and Railroads, 332
 Geology, Relations of to Agriculture, 74
 — — Knowledge of Important to the
 Farmer, 402
 Georgia State Fair, 250
 Germany, Agriculture of, 71
 Glass Water Pipes, 124
 Glue, not dissolved by Alcohol, 60
 Gooseberries, Houghton's, 86
 — — Select Lists of, 45, 366
 Grafting Grape Vines, 123, 366
 — — Improvement by, 111
 — — Old Apple Trees, 394
 — — Influence of, 206
 — — Root, 103, 140, 143
 — — Wax for, 140
 Grain, Harvesting, 246
 — — Binder's Wheel Rake, 273
 Graperies at Salem, 235
 Grapes, Culture of, in Ohio, 359
 — — Diana, 103, 143, 155
 — — Early Second Crop of, 333
 — — Fox, 86
 — — from Cuttings, 143
 — — Grafting, 123, 366
 — — Hardy, in Maine, 143
 — — Pruning in Summer, 395
 — — Seedling, 395
 — — Select Lists of, 45
 — — to Preserve in Winter, 307
 — — Vines, Soap-suds for, 206
 Grass, best for Michigan, 247
 — — Canary, 79
 — — Seeding Land to, 79
 — — Seeding with Buckwheat, 153
 Grasshoppers and Locusts, 343
 Great Britain, Agricultural Improve-
 ments in, 73
 Guano, Effects of, 120
 — — Time to apply, &c., 79
 Gypsum, should be kept from air, 79
- H.**
 Hamilton College, Notice of, 54
 Hams, Premium for, 388
 — — American in England, 396
 Harness, Splendid, 380
 Harrow, Geddes' Folding, 243
 Harvesting Machines, 121, 479
 Hay, Advantages of Cutting, 175
 — — Caps, to make, 315
 — — utility of, 380
 — — Easy way to unload, 276
 — — Great Product of, 253
 — — Harvesting and Curing, 225
 — — Oat, value of, 260
 Heat, Loss of, 175
 Hedges, Buckthorn, 40, 47, 68, 235
 — — How to plant, 68
 — — Osage Orange, 47, 68, 366
 — — Red Cedar, 278
 Holland, Agriculture of, 72
 Honey, Fine Sample of, 346
HORSES—At State Fair, 337
 — — Arabian, imported, 346
 — — Blind Teeth in, 90, 138
 — — Breeding, 58
 — — Death of Gifford Morgan, 405
 — — Inflammation of, 211
 — — Lady Gifford, 176
 — — Leap of, 347
 — — Morgan, 176, 184, 279, 371
 — — Ringbone, to cure, 106, 163, 212
 — — Sales of Morgan, 155
 — — Stumbling, 370
 — — Vermont, 371
 Horse-powers, Wheeler's, 95, 122
 — — Emery's, 95, 272, 286, 312
- I.**
 Ice Houses, to build, 79, 397
 — — Above ground, 379
 Ice, Cheap, 282

Industrial Exhibition at London, money raised for, 61
 — Building for, 152
 — Articles to be Exhibited, 214
 — U. S. Committee for, 250
 — New-York Committee for, 314
 Indiana, Farming in, 249, 369
INDIAN CORN—Culture of, 133, 179, 181
 Cobs, Nutrimnt in, 152
 Crops in Ohio, 358
 Fields and Cribb of the West, 185
 Good Crops of, ... 58, 123, 152, 155, 184
 How to raise, 62
 Height of, 245
 Mode of Planting in Ohio, 85
 Premium Crops, 78, 115, 186
 — how grown, 115
 Preserved from Worms, 311
 Shrinkage of, 213
 Steeping Seed of, 339
 Tarring Seed, 185
 To prevent being pulled, 142
 Illinois, Climate of, 131
 — Fruits for, 142, 143
 Importation of Animals from Asia, 150
 Improvement, means of Mental, 357
 — of Old Lands, 161, 399
 — of Sandy Lands, 193
 — of Wet Lands, 134
 — on the Farm, 257
INSECTS—Aphis on Apple Trees, ... 46
 Curculio, 46, 47, 110, 209, 333
 Striped Bugs, 301
 Wheat Midge, 315
 Insect Catchers, curious, 171
 Insurance of Live Stock, 120, 150
 Irrigation of Gardens, 301
 — in England, 385
 — Method and Advantages of, 201, 230
 — Water for, 310
 Italy, Agriculture of, 72

J.
 Jefferson County Ag. Society, 248
 Jellies and Preserves, to make, 217
 Juries in Civil Causes, 147

K.
 Knowledge, Progress in, 148
 Kew Palm House, 395

L.
 Labels for Fruit Trees, 268
 Ladders, Brigham's Extension, 377
 — Fruit and Folding, 43
 Lands, Cultivating Stiff, 310
 — Clayey, to Improve, 183
 — Improvement of old, ... 102, 375, 390
 — Management of Sandy, 193
 — To prepare for Crops, 277
 — Sandy, to reclaim, ... 58, 153, 193
 — Wet, to reclaim, 134
 Lard Oil, made at Cincinnati, 152
 Lawrence Scientific School, 123
 Layers, Propagation by, 239
 Leaves, Effect of Cutting off, 303
 Lectures by Prof. Johnston, 62, 91
 Letters from Prof. Norton, 33, 69, 97, 151, 167, 197, 234, 260, 296, 323, 363, 390
 Lice, Black, described, 248
 — on Plants, to destroy, 313
 — on Poultry, 313
 "Lionizing," 249
 Lizards, Poisonous, 184
 Locust, Seeds of, 313
 — Trees, Transplanting, 249
 — Locusts and Grasshoppers, 343
 Long Island, Lands of, 251, 379

M.
 Maine, Farming in, 180
 Management, Good and Bad, 214
 Mantles, Cast Iron, 377
MANURES—Ashes for, 183, 197
 Adulterated, 197
 Analyses of, 198, 199, 403
 Action of Soils on, 261
 Bones, Composition of, 97
 — Value of, 97
 — How to apply, 95
 — To Dissolve, 121, 151
 — Dissolved by Steam, 167
 — Experiment in dissolving, unsuccessful, 277
 Blood, Flesh, Animal Charcoal, 197
 Charcoal for, 79
 Composts, 117, 161
 Coal Ashes, 197
 Cow, Composition of, 198
 Fish for, 79
 for Fruit Trees, 111, 143, 173
 Glue Refuse, 40, 197

Manures—Hog, Composition of, 198
 Imported into Great Britain, 152
 Ivory Dust, Wool and Hair, 167
 Lime for, 79
 Liquid, Tanks, &c., 234
 Leaves for, 250
 Long and Rotten, 381
 Marl, 116, 248, 279
 Muck, 117, 161
 Mineral, 152
 New kind of, 403
 Principles of, 69
 Profit of, doubted, 387
 Peat, 153, 258, 279
 Slaughter-house, 41
 Tan-bark for, 121
 To Increase, 162, 386
 Value of, 289
 Waste of, 250
 Marls of New Jersey, 254
 — of Maryland, 279
 — and Muck, 116, 117
 Maryland State Fair, 250, 387
 — Agriculture of, 279
 Massachusetts Farming, notes on, 40
 May-weed, to destroy, 50
 Melons, Water, large crop of, 141
 — Test of ripeness, 141
 Mental Culture, necessity for, 213
 — Improvement, means for, 357
 Meteorology, study of, 38
 — Remarks on, 370
 Mice in Nurseries, 239
 — to keep from Fruit Trees, 366
 Michigan State Fair, 250
 — Agricultural Statistics of, 152
 Milk, richness of, 152
 Mill for Grinding Feed, 272
 Mill Tolls in Arkansas, 347
 Millet, Culture of, 215
 Minerals in Washington county, 369
 Moles, to destroy, 121, 152
 — Trap, 342
 Montgomery Co. (Pa.) Ag. Society, 314
 Motion of Sap in Plants, 166
 Mott's Agricultural Furnace, 322
 Moors and Arabs, their habits and implements of tillage, 355
 Mules, raised in Ohio, 259
 Mustard Seed, price of, 250

N.
 Nectarines, select list of, 45
 — Stauwick, 333
 New Hampshire State Fair, 250, 374
 — Season in, 372
New-York State Agricultural Society:
 Annual Meeting, 77
 Committees for Winter Meeting, 59
 Correspondence with Genl. Taylor, 274
 Fair at Albany, 337
 Honorary Members of, 313
 Letter from President Fillmore, 313
 Officers for 1850, 77
 Premiums at Winter Meeting, 73
 — at Albany Fair, 334
 Premium Plows, 330, 336, 368
 Remarks of Mr. Ferguson about, 399
 Treasurer's Report, 77
 Trial of Plows, 150, 241, 324
 Notes of a Tour in Central N. Y., 363, 390
 Nutritive properties of the Apple, 290, 365

O.
 Oat Hay, value of, 260
 Oats, Premium Crops, 78, 116, 186
 Ohio, Remarks on Southern, 146
 — Notes on Farming in, 308, 358
 — State of Agriculture in, 253
 — State Fair, 250, 380
 Oneida County Ag. Society, 250
 Omou, Culture of, 401
 Oratorio of the Seasons, 314
 Orchards, Culture of, 236
 — Cultivating Young, 110
 — Large, 333
 Osage Orange Seed, why it fails, 366
 — to start, 48
 — Hedges, 47, 68, 366
 Oswego County Ag. Society, 121

P.
 Paint, Ohio Mineral, 79
 — Wheeler's Durable, 233
 Parsneps for Pigs, 166
 Patents, Infringement of, 253
PEACHES—Crop of, 205
 and the Curculio, 206
 Select lists of, 45
 Raising Seedling, 205
 for the South, 238
 Securing Crop of, 366

Peach Trees, Culture of, 367
 — New mode of propagating, 373
 — Pruning, 107, 171
 — Transplanting, 140
 — Worms in, 207
 — Yellows in, 367
PEARS—Best for Wisconsin, 111
 Cracking of the Doysenn, 367
 Kirtland, 109
 Louise Bonne de Jersey, 111
 Rejected list of, 45
 Raising new, 237
 St. Ghislain, 271
 Seedling, 380
 Select lists of, 45, 167, 366
 Two best, 333
 Winter, 88, 143
 Pear Trees, blight in, 87, 111, 204
 — Dwarf, cultivating, 108, 153
 Peas, Culture of, 165
 — and Beans, value of, 121
 — Early Varieties, 141
 — Premium Crops, 78, 186
 — Varieties of, 172
 Peat, Constituents of, 153
 — see *Manures*.

PERIODICALS—Notices of.
 Am. Jour. of Science and Arts, 122, 183
 Family Visitor, 122
 Genesee Farmer, 122
 Harper's New Monthly Magazine, 404
 Medico Chirurgical Review, 183
 Moore's Rural New-Yorker, 122
 Plow, Loom and Anvil, 249
 The Horticulturist, 237
 The Country Gentleman, 122
 Working Farmer, 153
 Pipes, Glass, for water, 124
 — Water Lime, 311
 Plank Roads, Timber for, 159
 Plant Lice, to destroy, 238
 Plants, Acclimation of, 231, 314
 — Food of, 90, 309
 — Materials for Potting, 331
 — Motion of Sap in, 166
 — Protecting tender, 367
 Plaster Paris, 79
 Plowing, Benefit of deep, 152
 — Fall, Advantages of, 362
 — and Winter, 34
 — in Clover, Weeds, &c., 246
 — Match in Canada, 217
 — Remarks on, 98, 297
 — Sub-soil, Advantages of, 248
 — How to perform, 61
 — Utility of doubted, 50
 Plows, Bartlett's Double, 83
 — Form of, 61
 — Michigan Sod and Sub-soil, 320, 336, 397
 — Moorish, 355
 — Premium, 330, 336, 368
 — Prouty's Centre Draft, 79, 324, 336, 368
 — Premiums offered for, 150
 — Ruggles, Nourse & Mason's, 98, 297
 — Report on trial of, 324, 368
 — Trial of, 150, 217, 241, 324

PLUMS—Best for Wisconsin, 111
 Notes on, 110
 Select lists of, 45, 107
 Plum Trees, Black-knot in, 333
 — Killed by Fresh Manure, 110
 — Leaf-blight in, 111, 207
POETRY—Arabian Song, 356
 Song of the Plowman, 216
 The Farmer's Song, 143
 The Cottage in the Glen, 284
 Pomological Convention, North American, 107
 Poor Man's Plaster, 182
 Porcelain Ware, made in Vermont, 217
 Pork, American and English, 57
 — to Preserve, 403
 Posts, Durability of, 153
 — Red Cedar, 250
POTATOES—Experiment with, 118
 Grown from Seed, 116, 118
 Premium Crops, 78, 186
 Rot in, 61, 62, 300
 Sweet, 153
 Small, for Planting, 372
 To raise Early, 141
 To raise cheaply, 175
 Wild, from South America, 350
 Yarn, 155
 Potting Plants, 331
POULTRY—At New-York State Fair, 339
 and Poultry Books, 209, 227, 264
 Bantams, 253
 Best Food for, 79
 Caponizing, 401
 Cochon China, 124, 377

- Poultry*—Curassow, 217
 Dorking, 113, 153, 377
 Exhibition of, at Boston, .. 54, 377, 405
 Eggs from choice, 155
 Fine, 61
 Fine Game, 91, 155
 Imported from Spain, 346
 Lice on, 313
 Management of, 56
 Prices of, in London, 282
 Profits of, 83, 250
 To make Lay in Winter, 106
 To prevent Hens Setting, 180
 To prevent Scratching, 218
 Preserves and Jellies, to make, 247
 Prices Current, 62, 92, 124, 156, 186, 218, 251, 283, 316, 343
 Products of Labor and Capital, 84
 Protecting Plants and Shrubs, 367
 Provisions, American in England, 398
 Provisions, American in England, 398
 Prunes, Albany, 91
 Pruning, origin of, 333
 — the Peach, 107, 171
 Prussia, Agriculture of, 72
 Pumpkins, Growth of, 147
 — Raising, 181
- R.**
 Railroads for Plantations, 148
 — and Market Gardens, 332
 Rains, heavy, 281
 — in Summer of 1850, 400
 Ram's Head in Wool Grower, 314
 Raspberries, Everbearing, 47
 — Great Product of, 315
 — Red Antwerp, 270
 — Select lists of, 45, 366
 Rats, to destroy, 121, 182
 — to decoy, 250
 Reaper, McCormick's, 308, 313
 Reclaiming Sandy Lands, 58, 153
 — Wet Lands, 134
 — Worn-out Lands, 162, 375
 Reusselaer Institute, 61
 Rhode Island State Fair, 280
 — Farming in, 245
 Ring-bone, to cure, 106, 212
 Root Grafting, 140, 143
 — Large Stocks, 108
 Roots, Wide Extension of, 111
 Rose Cuttings, 174
 Roses, Michigan or Prairie, 301
 — to Winter Bourbon, 302
 Rotation of Crops, Principles of, 86
 — in Virginia, 119, 246
 — Suggestion about, 135
 Royal Agricultural Society, 315
 Rural Architecture, 305
 Russia, Agriculture of, 71
 Ruta Baga—see *Turneps*.
 Rye, Premium Crops, 78, 116
- S.**
 Salt, quantity yet on hand, 186
 Sap in Plants, motion of, 166
 Sandy Soils, improvement of, 58, 153
 Sausages, to make and preserve, 105
 Saxony, Agriculture of, 72
 School House, design for, 396
 Schools, Common, to improve, 42
 — Agricultural, 249, 315, 324
 — of Applied Chemistry, 381
 — Reading Books for, 259
 Science as applicable to Agriculture, 280
 — Relations of to Agriculture, 136
 Scraper, Cast Iron Dirt, 183
 scythe Snaths, how to repair, 276
 Season and Crops, 281
 Seeding Lands to Grass, 79
 — with Buckwheat, 153
 Seeds, on Steeping, 339
 Separators, Pitt's, 185
 SHEEP—At New-York State Fair, 338
 Cheviot, 48
 Comparative merits of, 242
- Sheep*—Fat, 123
 Folding, in Summer, 404
 French Merinos, 281
 Long-Wooled, 282
 Loss in Importing, 155
 New Hampshire, 374
 Protection for, 49
 Profitable, 92, 346
 Ram's Head in Wool Grower, 314
 Rot in, 361
 Saxon, Premium for, 51
 — Imported, 60, 91
 Sales of, 153
 Time to turn to grass, 181
 Thibet, 249
 Vermont, 371
 Varieties of the Merino, 101
 Washing, 91
 Husbandry, remarks on, 116
 — Amount invested in, 291
 — in Washington county, 293
 Shrubs, twenty-five hardy, 142
 Silk Culture in Austria, 199
 Smithfield Cattle Show, 123
 Smithsonian Institution, doings of, 37
 Snaptagon, increase of, 313
 Snow-bird, the White, 79
 Soap-suds, for the Grape, 206
 Soil, should be often stirred, 333
 Sorrel, to destroy, 259
 Spain, Agriculture of, 73
 — Abolition of Bull-fights in, 79
 Spiders, sagacity and strength of, 347
 Squashes, great crop of, 173
 Steam, Power of, 309
 Stock, advantages of raising good, 253
 Stones, to remove by sinking, 41
 Stoves, Air-tight, Explosion of, 248
 Straw, should not be burnt, 113
 Strawberries, Black Prince, 271
 — Culture at Cincinnati, 86
 — Beds, tiles for, 79
 — Grown on quarter-acre, 142
 — Length of Roots of, 333
 — Productive, 141
 — Select lists of, 45
 — Time for Transplanting, 270
 — The Best Kinds, 393
 Studies for the Farmer, 100
 Stump Machines, 79, 214
 Succory, Culture of, 243
 Sugar, Maple, to make, 106, 121
 — White, how made, 119
 Sugar Beets, Premium Crop, 156
 Supports for Climbers, 43, 171
 Sweden, Agriculture of, 71
 SWINE—At New-York State Fair, 335
 Berkshires, scarce, 79
 Cure for Kidney-worm in, 380
 Fattening, best mode of, 321
 Heavy, 250
 Imported from Spain, 346
 in Steuben county, 249
 Middlesex, 61, 381
 Raising, in Ohio, 259
 Sale of Mr. Stickney's 381, 405
 Suffolk, 61, 185, 381
- T.**
 Tan-bark, for Manure, 121
 Thibet, Table Land of, 243
 Threshing Machines, Emery's, 95, 272, 286, 312
 — Wheeler's, 122, 220
 — and Feed Mill, 372
 Tiles for Strawberry-beds, 79
 — for Draining, 81, 346
 Timber for Plank Roads, 119
 — Best time for cutting, 244
 Timothy Seed, how to sow, 119
 Tobacco, Culture of, 244
 Transmutation, Controversy about, 103, 184, 185, 217, 275, 282
 Transplanting Trees, 367
 — in June, 367
- Transplanting*—Evergreens, 395
 — Peach Trees, 140
 — Requisites for, 139
 — with balls of Earth, 143
 Trees, best for Sea Coast, 46
 — Luck with, 333
 — Old Forest, 333
 — on Planting, 87
 — Planting in Streets, 139
 Trial of Plows, Report on, 324
 Turneps, Culture of, 52
 — Premium Crops, 78
 — to Store for Winter use, 366
 Turning Stock to Grass, 181
- V.**
 Verbenas, to protect in Winter, 89
 Vegetable Cutter, Avery's 218
 — Halleck's, 377
 Vermin on Cattle, to destroy, 106
 Vermont, Premium Crops in, 156
 — Live Stock of, 371
 Victoria Regia, 353
 Village Door-yards, to plant, 364
 Virgilea lutea, 303
 Virginia, Farming in, 118
 — Letter to Young Man in, 174
 — Northern Farmers in, 154
 — Things in, 85
- W.**
 Washington County Ag. Society, 373
 Water Pipes, Glass, 124
 — Lime Pipes, 311
 — Inquiry about, 246
 Wayne County Ag. Society, 121, 390
 — Agriculture of, 363, 390
 — Fine Fruits in, 390
 Weeds should be destroyed, 257
 Westchester County Ag. Society, 376
 WHEAT—Culture of, 195, 275, 312
 Changed to Oats, 185
 Crop in Ohio, 359
 Drills for, 79
 Early Cutting, 278
 Etrurian, 251
 Grains in a Bushel, 273
 Harrowing in Spring, 155
 Large Crop of, 330, 398, 403
 Large Field of, 330
 Midge in, 315
 Premium Crops, 78, 116, 156
 Spring, Cultivation of, 120
 — Black Sea, 121
 — Turkey, 123
 Seed of, from Morocco, 61
 Sown in Drills, 273, 298, 379
 Seed of, should be selected, 275
 That will not turn to Chess, 275
 Thick and Thin Seeding, 343
 Wheel Rake for Grain-binders, 273
 Wind Mill, Centrifugal, 79
 — Mr. Morton's, 153
 Winter, Preparations for, 397
 Wire Fences, 47, 84, 144, 145, 278, 359, 386
 — Strength of, 244
 Wire-worm, to destroy, 370
 Wisconsin as a Farming State, 277, 340
 Wood, Green versus Dry, 117
 WOOL—Coarse, 175
 Clip of 1850, 282
 Duties on, 291, 370, 391
 Good Product of, 309
 Growers, Protection to, 391
 Imported into United States, 291
 Prices of, 62, 92, 124, 156, 186, 218, 250, 283, 316, 347
 Samples from Kentucky, 123
 — of Imported, 314
 Wringing Clothes, Substitute for, 153
- Y.**
 Yale College, Ag. School in, 381
 Yellow Bird, 315
 Young Men, Advice to, 174

INDEX TO CORRESPONDENTS.

NEW-YORK.		MAINE.		DELAWARE.	
A. D. G.,.....	179	Burley, Parker P.,.....	180	A. J.,.....	153
A. D. S.,.....	275	NEW-HAMPSHIRE.			
A. Farmer,.....	56, 116	Bartlett, Levi,.....	100, 148	VIRGINIA.	
Allen, A. B.,.....	276	Eaton, W. L., 82, 132, 143, 179, 213, 243,		Bunch, J.,.....	85
A. K.,.....	402		372, 394	B. McS.,.....	218
Alumaus,.....	54	Sylvanus,.....	213, 284, 341	E. C. J.,.....	79
Agard, Noah,.....	311	Wier, F. A.,.....	279	M. D., Jr.,.....	153, 183
An Old Farmer,.....	174, 182	VERMONT.			
A Practical Farmer,.....	62	Bingham, A. L.,.....	281	M. C.,.....	379
A. M.,.....	180	Colburn, J. W.,.....	123	NORTH CAROLINA.	
Argus,.....	182	Holbrook, F., 37, 65, 98, 134, 161, 166, 201,		Burguyn, H. K.,.....	399
A Subscriber,.....	181, 398		297	Jones, E. W.,.....	118
A Sheep Man,.....	242	Hutchins, Warren,.....	277, 280	SOUTH CAROLINA.	
A. S. F.,.....	181	Jewett, S. W.,.....	395	J. W. W.,.....	183
Betts, F.,.....	144	Macomber, B.,.....	205	J. T. C.,.....	313
Buckley, S. B.,.....	50	Petitbone, J. S.,.....	115	MISSOURI.	
Butler, G.,.....	149	Rich, Q. C.,.....	120	Hammond, J. R.,.....	103
Brown, D. T.,.....	370	Tufts, James,.....	44, 262	M. M.,.....	313
Chapman, S. P.,.....	53	MASSACHUSETTS.			
C. E. G., 110, 135, 141, 161, 173, 231, 245,	300	A. B.,.....	84, 145, 230	LOUISIANA.	
C. G. J.,.....	106	Berkshire,.....	117	Tillotson, S.,.....	119, 149
Cheever, Samuel,.....	165	Buxton, Daniel,.....	401	KENTUCKY.	
Carter, W. C.,.....	169	Colton, S. H.,.....	143	Martin, Dr. S. D.,.....	177
Cone, L. G.,.....	212	Dadd, G. H.,.....	59, 168	ARKANSAS.	
Cheeny, J. A.,.....	246	Jaques, Samuel,.....	112	Hitchcock, Jacob,.....	147
Curtis, Daniel S.,.....	276	Mansfield, George,.....	278	OHIO.	
Cornell, E.,.....	281	Merriam, H. C.,.....	291, 391	Gardner, Darwin E.,.....	146
D. D. C.,.....	163	M. M. B.,.....	153	Howard, John R.,.....	308, 358
Delafield, John,.....	36, 368	Proctor, J. W.,.....	401	Ladd, William H.,.....	51
Drake, R. H.,.....	47, 373	RHODE ISLAND.			
Dillingham, O.,.....	104	J. H. W.,.....	46	Longworth, Nicholas,.....	47
Ellis, J. A. H.,.....	276	CONNECTICUT.			
Fitch, Dr. Asa,.....	130, 293, 369	Durand, Levi,.....	62, 133, 149, 246	O. L. D.,.....	79
Fowler, Ed.,.....	85	Gold, T. S.,.....	106	Murray, Orson S.,.....	372
Farmer,.....	373	Norton, Prof. J. P., 33, 69, 97, 151, 167, 197,		Stowe, Calvin,.....	117
H. C. W.,.....	35, 233, 353		234, 260, 296, 323, 363, 390	Webb, W. R.,.....	85
Hildreth, I.,.....	87	Robinson, Charles,.....	339	INDIANA.	
H. V. O.,.....	181	S. R. G.,.....	153	A. B. K.,.....	79
Hanchett, G. A.,.....	245, 376	Sykes, D. L.,.....	379	A. B. P.,.....	247
Hutchinson, R. A.,.....	311	W.,.....	106, 110	Catcart, C. W.,.....	52
Hamilton, Chas.,.....	395	NEW JERSEY.			
J. R. S.,.....	56	B. S.,.....	79	Craig, J. S.,.....	249
Johnston, John,.....	81, 281, 308	Blake, Rev. John L.,.....	357	Dennis, W. T.,.....	369
Marshall, O. F.,.....	249	Colt, R. L.,.....	212	ILLINOIS.	
Mosely, D. T.,.....	206	D. B. K.,.....	367, 379	W. B. D.,.....	153
Nott, Benjamin H.,.....	359	E.,.....	139	MICHIGAN.	
Observer,.....	209, 227, 264	Vail, Lindley M.,.....	403	Experienced Farmer,.....	247
P.,.....	50	PENNSYLVANIA.			
Pardee, R. G.,.....	57, 174, 344	A. B.,.....	82	J. F. C.,.....	79
Pearsall, G. T.,.....	118	B. S.,.....	79	Watkins, R.,.....	278
Spinner, J. D.,.....	61	Crossdale, E.,.....	105	WISCONSIN.	
Smith, N. S.,.....	118	Culbertson, A.,.....	185	Greene, T.,.....	279
Stevens, Ambrose,.....	154, 189	Ellis, B. M.,.....	119	Greene, C. H.,.....	340
Spencer, S.,.....	51	Garber, J. B.,.....	116	FOREIGN.	
Saccharine,.....	166	J. T. S.,.....	121	Johnston, Prof. J. F. W.,.....	71
Streeter, B. H.,.....	315	J. H. M.,.....	121	Baker, William,.....	282
Thomas, David, 44, 86, 87, 147, 206, 239,	341	J.,.....	378	Dennison, William,.....	379
	289, 301, 302, 303,	Taylor, Charles W.,.....	62	Fleischman, C. L.,.....	199
T. M.,.....	165	MARYLAND.			
Talcott, J.,.....	172	B. P. J.,.....	388	G. B.,.....	153
Titrus,.....	370	Howard, John R.,.....	279	Morris, L. G.,.....	246
Wood, Jonathan,.....	85	J. B.,.....	379	T. B.,.....	153
W. C. W.,.....	34	McCormick, M. W.,.....	213	Watson, Joseph,.....	116
Wayne,.....	87	UNKNOWN.			
X.,.....	120, 149	An Old Farmer,.....	277	A Subscriber,.....	246
		Little, William,.....	90		

INDEX TO ILLUSTRATIONS.

BUILDINGS.
Bracketed Farm House,..... 305
Floors for do,..... 306
Cheap Farm House,..... 18
Commodious Farm House,..... 19
Cheap Cottage,..... 16
Farm House,..... 16
Farm Barn,..... 20
Gardener's Lodge,..... 16
House for Plantation Laborers,..... 18
Ice House,..... 397
Italian Cottage,..... 17
Mechanic's House,..... 243
Pigeon and Rabbit House,..... 23
Rural Church,..... 19
Rural Gothic Cottage,..... 18
Rural School House,..... 396
Floor of do,..... 396
Suburban Cottages,..... 17, 55
Sheep Barn,..... 20
Tuscan Villa,..... 16
Tudor Villa,..... 208

CATTLE.
Ayrshire Cow,..... 9
American Buffalo,..... 10
Alderney Cow,..... 170
Italian Buffalo,..... 9
Brahmin Bull,..... 8
Devon Bull,..... 10
— Bull "Major,"..... 80
Durham Cow, "Esterville,"..... 7
— Bull, "King Charles 2d,"..... 6
— "Duke of Wellington,"..... 7
— "3d Duke of Cambridge,"..... 240
European Buffalo,..... 9
Galloway Ox,..... 145
Hereford Ox,..... 8
Italian Bull,..... 8
Kerry Cow,..... 8
Long-horned Ox,..... 10
Musk Ox,..... 10
Suffolk Cow,..... 112
West Highland Ox,..... 9
Yorkshire Cow,..... 6

POULTRY.
Chinese Goose,..... 22
Creoles and Bantams,..... 23
Dorkings,..... 113
Golden Hamburg,..... 23
Group of,..... 209
Game Cock and Great Malay,..... 22, 239
Jungle Fowls,..... 22, 228
Peacock,..... 22
Swan and Wild Goose,..... 23

SWINE.
Chinese, Berkshire and "Alligator,"... 14
Suffolk, Essex and Woburn,..... 15

HORSES.
Black Hawk,..... 4
Group of,..... 3
Lady Messenger and Colt,..... 4
Lady Gifford,..... 176
Morgan Hunter,..... 5
Suffolk Horse,..... 5

SHEEP.
Cheviot Rams,..... 48
Fat Rumped,..... 11
Leicester Ram,..... 13
Merion Ram and Ewe,..... 12
Oxfordshire Ram,..... 11
Saxon Ram,..... 13

FRUITS.
Gooseberries—Crown Bob,..... 30
— Houghton's Seedling,..... 86
— Whitesmith,..... 21, 30
Grapes—Bunch of,..... 30
Diana,..... 108
Pear, Kirtland,..... 109
Plumbs—Cherry,..... 29
— Frost,..... 30
— Green Gage,..... 30
Raspberries—Col. Wilder,..... 30
— Falstolf,..... 21
— Red Antwerp,..... 270
Strawberries—Black Prince,..... 21
— Burr's New Pine,..... 21
— Hovey's Seedling,..... 30
— Ross' Phoenix,..... 21

FRUIT CULTURE, Etc.
Dwarf Pear Tree,..... 21
Fruit-Ladders,..... 43, 44
Marks for Fruit Trees,..... 269
Pruning the Peach,..... 107, 171
Root Grafting,..... 108
Transplanting,..... 139

GARDEN STRUCTURES, Etc.
Grouping Trees,..... 31
Hot-bed Frames,..... 31
Horticultural Vignette,..... 31
Ornamental Fountain,..... 29
Plan of a Garden,..... 27
Rustic Alcove,..... 27
Rustic Gateway and Arbor,..... 30
Supports for Climbing Plants, 27, 30, 43, 171
Vase and Sun-dial,..... 27


GATES AND FENCES.
Farm Gate,..... 28
Ornamental Gate,..... 28
Patent Fence,..... 28
Self-shutting Gate,..... 13
Wire Fences,..... 109, 144
Tools for making do,..... 144

IMPLEMENTS, Etc.
Broadcast Sowing Machine,..... 25
Cast Iron Scraper,..... 133
Esterly's Harvesting Machine,..... 24
Emery's Seed Planter,..... 24
— Horse-power and Mill,..... 272
— Thresher and Cleaner,..... 312
— Horse-power and Thresher,..... 286
Goldsborough's Corn-sheller and Husker 26
Grant's Fan Mill,..... 31
— Grain Cradle,..... 69
Geddes' Harrow,..... 243
Grain Binder's Wheel Rake,..... 273
Hay Spreader,..... 26, 228
Horse Rake,..... 26
McCormick's Reaper,..... 25
Pitt's Corn and Cob Cutter,..... 25
Plows—Iron Beam,..... 183
— Michigan Sod and Sub-soil, 336, 397
— Miner and Horton's Premium, .. 336
— Moorish,..... 355
— Premium Side-Hill,..... 336
— Premium Centre-Draft,..... 336, 363
Ruggles & Co.'s New Stubble and Sward,..... 298
Seymour's Grain Drill,..... 273
Sinclair & Co.'s Corn Mill,..... 25
Straw and Colton's Bee-hives, .. 26
Stump Machines,..... 26, 31, 214
Taplin's Horse-power,..... 24
Wheeler's Horse-power and Thresher, 24, 220


MISCELLANEOUS.
Breaking Steers,..... 12
Buckthorn,..... 68
Cedar of Lebanon,..... 27
Carrying Hay to Market in Chili,..... 23
Coupling for Pipes and Hose,..... 299
Cider Mill, Portable,..... 299
Cheese Press, Kendall's,..... 272
Churns,..... 31, 285
Dairy Steamer,..... 169
Diagram of Plows,..... 329
Floral Hall at Syracuse,..... 304
Hydraulic Water Ram,..... 284
Hen Coop and Feeding Trough,..... 11
Mole-trap,..... 342
Mott's Furnaces,..... 322
Osage Orange,..... 69
Oven for Drying Fruits,..... 342
Planting Hedges,..... 63
Shepherd's Dog,..... 12
Sheep Rack,..... 13
Sub-soil Plowing,..... 31
Stell for Sheltering Sheep,..... 49
Stone-boat,..... 31
The Alpaca,..... 29
Upright Saw Mill,..... 167
Village Door Yards,..... 365
Wheat in Drills and Broadcast,..... 273

JANUARY,

1850.




THE
PICTORIAL
CULTIVATOR



PUBLISHED BY L. TUCKER,

CULTIVATOR OFFICE,

ALBANY, N. Y.



EF. GIBBS, DEL.

CARSON, SC.

A NEW YEAR'S PRESENT

TO SUBSCRIBERS TO



EVERY subscriber to the volume of "THE CULTIVATOR" for 1850, will receive, with his number for January, a copy of the PICTORIAL CULTIVATOR, as a "New Year's Present." It is printed on the same sized sheet, and paged so as to form the first thirty-two pages of the regular volume.

This sheet, it will be seen, contains over ONE HUNDRED ENGRAVINGS, and is, we think, altogether the handsomest, if not the first Pictorial Sheet, devoted exclusively to Rural Affairs, ever published. It has cost us much labor and expense, and cannot, we think, fail to prove highly acceptable to those for whom it is intended.

POST MASTERS AND OTHERS

Who receive a copy of this work, are respectfully invited to act as AGENTS for THE CULTIVATOR, a new volume of which commences with the January number for 1850. To those who are unacquainted with THE CULTIVATOR, we may state, that it is devoted exclusively to the interests of the Farmer and Planter, and embraces within its scope, every subject relating to the Culture of the Soil, the Breeding and Rearing of Domestic Animals, the Growing of Fruits and Flowers, Rural Architecture, Domestic Economy, etc., etc. It is a NATIONAL PERIODICAL, designed for our whole country, and embraces among its contributors, many of the best Practical and Scientific Farmers in every section of the Union; and has enjoyed, for the sixteen years it has now been published, a circulation altogether unequalled by any similar work.

TERMS.—For single copy, \$1; for seven copies, \$5; for fifteen copies, \$10; and for any larger number at the same rate. All payments to be made in advance. All subscriptions to commence with the volume, and none received for less than a year.

PREMIUMS TO AGENTS.

As an inducement to greater exertion on the part of those disposed to act as Agents, the following PREMIUMS will be paid, in Books, or in Implements or Seeds from the Albany Agricultural Warehouse, to those who send us the largest lists of subscribers for our next volume:

1. To the one who shall send us the largest number of subscribers to the CULTIVATOR for 1850, with the pay in advance, at the club price of 67 cents each, previous to the 20th of March next, the sum of FIFTY DOLLARS.
2. To the one sending us the next largest number, the sum of FORTY DOLLARS.
3. To the one sending us the next largest number, the sum of THIRTY DOLLARS.
4. For the next largest list, the sum of TWENTY DOLLARS.
5. For the next largest list, TEN DOLLARS.
6. For the FIVE next largest lists, each FIVE DOLLARS.
7. For the TEN next largest lists, each THREE DOLLARS.
8. A copy of Thomas' "AMERICAN FRUIT CULTURIST," price one dollar—a very valuable work, just published—to every Agent who sends us Fifteen subscribers and \$10, and who does not obtain one of the above prizes.


Albany, N. Y., November, 1849.

LUTHER TUCKER.




Group of Horses.


ABOVE, we give a group of horses, copied from one of the London magazines, showing at a single view the distinctive marks of the principal varieties of that noble animal now existing in Great Britain. It shows the pony, both Welch (*a*) and Shetland, (*b*) the draft horse, (*c*) the hunter, (*d*) and the racer, (*e*)




Lady Messenger and her Colt.
 Formerly owned by S. W. JEWETT, Weybridge, Vermont.




Morgan Horse, Black Hawk.
 Owned by D. and D. E. HILL, Bridport, Vermont.




Morgan Hunter,
Owned by GILBERT & ACKERLY, East Hamilton, New-York.



Suffolk Horse, Britton,
Which received the first prize of the English Royal Agricultural Society in 1839.




Improved Yorkshire Cow




Short-horned Bull, Ring Charles 2d.

Imported by JAMES LENOX, New-York.




Short-horned Cow, Esterville.

Bred by E. P. PRENTICE, Albany.




Short-horned Bull, Duke of Wellington.


Imported by GEORGE VAIL, Troy.




Hereford Ox.



Kerry Cow.




Zebu, or Brahmin Bull.



Italian Bull.




Ayrshire Cow.




West Highland Ox.




European Buffalo.



African Buffalo.



Devon Bull.




Long-horned Ox.




American Buffalo.



Musk Ox.




Fat-rumped Sheep.




New Oxfordshire Ram.

Imported by C. B. REYBOLD, Delaware City, Delaware.




Feeding Trough for Fowls.




Hentcoop.




Merino Ram.




Merino Ewe.



Shepherd's Dog.




Breaking Steers.




Saxon Ram.




Leicester Ram.




Sheep Rack.




Self-shutting Gate.




Chinese.




Berkshire.



"Alligator."



Suffolk.




Essex.



Woburn.



Tuscan Villa.




Cottage.




Gardener's Lodge.




Cheap Cottage.




Suburban Cottage.




Italian Cottage.



Rural Gothic Cottage.




Cheap Farm House.





House for Plantation Laborers.





Rural Church.




Commodious Farm House.




Farm Barn.




Sheep Barn.



Burr's New Pine.




Pastoff.



Black Prince.



Dwarf Pear




Ross' Phoenix.




Whitesmith.




Peacock.




Chinese Goose.




Jungle Fowl of Java.




Jungle Fowl of India.




Great Malay Fowl.



Game Cock.



Creoles.




Bantams.



Swan.




Wild Goose.




Golden Hamburg.




Pigeon and Rabbit House.




Emery's Seed Planter.




Wheeler's Horse Power and Thresher.




Esterly's Harvesting Machine.




Caplin's Horse Power.




Broadcast Sowing Machine.




M' Cormick's Reaper.




Pitt's Corn and Cob Cutter.




Sinclair & Co's Corn Mill.




Straw Bee Hive.




Stump Machine.




Colton's Bee Hive.




Goldsborough's Corn Sheller & Husker.




Hay Spreader.




Horse Rake.




Plan of a Garden.



Vase.




Support for Vines.



Sun Dial.




Cedar of Lebanon.





Rustic Alcove.





Carrying Hay to Market in Chili.



Patent Fence.




Ornamental Gates.



Farm Gates.




The Alpaca.



Fountain.




Cherry Plum.



Green Gage.



Dwarf Pear.




Frost Plum.




Grapes



Rustic Arbor.




Rustic Gateway.




Climbing Roses.




Col. Wilder Raspberry.




Crown Bob.




Hovey's Seedling.



Grouping Trees.



Churn.




Grant's Fan-mill.




Subsoil Plowing.





Stone Boat.



Hot-Bed.



Vignette.



Stump Machines.

THE



Horticulturist,

Journal of Rural Art and Rural Taste.

EDITED BY A. J. DOWNING,

AUTHOR OF "LANDSCAPE GARDENING," "DESIGNS FOR COTTAGE RESIDENCES," FRUITS AND "FRUIT TREES OF AMERICA," ETC., ETC.

The publisher desires to return his thanks for the liberal patronage bestowed on this work, which has established it in its present substantial and permanent form. Its influence on the progress of Gardening and Rural Taste, is now too strikingly apparent to need a word of comment. Its extended and valuable correspondence presents the experience of the most intelligent cultivators in America; and the instructive and agreeable articles from the pen of the Editor, make it equally sought after by even the general reader, interested in country life.

To all persons alive to the improvement of their gardens, orchards, or country seats,—to scientific and practical cultivators of the soil,—to nurserymen and commercial gardeners, this Journal, giving the latest discoveries and improvements, experiments and acquisitions in Horticulture, and those branches of knowledge connected with it, will be found invaluable. The publisher, therefore, takes this method of presenting it in various parts of the United States where it is not already known, and where, he is confident, it only needs to be examined, or even announced, (such is the popularity of Mr. DOWNING'S works,) to be at once ordered.

The work is published monthly, in Svo. form, of 48 pages—each number accompanied by a frontispiece and several other engravings. The list of constant contributors embraces our first horticulturists and practical cultivators. The "FOREIGN NOTICES" present a summary from all the leading Horticultural Journals of Europe; the "DOMESTIC NOTICES," and ANSWERS TO CORRESPONDENTS, furnish copious hints to the novice in practical culture; and the numerous and beautiful illustrations,—Plans for Cottages, Green-Houses, the Figures of New Fruits, Shrubs and Plants, combine to render this one of the cheapest and most valuable works on either side of the Atlantic.

THE FOURTH VOLUME OF THE HORTICULTURIST commenced on the 1st of July, 1849. All or either of the back vols. can be supplied. New subscribers will be furnished with the first four vols. for \$10.

TERMS—Three Dollars per year—Two copies for Five Dollars. All payments to be made in advance, and orders to be post-paid.

☞ All Agents for "THE CULTIVATOR," and Post Masters generally, are invited to act as Agents for THE HORTICULTURIST.

LUTHER TUCKER,
Publisher, Cultivator Office, Albany, N. Y.

Albany, N. Y., November, 1849.



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, JANUARY, 1850.

VOL. VII.—No. 1.

Letter from Prof. Norton.

ANALYTICAL LABORATORY, YALE COLLEGE,
New-Haven, Conn., Dec. 1, 1849.

EDITORS CULTIVATOR—It is with much pleasure, that I once more commence a series of regular contributions to your columns. My Letters from Europe, continued through nearly three years, with one intermission of three or four months, gave me a species of introduction to your numerous readers, which has since, in many cases, proved not only agreeable, but useful.

In attempting to renew, and as I hope, extend my acquaintance, I have no longer to depend upon the novelty and variety of another continent for the interest of my communications, and must confine my descriptions for the most part, to regions which to us seem more prosaic, in our own land. Yet, after all, this lack of strange people and strange customs in my present letters, will be excused, if my endeavors to illustrate plainly and intelligibly some points of improved scientific agriculture, are successful. This will still, to many of your readers, be traveling in a new country, and writing of things that they have never seen.

The first great work of every person who elevates himself to any of the scientific departments of agriculture, when wishing to make an impression upon practical men, should be to convince them that he regards practice in its proper light; that the results of intelligent experience are always considered by him worthy of attention. Let me then say at once, that I look upon science as an auxiliary to practice. We all know that good corn and wheat may be grown, and have been grown, by men who scorn the very name of science; that large cattle may be fattened, that good plowing may be done by them. We know that the world has been fed even to this day, by the skill of farmers, who would be called by some scientific enthusiasts, men utterly ignorant of first principles. So they were of first scientific principles; they could not mention in scientific language, the proper angle at which the axe should enter the tree, but they could show it sunk to the helve; they could not name the substances that make up the straw and grain of wheat, but could point to fields yellow for the harvest; they could furnish food for themselves and families, where Liebig and Johnston together, with all their science, would find it difficult, unassisted, to sustain even their own lives.

Thus much I acknowledge, practice can do without science, but science cannot do without practice.

The question now comes up, would not both be benefitted by union? I have said that practice *can* do without science, but would it not *do better* with its assistance? The practical man can raise good crops and good animals, can keep his farm supplied with good implements, but could he not work to better advantage and with more certainty, if he knew more as to the nature of his animals, the composition of his crops and soils? Can any reasonable man deny that knowledge upon these points, would be an immense advantage to him in every department of his farming operations? The most prejudiced opponent of innovation, will, I think, scarcely attempt to controvert this general proposition. Once admitted, they cannot consistently refuse attention to an explanation of particular points, to proofs that a majority of practical men are ignorant of much that they ought to know, even with regard to common details of their profession. After what has already been written, this remark will not be misunderstood; it will be seen that I do not intend to decry practice, but to say that it is far from perfect, and may be decidedly improved by the addition of a little scientific knowledge.

It may be objected that this knowledge is unintelligible to the ordinary farmer; that it only confuses, and thus leads him into numberless errors; but I think that the main features involved in the applications of science, may be made simple and plain to all; this has been proved in the works of Prof. Johnston, where a vast amount of knowledge, gained by the researches of scientific men, is presented in a perfectly simple and practical form.

The great difficulty is, that most writers on such subjects introduce many hard words, and rather obscure theoretical views; these, together with an absence of direct practical application, discourage the plain farmer at the outset; he says—"I can make my living as my fathers have done, without worrying my brains over this book learning, which after all, may be perfect nonsense." My object has been and always will be, to explain everything, so that the farmer can think for himself, and can see whether any new views presented really have a practical bearing or not. The next great difficulty, after simplicity of language has been attained, lies in the fact that in a single letter, it is impossible to embrace all of any particular subject or department. There are some points almost always left unexplained, or some details omitted, which are necessary to the uninstructed reader. For this reason, I have decided to take up a particular subject, and continue it through several letters, or as many as may seem needful. Among those that have occurred to me, one of the most important, as well as interesting to the farmer, is that of manures. Some readers may think this a misapplication of the word interesting, but such cannot be *true* farmers, for to

all belonging to this class, the word manure is one full of attraction.

I remember a somewhat celebrated Scotch farmer, who, from experience of their effects, had come to like the odors of the most powerful manures. I once saw a bottle opened under his nose, whose contents had the vilest smell that I ever perceived, and my laboratory occupations have given me a somewhat extensive experience in that line. His countenance at once expanded in satisfaction, and he snuffed up the savoury fumes with undisguised delight; "that'll be grand stuff," said he at last, and at once inquired where it could be obtained.

I would not insist that your readers prefer such smells to fresh air, but would like to make them equally keen in their search for fertilising substances.

JOHN P. NORTON.

Fall and Winter Plowing.

EDS. CULTIVATOR—The relative advantages and utility of fall or spring plowing, is a subject of vast practical importance to the farmer. Each system has its ardent and decided champions, but like every controverted question, the truth belongs exclusively to neither extreme. Either plan, under peculiar circumstances, or modifications of soil, condition and situation, may be best adapted or most desirable. My own observations and reflections have enabled me to adopt rules sufficiently clear and satisfactory for my personal guidance on this branch of farm operations. All other things being equal, fall plowing is expedient for the obvious reasons, that there is more leisure at that season, the business of the farm is not so urgent, and our teams are usually more vigorous and better prepared for the performance of severe and protracted labor.

Clay and other soils of a heavy and firm texture should, in my judgment, be plowed in the fall, because they require the powerful and nearly indispensable agency of frost to disintegrate the earthy matter, and to decompose the vegetable substances they contain. A long period is also requisite for the operations of frost, water, and heat, by which alone these soils are effectually pulverised. The vast body of vegetation growing on the surface and embraced in the roots and fibres, which is deposited beneath the furrow in these soils, requires a long term for its decomposition. The combined agencies of all these processes in the laboratory of nature, will scarcely be sufficient, to produce the desired friability of these earths, or to effect the decomposition of the heavy turf, in season for the nourishment and vigorous growth of the young plant in the ensuing summer. I prefer to break up hard and stony ground, in the autumn, unless the work can be performed very early in the spring, while the ground is moist and loose. The reasons for this preference will be readily appreciated. The ground is softened by the autumnal rains, and is more readily and with less labor penetrable by the plow; the stones and earth are not so adhesive, and will be more effectually disturbed and exposed to the action of the elements.

The primary object, however, of this communication, is to express my dissent to the habit which is becoming more prevalent, of plowing *light* soils in the fall. Experience, and careful observation, I may assume, enables me to speak with some confidence and authority on this subject. I consider fall plowing of this class of soils, especially where sand predominates, decidedly pernicious. The loose and permeable character of the soil, peculiarly subject

it, when exposed, to the action of the elements. Hence the percolation of the severe rains of autumn and spring, and the drenching thaws of winter, leach and wash these soils, and bear from them much of their fertilising substances. This consequence results not only when the soil is in its natural state, but even where strong applications of artificial manures have been made. This is technically termed the leaching of light soils. The unbroken turf preserves them from these effects, upon these soils.

In the case of a green sward, fall plowing, except on the very verge of winter, is equally and perhaps more objectionable. I have already stated the fact, that where heavy and compact sward prevails, a long period, and full action of the elements are required to subdue and prepare it to nourish and sustain vegetation. This obvious principle does not apply to the soils of which I am now speaking. The turf of these soils is not adhesive, wants tenacity and strength, and is readily broken and separated by the plow. Frost and rains more freely penetrate them, and more promptly perform their functions. The fermentation which always succeeds the covering of a grass ley, and which, in evolving the ammonia and other gases, is so eminently important in the vigorous growth of the crop, will in the event of fall plowing of light soils, have passed long before the fibres of the young plants have penetrated to its region. Much of the fertilizing influence thus produced, will be lost. The disintegration of the vegetable matter, turned in by the furrow, will have prematurely occurred, and the earth, before the roots of the plant have penetrated it, will have settled into a compact mass.

If it is proposed to occupy a sward land on light soil with Indian corn, my experience would suggest the plan of plowing it immediately before planting. The decomposition of the turf, will then occur at the period when the plant most requires its effects, and the fermentation, connected with that process, will create a genial warmth beneath the furrow, as the roots of the young shoots reach that point, and will communicate to them a rapid and vigorous impulse. This operation of nature, is accomplished in the soils to which I am referring, in a few days, but weeks, and perhaps months are necessary to effect the same results in tough, impenetrable or clayey earths. To the influence of these causes, I attribute the marked and rapid changes in the corn crop, which so often gladden the heart of the farmer, when he perceives the sickly yellow of an unpromising field, suddenly assuming the deep green, approaching the black, that mantles his field with beauty, and exhibits a growth of vigor and strength, bearing the sure earnest of a rich harvest. The roots of the plants are thus nourished by the warmth and supported by the process to which I have referred. The conclusion of my observations, is that these results would not have been attained by a fall plowing, but would have been defeated. These opinions are derived, not from speculative theory, but are formed from my own observations and experiments.

I will mention an additional fact, which has become an unchangeable principle in my system of agriculture. Under no circumstances, and at no season, will I permit a plow to disturb my sandy soils, in a period of drouth or peculiar dryness. No degree of moisture need arrest the plowman on the sand, but to plow when the dust arises from the furrow, I have found uniformly disastrous to the succeeding crop. The prevalence of subsequent rains does not appear to avert the evil consequences. I

am not able to assign philosophical reasons for this effect, nor space to suggest my own speculations on the subject. The fact has been confirmed to my mind by a cause of severe disappointment and chagrin, and I allude to it for the benefit and guidance of others.

After repeated plowing of sandy soils, I have observed that an encrustation is often formed at the usual depth of the furrow. The implement glides along upon this formation as it does upon hard pan or rocky surface. It gradually becomes very firm and impervious, and presents a strong resistance to the plow. It doubtless is produced by a constant plowing at the same depth. The effect is obviously pernicious. The surface water scarcely penetrates it, while it utterly resists the process of the tender roots of grains and vegetables. Hence, unable to derive moisture from beneath this encrustation, the crop necessarily suffers more severely from the heat and drouth. This serious impediment to successful cultivation is evidently the result of bad husbandry, and can be obviated by a more judicious plowing. Without having formed an opinion from experience, my impressions are that the sub-soil plow might be introduced under these circumstances of the soil with great advantage. Has this plow been introduced in the cultivation of sandy or light soils, and what are the results? W. C. W. *Port Kent, Essex County, N. Y., Dec., 1849.*

Intellectual Improvement of the Farmer.

Crushed beneath the supposed superiority of the learned professions, and the wealth and luxuries of trade and commerce, it has been the lot of the farmer, for many years, to find himself looked upon as an inferior man.

That farmers as a class have given grounds for being thus looked upon by the community, cannot be denied; for let any candid and truth-seeking man look around him among the mass of the agricultural population of our country, and he will find an amount of ignorance that is wholly inexCUSABLE. I mean no offence to my brethren of the plow, who like myself, earn their bread by the sweat of their brows, for I know full well, by experience, how hard it is to earn one's bread, and make any progress in literary pursuits at the same time; but I know as well that many, very many hours are wasted which might be spent in storing the mind with useful knowledge. There is in truth a shocking indifference among farmers as a mass, to the acquirement of intellectual knowledge, and the quicker we are aware of, and acknowledge this fact, the more likely will we be to correct our error.

But if farmers are ignorant, it is not the fault of their vocation. There is no life that can be made more eminently a life of reflection than that of the agriculturist. Living, as he does, in the very "treasure-house of wonders," is there not enough to awaken thought and reflection in him? But alas! too true is it that things so common and familiar as the operations of nature, cease to excite our wonder and admiration. The green grass grows beneath our feet—the bright blossom bursts forth in beauty—the forest waves in rich luxuriance—sunshine and shade are upon our path, and yet we toil on, toil ever, in the pursuit of worldly gain, passing the beautiful unheeded by; and if, perchance, there is now and then, one man amid a group of farmers, who has a soul to look upon the beautiful in nature

or in art, those wise men shake their heads, speak with a sepulchral tone, and prophesy the downfall of him, so recreant to his interest, who dares to let a flower grow upon a spot that might have grown a blade of grass or grain!

But let us hope that the dark night is passing away—let us hope that a bright day is dawning upon us and upon our children, and let us prepare for them, at least, if it be too late for us, a wider range of education—finer tastes and deeper sensibilities.

The good work has begun—there seems to be a general stir upon the subject of educating the farmer—the text is in every man's mouth; let it go onward—let ways and means be devised for educating the mass of farmers, and let it no longer be necessary for lawyers, doctors, ministers—any body else but farmers, to deliver addresses, or make speeches upon the subject of agriculture. Let farmers understand their own business, both theoretically and practically, and let them be able to tell what they do know, when it is required of them.

I do not say all this because I think it so enviable a lot to give an address or make a speech, but I say it in sorrow for that ignorance among those who are strictly called *practical farmers*, that caused the necessity for calling in the aid of others to do what they themselves felt their inability to do.

Truly hath it been said that the farmers have done everything for others, and nothing for themselves. Had it been done with a noble and benevolent spirit, we might be joyful for the goodness that led to it. Were it a noble sacrifice of selfishness for the benefit of our fellow man, we might glory in the disinterestedness that prompted it. But alas! can we plead this? Oh no; ignorance, ignorance—nothing but ignorance of the grossest kind has caused their elevation and our shame. It is only by a thorough system of education, both moral and intellectual, that we can attain the position which of right belongs to us. We call upon the farmers then of every state in this wide Union, to awake from their lethargy—we beg of them to plan and devise means for the improvement of themselves and their children. We call too upon all good citizens to aid us in this endeavor. The education of farmers is not a thing that alone concerns him; it concerns the welfare of the whole country. We are here now in the midst of peace and prosperity, but still we think that he who has looked far into the future, may discover upon the horizon some clouds, which though now "no bigger than a man's hand," are destined to gather and burst in fury over our own beloved homes. Perhaps no sagacity of any party can prevent the storm, but it is better to meet it well prepared than not to be prepared at all. And what must that preparation be? I answer—the universal education of all classes in the community. In a republic, if any where, we must have an intelligent people. Monarchies and aristocracies may support themselves through the wisdom and tact of their rulers, kings, and princes, without the education of the common people, but a republic must look to the virtue and intelligence of its community for support, or it will fall a prey to scheming men and heartless demagogues.

The farmers, from their numbers, hold the balance of power in their hands in this country, and must continue to do so for years and years to come; educate them, and our republic will stand, the model and the glory of the world; let them remain ignorant and uneducated, and who shall dare to solve the enigma of the future? H. C. W. *Putnam Valley, N. Y., Oct., 1849.*

Agricultural Education.

At the last meeting of the Seneca County Agricultural Society, JOHN DELAFIELD, Esq., on tendering his resignation as President—a post which he had occupied for three years—made some excellent and appropriate remarks in regard to agricultural education. He has kindly favored us with the following extracts, which we recommend to the attention of our readers. EDs.

The age in which we live is so remarkable for important events, producing changes in modes of life, and forcing upon us an activity and enterprise unknown in former periods, that the best educated man among us, feels the power of science pressing and urging him to a further accumulation of knowledge. It must be evident to every thinking and observing man that a better and more general education is urgently necessary, to keep pace and position with the improvements of our age.

Heretofore the importance of education and general knowledge was felt to be the basis of our liberty, its safeguard and sure instructor as to what is right and just between man and man. This truth is as strong now, and necessary to our liberty and happiness, as at any period of our history; but the zeal engendered by our systems has produced such an amount of results or products from the improved education of our people; science has advanced with strides so rapid and long, that many of our citizens look with wonder and astonishment, acknowledging the superadded necessity for better instruction for the masses—that we may comprehend from day to day, and be actively benefitted by the use of every improvement which science brings to light.

That our state has done nobly, all will admit; our common schools, and now, our free schools, have opened and will continue to open, the elementary doors—exerting an influence for good on all time to come. A few years back, and we beheld a vessel pressing against wind and tide up our mighty rivers, by a power unseen; soon after we saw large crafts, freighted with the rich products of the farmer, floating up and down the rough mountains, and across extensive plains, where neither river or rivulet had run before.

Next, we find towns, villages, cities, far distant from each other, connected by iron bars, on which enormous burdens and masses are impetuously driven by the use of a few gallons of water. And more recently, we communicate our wishes to friends or agents at the distance of a thousand miles, or more, in less time than I take to recite the fact. These are some of the important changes of our day and hour; but there are others specially applicable to every branch of trade or art, equally amazing in action and result.

Without adverting to the wonderful advantages derived to the mechanic, manufacturer and merchant, let us inquire what progress has been made by science for the advantage of the farmer.

It may be first stated, that since the occupation of this continent by Europeans, and until within the last twenty years, the system of cultivation was a system of deterioration, a system of destruction. The earth yielded bountifully—man took all, but gave nothing in return. What was the consequence? A steady diminution of products until this noble state of New-York was reduced from an average production of 30 bushels of wheat per acre, to the unprofitable product of only 12 or 13 per acre. When the great impulse was given to Education in the new as well as in the old world, science was in-

voked on behalf of the farmer. The nature, character and elements of manures and fertilizing matters were examined and ascertained. The discovery that potash, soda, magnesia, lime, &c., were in fact the oxides of metals, led the way to improvement. The next important discovery was the elements of plants, showing beyond dispute their similarity with the soils on which they grow; and subsequently the due proportions in which they (these elements) exist in plants for their perfect development was clearly proved. About this time it was established that our plants drew subsistence also from the atmosphere, and science has pointed out to us those necessary elements. Further investigation has brought to light the necessity and action of vegetable decaying substances in our soils, and the agencies thus carried on for our benefit.

The action of the atmosphere upon the soil, when mechanically broken up and turned over, has been well explained. In short, science has been as profuse in her riches to the farmer, as to any class of men; but *our class* has been deprived of these riches intended for it, by an absence of those means for their distribution, so largely possessed by every other class of mankind: I mean, colleges, academies and schools devoted to their special advancement. True, the elements and rudiments of a general education *may be* within the reach of every young person, but the application of knowledge, of art, of science, to agriculture is not to be had in any institution in this state; nor can it now be grafted on any existing institution, because original intent, long continued habit, and settled opinions, have confirmed them in leading the youth committed to their care, into pursuits entirely disconnected with what I believe to be the best, purest, and happiest vocation of life.

The other vocations of life have, indeed, their enjoyments, and are essential to the perfection of the agriculturist, as *agents*, to receive and distribute his products, to consume them, to bring to him, in return, the comforts and luxuries of other climes, to contrive and arrange the fleece and the cotton ball in varied forms and textures for his comfort or pleasure, to encourage the fancies and quick imaginings of some for the decoration and adornment of our dwellings or persons, or for the amusement and strengthening of our intellects. Now, all these classes have *their* proper and special schools, academies and colleges, rightfully and properly established, and from them, as I before stated, has emanated the talent which claims our wonder and admiration from day to day, while we, the farmers, the producers, the very foundation and means on which all other classes are constructed and supported, are without a single school, academy or college, devoted to instruct us, or cause the proper applications of science to *our* important calling. For a few years past, we have feebly raised our voices, and as feebly pressed our claims on the legislature for an equal participation in the means we so largely contribute, by an appropriation for a college devoted to our agricultural promotion, and that the teachings of science might be exhibited to the eye and understanding upon an experimental farm attached to a college. Our voices have been as feebly heard; for nothing has been done for us beyond complimentary reports. Compliments, though agreeable, are cheaply procured, and endure in proportion only to their value. We need the substantial and momentous element of an agricultural college for the farmer's son—a *college*, so endowed and conducted, that a certificate from its officers shall be a passport to the farmer in every

place and every clime, alike honored and respected with the diploma of any other college or institution.

And now, farmers, a few words as to the prompt use of the institution, which I feel must be accorded to your wishes. It is probable that many a parent will in humble modesty, shrink from thrusting his son into competition, or fear the results of a position so prominent among his fellow beings. Let us, for a moment, look back upon time, and the results of science as placed within the grasp of men like many or all of us. We find

1. Opie, the celebrated painter, and who lectured upon his art in London. He was a lumberman and carpenter.

2. John Prideaux—who became Bishop of Worcester, entered as assistant in the kitchen of the college (Exeter) in Oxford, and there obtained a fellowship.

3. Linnæus—The famed founder of the science of botany, closely allied to our profession, was a shoemaker's apprentice.

4. Ben. Johnson—the celebrated dramatist, worked as a brick-layer.

5. Jas. Milner—the author of the history of the church, was a weaver.

6. Cook—the great navigator, was, in early life, the apprentice to a shopkeeper.

But let us come to our own day and times, and we find:

1. Benj. Franklin—his early days were devoted to soap boiling and candle making. I need not remind you of the conspicuous and important influence he had in securing to us our present liberty and happiness.

2. Humphrey Davy—to whom we farmers are indebted for science applied to our profession; he was the son of a carver in wood, and was himself an apothecary's apprentice.

3. General Greene of N. E. He was a blacksmith—member of state legislature—the friend of Washington—the true soldier.

4. Roger Sherman—one of the noble souls whose names were affixed to the Declaration of Independence. His father was a farmer, but himself a shoemaker—the man of whom Jefferson remarked, "he never said a foolish thing in his life."

I could go on and particularise hosts of talented men who have risen in this country from obscurity to the highest estimation of their fellow beings. At this hour we have, living in this state, men who struggled with poverty from their youth, holding the highest offices of our state and general government—bright lights of this nation—poor through life as to property, but rich and wealthy to excess in *all* that makes the man, that gives character, and elevates the human species.

Behold, then, farmers, the beacons for us to follow. Every one of the men I have named were urged forward to *schools*, or seized eagerly *every means for education*—zeal and determination accomplished the rest, at a time when our best appliances for education were young and weak, and before the great store-house of science was opened as it now is for the use of man. Then the competition was among comparatively few—now each man is but one of many millions running the same race. So large is our community that we are necessarily divided into classes, and each year every class takes its more distinctive form. In accordance with this natural division, we find every class, except the great farming body, establishing schools, academies and colleges, for their own advancement. We see their educated men filling or claiming to fill every post of honor or distinction.

Gentlemen, I call upon you to remember that, as a

class, you far outweigh in natural advantages, every other class; in numbers, we constitute more than three-fourths of the whole nation, yet, strange to say, not a school, not an academy, not a single college has been devoted to the advancement of our high calling—a calling which in truth demands as high or a higher education for its perfection, than any other position in life. This is strong language for us, but it is true; it is capable of full demonstration; and the claims we are now making for our share of public attention and our rights, will be upheld by a burst of stronger tones than mine. Let us then press forward with one accord—let us as farmers feel as one family, and claim from our State government the prompt establishment of an agricultural college, with suitable farms, to shed the light of science upon agriculture, as it has done, by similar means, upon law, medicine, commerce and manufactures.

Doings of the Smithsonian Institution.

EDITORS OF THE CULTIVATOR—I have just finished an examination of the first and second Reports of the first secretary and other officers of the Smithsonian Institution. I hardly remember to have taken anything in hand, for a long time, more full of interest, or, in my opinion, calculated to develop more important results for science, than the plan of organization of this institution, and the designs of the Board of Regents, in carrying out and perfecting the same.

It is well known that Mr. SMITHSON left his property in trust to the United States government, to found at Washington, an institution which should bear his own name, and have for its object "the increase and diffusion of knowledge among men." This trust was accepted by our government, and an act of Congress was passed, constituting certain individuals an establishment, under the name of the "Smithsonian Institution for the increase and diffusion of knowledge among men." The act establishing the institution, directs, as a part of the plan of organization, the forming of a library, a museum and a gallery of art, together with provisions for physical research, and popular lectures; leaving to the Regents of the institution the power of adopting such other plans as may to them seem best suited to promote the objects of the bequest.

The secretary, in his latest Report, informs us that the Regents have resolved to divide the annual income into two equal parts; one part to be devoted to the increase and diffusion of knowledge, by means of original and particular research, publications and lectures; and the other half to be applied, in accordance with the act of Congress, to the gradual formation of a library, a museum and a gallery of art.

The secretary also informs us, that several distinct scientific researches are now in progress, under the direction of the institution, memoirs of which will be duly published; that the library is gradually increasing by donations and by books deposited by publishers, and that, hereafter, considerable additions will be made in the way of exchanging the Smithsonian Contributions for the published Transactions of other institutions; that preparations are making for giving a series of free public lectures, to be commenced as soon as the building is ready for the purpose.

We find by the report of the building committee, that the east wing of the building is ready for occupation, and that the whole structure will be completed within the specified time, namely, by March, 1852; that the plan of building adopted, comprises a museum 200 feet by 50, a library 90 feet by 50, a gallery of art 125 feet long, two lecture rooms, of which one is capable of containing an audience of 800 to 1000 persons—that the style of building selected is the later

Norman or rather Lombard, as it prevailed in the twelfth century, chiefly in Germany, Normandy and in southern Europe, immediately preceding the introduction of the Gothic; and that all expenditures connected with the building, including the laying out of the grounds, planting, fencing, &c. &c., may be comprised within the limit set, namely \$250,000.

We find by the report of the executive committee, that the whole amount of Mr. Smithson's property, received into the treasury of the United States, was \$515,169.00; that the interest which had accrued on the same, up to July, 1846, when the funds were placed under the direction of the Board of Regents, was \$242,129.00; that, owing to the excellent system of finance adopted by the Board of Regents, the interests accruing on this fund, will so far exceed the expenditures, of every kind, as to enable them to complete the building, and put the institution into full operation by March, 1852—that there will then be a residue of interest of \$142,000.00, to be added to the original bequest, (\$515,169.00) making the permanent fund for the institution, of 657,000.00—which will yield an annual income of \$39,420.00 for the increase and diffusion of knowledge.

It is but just to remark, Messrs. Editors, that the report of Mr. JEWETT, the assistant secretary, relative to the library, is a very interesting, perspicuous and able document, and is highly creditable to him. I would gladly notice his report more fully, and give some fine extracts from it, did my limits permit.

The Regents very justly deduce the following propositions from the will of Mr. Smithson, as prominent rules to guide their practice in dispensing the funds of this institution:

1. The bequest is intended for the benefit of men in general, and its influence ought not to be restricted to a single district, or even nation.

2. The objects of the institution are: first to *increase*, and second, to *diffuse* knowledge among men.

3. The will makes no restriction in favor of any particular kind of knowledge.

"To restrict, therefore the operations of the institution to a single science or art, would do injustice to the character of the donor, as well as to the cause of general knowledge. If preference is to be given to any branches of research, it should be to the higher, and apparently more abstract. This is true even in a practical point of view. Agriculture would have for ever remained an empirical art, had it not been for the light shed upon it by the atomic theory of chemistry; and incomparably more is to be expected as to its future advancement from the perfection of the microscope, than from improvements in the ordinary instruments of husbandry."

To INCREASE KNOWLEDGE, it is proposed:—

1. To stimulate men of talents to make original researches, by offering suitable rewards for memoirs containing new truths.

2. To appropriate annually a portion of the income for particular researches, under the direction of competent and suitable persons.

Among the great variety of subjects proposed for investigation, I noticed that the following are already engaging the attention of the Board of Regents:

The ancient monuments of the Mississippi valley; five separate memoirs on astronomical subjects, affording important additions to the science; a systematic and extensive series of meteorological observations, particularly with reference to the phenomena of American storms; a series of observations on the temperature and velocity of the Gulf Stream; the botany of Oregon, with drawings and engravings; and a collection of facts relative to the variations of the compass, to be presented in a series of maps.

To DIFFUSE KNOWLEDGE, it is proposed:—

1. To publish a series of periodical reports on the progress of the different branches of knowledge.

2. To publish occasionally separate treatises on subjects of general interest.

Among the subjects soon to be reported, I notice that arrangements are being made to publish the following:

Reports on the present state of chemistry as applied to agriculture; on the forest trees of North America, giving their uses, mode of propagation, and their history; on the present state of our knowledge of lightning, and the best means of guarding against accidents from its effects, &c. &c.

I have become very much interested in the plans and designs of this institution, for establishing a system of extended meteorological observations for solving the problem of American storms. There is scarcely any object of scientific research of more general interest, or likely to be productive of more beneficial effects than that which relates to the phenomena of our storms. Within a few years past, in our country, several important principles have been established, and some well defined theories have been recently proposed, by which attention may now be directed to many different points of observation that cannot fail of being attended with important results. The observations of Mr. REDFIELD, in particular, have been wonderfully exact, extensive and scientific; his theories are very attractive to the scientific inquirer, and numerous facts and observations by others, seem to come in to his support. The Smithsonian institution proposes to organize a system of observations which shall extend as far as possible over the North American continent. In order to do this, they have invited the co-operation of the British government; and have obtained their assurance that as soon as the plan is fully matured for this country, no difficulty shall be in the way of establishing a system of corresponding observations in the British provinces. Prof. LOOMIS, of New York University, has submitted to the institution a very interesting report. It contains an exposition of the advantages to be derived from the study of meteorology, and what has been already done in this branch of science in this country, the encouragements for a further prosecution of the subject, together with a plan of operations.

In order to present a general view of the subject, in a condensed form, I have gathered up from his somewhat extended report, a few of the more prominent points, using nearly his own language. They are as follows:

I. The advantages to society of the study of meteorology.

Very little argument is needed to prove that our comfort and convenience, not unfrequently our lives and property, are dependent upon meteorological phenomena. This is proverbially true of the mariner. His life often depends upon the fidelity with which he watches every change in the aspect of the sky. The number of disasters upon the sea is frightful, and is far greater than is generally known. In the gale of December 15, 1839, eighty-nine vessels were wrecked on the Massachusetts coast; and of these, sixty-one on a single cape. In the great hurricane of 1780, thirteen battle-ships were lost, and sixteen more dismantled. England and America alone suffer an annual loss from wrecks of more than 1000 vessels, and nearly one-half of this is on the American coast. The farmer, too, is directly dependent upon the weather for the consumption of his plans, almost equally with the sailor. Severe drouth or excessive rains, untimely frosts or a scorching sun, may blast all the hopes of the husbandman. If we can anticipate the general character of a season, the farmer may regulate his time of planting or the nature of his crops, so as to be least injuriously affected by unpropitious weather; so that, if we cannot strip the lightning of its power, we may at least direct it harmlessly to the earth.

II. The progress already made, towards deducing from these observations general laws.

In the list of philosophers who have contributed to create science out of the crude materials furnished by observation, Mr. Redfield is first mentioned. He gives an account, in a paper to the American Journal of Science, of the hurricane of September, 1821, of the storm of August, 1830, and of two or three other storms of the same year. From a comparison of all the observations, Mr. Redfield derived the conclusion that those storms were great whirlwinds. In 1833 he published a list of general propositions as embodying the results of his investigations, among which were the following:

1. The severe storms of the Atlantic coast often originate in the tropical latitudes, where they are distinguished by the name of *hurricanes*.

2. These storms cover, at the same moment of time, a surface, whose diameter varies from one to five hundred miles, and in some cases they have been much more extensive. They act with diminished violence towards the exterior, and with increased energy towards the interior.

3. The duration of the storm at any place within its track depends upon its extent, and the rate of velocity with which it moves.

4. The direction of the wind over the greater portion of the track is not the direction of the progress of the storm.

5. In the lower latitudes, while drifting to the westward, the direction of the wind at the commencement of these storms is from the northern quarter, and during the latter part of the gale, it blows from the southern quarter of the horizon.

6. North of the parallel of 30°, and while pursuing their course to the northward, these storms commence with the wind from an eastern or southern quarter, and terminate with the wind from a western quarter.

7. Mr. Redfield infers that the portion of the atmosphere which composes the body of the storm, blows in a horizontal circuit around a vertical axis of rotation, which is carried onward with the storm, and that the direction of the circuit is from right to left.

8. The barometer always sinks while under the first portion of the storm, and rises again under the last portion of the gale.

In the Journal of the Franklin Institute for 1836, Prof. Espy published a series of essays upon storms, in which he arrives at the following generalizations:

1. The rain and snow storms, and even the moderate rains and snows, travel from the west towards the east, in the United States, during the months of January, February, and March, which are the only months yet investigated.

2. The velocity of this line is such, that it travels from the Mississippi to the Connecticut river in about twenty-four hours; and from the Connecticut to St. John, Newfoundland, in nearly the same time, about thirty-six miles an hour.

3. When the barometer falls suddenly in the western part of New England, it rises at the same time in the valley of the Mississippi, and also at St. John, Newfoundland.

4. In great storms, the wind for several hundred miles on both sides of the line of minimum pressure, blows towards that line directly or obliquely.

5. Many storms are of great and unknown length from north to south, reaching beyond the northern lakes on the one hand, and beyond our observers in the Gulf of Mexico on the other, while their east and west diameter is comparatively small. The storms, therefore, move side-foremost.

6. Most storms commence in the "far west," beyond the stations of our most western observers.

7. In the northern parts of the United States, the wind, in great storms, generally sets in from the north of east, and terminates from the north of west.

8. In the southern parts of the United States, the wind generally sets in from the south of east, and terminates from the south of west.

III. The encouragement there is to a further prosecution of meteorologic researches.

In all our investigations respecting natural phenomena, we assume that the operations of nature are subject to laws, and these laws are uniform in their operation. A law of nature knows no exceptions. There is no place for science except upon this basis. All the laws of nature appear complex while they remain unknown; but when once discovered, we are surprised at their simpli-

city. Why should storms form an exception to this rule? Have our meteorological researches been rewarded with no success? Far otherwise. We have discovered that the great storms of the United States travel nearly from west to east. Violent storms usually travel at the rate of about 25 miles per hour; in some cases the velocity has been known to rise to 40 miles. These storms are of various dimensions. While summer showers may cover an area of but a few miles, winter storms sometimes have a diameter of 1000 miles or more. If the diameter of a storm is 500 miles, and its progress 25 miles per hour, its duration at a place situated at the centre of the track will be 20 hours, and less for places out of the centre. Hence we may form some estimate of the extent of a storm from its duration at any place. We are justified, then, in inferring that storms are subject to laws; that these laws are uniform in their operation, and that they may be discovered. When the magnetic telegraph is extended from New York to New Orleans and St. Louis, it may be subservient to the protection of our commerce, even in the present state of our knowledge of storms. The severe winter storms which desolate the Atlantic coast come from the valley of the Mississippi, and require about 24 hours to travel from St. Louis to New-York. The approach of a dangerous storm might therefore be telegraphed at New-York hours before its arrival, while the sky was yet unclouded and the wind propitious, in season to save a fleet of ships from putting to sea, to be engulfed in the bottomless deep.

IV. Plan of conducting observations to secure the object proposed.

An effort will be made to secure the co-operation of the general government, the several state governments, scientific societies, and the friends of science throughout the country. The entire country will be divided into sections not exceeding 100 miles square; and in each section, not already provided for, an observer will be sought out, who shall volunteer to make the observations if instruments are furnished him. The Smithsonian Institute will assume the burden of furnishing the necessary instruments to those who are unable to do it themselves. A form of observations will be provided, and instructions given to all the observers, who shall report at least quarterly to the secretary at Washington. It will be the duty of the Meteorologist to take charge of the observations, to discuss and analyze them, and endeavor to deduce from them the laws of storms. These investigations will be published, in as much detail as may be thought demanded by the claims of science, and a copy of whatever may be published will be forwarded to each observer, in order that he may be encouraged in his work, by finding that his labor is not wholly in vain.

After all my efforts at condensation, Messrs. Editors, I find that my attempt to present a view of the doings of the Smithsonian institution, has resulted in a long article. I feel quite diffident in occupying so much space in your columns with this thing, but conclude to venture hoping it may be found interesting to a portion, at least, of your readers.

This institution proposes, among other things, to investigate several subjects intimately connected with the business of agriculture; and it is, therefore, well that our agriculturists should be informed of the principles of its organization and plans of operation. The proposal to "post up" the developments of chemistry, as applied to agriculture, may be instanced as a very important one, and calculated to be of service to our farmers. Here lies a great field for further scientific research also; and if conducted with proper skill and judgment, great benefits must arise to our agriculture. We farmers will "keep an eye out" upon the operations of this Institution, therefore, and will be ready to lend it a hand in investigations connected with our profession, as well as to receive and acknowledge any benefits resulting from its scientific researches. F. HOLBROOK. *Brattleboro', Vt., Dec. 5, 1849.*

HE who plows his land and breeds cattle, spins gold.

THE footsteps of the owner are the best manure for his land.

Notes on Massachusetts Farming.

We had lately the pleasure of calling on a few farmers in Massachusetts; and from the many interesting matters, to which, in a hurried view, our attention was called, we offer the following brief notes:

The farm of General WM. SUTTON, of Salem, consists of 300 acres. About 200 acres are woodland and rocky pasture, which has never been plowed. The remainder, though naturally rough, has been made very rich and productive. It has been fenced with stone walls, which will probably stand as long as fences are needed. Most of the boulders, with which the soil was formerly considerably filled, have been taken out, and the plow now passes without obstruction, over large and handsome fields.

The principal surplus product of the farm is hay; but grain and vegetables, to the extent of the home consumption, are produced. The annual production of hay is 100 tons; of this, 60 tons are sold, at an average price of \$13 per ton. The remaining 40 tons are required for the support of the stock kept on the farm, of which there are six oxen, six cows and four horses—besides twelve to fifteen cows taken in to pasture at \$10 each, for the season.

The team-work of the farm is done chiefly by oxen, and the three pairs kept here are noble animals, able to accomplish anything practicable in their line. They are from five to seven years old, and the weights of the different pairs, are 3,300 lbs., 3,600 lbs., and 3,800 lbs., in good working order.

Gen. S. takes particular pains to save all the manure of his animals. It is mostly deposited in a cellar, over the bottom of which, as well as over the whole barn-yard, muck is spread to absorb the liquids. He has some advantages of making manure not usually possessed by farmers. He uses the waste of a large glue factory. The animal substance in the process of being converted into glue, while in a half-fluid state, is strained through straw; the refuse that remains, is, with the straw made into compost with peat, at the rate of three loads of the latter to one of the former. The mass remains one year before being used, during which time it becomes thoroughly decomposed; the straw is rotted, the peat, by fermentation, becomes fine, and is thoroughly impregnated with the gases and salts of the animal matter. This compost is found to be more powerful and lasting in its effects, than common barn manure, load for load.

All Gen. S.'s buildings are of the most substantial kind. His barns, and the yards attached to them, have every possible convenience of arrangement, with water always at hand. His implements are the most perfect in their kind, and so complete is the assortment, that every description of work may be performed with its most appropriate tool. Every thing is kept in a place designed for it, and could be readily found by a person acquainted with the plan, in the darkest night. Taking the whole establishment together, it presents a model of neatness, system, convenience, and thorough management, which is seldom equalled.

The farm of E. HERSEY DERBY, Esq., is in South Salem. Those who have been familiar with the various agricultural enterprises of Massachusetts for the last forty years, will at once recognize Mr. D.'s name in their connexion—especially as a prominent officer of the Massachusetts Society for Promoting Agriculture, an association to which the country at large is deeply indebted for much of its advancement in husbandry. We found him still active, personally superintending his extensive farming operations, and earnestly awake to every practical improvement.

Mr. D. has a large garden, which is enclosed with a buckthorn hedge. He has used the buckthorn exten-

sively for hedges, and his fences of this kind are among the most perfect we have seen. He is confident, after having made trials with several other thorns, that this is the only one suited to this climate. He states that all the buckthorns in this country, so far as he is acquainted, came from one imported tree, which stood in the garden of the late Dr. HOLYOKE, of Salem. We are aware that some regard the buckthorn as indigenous to this country; but EMERSON, in his "Trees and Shrubs of Massachusetts," says "it was probably introduced from Europe, where it is a native."

Mr. D. has introduced the English oak, and has a nursery of young trees of this kind, and several beautiful standard trees, from forty to sixty feet high, planted with his own hand. Indeed his grounds abound with fine trees of various kinds, all of which, with the exception of one, he informed us, were put out by himself.

Mr. D. keeps thirty cows, converting the surplus produce of his farm chiefly into milk, which is sold at six cents per quart, (beer measure) in winter, and five cents in summer. The average amount realized from each cow, is \$100 a year. He raises vegetables—chiefly carrots and beets—on a large scale, for feeding the cows in winter, allowing each cow half a bushel per day, while kept on dry fodder. He prefers the carrot. The hay for all the stock of the farm, is cut in a machine. The cows are fed partly on upland, or fresh hay, and straw, and partly on salt-marsh hay, and they do much better with this variety, than when confined to upland hay.

Mr. D.'s barns are spacious, and well planned. The one where the stock is principally kept, has a cellar under the whole of it; a part of which is appropriated to manure, a part to storing vegetables, and a more dry and open part to the storage of farm implements.

The farm of GEO. E. ADAMS, Medford, consists of 160 acres. It is devoted chiefly to the production of milk and apples. The stock consists of 55 cows, a yoke of oxen and five horses. The annual sales of milk have amounted to \$5,500, and in one year to \$6,000 (the prices as mentioned above.) The apple orchard consists of fifteen acres. The trees have been well managed—are large, and generally bear abundantly. The varieties are chiefly Russets and Baldwins. He has picked 1000 barrels of winter apples in a season, and one season sold that number at \$2 per bbl. The Baldwins are usually sold to Messrs. TUDOR, of Boston, and are wrapped in papers and sent to Calcutta. A large orchard of peach and pear trees has lately been set out, which has not yet come into bearing.

Mr. A. is a young man who farms for profit, and the energy and economy with which his extensive business is carried on, bring a sure and satisfactory reward. Much judgment has been shown in his buildings, several of which have been erected under his own direction, and are of ample dimensions, convenient, and well finished. As with all good farmers in this section, manure is of the first importance. He saves everything of this nature, and has enough to keep up his farm to an extraordinary state of richness. His main barn is 160 feet long and 40 feet wide, with a cellar under the whole. Marsh mud and "sea-wrack" (vegetable matter washed up by the tide,) are used as absorbents. Without these the manure, as the urine is saved, would be in too fluid a state to be readily portable. Water is brought to the buildings by means of a small wind-mill, which works a pump, and keeps a large reservoir constantly filled.

On the farm of Mr. HARVEY DODGE, Sutton, we witnessed some valuable improvements. The farm lies on a large swell of land, which is naturally very rocky, and quite wet. It was originally divided into very small lots, many of them containing only two acres each, and fenced with stone walls. One object of these small di-

visions was probably to get rid of the stones, which had to be removed from the soil before it could be worked. Some idea of the quantity of stones may be formed from the fact that these walls were made from four to six feet wide and four feet high. The foundations of many of them not being properly laid, and the materials not of the best kind for permanent walls, they had in several instances settled down and flattened out, till they occupied much more room than at first.

When Mr. D. took possession of the farm, a few years ago, he soon discovered that it had two radical defects, which he determined to remedy. The first was the loss of land by the numerous old walls, and the inconvenience of working the small lots; and the second, the want of drainage to the soil. In obviating the first difficulty, he adopted a plan by which he, in a great degree, obviated the second. He *sunk* the old walls, and the trenches where they are buried have become *drains!* He has in this way turned a large part of his farm into beautiful fields, of from 12 to 18 acres each. Where the walls on the lines of the present division were good, they were left; where they were not good, they were rebuilt in the most substantial manner. The walls were sunk so low that the plow passes over without disturbing them. The mode of sinking the walls was by digging deep ditches close along side of them, and then throwing the stones in. The ditches were filled to a level with the surrounding ground, with the earth taken out, and the remainder is used in filling hollows about the fields. The effect of the drainage is already apparent in the sweeter nature and more abundant growth of grass; in the better and surer crops of grain which the land produces, and in the more healthy and thrifty growth and increased productiveness of fruit trees. In some instances the sunken walls do not sufficiently drain the soil, and in such cases other drains are being made.

Mr. D. is also reclaiming by under drainage, digging out stones, and leveling, a wet pasture, lying near his barn, which had never been plowed till last fall. His operations before spoken of prove that it will *pay*.

The water from the drains is collected into several main channels. One of these is carried to the buildings, and furnishes water for the stock, &c., and another is emptied on a sloping meadow, and fertilizes several acres by irrigation.

Attached to Mr. D.'s piggery, is a building where tripe and neats-foot oil are prepared for market. The shanks, feet, and heads of cattle are brought here in large quantities. The bits of skin are saved for glue, and the bones are boiled till the oil is thoroughly extracted. The liquor in which the articles have been boiled, is used for cooking vegetables for swine, of which Mr. D. keeps about sixty head. The "stores" are fed with carrots and turneps boiled in the liquor; for fattening, corn or corn-meal is added.

The manure made from the hogs and the animal offal, is of much importance. The bones would be still more valuable, if some economical mode of crushing them could be devised. The want of such a mode, has prevented many of the larger bones being used to much advantage. The hoofs and the small bones of the foot, have been plowed into the ground, and their effect has been very beneficial. Apple trees have been made to grow rapidly from this application, and a piece of carrots, sown among the trees, the past season, produced 900 bushels to the acre. The larger bones, shanks and jaws, have in some instances been *driven* into grass-grounds. Mr. D. showed us a meadow, a portion of which had been "boned" in this way, that had produced as much hay the past season, as could be made on the ground.

Mr. D. is turning his attention to the improvement

of cattle, and has some pretty Devons—a bull and heifer—of the stock imported by the Mass. Society.

Mr. NATHANIEL DODGE, of Sutton, has a fine farm, especially attractive from the good order of his buildings, the perfection and *uprightness* of his fences and the smoothness and neatness of his fields. He has been for several years noted for having fine working oxen. In our volume for last year, page 68, we noticed a pair of his cattle which had been fattened. He informs us that these were sold in Boston for \$400. He has now a pair of brindled oxen "as like as two peas," quick, strong and handsome—which he is willing to put to the plow against any pair of horses.

We called for a short time at the farm of Col. J. W. LINCOLN, Worcester. Col. L. was absent, but his foreman showed us the out-buildings, the stock, and a portion of the farm. The buildings are commodious and very complete, presenting a fine appearance. A large piggery has lately been built; all the under portion, or that with which the hogs come in direct contact, is made of stone, and of so permanent a character, that for aught we can see, it may last for ever. The premises exhibit unmistakable evidences of good management. The fields are well laid out, and fenced with stone walls of the most substantial kind.

Col. L. has paid considerable attention to cattle. He has several yoke of fine oxen and steers, and some of the best cows and heifers we have seen. He has tried the Ayrshires for several years, and is well pleased with them as dairy cows. He has several full bloods which are good specimens of the breed. His bull and some heifers were lately purchased of the State Society.

Col. L. cultivates about an acre of carrots, yearly, for feeding his cows in winter, and the average yield is 600 bushels. The cows are warmly stabled, and when fed with good hay, (Col. L.'s appears to be of the best kind,) and half a bushel of carrots to each cow per day, they will make nearly as much butter, when fresh in milk, as on grass feed.

The farms of Ex-Governor LINCOLN, and his sons, Messrs. W. S. and D. W. LINCOLN, are near the city of Worcester. The original farm of Gov. L. consisted of about 300 acres; but it has been encroached on by the growth of the city, and a considerable portion has been sold for house lots. The land is very productive, particularly for grass. Gov. L. showed us a lot of seven acres, which kept six cows constantly, the past season, and yet the grass was not entirely kept down, notwithstanding the extreme drouth. It has never been plowed but once, but has once been top-dressed with a peat compost and harrowed.

Gov. L.'s sons are ardently devoted to agriculture and horticulture. Mr. W. S. L. has a snug place, with new buildings, and has already made a demonstration in farming which augurs well for his ultimate success. Mr. D. W. L. is more especially engaged in horticulture. He has a nursery of fruit trees. He finds, however, that the cultivation of choice fruits of some kinds, is more profitable than raising trees for sale. He is, therefore, giving much of his attention to the culture of pears,—mostly on quince stocks,—and grapes. He has a fine *cold* vinery, filled mostly with the Black Hamburg variety, and has also vines in his green houses. The vines appeared in excellent condition, and we were informed had borne well.

Mr. L. obtains his manure chiefly from a slaughter house, on his land. The manure is made into compost with muck and litter, and used after it has decomposed. To prevent annoyance and loss from the escape of odors from the manure, he uses charcoal-dust, which is occasionally spread over the manure, under the slaughter house, and the hogs which are kept there, work the dust into the manure. He uses

the waste charcoal from the rail-road locomotives. The application of a slight coating of this material, effectually stops any unpleasant smell from the manure.

Common Schools.

The Common School is justly regarded as the palladium of our civil liberties. It is, and must be, from this source that the mass of our citizens derive the groundwork of the knowledge which will enable them to sustain the principles of a free representative government. It is, then, of the highest consequence, that these schools be made to confer the greatest possible advantages on those for whom they are designed. In regard to their character and utility, much depends on the countenance and encouragement given them by parents. The improvement of children will be comparatively unimportant, if parents are indifferently disposed towards teachers and schools. This subject is brought forward in a striking light in the following circular, addressed to parents, written by an observing and intelligent superintendent of schools, in a neighboring state. *Ens.*

I know you feel an interest in the education of your children, and therefore I wish to call your attention to the winter schools, which are about to commence. What shall be the value of the school in your district to your children? Are you aware that the success of your school will depend much upon your co-operation with the teacher? I find throughout the county, that where the parents take the most interest in schools, there they have the *best schools*, and where they take the least interest, the poorest schools. It is the uniform testimony of teachers, that the active co-operation of parents is essential to success in their schools. Shall *your* teacher have this co-operation the coming winter? You may receive the public money, pay your taxes, employ a good teacher; but unless you take an interest, *yourselves*, you cannot have a good school. The school will be what you make it. Do you ask what you can do to secure a good school?—There are many things you can do. I will mention some of them:

1. You can furnish your children with *suitable books*.
2. You can see that your children attend school, *punctually* in the morning, and regularly *every day*. The tardiness and irregularity of scholars is one of the greatest evils in our district schools. Parents can correct this evil, *if they will*. In Putney, the average attendance last year was much greater than the year before—the average attendance in one school of 50 scholars being 60 days out of 66 day's school. In most schools in the county, the average attendance is not over 40 or 45 days—more than one-fourth of the schooling being absolutely lost, *needlessly lost*, while the value of the remaining three-fourths is greatly diminished. If your children are tardy, or occasionally absent from school, they will not be interested in the schools, or make progress in their studies. A few days' absence frequently destroys the value of more than half a winter's school. If your breakfast is half an hour too late, it may be the means of preventing your children from being interested in their studies for that day, and so through the winter. Will you not, then, as parents, *see to it that your children attend the school punctually* in the morning, & *regularly every day*?
3. *You can visit the school*. The practice of visiting schools is becoming more common in some towns, and the good effects of such visits are seen in both teachers and pupils. Still, there are many districts where neither the parents or the committees ever go into the schools, and the best teachers accomplish but little in such districts, on account of the indifference of parents. It is impossible for a teacher to keep a first-rate school,

where parents do not feel interest enough to look in and see whether their children learn or not. You may as well expect to raise corn in winter, as to find a good school in such a district. The neglect and indifference of parents will be as fatal to the interests of the school, as the snow and ice to the growth of corn. If you have a field of grain, are you not accustomed to visit it, now and then, to see how it grows, and that, too, when your visits do the grain no such good as they should do your children? for the grass and the grain have no eyes to see you, no smiling faces and cheerful hearts with which to greet you, as the children in the school-room have. If the sun shines and the showers fall, the grass and the grain will grow on. But what the sunshine and showers do for the fields, the interest of parents will do for the school. A visit from you who are parents, will often be as serviceable to the school, as a shower of rain on the grass, or the warm sun, with a dressing of plaster, on the corn. Will not every parent in the country visit the district school at least *once* during the coming winter? If the teacher is a good one, he will be glad to see you. If he is unfaithful, negligent, or incompetent, there is still more need of your visiting the school, even though the teacher should not wish to see you.

4. *You can sustain the teacher in the government of the school*. There is great complaint in our country, that the schools fail for want of *order*. This want of order is sometimes the fault of teachers, and sometimes of the parents. If parents do not govern their children at home, if they allow them to stay at home for every petty dislike they may have against the teacher, or if they are accustomed to take their children out of school, when a favorite son or daughter is punished, no teacher can govern the school. One of our town superintendents stated in a public address, last winter, that most of the failure of their schools in government, had arisen on account of the unwarrantable interference of the parents in the government of the school. If parents listen to the foolish complaints of their children, the children will generally have complaints enough to make. If your teacher has faults, it is better for you to go and speak of them kindly to him, than to find fault with him or backbite and slander him behind his back. For much of the trouble with teachers arises from some misrepresentation or misunderstanding, which a little explanation from the teacher would have removed. Where there is a decided public opinion in favor of order, there will seldom be much disorder or rebellion in school. It is because the unruly and disobedient expect "*aid and comfort*" among some in the district, that they venture upon open disobedience and rebellion in school. If your teacher is incompetent, or unfaithful, let him be fairly *dismissed*; but do not let a *faithful* teacher be put down or driven away by the ill will of an offended parent, or the clamor of unruly boys and girls, to the disgrace of the teacher, and the still greater disgrace of the children and the parents. Your duty as parents, and as good citizens is not discharged by simply *not encouraging disorder*; it is your duty to *sustain order*, and frown on rebellion by your words and your influence. Men may *encourage mobs* in school, as well as in government, by *looking on* and *keeping still*, when they ought to *speak out*, and *frown down* rebellion. It is because the orderly keep still, that the few disorderly in our school districts make so much trouble.

5. You can do much, also, to benefit your children, by endeavouring to interest them in obtaining an education; by encouraging them to study and improve their minds during evenings; by discouraging those amusements which take off their attention from the school, and dissipate their minds; by showing that knowledge and virtue are better riches for them than any treasure of silver and gold. JAMES TUFTS, *Supt. of Common Schools, Wardsboro', Vt.*

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Horticultural Implements and Fixtures.

The economical horticulturist, who has ingenuity enough to do with his own hands, what is usually assigned to the carpenter, may be advantageously employed during winter, in adding to his implements and structures. A few suggestions under this head we hope may be acceptable at this season.




Fig. 1. Fig. 2. Fig. 3.

Supports for Climbing Plants, are often constructed as shown by Fig. 1, being made of durable wood and painted green or white. An improvement on this form is made by attaching the smaller or connecting strips in such a manner as firmly to brace the whole together, and at the same time to add to the appearance, which is of some consequence until the frame is wholly covered with verdure—figs. 2 and 3. Fig. 3 represents only one of the three sides of the frame.

We gave in a former number of this paper, (p. 277, 1849,) a figure and description of a very simple and substantial support for climbing roses, made by boring holes at short intervals through a single, neat upright post.

Through these holes, the long flexible stems are made to pass as they ascend in growth, at the same time running them in a twining direction around it. But a difficulty exists with tender roses and other tender climbers, as the grandiflora, &c. This is obviated by means of the annexed contrivance, which allows the prostration of the support with all its load, every autumn, for covering it as it lies upon the ground. A short substantial post of red cedar or other durable wood is inserted into the ground, projecting a foot or more above it, fig. 4, in which a space (a) is cut for the reception of the support. The latter is kept firmly in its place in an upright position, by means of the two pins, b, b., fig. 5. On the approach of




Fig. 4. Fig. 5.



Fig. 6.

flat upon the ground for covering, as in fig. 6.



Fig. 7.

Fruit Ladders.—Convenient fruit-ladders greatly facilitate the gathering of fruit, prevent its becoming bruised, and save it from mutilation by chafing. A very simple, cheap, and convenient self-sustaining ladder, is represented in fig. 7, the legs and cross rods of which may be about the size of, or slightly larger than those of a common chair. The small plank platform at the top may be 6 by 9 inches. The whole may be about 3 feet high, and will be nearly as light as an ordinary chair, and it will be found extremely useful among the smaller trees, or for the lower parts of full-grown ones.




Fig. 8.

The form represented in figure 8, having two folding legs, like those of a tripod, turning on joints, may be from 6 to 10 feet high.

An improvement of the latter has been made by continuing the two sides of the ladder to a point,




Fig. 9.

which the more readily enables the operator to thrust it up among the branches, and often enables him to support himself by holding to it. The legs turn at the hinges, b., and may be folded up to the ladder when not in use, as in the preceding instance.

The **Orchardists' Crook**, fig. 10, consists of a light rod, with an iron hook at one end, and a piece of wood made to slide along it. It enables the operator to draw down the flexible branches of fruit trees within his reach, and retain them there while the fruit is picked from them.




Fig. 10.

In using it, the operator draws down the end of the branch with the hook, and fastens it by the sliding piece to another branch below. The slider passes freely along the rod when not in use, but ceases to slide by the friction of the side-strain, when fastened to the branch.

The **folding ladder** may be closed together with the facility of a pair of compasses; it then becomes a round stick, easily carried in one hand. It is made of strong light wood, and its construction may be readily understood by fig. 11, representing the ladder as open, as half-closed, and as closely shut. An enlarged longitudinal section shows the manner in which the rounds lie in the grooves or concave beds in the sides or styles; above which

winter, the upper pin is withdrawn, which allows the support to be laid

is a cross-section exhibiting the semi-oval form of the styles. The ends of the rounds turn on iron pins, slightly riveted outside:




Fig. 11.

The rounds resting on shoulders, when the ladder is opened, render the whole stiff and firm. A ladder of this construction is found very useful, not only in fruit-houses, where a common ladder could not be conveniently carried but in pruning standard trees, because it can be thrust through the branches like a round pole, without the least difficulty, and when once there, it is easily opened.*

Autumnal Flowers.

From an unpublished Address before the Aurora Hort. Society. By DAVID THOMAS, President.

—The blossom is the tenderest part of the plant; and such as can long withstand severe frosts, are very rare. The *Snow-drop* indeed, often stands in the frozen soil—supposed to have thawed a passage through it by pressing up its head—and the flower remains unsubdued by all the lingering storms of winter. The *Eranthis* may also be given as another instance of great hardiness; but the most remarkable of these exceptions to a general rule is found in *Helleborus niger* from Austria, which blooms on the edge of winter; and I have seen the same flower come forth in the spring from under the snow, after a repose of four months. It is white on the inside, touched with red externally, and sometimes nearly three inches in diameter. In England it is called the *Christmas Rose*, but it has no affinity to any other rose; and though very pretty, is considered poisonous. This trait, however, is scarcely objectionable; it is selected for its beauty, like most other flowers, and not for its esculent qualities. Such plants indeed, may indirectly assist in the education of children, and even some of a larger growth, by having them taught to keep their fingers to themselves in strange places—a lesson highly useful in after life.

From the milder climates of the Eastern continent, we have several plants that *always bloom in autumn*—some earlier, some later—such as *Cyclamen hederifolium*, several species of *Colchicum*, Yellow *Amaryllis*, and two species of *Crocus*—one yielding the genuine saffron of commerce. These are all bulbous or tuberous rooted, and *never flower at any other season*. There are late-blooming plants however, that require all the genial months to prepare their stems and flower buds,—as some of the *Asters* and *Gentians*; and this reason seems sufficient to account for their lateness; but what should cause the others to anticipate the spring, is a mystery not easily explained. That climate has had something to do with it, is highly probable,—for I know of no instance of the kind among American plants with bulbous or tuberous roots. The *Witch*

Hazel indeed, flowers late in autumn; but it stands apart and remote from the former class, and constitutes a remarkable exception to the general laws of vegetable life. At the very time that the sap ceases to nourish the leaves, and while they turn yellow and drop from the branches, which indicate in other trees a dormant state—those identical branches burst into bloom, and impart a cast of cheerfulness to the solitary woods.

There are other plants from Europe, besides the former, that in mild, wet autumns begin to flower, although they commonly wait till the following year, such as the *Auricula*, the *Primrose*, and the *dwarf yellow Iris*; but with withered leaves lying round them, and chilling winds blowing over them, they have less power to cheer and exhilarate, than when they *shine out* in spring.

From a lower latitude than ours, where the autumnal sun dispenses a warmer ray, and continues longer above the horizon, the *Chinese Chrysanthemum* was brought to extend our season of flowers. I believe these numerous varieties have generally been treated as *house plants*; but they are said to do better in the open ground where they receive the reflected heat from a building, and are protected from those frosts that precede the approach of winter. Near Philadelphia, where the growing season is longer, such protection is less needed; and there I have seen them in great glory; but even here the warmth of a small stove enclosed by a thick curtain, might carry them safely through this period of trial,—for we all know that after some severe weather in autumn, we have often many fine days, and sometimes even weeks, in which such a mass of bloom, so varying in its tints—would gladden the heart of a florist.

Connected with this subject—I mean the guarding of plants in frosty nights,—science was for a long time in the rear of practical knowledge. Within the present century, however, the *radiation of heat* has become better understood; and it is now known that every clod and stone and plant,—exchanges heat with every other thing that a *direct ray* can reach, until, if not interrupted, the temperature between them becomes equalized. A plant however, radiating to the open sky from which there is scarcely any return, will cool off in half the time that another will at the foot of a high wall, because half the sky is shut out from the latter. Now if over this plant a tile project horizontally from the wall, a still greater portion of the sky is excluded; and in frosty nights, this shelter would often be sufficient to protect tender flowers; but it would be an improvement to have a shelf with hinges—dropping down to admit the sun and rain, or spreading out to preserve the radiated heat.

The value of such projections was known in the early part of the last century, perhaps earlier. LAWRENCE, in his volume on Gardening, printed more than 120 years ago, said “they were found to answer to a wonder,” and to secure the trained fruit wherever they were placed. In attempting to explain this result, however, he has given us a rare specimen of philosophy. He says:

“Most of our frosts and blasts, both in spring and autumn, *fall perpendicularly*; and therefore, the more any thing lies open and exposed to *this perpendicular descent of vapors*, the more will it be subject to be frozen and blasted. When a fruit tree has been trained against a *slope wall*, [not upright] we always find that that is the first and most blasted. This therefore being the true state of the case, *horizontal shelters* are the best guard and defense against perpendicular blasts.”

* This description is copied from the Am. Fruit Culturist.

American Pomological Congress.

ITS LISTS OF SELECT FRUITS.

Our readers will doubtless remember that the American Congress of Fruit Growers, more than a year ago, adopted a list of select fruits, "worthy of general cultivation," prepared by a committee of nine. The list, though small, comprised all that the committee could then agree upon, three negative votes out of the nine, being regarded sufficient to exclude any sort. At the late meeting of the same body the past autumn, a considerable number were added; and we give below the combined results of these two years' deliberations, which, though not wholly perfect, may be regarded as a selection by the highest American authority.

APPLES—24 sorts.

1848.		1849.
Early Harvest,	Swaar,	
Large Yellow Bough,	Porter,	
American Summer Pearmain,	Fameuse,	
Summer Rose,	Vandevere,	
Early Strawberry,	Hubbardston Nonsuch,	
Gravenstein,	Danvers Sweet,	
Fall Pippin,	Bulloek's Pippin,	
Rhode Island Greening,	White Seeknofurther,	
Baldwin,	Winesap,	
Roxbury Russet.	Lady Apple,	
<i>For particular localities,</i>	Wine Apple,	
Yellow Bellflower,	Red Astrachan.	
Esopus Spitzenburgh,		
Newtown Pippin.		

PEARS—35 sorts.

1848.		1849
Madeleine,	Rostiezer,	
Dearborn's Seedling,	Andrews,	
Bloodgood,	Fondante d'Automne,	
Tyson,	Fulton,	
Golden Beurte of Bilbao,	Urbaniste,	
Bartlett,	Viear of Winkfield,	
Seekel,	Uvedale's St. Germain or Pound,	
Flemish Beauty,	Louise Bonne of Jersey,	
Beurre Bose,	Uvedale's St. Germain, <i>for baking</i>	
Winter Nelis,		
Beurre d'Arenberg.		
<i>For particular localities,</i>		
White Doyenne,		
Gray Doyenne.		

The following list of new sorts, adopted as giving promise of being worthy to be added:—

Beurre d'Anjou,	Paradise d'Automne,
Doyenne Boussoek,	Van Assene,
Manning's Elizabeth,	Jalousie de Fontenay Vendee
Doyenne d'Ete,	Chancellor,
Striped Madeleine,	Ananas d'Ete,
Duchesse d'Orleans,	Brandywine,
Pratt,	Ot.

PEACHES—10 sorts—1848.

Grosse Mignonne,	Cooledge's Favorite,
George IV,	Bergen's Yellow,
Serrate Early York,	Crawford's Late.
Large Early York,	<i>For particular localities,</i>
Morris White,	Heath Cling.
Oldmixon Freestone,	

PLUMS—12 sorts.

1848.		1849.
Jefferson,	<i>New sorts, giving promise of being</i>	
Green Gage,	<i>worthy to be added.</i>	
Washington,	Rivers' Favorite.	
Purple Favorite,	St. Martin's Quetsche,	
Bleecker Gage,	McLaughlin.	
Coe's Golden Drop,		
Frost Gage,		
Purple Gage,		
<i>For particular localities,</i>		
Imperial Gage.		

CHERRIES—3 sorts—1848.

Mayduke,	Knight's Early Black,
Black Tartarian,	Downer's Late,
Black Eagle,	Elton,
Bigarreau or Grafton,	Downton.

APRICOTS—3 sorts—1849.

Large Early,	Moorpark.
Breda,	

NECTARINES—3 sorts—1849.

Downton,	Early Violet.
Elruge,	

GOOSEBERRIES—10 sorts—1849.

Houghton's Seedling,	Laurel,
Woodward's Whitesmith	Ironmonger,
Crown Bob,	Early Sulphur,
Red Champagne,	Green Gage,
Warrington,	Green Walnut.

GRAPES—10 sorts—1849.

For culture under glass—

Black Hamburg,	White Frontignan,
Black Prince,	White Muscat of Alexandria,
Black Frontignan,	Chasselas of Fontainebleau.
Grizzly Frontignan,	

For open culture—

Isabella,	<i>Giving promise of excellence,</i>
Catawba.	Diana.

CURRANTS—5 sorts—1849.

Red Dutch.	May's Victoria,
White Dutch.	White Grape.
Black Naples,	

RASPBERRIES—4 sorts—1849.

Red Antwerp,	Knevet's Giant,
Yellow Antwerp,	Pastoff.

STRAWBERRIES—5 sorts—1849.

Large Early Scarlet,	<i>Giving promise of excellence,</i>
Boston Pine,	Burr's New Pine,
Hovey's Seedling,	Jenny's Seedling.

The following list of REJECTED FRUITS, occupied the attention of the Congress for one entire day, and sentence was passed upon each sort separately. A single vote in favor of any sort, was sufficient to rescue it from this list, which is therefore the result of unanimous condemnation. It will doubtless be of essential use in preventing cultivators from procuring or retaining any of these worthless varieties.

APPLES.

Gloucester White,	Large Red Sweeting,
Henry's Weeping Pippin,	Red Docteur,
Gray House,	Grand Sachem,
Red Ingestrie,	Beachamull's,
White Ingestrie,	Catlead,
Lord Nelson, (Kirk's),	Caroline, (English.)
Marmalade Pippin,	Dodge's Early Red,
Rowland's Red Streak,	Fenoillet Rouge,
Woolston's Red Sweet,	French Gray Reinette,
Woolston's White Sweet,	Museovia,
Golden Reinette,	Irish Peach,
Pennock,	Pigeonette,
Hoary Morning,	Salina.

PEARS.

Croft Castle,	Green Sugar,
Alexander of Russia,	Gros Blangart,
Admiral,	Green Chisel,
Aston Town,	Hays,
Autumn Bergamot,	Hathorne's Seedling,
D'Amour,	Horticulture,
Angers,	Hustavia,
Beurre d'Angleterre,	Ipswich Holland,
Beurre Sentin,	Jargonelle, (of the French,)
Beurre of Boswiller,	Kramelsbirne,
Bon Chretien d'Espereu,	Lincoln,
Bon Chretien of Brussels,	Louis of Bologna,
Bergamotte Sylvange,	Lederbirne,
Bergamotte Fortunee,	Louis Bonne,
Beauty of Winter,	Lansac,
Belmont,	Madam Vert,
Bezi Vaet,	Millar's Seedling,
Bruno de Boseo,	Marquis,
Blangant a longue guene,	Marcelis,
Bingo Master,	Navez,
Cuvelier,	Orange,
Chat Grille,	Orange Tulippe,
Chain a Dame,	Phillips,
Charles Van Mons,	Pittow,
Cassolette,	Platt's Bergamot,
Compte de Fresnel,	Passe Long Bras,
Copea,	Prince's Portugal,
Caillat Rosat,	Pope's Scarlet Major,
Clara,	Pitt's Marie Louise,
Clapp,	Royal d'Hiver,
Citron de Sierens,	Rouse Lench,
Dearborn of Van Mons,	Rousselett St. Vincent,
Downton,	Sans Pepins,
Duquesne d'Ete,	Swan's Egg,
Doyenne Mons,	Surpass Meuris,
Deschamps's New Late,	Saint Bruno,
Dunbarton,	Swiss Bergamot,
Doyenne Diere,	Sousereine,
Endieott,	Sickler,
Elton,	Thompson of New Hampshire,
Frederic of Prussia,	Tueker's Seedling,
Famenga,	Yrubserberdz Dulle,
Forme Urbaniste,	Whitfield,
Fantasia Van Mons,	Winter Orange,
Forme des Delicas,	Wurtzer d'Automne,
French Iron,	Yulle,
Green Zair,	Crassane,
Grise Bonne,	Winter Crassane,
Garnstone,	Citron of Bohemia,
Green Catharine,	Madotte.

Scraps about Trees.

1. **CHERRY TREES SPLIT BY FROST.**—It is well known that the trunks of cherry trees, and especially those of the most vigorous growth, are often split in the winter by the severity of the frost. This is probably owing to the quantity of sap being disproportionate to the wood, which being overcharged by the distension, and incapable of expansion, bursts in the direction of the grain, (as it is called) and sometimes lays open the wood to the centre of the tree. I have been informed of instances where this has proved fatal. I am able, however, to report from my own observation, an instance where no serious injury followed. A cherry tree a dozen years old, and ten or twelve inches in diameter, in the severest frost of winter was split so that one's hand might be thrust to the centre of the tree. The fissure extended from the ground entirely up to the first offset of branches. The remedy applied was to protect the wounded part by a thick covering of woolen cloth closely wound round the tree, and kept there until late in the spring. The parts united the same season, and neither the growth or fruitfulness of the tree seemed to be affected.

Two years afterwards, in the coldest weather of the winter, the tree split again in the same manner, and was treated as before. It flourished and bore the following summer as well as ever, yielding some eight or ten bushels of cherries.

2. **SEEDLING CHERRY TREES.**—The tree above mentioned is a seedling, the fruit of which has some affinity to the Black Mazzard, but is larger, thinner-skinned, and more pulpy than any known variety of that cherry. The tree itself is not excelled in size or bearing by any in this vicinity. Eleven bushels of choice fruit have been gathered from it the past year and measured, besides some three or four bushels by estimation, not measured. The yield has been not less than eight bushels in any year, for the last five years; and the tree, being now about eighteen years from the seed, is still rapidly growing. I mention these particulars as suggestive to our nurserymen, upon the subject of experimenting with seedling cherry trees. If seedlings are apt to be more vigorous, longer lived, and greater bearers than grafts; though but one in a thousand should prove of a quality worth preserving, is it not worth while to try them more extensively? I do not mean to insist that the above instance *proves* that a seedling is in any respect better than a grafted tree, because the favorable circumstances of soil, shelter, supply of moisture, &c., which might be mentioned, may have been so combined as to have produced a similar result without regard to the character of the tree as a seedling. It is adduced as one instance of many, the comparison of which may be of use in connection with the favorite theory of some tree-growers in favor of seedlings.

3. **TREES EXPOSED TO SEA-WINDS.**—What species of tree is best for places exposed to the rude winds from the Sea? The Savin is undoubtedly best adapted to these situations, but it is a slow grower, and the method and proper time of transplanting and rearing do not appear to be well understood, at least in these parts. I have tried the Elm with indifferent success, perhaps from want of proper care. Have any of the patrons of *The Cultivator* on Long Island, or elsewhere on the sea coast, succeeded with the Elm on the immediate bank of sea water, and where there is no shelter from the winds? Let us have the results of their experience. I find the following in that valuable work, "Sears' Pictorial Description of the British Islands:"

"Pennsylvania castle, the residence of the late Governor Penn, is the only place in Portland assuming the dignity of "a seat;" and is also the only spot on which any thing like a clump of trees is visible. An old historian speaking of this circumstance says 'there be very few or utterly no trees saving the elms about the church. There would grow more if they were there planted; yet is the isle very bleak.' This simple remark has been amply verified in the grounds before us. The common sycamore will stand the severest sea breezes, and under the shelter it affords, almost any forest tree may be grown. By surrounding his land with a ring fence of them, Mr. Penn succeeded in embossing his house with a very agreeable variety of trees and shrubs, while all around him was a desert."

The shores of Narragansett Bay, in this State, though beautiful in some of their features, are deficient (and especially the islands) in trees. I am assured that many of the farmers down the bay would border, if not surround their lands with these same "ring fences," if they had any confidence that the trees would grow when there planted.

4. **THE APHIS ON APPLE TREES.**—This insect has been very destructive to the fruit all along the New England sea coast the last season—more so than ever before. The disease or blight occasioned by it is often mistakenly ascribed to other causes. A friend has related to me his experience in the application of the Whale-oil soap to the trees early in the spring, by which he prevented a recurrence of the plague. If I can obtain the details with sufficient accuracy, I will forward them for publication. J. H. W. *North Providence, R. I., Dec., 1849.*

Osage Orange Seed.

Much difficulty having been experienced in causing the seed of this celebrated hedge plant to vegetate, various expedients have been devised to remove the difficulty, as soaking the seed, exposing it to frost, &c. We are induced to believe that the failure to grow has often resulted from the long time that has elapsed after gathering till the seed is planted, most of it being procured in Texas, and often a year or two old. Under such circumstances, it must come up more thinly than when fresh. The best success ever experienced by the writer was with seed gathered in one of the Southern States by a careful friend, and forwarded immediately. It was planted with no preparation, and came up very thickly. We would suggest the propriety of dealers employing reliable agents where it is grown, who will forward it when fresh.

The Curculio.

Many persons adopt some particular remedy, to the exclusion of all others. Paving under the tree, repelling by the odors of fermenting manure, jarring down on sheets, shutting out with a high tight fence and destroying by geese and swine, all have imperfectly or wholly succeeded, as the remedy has been partially or vigorously applied, or as the insects have been few or numerous. A combination of two or more of them will often be found most efficacious. Paving, and a high fence are costly, large heaps of manure are not neat, and swine do not always do the work up wholly. Jarring down too often fails from beginning too late, and intermitting too frequently. We have secured completely large crops, in seasons when the curculios were so abundant as that single trees would yield 15 or 20 at a single jar-

ring. The work was, however, begun early, and continued twice or three times a day. Yet the whole labor for 20 trees was not more than equal to the cost of paving one tree. Probably a combination of this mode, with the employment of swine, would answer in nearly all instances.

FREEZING OUT THE CURCULIO.—It is not unfrequently recommended to invert the soil by spading, just before winter, to freeze out the dormant curculios. The writer has pursued this course for several years past, with a number of plum and apricot trees (not, however, with any reference to the curculio,) without the slightest apparent effect on the operations of these depredators.

Wire Fence.

Much has been said in the papers in favor of the cheapness and durability of wire fences. We fear that a few years' trial will disappoint many who have erected them. If the wire is so light as to be afforded at less than two dollars per rod, heavy cattle will frequently snap it by accidentally plunging against it, if it is tightly stretched. If slack, its frequent swaying motion serves in the course of time to crack it off at the post, which tendency is greatly increased by the water which lodges in the holes and gradually diminishes its strength by rusting.

Hardiness of the Buckthorn.

A hedge of three year old plants was set out last year, four hundred feet long. It was done quite late in the season, most of the trees having already made shoots four or five inches long. They were cut down to within two or 3 inches of the ground, and although the roots were not *mudded*, scarcely one in a hundred failed to grow. The dense mats of small fibres which constitute the roots of the buckthorn, are removed from the soil with very little loss, and contribute to success.

The Curculio.

EDS. CULTIVATOR—In this section of the country, for some time past, the plum crop has with but few exceptions, fallen a prey to the curculio or plum weevil; so much so at least that the fruit-growers in this neighborhood have become quite discouraged in attempting the cultivation of this valuable fruit, from the fact that their labor is lost, their expectations blasted; and they have the mortification of seeing nearly all, or indeed, often, the whole crop fall from the trees when half or two-thirds grown. I have tried several remedies to preserve my plums from the ravages of this uncompromising foe of all smooth-stoned fruits, such as the use of salt, and gathering up the punctured fruit, &c., with but little success until this season. Having read in your valuable journal, *The Cultivator*, of June, 1848, on page 182, a plan for destroying the curculio, and preserving the fruit, which was the jarring down of the insects on muslin, and so destroying them, I adopted the plan; and having furnished myself with an umbrella eight feet in diameter, covered with white muslin, with an opening between the arms to receive the trunk of the tree, and a mallet cushioned at the end to prevent its injuring the bark of the tree; as soon as the blossoms had fallen and left the newly formed fruit exposed, I commenced a vigorous attack upon the wily foe, which had already commenced the work of destruction, by jarring them down on the umbrella spread under the trees to receive them. This I repeated every day for nearly two weeks, or as long as a curculio could be

found, during which time I captured thousands of the foe; and the result was that I had the satisfaction of seeing my plum trees loaded with an abundant crop of fine ripe fruit, while those of my neighbors were nearly or quite destroyed, especially those of the choicer varieties, which seem to be more subject to the attacks of the curculio than those of less merit; and I believe any one who will take the pains to try the above plan, will find his labors crowned with success. R. H. DRAKE. *Bloomington, Sullivan Co., N. Y., November 14, 1849.*

The Everbearing Raspberry.

EDS. CULTIVATOR—Your correspondent in *The Cultivator* for November, has not, I believe, cultivated the Ohio Everbearing Raspberry sufficiently to judge of its bearing qualities, and the best soil for it. I have cultivated in my garden for 17 years, this plant, in a rich, deep, porous soil, and the first crop is a very large one. But my soil is too dry for it during the summer and fall, and my vines bear sparsely the residue of the season. In the gardens of Mr. Buchanan, Mr. Ernst and others, in the vicinity of the city, where the soil is a natural one—rich, but not deep,—stiff, with a subsoil of clay,—they have an abundant supply till frost, and the fruit of the succeeding crops is much larger than the first.


In Newark, New Jersey, in the garden of my sister, where the soil is poor, but stiff, the shoots do not grow half the length that they do in my garden, yet the fruit is larger, and the crops four fold, compared with mine. A majority of persons at my table prefer it to the Antwerp, when both are on the table. I prefer the Antwerp. It certainly belongs to the Black Cap family. Could it not be crossed with the Fastoff or Antwerp, and its everbearing character retained?

I concur with your correspondent in opinion about the Alpine strawberry. In some climates and soils it may succeed better than with us. I believe this to be a distinct kind, and that from a cross with our scarlets, bearing seedlings cannot be produced. By the way, have your Eastern cultivators come to any settled opinion, about the absolute necessity of cultivating pistillate plants, where an abundant crop, or even half a crop is an object. Mr. Ernst informs me, that the present President of the Boston horticultural Society, is of opinion that in an average of years, he can raise as full crops from the hermaphrodites alone, as where 11-12th are pistillate. I know that the opinion of the late President was directly the reverse of this. With us, not one of your hermaphrodites, will average one-fifth of a crop.

I shall this fall, move all my Ohio Everbearing raspberries, to the gullies in the Garden of Eden, where the soil is thin and stiff; where the blackberry grows and bears much finer than in my garden, and an abundant crop through the season will be certain. N. LONGWORTH. *Cincinnati, O., Nov.*

LARGE APPLE TREE.—The *Boston Traveller* says a large apple tree at Duxbury, sixteen feet in circumference a foot or two above the ground, (5 ft. in diameter) and over a hundred years old, bore in one year fruit which made ten barrels of cider, in addition to thirty barrels of apples put into the cellar.

HEDGES FOR FLOODED LANDS.—M. B. Bateham, of the *Ohio Cultivator*, states that a two-year-old osage orange hedge was submerged a week without injury, where peach trees were killed by the flooding.



CHEVIOT RAMS,

Which received the prize of the Highland and Agricultural Society of Scotland.

The Cheviot Breed of Sheep.

There are various reasons why, in a country like ours, it is expedient to keep several breeds of sheep. Different qualities of wool are required for the manufacture of different kinds of goods; and for our great range of climate and diversity of soil and aspect, animals of different characteristics, as to constitution and habits, are required for the different locations. The sheep which produce the finest staple of wool, are unsuited to coarse food and exposure to great changes of weather. So too, in regard to the production of mutton; those breeds which attain the greatest size, and fatten most readily; with an abundance of food in a mild climate, have not the hardiness and muscular vigor necessary to adapt them to cold and mountainous districts. Hence, in Great Britain we find the Leicesters, Lincolns, and other heavy long-wooled breeds, occupying the warm and fertile valleys and rich grass lands; the South Downs and similar breeds, the intermediate uplands; while lighter and more active breeds are kept on the heaths and mountains of Wales and Scotland.

From the increasing demand and enhanced price of mutton in this country, many farmers have lately turned their attention to the production of this article. With this view, different breeds of English sheep have been procured. The Leicesters and South Downs have been considerably tried, and with varied success. In some instances both have failed from improper management. But in general, we think the Leicesters have hardly sufficient hardiness to endure the extremes of temperature, from the heat of summer to the cold of winter, which occur in our climate. It is true they vary in this respect, and some skillful breeders have given to their sheep much better constitutions than those of this breed in general possess. The improved Cotswolds, or New Oxfordshires, though derived from crosses with the Leicester, are more hardy and produce more

wool. For many situations, it is desirable to obtain a breed more hardy than either of these.

The Cheviot breed, represented by our cut, is not at present, much known in this country. We have heard of only two importations; one by Hon. DANIEL WEBSTER, of Massachusetts, and one by Col. T. J. CARMICHAEL of Wisconsin. From the locality they occupy in their native country, and from all we can learn of their qualities, we think they would be valuable for many parts of the United States. In answer to an inquiry, Mr. WEBSTER writes us in regard to his Cheviots, as follows:

"They are very handsome, coming fully up to the cuts of them which you find in the English publications. I do not think mine are very large, as my pastures are not rich, and I have taken no particular pains with them. I have had no very great experience of them, as to their mutton, as yet; but some wethers have proved very good. I think the breed fattens readily."

They take their name as a breed, from the Cheviot range of hills, on the border of England and Scotland, where they have existed from time immemorial. They have lately been improved by a cross with the Leicesters; and have been adopted with great success in many parts of Scotland, heretofore occupied by the black-faced mountain sheep. In relation to the breed, Martin gives the following description:


"They are full behind the shoulder, and the fore-quarters are justly proportioned to the hind; they are straight in the back, round in the rib, clean and small boned in the limbs; the wool, which is of a quality useful for many combing purposes, comes forward behind the ears, but leaves the face uncovered. The Cheviot sheep is capable of enduring much cold and privation; it possesses considerable fattening properties, the wethers being ripe for the butcher at two years of age; and averaging from 15 to 18 lbs. the quarter. The mutton is excellent. This description applies to the Cheviots with a cross

of the Leicester. In all that regards size, form and contour, they are superior to the old breed; but the wool has become coarser and longer."

Count de Gourcy, a French gentleman who made a tour through England and Scotland in 1840, thus speaks of the Cheviot sheep which he saw on the mountains of Sutherland:

"I was surprised on going over these horrible mountains and miserable pastures, to see them stocked with such fine animals, yielding, on an average, five pounds of long and beautiful wool, washed upon the back; wethers three and a-half years old, without having eaten any other thing than what is to be found in these wilds, weighing, alive, 200 English pounds, together with ewes that at 5 years old, and with the same feed, are fat, and weigh from 60 to 70, and even 90 pounds. What I have seen in this journey, makes me more convinced than ever, that the Cheviot breed is one of the highest merit; since they live and prosper on such land, under such a severe climate, and that, too, without other food than what these wilds furnish."

PROTECTION FOR SHEEP.—If there is one point in sheep-husbandry of more especial importance than all others, it is *shelter*. This remark will apply to



Stell for sheltering Sheep.

almost all countries where sheep are kept; though the character of the shelter may vary of course, with the nature of the climate. In southern latitudes it is not necessary to guard against deep snows; but most sections are subject to violent storms of rain, which are very prejudicial to the health of sheep, if obliged to endure them without some protection.

The circumstances which affect the keeping of sheep on our western prairies, and on the mountains of our southern states, must bear some analogy to those of Scotland; and if this kind of stock is ever made profitable on a large scale in those parts of our country, ample protection from the driving storms and boisterous winds which there prevail, must be provided. For this reason we have thought it proper to introduce here, a description of a kind of shelter which has been resorted to in Scotland with great advantage. The flocks kept in the mountainous region of that country, formerly suffered immense destruction during winter, when

"—oft the whirlwind's wing
Sweeps up the burden of whole wintry plains
At one wide waft, and o'er the hapless flocks,
Hid in the hollow of two neighboring hills,
The billowy tempest whelms, till upward urged,
The valley to a shining mountain swells,
Tip't with a wreath high curling in the sky."

The shelter to which we allude, has been found an efficient protection against the storms which pre-

vail in the Highlands; and to give some idea of their severity, it may be useful and interesting to the reader to peruse a brief description of the consequences of one, which occurred before this kind of shelter was introduced.

Hogg, the "Ettrick Shepherd," describing the effects of the storm of the 24th and 25th of January, 1794, says—"it fell with peculiar violence on that division of the south of Scotland which lies within Crawford-muir and the Border. There perished within these limits, seventeen shepherds; and upwards of thirty were carried home insensible who afterwards recovered. The number of sheep that were lost, outwent any calculation. One farmer alone lost seventy-two scores, and many others in the same quarter from thirty to forty scores each." He adds, that when the snow melted, it caused a flood, and after the water had subsided, there were found, at a place called the Beds of Esk, on the shore of Solway Frith, 1,840 sheep, 9 neat cattle, 3 horses, 2 men, 1 woman, 45 dogs, and 180 hares, besides a number of smaller animals.

William Hogg,—who, like his namesake, the Poet of Ettrick, has been "a keeper of sheep,"—in a communication to the *Scottish Quarterly Journal of Agriculture*, written in 1843, gives a vivid account of this storm, to which in guarding his sheep, he was exposed in person. "The storm came on in its greatest severity in the night, and was heavy beyond all former precedent. Mr. H. says—"I was in a lone, desolate part of the mountains, and felt the snow as it fell, like a dead weight on my shoulders, and the desert place seemed to sigh with the extraordinary burden which lay upon it." When the clouds finally dispersed, he says—"I was glad and I ought to have been thankful, when I once more felt the sun's cheering beams; but such a scene! The poor creatures lay huddled together dead, in dozens, scores and hundreds; the extraordinary severity of frost and strength of wind had reached their vitals, I think, in a few minutes after foundering down with cold; many were also smothered deep at the bottoms of immense wreaths, and were not found till the thaw came. There was scarcely a pastured district where there was not some human being perished, and many sheep."

The serious losses sustained in the manner above described, induced the farmers to turn their attention, earnestly, to the means of protecting their sheep; and after having tried structures of various kinds, the superiority of those represented by the accompanying cut, has been fairly demonstrated. These structures are called *stells*, and the one here delineated is called an "inside stell." It consists of two concentric circles of wall, enclosing a plantation of fir, or other evergreens, having a circular space in the centre for sheep. This centre may be of any size desired; if it is from 30 to 60 feet in diameter, it will accommodate from seventy-five to one hundred and fifty sheep. A sufficient number should be erected to accommodate the whole flock. This belt of trees completely secures the sheep in the enclosure from the force of the wind, affording a quiet and safe shelter at all times. The walls of the passage are made winding, which prevents the wind from blowing into the central space.

In this country, it is probable, the best trees for such plantations, would be the red and white cedars, hemlock, spruce and fir. A belt of a rod in width, if the outside was planted sufficiently close, would soon form a screen, and admirably shelter the inside enclosure.

These stells should constitute the feeding yards. In, or near them the fodder should be secured. The

feeding-racks may be placed under cheap sheds, made of boards, or with poles covered with straw. In these protected situations, they would not be blown down by wind. Where stones cannot be had for forming the walls, turf embankments will answer to protect the trees while they are small; after they have become strong, they will need no protection. The manure could be all saved here, and carted to places where it was most needed.

In regard to the location of these structures, Mr. William Hogg directs that they be "situated on that department of a farm where the sheep most easily congregate in times of difficulty. Their particular site should lie apart from rocks, steep or abrupt precipices. Such obstacles to the tempest only redouble its fury, and at uncertain intervals throw the regular current of the wind and drift into furious rushes, almost in every direction. If it be possible, they should be placed where the general stream of wind is not obstructed nor hurried by any object on the earth's surface, but where it blows constantly, open and free."

With such shelter as is here proposed, the health and vigor of the sheep would be secured, and the great losses which are now annually sustained from undue exposure, would be avoided. The sheep will naturally gather round these sheltered places in inclement weather, and will pass and repass, as they find most conducive to their comfort. Their health and strength being preserved, they will eat their food with a good appetite, and will graze, or feed at the racks, according to the state of the weather. "Instinct" as a Scottish writer observes, "will teach them when to fly for shelter, and when to return to the pasture; at the same time the shepherd may be with them, rejoicing in his own safety as well as theirs."

The Farmer's Note-Book.

Subsoil Plowing.

EDS. CULTIVATOR—Professor Johnston, in his Agricultural Chemistry, observes that in sandy, and generally all light soils, of which the particles are very fine, the capillary action is of great importance, and intimately connected with their power of producing remunerating crops. That they absorb the falling rains with great rapidity; and these carry down the soluble matters as they descend. On the return of dry weather, the water re-ascends from the lower strata, and again diffuses the soluble ingredients through the upper soil. A writer in the October number of the Horticulturist, remarks that this action is very much aided by a trenching of such soils, provided the best soil is always kept on the surface.

Now this commends itself as sound reasoning; and yet, it is so unlike the results of an experiment I tried the past summer, on similar principles, that I am constrained to submit the case to you, and learn in what manner you will account for a difference I shall proceed to state, without repudiating this doctrine.

It was conducted upon a piece of five acres of land—a sandy loam—resting upon a subsoil of yellow loam. There was drawn upon it, the past winter, some two hundred loads of manure, which in the spring was evenly spread, and the ground plowed; using on one-half of it a subsoil plow, that was driven eight inches deep, making a united depth of sixteen inches with both plows. It was then

thoroughly harrowed, and on the 12th of May planted to corn.

The early growth of it was soon vigorous and luxuriant, with no perceivable difference between the portion subsoiled and the other, and so continued until about the middle of July, when it *all* became very much affected by the severity of the drouth that prevailed. It was then I expected to realise the advantages of the subsoil plowing, in a facilitated capillary attraction, as well as a more abundant aliment from the wider and deeper range thus secured to the roots; but it was not perceptible, nor did any difference manifest itself until the harvesting the crop. All of it having suffered very much from the effects of the drouth, and, so far as I could judge, alike.

That portion of the row, up to the point where the subsoiling commences—and which was of the same length, and contained the same number of hills as that subsoiled—yielded one-half bushels of ears of corn *more* than the part subsoiled. And this difference was very nearly uniform in each row,—thus proving, very conclusively, that the subsoiling, so far at least as this crop was concerned, was a decided injury rather than benefit.

Now, Messrs. Editors, you who are "bound to know everything," will you please account for this difference? You see, readily, that it is at war with the theory quoted at the outset; nor does my mind suggest any reason, satisfactory for it, save one, at variance when *applied to this character of soil*,—and it is, that the readier escape of moisture, from the greater depth, is not made good by an increased capillary action; and that in a season like the past, unusually dry, the crop consequently suffers more. With a more tenacious subsoil, this would not be.

Indeed, I am some doubtful of the expediency at all of the subsoil plow, for *this character of soil*; but more from the results of this experiment than any actual knowledge on the subject; and I shall be greatly obliged to you, in common I presume with many others, for any *reliable* information that will elucidate this point. P. Waterville, N. Y., November 10, 1849.

The above results are different from any which have before come to our knowledge, in relation to subsoil plowing. We shall not attempt to explain them; but would suggest that the crops, on the subsoiled and unsubsoiled portions, be carefully noticed the coming and succeeding seasons. EDS.

Mayweed—Corn Chamomile.

EDS. CULTIVATOR—Among the many noxious weeds that have been introduced into our country, there is scarcely one that is more to be dreaded by the farmer than the *Anthemis arvensis*, commonly called corn chamomile, or wild chamomile. On account of its close resemblance to the *Maruta cotula*, or mayweed, the two plants are confounded, and supposed to be the same by many. The mayweed was called *Anthemis cotula* by Linnæus and others; but De Candolle and, after him, most of our best botanists, have placed it in a different genus. The wild chamomile is easily distinguished from the mayweed by the larger heads of its flowers, and from wanting the strong, unpleasant smell peculiar to the mayweed, and by its botanical characters. The *Anthemis arvensis* is a native of Europe, Asia Minor, and is frequent in Egypt. As yet, it is sparingly naturalized in the United States,—being found in parts of New-England, New-York and Pennsylvania. In western New-York we have seen whole fields of wheat nearly choked out by this vile

weed. It grows very thick, and from one to two feet high, with the branches intertwined, so that it is very difficult to gather what little wheat is left standing.

The *Anthemis arvensis* is an annual, as is also the mayweed. One root sends forth a great many branches which have a great many flowers, and then a great many seeds. Hence, it increases very rapidly; and having once obtained possession of a field, it is very difficult to be eradicated. Many of the seeds come up in the fall, and produce flowers and seeds the next season, while, perhaps, other seeds will not germinate until spring; and if the ground be plowed so as to bury them deep, others may remain without germinating for years, until a subsequent plowing brings them near the surface, and the light and heat of the sun causes them also to germinate.

To destroy the seeds, some farmers thresh their grain with machines in the field, and burn the straw immediately. But after the top of the *Anthemis* is cut off at the time the grain is harvested, the root sends forth new branches, which flower and bear seeds until the old plant is destroyed by severe cold weather, at the approach of winter.

During a recent visit to Cayuga county, where several farms are infested with the *Anthemis arvensis*, we were told by an intelligent farmer, who had labored hard to destroy it, that he considered it more difficult to be eradicated than the Canada thistle. The *Maruta cotula*, or mayweed, is much more widely diffused than the *Anthemis arvensis*, abounding along road sides in large portions of the northern states, as far west as Missouri. It abounds in the fields and roadsides of Europe, Persia, and the adjacent countries, and in Brazil. It is said by Linnæus to be a very grateful plant to toads, to drive away fleas, and to annoy bees. It is a troublesome weed; yet we believe it does not often spread over fields to the great injury of crops, like the *Anthemis arvensis*. S. B. BUCKLEY. *West Dresden, Yates county, N. Y., November 12, 1849.*

Saxon Sheep.

WM. H. LADD, of Richmond, Jefferson county, Ohio, makes the following proposition:—"I propose to meet any number, not less than 20 breeders of Saxon Sheep, at any suitable time and eligible place in the United States, and exhibit each one Saxon Ram, as competitors for the following premiums: The amount necessary for obtaining said premiums to be raised in equal sums by the competitors, in the same way as it is done by the members of the different Agricultural Societies.

"To the best, a silver cup or pitcher, worth \$30, other silver ware worth \$30, and \$40 in money.

2d best, silver ware,.....	\$40 and \$40
3d,.....	40 and 30
4th,.....	30 and 30
5th,.....	25 and 25
6th,.....	20 and 20
7th,.....	15 and 15
8th,.....	15 and 10
9th,.....	14 and 7
10th,.....	10 and 8."

It is suggested that the exhibition be held at Cincinnati, in 1850, at the same time of the Ohio State Fair, provided that fair does not occur before the middle of October, as at an earlier period the wool would not be grown to a sufficient length to be fairly judged of. An arrangement should be made to have all the sheep exhibited, shorn on the same day. The competition is to be open to all the States of the Union. Those persons

intending to compete are requested to notify T. C. PETERS, editor of *The Wool-Grower*, Buffalo, or M. B. BATEHAM, editor of the *Ohio Cultivator*, Columbus, Ohio, before the first of March next.

We hope the proposition will succeed; such an exhibition would be of great advantage to the growers of fine wool.

Castor Oil Bean.

EDS. CULTIVATOR—As a preliminary to the answer of your correspondent, who requests some one to inform him of the manner of raising the *Palma Christi*, or castor oil bean, and obtaining the oil therefrom, permit me to premise, that if he resides in this state, or any of the New-England states, he will find the raising of the castor oil bean an unprofitable business; for I am satisfied from experience, as well as from other sources of information, that the business cannot be profitably carried on in the United States, further north than the 39th or 40th parallel of north latitude.

In the summer of 1822, I raised, as an experiment, three or four bushels of the beans, and sold the oil at \$4 per gallon. I was satisfied the business might be made profitable, and the following year I planted and raised 13 acres on choice rich land. I manufactured the beans into oil, which had now fallen in price to \$1.37½ per gallon. I calculated the probable amount of corn that could have been grown on the same land, and found I would have saved 100 per cent. by substituting the corn for the beans.

The plant in question appears to be indigenous to both the East and West Indies,—consequently does not do so well in northern as in southern latitudes. In this state, from one-third to one-half the crop never comes to maturity. This fact will be readily understood by any one who has ever noticed its growth in our gardens. The plant, when two or three feet high, sends off a shoot from ten to twelve inches in length, thickly studded with the seed-vessels; and when this crop has arrived nearly to maturity, another one above it will be scarcely out of the blossom; and thus it progresses, till nipped by the frosts of autumn. Out of eight to ten of these little crops, which rise in succession one above the other, not more than three or four of them usually ripen in this climate; whereas, in the southern states, the climate is favorable to its complete maturity.

The land should be prepared the same as for Indian corn; planted and hoed in the same manner, with the same number of seeds in a hill. When a part of the capsules on the lower stems show signs of maturity, by a part of them turning brown, you may pass through the field with a basket and knife, and gather them,—leaving the remainder until the second crop ripens, which will be from one to two weeks. Thus you will pass over the field as many times as the succession of crops will demand. If the harvesting is neglected until all the capsules on the stem are ripe, your crop will be lost,—the capsules bursting spontaneously, throwing the bean from five to twenty feet. In this manner they are all shelled out, after being harvested, with no other manual labor than to protect them. To do this, lay a platform with boards, say 12 feet by 24 or 36, as occasion may require, with sides from 2 to 3 feet in height. Let the floor descend a little to the south; in this way the beans have a fairer chance to dry, and the water to run off, in case of their getting wet, which should be prevented, if possible, by having a very light roof, which may be moved off or on at pleasure with a windless. Two or three

days of bright sun will shed what will cover the floor a foot deep, if kept drying by turning them once or twice a day. In extracting the oil, I used the press of the common linseed oil mill. I pressed one bushel at a time. They were first warmed to a little over blood heat, to give the oil sufficient fluidity, without any grinding, and subjected to the full power of the press. The first run gave one gallon of what is commonly called "cold pressed oil." The cake was then crushed under the grinder, and one to two quarts of water added while grinding or mashing. It was then brought to a steaming heat, and again pressed, when I usually obtained another gallon of oil of a somewhat inferior quality, denominated "hot pressed oil." A process is now to be gone through with, equally as necessary, and perhaps more difficult, than any of the former. The oil must be clarified, or it will soon become rancid and unfit for use as a medicine. Suppose you have a kettle, holding ten gallons; into this turn five gallons of oil and one gallon of cold water; hang it on a crane over a slow but steady fire, stirring it occasionally till it boils, which may be within one hour. A thick scum will arise, resembling that which occurs in scalding beef brine, which must be skimmed off, and the skimmings saved. Let the oil remain over the fire from ten to fifteen minutes, after the scum has all disappeared, but not allow it to boil, and then strain through flannel, and the process is done. Take the skimmings that remain and subject them, without any additional water, to the same boiling process as the former, and the same result will follow. It may hardly be necessary to caution the operator to remove the oil from the fire, if it should show signs of boiling over. S. SPENCER. *Westfield, Chautauque co., November 10, 1849.*

Gathering Clover Seed.

I have used a wooden machine, made like a cranberry-rake, on a large scale, to gather my clover-seed this season, with good effect; but it has occurred to me that the enterprising farmers of the East must have a more complete machine, the teeth probably made of iron, and my object is to get a description of a more perfect contrivance, that I can get one made. The difficulty with my wooden machine is, that it clogs and causes much delay.

Again, what is the best machine for cleaning clover seed, and where and on what terms can we most conveniently get it? C. W. CATHCART. *New Durham, Laporte Co., Ind., 1849.*

We trust some one will furnish the information called for above. EDS.

Culture of Turneps.

We believe the farmers of the Northern and Eastern States, may make the culture of turneps profitable, as an auxiliary crop—especially on the lighter kinds of soil. The roots tend greatly to the improvement of soils of this description, particularly when fed off by sheep. The soil becomes rich, and at the same time, acquires the proper degree of compactness, which fits it for the production of wheat and the grasses. In England, some of the best wheat crops are raised in sandy districts, where formerly, this grain was not grown at all. We have seen some instances in our own country, where the effects of turnep culture have been quite as remarkable. We might cite, for example, the farm of Mr. MCINTYRE, on the sandy plain west of Albany, a tract which, till lately was regarded as of trifling value; but which has, chiefly by means of turneps and sheep, been brought to a state of productive-

ness that will compare favorably with the first class of soils.

It is true, that in our climate, we cannot feed turneps on the land with the advantage that is derived in the milder atmosphere of England; but it may be profitably done even here, for at least two months in the year, or generally through October and November. This is a season of the year in which grass is commonly short, and the turneps will carry out, well, cattle or sheep designed to be slaughtered at the close of the season, or they will give them an excellent start for stall-feeding in winter.

At the late meeting of the Norfolk County, Mass., Agricultural Society, Mr. WESTER, in his speech at the dinner-table, alluded to this subject, and spoke of the success which had attended his trials in turnep-culture at Marshfield. He said:

"There is nothing that I know of in my mode of culture of the thin and light lands which I possess, different from the general method of cultivation in the Commonwealth except this; that I have been persuaded, by reading, and by observation abroad, that there is one species of cultivation almost unknown in the state of Massachusetts, which is still very well suited for the counties of Norfolk, Plymouth, Bristol, and other places where there is a great proportion of light land; I mean the root cultivation—that of turneps and beets. And from all flights of oratory upon Agriculture, I come down to simple beets and turneps, and to give you one word upon that subject. The time is coming when the light lands must yield themselves to this culture."

He states that on his farm, naturally very light and poor, he raises turneps that he is "willing to show to and compare with any farmer in Yorkshire."

It is, however, a *modified* turnep-husbandry that we designed particularly to advocate at the present time; we would not adopt it to the exclusion of Indian corn, but as an auxiliary to this and other grain crops. We recommend it especially as an *after* crop, not interfering with the regular course of cropping. For instance, it may be sown after rye or hay, have been taken from the ground. There are several varieties which grow so rapidly that they will give a good yield if sown as late as the 20th of July to the 10th of August, and sometimes when sown later.

On the farm of WM. O. BARTLETT, Esq., Worcester, Mass, we lately saw an excellent crop produced on a rye stubble. The soil was gravelly, on a porous, granitic subsoil, and three years ago was regarded as completely worn-out. It has been heavily manured with a compost of peat saturated with urine and mixed with barn-yard manure. The stubble was plowed immediately after the rye was harvested, the ground rolled, and the turnep seed, (of the English round purple-top variety) sown from the 20th to the 25th of August, with Emery's machine, in rows two feet apart. The crop was never hand-hoed, and only a portion of it thinned—the only cultivation being done with the cultivator and the subsoil plow. The crop was very clean from weeds, though there was some rye among it, which however, did not appear to have much checked the growth of the turneps. We should think the crop on the whole field, seven acres, would average 500 bushels per acre, and there were portions which would give double that yield.

Mr. B. showed us another lot of turneps, which were produced at even less expense than the one above-mentioned. It grew on a drained bog. The surface was covered with small shrubs and coarse herbage, the roots of which formed a close network two or three inches deep. While the ground was dry, the surface was set on fire, and this fibrous covering was reduced to ashes—the fire going to just about the depth that the roots

were closely matted. The turnep-seed was sown broadcast in this bed of turf-ashes; a slight shower buried it, and gave sufficient moisture to bring up the turneps. The crop was never touched till harvested. There was not a weed in it—the whole surface was turneps as thick as they could stand, and many of the bulbs were so crowded out that nothing but the tap-root, not larger than a goose-quill, connected them with the soil.

Now what crop could be raised that would make as much beef, or mutton, or manure, with so little expense as turneps, produced in either of the ways here mentioned.

Imported Cattle.—Bates' Stock.

The August number of the "Cultivator," for 1849, contains an article on the "recent importation of short horns," which does not entirely coincide with my views. The writer, referring to the bull, 3d Duke of Cambridge, which he had the honor of importing, says: "Breeders, desiring the blood of Mr. Bates, can no where else in this country, procure it with such high characteristics of style, quality, symmetry, and substance."

Allow me here, before discussing this paragraph, to remark, that *honorable competition* in breeding domestic animals, cannot fail to be a fruitful source of improvement, and should be countenanced and encouraged by every individual who desires to see the stock of our country raised to that high standard which its importance so justly merits and demands. The individual, however, who enters upon this enterprise with a desire and a determination to excell, will soon find himself surrounded with perplexities and prejudices, which he little anticipated; and, however desirous he may be to avoid controversy, circumstances may occur, where justice, both to himself and the public, demands that he should no longer remain silent. Experience will also sooner or later prove, that there is neither honor or profit to be acquired, by resorting to the frail support of either directly, or indirectly, assailing, or endeavouring to disparage the stock of others, by the assumption of high sounding pretensions, which cannot bear the test of truth and scrutiny.

But to the point. We presume no one will deny, that any one animal from any herd, to possess the power of imparting to his produce, "*higher characteristics of style, quality, symmetry, and substance,*" than any other animal from the same herd, *must* possess more of the *choicest blood* of that particular herd. To doubt this, is at once questioning the efficacy of *blood animals*. The most natural inquiry, therefore, which would arise from a perusal of the paragraph quoted, would be—"What is the *particular strain of blood,* in the late Mr. Bates' herd, which is superior to *all other,* and which gave him such a deservedly wide spread fame and reputation as a breeder?" Now let this simple fact be clearly defined, and if 3d Duke of Cambridge possesses more of *such blood,* than any other animal in this country, then he may be fairly entitled to his claimed position of superiority. This is a point of the greatest importance to breeders of Short-horns in this country, and *particularly* so, to "all who wish to procure the blood of the late Mr. Bates' herd."

In order, therefore, to prove to the public conclusively, and to place the matter beyond the possibility of a doubt, that the *choicest blood* of Mr. Bates' herd consisted in his *pure, unalloyed Duchess tribe,* we quote his own opinion, from a communication addressed to the publishers of the print of his bull, Duke of Northumberland. After giving the pedigree of this bull, Mr. Bates says:—

"The *whole* of this family" (*Duchess family, S.P.C.*) "of Short-horns are *alone* in my possession, having pur-

chased my original cow of this tribe of cattle of the late Charles Colling, Esq., of Ketton, near Darlington, 35 years ago. They had been in the possession of Mr. C. Colling, 20 years, who purchased his *original cow from Stanwix,* of the agent of the late Duke of Northumberland, and called *her Duchess,* (which is the reason I have named the bull after that family,) as they are justly entitled to be held in commemoration for having possessed a *tribe of cattle* which Mr. C. Colling repeatedly assured me *was the best he ever had or ever saw,* and that he was never able to improve upon *her,* although put to his *best bulls.* And I have undoubted information from the best authority for saying that *this tribe* of Short-horns, were in the possession of the ancestors of the present duke, for *two centuries;* and that Sir Hugh Smythson, the grandfather of the present duke, kept up the celebrity of this tribe of cattle by paying the utmost attention to their breeding; and that he used regularly to weigh his cattle and the food they ate, to ascertain the *improvement made in proportion to the food consumed;* a system I adopted nearly fifty years ago, not knowing that it had been previously done; and from a minute and close attention to this subject, I obtained that knowledge of cattle, which enabled me to judge of their *real merits by their external characters*—and which I have never found to fail in my experience for above forty years as a breeder. From that knowledge, thus acquired, I selected *this tribe* of Short-horns as *superior to all other cattle,* not only as small consumers of food, but as great growers and quick graziers, with the finest quality of beef, and also giving a *great quantity of very rich milk.* The cow I bought of Mr. C. Colling, in 1804, calved at Halton Castle, in Northumberland, June 7th, 1807; she was kept on grass only, in a pasture with nineteen other cows, and made in butter and milk for some months, above *two guineas* per week, or *forty-two shillings* in English money."

We have in this extract, the opinion of Mr. Bates himself, in regard to the Duchess blood, as being *superior to all other*—also confirmed by the opinion of Mr. Charles Colling, who repeatedly said, *it was the best he ever had or ever saw.*

Now, whether this 3d Duke of Cambridge possesses more of *such blood,* or, if you please, has the blood of Mr. Bates' herd, with "*higher characteristics of style, quality, symmetry and substance,*" than any other bull in this country, a brief reference to *pedigrees* will show.

"*Pedigree of the 3d Duke of Cambridge, (5942.)* Roan, calved September 14th, 1841, bred by Thomas Bates, property, &c. Got by Duke of Northumberland (1940); dam Waterloo II., by Belvidere (1706); grand dam by Waterloo, (2816); g. g. dam by Waterloo, (2816)." [Coates' Herd Book, 4 vol., page 614.]

By this pedigree it will be seen that 3d Duke of Cambridge possesses *only one quarter* of Duchess blood—his *sire,* Duke of Northumberland, being a *half Duchess* bull, and his *dam* Waterloo II, *having no Duchess blood in her.*

Among the individuals who have imported stock to this country from the late Mr. Bates' herd, we believe the importations of Mr. GEORGE VAIL, of Troy, N. Y., have been the most extensive. In 1839 or 40, this gentleman imported direct from Mr. Bates, a bull calf, Duke of Wellington, and a heifer, Duchess. For the purpose of *comparison,* we insert the pedigree of Duke of Wellington, 55, [3654] as given by Mr. Bates:

"Roan, bred by Mr. Bates, &c. Calved Oct. 24th 1839; got by Short-tail, (2621); dam Oxford, (having obtained the first prize for the best Short-horned cow, open to all England, in July, 1839, given by the Royal English Agricultural Society,) by Duke of Cleaveland, (1937); g. d. Matchem cow, by Matchem, (2281); g. g. dam by Young Wynyard, (2859) sometimes called Young Wellington."

By this pedigree it will be seen that Wellington's sire, Short-tail, was also a *half Duchess* bull. So far then his *equality* with Cambridge, as to Duchess blood, is established. But if we examine a little farther into this pedigree, we shall find that Wellington's dam, Oxford Cow, was *also* got by a *half Duchess*

bull, Duke of Cleveland. Consequently, the *produce* of Wellington, from a cow *without* Duchess blood, would possess nearly as much Duchess blood, as Cambridge himself.

For the illustration, and to show the public that there are other animals in this country that possess *more* Duchess blood than Cambridge, we insert the pedigree, in part, of Mr. Vail's Duchess:

"White—bred by Mr. Bates, &c. Got by Duke of Northumberland [1940], dam Non-such the 2d, by Belvedere [1706], g. dam Non-such by Magnet, [2240.]" &c. &c.

Mr. Vail's prize bull, Meteor, 104, was out of this heifer, and his sire is Duke of Wellington. He has therefore *three crosses* of the Duchess blood, and so also have the bulls Mr. Vail has sold to Col. Sherwood, of Auburn, N. Y., (and we can well bear testimony to the worth of this bull, Symmetry, as we have a cow of his get, and a very superior animal she is,) Col. Hampton, of S. C., Messrs. Ferguson and Wetenhall, of C. W., and Thomas Hillhouse, of of Watervleit, N. Y. We might continue this account, as Mr. Vail has three more imported cows, sent him by Mr. Bates, all of which possess strains of the Duchess blood, but we deem it unnecessary.

We learn by the agricultural papers, that that *whole* of the late Mr. Bates' herd are to be sold the coming spring or summer; and consequently the *Duchess tribe* which Mr. Bates has always retained *exclusively* in his possession, will be dispersed in the hands of many. From the enterprise which has thus far characterised Mr. Vail, as a breeder, we sincerely hope and expect he will not let this opportunity pass, without the introduction of one or more animals of the *full* Duchess blood, into his herd. He has already done much to bring the *Bates Stock* into deserved reputation in this country, and the benefit which its introduction has conferred upon other Durhams, which have received only a single cross of this strain of blood, is immense. We hope he will now introduce the Duchess blood *without alloy*; and we confidently expect the day would not be far distant, when the price of the American Short-horns, will compare favorably with the high sales of this stock in England. S. P. CHAPMAN. *Clockville, Mad. Co., N. Y., Dec. 1849.*

Hamilton College.

At a recent meeting of the trustees of this institution, OREN ROOT, A. M., of Seneca Falls, was elected to succeed Professor Catlin, deceased, in the department of mathematics and astronomy. Mineralogy and geology were added to this department, and measures were taken to secure the removal to Clinton, of Professor Root's Cabinet, which is one of the largest and best mineralogical collections in the country. It embraces about 7000 specimens, gathered from every quarter of the world. Its connection with Hamilton college will render its facilities for instruction in the natural sciences, equal to those of any college in the country.

To those who are interested in the march of improvement, it cannot but be gratifying to notice how rapidly our higher institutions are conforming to the practical spirit of the age. Hamilton college certainly deserves well of the community, for its readiness to comply with the demand for those kinds of learning which are suited to the real wants of life. Time was, when Latin and Greek were the only languages taught; now German and French are added. Time was, when most of the senior year was devoted to *disciplinary* studies, now it is *wholly* given up to *practical* studies. Legal and political science is studied more thoroughly and extensively than at other similar institutions. Full courses of lectures are given on civil engineering, on

agricultural chemistry, and on anatomy and physiology. Great attention is also paid to elocution and kindred exercises. Professor Root will enter upon his new duties about the first of January. With the increased instruction which he will give in physical science, it is believed that the course of studies at Hamilton college will be just what the age demands. ALUMNUS.

The Boston Poultry Show.

This novel exhibition came off on the 15th and 16th of November last. The display of the different species and breeds of poultry, was extensive, and evidently regarded with much interest by the public. The Committee of Supervision, in their report, state that—

"The number of specimens of the different feathered races, presented on this occasion, numbered 1423, and the number of exhibitors recorded was 219. The number of people admitted to the show, was not less than ten thousand. The sum of three hundred and sixty-four dollars was received at the gate, (the fee being 10 cents) notwithstanding the admission of ladies and children gratis."

The object of this meeting was to bring together specimens of the different varieties of poultry, that their peculiar traits might be seen, and their relative merits judged of by comparison. No prizes were offered—every observer being at liberty to award his own commendations as appeared to him proper.

We are happy to learn that annual exhibitions of this kind, are contemplated, under the auspices of a society, to be formed for the improvement of the different kinds of poultry, and the "increase and diffusion of knowledge" on this subject. Under such an organization, with the intelligence, taste, and capital, which may be brought to bear on the object, we cannot doubt that highly interesting and useful results would be obtained. The various breeds may be fairly tried, under circumstances calculated to fully develop their qualities; rare species and breeds, both in a domestic and wild state, from various quarters of the world, may be introduced; experiments in breeding instituted and carried on under competent directors, and every important fact carefully noted. In these ways, many doubtful questions would be settled, and much light elicited on physiological points, which have hitherto been involved in obscurity.

In regard to the present show, it may be remarked that the genus *Gallus* was largely represented; and in this class, the large Asiatic or Malay tribe of fowls, took the lead. They were offered under various names, as Chinese, Cochin Chinese, Shanghae, Java, Buck's county, Jersey Blues, &c. Their general characteristics presented but trifling variations, and their numerous titles afforded another illustration of the adage that there are sometimes "distinctions without differences." These fowls are very large, but are often thinly feathered, loose jointed, large boned, and coarse fleshed. Their defects are sometimes remedied by skillful breeding, and good stock has been thus produced. They have also been useful in many cases in crossing other varieties. A cock, ten months old, exhibited by C. B. Marsh, West-Roxbury, Mass., was said to weigh twelve pounds.

But of all the fowls exhibited, none, in our opinion, showed stronger marks of a true breed, than the Spanish, called in some instances Italian. They are uniformly of a glossy-black color, of good size, and handsome form—corresponding to the cut and description given of the breed in our last volume, page 84. A lot of twelve, so similar in every respect, that it was difficult to distinguish one from another, of the same sex, was shown by Daniel Buxton, Danvers, Mass.

From several exhibitors, there were fine specimens of Dorkings, Bolton Greys or Creoles, Games, Bantams, and Top-knots, of the Black, White, Golden

and Silver Spangled varieties. In addition to these, there were many fowls produced by various mixtures and crosses, some of which were singular, and others apparently valuable.

Turkeys were not numerous. Some wild ones, were shown by John Giles, of Providence, R. I. There were specimens of pea-fowls and Guinea-fowls—some of the latter entirely white. Of pheasants, there was only one pair; they were the English pheasant, and were shown by Col. Jaques, of the Ten-hills Farm. A pair of "French Partridges," (a species of grouse,) was shown by B. F. Dow, East Boston.

There were some very fine geese. Specimens of the wild, or Canadian, were shown by Hon. Dan. Webster; the Bremen by Col. Jaques; the large Chinese, (sometimes called African, Poland, Mountain geese, &c.,) the small Chinese, and the Barnacle, all shown by John Giles, Providence, R. I. The latter, were the first of the species we have ever seen domesticated. They appeared very tame, and attracted much attention. A pair of beautiful swans was also shown by Mr. Giles. There were but few ducks. Specimens of the celebrated Aylesbury breed, were shown by Mr. Giles. They are very large, and perfectly white. They are greatly esteemed by the English epicures, on account of the whiteness and fine flavor of their flesh. A specimen of the beautiful wood, or summer duck, was shown by Edward S. Rand.

At the close of the exhibition, an auction was held, for the sale of poultry, at which everything really good, found a ready purchaser at a high price. Fowls were sold at from \$10 to \$18 per pair, and some private offers, of even a higher figure, were refused.

The Committee of Supervision, in their report of this exhibition, have made some valuable remarks in relation to the importance of the poultry business, and have furnished some statistical facts which are deserving attention. We make the following extracts:

The rearing of poultry, as will be shown, is certainly not the least important article of stock to the farmer. The article is readily converted into money, and is, probably, quite as readily prepared for market as any other article of stock produced on the farm.

The amount of sales of poultry at the Quincy Market, Boston, for the year 1848, was six hundred and seventy-four thousand four hundred and twenty-three dollars. The average sales of one dealer alone amounted to twelve hundred dollars per week for the whole year. The amount of sales for the whole city of Boston, for the same year, (so far as obtained,) was over one million of dollars.


Our convenience to the London market, by the aid of steamers weekly, enables the farmer, through the egg merchant, to make sale of his surplus eggs in that quarter.

The amount of sales of eggs, in and around the Quincy Market, for 1848, was one million one hundred and twenty-nine thousand seven hundred and thirty-five dozen, which, at eighteen cents per dozen, (the lowest price paid 11½ cents, and the highest 30 cents per dozen, as proved by the average purchases of one of the largest dealer's books,) makes the amount paid for eggs, to be two hundred and three thousand three hundred and fifty-two dollars and thirty cents. And from information already obtained from other egg merchants, in the same city, the whole amount of sales will not fall much, if any, short of a million of dollars, for 1848.

The average consumption of eggs, at three of the hotels, was more than two hundred dozen each day, for the year 1848.

The value of eggs brought from the Penobscot, and Kennebec rivers, during the running season of the steam boats, plying between Boston and those two rivers, was more than three hundred and fifty thousand dollars, for that season.

One dealer in the egg trade at Philadelphia, sends to the N. Y. market, daily, nearly one hundred barrels of eggs. It is estimated from satisfactory returns that the city of New-York, alone, expends nearly a million and a half of dollars, in the purchase of eggs.




Suburban Cottage.

The accompanying design is by A. J. DOWNING, Esq., by whom it is thus described:

It is of very moderate size, intended to come within the means of those who have only a few hundred dollars to expend in a dwelling, who can afford little ornament, and who still desire to get something comfortable, and agreeable to the eye.



There is no effort at the ornamental in this design. It is simply getting the most convenient arrangement of the interior, in the most compact form, viz., that of a square. The little veranda, formed of lattice work, and intended for vines, is the only decided approach to the ornamental, though the mere projection of the rafters, gives the roof something better than the usual common place character.

This design is intended to be constructed of wood, the weather boarding put on in the vertical manner, described in our first volume, and familiar to most of our readers.



First Floor.

The plan of the first floor shows a hall, parlor and bedroom,—all, indeed, that a family wishing this kind of cottage, need on the first floor, so snugly arranged that not a step need be lost in the working operations of the family. The entry or hall is larger than is usual in houses of this size; and the enclosed porch, or back entry, serves to shelter the back door in winter, and might, if preferred, be taken away altogether in summer.



33

Chamber Floor.

The second story plan shows an upper entry and four good bed rooms. The chimney flues are all drawn into one stack in the attic, and the roof is covered with shingles. The first story is ten feet, the second nine feet high.

Farming vs. Manufacturing.

EDS. CULTIVATOR—As suggested by "Enquirer" in the November number of your paper, I admit that agriculture may be made the most happy pursuit of man; but whoever may engage in the pursuit, in the belief that it is now the most profitable, is destined to certain disappointment. That the profits of capital and labor in agriculture, have been greatly misunderstood, is too true. That they have been the subject of misrepresentation by superficial observers, who have based their estimates upon single acres, or single fields, is also too true. That this misunderstanding has been productive of much mischief, is sustained by too many examples to be for a moment doubted.

How many men under a misapprehension of the profits of agriculture, embark in that business, and through subsequent disappointment, abandon it in disgust, to engage in other pursuits? Influenced by misrepresentations, how many men are induced to abandon other occupations, to engage in that of agriculture, and when taught by experience of their error, have returned to their former employments, having sacrificed by their changes of business, the fruits of former industry and toil? Ignorant of the true principles upon which agriculture can alone be made profitable, how many farmers drag out their years of dull monotony, and leave to their heirs a worn out farm, encumbered with debts of years accumulation? To avoid such cases, it is important that the actual and relative profits of agriculture should be distinctly understood. Much of that required knowledge may be found in Professor Tucker's Progress of the United States, published in 1843, by Little and Brown of Boston.

In the 17th and 20th chapters of that work, the number of labourers employed, and the amount of income produced, is given in each of the great industrial pursuits of our country. By his tables the annual income of each agricultural labourer in the state of Maine, was \$156—in Massachusetts, \$183—in Vermont, \$244—in New York, \$237—in Virginia, \$186—in South Carolina, \$109—in Ohio, \$138—in Tennessee, \$139—in Mississippi, \$190—in Louisiana, \$288. By his tables it is also shown that the annual income of each manufacturing laborer in Massachusetts, was \$750, and that such income, after deducting the raw material, was \$510. The estimates of Professor Tucker, were taken from the census of 1840, and are eminently sustained by that of Massachusetts, taken in 1845. Take the cotton interest for an example. The capital stock invested in the state, in cotton manufacturing, was \$17,739,000. The value of the goods manufactured, was \$12,193,449. The value of the raw material, was \$3,900,000. There were 6,300 men, and 14,400 women employed as laborers, at an expense of about \$3,300,000, giving an income fully sustaining the estimates of Professor Tucker, and showing a net profit exceeding by at least four-fold,*

* It will be seen that our correspondent here claims, that labor employed in the manufacture of cotton, produces "a nett profit, exceeding, by at least four-fold, the most successful farming operations." It appears to us that there must be some mistake in the data by which he arrives at such a conclusion. Let us see what result we produce from his figures. He puts down the value of cotton goods manufactured in Massachusetts, at \$12,193,449
 From this there is to be deducted:
 cost of raw material..... \$3,900,000
 25 per cent on the capital for wear and
 tear of machinery, and expenses
 other than labor..... \$4,434,750—\$3,334,750

This leaves \$3,553,699
 to be divided among 20,700 laborers, which gives to each \$186.42, within a fraction, which is about the average allowed by our correspondent to farm laborers. EDS.

the most successful farming operations, not excepting the premium farm of the state.

It will be seen by these tables that the value of agricultural labor varies very materially in the different states of the Union. And it should be borne in mind that climate, soil, and location have done much in producing that variation. It should also be borne in mind that good culture has had much to do in producing that result; for instance, location giving superior market facilities, has given to labour a greater income upon the rugged soil of Massachusetts, than has been realized from that expended upon the virgin soil of Ohio. Location and climate allowing the growth of the sugar cane, (which is the most profitable of agricultural productions) has given to labor, a greater income in Louisiana, than has been produced in any other state in the Union. But it must have been good culture that has given to labor a greater income upon the inferior soil of Vermont, than that produced upon the superior soil of New York. And it must also be owing very much to good culture, that should have given to labour in Seneca county, so much greater income than has been produced in the residue of the state, or in any other state in the Union. If, then, good culture is so material in producing such different results, how important it is, that our farmers acquire a knowledge, and adopt the practice of giving it a universal application. If location is capable of exerting so important an influence, how important it is that such effect should be modified by increased facilities of communication. If market facilities produce so material effect upon the profits of labor, how important it is, that our agricultural productions should enjoy the unrestricted market of the world. A FARMER. Hillsdale, Dec. 5th, 1849.

Fowls in Yards.

EDS. CULTIVATOR—You ask some questions relating to my aviary, answers to which are cheerfully submitted.

My usual number of fowls is one hundred. They are confined in an enclosure containing about half an acre, inclusive of ground occupied by the buildings, the dimensions of which are as follows: Forty-eight feet length and twelve breadth, with length of posts sufficient for the admission of twenty-four lighted windows, of which there are eight in front, sliding horizontally upon the sill. This building contains but one apartment. In addition, and communicating with it, is an upright post, at one end twelve by sixteen feet with nine feet posts, containing an underground room for fowls to collect in cold weather, and is accessible to them at all times. Above, on the ground floor, is a depository for sand, gravel, mortar from old walls, &c. &c., for daily use of fowls. The attic designed for a roosting apartment, which on account of the sharpness of the roofs, is roomy, *as all sleeping places should be*, at least for the health of fowls. A window in gable ends, is for lights and ventilation. The roofs to the main part, are also sharp, to turn the sun's rays in summer, and as a matter of taste and durability. The yearly average to each hen is not far from one hundred eggs. Young hens, say of the first or second year, are found more prolific than older ones.

Cocks have always been permitted to run with our hens, and consequently I have not the means of determining the particular results, from a separation, as regards the production of eggs.

As a general rule no strange fowls are admitted to the yard. We raise a yearly supply for home use.

I consider the Poland crested fowls to be a hardy variety, and perhaps the best for northern latitudes;

when young they afford more eggs in succession than common varieties.

If I should find male fowls superior to my own, I would dispose of mine and introduce the strangers, after subjecting them to *quarantine* for a reasonable time. I have once done this with good effect.

I have had no experience in the treatment of diseased fowls, but if my fowls were diseased, I would give them *passports* with leave of absence, to go where fancy ruled. If in summer, I should look for returns from the fields, as autumn approached, with an *increase of numbers* perhaps; and with the rose of health upon their *animated countenances*. J. R. S. Verona, Nov. 6, 1849.

Good and Bad Management.

From the excellent practical address of R. G. Pardee, before the Wayne Co. (N. Y.) Agricultural Society, we extract the following:—

Be not afraid of book farming. If the best way of farming can be told, it can be written; and when written, you can learn and understand it as well as from the lips of a co-laborer. It is one of the shallowest prejudices which ever crept into the mind of man, that a fact loses its power and value because printed in a book.

I wish I could place the *Genesee Farmer* and the *Cultivator* in the hands of every farmer in our country, and I would be gladly responsible for the injury. Just discrimination, is of course necessary in reading any human writings; but where the editor of an agricultural journal admits one error into his paper, a thousand are propagated from the lips of neighbor to neighbor, among agriculturists.

Again, fence and water your farm, so as to save as much valuable time as possible. Much more than many farmers are aware of, is gained or lost in this way. One of your number has directed my attention to one of our best farmers who went on to his farm some years ago, and found it without plot, without fences of any value, and without water. In a few short years, he had so planned and fenced his farm, and by the help of a very small spring he brought to light, and a few logs, he had so watered it, that he could pasture his flocks and herds on any part of his large farm, and give them easy and constant access to water, without stepping but a few rods from his dwelling. Of course he saved a vast amount of time, to improve his land; and the man who can devise such liberal things, soon raised his farm to the very highest state of cultivation, as well as order, and grew rich. His neighbors who preceded him many years, and selected better soil, with streams of water running through their farms, have never been able, even to this day, to devise any plan by which their flocks can be watered or pastured without using up one or two boys, if not one or two men, by their long pilgrimages. Of course their life is one continued scene of toil and drudgery; for it is all an up-hill business.

I will detain you only to name two or three things, that will be likely to endanger or prevent your complete success. First, *your sloth*. Man is said to be naturally indolent; but I need not stop here to prove to you, that this obstacle *must* be removed, or all your efforts will prove failures, and your inheritance in a short time resemble that dismal, but graphic sketch, drawn by the pen of the wise man, in the following language:

"I went by the field of the slothful, and by the vineyard of the man void of understanding; and lo, it was all grown over with thorns, and nettles had covered the face thereof, and the stone wall thereof was broken down. Then I saw and considered it well; I looked

upon it and received instruction: yet a little sleep, a little slumber, a little folding of the hands to sleep: so shall thy poverty come as one that travaileth; and thy want as an armed man."

The reverse of this description is vividly illustrated by Pliny, the elder, as follows: "Furius Cresinus, an emancipated Roman slave, having obtained from his very small estate much larger crops than his more wealthy neighbors from their vast domains; they became so envious that they charged him with employing enchantment to attract to his ground the product of their fields.

"Having been summoned by Spurius Albinus, and being fearful of condemnation, he introduced into the Forum, as the tribes prepared to vote, his robust and well-clad family, and his agricultural implements, his heavy mattocks, his ingeniously constructed plows, and his well-fed oxen, and then exclaimed: 'Behold! Roman citizens, my magic: but I am still unable to show you, or to bring into the market-place my studies, my *constant vigilance, my fatiguing labors.*' Scarcely had he concluded, when he was absolved by public acclamation."

Second—A greater obstacle to your success may be found in your *unbelief*. Faith, says an eminent writer, "is the main-spring of human action." Washington had faith, firm faith, that his country must be free and independent, and therefore he determined to seek it, regardless of every obstacle, as long as he lived. The principle, "according to thy faith be it unto thee," is almost as infallible in nature as in grace.

You do not believe you can accomplish any good thing, and therefore you do not put forth any *good* efforts. You have no confidence in your own efforts to make things better around you, and therefore you allow your whole life to run to waste, and go down to your grave, leaving it scarcely perceptible that the world is any better for your having lived in it,—forgetting that many drops makes an ocean, and many sands the mountain, and many threads will bind the elephant. Make even two spears of grass to grow where one grew before—ascertain the cause and note it down, and you may leave the embryo of a principle, that will clothe the desert with verdure, and bless the world.

American Pork in England.

MESSRS. ALLEN & ANDERSON, extensive provision dealers in London, have sent to this country a circular in relation to the curing and packing of pork for the English markets. It contains useful information to persons engaged in the provision trade.

The circular states that the trade with England in this line has been generally an unprofitable one, chiefly on account of the inferior quality of the article. Of bacon, it is stated that the imports of American into London—

In 1847, were.....	14,161 cwt.
In 1848, "	70,823 "
In 1849, 9 months.....	140,096 "

A considerable portion of which was soft, oily, inferior in quality; and to this circumstance, more than to the great quantity, the serious declension in prices, and consequent heavy losses to the shippers, are attributable.

The bacon best adapted to the London market, is sined sides, weighing 56 to 64 lbs. each. The first sent out from this country last winter, is represented to have been of fair quality, and the meat of a good, firm texture; and as it was offered at much less price than the Irish, it found customers. But the subsequent arrivals were so soft, oily and inferior, that the Irish was again preferred, even at advanced rates, while the American became, and continued, a dull, dragging trade.

—many of the best dealers abandoning the article altogether.

"Ice-cured singed sides, for shipments made during the summer heats, do not answer; the meat sustains in all cases an injury that lowers the price, and in some instances has done so to the extent of 50 per cent. Shipments of singed meat, by New Orleans, ought, for the same reason, to be avoided altogether, or made only in the months of December and January."

"Prime mess pork has been a losing article. Some few of the first arrivals of New-York and Baltimore brands came of prime quality, and brought remunerative prices. But almost all the Western brands have come particularly bad, defective in cure, wretched in color, and the meat soft and inferior. The chief defect in almost all American prime mess pork is the color. Instead of being the bright cherry red, characteristic of skilfully pickled meat, it is a dirty, dull unsightly brown. That this is remediable, and arises in the manufacture, is proved by some few brands coming otherwise. But unless it be obviated, the preference will continue to be given to Irish and Hambro, although inferior meat, at much higher prices."

Indian Corn in Tennessee.

MAJ. JOHN MCGAUGHEY, in his agricultural address, delivered at Greenville, says he has raised 90 bushels of corn to the acre, and he thinks 100 bushels or more, can be produced. He makes the following calculation: Take an acre of corn and lay it off three feet each way, and leave two stalks in a hill, and it gives 9,680 stalks, suppose each stalk to produce one good ear, and every hundred ears to make a bushel, it would make a fraction over 96 bushels. Again, take an acre of ground and lay it off 4 feet wide for planting in the drill, drop your corn one grain in a place, 12 inches apart, and it gives 10,890 stalks, which at the same rate would make over 108 bushels. But it would be reasonable to suppose that upon the acre laid off three feet each way with two stalks in a hill, that every three stalks, if well cultivated, would upon an average, produce 4 good ears, which would make 129 bushels.

Reclaiming Sandy Land.

OBED BROOKS, Jr., of Harwich, Barnstable county, Mass., gives the officers of the Agricultural Society of that county, some interesting facts in regard to his experience in reclaiming "blowing sands." He states that much of this kind of soil, with which Cape Cod abounds, can be readily rendered "pleasant to the eye and profitable to the cultivator." He says—"by a slight dressing, and by proper cultivation, they may be made to produce a good crop of corn the first year, and by laying down to grass in the fall, they may be brought into good pasturage. Moreover, by setting upon the borders of the enclosure, the silver-leaf poplar—a tree exactly adapted to loose and sandy soils, and not liable to be eaten by cattle—they may be made to improve the appearance of any village, and give an air of thrift and beauty to the waste places of the cape."

Mr. B. bought a lot containing eleven and a half acres, in the spring of 1847, which was then regarded as completely worn out, and had already begun to blow. He gave only \$80 for the whole lot, and it had previously been offered at a much less price. He fenced it with cedar posts and chestnut rails, at a cost of \$70. He has used no manure in the cultivation. He plowed it deep, and on the 19th and 20th of May, 1847, planted it with corn, in hills four feet apart each way. He used the cultivator at every hoeing—which

was four times—running it very deep, twice in a row both ways. At the second hoeing, pulled all except two plants in a hill. At the last hoeing, 25th August, sowed rye, oats, and grass seed, putting on to the acre twelve quarts rye, sixteen quarts oats, eight quarts herds grass or timothy, twelve quarts red top, and eight pounds clover seed. He raised from this field 156 bushels of corn of excellent quality, which sold readily at 85 cents per bushel, and 33 bushels potatoes. The crop of rye taken off the next year, measured 55 bushels. The grass seed took well and has brought the field into a fine sward and good pasturage.

He makes an exhibit of all the expenses he has laid out on the land up to the 16th of October, 1849, and credits the value of the crops he has taken off; from which it appears that the cost of the 11½ acres of land, as now fenced and improved, is \$8,57.

Breeding Horses.

The report of the committee on horses, for the Chittenden County Vt. Agricultural Society, contained some good remarks. In addition to the hereditary transmission of qualities, it observed, "The progeny will inherit the united qualities of their parents. The good as well as the bad qualities will descend from generation to generation. Hence you will see the importance of a knowledge of the parentage, not only as to the sire but also as to the dam. Peculiarity of structure and constitution will also be inherited. This is an important consideration, though too much neglected, for however perfect the sire may be, every good quality may be neutralized, if not overcome by the defective structure of the dam. Let the essential points be good in both parents; but if there must be some minor defects in the one, let them be met and overcome by excellencies in those particular points, in the other parent. We would also advise you, to let your breeding mares be in the full vigor of life. Do not put them to the horse too young, and especially do not let your mares be incapacitated for work by reason of old age. If so, you may expect that the foal will have a corresponding weakness, and scarcely will a single organ possess its natural strength. Our farmers are usually too negligent in the selection of their mares. They are tempted to part with their best mares, and to breed from those which are inferior."

The committee speak of a young horse of the Morgan stock, bred by judge Bennett, as having "great compactness of structure and action of the best kind."

Extracts from Agricultural Addresses.

INFLUENCE OF AGRICULTURAL PERIODICALS.—Agricultural reading is another subject to which I would call your attention. Papers designed chiefly for those interested in farming pursuits, engaging as they do the best intellect and most practical talent in the land, must be a store-house of interesting and useful knowledge. They are moreover, our common medium for interchanging thought and opinions, and for communicating from one to the other, our useful discoveries. Though the ignorant and penurious may spurn such means of gaining intelligence; yet, it is observable and encouraging, that among the more intelligent farmers, are always to be found the best patrons of our Agricultural prints. And where the land is in the highest state of cultivation, and the domestic arrangements are of the most agreeable character, you will discover intelligence to use and appreciate those publications which are designed to bring conveniences and improvements to their farms and dwellings. Go the country over and you will see that, in all the cases of failure in realizing a fair profit from the farm, there

nas not been wanting the requisite capital, the energy, the bone and muscle, so much as the desirable intelligence to give a right direction to their other powers. The maxim, "knowledge is power," is applicable in no case more than in that of farming.—*Address of MOSES EAMES before the Jefferson county Agricultural Society.*

I would say to every farmer, take a good *Agricultural Journal*, read it, study it, ponder upon it, make yourself not only familiar with its contents, but strive to understand the subjects of which it treats through other sources. You will thus be kept acquainted with agricultural improvements, and will constantly be made to feel the necessity of a more thorough understanding of your occupation. It will lead to the study of soils, and the nature of the plants which they produce; the adaptation of different manures to each, the food which the various vegetable substances require, and the best method of administering it, so as to produce health and vigor of fruit; the means to be employed that the harvest may realize your anticipations, the qualities of the different kinds of stock, the usefulness of new agricultural machines, and a variety of other subjects which require your investigation. Through it you commune with the leading spirits in your vocation. You behold what experience, unwearyed patience, and the application of powerful minds, have accomplished. It will afford you instruction in all the different departments of your business, and prove a valuable guide to your progress. These benefits will not accrue from a bare cursory perusal of it. If sketched over like an ordinary newspaper, for the purpose of amusement, and then thrown aside to be forgotten, it will scarcely pay the price of subscription. It should be read with the interest excited, "with the spirit and the understanding," and with a disposition to profit by its teachings.—*Address of JAMES M. BANKS, before the Chenango county Agricultural Society.*

Kindred to, and of equal importance with agricultural societies, are the benefits to be derived from agricultural papers, for one or more of which no farmer should fail to subscribe. By their means improved agricultural implements—the making and application of manures—the introduction of new varieties of fruits and vegetables—the most approved breeds and principles of raising stock—the best rotation of crops—in short every species of information that is valuable to the farmer is spread out before him.

I have seen in some of your fields, improved implements of husbandry and labor-saving machines, your first idea of which was derived from the *Cultivator*; and the construction of which you yourselves superintended in the workshop of a neighboring mechanic. One of your number told me not long since, in his harvest field, that he had derived one hundred dollars benefit from this paper in the two years he had taken it.—*Address of THOS. B. WATSON before the Clinton county Agricultural Society.*

FARMERS' DWELLINGS.—We need a great improvement in this respect—we need a distinctive *Rural style of building*—comfort and convenience combined with neat and simple elegance. Nothing expensive, gaudy or obtrusive, but graceful in form, chaste in ornament, with quiet, neutral colors sweetly blending with the surrounding green, all breathing an air of peaceful, calm repose on which the eye may rest with pleasure. I would gladly enlarge upon this, did time permit. The house should not only be sheltered but adorned with trees—none more beautiful than those of our own forests.

A few choice fruit trees of various kinds, with grapes and smaller fruits which need but little care, with flowering shrubs and ornamental climbers should

be there. None of the adornments of beauty are more graceful or attractive than fragrant and blooming vines around the rustic porch. And—let there be a garden too, it need not be a large one—not the unsightly patch of neglected earth sometimes so miscalled, intended for potatoes and cabbages, but filled with burdock and nettles, but a neatly arranged plat for shrubs and flowers, laid out with taste and kept with care—*cultivate a taste for flowers, and teach your children to love them.* In doing so, you give them new sources of pleasure—new facilities for enjoyment. And do not deem the time they bestow upon them, lost time; it is well bestowed, and will yield a rich return in pure and simple joy, and the cheerful love of home.—*Address of T. D. BURRAL, before the Ontario Agricultural Society.*

New-York State Agricultural Society.

The annual meeting of this Society, for 1850, will be held at the Capitol in this city, on Wednesday the 16th of this month, to continue two days. The annual address, by the President, Hon. JOHN A. KING, will be delivered on the evening of the 17th; and it is expected that Prof. JOHNSTON of England, whom the Society have engaged to deliver a course of Lectures here during the winter, will deliver a lecture on Wednesday evening the 16th.

In addition to the awarding of premiums on essays, farms, grain and root crops, butter and cheese, an exhibition of winter fruits will be had at the Agricultural rooms. This exhibition, last year, was very superior, and it is hoped that an equally fine display will be made this winter. Persons who are willing to aid in this exhibition, are requested to have their fruit properly labelled with its name, and the name and residence of the exhibitor, and securely packed and directed to the Secretary, Agricultural rooms, Albany, and sent at as early a day as practicable.

At a meeting of the Executive Committee, on the 13th of December, the following gentlemen were appointed Judges to award the Premiums, at the winter meeting of the Society:

Management of Farms—Samuel Cheever, Saratoga; B. B. Kirtland, Rensselaer; David Sill, Washington.

Butter and Cheese Dairies—B. P. Johnson, Albany; Joseph Cary, do.; Levi T. Marshall, Oneida.

Essays, Draining, and Agricultural Work for Common Schools—John Delafield, Seneca; John P. Beekman, Columbia; George Geddes, Onondaga.

Butter and Cheese Exhibition—Henry Wager, Oneida; G. J. Barber, Cortland; Samuel Cary, Albany.

Fruit—Herman Wendell, M. D., Albany; Lewis F. Allen, Erie; Sanford Howard, Albany; Henry Vail, Rensselaer; Charles H. Tomlinson, Schenectady.

FIELD CROPS.—*Wheat and Rye*—Alonzo Upham, Genesee; J. B. Burnet, Onondaga; D. S. Curtis, Columbia.

Indian Corn—Wm. Newcomb, Rensselaer; H. T. E. Foster, Seneca; James Rees, Oneida.

Barley, Oats, Buckwheat, Peas and Beans—J. W. Ball, Otsego; Luther Leland, Oneida; Martin Springer, Rensselaer.

Potatoes and Root Crops—Orlando Allen, Erie; C. D. Palmer, Waterville; John Foster, Hillsdale, Columbia co.

Corn Fodder, Flax, Hops, &c.—Wm. Buel, Monroe; Benj. Enos, Madison; Amos Briggs, Rensselaer.

For Arrangements for Pomological Exhibition—J. McD. McIntyre, Albany; H. Wendell, M. D., do.; James Wilson, do.

Committee on Treasurer's Accounts—Geo. Vail, John A. King, Pres't, and B. P. Johnson, Sec'y.

Notes for the Month.

To our Friends and Patrons.

We have the pleasure of presenting to our readers this month, a **DOUBLE NUMBER**,—the additional 32 pages consisting of the **PICTORIAL CULTIVATOR**, which contains over *One Hundred Engravings*, consisting of about fifty Portraits of Domestic Animals, including Horses, Cattle, Sheep, Swine, and Poultry—twelve views of Houses and Barns—sixteen figures of Fruits—seventeen of Implements—ten of Ornamental Structures, and a great variety of miscellaneous articles. It is intended to form the first sheet of this year's volume, and the regular number is paged consecutively with it.

Our readers will perceive that we commence with the present number, a series of Letters from Prof. **NORTON** of Yale College, who it gives us pleasure to state, will continue them through the year. We are not less gratified in being able to announce that Mr. **HOLBROOK**, to whom we are indebted for many very valuable papers given in our last volume, will continue his contributions. With these aids, in addition to those of Mr. **HOWARD** and Mr. **THOMAS**, and a numerous list of correspondents, the publisher trusts that he will be enabled to fulfil all reasonable expectations, and to furnish such a journal as will richly deserve a place in the hands of every farmer and his family.

To Agents and Postmasters.

As an inducement to greater exertion on the part of those disposed to act as Agents, the following **PREMIUMS** will be paid in Books, or in Implements or Seeds from the Albany Agricultural Warehouse, to those who send us the largest lists of subscribers for this year:

1. To the one who shall send us the largest number of subscribers to the **CULTIVATOR** for 1850, with the pay in advance, at the club price of 67 cents each, previous to the 20th of March next, the sum of **FIFTY DOLLARS**.
2. To the one sending us the next largest number, the sum of **FORTY DOLLARS**.
3. To the one sending us the next largest number, the sum of **THIRTY DOLLARS**.
4. For the next largest list, the sum of **TWENTY DOLLARS**.
5. For the next largest list, **TEN DOLLARS**.
6. For the **FIVE** next largest lists, each **FIVE DOLLARS**.
7. For the **TEN** next largest lists, each **THREE DOLLARS**.

In addition to the above, a copy of Thomas' "**AMERICAN FRUIT CULTURIST**," price one dollar—a very valuable work, just published—to every agent who sends us Fifteen subscribers and \$10, and who does not obtain one of the above prizes.

Agents who compete for our premiums, will aid us in keeping their accounts, if they will number their subscribers, 1, 2, 3, and upward.

In answer to several inquiries, we would state, that it is not required that all papers in a club should be sent to one post office. We will address them to as many different offices as may be necessary.

COMMUNICATIONS have been received since our last, from Prof. J. P. Norton, P., R. H. Drake, C. H., Oliver Harmon, C. Fredericks, A Subscriber, A Farmer, A Subscriber, Jas. R. Hammond, F. Holbrook, S. P. Chapman, Alumnus, Wayne, A Practical Farmer, L. Durand.

BOOKS, PAMPHLETS, &c., have been received as follows:

An Address delivered at the Annual Fair of the New-Haven County Horticultural Society, Sept. 26, by S. B. PARSONS—with the Transactions of the Society.

Letter to Hon. John M. Clayton, Secretary of State, enclosing a paper Geographical, Political, and Commercial, on the Independent Oriental Nations, and containing a Plan for extending American Commerce in the East, by AARON H. PALMER.

Report of the Autumnal Exhibition of the Cincinnati Horticultural Society, for 1849.

Address before the Kalamazoo County (Mich.) Ag. Society, Oct. 11, 1849, by J. R. WILLIAMS.

Catalogues of the Officers and Students of Harvard, Yale, and Hamilton Colleges, for 1849—50.

Agricultural Address of Maj. JOHN M'GAUCHEY, at Greenville, Tenn., from E. LINK, Esq.

Address on the Progress and Improvements that have been made in the Mechanic Arts, before the American Institute, by Rev. JOHN ALEURTIS.

Address before the Norfolk (Mass.) Ag. Society, on the occasion of its first exhibition at Dedham, Sept. 26, 1849, by Hon. MARSHALL P. WILDER, President of the Society.

LIBRARY OF THE LATE MR. COLMAN.—We learn from JOHN W. PROCTOR, Esq., that the officers of the Essex County (Mass.) Agricultural Society, have purchased from the library of the late Rev. H. COLMAN, about 500 volumes, relating to agriculture, some of which are rare and valuable. The Society designs to make this the foundation of an extensive and select library for the benefit of the members.

IMPORTATION OF SAXON SHEEP.—Messrs. D. W. CATLIN, of New-York, and CHAS. B. SMITH, of Wolcottville, Ct., have lately imported 20 Saxon sheep from the flock of Baron de Speck, Leitchena, near Leipsic, Saxony, the same gentlemen from whom Messrs. Catlin & Smith received a lot last fall. They are said to combine every requisite, in a fine sheep, fine form, good constitution, compactness and weight of fleece, and fineness of fibre. We are informed that ten more sheep from the same flock are daily expected.

ATMOSPHERIC CHURNS.—Most of our readers are probably aware that there have been various churns introduced under this name, within a few years. We have, on a former occasion, noticed some trials which have been made with some of this kind; and in reference to the butter produced by them, have stated that it did not appear to be of as good a quality as that made in other churns. This is corroborated by Mr. B. A. HALL, of New Lebanon, N. Y., whose reputation as a dairyman is well known. In a communication to the *Boston Cultivator*, he says—"The introduction of atmospheric air into churns, having the effect that its advocates claim, (viz. quick churning,) has a decided tendency to injure the butter."

THE WAGENER APPLE.—We are informed that Mr. CHAS. LEE, of Penn-Yan, by whom this fine apple was brought into notice, has disposed of all the scions he has to spare of this variety, to Col. E. C. FROST, of Catherine, Chemung county, N. Y., who, it is stated, has now growing in his nursery, several thousand trees of this kind, all grafted from unmistakable sources.

GLUE NOT DISSOLVED BY ALCOHOL.—A correspondent, "S. S.," of Philadelphia county, Pa., informs us that having seen it stated that common glue dissolved in alcohol, was an excellent and convenient article, he concluded to try it, but could not make the two substances mix. He says, "I let cold alcohol stand for weeks upon glue—boiled glue in the spirits—let them stand for a week together in a sand bath on a cooking stove—melted the glue and tried to mix hot alcohol with it—did ditto and tried cold alcohol, and every effort result-

ed the same, viz: the glue staid glue, and the alcohol staid clear, pure alcohol."

AGRICULTURAL STATISTICS.—We learn that Dr. DANIEL LEE has been appointed to take charge of the agricultural matters pertaining to the U. S. Patent Office, and that he is to prepare a report to Congress, at its present session. We think this appointment a fortunate one. Dr. L.'s long connexion with the agricultural press, and his personal acquaintance with different sections of the country, together with the close attention which he has for many years devoted to the subject of agriculture, have particularly qualified him for such a station, and under his supervision, we shall confidently look for a document comprising a great amount of statistical and practical information, touching the resources and productions of the country.

AYRSHIRE CATTLE FOR OHIO.—Messrs. WM. H. LADD and J. R. CUNNINGHAM, of Richmond, Jefferson county, Ohio, have purchased of E. P. PRENTICE, Esq., of this city, his imported Ayrshire bull, which took the first premium in his class at the last show of the N. Y. State Agricultural Society, together with a fine three-year-old heifer and a heifer calf, of the same breed. They are excellent animals, and will prove a valuable acquisition to the dairy stock of the fine section for which they are destined.

HEREFORD CATTLE.—Several years ago, Mr. EDWARD WELLS, of Johnstown, N. Y., purchased eight or ten head of prime Hereford cattle, and about the same time several head of fine short-horns. A short time since, we had the pleasure of seeing Mr. W.'s stock. Both breeds have done well in his hands; but from the greater hardness of the Herefords, and their ready thrift on ordinary fare, Mr. W. inclines to give them the preference. He is confident, that as grazing stock, they will give a greater return for the food consumed, than any other stock he has ever kept. He has some very superior animals of this breed.

SUFFOLK AND MIDDLESEX BREEDS OF SWINE.—In our late excursion to Massachusetts, we frequently saw specimens of these excellent breeds, and crosses between them. They were first introduced by Mr. WM. STICKNEY, of Boston, who has made several importations of them. He breeds them chiefly at his farm in Vermont; but he showed us a fine boar and a young sow at his place at Cambridge. W. O. BARTLETT, Esq., of Worcester, has some excellent stock from crosses of these breeds. Col. J. J. J. of the Ten-hills Farm, Somerville, has some prime pigs from a cross of the Suffolk and Mackay. We are informed that pork from hogs of these breeds, readily sells in Boston at a cent and a-half per pound above the average market price. They fatten easily at any age.

RENSSELAER INSTITUTE.—We learn that the friends of this institution are making efforts for its enlargement, and its improvement in other respects. We trust these efforts will be successful. There is no other institution in the country, we believe, which is organised with special reference to giving the student in civil engineering a thorough and systematic course of training. We understand that the institution now numbers about fifty students, about one-third of which come from our own state, and the remaining two-thirds from various other states. The sum required for immediate use, is between five and six thousand dollars; and we cannot doubt that the usefulness of the institution is so well appreciated by the public, that the necessary funds for carrying out the proposed improvements, will shortly be raised.

NEW EDITION OF THE FARMER'S ENCYCLOPEDIA.—A new edition of this valuable work has been issued

by Messrs. CAREY & HART, Philadelphia. It is elegantly bound, and forms a very handsome volume of near 1200 pages. It is especially valuable to the farmer as a book of reference.

SAMPLES OF WHEAT FROM MOROCCO.—We have just received from our Consul-General at Tangier, THOMAS H. HYATT, Esq., samples of six kinds of wheat grown in that country. Its appearance is not very promising, but we shall give it a trial.

FORM OF THE PLOW.—Mr. JOHN D. SPINNER, of Herkimer, N. Y., says, "I wish to call the attention of plow-makers to a very common defect in plows. For loose, mucky soil, they are, as a general thing, too hollow in the mould-board, and too low in the beam, just forward of the body of the plow. They should be made more full, and higher, to let the earth slip from them. The iron used in their manufacture should be of the best kind, that it may wear smoothly and cause the plows to clean themselves."

POTATO ROT.—Mr. C. FREDERICK, of Paterson, N. J., informs us that some potatoes on his farm which had Indian corn growing in the same hills, escaped the rot, while the rest of the potatoes in the same field rotted. We have heard this suggested as a preventive, before, but have also heard of several cases where it had no effect at all.

FINE FOWLS.—The fowls advertised by Mr. PLATT, in this number, are worthy the notice of amateurs in this line. As a curiosity and ornament to the poultry yard, nothing can excel these Bantams, *in their way*. They may be said to be a perfect fowl in miniature. In regularity and beauty of plumage, some of them almost equal a wild fowl, and indeed it is probable that at no distant day, their progenitors were inhabitants of the jungles of India. Mr. P.'s large fowls are equal in shape and apparent good qualities, to any we have seen.

INDUSTRIAL SHOW OF NATIONS.—We learn from the English papers, that at the suggestion of Prince Albert, and, it is understood, under the patronage of the Queen, a grand exhibition of the industrial products of all nations is to be held in London, in 1851. It is remarked, that "the parentage of the project, and the auspices under which it is introduced to the attention of the public, will so far ensure for it all the success that can be desired." The subjects of the exhibition are to be four-fold, viz: raw materials, machinery and mechanical inventions, manufactures, sculpture and plastic art in general.

The exhibition will probably be the most splendid affair of the kind ever witnessed in the world. It is proposed to raise £100,000 for the general expenses. The prizes are to be one money purse of £2,000, four of £1,000 each, and several costly medals, which are to be conferred by the Queen in person. We shall notice the list of prizes, which it is presumed will be brought out in due time.

SUBSOIL PLOWING.—Mr. BUCKMINSTER, of the *Mass. Plowman*, relates his mode of subsoil plowing, by which a saving of manual labor is effected. Instead of taking two teams,—as is usually done in this kind of plowing, requiring two drivers and two plowmen, where more than one yoke of oxen, or a pair of horses are used to each team,—he put the teams together, and fastened the subsoil plow to the other, by hooking the chain round the coulter. One man drove the teams, each plow having a holder, and the work was done as well and as rapidly as before.

—The late English papers announce the death of C. HILLIARD, Esq., author of "Practical Farming and Grazing," and for many years an able contributor to the English agricultural periodicals.

Lectures by Professor Johnston,

BEFORE THE N. Y. STATE AG. SOCIETY.

Syllabus of a course of Lectures on the general relations of science to agriculture, by JAMES F. W. JOHNSTON, F. R. S., &c.:

1st. The Relations of Physical Geography to Practical Agriculture.

2d. The relation of Meteorology to Practical Agriculture.

3d. The relation of Botany and Zoology to Practical Agriculture.

4th. General relations of Geology to Practical Agriculture.

5th. Relation of Chemistry to the soil, and its practical improvement.

6th. Relations of Chemical Physiology to the plant and the modes of promoting its growth.

7th. Relations of Chemical Physiology to the animal, its food and its growth.

8th. Relations of Chemistry to the Doctrine of Manures.

9th. Means by which general scientific knowledge may be diffused and made available for the improvement of practical agriculture, and the general elevation of the agricultural class.

The Lectures will commence early in January.

B. P. JOHNSON, *Secy.*

Rot in Potatoes.

CHAS. W. TAYLOR, Esq., of Trevoise, Bucks Co., Pa., writes—"I hope you have been more fortunate with potatoes this year than we have in this neighborhood. The rot is by no means extinct. Out of 3 or 4 different plantings, our earliest only escaped. I suppose two-thirds of the remainder were affected; but we do not lose them entirely as we feed them to our stock as soon as we see the slightest symptoms of the disease. I obtained some seed from the Rev. Nathan Smith, of Buffalo, N. Y., last fall, and had them sown in a hot-bed this spring, and planted out as soon as they were of suitable size. They were planted in *trenched* ground, tolerably manured from the horse stable. They grew well, and the tops remained green until quite late in the season. Mr. S. informed me that I might expect to have them attain the size of walnuts the first year of the growth, but a very considerable proportion of them were three to four times as large and bore as many as twenty tubers, counting from the largest down to about the size of a hickory nut, leaving a number of smaller uncounted. After this, I am sorry to add that I think they rot as badly, or even worse, than any of our other kinds; although, in my estimation, in regard to time of planting, manure, situation, &c., they had the advantage in every respect. It is becoming somewhat doubtful now whether we shall save enough to plant again of some of the kinds."

How to Raise Indian Corn.

EDS. CULTIVATOR—I have tried nearly all the ways recommended for raising Indian Corn, and have found the following to be the best. In the spring, I haul all the manure I can spare on some piece of sward ground, and put it in heaps. I defer plowing till near the time of planting, when I spread the manure, and turn it under with much care. I then roll it with a heavy roller lengthwise of the furrows and harrow it well the same way. I mark it out both ways, three feet and four inches, plant the corn about an inch deep and use the cultivator three times both ways. At the second time of going through it with the cultivator, I

follow with the hoe and clean out all the grass and weeds in the hill, but I never haul dirt to the corn. I make no hill, as I think it does more hurt than good; and at the time of gathering my crop the ground is as smooth and level nearly as an oat or rye field.

I have pursued the above method for three years, and have usually reaped about 50 bushels of shelled corn to the acre. The last season I raised at least 75 bushels of shelled corn to the acre, by the same method. I can now raise from 50 to 75 bushels to the acre, as easily as I formerly could 15 to 20, and it is all through the information I have received from the *Cultivator*. A PRACTICAL FARMER. *Westchester county, N. Y., Dec. 1, 1849.*

Care of Stock.

EDS. CULTIVATOR—One of the principal employments of farmers in winter, is in taking care of stock. It is one thing to let stock shift for themselves, and quite another thing to take care of them. The difference is, that in one way your stock is brought out in good condition in spring, while in the other they are, if brought out alive, mere skeletons with skins on.

The advantages of sheltering animals by stables and sheds, are better understood now than formerly; although the old practice still lingers on some farms, where the shivering and bellowing animals speak for themselves, as to its effects. The old plan of stacking hay about the farm, and feeding it to animals in winter, with only a rail fence for shelter, is sometimes seen at the present day. If the ghosts of animals which have died for the want of shelter, could haunt the imaginations of these careless farmers, it might, perhaps, cause a change in their management.

Stacking out hay and fodder, causes waste enough in a few years, to pay for building good barns, sheds, and shelters for hay and animals. Sheds, high and dry, closed at the north, east, and west, and open at the south, are, I think the best for sheep. This gives them sufficient air, and is better for their health than close stables. The worst storms for sheep, in New England, are the cold rains with easterly winds; and if they are not sheltered, they are drenched through, and when the weather changes to cold, the wool freezes on them; and if they are in low flesh, death is often the consequence. L. DURAND, *Derby, Ct., Dec., 1849.*

☞ HANDLE your tools without mittens, for a cat in gloves catches no mice.

Prices of Agricultural Products.

New-York, Dec. 15, 1849.

FLOUR—Genesee, per bbl., \$5—Fredericksburgh, \$5a\$5.00.
GRAIN—Wheat, Canadian, per bush., 105c.—North Carolina red, 94c.—Corn, Northern and Jersey, 54a55c.—Rye, 59½a60c.—Barley, 02a65c.—Oats, 44a45c.
BUTTER—best, per lb., 18a20c.—Western dairy, 16a17c.
CHEESE—per lb., 6a6½c.
BEEF—Mess, per bbl., \$8.75a\$9.75—Prime, \$7.25
PORK—Mess, per bbl., \$12.50a\$13—Prime, \$8.75
LARD—in kegs, per lb., 6½a7½c.
HAMS—Smoked, per lb., 7a9c.
HOPS—first sort, per lb., 17c.
COTTON—Upland and Florida, per lb., 9½a11½c. New Orleans and Alabama, 9½a12c.
WOOL—(Boston Prices.) Prime or Saxon fleeces, per lb., 40a43c. American full blood Merino, 35a37 do half do 30a32 do one-fourth do, and common, 27a29

REMARKS—The demand for flour is fair, and good brands are firm. The present low rates, cause some inquiry for exports. There is but little inquiry for corn or corn meal. The demand for mess pork is large. In beef there is not much doing.

Books for Rural Libraries.

THE following works are for sale at the office of THE CULTIVATOR, No. 407 Broadway, Albany:

- American Agriculture, by R. L. Allen, \$1.
- Bee-keeper's Manual, by Miner, \$1.
- Fruit Culturist, by J. J. Thomas, \$1.
- Shepherd, by L. A. Morrell, \$1.
- Poulterer's Companion, by C. N. Bement, \$1
- Veterinarian, by S. W. Cole, 50 cents.
- Farmers' Encyclopedia, \$4.
- Flower Garden Directory, by R. Buist, \$1.
- Agricultural Chemistry, by Prof. Liebig, \$1.
- " " by Prof. Johnston, \$1.25.
- " " by Chaptal, \$50 cents.
- Cottage Residences, by A. J. Downing, \$2.
- Domestic Animals, by R. L. Allen, 75 cents.
- Domestic Economy, by Miss Beecher, \$1.
- Domestic Family Receipt Book, by Miss Beecher, 75 cents.
- Family Kitchen Gardener, by Robert Buist, 75 cents.
- Farmers' Manual of Manures, by F. Falkner, 50 cents.
- Fruits and Fruit Trees of America, by A. J. Downing, \$1.50.
- Farmers' Dictionary, by Prof. Gardener, \$1.50.
- Farmer's Companion, by Judge Buel, 75 cents.
- Landscape Gardening, by A. J. Downing, \$3.50.
- Practical Treatise on the Culture of the Grape Vine, by J. F. Allen, \$1.
- Cole's American Fruit Book, 50 cents.
- Theory of Horticulture, by Prof. Lindley, \$1.25.
- Rural Economy, by Boussingault, \$1.25.
- Transactions of the N. Y. State Ag. Society, \$1 per vol.
- Hints to Young Architects, edited by A. J. Downing, \$1.50.
- Treatise on Milch Cows, by F. Guenon—paper covers, 37½—bound 62½ cents.
- Self-Education, or the Philosophy of Mental Improvement, by Hosmer, 75 cents.
- Cultivation of the Grape Vine, by C. Hoare, 75 cents.
- Young Gardener's Assistant, by Bridgman, \$1.75.
- Kitchen Gardener, by Robert Buist, 75 cts.
- Farmer's Book and Family Instructor, by Pritts, \$2.
- Complete Farmer, by Fessenden, 75 cents.
- Elementary Instruction in Analysis, by Fresenius, \$1.
- Farmer's Dictionary, edited by D. P. Gardner, \$1.50.

Good Opportunity for Situation.

A GENTLEMAN in Eastern Va., desirous of engaging in other pursuits for 8 or 10 years, wishes to arrange with some intelligent, upright, industrious, persevering farmer, from the north,—one who can come well recommended in every way, to take charge of his farm on the 1st March next, for a term of years, upon shares.

Said farm is within easy distance of the markets of both Petersburg and Richmond, and near James river. It contains 500 acres—300 arable, well marled; 50 acres of unclaimed meadow, 20 reclaimed, 5 in grass, 150 well set in clover; is excellent wheat, corn, and clover land, and easy to work and improve. There is 100 acres seeded in wheat. The land is well adapted to grazing, and has a fine range for sheep. There is a young orchard—400 choice apple trees, usual stock—utensils, &c.; good house, out-houses, garden, 2 barns, 400 feet of shedding for stock, 2 wells, &c. The farm is well watered. He wishes it converted, as much as possible, into a grazing and dairy farm. He will furnish 6 hands, and provisions for one year, and furniture in house.

To any man who can come suitably recommended, and who is able to invest \$2,500 in additional stock (cows or sheep), and utensils, manures, &c., he will give one-fourth of the clear profits for ten years, and the value of the stock he put in at the end of ten years—or refund \$2,500, and pay for all permanent improvement during that time. The farm must be improved as much as possible—as may be contracted. In selecting cows, it must be with a view to dairy; sheep, for wool and mutton. Any one coming, should bring persons skilled in dairy management. A peach orchard would be found extremely profitable. The entire management, except permanent improvements and alterations, will be given up to the party agreeing. Direct to P. Cabin Point, Va.

N. B. His reason for requiring an investment, is to make the party more interested. The farm can easily be made to realise \$4,000 a year, or more, by good management. Hay commands \$1, to \$1.25. Butter, 20 to 25 cents. The farm is perfectly healthy.

December 1, 1849—3t.

Horse Powers and Threshing Machines.

E. PLANT, No. 30 Cedar Street, New-York, Agent for the Proprietor, for making and selling the "Warren" Improved Two and Four Horse Powers and Threshers. Also, "Trimbles." Price of the "Warren" Two Horse Power and Thresher, only \$80
do do Four do do do \$110
Price of the "Trimble" Two Horse Power, (without Thresher,) \$60
do "Warren" do do do do \$50
do do Four do do do do \$75

Bands, from \$4.50 to \$6.

These latest Improved Threshers and Powers give universal satisfaction, and are deemed far superior to any others known heretofore for any thing like their cost.

Cash Orders filled promptly.

N. B. PURCHASING & COMMISSION AGENCY.

The undersigned also continues the business of the late E. Plant & J. Plant, (E. Plant & Co.) of Purchasing for Orders, on Credit or for Cash, Dry Goods, Groceries, Hardware, &c., &c., for a commission of 2½ per cent. Produce, such as Sugar, Cotton, Tobacco, Peltries, &c., also received and sold on Commission. E. PLANT, Dec. 1, 1849—6t. No. 30 Cedar St New-York.

School of Applied Chemistry,

Yale College, New Haven, Ct.

B. SILLIMAN, Jr., Professor of Chemistry applied to the Arts. J. P. NORTON, Professor of Agricultural Chemistry.

THE Laboratory in this department is open during nine months in the year for instruction in the analysis of soils, minerals, ores, &c.

During the summer and autumn terms, there will be lectures on Mineralogy, Geology, Natural Philosophy, Elementary Chemistry, and other useful branches of Natural History.

The annual course of lectures on Agricultural Chemistry, by Prof. NORTON, will commence soon after the middle of January, and continue till about the first of April, at the rate of four or five lectures in each week.


These lectures are intended to be delivered in a form quite intelligible to those who never turned their attention to chemical studies. The great principles of Improved Agriculture will be illustrated and explained during the progress of this course in such a manner as to be understood by all. Tickets for the course \$10.

Students in the laboratory have glass, chemicals, balances, and other apparatus furnished, and pay \$20 per month. Analyses of minerals, soils, &c., made on reasonable terms.

For further particulars apply to either of the Professors. New-Haven, Ct., Sept. 1, 1849.—5t.

I. T. Grant & Co.'s

PATENT FAN MILLS AND CRADLES.




WE continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Slocum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S's, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £18, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49.)—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."

Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.



The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention.

I. T. GRANT & CO.
Junction P. O., Rens. Co., 8 miles north of Troy

Contents of this Number.

PICTORIAL CULTIVATOR,pages, 1 to 32
 Letter from Prof. J. P. NORTON, Yale College,..... 33
 Fall and Winter Plowing, by W. C. W.,..... 34
 Intellectual Improvement of the Farmer, by H. C. W.,..... 35
 Agricultural Education, by JOHN DELAFIELD,..... 36
 Doings of the Smithsonian Institution, by F. HOLBROOK,..... 37
 Notes on Farming in Massachusetts,..... 40
 Common Schools, by JOHN TUFFS,..... 42
 Horticultural Implements and Fixtures,..... 43
 Autumnal Flowers, by DAVID THOMAS,..... 43
 Lists of Fruits Selected by the Am. Pomological Congress,.... 45
 Scraps about Trees, by J. H. W.—Osage Orange Seed—The
 Curculio,..... 46
 Freezing out the Curculio—Wire Fences—Hardiness of the
 Buckthorn—The Curculio, by R. H. DRAKE—The Everbear-
 ing Raspberry, by N. LONGWORTH—Large Apple Tree—
 Hedges for Flooded Lands,..... 47
 The Cheviot Breed of Sheep, with Portraits,..... 48
 Protection of Sheep from Stomachs,..... 49
 Subsoil Plowing, by P.—Mayweed and Corn Chamomile, by S.
 B. BECKLEY,..... 50
 Prize Show of Saxon Sheep—Culture of the Castor Oil Bean,
 by S. SPENCER,..... 51
 Gathering Clover Seed, by C. W. CATHART—Culture of Tur-
 neps,..... 52
 Importation of Cattie—Bates Stock, by S. P. CHAPMAN,..... 53
 Hamilton College, by ALUMNUS—The Boston Poultry Show, .. 54
 Plan of a Suburban Cottage, by A. J. DOWNING,..... 55
 Farming vs. Manufacturing, by A. FARMER—Fowls in Yards, by
 J. R. S.,..... 56
 Good and Bad Management—American Pork in England,..... 57
 Indian Corn in Tennessee—Reclaiming Sandy Land—Breeding
 Horses,—Extracts from Agricultural Addresses,..... 58
 New-York State Agricultural Society,..... 59
 Notes for the Month,..... 60

ILLUSTRATIONS.

Figs. 1 to 125—THE PICTORIAL CULTIVATOR,pages 1 to 32
 Figs. 126 to 137—Horticultural Implements and Fixtures,.... 43, 44
 Fig. 138—Portraits of two Cheviot Rams,..... 48
 Fig. 139—Stell for Sheltering Sheep,..... 49
 Figs. 140 to 142—Design for a Suburban Cottage,..... 55

JUST PUBLISHED,

BY DERBY, MILLER AND CO., AUBURN.

THE AMERICAN FRUIT CULTURIST,

BY J. J. THOMAS,

CONTAINING directions for the Propagation and Culture of Fruit Trees, in the Nursery, Orchard, and Garden, with Descriptions of the principal American and Foreign Varieties cultivated in the United States. With 300 accurate illustrations. One volume of over 400 pages, 12 mo. Price \$1.

A cheaper, but equally valuable book with Downing's was wanted by the great mass. Just such a work has Mr. Thomas given us. We consider it an invaluable addition to our agricultural libraries. *Wool Grower.*

We predict for it a very rapid sale; it should be in the hands of every fruit grower, and especially every nurseryman. It is a very cheap book for its price.—*Ohio Cultivator.*

It is a most valuable work to all engaged in the culture of fruit trees.—*Utica Herald.*

It is a book of great value.—*Genese Farmer.*
 Among all the writers on fruits, we do not know of one who is Mr. Thomas' superior, if his equal, in condensing important matter. He gets right at the pith of the thing—he gives you that which you wish to know at once.—*Prairie Farmer.*

Jan. 1, 1850.—2t.

The American Poultry Yard,

BEING a History and Description of Various Kinds of Domestic Fowls, with complete directions for their Management, Breeding, Crossing Rearing, Feeding, and Preparation for a Profitable Market. Also, their Diseases and Remedies. And complete directions for Caponising. Arranged from the best authorities in Europe and America.

Illustrated by numerous original engravings. Forming the most Practical Manual for those who are desirous of raising poultry, that has been published in this country. Price \$1, bound.

Published by C. M. SEXTON, 121 Fulton st., New-York, And for sale at this Office.
 Also, Allen's American Farm Book, \$1.
 Allen's Domestic Animals, 75 cents.
 Miner's Am. Bee Keeper's Manual, \$1.
 Gunn's Domestic Medicine (117th thousand,) \$3.
 Jan. 1, 1850.—2t.

Morgan Colt.

I HAVE a Stallion Colt, two years old the first of June last,—he was sired by the Morgan horse Gen'l. Gifford, lately sold by Geo. A. Mason, of Jordan, N. Y., and will closely resemble his sire for size, color, form and action. His dam is a low, close-built bay mare, 33 years old, and still living about 6 miles from me. She was sired by the Original Morgan Horse.

I should sell the said colt for the low price of \$150, if taken between this and the first of February next. C. BLODGETT.
 Chelsea, Vt., Jan. 1, 1850.—1t *

Choice Fowls for Sale.

SEVERAL pair of very fine, clean-legged Bantams, from stock imported a few years since from Java. They are about the size of an ordinary pigeon, and of the most perfect form. Their plumage varies in different specimens, from clear white to black; some of the cocks being red with black breast, and others handsomely spangled.

Also, several pair of large fowls, derived from a cross of the Dorking. They are short-legged and full-breasted; grow quickly to a large size, and give excellent flesh. At six months old, some of the stock have weighed five pounds each, dressed. E. E. PLATT.
 Albany, Jan. 1, 1850.

Ayrshire Stock for Sale.

ONE thorough bred Bull 3 years old.
 One do. do. Cow 8 years old, with Calf.
 One do. do. Heifer 2 do. do.
 Several half blood yearling Heifers.
 This stock is of the best Ayrshire blood in the country.
 Inquire of, or address, ROBBINS BATTELL,
 December 1, 1849—2t. Norfolk, Conn.

To Seedsmen and Dealers.

THE subscribers are prepared to import, on very favorable terms, from the most distinguished and reliable seed establishments in London, or on the continent of Europe, seeds in quantities, and of a quality on which the utmost dependence may be placed. The seeds will be forwarded in the original packages, and original invoices furnished. Persons wishing to import may thus avail themselves of the experience of the subscribers, by the payment of a small commission. JAS. M. THORBURN & CO.,
 15 John-street, New-York.

Red Top, Orchard, Ray and other grasses, White Dutch Clover, Lucerne, &c. &c., low by the quantity.
 December 1, 1849—2t.

New-York Agricultural Warehouse and Seed Store.

THE Implements embrace upwards of ONE HUNDRED different kinds of Plows, a great variety of Harrows, Cultivators, Rollers, Seed Sowers, Horse Powers, Grain Cradles, Threshing and Fanning Machines, Mills, Hay Cutters, Corn Shellers, Shovels, Spades, Hoes, Scythes, Rakes, Wagons, Wheels, Carts, Wheelbarrows, Pumps, Rice Threshers and Hullers, Road Scrapers, Axes, Chains, &c. &c. These implements are mostly made up from NEW and HIGHLY IMPROVED patterns, and are warranted to be of the best materials, and put together in the strongest manner, and of a superior finish.

Horticultural Tools—A complete assortment.
 Castings, Skeleton Plows, Harrow Teeth, and Iron Work of all kinds done to order in the cheapest and best manner.

Steam Engines, Sugar Boilers, Sugar Mills, Saw Mills, Kettles, Cauldrons, &c., for Plantations.

Wire Cloth and Sieves—Different kinds and sizes, kept constantly on hand.

Seeds for the Field and Garden—Such as Improved Winter and Spring Wheat, Rye, Barley, Oats, Corn, Beans, Peas, Turnip, Cabbage, Beet, Carrot, Parsnip, Clover, and Grass Seeds, improved varieties of Potatoes, &c. &c. These are warranted fresh and superior of their kind.

Fertilizers—Peruvian and African Guano, Lime, Plaster of Paris, Bone Dust, &c. &c.

Fruit and Ornamental Trees and Shrubs—Orders taken for these, and executed from a choice of the best Nurseries, Gardens, and Conservatories in the United States.

Horses, Cattle, Sheep and Swine—Orders received for stock of all kinds, to be executed to the best advantage, and shipped in the most careful manner.

Agricultural Books—A general and varied assortment of these for sale.

Produce on Consignment—All kinds of Agricultural Produce will be received for sale on consignment.

A Catalogue of the above Implements, Seeds, &c., of 100 pages, handsomely illustrated with plates, will be forwarded, by mail, when requested, post-paid. A. B. ALLEN & CO.,
 189 & 191 Water-street, New-York.

December 1, 1849—2t.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.,) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
 BOSTON—J. BRICK & Co., 52 North Market-st.; and E. WIGHT, 7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.
 ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, FEBRUARY, 1850.

VOL. VII.—No. 2.

Should the Farmer be a Man of Knowledge ?

EDITORS OF THE CULTIVATOR:—As you well know, a controversy has been going on for many years between the plow-joggers on one side, and the Agricultural Journals and 'book-farmers' on the other, as to whether the Farmer should be a man of Knowledge ?

The first named class contend, that to follow the dogmas of tradition, and, under such guidance, toil and sweat away life in mere physical labor; to read and write indifferently, or perhaps make his mark; to study his almanac faithfully, and plow, sow and harvest according to the old or new of the moon; to chalk his 'deal' on the barn-door or his hat; to avoid an agricultural paper, or a 'book-farmer,' as he would a pestilence; to extract the fertility of the soil, and leave mother earth with her future generations, to shirk for themselves as best they can:—that these are the kind of qualifications to make a good farmer.

The other class contend, that the farmer should be a man of reading, observation and study; that his calling involves a degree of scientific inquiry equal to that of almost any other; that inasmuch as the advancing spirit of the times is in other callings continually crying out—"Onward!" he should partake of that spirit, advance with others in education and mental discipline, and claim, and be able to take, equal rank with the highest.

Being, on the whole, rather inclined to favor the views of the last-named class, I shall briefly survey a portion of the ground involved in the question, in order to see for myself whether the Farmer should be a man of general as well as particular knowledge. If I find the 'lay of the land' such as I suppose it to be, I shall take a decided stand with my friends, the Journals and 'book-farmers.'

In the short and graphic account given us of the Creation, we are informed that after form had been given to matter, and the vegetable and lower animal world had been brought forth to life, man was made, in the image of his Creator, to be lord of his other works, and commanded to subdue and cultivate the ground. Or, in the noble lines of the poet:

"There wanted yet the master-work, the end
Of all yet done; a creature who, not prone
And brute as other creatures, but endued
With sanctity of reason, might erect
His stature, and upright with front serene
Govern the rest, self-knowing; and from thence,
Magnanimous, to correspond with heaven;
But, grateful to acknowledge whence his good
Descends thither, with heart and voice, and eyes
Directed in devotion, to adore
And worship God Supreme, who made him chief
Of all his works."^{*}

The pursuit, then, originally assigned to man,

was that of Agriculture, and thus did his Maker confer superior dignity upon it. He was endued with reason, to distinguish him from, and elevate him above the lower animals, and to enable him, among other things, properly to subdue and cultivate the earth. Reason is by far the most important of man's intellectual powers. By it he devises means to accomplish ends, distinguishes truth from error, or, in other words, acquires knowledge. It is also progressive from infancy to age. It is on the right use of reason that our success, both in the pursuit of knowledge and happiness depends; and in proportion as we acquire knowledge, so, in turn, is reason enlarged and strengthened, and we are thus enabled to make still higher acquisitions. To accomplish desirable ends, then, the original gift should be improved by the attainment of knowledge.

Knowledge expands the mind of the farmer from mere attention to details and brute force, to an extensive comprehension of general principles—those great cardinal principles by which nature is governed in her operations, and with which he necessarily comes in contact every day. In the business of cultivation, an infinite diversity of principles and mysteries arise to the thoughtful mind, many of which, if ever understood at all, must be wrought out by the utmost efforts of perfected Science, and a cultivated mind. Few of us, indeed, can give a satisfactory reason for many of the simplest operations of nature which are continually before our eyes. We are therefore about as liable to go wrong as right, in some of our commonest methods of tillage.

It has been said that "Mind is the great lever of all things; human thought the process by which human ends are ultimately attempted." If this be true, then, in proportion as the mind is expanded by knowledge, so is this lever lengthened and strengthened, by which we open the vast frame-work around us, diffuse light where all before was darkness, solve problems which otherwise would never be known or only seen in dim obscurity, and subject and mingle elements before beyond our control. In short, we are thus enabled the better to obey the divine command to subdue and cultivate the earth, and to use its elements and its creatures for desirable ends. The ejaculation of an ancient fabled combatant, when enveloped in clouds and darkness, is an appropriate petition for us farmers, benighted as we are, in ignorance of great principles with which we daily have to do:

'Dispel these clouds, the light of heaven restore,
Give me to see—and Ajax asks no more.'

Knowledge exalts all the faculties of the mind. However much exalted, they will find ample scope for exercise in the pursuit of Agriculture. It is an occupation that eminently combines science with practice. If the powers of observation, reflection and generalization are quickened and exalted by

* Milton.

knowledge, so as thereby to become more nearly adequate to the demands that the business naturally makes upon them, we may produce results, of which a state of arrogant ignorance never dreamed, nor was ever capable. Thus we see, that when we have given the farmer a taste for the acquisition of knowledge, we have made him a better bequest than money; for we have given him the habit of *thinking*, and that is the principle of all legitimate prosperity. It enables him at once to act and operate, to compare, contrive, invent, improve, and perfect,—to accomplish his ends in higher and still higher degrees.

Then, too, the business of the farmer largely admits of, nay, in our view, it demands, observation and thought. While engaged in the health-giving labors of the field, breathing the invigorating air, and conversant with the principles and beauties of nature around him, he may pursue habits of thought to an extent, and with an elasticity and vigor of mind, which the student of the closet, struggling with an attenuated frame, trembling nerves, and a throbbing head, often sighs for in vain. We farmers who have not yet felt the importance of cultivating and using the thinking faculty to some valuable purpose, may with propriety receive and ponder the address of a profound thinker:

“My friend, *to have thought far too little*, we shall find among the capital faults in the review of life. To have in our nature a noble part that can think, would be a cause for infinite exultation, if it actually did think as much and as well as it can think, and if to have an unthinking mind were not equivalent to having no mind at all. The mind might, and it should be, kept in a state of habitual exertion, that would save us from needing to appeal for proof of its existence to some occasion yesterday when we did think or to-morrow when we shall. If all the short spaces of time in which we have strongly exerted our faculties could be ascertained, and reckoned together into one place, what a small part of life it would fill! The space, however, may be deemed the total of *real life*.”*

Knowledge refines the taste, thus enabling us to perceive and enjoy the beauties and sublimities of nature. A state of ignorance cannot be favorable to the emotions of taste. Neither do we look for its exercise in the mere getter or hoarder of money, the man of loose morals, or dissolute habits. Refined taste is intimately allied to morals, for it naturally elevates the mind and ennobles the character of its possessor; and thus it is that knowledge, by refining the taste, indirectly favors virtue. Who, *if not the farmer*, should possess and enjoy a refined taste? The great Author of all has adorned his works with beauties and sublimities, that may excite the highest and purest emotions of which the human mind is susceptible. They solicit the senses of the farmer at every turn. The endless variety and beauty of flower, plant and shrub; the various stages of vegetation, from the germination to the full maturity of his crops; the majestic forest; the landscape of mountain and valley, of lake and river; the circling seasons; the wondrous workings of nature beneath his feet, as well as the sublime ‘handy work’ above him:—these all invite the husbandman to observation, and gently persuade, or more powerfully urge him to contemplate, through them, the great Author and Ruler of all.

Knowledge, both in acquisition and possession, contributes to happiness. The farmer has many leisure hours, during the stormy days of a season when he cannot work, and the long evenings of winter.

These, if he has a taste for reading, he may beguile in an innocent, useful and happy way at home; while others, dependant upon foreign resources, repair to places of public amusement or dissipation, seeking an object that constantly eludes their grasp, or, if momentarily detained, usually turns to emptiness or pain. There is no pastime that in variety compares with the pursuit of knowledge. While the objects of inquiry are endless in number, each attainment is attended with new satisfaction and delight. A taste for literature or scientific inquiry once acquired, usually becomes confirmed into a habit for life, and forms an unfailing source of pleasure in old age. The growing infirmities incident to that period of life, bring many days of confinement and weariness, which may be greatly relieved by reading, or, if that be impracticable, by hearing others read. This arises naturally and necessarily from the very structure of the intellectual element..

“A degree of surprise and astonishment which cannot consist with the perfect comprehension of whatever falls under our cognizance, appears to be one ingredient, in the highest degree of felicity of which a rational being is susceptible. There is a principle in the constitution of our nature, which renders us dissatisfied with what we thoroughly understand in all its parts. When there is nothing more to be discovered, from that moment it begins to pall upon us, and we must pass to something which will give scope to the activities of the human mind.”*

There is no amusement so cheap as that arising from the pursuit of knowledge. A trifling sum set apart annually, will purchase the advantages afforded by our numerous district, village, and other libraries, and our able agricultural, scientific and literary periodicals.

There are no circumstances so adverse as to preclude our attaining knowledge, if we resolutely strive for it. One is forcibly struck with the truth of this remark, in thinking over the long list of worthies who, under every disadvantage, and in addition to carrying forward some practical calling, have raised themselves to eminence in the empire of knowledge. In them, we find realized that most desirable, but quite too rare union, of studious habits with a practical business. Their example is most valuable too, as illustrating the fact that a taste for knowledge will, of itself, do a great deal towards its acquisition; and that where this taste exists, it usually surmounts all difficulties and bursts all barriers. Be it further remembered for our encouragement, that the kind of knowledge which gives strength does not so much depend upon the reading of *many* books, as upon the judicious selection and careful reading of a few, accompanied by the strenuous exertions of our own powers of reflection. In this way, all our powers become stimulated, and products begin to grow from within.

Knowledge is useful and important to man as a religious being. It is true that Christianity invites us all to partake of its blessings, upon compliance with its terms, whether we be learned or ignorant. But it addresses the understanding as well as the heart; its evidences challenge investigation; its hopes are addressed to the immortal element; its sublime faith calls forth the whole intellectual power; and the doctrine of immortality invests the mind of man with a dignity and grandeur, allied to a purer and nobler state of intelligence. In whatever other respects, then, we might conclude to dispense with the advantages of education and know-

* Correspondence of John Foster.

* Robert Hall.

ledge, when we consider man as a religious and immortal being, we wish to see his mind expanded, his faculties exalted, and his taste refined, that he may the better understand his duties and his destiny.

Knowledge, with virtue, is the foundation on which our whole system of government rests. The practical operation of this system creates a demand for every species of intellectual effort. As citizens under it, we are called upon to discharge the duties of elective franchise, to take part in the administration of justice, and to fill the various official trusts of State. The laws contemplate our fitness to discharge these various duties and trusts, under the guidance of opinions intelligently and independently formed, along with that sense of individual accountability which seeks not to hide itself in the crowd, or to be led by other dictation than its own. The correctness and eminent propriety of our theory in this regard, cannot be doubted. The nearer we approach it in practice the safer is our condition. When we reflect, that as our country increases in population and in extent of settled territory, various new and conflicting interests and questions will arise to increase and inflame partizan zeal—that a high state of faction tends to corruption—that there are precipices on either side of us whose *outer borders* would seem to forbid exploration further along—and that the huge swells of faction *may* rock us back and forth until we sway over into the chaos below;—we become more and more impressed with the importance of educating our rural population in knowledge and virtue, of combining in our farmers strong heads with honest hearts, that we may keep balance on ground, central from the broken extremes, and known and safe, where all sorts of good fruit grow in abundance, where prosperity has ever dwelt, and where it may ever dwell.

Our vast territory embraces every variety of climate and soil. It is capable of growing almost every known valuable production. The race of men inhabiting it is endowed with wonderful native sagacity and energy of purpose. Let this mass of mind be expanded and strengthened by knowledge, and a power is conferred for the development of our vast agricultural capabilities, not elsewhere to be found. It has been well said that "it is the glorious prerogative of the empire of knowledge, that what it gains it never loses; on the contrary, it increases by the multiple of its own power; all its ends become means; and all its attainments help to new conquests."* In this view of the subject, how directly does it become power to the farmers! Through them collectively, how eminently does it become power to the nation!

In this connection, we may appreciate the important influences imparted by our Agricultural Journals. They quietly visit the farmer at his dwelling, informing him of the known principles of Agriculture, and the march of Science towards further discoveries. They give him the results of the experience and practice of intelligent cultivators every where. Mind thus rubs against and polishes mind, and enterprise, and an ambition to improve, is excited. They stimulate him in turn to communicate his own ideas and modes of practice. When he has been induced to arrange his thoughts upon paper, an important step has been taken towards intellectual improvement. He is now in the way of thinking with greater precision and correctness on *all* subjects, and he awakens with a consciousness of power within himself that might not otherwise have been known.

* Hon. D. Webster.

Great advantages are yet to arise from the establishment of Agricultural Schools, and professorships of Agriculture in our Colleges. Organised on judicious principles, they would teach our young farmers the science and best mode of practice of Agriculture. In doing that, they would necessarily teach the *elementary* principles certainly, of six or eight sciences; and this would be likely to create a taste for the further investigation of those sciences, for reading and the acquisition of knowledge in general. In short, by these influences, imparted at a forming period, the boy comes to be a man of cultivation, of intellectual power. Expanded and well disciplined intellect always takes high rank among men. Thus we may conclude, that the farmers would oftener be heard to some purpose in the Councils of the nation, and the interests of Agriculture would receive more of that attention from Government, which they justly merit.

I have thus endeavored to survey a part of the ground covered by the question propounded at the outset. To my mind it is clear, that the Journals and 'book farmers' have a good and substantial argument in their favor; and I am forced to conclude that *the farmer should be a man of knowledge*, and I do not see that it could hurt him to have a good deal of it too. F. HOLBROOK. *Brattleboro', Vt., Dec. 15, 1849.*

Live Fences.

The particular advantage of any kind of fence, depends on circumstances. Where suitable stones can be readily obtained, perhaps there is no fence to be preferred to a well-built and permanent wall. If the stones, in the outset, occupy the land so as to interfere with cultivation, the inducement for making wall is increased. In some places, the abundance and cheapness of suitable timber for fences, render it most economical to construct them of that material.

The comparative advantages of live and dead fences, in general terms, may be thus stated: Hedges can be reared where the materials for dead fences cannot be had, and, excepting the best of walls, are greatly superior in durability; dead fences commonly occupy less room, shade the ground less, and neither exhaust its moisture or richness, as is done by hedges.

The best plants for hedges in this country are undoubtedly the Buckthorn and the Osage Orange. We think the various trials which have been made with different plants, support this conclusion. The Honey Locust, which was considerably tried a few years since, fails to grow thick enough at the bottom, and is generally straggling and open. The English Hawthorn does not stand our hot and dry summers, and is liable to a blight similar to the "leaf-blight," and "fire-blight" in pear trees. The Newcasttle, or American Cock-spur Thorn, and the Washington Thorn, have formerly been used extensively in some of the middle States, particularly in Delaware, where they succeeded well, but within a few years, the fine hedges of that section have all been destroyed by the borer, and this insect has also attacked the Hawthorn with equal fatality in many instances. It is true there are some neighborhoods where the Hawthorn has mostly escaped the casualties here mentioned, as in some parts of Seneca and Ontario counties, in this state; but its failure has been so general in most parts of the country, that it cannot be depended on as a hedge plant.

For the northern states and the Canadas, we

should prefer the Buckthorn. Our reasons for the preference are its hardiness, its comparative exemption from disease, and from the attacks of insects, its rapid growth, and the general facility with which it may be made to answer the purpose of an efficient fence.

In our last number, we mentioned the Buckthorn hedges of E. HERSEY DERBY, Esq., of Salem, Mass. We think we have never seen more perfect hedges than these, and it may be interesting to the reader to learn something of Mr. D.'s mode of managing them.

In the *Transactions of the Essex (Mass.) Agricultural Society for 1842*, there is a paper on the cultivation of live-fences by Mr. DERBY, for which



Fig. 1.—Buckthorn—*Rhamnus catharticus*

the society awarded him the first prize offered on that subject. Mr. D. stated that it was then more than forty (now fifty) years since he commenced the trial of live-fences. His first trials were with the English Hawthorn, the Honey Locust, and the Crab Apple, all of which failed. In 1809 he made his first trial of the Buckthorn, in a hedge about twenty rods long, which has remained till the present time, not a single plant having failed from it, nor has it ever been known to be attacked by any insect. He has at various periods set out more Buckthorns, till he has now nearly 200 rods of them, forming a perfect fence. He says—

I do not hesitate to pronounce the Buckthorn the most suitable plant for hedges that I have ever met with. It vegetates early in the spring, and retains its verdure late in autumn; I have often seen it

green after the snows had fallen; it is never injured by our most intense cold, and its vitality is so great that it may be kept out of the ground a long time, or transported any distance without injury. It never sends up any suckers, nor is disfigured by any dead wood; it can be clipped into any shape which the caprice or ingenuity of the gardener may devise; and being pliable, it may be trained into an arch, or over a passage way as easily as a vine; it needs no plashing or interlacing, the natural growth of the plant being sufficiently interwoven. It is never cankered by unskillful clipping; but will bear the knife to any degree.

Mr. D.'s mode of cultivation is as follows:

My method of forming a hedge is to set the young plants in a single row, about nine inches apart, either in the spring or autumn; if the latter, I should clip it the following spring to within six inches of the ground; this will cause the hedge to be thick at the bottom, which I regard as a great point of excellence; after this, all that remains to be done is to keep it clean from weeds, and clip it once a year. I consider June the best time to trim, as it soonest recovers its beauty at that season. The clipping may be done with the garden shears, a hedge-knife, or even with a common scythe.

Buckthorn plants, of proper size for transplanting into hedge-rows, may be had in abundance at most of our nurseries. The price for two-year-old plants is usually about \$5 per thousand. They may be easily raised from seed, which may be had of the various seed-dealers at \$1.25 per quart. It is usually planted in the fall, and most of the plants will make their appearance the next season, though some of the seed may lie in the ground till the second season before it vegetates. They may be planted on good land in the same manner as peas are planted, and the plants kept free from weeds until they are of sufficient size to put in the hedge-row, which size they will reach in one year, on rich land, and in two years on ordinary soil.

The preparation of the soil for the hedge plants, may be similar to that required for a crop of Indian corn, and as above remarked, all that is necessary is to keep the weeds and grass from growing near them. If the ground is wet, it has been found beneficial to dig trenches, two feet deep, and half fill them with small stones or coarse gravel, the natural soil being laid on the top, forming a slight ridge.




Fig. 2.—Planting Hedges.

This has been practiced with success on the level and somewhat wet lands of parts of Seneca county, in this state, as noticed in our volume for 1847, page 257.

The accompanying cut (fig. 2,) represents the manner of planting hedges. The details of planting are well described by Mr. DOWNING, in the first volume of the *Horticulturist*. He thinks the spring is the best time for planting, in the northern states, the autumn in southern. The soil having been properly prepared, by pulverization, &c., he says—

The plants are now to be made ready. This is done in the first place, by assorting them into two parcels—those of *large* and those of *small size*. Lay aside the smaller ones for the richest part of your ground and plant the larger ones on the poorest of the soil. This will prevent that inequality which there would be in the hedge if strong and weak plants were mixed together, and it will equalize the growth of the whole plantation by dividing the advantages.

The plants should then be trimmed. This is speedily done by cutting down the top or stem, to within about an inch of what was the ground line) so that it will, when planted again, have but an inch of

stem above the soil,) and by correspondingly shortening all the larger roots about one-third.

If you have a good deal of planting to do, it is better to bury the plants in a trench close at hand, or *lay-them-in-by-the-heels*, as it is technically called, to keep them in good order till the moment they are wanted.

The hedge should be planted in a double row, with the plants placed, not opposite to each other, but alternate—thus:

* * * * *

The rows should be six inches apart, and the plants one foot apart in the rows. This will require about 32 plants to a rod, or 2000 plants to 1000 feet.

Having well pulverized the soil, set down the line firmly for the first row, and with a spade throw out a trench about eight or ten inches deep, keeping its upright or firm bank next to the line. Drop the plants along the line at about the distance they will be needed, and then plant them twelve inches apart, keeping them as nearly as possible in a perfectly straight line; for it is worth bearing in mind, that you are performing an act, the unimpeachable *straight-forwardness* of which will undoubtedly be criticised for many years afterwards. Press the earth moderately round the stem of the plant with the foot, when the filling-in of the pulverized soil is nearly completed. And, finally, level the whole nicely with the hoe.

Having finished this row, take up the line and fit it again, 6 inches distant; open the trench in the opposite direction, and set the plants in the same manner. This completes the planting.




Fig. 3.—Osage Orange, (*Maclura aurantiaca*.)

The Osage Orange grows wild in Arkansas and Texas. It is said to have been first introduced into our gardens, from the Osage tribe of Indians. In its natural state, according to Mr. DOWNING, "it grows luxuriantly, about thirty or forty feet high, with a wide and spreading head." The leaves resemble those of the orange, are very glossy, and present a most beautiful appearance, on which account it was first propagated as an ornament. Within the last few years it has been largely adopted for hedges, and in the middle and western states has done well. We have seen fine hedges of it in the neighborhood of Cincinnati, Ohio. Whether it

will prove sufficiently hardy for the northern and eastern states, has not yet been demonstrated; but its success, so far, entitles it to further trials. JOEL RATHBONE, Esq. has a fine hedge of this plant, four years old, on his place near this city. It has not been injured by the frost, except the first winter, when it was killed down to within a few inches of the ground. Mr. A. J. DOWNING observes—

The Osage Orange, when treated as a hedge plant, has many excellent characteristics. It is robust, vigorous, and long-lived. It sends out a great abundance of branches, bears trimming perfectly well, is most amply provided at all times with stout thorns, and its bright and glossy foliage gives it a very rich and beautiful appearance. It grows well on almost any soil, and makes a powerful and impenetrable fence in a very short time. Though it will bear rough and severe pruning, and is therefore well adapted for farm fences, yet it must be regularly trimmed twice every year, and requires it even more imperatively than other hedge plant, to prevent its sending out strong shoots to disfigure the symmetry of the hedge.

It is propagated by seed and by cuttings of the roots. A writer in the *Cincinnati Gazette* says—

The best way to start a hedge of this plant, is to procure some of the seeds, of which about 7,000 are comprised in a quart. Scald them in water near the boiling point, and plant them in nursery beds, in good soil, and keep down the weeds the first year. In transplanting, the plants should be set about 12 inches apart. These facts will enable any person to form a correct judgment of the number necessary to plant in any given length of hedge. The seed should be sown early in the spring, and if not preferred to sow as above in a nursery bed, to be afterwards transplanted, it may be sown where the fence is wanted, by preparing the ground, and using a garden line to get the fence straight, covering the seed lightly with fine earth. When the plants are up, they must be kept clean and well hoed; and in the fall they should be headed down to within two or three inches of the ground.

The seed may be had at \$1 per quart, and plants at \$6 to \$8 per thousand.

Principles of Manures.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., Jan. 7, 1850. }

EDITORS CULTIVATOR—Having mentioned in my last, the subject of manures, as that which should be the topic of this and succeeding communications, I now proceed to direct the attention of your readers to the true signification of the word manure in its various applications. This may seem to many a very unnecessary labor, but I hope to convince them that it is not.

Under the grand head of manures, have, in these modern times, come to be included a great variety of substances, which may be divided into three classes—animal, vegetable and mineral manures. In mentioning any of them, we mean something that of itself, or by its action upon other bodies, imparts fertility to the soil, increasing, in other words, its ability to bear good crops. More than this, every farmer who reads attentively, has learned that the efficacy of a manure consists in its supplying to the plant, directly or indirectly, certain substances which it needs to promote its growth. Manures are in fact, food for plants.

This is a great advance in knowledge, but is not, by any means, all that ought to be known. As we proceed a step or two further in our inquiries, we find that plants are differently constituted, and that manures have an almost infinite variety in their composition. The subject thus becomes difficult; but we are enabled at once to draw the important conclusion that different plants require different manures; that the manure which highly benefits one crop may even injure another.

We are thus led naturally to the conviction that some classification of fertilising substances is necessary—that some rules are demanded by means of which the farmer can at least approximate to the value of any manure of which he knows the composition or the leading ingredients. He understands,

for instance, that guano is valuable, and knows what are its effects upon his crops; but is he aware upon what, in the guano, those powerful effects depend? Could he, if an unknown substance equally rich in its composition were presented to him and the names of the elements which it contained given, say that it was worth much or worth any thing as a manure? I feel quite sure from my own experience, that the majority of our farmers, notwithstanding all that has been written on these subjects, would have to answer this question in the negative.

It is for such reasons that I am about to attempt a plain statement of some points connected with this important branch of agricultural knowledge, in the hope of making them clear and intelligible to at least a part of your readers.

I have already mentioned three great divisions—animal, vegetable, and mineral manures. In the two first of these, are two classes of bodies—those which burn away by heat, called organic bodies, and the ash which remains after burning, consisting of mineral or inorganic bodies; of these last, the latter division of the three, the mineral manures, are entirely composed. The inorganic part in animal or vegetable manures, is usually quite small; as they are of course derived from the death and decay of plants and animals, it follows that in those forms of organised existence, the organic part also, as a general rule, predominates. Although then in these manures, the inorganic part is small, it is enough to supply the wants of the plants, by furnishing the materials for both classes of bodies which they contain, the combustible and the incombustible, the organic and the inorganic. The mineral manures, on the contrary, can for the most part only nourish and increase the inorganic part of plants, and are consequently more limited in their application.

It is next of importance to know what are the substances thus furnished by the various classes of manures. All the organic part of plants and animals, in the immense variety of their forms, shapes and sizes, and consequently all of that part in the numerous manures which are employed by the husbandman, contain but four substances, named Carbon, Hydrogen, Oxygen and Nitrogen. The first of these, Carbon, is a solid, of which charcoal, black lead, &c., are examples; the others are gases or kinds of air. This is one of the most striking facts connected with the advance of modern chemistry, that all forms of organised life should be ultimately resolved into these four bodies, excepting alone the small proportion of ash which most of them contain. This ash, the inorganic or mineral part of plants, animals and manures, consists of more numerous substances; they form, however, not by any means a long list. They are potash, soda, lime, magnesia, iron, silica, chlorine, sulphuric acid and phosphoric acid, nine in all. There are one or two others occasionally included, but they do not seem to be of much importance to our cultivated crops.

I mention these simply for the purpose of giving their names; to describe the appearance and properties of each would be foreign to my present purpose. Any farmer who wishes to become acquainted with them personally, can easily find directions which will enable him to accomplish his desire. Their names and numbers being now given, in my further remarks reference may be made to them without causing the reader to feel as if he were on entirely unknown ground, or among utter strangers.

From the connection in which the organic and the inorganic parts of plants, animals and manures were placed, the nature of the relation between the two former and the latter, will now be plainly seen;

the farmer will understand that to his knowledge of the fact that manures are the food of plants, he has added the names of the substances which constitute that food.

This is an important step gained, but it only plunges us into fresh difficulties as we come to examine the diverse effects of the various fertilizing substances which are considered valuable, and which indeed experience has proved beyond a question to be so. In looking over accounts of results obtained by using different manures of known composition, the farmer perceives great variation in their apparent effects. A small quantity of guano for instance, is more powerful in enriching the soil and hastening the growth of plants, than a whole load of ordinary manure, weighing probably fifty times as much. This is a very striking difference, and leads to a comparison as to the composition of the two manures. It is found first, that the barn-yard manure contains a large quantity of water which of course deteriorates so much from its value; second, on examination of the dried residue in each, it is found to consist of the same substances. These are not, however, in the same proportions. In the guano, we find that *ammonia* and *phosphates* are the leading ingredients; in the barn-yard manure, carbon and silica.

Here is a tangible difference, but the most doubtful feature in the case to the farmer, has yet to be explained. He points to the analyses of plants and says, "silica in the ash and carbon in the organic parts are most prominent substances, and why are they not equally valuable with the others that are less in quantity?" Ammonia owes its value to the nitrogen which it contains, and phosphates theirs to their phosphoric acid, they being combinations of that acid with lime, magnesia, iron, &c. Nitrogen and phosphoric acid then are added most largely by guano, silica and carbon by farm-yard manure. What is the cause of so wide a variation in effect upon all crops? Why are the two first worth more than the two last, since plants do not contain so much of them?

To this I reply at once that they are not in themselves more valuable or more necessary, and shall proceed to show that their superior importance is owing to circumstances alone.

First, as to phosphoric acid. In the straw and husk of grain we find little of this substance, but in the grain itself fully half of the ash is composed of it; it is present in the grain because that is the natural food of the animal in which must be contained the material for building the bones, the frame-work of the animal body, these being made up chiefly from phosphate of lime. We find the same thing to be true of nitrogen; in the straw and all those parts of plants that are not of much value as food, there is little of it, but in the grain and all food considered particularly nutritious, there are certain substances quite rich in nitrogen. This body constitutes a principal part of animal flesh, and thus food which contains much of it is remarkably nutritious because it supplies this material toward the increase of the body. Ammonia is important in manures, because it is a chief means of furnishing nitrogen to the plant.

This brings us to the point which I wish to impress. When we examine a soil, we find that its fertility or barrenness, depends on the presence or absence of the various substances named above. If one of them is wanting, the capacity of the soil for bearing good crops is greatly diminished. The *most likely deficiency* in long cultivated soils, is in the *phosphates*, and in bodies containing *nitrogen*. In *new soils*, these *two classes* are as a general rule

smallest. Every farmer knows that it is ordinarily the grain which is sold off, while the straw is returned as manure. The grain, as we have seen contains most of the phosphates and of the nitrogen, so that of course these bodies, originally small in quantity, are soonest exhausted. Here then, we have the reason for their efficiency. The carbon, oxygen, hydrogen, lime, potash, silica, &c., are each and all equally indispensable to the plant in its various parts, but they are much more abundant, there being comparatively few situations where the plant cannot obtain a supply of all or nearly all. The scarcity of the phosphates, and of ammonia or other bodies containing nitrogen in the soil, gives these substances a high relative value, and causes manures which contain them in large quantity, to produce such a marked effect.

My desire to make this subject plain, has extended this letter somewhat unreasonably, but if I have made myself understood, I am sure that no farmer will have found clear explanations upon such an important branch of his profession, very tedious.

JOHN P. NORTON.

The State of Agriculture in Europe.

Professor Johnston's Address,

Delivered at the Annual Exhibition of the New-York State Agricultural Society, at Syracuse, September 13, 1849.

GENTLEMEN:—One of the first lessons a European has to learn after he has landed on the shores of this new world, is to dispense his mind of all those associations, rich and rare, with which the history of past ages has connected the names of remarkable places. In passing through New England it was my fortune to stop at towns and villages called by names long familiar to my ears—the sounds of which seemed to say, “in a few hours or minutes you will arrive again at your own home and hearth.”

But in travelling from Albany to this place, I have met with people fresh from Troy—I have come through Utica and Rome—and from the lips of children have heard of other mighty cities which our earliest European lessons clothe in the hoar of remote antiquity, and illuminate with the glory of immortal deeds. In the desire thus to connect your new towns with the recollection of famous actions, I would read an admiration of the actions themselves, and secret aspirations after similar renown.

In the old world I have just left, there exists an ancient Syracuse, rich in all those bounties of heaven, which especially favor the husbandman—a genial and sunny climate—clear, blue skies, balmy air, and never failing dews—a soil fertile in oil and wine, and abundant in corn, almost beyond belief.

Thousands of years ago, when no Saxon or Celtic foot, not even that of the roving Northmen, had yet trodden the American shores, this ancient Syracuse was the capital of a kingdom of six millions of souls; and though it had so many mouths of its own to fill, the produce of its teeming soil left still a large surplus for exportation. An energetic people, comparatively free—unbroken in spirit by frequent wars, by foreign conquerors, and by the degradation and oppression which afterwards beset their domestic hearths—availed themselves to the utmost of the bounties of nature, and by patient industry made their country the “*horretum Romanorum*,” and in the language of Livy, “*populo Romano, pace ac bello fidissimum annonæ subsidium*.” Now cast down and degraded, the successors—scarcely to be called the sons of the same people—languish in comparative indolence; and though the bounties of nature are ever fresh and new as in its palmiest days, there are few countries in which agriculture and the arts of life are in a more debased condition than in modern Sicily.

But time, which has wrought this melancholy change, has caused others more cheering to happen too. It may be, that amid the ruins of old Syracuse its ancient fires may still live, on some future day to be lighted up anew, and more successfully, into a steady and enduring flame, which the foot of despotism shall never again be able to trample out. But however this be, it is gratifying to me to see—as it must be to you—that in a new country, peopled by a new race, a younger Syracuse has sprung up, emulous of the worth and glory of the ancient—nourished by free institutions—carried forward by the untiring energy of the Teutonic blood—above all, emulous of the agricultural renown of the Syracuse of distant times, and by the application of more mind and knowledge, to a less exuberant soil in a less favored climate, bent on creating a new granary of the nations, an unfauling western store-house to a great and growing people.

It is a happy omen to me, coming among you for the first time, that I should meet to discourse with you upon scientific agriculture, in a city which recalls the vast fertility of the plains and slopes of Sicily—may the modern name like the ancient, descend to after times, associated with ideas of rich cultivation and prolific fields of corn!

It is not without anxiety, as you will suppose, that I appear for the first time before a large trans-atlantic audience. But though you are

American born, gentlemen, your faces are familiar to me. They tell me you have Scotch and English hearts, and I believe I may throw myself confidently on your kind indulgence.

I cannot presume to address you on the general importance of agriculture; its fundamental connection with the welfare and power of every state; the estimation in which it has been held in all ages and among every cultivated people; the natural proneness of man to till the soil; the pleasure with which the most talented men, and the highest in station, have always looked forward to the time when leaving business and profession and the cares of office to younger men, the small farm should alone employ their quiet leisure; nor upon the greater attention and respect which this art and its cultivators every where demand, and are every where receiving. These topics are familiar to you, and you are too rich in native talent to require a stranger to address you on generalities like these.

Nor does my very recent arrival in the United States, entitle me as yet to speak from my own observation upon the existing condition of agriculture on this side of the Atlantic. I have selected, therefore, as the subject of my present address, the existing condition of agriculture in Europe.

There are two very different ways in which I might bring this subject before you. I might illustrate in the abstract, the amount of practical and scientific knowledge which Europe possesses in regard to each of the departments of rural economy, which its climate enables it to prosecute. Taking the methods of the best practical men, and adding to these the knowledge of those most skillful in theory, I might present to you a picture, every detail of which was true, but the effect of which as a whole, would be to convey to you a most exaggerated idea of the actual condition of the art—even in Great Britain, where both in theory and practice it is supposed to be best understood, and most skillfully carried into operation. Or I might take you from country to country, and show you as we passed hastily along, the character of its rural population, the excellencies or defects of its cultural practices, the condition of its arable soils, the qualities and treatment of its cattle, and generally what is doing by governments and people in each country for the improvement of the rural arts. I should thus set before you a series of pictures, true, not only in detail, but in their general effects upon your minds, though not partaking of those broad and comprehensive views, which a sketch of European Agriculture, as one whole, would be expected to present.

I propose, to some extent, to follow both methods. After a brief outline of the state of practical agriculture in the leading countries of Europe, derived chiefly from my own observations, I shall endeavor to give you an idea of the position in which agriculture as an art now stands—of what is doing to advance it—and especially of the aids which science is now lending to the practical economics of rural life.

SWEDEN.—Commencing in the north of Europe with the Scandinavian peninsula, I would remark that in Sweden,—especially since the accession of the late king, Carl Jolian, better known by the name of Bernadotte—much attention has been paid to agriculture. The improvement and increase of the flocks of sheep for the growth of wool, the introduction of better breeds of stock, of newer implements, and of an improved rotation of crops—have successively received much attention; but of late years the great force of the people has been expended on the drainage of the lakes and marshes with which the country is so plentifully studded over. The agricultural societies of the provinces, in conjunction with the Academy of Agriculture in Stockholm, have devoted much pains to what may be called the arterial drainage of their several districts; and though the more refined method of improvement, known in Great Britain by the name of *thorough drainage*, has not as yet been anywhere introduced, it is only just to the energy of Sweden to say that no European people, in proportion to its natural resources, has done more during the last twenty years in the reclamation of improveable land from the dominion of overflowing water.

Further advances are also secured by the translation, especially from the English, of the best works on scientific agriculture, under the auspices of the Academy of Agriculture, and by the establishment of agricultural schools and model farms, one of which each province is expected in a few years to possess. Thus in Sweden, as in all other countries, the period of improvement by mechanical means will be succeeded by one of improvement by chemical means—the nature and economical application of which latter means, books and schools will have taught, when the time for more generally applying them shall have come.

RUSSIA.—In Russia, agriculture as a whole is in a very imperfect condition. Here and there, especially in the neighborhood of large towns like Moscow and St. Petersburg, laboriously and skillfully cultivated fields may be seen, while herds of improved Swiss and short horned cattle are carefully raised on the domains of the rich nobility. The Emperor also, who knows well the importance of this art to the strength and prosperity of his dominions, sets an example to his subjects by the efforts he makes to introduce a better system of culture among the serfs on the Imperial estates, by the establishment of schools for the instruction of farmers in art and experimental science, and by the maintenance of model farms upon the appanages of the crown. But Russia, nevertheless, is half a wilderness. Millions of acres of perpetual forest cover rich soils which there are no hands to till. The value of an estate is measured not by the number of acres it contains, but by the number of souls which live upon, cultivate, and are sold along with it. As in the first clearings of a North American wilderness, where land is comparatively worthless, the soil is cropped till it is exhausted, and then new land is subjected to the plow and exhausted in its turn. In no country of the world, with the exception of Northern America, is there so vast a field for the useful emigration of agricultural settlers, as in the mighty Empire of Russia. But language, and religion, and political institutions, oppose barriers which the Saxon, and I may say the Teutonic races generally, feel themselves unable to overcome.

GERMANY.—In order to obtain a correct opinion of the agriculture

of a country, a man must not only view the country with his own eyes, but his eyes must be taught both what to look for, and how to look for it. The reports of travellers who are unskilled in rural matters—the educational institutions of the country itself—and even its agricultural statistics, are all unsafe guides where a really correct appreciation is desired of its true position in reference to this important branch of social economy. This observation is illustrated by the actual condition of the several branches of rural economy when compared with the state of agricultural instruction, and with the attention that has been paid to statistics in the different kingdoms of Germany and France.

SAXONY.—In Saxony, a country greatly favored by nature in the character of its soils, the chief attention of the great landholders and of the government, has been long directed to the improvement of the breed of sheep, from which the celebrated Saxon wool is obtained. This state exhibits generally a very different appearance from the neighboring country of Bavaria. In passing from the latter kingdom to the former, you "seem to pass," says Mr. Royer, "from the desert into the land of promise." "Two-thirds of the rich proprietors in Saxony," he observes, "cultivate their own properties, and have established an order, neatness, and method, which, though far from agricultural perfection, you seek for in vain in France."

WURTEMBERG.—In the Kingdom of Wurtemberg, where the instruction at the agricultural school of Hohenheim and elsewhere, is better organized, and at this moment more famed, than in any other part of Germany, and where in fact, the art of culture as a whole is the farthest advanced, the general cultivation is described by Mr. Royer as being melancholy, and, at a distance from the capital, very different from what the eulogies of authors had led him to suppose.

BAVARIA.—In Bavaria we find an imposing array of institutions and means of instruction specially provided for the rural community, which are fitted to impress the superficial observer with a high idea of its agricultural condition. As in Wurtemberg, there is a central school of agriculture. There are also Chairs of Rural Economy in the Universities, and more than twenty Chairs of Agriculture in the Seminaries and polytechnic schools of the provinces, besides a general Agricultural Society, counting more than 8,000 members. These facts convey the impression of much zeal on the part of the government; much interest in agriculture on the part of the people; and an advanced state of the art of culture in the kingdom generally. But "the miserable aspect of Bavarian agriculture would lead one to suppose that all these means of encouragement are very inefficacious." (Royer.)

The schools are badly organized or conducted. The great landowners are indifferent on the subject, while the miserably defective condition of the roads and other means of internal communication indicate, that even the government which has organized all the formal apparatus we have mentioned, it is not itself alive to the most fundamental element of agricultural progress.

Prussia cannot boast either of its practical agriculture, or of its system of agricultural instruction. It is a proof of how very little has in past ages been done in the way of teaching the rural population the principles of the art of culture, that Prussia should so long have derived an undeserved celebrity from the existence of a private agricultural school at Moeglin, established in 1806, and conducted till his death in 1819, by the distinguished Von Thaer. After his death, the school he had founded was made a Royal Academy, and is still in existence. It contains at present only twenty pupils; and even in Von Thaer's time it never contained more than thirty-four. In the much praised primary schools of Prussia, a little instruction in gardening is the only teaching which bears an immediate relation to the future occupations of the rural population.

In the nature of its soils, indeed, which are sandy, light enough to be blown by the winds, and apparently almost sterile, Prussia has much to contend with. This is especially the case in its most ancient and central Dutchies. Westphalia and the Rhenish provinces are naturally richer, and are also more advanced and better cultivated.

Besides, until the revolution of the past year, the burdens of servitudes upon land, of a feudal kind—and of which in the New World you have no examples, except a few of a milder form in the seignories of Lower Canada—were so onerous and so unequally distributed, as greatly to retard the development of its agricultural capabilities. The state of the roads and other means of communication also, as in Bavaria, and the scarcity of large towns, have concurred with other causes, in retaining the agriculture of Prussia in a very backward condition.

HOLLAND.—If from the uplands of Germany we descend to the lowlands, and especially to that country which includes the islands at the mouths of the Rhine and the Scheldt, and the low country stretching northward to the Zuyder Zee and the Dollart, we shall find reason to stay our steps and to consider calmly the cause, and purpose, and extent of the wonderful system of canals and embankments which the kingdom of Holland presents.

In a sketch of European agriculture, indeed, Holland is deserving of distinguished mention. Above all other European people, the Dutch, though slow, have been patient and persevering in their agricultural labors. Occupying a few more elevated and fertile alluvial spots, in the midst of downs and bogs, and marshes and lakes, and the endless ramifications of many rivers, they have century after century, struggled against nature. Draining marshes, pumping out lakes, damming back seas and rivers, reclaiming bogs, fixing by art the wandering downs, interlacing their country with an interminable network of gigantic canals—by such labors as these, they have extended the productive surface of their country, secured its possession, and made its natural riches available. And what makes their praise the greater and more deserved, is the constant watchfulness and care which the retention of their country demands. Exposed on the average of the last thirteen centuries, to one great sea or river flood every seven years, the possession of the land they have gained is never secure. Lying below the actual level of the sea, large tracts of it are only preserved by the huge dykes that surround them,

and to maintain these dykes requires unceasing vigilance, and a large yearly expenditure of money.

And though in past times the Hollanders have done great engineering works, yet the spirit of the sires is not degenerated in their living sons. The draining of the Haarlem lake, now in progress, is the boldest mechanical effort ever yet made in the cause of agriculture in any country, and promises to add no less to the material wealth, than to the engineering and constructive fame of the United Provinces.

I feel a pleasure in thus adverting to the impression made upon my own mind, during my various tours in Holland, in the presence of a meeting of agriculturists, many of whom may inherit from the early settlers of New York, a portion of that industrious and patient blood, which makes every end sure to the determined and persevering man.*

I may mention as an indication of the early desire of the Dutch authorities to promote the diffusion of Agricultural knowledge, that a very old regulation prescribes attendance on agricultural lectures as a necessary branch of study to the established clergy of Holland.† And though in that as in many other countries, men of the old school at present act as a drag on the progress of scientific agriculture, yet enlightened and zealous men are at work in various parts of the Netherlands, and advance is gradually being made. The name of Mulder ought especially to be mentioned as most eminent among the scientific men of Holland, not only in advancing pure science, but in advocating and promoting its general applications to the agriculture of his native country.

ITALY.—From Holland turn for a moment to Italy, in which country drainage works somewhat akin to those of the Dutch, form the proudest monuments of which even that famed land can boast, of the victory which persevering intelligence can achieve over the difficulties and seeming hostility of nature.

Did time permit, I might present to you a most interesting historical sketch of the changes in agricultural condition and capability which that country has undergone from the period of the ancient Etrurians to the present day. And to the man of science, such a sketch would be the more interesting, from the circumstance that in all the changes that have taken place, the physical and geological structure of the country, has exercised a far more prominent and permanent influence, than either the remarkable industry and constructive skill of the Etruscan inhabitants, or the hostile incursions of its foreign invaders.

To the rich alluvial plains of Lombardy, of which rice, and Indian corn, and wheat and abundant milk, are the natural productions; and to Tuscany, in which something of the ancient industry and persevering practical skill of the old Etrurians; still survives, the agricultural inquirer must proceed to see the bright side of Italian cultivation.

But it is in Tuscany chiefly that he will find the most interesting evidence of the conquering power of the living mind over the obstacles of physical nature. The Maremme of Tuscany and the marshes of the Val di Chiana, like the Campagna and the Pontine marshes of the Roman dominions, have long breathed forth that pestilential malaria which, like the summer exhalations of the sea islands and river mouths of your Southern states, carries on its wings fever and lingering agony and frequent death. It is one of the great modern triumphs of engineering skill, applied to the promotion of rural industry—second only to the gigantic labors of the Dutch, of which I have spoken, and to the artificial drainage of our English fens—that the terrors of the Maremme have in a measure been bridled in—that the Val di Chiana, in so far as it lies within the borders of Tuscany, has been drained and dried—and that cheerful health and rich crops prevail over large tracts of country, in which it used to be almost certain death to linger.

Among a Republican people, I, who owe allegiance to a constitutional Monarchy, may be permitted to name to you Leopold the First, of Tuscany, as the principal author of all this good. Whatever our opinions on other matters may be, we shall all, I am sure, agree in this, that those men are great and worthy to be honored, who having been gifted by God with large means and great opportunities, make use of those means and opportunities for the glory of God and the good of their fellow creatures—who, instead of war and scarcity, and suffering and death, promote peace and plenty, and health, and the multiplication and prolongation of human life—the moral lesson of whose life inculcates the truth that man's proudest triumphs are not those he achieves over his fellows, but those which he gains over himself, or by which he compels the unwilling powers of nature to minister to the material comforts of mankind—who encourages what will unite instead of distract, what will cement instead of divide the nations of the world—as that broad belt of water which laves alike the shores of your country and mine, instead of separating, as in former years, now binds us together more closely than if the same continent contained us.

As the promoter of such ends for twenty-five long years in his country of Tuscany, the name of Leopold the First will not sound unpleasantly even in your republican ears.‡

* For a fuller account of the *Rural Industry and Drainage of Holland*, which I wrote for the Edinburgh Review, see vol. 86, p. 419 of that work.

† This must be considered an admirable provision, enabling the pastor to advise in regard to the temporal pursuits, no less than the spiritual affairs of his flock.

‡ To those who are desirous of obtaining the means of forming clear notions of the physical structure of Italy, of its climatic conditions in the times of the ancient Etrurians, and of the industrial skill as well as the social relations of this people, I venture to recommend a perusal of Denis's *Cities and Cemeteries of Etruria*.

§ For an account of the reign of Leopold, see Napier's *Florentine History*, vol. vi, and for a detail, with drawings, plans and maps, of the engineering operations by which the Maremme were dried, see

FLANDERS AND BELGIUM.—In Flanders, both Belgian and French, you are probably prepared for an admission on my part, of great agricultural skill and success. I am compelled, however, to confess my own impression to be, that a great portion of what has been written upon Flemish husbandry, partakes of the character of a romance.* The cultivators of Belgian Flanders have the merit of raising fair crops from certain tracts of poor and sandy soil, of husbanding and applying manures so as to keep such land in culture, and of skillfully varying their crops so as to prevent a premature exhaustion. But no knowledge of the general principles of agriculture is widely diffused among them. The improvement of wet and of heavy clay soils, except by open ditches, is almost unknown. Improved implements and thorough drainage, and modern modes of manuring, and some small instruction at least in the elements of science as applied to agriculture, have still to be introduced among them, before they can rank in general knowledge or in skilful practice with the farmers of Scotland or England.

And, indeed, in Belgium as in France, the progressive subdivision of property opposes a growing obstacle to that general amelioration of agricultural practice, which the wants of a numerous people, and the progress of knowledge demand. Where the average extent of properties and farms over a whole province is already reduced to about an English acre, we cannot look for the introduction of any of those improvements which demand the purchase of new or comparatively costly implements, the rearing and feeding of multitudes of stock, the employment of hired labor, or generally the application of capital to the land. As in Ireland, the subdivision or morcelling of the tillage farms, has already, in whole districts, been carried to the starvation limit. As into Ireland, the potato failure brought with it into Belgian Flanders, famine and disease, and large emigration,—and notwithstanding all that wise governments can do, it is to be feared that on the recurrence of similar visitations, similar social evils will in both countries again re-appear.

FRANCE.—In France I need hardly inform you that practical agriculture is far in arrear. In Normandy, the mixture of Teutonic blood has probably some connection with the superiority of the husbandry of this province as compared with most of the other parts of the kingdom. It is certain at least, that notwithstanding the many efforts made by persons in power to promote the introduction and adoption of better methods, the general farming of La Belle France advances with comparative slowness.

This country indeed presents another striking instance of the small connection which may exist between the existence of extensive means of agricultural instruction, provided by the central government, and the practical skill of the rural population.

In 1843 there existed in France one hundred and fifty-seven agricultural societies—six hundred and sixty-four agricultural committees—twenty-two model farms, some of which had schools attached to them—and fifteen schools and chairs of agriculture and agricultural penitentiaries. In the early part of 1849, under the auspices of the republican government, and as part of the plan of M. Foureau, then Minister of Agriculture, twenty-one farming schools had already been opened—a national agricultural university was about to be established on the farms in the little park of Versailles, and a hundred and twenty-two agricultural societies, and three hundred minor institutions, had participated in the funds voted for the encouragement of Agriculture.

Though it is unquestionable that a country may attain a high rank in agriculture without the aid of formal agricultural schools—provided, as in Scotland, other early mental training is placed within the easy reach of the rural population—and that in spite of numerous schools, if other obstacles intervene, the cultivators of a country may lag far behind—yet both common sense and experience show that of two nations of the same blood, placed otherwise in the same circumstances, the one which teaches the principles of agriculture in its schools, will exhibit the most productive harvests on its fields; and that as in England and Scotland now, a time will come in the agricultural history of every country, when old means and methods will fail to maintain the rural community in a flourishing condition, and when every new means of fertility which advancing knowledge can supply, must be made generally known, and become generally employed. Such are the simplest and most common sense arguments in favor of agricultural teaching—the inutility of which might be argued with some show of reason, from the comparatively small progress yet visible among the fields and farmers of France and Bavaria.

The agricultural statistics of France, which the government has collected and published in great detail, would supply many interesting subjects of reflection, were I at liberty to dwell longer on this part of Europe. I may only mention—as pregnant with thought and instruction in regard to the condition, the food, and the general mode of living of the rural classes of France—the fact, that the number of conscripts who are rejected on account of deficient health, strength and stature, is constantly on the increase; that forty per cent are turned back from this cause; and that though since 1789 the standard has been three times reduced, as large a proportion of the conscripts is below the required height, (now five feet two inches,) as ever.—Ruibichon. Such facts as this show how closely the discussion of agriculture is connected with that of the most profound social evils.

SWITZERLAND.—To Switzerland, I only allude as one of those countries in which the influence of natural intelligence and a fair share of early instruction, has been brought to bear most successfully on the improvement of the soil, and especially of the breeds of stock which are best adapted to its peculiar dairy husbandry. Those advances which require the application of capital and science, such

as thorough draining and special manuring, are there, however, still unmade; and it will probably be many years, before, in these respects, the cultivators of the Swiss valleys and mountain slopes, can closely imitate the present improved practices of the British Islands.

SPAIN.—The agricultural condition of Spain suggests melancholy reflections. The central table lands of this country* are reckoned among the first wheat growing districts in the world. The culture is rude and imperfect. The soil is scratched with a primitive plow, and is seldom manured, yet the returns are said to be prodigious, and the quality of the grain excellent. But where nature does much, man too often contents himself with doing little. Amid all this plenty, the peasant is miserable. He lives in a cabin of baked mud, or in burrows scooped out from the friable hillocks, ignorant of the luxury of furniture, and barely possessing the necessaries of life. The want of roads and of means of easy transport, makes his produce almost worthless, so that a comparatively spare population exists, and much wretchedness in the centre of fertile fields and a land abundant in corn.

We sometimes think ourselves unfortunate to have been born, or to be doomed to live where clouded suns impart a lessened light and heat; or where the frosts of winter bind up for many months the hardened earth. Yet in such climes, man more really lives, and exercises a truer dominion over inanimate things, than where tropical skies appear to prepare for him an unceasing enjoyment. Where mind and mental energy are dormant, he only vegetates or exercises his brute passions. Where by perpetual struggles he subdues the adverse elements, bends circumstances to his will, forces a copious abundance from an unwilling soil and in spite of inclement seasons—there he most truly lives, and amidst his hardships enjoys life most; there refreshing sleep visits him with her balmy breath, and in the power of mind over matter, which his success displays, he brings out more clearly the claim of man to a likeness with Him who is all mind, and to whose slightest intimation all matter bends.

GREAT BRITAIN.—In striking contrast to the case of Spain, is the agriculture of the Island in which I was born, and from which so many of your forefathers have come. I need not tell you of our uncertain climate—our fickle sky, our frequent rains, our late frosts in spring, our early frosts in autumn, the cold winds and temperate suns of our most favoring summer, the mists and fogs that settle over us at every season of the year. I only remind you of these things, and ask you to contrast with them the large crops we can reap, the high rents we can pay, the poor lands we have enriched, the local climate we have ameliorated, the wide wastes we have subdued beneath the plow, the northern districts we have tamed down to the production of wheat, the large population we have reared, and in ordinary seasons are still able to feed, and—amid all the croakings and complaints of individuals and classes—the vast amount of material comfort and of intellectual elevation which the island exhibits. How much kinder, on the whole, the Deity has really been to us than to prolific and sunny Spain; how much better our fortunes as a people, how much happier our individual lot!

PRACTICAL IMPROVEMENTS IN GREAT BRITAIN.—Among the greatest of those practical improvements in the treatment of the land, by means of which British agriculture has been advanced to its present condition, I may mention:

1st. *The alternate husbandry*—a judicious rotation of crops. In this walk Flanders was probably the earliest among modern European countries to make decided and important advances.

2d. *The introduction of thorough drainage.*—To a certain extent and in a certain way, under drains have been made in almost every country of Europe, and are at least as old as the time of the Romans. But the necessity and almost universal profit of the system as it is now understood and practiced, was first demonstrated in Scotland, and owes its general introduction to Mr. Smith, of Deanston.

3d. As the complement of thorough drainage, the introduction of *deep and sub-soil plowing.* These practices have renovated shallow worn out soils, by bringing up new materials; have opened a passage for the roots to descend deeper in search of food; and have provided a more ready outlet of surface water into the drains below.

4th. *The judicious and continued application of Lime*—according to principles now beginning to be generally understood. When applied without the requisite knowledge, or without regard to future consequences, the use of lime has been, and will still be, one of the most ready means of exhausting the most fertile soils.

5th. *The use of Bones*—in various forms, as an application to land in various conditions, and for the growth of various crops.

6th. Generally, what is called *high farming*, comprehending:

- The culture of green crops extensively.
- The making of rich home, and the purchase of valuable foreign manures of various kinds to a great extent.
- The rearing and feeding of improved breeds of stock, for the conversion of one form of produce into another, which meets with a ready market, or is otherwise more profitable.
- The custom of *fall feeding*, both for plants and animals, from early youth to full maturity.

It is the characteristic of this kind of farming, that it spares no reasonable expense—in implements, in manures, in labor—as all experience has shown that a liberal treatment of the land, makes the land liberal in return; and that to the stingy farmer, the land is most niggard of her crops.

7th. *The introduction of lighter and better contrived implements*, of machines to economise labor, and of horses having a quicker step.

Such are generally the practical methods or processes by which British agriculture has been advanced to its present condition.

Memorie sui Bonificamento delle Maremme Tuscanne, by Fernando Tarlini, Florence, 1838.

* *L'Agriculture Pratique de la Flandre*, par M. J. L. Van Aelbroeck, Paris, 1830; and *Memoire sur L'Agriculture de la Flandre Francaise et sur l'Economie Rurale*, par J. Cordier, Paris, 1823.

* The two elevated plains of New and Old Castile, and that of La Mancha, separated from each other by the granites and metamorphic rocks of the Sierra Nevada, are composed of a white limestone, occasionally covered with the drift of other rocks. These plains are burned up in summer, so as to yield no grass till the October rains fall, but they yield magnificent crops of wheat. (Sir E. Head.)

In connection with this improved condition of British agriculture, and the practices it involves, you will excuse me if I advert for a moment to one aspect in which British agriculture may be regarded, which at the present moment is most vitally connected with the interests of the English farmer, and may be neither uninteresting nor unimportant to you.

Were an intellectual foreigner, previously unacquainted with Great Britain, with the character of its people, or with its social condition, to be informed regarding this country, that though occupying only a small and thickly peopled corner of Europe, shrouded for many months of the year in fogs and mists, seldom and briefly visited by the fervid sun—never, I may say, by such a sun as now shines upon us—and raising its own grain crops with cost and difficulty to feed its rapidly increasing inhabitants—were he to be told that the Legislature of this country, in which the agricultural body is the predominating interest, had thrown open its island harbors to all comers, and trusting to superior energy, perseverance and skill, had invited even the most fertile and favored regions of the globe to a free competition in their own grain markets, fearless of the results;—apart from all fiscal theories or political views with which my profession and pursuits forbid me to intermeddle, I ask you, if such a foreigner, so instructed, could fail to admire the open boldness, to look with respect on the resoluteness of such a country, or to long for an opportunity to study, not only the character and habits of its people, but the modes of culture practiced by them, with so much success, in a region so unfavored by nature.

And were he actually to come among us, it would be easy for him having started from the Land's end, to proceed from one warm hearted and hospitable farmer to another, till the Pentland Firth arrested his course, and all his journey long he might converse with cultivators of ardent minds, full of practical and general knowledge, who in most unpromising circumstances refuse to despond, and while they see so much every where around them awaiting the hand of the improver, will not let slip the anchor of hope; who differing widely, perhaps, in politics, and as to the policy of certain fiscal regulations, yet feel alike that to resolute men the conquest of the stubborn land is as sure as the dominion of the sea; that new difficulties only demand new exertions and that new energies are equal to meet new emergencies.

On quitting the British shores, after such a tour, that foreigner would carry with him a true impression of the flower of English and Scottish Agriculturists, and his first admiration of the resolute firmness, and his estimate of the skill of the island farmers, would be confirmed and strengthened by his actual survey.*

In other parts of the world I might fear lest my audience should accuse me of over exalting, by such language as this, the character of my own country and its people. You, who feel so just a pride in the noble land you possess, will know how to make allowance for my pride in mine. But indeed whatever can be truly said of British farmers, may, I begin to feel, already be said, with almost equal truth, of the farmers of your Northern states. Of the west and south, I cannot as yet, from personal observation, speak. In Nova Scotia and New Brunswick, two younger provinces, I have seen a picture of what Maine and New Hampshire, and Massachusetts especially, have been; and in the gradual conquest which persevering labor has in these states achieved over drifted rocks and hungry gravels, and sandy barrens and ungenial swamps, I discover the resolute spirit still living of those men who centuries ago, dared to cross a then wide and little known sea, in search of new and freer homes, and whose descendants now till alike the soils of the Old England and the New. Time has not impaired the energy and enterprise of either; I believe I may say it has left their hearts unchanged too.

And now you are ready to ask me, what those, who in Europe are most in advance in the practice of the rural arts, look forward to as likely to help on agriculture still further. In what especially, you will inquire, do we of Great Britain trust, who have thrown down the gauntlet to the farmers of the world? These questions I shall answer by drawing your attention briefly, to what may be regarded as the characteristic or living feature of the agriculture of our time—what you no doubt expect me briefly to speak of, the direct applications, namely, of natural science to the several branches of rural economy.

The main purposes for which natural science is applied to rural economy, are—

First. To explain the reasons of practices already adopted, or of things already observed, and to supplant old and defective by new and better usages.

Second. To establish general principles, by means of which, a short cut is provided for the unlearned, to the knowledge, practical and theoretical, we already possess. A single principle explains and thus recommends or forbids many practices, according to the circumstances of the soil, place, or season.

Third. To enlarge our actual knowledge by new discoveries susceptible of practical application.

On these several objects of natural science, in its application to agriculture, it would be out of place at present to dilate. It will be sufficient if I briefly draw your attention to some of the general results, in reference to rural economy, at which science has already arrived.

With this view I might draw my illustrations from any one of the many different branches of natural knowledge. I might select for example:—

1st. The general relations of *Physical Geography* to the art of culture—such as

* For two recent estimates of the condition of Agriculture in Great Britain, see—
Weechellin. *Ueber Englische Land-wirtschaft und deren Anwendung auf Land-wirtschaftliche Verhältnisse insbesondere Deutschlands.* Stuttgart and Tubingen, 1845. And
Colman's *British Agriculture.* London and Boston, 1848.

a. The influence of broad seas and of great lakes and rivers, of tides, of sea currents, and of prevailing winds, on the capabilities of a country, and the practices and profits of its cultivators.

b. The influence of mountain elevations and depressions, of high table lands and of low level plains—or

2d. The general indications of *Geology* in regard to the fertility of a country, the branches of husbandry to which it is best adapted, and the means by which its fertility may be best promoted.

The Geological Map of this State, and the volumes of the Natural History Survey, afford abundant illustrations of this science to practical agriculture—or

3d. The relations of *Meteorology* and *Botany* conjoined—such as
a. The adaptation of certain plants to certain climates—of sugar, cotton and rice to warmer; of buckwheat, and Indian corn and wheat, to warmer and drier; of rye, barley and oats, to colder and more uncertain climates.

b. The nature of rust, smut, mildew, the maize brand, &c., and the circumstances of local climate most favorable to their appearance—or

4th. The relations of *Geology* and *Vegetable Structure* conjoined—such as

That certain plants and soils are mutually adapted to each other, because of the special structure and natural habits of the plants, and the physical characters only of the soils.

The valley of the Mohawk, for example, is remarkably prolific in Indian corn, and raises comparatively little wheat—while the district of Syracuse produces wheat abundantly, and is less favorable to corn. So in Great Britain and Ireland, we have our turnep and barley soils, distinguishable readily by the practical man, from the wheat and clover soils. These differences are independent of chemical composition, and are not to be explained upon chemical principles. They are dependant upon the special relation which the structure and natural habits of the plants bear to the physical characters of the medium in which their roots are made to grow—or

5th. The general indications of *Geology* and *Meteorology* conjoined—such as

The relations of the nature of the rocks, of the soil, and of the fall of rain taken together—

a. To the necessity for under drainage, and the means of effecting.
b. To the necessity for artificial irrigation, and the easiest mode of obtaining a supply of water for the purpose—or

6th. The general relations of *Zoology* and *Animal Physiology*.

a. To breeds of domestic animals, and to the preservation of their purity.

b. To the rearing, feeding and general tending of stock.

c. To the agency of animal life in fertilizing the soil.

d. To the attacks of insects upon our cultivated crops—or

7th. The general indications of *Chemistry*—such as

a. That a fertile soil, in addition to various organic compounds, contains at least eleven different mineral substances.

b. That plants contain, usually, or in most of their parts, the greater number of the same mineral substances.

c. That the animal, as a whole, also contains them, but distributed throughout its several parts in a manner different from that in which they are found, either in the plant or in the soil.

d. That the plant standing, as it were, between the soil and the animal, prepares for the latter both its organic and its mineral food.

e. That an intimate and beautiful relation exists between the soil, the plant and the animal—or between the living and the dead things of nature—or

8th. The general indications of *Geology* and *Chemistry* conjoined—such as

a. That certain Geological formations are especially rich in some of the mineral substances found in and required by plants, and produce soils which with special treatment will prove fertile and profitable to the cultivator.

b. That others are especially defective in some of these substances, and form soils which are naturally unproductive.

c. That some abound in all the kinds of mineral matter which plants require, and yet yield soils which are naturally unfertile.

I. RELATIONS OF GEOLOGY TO AGRICULTURE.

From any one of these general topics, I might select beautiful examples of the close bearings of science upon profitable farming—but time does not permit me to illustrate in detail any one of the general relations to which I have referred. A few observations, however, in reference to the special applications of *Geology* and *Chemistry*, will neither detain us long, nor prove, I believe, generally uninteresting.

In reference to *Geology*, I could have wished to point out to you the very close economical connection which recent discoveries have established between practical geology and practical agriculture—how the manufacture and abundance of valuable manures, for example, is actually dependant on the progress of geological discovery. I must be content, however, with a brief allusion to the geology of the United States.

There are few countries, indeed, which more clearly than your own, show the relations which geology bears to agriculture in all its branches. Your wide prairies are naturally distinguished from your vast forest lands, by the character of their soils, and these again by the geological structure of the regions over which they extend, and from which they are generally derived. The broad treeless zone of calcareous marl, or rotten limestone—called the prairie or cane brake country—which crosses Alabama in an east and west direction,* owes its natural nakedness to the dry, waterless, chalky deposits, which for a depth of hundreds of feet form the uppermost rocks of the country; and the tenacious, soapy, unctuous quality of the soils, with which the carriage wheels of travellers in that State, in wet weather, become familiar, is owing to the same cause.

So your zones of differing timber, as you ascend from the alluvial

* Lyell's Second Visit to the United States, pp. 42, 89.

swamps of the shores in your southern states, across the eocene and cretaceous beds to the mica slate, gneiss and granite of the Appalachian chain, are the consequences and indications of diversities in geological structure. The swamp willow, the cypresses, (*thyoides* and *disticha*) the swamp hickory, the green palmetto, the tall magnolia, the red maple, and the cotton wood of the lowest swampy spot—the hickory, oak, magnolia, beech, walnut, tulip tree, and holly, of the dry, alluvial bluffs—the perpetual pines of the tertiary (eocene) sands—the naked prairie of the cretaceous marls—and the mixed oaks, hickory and pines which appear on the primary rocks—all these zones of different timber indicate the natural connection of the vegetation of a district with the nature of the rocks on which it rests.

Nor are these geological relations of vegetable life without their influence on the daily movements of your shifting population. I have elsewhere shown how directly the movements, the natural expansion I may call it, of our first class farmers in Scotland, is not only influenced but actually, as it were, prescribed, by the geological character of the district in which they have been brought up and to which they intend to move.* So it is among you. "Those who go southwards from Virginia to North and South Carolina, and thence to Georgia and Alabama follow, as by instinct, the corresponding zones of country. The inhabitants of the red soil of the granitic region keep to their oak and hickory; the 'crackers' of the tertiary pine barrens, to their light wood; and those who inhabit the newest geological formations in the sea islands, to their fish and oysters."†

And to this illustration of a fact, which may be proved, I believe, by observation in every country of the globe, Sir Charles Lyell, adds a sentence, from which I am sure you will at once draw an important, practical lesson. "On reaching Texas, all these different classes are at fault, because the cretaceous strata in that country consist of a hard, compact, siliceous limestone, which defies the decomposing action of the atmosphere, and forms table lands of bare rock, entirely unlike the marls, clay and sand, of the same age, in Alabama."‡

The tillers of the red land, of the pine barrens, of the marshy prairies, and of the sea island swamps, are equally at a loss when they migrate to a country of which the soils and surface differ from all they have left. And how is this? Because they have no familiarity with those general principles of chemical science on which all culture on all soils depends—because, if they wish to continue the same kind of tillage, and on soils similar to those they have left, they have not such a knowledge of the general principles of Geology as would enable them at once to say, to this or to that country, I must go, for there alone am I likely to find them.

In my own country, I have been accustomed to press upon the agricultural community the importance of such geological knowledge to them, because of the numerous colonics we possess in all parts of the world, and because of the swarms of emigrants we yearly send off to subdue and people them.‡ But to you whom I now address, who already occupy, or in connection with kindred blood are destined to subdue and people nearly half a world—how much more important must such knowledge be! Your westward movement will continue for many generations, and how much surer will the way to wealth be to your hardy pioneers, if they have been taught in their early homes, not only only how to choose land, but where to look for the kind they wish to buy, and how to till it best, whatever it may be, when it has come into their possession.

I ought, perhaps, to apologise for saying so much on this subject. To you, who have expended so much public money and so large a measure of talent in developing the geological structure and natural resources of this and other states, it may appear presumptuous in me to urge further upon your attention, what you have shown that you already so fully appreciate. I may plead as an excuse, that in a country where all action originates, and all power centres in the masses, a brief discussion of the subject before a great meeting like this, may help new listeners towards a proper general estimation of the practical value of science—and that what I have said will not fail in being useful to scientific agriculture, if it convince a single undecided voter in this great commonwealth of the worth of those aids which science offers you, in developing the resources of the soil.

II. RELATIONS OF CHEMISTRY TO AGRICULTURE.

Permit me now to say a few words on the subject of chemistry, in its relations to agriculture.

The special applications of this science, as many of you are already aware, are far too multiplied to admit even of enumeration. Of the practical ends which have been more or less perfectly attained by means of chemistry, I might mention such general ones as these:—

1st. In what general exhaustion consists, how it is produced, and how it may be repaired?

2d. In what special exhaustion consists, how it is brought about, either naturally or artificially, and how it is to be corrected?

3d. What plants, in general require to make them grow well?

4th. What manures ought to contain, to be generally serviceable; what, with a view to special purposes, they ought specially to contain; and how they are to be artificially prepared?

But such topics are too general and indefinite to make a sure impression on the mind of the practical farmer, in the brief moments I have spent in enumerating them.

I mention further, therefore, such special points as the following:—

1st. How to bring crops to earlier ripeness in late and elevated districts.

2d. How to reduce the straw producing tendency of the land.

3d. How to hasten or promote, or to push forward laggard, yellow, and stunted vegetation.

4th. How to strengthen the straw of your grass crops, where they are liable to be laid.

5th. How to fill the ear and make it larger, where long culture or natural poverty has reduced its size.

6th. How to improve the deficient feeding quality of turnep, and other root crops, when grown on mossy land.

7th. To quicken the organic matter in dead, deaf, or peaty soils, and make it available for the nourishment of plants.

8th. To prepare artificial manures, which shall nourish any crop on any available soil.

9th. To promote growth on slow, and to retard it on quick soils.

10th. On newly brought up subsoils, and on trenched land, what manures ought to be used, and why.

11th. Why a rotation of manures, as it is called by practical men, is necessary, and where.

12th. That the use of lime to a certain extent, and in a prudent way, is necessary to the highest fertility.

13th. That saline and nearly all other manures, do more good upon light and open, than they do upon stiff and close soils, and why.

14th. How to economise the consumption of vegetable food, and to adapt it to the purpose for which an animal is fed.

15th. How to prevent the disease called *fingers and toes* in turneps and other roots, and how to render mildew and ague equally rare.

To do these and many similar things economically, skilfully, and with more or less success, are among the practical ends to which chemical investigations have already led us.

They also supply answers to many practical questions, such as:—

1st. Why cabbage crops so greatly exhaust the soil, and how such exhaustion is to be repaired?

2nd. Why tares cut green exhaust the land, and give inferior wheat?

3d. Why tares are seldom good after crops of clover?

4th. Why lime produces a more marked effect on one soil than it does upon another?

5th. Why one variety of lime is more useful generally, or in particular districts on particular farms and fields, than another?

Of special points and questions, I could enumerate many more, in regard to which chemistry may be said to have been, or to be capable of becoming, of obvious money value to the farmer. Even to such of you, however, as have not much attended to this subject, the above examples will sufficiently indicate both the kind of connection which exists between practical agriculture and practical chemistry; and the kind of uses to which such scientific knowledge may hereafter be put, in advancing the important art, which it is the first wish of this great Society, and the individual interest of many of its members most zealously to promote.

LIMITS OF HUMAN SKILL.—But in dwelling upon and illustrating what is already in the power of man, and what he hopes to attain in reference to agriculture through the aids of science, I would not forget to acknowledge how very limited his knowledge is, and how feeble his capacities after all.

A mysterious fungus attacks the potato, and for years spreads famine and misery, and discontent and depression, among millions of industrious farmers.

A minute fly, season after season, hovers over our wheat fields, and from entire provinces and states almost banishes the cultivation of our most important grain.

A long continued drouth, such as half a century past has scarcely seen, dries up our meadows and pastures, and drives the farmer to his wits end, to obtain winter sustenance for his necessary stock.

Such things as these ought to prevent us from boasting of our knowledge, and to enforce upon us that piety and humbleness of spirit which rural occupations themselves so naturally foster—while at the same time they should not restrain us from any effort or inquiry by which the evils themselves may be mitigated or removed.

It is possible—nay it is almost within the bounds of a reasonable expectation—that the same intellectual research which has given us dominion over the proud waves—has made cut the laws by which hurricanes are regulated—has already almost freed us from their most fierce influences—and has forced the fiery lightning to descend harmlessly from heaven—that the same research may finally free us from the visitations of the fungus and the insect, and may place the dreary drouths of summer under reasonable control. Such hopes we may entertain, not as sources of pride, but as stimulants to exertion—for in so greatly rewarding the past exercises of our intellectual powers, the Deity obviously intends still further to excite us to study and extract good from the living and dead things of nature, over which he has given us a general dominion.

OBSTACLES TO PROGRESS.—There are, however, in every country, certain obstacles which oppose themselves to the progress of scientific agriculture, as a branch of knowledge, or to its practical application in the improvement of the soil.

I do not refer to those physical or local obstacles of climate, elevation above the sea, low prices, distance from markets, and so on; but to those social and class obstacles which, in so many places, and in so many ways, interfere not only with the rapid extension of our knowledge, but with the diffusion of what we already possess as to the application of science to the rural arts. I may enumerate as belonging to obstacles of this kind:

1st. The aversion to theory, as it is called, which is so generally professed by practical farmers in most countries of the world. Rash and hasty theorising in regard to agriculture, it is right to reject; the error lies in confounding with such theory every thing that does not appear to bear directly upon the more common operations of the farm—as if chemistry, or the chemist for example, could be of no use to the farmer, because he does not interfere with the handling of the plow—or with the shape and management of the drill machine, or the harrow.

2d. The small amount of talent hitherto in all countries considered necessary to fit a man to become an excellent farmer. This not only lowers the general education and attainments of the agricultural class, and the estimation in which they are held—but it unfits them,

* See an article in the Edinburgh Review for March, 1849.

† Lyell's Second Visit to the United States, p. 110.

‡ See the Author's *Elements of Agricultural Chemistry and Geology*, Fifth Edition, p. 616.

as a body, readily to appreciate the labors, or to listen to the counsels of men of science, however prudent and practical they may be.

3d. The special deficiency, among all grades of the agricultural community, (in England among landlords, among tenants and among laborers,) of any instruction in the elementary parts of those branches of knowledge by which the principles of agriculture are especially illustrated.

4th. The extreme sub-division of the land, which you may not see in this country for many generations, but which already exists as a great evil in some of the countries of Europe. It prevents the use of improved implements, and therefore the encouragement of agricultural mechanics—because the farmer is too poor to buy anything but the merest necessities. It prevents also the purchase of manures, natural or artificial, to any extent—the employment of paid labor in farming—and generally all those forms of improvement which demand an outlay of capital, or to which the occupation of a considerable breadth of land is a necessary pre-requisite.

5th. An obstacle peculiar to your country, and to its present transition state—and it is really a serious obstacle to improvement—is the feeble local attachment by which the proprietors of the more newly settled districts are bound to their farms. This appears in the fact that so many of your farms are for sale. Few families have yet become so attached to their locations as to be unwilling to sell them, if a fair offer be made. The head of the family trusts to his own skill to do better elsewhere for all his household, with the money for which they may be sold. This state of things will pass away as age creeps over your commonwealths and institutions, but in the meantime it operates as a serious hindrance to the expenditure of money in embellishment or in costly improvements, which might possibly not enhance, in a proportionate degree, the value of these properties in the market.

I merely mention these social obstacles, for although some of them do, as I am informed, exist to a certain extent in this State of New York, yet I would rather express my high opinion of the much good I have found among you, than appear to detract from your just deserts, by discovering and commenting upon wants and defects which in your hurry to get forward, you have as yet scarcely had time to discover, much less to supply or remove.

ENCOURAGEMENT TO AGRICULTURAL SCIENCE IN THE UNITED STATES.—Of the good I see, for example, I may specify the enlightened desire exhibited by your several *State governments*, to promote the applications of science to your home agriculture, as it is strikingly shown in the numerous surveys and reports which they have caused to be made and published, in respect to the geology and agricultural capabilities of the several parts of the Union. In this respect your State of New York occupies a most distinguished position, and its inhabitants will no doubt reap from their well directed exertions, a rich harvest of deserved fruit.

Again—this great Agricultural Fair, the implements and stock here exhibited, the countless numbers who have entered the show yard to see them, and who now surround us—impress upon a foreign visitor, the obvious usefulness and efficient management of your Agricultural Societies, how much they are doing, and how zealously they are supported. To those at a distance, who cannot look upon you with their own eyes, your annual publications speak. I have myself been both interested and instructed by the former volumes of the *Transactions of your Society*, and I have heard them, in a public meeting in Scotland, most highly spoken of, and favorably contrasted with the published proceedings, even of the Highland and Agricultural Society of Scotland. It gives me pleasure to express my opinion, that the volume for the present year is not only equal to its predecessors, but contains matter highly creditable to the Society, and useful to the advancement of scientific agriculture.

Farther—the interest which, as individuals, you take in the promotion of agriculture, by the acquisition and application of new knowledge, may be gathered from two circumstances—*first*, from the establishment and liberal endowment of chairs of science in connection with agriculture, by private parties, in two, at least, of your state universities—a liberality at once most patriotic and most judiciously applied; and *second*, from the causes which led to the recent visit to Europe of your countryman, Mr. COLMAN. Him we were led to look upon as a deputy from the individual farmers of this and the adjoining states, to the farmers and agricultural assemblies of Great Britain—for it was your individual encouragement and subscriptions, I believe, and those of your societies, which induced and enabled him to come among us. As your deputy, he was every where received—every where kindly, I believe, as so kind-hearted a man deserved to be—and every where with a desire to give him the fullest information on every subject that might be useful to you.

Gentlemen, in the minds of some of your countrymen whom I have met, not so I hope in yours, a wrong impression exists as to the feelings of my countrymen towards you as a community, or as individuals. We do not envy or regret your rapid growth and prosperity as a people—we are proud of it. We do not dislike you individually—we are predisposed, rather, to see good in you and to like you. Whatever sour men on either side of the water may say, you may rest assured that there is a corner in almost every heart at home, which especially warms towards the North American, whether from the Colonies or from the States, and a warm seat at many a fire side, if he will come and occupy it. It may be old fashioned, gentlemen, but we all still think at home that blood is thicker than water, and if any of you doubt it, we beg you, like Mr. COLMAN, to come among us, and honestly and frankly to try whether it is so or not.

If I were asked to give a special reason why a knowledge of the scientific principles of agriculture is more necessary among you than among any other existing people, I would mention the great extent of your territorial dominion, and the varied soils, climates and cultures, which your people encounter, as your dominion over the forest and prairies extends. When you take this fact in connection with another, which is no less familiar to you, that a general set of your population, like a great moving tide, is carrying them towards

the south and west—so that the old tillage and crops of one year are often deserted by the mover for a new form of tillage, and the culture of new crops in the next—you will see how useful to the shifting agriculturist himself it must be, and how beneficial to the whole community, that he should possess some degree of familiarity with those principles, not only of Geology to which I have already made especial allusion, but of Chemistry and Botany also, which shall enable him in whatever circumstances of soil, of climate or of tillage he is placed, to make the most of the advantages he happens to possess—to overcome most easily and most economically the difficulties he may have to encounter—and to employ at once his head and hands with skill in bettering his local condition.

As an agricultural people, you possess many advantages over the nations of Europe. You are not old enough to have acquired district and state prejudices, which are difficult to overcome, and which in many parts of Europe, long oppose, successfully, the importation of improvements from abroad.

I may mention, as a most intelligible illustration, the introduction of implements imported from other countries, which in Europe is a very slow process. The swing plow of Scotland, for example, has made its way into many districts of England, has been extensively introduced into some parts of France, Holland, Sweden, and even into Poland and Russia. But into Germany, where attachment to the old tools and methods is so very strong, it makes its way very tardily. And I advert to this instrument—this fundamental instrument, I may call it, of the practical farmer—because I find it mentioned to your credit, by a German writer, that the swing plow has had a much more willing and ready reception among you than among his own countrymen, and that Germany has already received many excellent swing plows from America.* I have seen plow irons of Scottish manufacture, in use in various parts of North America. It is said that plow irons in considerable quantities are now exported from the States in considerable numbers to England.

Whatever is good in other countries, you are very much in a condition to adopt at once. You have, as I have said, fewer old forms to break through, old methods to abandon, old tools to lay aside, and old rules and regulations to abolish. Above all, as proprietors, you work every man for himself and for the profit of his family. Not only are feudal superiorities, servitudes, serfdom and tithes, unknown among you, but even rents are not, as with us, to be made up on two dark days of every year. What ought to stand in the way then of your rapid progress in this most important art?

Another great advantage possessed by the agriculturists of this country, you will both understand and estimate. As a nation you commence your agricultural career at the point which we have attained. The eminence which we have reached after long climbing, you start from. You have the benefit of all our knowledge and experience, and—unwearied with previous labor, or satisfied with the idea, as too many of our farmers are, that you have already done very much—you must progress beyond what we have at present attained to. And with the intellect and energy you inherit, you must and will progress. It cannot fail indeed to prove a great blessing to mankind at large, that so many new minds, unfettered by old restraints of prejudice or partial legislation, or conventional custom, are now directed in this country towards the varied arts of social life. Especially must intellectual exertion on your part, in reference to any of the arts of life, benefit us in Great Britain—whom a common parentage, individual ties of blood, and a unity of speech, connect, and whom now the broad Atlantic, more than bridged over, almost brings together again into a common home. What you think, reacts upon our thoughts; what you speak, insensibly affects our speech; and your literature and ours, are read and have their influence in both countries. What each discovers sooner becomes property of the other, than in the case of nations who speak different tongues; and a step in advance on either side of the Atlantic, carries the arts of the other side along with it. We are not selfish—perhaps I might say we are eminently unselfish—in wishing you to become agricultural improvers. But of all the arts, it may be said more truly of agriculture than of any other, that it is of no country. The producer of the common staff of human life, ought in all its perfection, to be the common property of all. In rivaling each other in our endeavors to push forward this highest art of life, Britain and America will be striving only which can do most for the human race. And if we in Britain should benefit hereafter by the advances you are destined to make,—beyond what you have obtained from us,—it will enable us only the more speedily to aid in diffusing a knowledge of these advances among the other nations of the globe.

What is the moral of this discourse—what its immediate application to you whom I have the honor to address?

Is there improvement any where—let it be seen among you. Is there agricultural progress any where—you ought not to stand still. Are there means of bettering the mode of culture any where—you possess the same. Is there greater knowledge any where—it is within your reach. Is there energy and determination any where—these qualities are inherited in as great strength by you as by any other people. Is the climate favorable any where for special kinds of culture—you possess all climates, and may take a leaf from the farming book of every country. Is knowledge necessary anywhere—it is so among you; if not because of an over-crowded, yet because of a constantly moving, and at present rather retrograde agricultural population.

And if in consequence of its progressive tendency, the Teuton blood of the Anglo Saxon shade, is destined, as some believe, to conquer and possess this vast continent from sea to sea; it is surely the wish and purpose of the Deity, that such possession should be made a source of happiness both to the ruling and to the ruled, and a means of furthering at the same time, that general advancement of the human race which all philanthropists so ardently anticipate.

* *Ueber Englische Landwirtschaft von A. von Weckherlin. Stuttgart, 1845, p. 81.*

But this conjoined happiness and progression demand the constant aids of augmenting knowledge. In your western migrations, you must bear with you, to plant on your new soil, the arts and sciences and daily discoveries of the east; and thus will population and civilization extend together to the shores of the wide Pacific.

And among the branches of knowledge which you will most usefully carry with you, those which relate to the arts of rural life, will, above all others, contribute largely to the temporal welfare of your spreading people. That which we know in England, you soon learn to master and apply here; and what is known in the Empire State, ought, in like manner, to diffuse itself hence over the vast dominions of your great confederacy.

Though I have considered it my duty, in conformity with your request, to lay before you the observations I have put together in the present address—it would be presumptuous in me, after what I have seen in this show-yard, and in this city, to suppose that any thing I could say, would materially hasten the progress of agriculture among you, or turn you into any better paths than those you have already begun to follow. If any man wishes an evidence of what you are in energy, and what you are capable of in action, let him come to Syracuse, and look around him. It was brought as an action against the ancient Romans, that they made a country desolate, and called that peace. It is the nobler praise of the great modern Republic, that you find a country desolate, and cover it with people—a wilderness, and you plant it with fertile farms—furnished with rare wigwam encampments, and you strew it over with splendid palaces and great cities. Energy, discernment, constructive talent and administrative skill, must all be united to accomplish such results, so rapidly, so safely, so securely. I thank you for inviting me to come among you, that I might see all this, and might enjoy the gratification which the sight of progress of such a kind imparts. It will be to me a source of future satisfaction, if I shall be able, on reflection, to believe that my visit to your country has in any way contributed to the further or more safe advancement among you of that pursuit, which is the surest support of nations—whether in the Old World or in the New.

New-York State Agricultural Society.

Annual Meeting.

The New-York State Ag. Society convened in the Assembly Chamber, at 12 o'clock on Wednesday, the 16th Jan., 1850—the President not having arrived, on motion of B. P. JOHNSON, Esq., Hon. JOHN P. BEEKMAN, ex-president, was called to the chair.

B. P. JOHNSON, Esq., Secretary of the Society, read the annual report of the Executive Committee, detailing the operations of the Board for the past year, which was listened to with great interest. Their labors have been, in every respect, eminently successful, and it is believed that the influence and usefulness of the society is rapidly extending, not only over our own state, but to most of the other states.

The report, on motion of Mr. CHEEVER, was accepted, and ordered to be embodied in the Transactions of the Society.

L. TUCKER, the Treasurer of the Society, read his annual report, showing these general results:—

RECEIPTS.

Bal. in the treasury, Jan. 17, 1849,.....	\$433 53
Sale of mortgage given for money previously loaned,....	2,000 00
From the State Treasury,.....	683 23
For memberships at annual meeting,.....	97 00
Interest on investments,.....	250 00
Temporary loan,.....	593 61
Receipts at State Fair at Syracuse,.....	8,144 55
John A. Taintor, Hartford, Conn., for extra prize on Sheep,.....	100 00
Sundry other sums, amounting to.....	72 50
	<hr/>
	\$12,674 44

PAYMENTS.

Debts of 1848,.....	\$2,037 15
Premiums,.....	4,397 66
Salary and travelling expenses of the Secretary, and salary of Messenger,.....	1,410 88
Expenses connected with the State Fair,.....	792 79
Repayment of loan,.....	600 00
On account of Library and Museum—Repairs of Agricultural Rooms—Incidental Expenses, &c., &c.,.....	1,334 66
	<hr/>
	10,573 14

Balance in Treasury, Jan. 16, 1850,..... 2,101 30

\$12,674 44

On motion of Mr. ENOS, the report was accepted, and ordered to be printed with the Transactions.

On motion of Mr. T. C. PETERS. it was ordered

that a committee of three from each judicial district be appointed, to report the names of officers of the Society, and to recommend the place for holding the next Annual Fair.

On motion of Mr. T. SMITH, the delegations from each judicial district, were directed to select their respective members of the committee.

The several district delegations then retired to select their committees, which duty having been performed, and the names reported, the nominations were confirmed.

Mr. PARDEE, before this committee, desired to present a resolution in accordance with instructions from his county, urging that two fairs be held next year—the State to be divided into two districts with reference to them. He stated that the county Society of Wayne had adopted this plan, and with great advantage, and desired to see the same thing by the State Society—and chiefly because the tendency would be to keep up the interest in these fairs, by holding them every year both in the eastern and western parts of this state.

Mr. CHEEVER suggested that this could not be done without an alteration of the Society's constitution—and perhaps the assent of the Legislature. It would also be equivalent to dividing the Society into two. But, in any event, it was a matter with which the committee just appointed had nothing to do, unless the Society had the power thus to divide itself, and should do so. If that was done, the committee should know it before acting.

Mr. PARDEE explained that the proposition was not to divide the Society, or to have two organizations—but on the contrary, that its union should be continued, and that under one organization two fairs should be held each year.

Gen. VEILE moved a reference of the matter to the committee just appointed.

Mr. SHERWOOD suggested a special committee—it being a matter of considerable interest at the west.

Mr. T. C. PETERS moved to lay the whole subject on the table, which was agreed to.

Recess until 4 o'clock, P. M.

Four o'clock, P. M.

Mr. ENOS, of Madison, from the nominating committee, reported the following persons as officers of the Society for the present year, and they were unanimously agreed to, by ballot, by the Society:—

President—E. P. PRENTICE, Albany.
 Vice Presidents—AMEROSÉ STEVENS, New-York; LEWIS G. MORRIS, Westchester; ANTHONY VAN BERGEN, Greene; Z. C. PLATT, Clinton; J. B. BURNET, Onondaga; E. C. FROST, Chemung; OLIVER PHELPS, Ontario; NELSON VAN NESS, Chautauque.
 Corresponding Secretary—B. P. Johnson.
 Recording Secretary—J. McD. McIntyre.
 Treasurer—Luther Tucker.
 Executive Committee—B. B. Kirtland, J. J. Viele, H. Wendell, A. Thompson, Henry Wager.

The same committee, to whom was also referred the question of selecting a suitable place for holding the next Cattle Show and Fair of the Society, reported in favor of holding it at Albany, if the citizens furnish funds sufficient to erect such buildings, &c., as the executive committee may require for the purpose of the Society.

Mr. BUTTERFIELD's resolution relative to holding a four days' fair, was referred to the executive committee.

A communication was then read from JAMES COWDEN, Esq., American Consul at Glasgow, informing the Society of a fair to be held in London, for the exhibition of the industry and arts of all nations, during the summer of 1851, and expressing the hope

that American arts, manufactures, &c., &c., would be well represented.

Also, a resolution by Mr. JOHNSON, inviting the agriculturists, manufacturers, mechanics, &c., to prepare for the exhibition, and offering the aid of the Society, so far as their powers extended, to facilitate those who might be desirous of competing at the exhibition.

Mr. PETERS suggested that this Society send to the said fair all the various samples of Indian corn raised in this country.

Mr. BALDWIN hoped the Society would not confine itself to the samples of Indian corn raised in the country, but send other articles to this great gathering of nations. He hoped, not only that articles would be sent, but that the Society itself would be represented there. He spoke of this as being the first meeting to which the mother country had invited us, and trusted all parts of the Union, especially the Empire State, might be well represented on this great and glorious occasion.

A motion was made to refer the subject to a select committee, but was subsequently withdrawn, and the entire matter, together with a resolution by Mr. BUTTERFIELD, recommending to the executive committee to offer a premium of \$100 on such article as takes a premium at said fair, was,

On motion of Mr. FOOTE, referred to the executive committee with power.

A communication was received from Dr. LEE, of the Washington Agricultural Rooms, in relation to distributing agricultural tracts. Referred to the executive committee.

Mr. PETERS offered a resolution, directing the executive committee to ask of the Legislature, in addition to their annual appropriation, the sum of \$250 for improving the library of the Society, and \$150 for the Museum. Adopted.

Mr. SMITH offered a resolution directing this Society to memorialize Congress for the establishment of an Agricultural Bureau.

The resolution was ably sustained by Mr. BALDWIN, and adopted.

Mr. CHEEVER gave notice of a resolution to amend the Constitution of the Society in such a manner as to retain ex-officio Presidents of the Society upon the executive committee.

Upon this announcement of a notice, a protracted debate sprung up, and was continued until the adjournment.

The Society again convened at the Capitol in the evening, and listened to an excellent lecture by Prof. JOHNSTON, on the connection of Chemistry with Practical Agriculture.

Thursday, Jan. 17.—The Society met at their Rooms, at 10 o'clock, when the reports of several committees were read, premiums paid, and a variety of other business transacted,—after which they adjourned to meet at the Capitol in the evening.

At half-past seven, the President, Hon. JOHN A. KING, called the meeting to order. After the reading of some reports not previously made, the President delivered his valedictory address, which was listened to with great interest; and at its conclusion the President elect, E. P. PRENTICE, Esq., in a very appropriate manner, tendered the Society his thanks for the honor conferred upon him.

Hon. J. P. BEEKMAN offered a resolution tendering the thanks of the Society to Mr. King for his able and instructive address.

Also to the other officers of the Society for the able discharge of their duties during the past year.

Mr. CHEEVER offered a resolution tendering the thanks of the Society to Prof. JOHNSTON for his

eloquent address at the State Fair and for the able and interesting series of lectures recently delivered.

Mr. JOHNSON offered the following resolutions, which were unanimously adopted:

Resolved, That the members of this Society cherish with deep respect the memory of the late HENRY COLMAN—a gentleman long and well known for his active zeal in the cause of Agricultural improvement, and especially for the many interesting and instructive effusions of his pen on the various branches of rural economy.

Resolved, That we sincerely sympathize with the family of Mr. COLMAN in the painful bereavement they have sustained; and that the Secretary forward to them a copy of these resolutions.

On motion, it was agreed that the Executive Committee meet at the Society's Rooms at 10 o'clock on Friday morning.

The Society then adjourned.

AWARD OF PREMIUMS.

ESSAYS.—Connection of Science with Agriculture—adapted to Common Schools—Prof. John P. Norton, of Yale College, Conn., \$100.

History of Indian Corn—Chas. Lewis Flint, West Roxbury, Mass. Silver Medal.

FARMS.—E. S. Salisbury, Jefferson county—second premium, Silver Cup, \$30—3d. Helim Sutton, Seneca county, Trans.

DAIRIES.—1. Horace Clapp, Houseville, Lewis county, Silver Cup, \$50—2. John Holbert, Chemung, Silver Cup, \$30.

BUTTER.—Horace Clapp, Lewis county, Joseph Cary, Albany, John Holbert, Chemung, and Hector C. Tuthill, Cayuga county,—each a Silver Cup of the value of \$15—2. Noah Hitchcock, Homer, Silver Cup, \$10.

WINTER WHEAT.—Adam Clarke, West Dresden, Yates county, 42 bushels per acre, on 50 acres, \$10.

J. J. Thomas, Macedon, Wayne county—experiment as to the ripening of wheat, \$5.

SPRING WHEAT.—Geo. R. Eells, Oneida county, 30 bushels per acre, \$15—2. H. B. Bartlett, Paris, Oneida county, 31 bushels per acre, \$10.

RYE.—David Conrad, Brunswick, Rens. county, 36 bushels per acre, \$15.

INDIAN CORN.—1. E. R. Dix, Vernon, Oneida county, 83 bushels per acre, \$20—2. Peter Crispell, Jr., Hurley, Ulster county, 80 bush. per acre, \$15.

C. W. Eells, Wm. Baker, Augustus Flint, for samples of seed corn, vol. Trans. to each.

BARLEY.—1. E. M. Bradley, Ontario county, 50½ bushels per acre, \$15—2. E. R. Dix, Vernon, Oneida county, 48 bushels per acre, \$10—3. Benj. Enos, De Ruyter, Madison county, 47 bush. per acre, \$5.

OATS.—Peter Crispell, Jr., 80 bushels per acre, \$15—2. E. M. Bradley, \$10.

BUCKWHEAT.—1. Robert Eells, Oneida county, 33 bushels per acre, \$10—2. Wm. Baker, Lima, Livingston county, 29 bushels per acre, \$8.

PEAS.—E. S. Salisbury, 27 bushels per acre, \$10. Rapalje & Briggs, Rochester, for samples of seed peas, Trans.

POTATOES.—1. Best quality, H. B. Bartlett, 252 bushels per acre, (Carter's.) \$15—C. W. Eells, 246 bushels per acre, \$10—3. Nelson Van Ness, Chautauque county, 218 bushels per acre, \$5. Greatest quantity per acre, Martin Springer, Brunswick, Rens. county, 316 bushels, \$15. Aaron Killam, Mexico, Oswego county, 13 fine varieties from seed, \$10.

RUTA BAGA.—Joseph Hastings, Rens. Co., 984 bush. per acre, \$10

CARROTS.—1. E. Risley & Co., Fredonia, Chautauque county, 941 bushels (60 lbs. per bush.) on half an acre, \$8—2. Same 864 bushels, \$6—3. L. B. Langworthy, Rochester, 575 bushels on half an acre, \$4.

John S. Gould, Albany, for fine specimens of cauliflowers and squash, \$3.

FRUITS.—Apples.—J. C. Hubbard, Troy, Mich., Trans. and Thomas' Fruit Culturist.

L. P. Grosvenor, Pomfret, Ct., Trans. and Downing's "Fruits,"

R. H. Brown, Greece, Monroe county, Trans.

J. H. Watts, Rochester, Trans.

J. D. Campbell, Rochester, Fruit Culturist.

E. P. Prentice, Albany, Downing.

H. A. Underhill, Macedon, Wayne county, Trans.

R. J. Pardee, Palmyra, Downing.

Hiram Foster, Palmyra, Fruit Culturist.

Herman Wendell, Albany, Downing

J. W. Bailey, Plattsburgh, Trans.

B. Hodge, Buffalo, Trans.

S. Morgan, Albany, Fruit Culturist.

Chas. Ross, Washington county, Trans.

Ehwanger & Barry, Rochester, Trans.

Wm. Rogers, Wayne county, Downing.

Dennis Clark, Wayne county, Trans.

Robert Patterson, Perry, Wyoming county, Fruit Culturist.

J. J. Viele, Troy, Fruit Culturist.

Pears.—S. Miller, Rochester, Fruit Culturist.

Grapes.—R. J. Pardee, Downing.

Joseph Cary, Albany, Fruit Culturist.

☞ If you would not be forgotten as soon as you are dead, either write things worth reading, or do something worth writing.

Answers to Correspondents.

CANARY GRASS.—G. N., Hobart, Del. County, N. Y. This grass will perfect its seed in this latitude. It is usually sown in drills, with a machine, about one foot apart, requiring from sixteen to twenty quarts per acre. It is an annual, and the seed is sown at the same time of sowing spring grain, and ripens nearly at the same time, or rather later. The yield is from twenty to thirty bushels per acre. The straw is eaten by cattle and horses.

BERKSHIRE HOGS.—B. S., Greenwich, N. J. There are no full blood Berkshires in this neighborhood, and we are unable to say where they can be had.

COLZA.—N., Bridgeton, N. J. We have heard of no experiment with this plant in this country. If any one has tried it, we should like to know the results.

STUMP MACHINE.—J. F. C., Grand Rapids, Mich. The description of the article to which you refer, (*Cultivator* for 1846, p. 116.) evidently contains a mistake in regard to the length, which is there given as "two feet." We regard it, however, as a matter of little consequence, as the cut gives a definite idea of the form of the article, and it is obvious that it should be of such dimensions as will suit the size of the stumps. We have seen such things used of various sizes. It is only stumps the roots of which are considerably decayed, that can be taken out in this way; but for such the contrivance answers well.

SEEDING LAND TO GRASS.—S. W., North Easton, N. Y. On lands of medium dryness, we have used, for one acre, eight pounds or four quarts red clover, eight quarts timothy or herds grass, and from half a bushel to a bushel (according to its cleanness) of red top.

THE WHITE SNOW-BIRD.—S. W. According to Dr. DE KAY, this bird breeds mostly, high at the north, along the coast of Labrador, but has been known to breed in Massachusetts and Maine. In winter it comes down from the north, and is sometimes seen as far south as Maryland and Virginia. It feeds on the seeds of weeds and grasses, which it finds above the snow.

OHIO MINERAL PAINT.—A FARMER. The substance of what we know in regard to this article, was given in our last volume, page 379.

FOOD OF FOWLS.—L. B., Clayton, N. Y. Fowls should have a variety of food. Indian corn, barley, buckwheat and wheat-screenings, may form the bulk of their food in winter; but they should have some animal food, such as butcher's offal, and pure green vegetable food, as cabbages and potatoes; and also mineral matter, as lime, oyster-shells, bones, and gravel.

PLASTER.—C. H., Central Village, Ct. The qualities in plaster, to which its action as a fertilizer are attributable, are undoubtedly dissipated, in some degree, by exposure to the weather; but with that which has been kept in casks, as you describe, we should not think the loss was very great.

COLMAN'S EUROPEAN AGRICULTURE.—A. L., Gale's Ferry, Ct. This work is for sale by A. D. Phelps, Boston, and also at this office. It is bound in two volumes, price \$5.

GUANO.—We believe the best success has attended the use of guano when sown just before a rain, or applied in solution. The proper quantity is 200 to 300 lbs. per acre.

FISH FOR MANURE.—We believe it is considered best to make them into compost with peat or earth, to be applied when decomposed.

PROUTY'S CENTRE DRAFT PLOW.—A. B. P., Boone Grove, Ind. We have never heard of these plows being used in any soil where they did not work clean; and we are not aware of any objection to their use in "the black, loose soil of the prairies."

TILES FOR STRAWBERRY-BEDS.—J. I. K., Sing-Sing, N. Y. The tiles about which you inquire, are described in our volume for 1845, page 123. We do not know of any establishment where they are made, but it would be an easy matter to make a mould and have them made at any brick-yard, and burnt in a common kiln.

CENTRIFUGAL WIND-MILL.—J. P., Cape Vincent, N. Y. There is a mill of this kind, on a small scale, in use in this vicinity. We cannot tell how it answers for general purposes. Perhaps some of our correspondents, who have more knowledge of it, will inform us in regard to its operation.

ICE-HOUSES.—O. L. D., Portage county, Ohio. It is best to build an ice-house with a double partition, the space to be filled with tan-bark, or some non-conducting substance. The bottom should be covered a foot deep with small blocks of wood, and over these a covering of shavings. Some lay the ice on the shavings—others lay a floor to receive the ice over the shavings. The ice should be packed as closely as possible. You will find a cut and description of the plan adopted by the great ice-merchants of Cambridge, Mass., in our volume for 1847, page 345.

CHARCOAL AND LIME.—E. C. J., Campbell Court-House, Va. If your charcoal and lime are mixed together, and the lime is slaked, you may use with safety a bushel to each fruit tree of the size you mention.

WHEAT DRILL.—W. S., Lahaska, Pa. The grain drills which are most distinguished, so far as we know, are the following: Sherman's, made and sold by J. W. Sherman, Ontario, Wayne Co.; Palmer's, made by Fitch & Barry, Brockport; Griggs & Reynolds', made by O. Reynolds, Webster, Monroe Co.; Burrall's, made by T. D. Burrall, Geneva. Our acquaintance with the operation of these drills is not such as to enable us to say which is the best. We should be glad to hear from those who have tried different kinds.

ABOLITION OF BULL-FIGHTS IN SPAIN.—It is said that measures are about to be taken by the Junta General of Agriculture at Madrid, for the gradual suppression of Bull-fights, in consequence of their prejudicial effects on the interests and morality of the country. It is calculated that 4000 horses annually perish in Spain upon the horns of the bull, and in a country essentially agricultural like Spain, this continued and cruel destruction of a useful animal, deprives those who dedicate themselves to the culture of the soil, of a large amount of working power that might be applied to the augmentation of their prosperity. The annual destruction of 1500 bulls in the various fights celebrated throughout the Peninsula, destroys the best working breeds, impairs the quality of beef, impoverishes the milk markets, contributes to the decadence of pastures and fields, and augments the price of butter and milk, which in civilized countries are counted amongst the necessaries of life. All these considerations, and the fact that the people by attending bull-fights acquire habits of brutality and ferocity, by becoming accustomed to scenes of bloodshed, is likely to induce the government to attend to the representations of the Junta of Agriculture.



Engraved from a painting by F. J. ROTOLI.

DEVON BULL "MAJOR,"

Bred by R. C. GAPPER, Thornhill, Canada, and owned by R. H. VAN RENSSELAER, Butternuts, N. Y.

The Farmer's Note-Book.

Mr. Van Rensselaer's Devon Bull "Major."

(See Portrait on preceding page.)

This animal is at present the property of R. H. VAN RENSSELAER, Esq., of Butternuts, Otsego county, N. Y. He was bred by R. C. GAPPER, Esq., of Thornhill, near Toronto, Canada West, and was exhibited by him at the show of the N. Y. State Ag. Society at Syracuse, where he took the first premium in the *foreign* class of Devons.

"Major," (calved in 1842,) was by "Billy," dam "Beauty," both imported by Mr. GAPPER, from the stock of Mr. DARCY, of North Moulton, Devonshire, England.

"Major" is in every respect, one of the best bulls we have ever seen. His portrait, though generally true to the original, and highly creditable to the skill of the gentleman who made the drawing, as well as to the engraver, is in no way *flattered*. He is, in fact, just one of those animals, which, though rare, are sometimes seen, whose points of excellence cannot be fully shown on paper or canvass. He has great bulk, justness of proportion, and compactness of body, short-jointed, clean, and strong limbs; giving a general form which confers constitution and endurance, with the greatest power of draft. It is a form, also, which is fitted to carry the greatest weight of valuable flesh in proportion to the bone and offal. He is a *good handler*; the skin is not thin and papery, nor rigid and unyielding, but with sufficient substance to denote hardness, has the mellowness and elasticity indicating thrift. The color is cherry-red, with the orange-colored ring round the eye and muzzle, characteristic of the true North Devon.

The distinguishing traits of the Devon breed of cattle, were given at some length in our last volume, pp. 120, 121, 122.

Crops of 1849---Drainage.

EDS. CULTIVATOR—Our hay crop was never better since I lived here, (28 years.) The rains in the end of May and beginning of June, made both meadows and pastures where not over stocked, excellent. Taking this county, (Seneca) as a whole, I think there was an average crop of wheat. In the north half of the county, there was considerable loss by the weevil or midge; but the south half of the county was clear, or nearly so, of that insect. I had 59½ acres of land in wheat, from which I obtained an average of a fraction over 25 bushels per acre, which is a tolerable crop in these times, but much short of what I expected when it was sown. The wire-worm cut off a 20 acre field very much in the fall, so much so that I intended to have plowed it up in spring; however, it recovered wonderfully, and gave at least from one-half to two-thirds of a crop. From the severe drouth, our corn crop was a short one, although after the light showers early in August, it recovered greatly, and all those farmers who worked their corn early, and continued working it, got much more corn than they at one time expected; but those who let the grass, weeds, and Canada thistles master the corn, got nothing worth husking. Some say they could not see what was the reason their corn was so poor, as they manured the land well before planting. I suppose they are not aware that on our stiff soil, barn-yard manure does no good for the corn, if put on immediately before planting; indeed, in a dry season, it does harm.

Ever since I manured my corn ground in the fall, I have never failed of a fair crop. This season I made 80 bushels of ears to the acre, from 28 acres, being all I planted. Being disappointed of drain-tiles in the spring, I was prevented from planting as much as I intended.

As I sowed neither barley nor oats, I can say little about them. I find corn a more profitable crop than either. I am feeding cattle as usual. I have 40 steers now. The feeding of cattle is becoming quite a business hereabouts. Three years ago, when I commenced cattle-feeding with 43 head, I could not have found as many in ten miles around me. Now I can count 200. I think this mode of farming will ultimately improve our grain crops very much, and where rightly conducted, will pay much better for the corn, or even barley, than selling to distillers and brewers, to be manufactured into a poison to kill themselves or neighbors.

A word or two about draining. I notice what Mr. Cheever says* about draining. He thinks it rather startling that I should lay out 25 dollars per acre on draining; but if I had Mr. Cheever with me on my farm for six months, I would convince him that it was the most profitable business a farmer can go at, in this part of the United States. He says, Mr. Johnston is a Scotchman; and that he (Mr. Cheever,) "agrees with Professor Emmons, to some extent, that the system of draining practiced in England and Scotland, should not be models for us." It is true I am a Scotchman, and I will tell Mr. C. and Prof. E., that I have never seen, either in Scotland or the United States, a remunerating crop of wheat, grown upon land that was wet, or even very damp; and never saw such land thoroughly drained in either country, (if a wheat soil,) but it produced the very best crops; and I have seldom seen wet or damp land produce a good crop of summer grain, even in this dry climate. Wet or damp land, when under tillage, is much more affected by drouth than dry land, and dry land, when in pasture, will put on much more beef or mutton (say fat) than wet or damp land.

I should like much to have Mr. C. and Prof. E. here, if it were only for one day, in May or June next. I have a field of 23 acres now in wheat; the wettest I drained last spring. The want of tiles prevented me from draining all that was wet. Those gentlemen would just see the difference in the piece that was formerly so wet that it would not raise over half a crop, and that which is only a little wet, but enough so to make a thin crop of wheat. As to what Mr. C. says about the drains filling up on some soils, I do not agree with him. I have drained on different kinds of soil, and I have never had a stoppage where the work was properly done. I am often asked—"won't the tiles sink, or will they not fill up, in a few years?"

I took up about 20 rods of a drain last June, that had been laid for ten years, in order to put in larger tiles, as I was going to connect several other drains with it; and I sent for my friend and neighbor, Mr. Delafield, to see them taken up, as he had some misgivings about sinking or filling up. He can now say, that they were neither sunk, nor filled the least particle; indeed no man could have told that they had been a day under ground, from the appearance of the tiles. I have taken up sometimes tiles that had been longer laid, and with the same result. Only let the tiles be large enough, (or put more of them into the main drain,) and there will seldom be

* Reports of agricultural discussions at Albany, *Transactions* N. Y. State Ag. Society, 1848, page 664.

any trouble, after they are laid down. But we must have more tile machines in operation. I intended to have had 10,000 tiles home this winter; but find the maker has only a very few on hand. Farmers ought to have the tiles on the ground in winter; the expense of drawing is little, and if there are any soft tiles, they will decompose before spring, which is much better than to put them in the drain. JOHN JOHNSTON. *Near Geneva, Dec. 25, 1849.*

Agricultural Economy.

EDS. CULTIVATOR—The economy of the farm is that which first concerns the individual. Not to get rich; not simply to sell the greatest possible quantity of produce, but to maintain the original fertility of the soil or constantly improve it. The common farmer cannot expect to get rich, but with good management he may obtain a 'comfortable living,' and have leisure to enjoy social blessings, and time to devote to reading, and mental improvement. This should be done without *wearing out* the soil.

True economy consists in returning the same elements to the soil that are taken from it, and in the same quantity. This will keep the soil fertile, so that it will produce the same crops, both in kind and quantity, year after year. Vegetable productions derive part of their constituent elements from the earth, and part from the atmosphere. That part derived from the earth must be returned to it again, or it will eventually become barren. The ground that produces one hundred bushels of grain this year, will not, under the same circumstances, produce the same amount next year, unless its equivalent is returned. And the more a piece of land is cropped without manuring, the more labor and expense is required to obtain a crop from it. The farmer that sells hay, grain or stock,—if he does not use extra means to increase his manure—is reducing the fertility, and consequently the value of his farm. On new land this effect is not seen so clearly, but it is nevertheless true, and in time will be manifest.

The older settled parts of New England, furnish sad illustrations of want of true economy. Except in the vicinity of cities and villages, the soil has long been deteriorating. This is the result of bad management. The productions of the soil have been sent to market, and the fertility, in this way taken from the soil, has not been returned. Pastures have been grazed from April to November, and the fat cattle and sheep sent to Brighton. Hence, grain and roots cannot be raised as easily as they could be formerly, and pastures cannot sustain half the stock they could thirty years ago. And we hear frequent complaints of milch cows being affected with "bone disease," and bone dust must be procured for their relief. (Better *bone-dust* the pastures.) A reversed order of things is in many instances taking place. Less land is tilled and more pastured. The area of woodland is sufficiently limited, and it will not do to make further encroachments upon it for pasturage, therefore when the pastures will not summer the stock, that the products of the fields will winter, they must be enlarged by a portion from the fields. Or when a piece of tillage land is reduced so as not to pay for cultivating, it is "turned out" to pasture. Still by concentrating labor and manuring better, the original fertility of a portion of the farm may be maintained, but its aggregate productiveness is much diminished. And when it requires constant toil the whole year "to make both ends meet," the rich lands of the west present visions of ease and plenty

too brilliant to resist, and emigration to Illinois, Wisconsin or Iowa, is "next in order."

The land in the immediate vicinity of cities and large villages is becoming more fertile. The source from which this fertility is derived is evident. Every year thousands and tens of thousands of cattle and sheep are collected in Vermont and New Hampshire for the *city* consumption. The vegetable productions of the soil, to an enormous extent, are furnished for the same purpose, together with large quantities of flour, daily supplied from Western New-York and farther on. In this way, the elements of fertility are transferred, the suburbs of cities are enriched, and remote districts impoverished. The grazing portions of Vermont and New Hampshire are becoming less valuable, and so are all places that *export* more fertility than they *import* or manufacture.

Is it worth while to seek a remedy for these evils? In China the people are always engaged in saving every particle of manure that can be found; the English import vast quantities of fertilising substances; but our population is not so dense as to render it absolutely necessary in our case. Besides the cheap and fertile lands of the West are so inviting, that it must be a long time before expensive cultivation will be resorted to. Yet it is important that we should understand what we are about. If there are defects in our system let them be pointed out, and if possible, remedied. At any rate, farmers should save and apply all the fertilising substances within their reach. W. L. EATON. *East Weare, N. H.*

Water-tight Cellars.

EDS. CULTIVATOR—Some time ago there was published in *The Cultivator* an inquiry for information how a wet cellar can be made dry, when draining is inconvenient? A wet cellar is a sad thing—a nuisance to a farmer, and always inconvenient for the storage of many valuable articles of agricultural produce. When under a dwelling, it is frequently the fruitful, yet unsuspected cause of intractable sickness, to those living within the influence of the pestilential miasma, that, during warm weather, continually rises from it.

The subject is of such importance, as to press itself upon the attention of reflecting minds, and to call for a more extended notice than it has yet received. Every reader who has experience in the use of means to make a dry cellar, should communicate it to the public. In the absence of experience to make a "wet cellar dry," it may be useful to show how a cellar can be constructed, secure from water, by a cheap method, in any place where *clay* can easily be procured. A brief sketch, also, of some of the uses to which this substance is applied in connection with its impermeable property, may afford hints how it can be used to effect the purpose, in reference to which the writer of the publication alluded to, asks information.

Every farmer knows that water will not soak through a clay subsoil. Some careful farmers, availing themselves of their soil, dig ponds in the lowest part of their field, or orchard, to collect and retain rain water for the accommodation of their hogs in pasture; or in very dry summers to haul a few barrels of water there for that purpose. Clay is extensively used along the line of our canals, to stop the leakage through the embankments. When used for this purpose, or to stop the leakage through the breast of a mill dam, or the bank of a meadow ditch, it is called "puddling;" and when this is properly

done, it is capable of resisting a heavy pressure of water.

Availing ourselves of this water-tight property of clay, we use it in the construction of our cellars, in a simple, but effectual manner. We stake off and dig the cellar, so large as to leave a space of from eight to twelve inches, between all the walls of the intended building and the banks. This space to be continued from the surface to the foundation; and a sufficient quantity of clay must be provided to fill this space. The work of filling it in, and ramming it solid, should commence soon after the foundation of the building is laid, and be continued as the masons progress with the wall, until the surface of the ground is reached. Small stones and chips must be carefully left out, and only a few inches of clay thrown in and rammed at a time.

The writer of this has tried the method here given with a good result, and does not know an instance in which it has failed to make a dry cellar. This invariable success has suggested the plan to stop the leakage of water into a cellar of faulty construction, by digging out next the walls of the building, the width of a shovel or more, and as deep as their foundation. This excavation to be filled tight with clay, and a dry cellar has been the result.

There may be wet cellars caused by a different state of things than are here referred to; for instance an upward infiltration of water through the bottom of the cellar—or one or more springs may rise therein. Such defects might probably be remedied by the same means that are recommended in a former volume of *The Cultivator*, to sink a spring or pond of water in a field. Not having much experience or opportunity of observing the effect of these measures, I leave the subject to the consideration of others. *A. B. Setzler's Store, Chester Co., Pa.*

Bartlett's Double Plow.

The peculiarity of this plow consists in combining two plows in such a manner that two furrows can be turned at once, with one team and one plowman. We are aware that the combination of plows is not new; but the mode of connecting them in this case, is different from any with which we have been before acquainted. In distinction from others, the frame which connects these plows is so made that each plow has in some degree an independent action, by which the two, when working together, are adapted to the ordinary inequalities of surface, and insure the proper execution of the work. The principle of combination will apply to plows of any size or shape.

We have had two opportunities of witnessing the operation of this plow, on the farm of W. O. BARTLETT, Esq., of Worcester, one of the patentees. We have seen it used under different circumstances, as follows:

1. On plain land where the soil was loose and light. A good yoke of oxen readily drew the plow at their accustomed gait, making two furrows, each seven inches deep and ten inches wide, one man holding the plow and driving the team. The plow ran for many rods after it was set in, without being touched by the plowman.

2. On a stubble-field, where the soil contained many small cobble stones, and where the plow was often turned out by large boulders and fast rocks. The same man and the same oxen managed the plow as in the above case, and the depth and width of the furrows were also the same. The work was as well performed as it could have been in any way. No difficulty was experienced in getting the plow over

the stones, or in running the furrows close to them; the cobble stones did not throw the plow out; on the contrary it held its depth as well, if not better, than a single plow could have done—the two plows seemed to steady each other, which tended to preserve a uniform depth.

3. On somewhat rough land, with a very tough sward. In this case two large plows were used, each cutting a furrow eight inches deep and twelve inches or more wide. Four good oxen were attached to the plow, one man drove the team and another held the plow. The work was well done and with great dispatch.

This plow has been considerably tried in Massachusetts by many of the best practical farmers, who have certified that it makes a great saving in the expense of plowing. We entirely coincide in these statements, and have no hesitation in saying that the introduction of this implement will be attended with signal advantage. On tenacious soils, it may induce a better system of tillage. To insure the best crops on such soils, particularly of wheat, it is important that they should be plowed fine, and thoroughly pulverised. This is generally admitted, but the objection raised is, that such nicety of work takes too much time; and hence, in order to go over the requisite extent of surface, the furrows are made wide, leaving the soil in compact masses. By the use of the double plow, the furrows may be cut deep and narrow, while at the same time the work is more expeditiously performed, and at less expense.

In wheat-growing districts, we think this will be found of much importance, especially in plowing fallows, and not less in clover ley, where only one plowing is given before seeding. On all plain lands, and on the western prairies, the saving which will result from this combination of plows, will perhaps, be still more striking than in other situations.

We append the following from a letter lately written to Mr. BARTLETT, by Hon. D. WEBSTER:

In June, 1849, an experiment was tried on my farm in Marshfield with one of your double plows, on a piece of land intended for turneps, somewhat rocky, with a hard sward, not having been plowed for many years, and many bunches of bushes growing upon it. The plow appeared to work well, and Mr. Wright, who has been our principal farmer for many years, was greatly pleased with it. The furrows were as well laid, as I thought, as they could have been by any single plow.

Mr. Taylor, who lives on my farm in New Hampshire, wishes me to send him a double plow. His land is level, rather a rich loam, and entirely free from stones. He thinks that with a double plow, and a pair of horses, with a light hand to hold, he could quite easily plow three acres a day, for many days in succession.

It struck me, when seeing the plow in operation, that one part steadied the other, and made the work smooth and even. The saving of labor in the use of the double plow, is too apparent to need remark.

Profits of Fowls.

Mr. EDWIN HOWARD, of Easton, Mass., gives an account of the profits of his fowls from the first of December, 1848, to the same period of 1849. He began with nineteen hens and a cock, and in the spring he added one more hen. The whole stock was valued at twenty dollars. The number of eggs produced in the year, was 1,851; the number of chickens raised by himself was 82. The eggs sold, brought \$27.97, and the fowls sold, \$46.48. Thirty-two fowls on hand, are reckoned worth \$30. His

fowls are mostly of the variety called Cochon China, imported by Mr. BAYLIES, of Taunton, Mass. The eggs that were sold were reckoned at fifty cents per dozen, though one dollar was the price charged; but fifty cents per dozen was deducted for the trouble of packing and sending off. The account stands thus:

Eggs sold—1300,	\$27 97
Eggs not sold—681, at 15 cents per dozen,.....	7 27
Fowls sold,	46 43
Value of fowls on hand over last year at this time,.....	10 00
	<hr/>
	\$91 72
33½ bushels of corn and meal, at 75 cents,.....	24 37
Balance in favor of fowls,	67 35

Wire Fences.

EDITORS CULTIVATOR—I regret to notice in the January number of the Cultivator, an article against *Wire Fences*; and to show that the writer is “reckoning without his host,” I will state that No. 10 wire, which is the finest used, can be bought for 5½ cents per pound; and that Mr. ELLET, the constructor of Wire Suspension Bridges, in a report, states that a single strand of this No. will sustain 1500 pounds. A fence of wire of this No. may be made for 50 cents per rod; and in case of the “plunging of heavy cattle against it,” they would probably meet with the resistance of three of the wires, and an animal in breaking them must employ a force equal to about 4500 pounds; and the writer alluded to thinks that when made even of wire so large as to cost \$2 per rod, it will be “frequently broken” in that way. Now according to the above calculation, they must be mighty cattle, possessing “a power” of strength and force fully equal to the iron-horse called Loco-motive.

Any one who has observed the effect of wind in swaying and breaking off the wires of a well-constructed wire fence, must admit that the objection is at least a windy one.

Now although I have had but about 40 rods of experience in making this kind of fence, and which cost me less than 50 cents per rod, I am fully of the opinion that it is worthy of the attention of every farmer who has not “stones on his fields which he wishes to get rid of;” for I know of no locality where a farmer can erect a rail or board fence for much less than \$1 per rod; but I can refer you to many large sections where every farmer will tell you his rail and board fences cost him nearly double that sum, and is yearly increasing as our forests and wood lots are decreasing, and are enhanced in value. That a cheaper substitute for field fences is loudly called for, no man can dispute. It is true that the American farmer is at greater expense for the support of his fences than any other farmer in the world. It is by far the heaviest drawback upon the profits of the farmer, that he is obliged to contend with. Indeed it stands like a lion in the pathway of many great improvements which long ago would have been made, and which every farmer yearly sees and is desirous of making, but is reluctantly compelled to turn from, and apply all the means in his power to his decaying fences of wood. And how, I ask, are our western prairies to be fenced, where in many instances, not a tree is to be seen or stone found for leagues; and it has been found that embankments of earth there will not answer. In consequence of the great cheapness of iron, many have been led to experiment with it in the form of wire as a substitute for wood fences, and I see nothing against its success, after, perhaps, some better method shall have been contrived for straining, fastening and uniting the strands; and should it come

into general use, it would add immensely to the great iron manufacturing interest of the country.—Three and a half feet high is sufficient for sheep, and 5 feet for cattle and horses; and I should be pleased to give such information as I am possessed of with regard to constructing it.

And now I earnestly suggest to every reader of the extensively circulated Cultivator who has had any experience or observation respecting Wire Fences, to transmit their views to this journal, together with a minute method of constructing it, and I doubt not that an opinion may at once be formed with regard to the propriety of its general adoption.

A. B.

The original signature of the above communication having been that of a well-known and regular correspondent of *The Cultivator*, we have thought it proper to substitute another in its stead. We shall be glad to receive from A. B., and from any other of our readers who have erected wire fences, their views as to the best method of constructing it, its cost, and probable permanence.—EDS.

Products of Labor and Capital.

The Report of the Commissioner of Patents for the year 1848, makes the following estimate of the products of labor and capital in the United States for that year:

	Quantities.	Value.
Wheat,.....	126,364,600 bushels,	\$145,319,290
Indian Corn,.....	583,150,000 “	344,058,500
Barley,.....	6,222,050 “	4,044,332
Rye,.....	32,951,500 “	21,418,475
Oats,.....	185,500,000 “	64,925,000
Buckwheat,.....	12,523,000 “	6,266,500
Potatoes,.....	115,475,000 “	32,342,500
Beans,.....	10,000,000 “	10,000,000
Peas,.....	20,000,000 “	17,500,000
Flaxseed,.....	1,600,000 “	1,920,000

The prices of these articles per bushel, are thus estimated:

Wheat,.....	115 cents.	Buckwheat,.....	50 cents
Indian Corn,.....	59 “	Potatoes,.....	20 “
Barley,.....	65 “	Beans,.....	100 “
Rye,.....	65 “	Peas,.....	87½ “
Oats,.....	35 “	Flaxseed,.....	120 “

It will be seen that Indian Corn is estimated at the immense sum of more than \$344,000,000—while the gross amount of the Wheat produced was little more than \$145,000,000.

	Pounds.	Value.
Tobacco,.....	218,909,000	\$8,756,360
Cotton,.....	1,066,000,000	74,620,000
Rice,.....	119,139,500	3,575,985
Sugar,.....	275,000,000	13,750,000
Silk,.....	400,000	800,000
Hops,.....	1,566,301	140,667
Beeswax,.....	789,525	165,800
Honey,.....	23,665,750	2,368,575

The prices are thus given:

Tobacco,.....	4 cents.	Silk,.....	\$2 00
Cotton,.....	7 “	Hops,.....	9
Rice,.....	3 “	Beeswax,.....	21
Sugar,.....	5 “	Honey,.....	19

The quantity of molasses is estimated at 9,600,000, which, at 23½ cents, realized \$2,736,000.

Wine, 500,000 gallons, which, at \$1, brought \$500,000.

The annual value of pasturage is put down at \$60,768,136.

The value of the residuum of crops, such as straw, chaff, &c., \$100,000,000. Of manure, \$60,000,000. Product of orchards, \$9,071,130. Of gardens, \$45,000,000. Nurseries, \$741,917.

Butchers' meat, including mutton, beef and pork, \$146,597,360.

Hides, felt and tallow, \$20,000,000.

Neat Cattle, \$4,401,470. Horses, mules and asses, \$8,129,350. Poultry, \$11,680,512. Eggs,

\$5,431,500. Live geese feathers, \$1,000,000. Products of the dairy, \$42,233,785. Milk, \$20,000,000.

Products of the forest, including lumber, furs and skins, \$22,250,000.

Firewood, \$37,500,000.¹

Fisheries, \$17,581,339.

Profits of capital employed in commerce, \$24,000,000.

Value of the products of manufactures, \$550,000,000.

Products of the mines, including iron, lead, gold, silver, marble, coal, &c., \$75,000,000.

Profits of Banking and Insurance Companies, \$20,000,000.

Profits of money loaned at interest, \$20,000,000.

Rentals of houses and lands, \$50,000,000.

Profits of professions, \$50,000,000.

The aggregate of the whole estimate of the produce of labor and capital in the United States in 1848, is given as \$2,323,564,765.

Things in Virginia.

EDS. CULTIVATOR—There can be no question but a large number of our farmers would not hesitate to spare a dollar or more, to see some trifling amusement—a “bear dance,” or a cock-fight; and yet are indifferent towards an agricultural paper, which like a true friend, sticks by them, ever ready to point out the poor and wet parts of the farm, saying—“drain, manure, plow deep, harrow fine, seed well, read and observe.”

Allow me to make a suggestion. Suppose every member of an agricultural club or society, were to make a report of all his operations at the end of every year, stating the number of his family, the number of laborers and the number of those unable to labor, the number of stock of all kinds, the food consumed by all, the work for each lot or field and the number of acres in each, the kind of crop, the yield, the amount of money received and spent, the state of the weather for each month, with such remarks as suggest themselves—would it not be useful?

Our crops last year were fair, except fruits, of which we had none. I did not see a good peach or apple the whole season. The whole fall and December were very pleasant, till the night of the 30th ult., when it commenced raining, then hailing, and ended in snow, which fell six inches deep. The thermometer was down to 12° on the first of January. J. BUNCH. *Chuckatuck, Nansemond Co., Va., Jan. 1, 1850.*

Mode of Planting Corn.

EDS. CULTIVATOR—We have in this section a method of planting corn which may be new to some of your readers.

After the ground is furrowed one way, one man commences furrowing in the other direction. A boy or man follows and drops the corn. Then another, provided with an implement something like the common shovel plow, with a square piece of iron about the size of a common hoe screwed fast to the end of it, follows the dropper and covers the corn, by letting the iron scrape up the dirt from the bottom of the furrow, and deposit it immediately on the hill. As soon as the corn is covered up, the planter is dropped again for another hill, &c. This method here, in our new fields, where stumps are very thick, is a great saving of time. Two men, and a boy 12 years old, with two horses, can furrow out one way, and plant eight acres in a day.

This I know to be true, for I helped to plant one of my fields of eight acres in this manner last spring. The shovel-plow, with a square piece of iron on the end of it, will answer the purpose. W. R. WEBB. *Vienna X Roads, Clarke Co., Ohio, Dec. 27, 1849.*

Profits of the Dairy.

EDS. CULTIVATOR—We have many times noticed in your paper, statements made by different writers of the profits of a dairy. Below we give you an account of the proceeds of our dairy for the year 1849, from forty-one cows, six of which were heifers, having their first calves the same season:

INCOME.	
41 calves, at four weeks old, \$4 each.....	\$164 00
3,748 lbs. cheese, at 9 cents per lb.....	337 32
6,569 lbs. butter, best quality for table use, at 20 cts per lb.	1,313 80
6,570 gallons, or 18 galls. per day, new milk, used on table, never skimmed, at 3 cts. per quart.....	788 40
For manure.....	200 00
Total amount.....	\$2,903 52

EXPENSES.	
10 tons wheat bran, or ship stuff, at \$10 per ton.....	\$100 00
600 bushels beets at 1s per bushel.....	75 00
62 tons hay, at \$8 per ton.....	496 00
26 weeks pasturing for 41 cows, at 1s per week each.....	333 25
Slops from kitchen during the year.....	15 00

Nett expenses.....\$1,019 25

Total amount.....	\$2,903 52
Deduct expenses.....	1,019 25

Leaving a balance of.....	\$1,784 27
Making an average to each cow, of butter.....	160 lbs. 3½ oz.
“ “ “ cheese.....	91 “ 6½ oz.
“ “ “ milk.....	160 galls.

The milk, it will be understood, is that which is used on table by boarders, never skimmed.

Add manure and calves, and the total amount for each cow is \$63 37	
Deduct expenses.....	24 86

Nett profit to each cow.....\$43 51

Made of butter in the month of October, 1849, 1st week....	180 lbs.
“ “ “ “ 2d “.....	201 “
“ “ “ “ 3d “.....	191 “
“ “ “ “ 4th “.....	157 “
“ “ “ “ 5th ½.....	173 “

Total in October.....932 “

We prefer putting our cows in the stable while milking, at all seasons of the year. This affords an opportunity of *messing* twice a day, and is done regularly at time of milking, believing it the best time. Wheat bran, or shorts, mixed with slops from the kitchen, or dairy, make a good feed for milch cows.

Some think it quite objectionable and very unnatural for cows to eat or drink whey and milk, but we see no good reason for such objections.

We have practiced for some years feeding our cows the whey and skimmed milk from our dairy, mixed with wheat, buckwheat, or rye bran, and have never seen any injurious effects whatever—but, on the contrary, believe it to be very beneficial, and productive of good sweet milk and butter.

It is very necessary for milch cows to be well supplied with good pure water, especially in the winter season when fed on dry fodder. We make a practice of watering our cows twice a day, morning and night. This is given them in the stable, where they can drink at leisure, sheltered from cold and storm. *New Lebanon, Shaker Village.* Family of JONATHAN WOOD and EDWARD FOWLER, numbering 130 persons.

A change of fortune hurts a wise man no more than a change of the moon.

A false friend and a shadow attend only while the sun shines.

Fools make feasts and wise men eat them.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Transactions of N. Y. State Ag. Society, for 1848.

This volume of nearly 1000 pages, (received through the kindness of B. P. JOHNSON, Corresponding Secretary,) should have had an earlier notice, especially for its valuable matter in relation to fruits. The most important article of this character is Dr. WENDELL'S Report, occupying 22 pages, and embracing outlines and full descriptions of American Summer Pearmain, Summer Rose, Autumn Strawberry, Pomme Royal (or Dyer,) Mother, Melon, and Wagener apples; Rostiezer, Tyson and Golden Biboa pears; and Red Gage and Purple Favorite plums. It also contains descriptions of White Imperial and Cooledge's Favorite peaches; Moorpark and Breda apricots; and Downton and Boston nectarines. A better addition to the excellent list of fruits already published by the State Agricultural Society, could not well have been made. The Wagener apple, a new variety from Yates county, received the premium of the Society, as a new fruit of the highest character; and the committee appear to have exercised fearlessly a discriminating judgment, in allowing no other to rank with the required standard, out of a large number presented for examination by some of the best cultivators in the country.

From a valuable and interesting article in another part of the volume, from the pen of N. LONGWORTH, of Cincinnati, well spiced with the peculiarities of his style, we extract the following:

Fox Grapes. "Two years since, I was informed of a superior German grape, cultivated by a German in our city, who had not only sold the fruit to our confectioners at a high price, but had already engaged all his cuttings, and refused \$200 for the vine. I started in the pursuit, warm as the day was, and after trudging on foot for three hours through the dust, and a scorching sun, the garden was pointed out to me, where this celebrated grape was to be found. I became aware of its quality when within fifty feet of the vine, for I discovered the fine scent of the fox grape, that was so much admired in my days of boyhood. It proved to be a fox grape of the poorest kind, but ripened early, and I found I could buy the plant for \$500. This was too high a price for a prudent Jerseyman to give, and I had my walk without any profit. I shall be pleased to furnish cuttings to any person foolish enough to deem them worthy of cultivation."

Strawberries.—The following statement of experiments and result of Strawberry culture at Cincinnati, from the same article, are interesting:—

The Hovey's Seedling bears larger fruit than any variety we cultivate. But it is subject to die out with us in winter. Its season of fruiting is short, and we deem it inferior in flavor to some other varieties common with us; and we have several varieties, that the average of the fruit is as large, and some larger. The average size, cultivated as we cultivate other varieties, is less than three inches;—I should say, less than two and three-fourth inches in circumference. I believe the strawberry with us acquires a larger size than it does east. Our apples, pears and peaches are larger. Some of my tenants this season had peaches measuring 14 inches, and sold their finest at \$8 per bushel. But in justice to Hovey's Seedling, I would add that no garden should be without it, and though not found by us to be the most profitable for cultivation for market, it is a desirable variety to cultivate for sale, as its first fruit is larger than any other, and commands a higher price. * * * I trust the horticulturists of Boston will now have a staminate worthy of cultivation, in addition to the Boston Pine; for Mr. Schnieke informs me that a gentleman from Boston saw his bed of seedling pistillates, when in fruit, and paid him \$6 for a few plants. Mr. Burr has certainly raised some varieties worthy of their notice; and Mr. McAVOY and Mr. Schneike, in the Garden of Eden, adjoining our city, have raised several thousand seedlings, from the largest pistillate fruits, impregnated by the largest fruited staminates; and among them, McAVOY had last season a pistillate that bore as large fruit as any of the Hovey in this vicinity, and its average size larger. It was shown at the exhibition, and he claimed the prize offered by the Society, as equalling what they required. The Society laid his application over till his seedling was further tested. * * * Mr. McAVOY raised more than 1,000 plants from the seed of the Hovey, impregnated by the Swainstone: Yet among them, he found but one plant which he deemed worthy of cultivation, as new varieties are not desirable, unless equal to, or superior to the parent

Horticulturists are familiar with the fact that nothing retards so much the growth of a plant as the production of seed. The practical result of this influence in strawberry beds, alluded to in the following remark, should not be forgotten:

Young plants often spring up in the bed from seed, and if staminate, and left two years, will often root out half the pistillates, as it is generally the more vigorous plant, and having no fruit, or but little to bear, will form a dozen plants, whilst the pistillate is forming one. It is in the vegetable kingdom, as with we lords of creation, the female is trodden under foot.

Houghton's Gooseberry.

A correspondent inquires, "How has this new gooseberry proved with you, and is it equal to its reputation?"



Houghton's Seedling.

This variety is too small ever to become famous in this day for showy exterior; it is of a pleasant but not decidedly high flavor. A single season, on a very small bush, with bearing shoots only a few inches high, indicates, in accordance with its reputation, a profuse bearer; whilst its hardness, easy propagation, and freedom from mildew, constitute very desirable qualities. The figures which have been published of this fruit, unlike those usually exhibited of new sorts, are only about a fair average in size, being about three-fourths of an inch long. Salem, Mass. is the place of its origin.

Rotation of Crops.

Extracts from Correspondence.

"The doctrine of Rotation of Crops for ordinary soils, is well established, and Judge Peters of Pa. extended it to forest trees, showing that one kind of timber, frequently, if not generally, succeeded some other kinds, as oak after pine, and birch or beech after hemlock. Lately, Professor Liebig, however, showed that the ashes of the vine formed an excellent manure for the same plant; and others have recommended the twigs and leaves *unburnt* for the same purpose. Why lands become impoverished when the crops are removed, is more easily understood than why the forest should require a rotation when all the timber rots on the ground. But be this as it may, I am satisfied that some plants are well, if not best manured with their own leaves. Some years ago, Col. Carr, of the Bartram Botanic Garden, sent me a bulb of *Crocus scrotinus*, which increased very slowly for several years; but letting it remain on the same spot it has gradually become

more productive, and now I think it increases as fast as any of the other kinds. A similar remark would apply to *Scilla sibirica*; and latterly I refrain from shifting them from one place to another, when I have occasion to reset them. Now if these observations are correct, it might be well to dig in the leaves of the tulip and hyacinth."

" * * * * Pine knots are almost imperishable; and I have heard of oak lands far from where pines were growing, that when cleared, the plow turned up pine knots. There are millions of acres, however, where no pine knots were ever discovered; and where oaks, as far as we can ever know, have grown crop after crop for ages in succession." D. T.

Dictamnus Fraxinella.

Dictamnus Fraxinella, from Germany, is one of the finest of border plants. Stem between two and three feet high: on the lower half, leaves, like those of the ash tree—on the upper half, flowers, showy, abundant, with red and white striped; but as it is easier to copy than to compose, let Loudon speak:—"The whole plant, especially when gently rubbed, emits an odor like that of lemon peel; but when bruised, it has something of a balsamic scent. This fine scent is the strongest in the pedicels of the flowers."

Another sort with white flowers is desirable, as contrasting with the former, and botanists have tried to erect it into a separate species as *D. albus*. It would seem, however, that all the difference,—if any, consists in the leaf stalks, the former, according to Prof. Lindley, being "obscurely edged," while the latter is "scarcely edged at all." In the spring these sorts are readily known by the color of their buds; but lately wanting to select one in autumn before the redness on those of the *D. Fraxinella* appears, and having nothing to guide me but the leaf stalks, I was puzzled to distinguish them. Those on plants which I happened to know were the white and the red, were as much alike as two peas; and and in truth what is the difference between "obscurely edged" and "scarcely edged at all?"

Seedling Fraxinellas in my borders vary considerably in color, that is, from deep to pale red. There has been in none of them, however, any near approach to white. D. T.

Transplanting Trees.

If fruit trees were not tenacious of life, but very few could survive the treatment which they often receive. It is not uncommon for a farmer to go many miles in bright sunshine for a load of trees; and without protection or covering of any kind, keep the roots exposed for a day or two. The earliest departure from this negligent custom that has come to my knowledge, was by the *Princes of Flushing*. The roots of trees and shrubs that left their nurseries were dipped into soft mud, and then dusted, which coated every fibre, and excluded the sun and air. Of the importance of this operation, I have been so well satisfied that in transplanting trees only from the nursery into the fruit garden, we have taken this precaution; and even in the driest seasons very rarely lose a tree.

But though mudded, trees or shrubs that arrive from a distance, in most cases would be benefited by a second coat, and I intend never to plant another without it. Care should be taken however, that the mud be of the right consistence; for if too thin or too thick, it will be of less value. It is much easier to prepare it by making the soil very fine before

the water is applied; and the mortar should be thoroughly worked before using. In regard to the dust, I prefer that in which finely divided horse manure forms a liberal proportion. D. T.

Planting.—"Is it Extravagance?"

Said one of my neighbors to me this morning—"Gen. S. says I am setting a bad example and encouraging extravagance, by the large amount of time and expense I am devoting to improving and ornamenting the few acres of ground around my home."

My neighbor to whom I first referred, is an active and successful business man, and having accumulated more money than he needs in business and for his current expenses, has come to what seems to me the very commendable decision, instead of hoarding up his accumulations, to expend his surplus, or a portion of it, on some few acres of finely located grounds in the midst of one of the flourishing villages of Western New-York. In order to which he has laid them out in scientific order, brought in and planted the choicest selection of trees from our forests; almost every desirable fruit tree and beautiful shrub found in any nursery, from Boston and Long Island to Rochester; and besides he has planted every thing with a care that I have never seen equalled, and watches and cultivates them continually with the same untiring faithfulness. The consequence is that every little cottage around, is beginning to feel the effect of his spirited example, and some of our common laborers have made by it the discovery that the few minutes of spare time usually devoted to lounging about the villages, will be ample, if judiciously employed, to make the few rods of ground around their humble dwelling, furnish as cooling shade trees, as magnificent and wholesome fruits, and as delicious strawberries, and as luxuriant vegetables.

Now permit me to ask, do not such results reflect high honor upon any man who has the public spirit to produce them? And is not the cultivation of the productions of the earth in the *best manner*, the privilege and the duty of man?

Does my neighbor deserve the rebuke he received? WAYNE. *Palmyra, N. Y., Dec. 4, 1849.*

[We may add to the preceding, that those who find fault with the extravagance of ornamental and useful planting, are not unfrequently the very persons who are expending ten times the amount in costly dwellings, extravagant furniture, and splendid equipage. An extra thousand used up to make a showy house, will not in reality produce so gratifying a show, nor so much real external pleasure, as one hundred judiciously spent in planting ornamental trees and shrubs. Eds.]

The Fire-Blight.

EDS. CULTIVATOR—I believe that the diagnosis of the disease called fire-blight, which afflicts our pear trees, both in nursery and seed bed, has never been satisfactorily understood. Thus far, it has been a serious drawback on the successful growing of both, often causing the death of thousands of trees in a season, thus blasting the hopes and prospects of the grower. When I first commenced the nursery business, there was no such thing known in the vicinity, and the first I ever saw of it was on the leaves of a pear tree called Soldat Labreur, which was procured from a nursery on Long Island. It was set in a row of pear seed. In autumn the next year, it

appeared sickly, the leaves being covered with the leaf-blight. These I noticed particularly, as being something unusual. On the same plot of ground I had 80,000 pear seedlings, growing in a fine thrifty state, and had always raised good stocks in previous years. A few days after I noticed the peculiar affection of this pear tree, there occurred a storm of wind and rain from the southwest, and in a few days the disease showed itself on the seedling rows, diagonally across, and in the exact direction that the wind was blowing during the storm, from this tree; and from this it spread each way, until the whole of my seedlings were affected, and lost their leaves. This occurred so late in the season, that the trees were not killed by the winter. The next spring they were set in nursery rows. The blight again showed itself earlier than the previous year, and the consequence was that two-thirds perished, from the cause of their being deprived of their leaves too early, before the wood had sufficiently ripened to withstand the effects of the frost. It had become so prevalent that the lower leaves on standard trees were affected; and the seedlings growing on the same premises were killed outright, on account of its commencing so early. It was also communicated to quince stocks which were deprived of their leaves, and it was found impossible to bud them in consequence.

I am satisfied that it is caused by a species of fungus, the seeds of which are carried by the wind and lodged on the surface of the leaves, but need moisture to a certain degree, and warmth, to promote vegetation. On close examination of the spots, the main part seems to lie beneath the surface of the leaf, with reddish veins running in various directions, and when there are a number of spots on one, the veins seem to occupy the whole; but probably the spots cause a disarrangement of the functions by poisoning the juices, rendering them useless.

In another nursery in this vicinity, there were pear trees which were attacked while making their first year's growth from the bud. These trees stood near the middle of the nursery, along the border of which were growing young pear stocks, in a bed more than fifty rods in length, on the east side. The disease on these stocks, commenced directly opposite to this section of budded trees, and extended each way, until the whole were deprived of their foliage. All this goes to show that it is contagious; consequently, this year, by way of experiment, I concluded to plant my pear seeds far away from the influence of any other nursery or pear trees, by which the disease might be communicated. My experiment has been attended with the best results; for I have succeeded in raising as fine healthy stocks as any nurseryman would wish to see; not a spot of the blight has shown itself. My ground has had no extra preparation, except such as ground should receive, in order to grow a good crop of corn. I now suggest that every nurseryman who has hitherto failed in raising stocks, in consequence of this disease, try this experiment, and communicate the results. I. HILDRETH. *Big Stream Point, November 2, 1849.*

Winter Pears.

Fruits are variable in quality from two causes. One is from liability to be easily affected by soil, culture, and other similar influences; and the other results from the effect of *temperature*. The former is exhibited remarkably in the *pear*, which is almost proverbially variable in quality; and the latter is more particularly observable in the *peach*, the later

varieties of which often wholly fail as to excellence at the north, while the earlier sorts, whose periods of ripening are not thrown into the colder parts of autumn, are more uniformly good.

Winter pears suffer in quality from both causes. Like other pears, unless they grow in a good deep soil, they cannot perfect their fruit. And, unless the season is sufficiently long for their maturity, they will be deficient in flavor. The difference, however, between good and bad cultivation, independent of the season or climate, is very great. The best treatment, even under an unpropitious sun, will generally give us much better winter pears, than the most favorable skies without it. No person should even think of raising winter pears of most varieties, at the north, without giving them the best cultivation.

The following successful experiment with late ripening pears, is copied from the *Family Visitor*, a new scientific and miscellaneous paper of great value, edited by Prof. KIRTLAND and others, of Cleveland, Ohio:

"While alluding to the progress of our pear crops, from year to year, we have occasionally observed, that while the spring and the first month of summer, were attended with a favorable supply of rain, the earlier varieties of pears, as the Citron des Carmes, [Madeleine,] Dearborn's Seedling, Bartlett, &c. rapidly develop in size, and ultimately ripen in high degrees of perfection. A long protracted and severe drouth has several seasons commenced about the middle of June or early in July, and continued perhaps till the period for the growth of vegetation had passed. Whenever this occurred, the later ripening pears have failed to attain their wonted flavor, and have often been inferior in size—particularly on trees standing on dry and gravelly soil.

"During the last two seasons, we attempted to obviate the unfavorable impression of dry weather, and selected, for the purpose of experiment, trees of the Lewis, Winter Nelis, and Easter Beurre—all of which stood upon the *dry ridge* that runs parallel to the lake, in Rockport, five miles from this city.

"Moderate supplies of the necessary elements of nutrition for the pear were repeatedly applied, the surface of the ground was mulched or shaded, either with bones, brush, or litter, and the earth was frequently dug with a spade.

"This course, in our view, was furnishing them with a *rich, moist soil*, and *high culture*.

"The specimens of the Lewis and Winter Nelis, from two trees thus managed, could hardly be surpassed in delicacy and rich flavor by any of the most popular varieties of summer and autumn. The fruit from the third tree, an Easter Beurre, measures in its greatest circumference, *eleven and a quarter inches*, and in its shortest, *ten and a-half inches*. By proper attention, this fruit will, doubtless, ripen in the finest perfection at the close of the winter."

VERBENAS.—A correspondent of the Horticulturist at Washington City, states that he has been most successful in wintering *Verbenas*, by simply covering them with a hot-bed frame. It was placed over them just as they stood; those which were taken up and transplanted under the frame mostly failed. This protection would not be sufficient for the winters further north.

Mankind are very odd creatures. One-half censure what they practice, the other half practice what they censure.

The Veterinary Department.

Black-Leg in Cattle.

Sometime since, we received a request for information in regard to a disease in cattle called black-leg. Not being practically acquainted with the disease, we submitted the request to Dr. DADD, of Boston, who has obligingly furnished us with the following remarks. Dr. D.'s system is in some respects new to us, and is probably so to some of our readers. We are not prepared to offer an opinion in regard to his peculiar views, but leave them to fair consideration. EDS.

EDS. CULTIVATOR—Before I answer the inquiries of your correspondent, permit me to give you the outlines of our physiological or reformed practice and theory of disease. We contemplate the animal system as a perfect piece of mechanism, subject to life and death; that while the vital power has free and unobstructed action, the animal is in a physiological or healthy state; but when by any means the vital power is obstructed, by over feeding, exposure, &c., it is in a diseased or pathological state.

We recognise a conservative or healing power in the animal economy, whose unerring indications we endeavor to follow. Our system proposes, under all circumstances, to restore the diseased organs to a healthy state, by co-operating with the vitality remaining in the organs, by the exhibition of sanative means; and under all circumstances, to assist and not oppose nature in her curative process.

Poisonous drugs, blood-letting, and processes of cure that contemplate destruction of parts, or in other words, act pathologically, cannot be used by us. The laws of animal being are physiological; they never were or ever will be pathological, hence we co-operate with nature and nature's laws.

It is clearly evident that disease is an unit—that all its different manifestations depend on local or constitutional peculiarities. In the animal, there are numerous tissues to be obstructed; and if the disease were named from the tissue, it would have as many names as there are tissues. If it were named from the location, it would have as many names as there are locations, as horn-ail, black-leg, quarter-evil, foot-rot, &c. If it were named from the symptoms, it would be numberless, and boundless. It is of no use to decide what particular nerve, blood vessel, or muscle is diseased, seeing that the proper and only rational treatment consists in acting on all the nerves, blood vessels and muscles. But suppose we do ascertain exactly the location of the disease, have we any specific that will act upon it, other than through the healthy operation of nature's secreting and excreting process? We answer, that there is no such thing as a *specific*, in the popular sense of the term. Any medicine that is good for a practical symptom in disease, is equally good for any and every symptom, provided its action is physiological.

The indications of cure, are to relax spasm, as in lock-jaw, stoppages of the bladder, or intestines, obstructed surfaces, &c. To contract and strengthen weak and relaxed organs, as in general or local debility, diarrhoea, scouring, lampas, &c. To stimulate inactive parts, as in the black-leg, quarter-evil, foot-rot, &c., where chemical agency has gained the supremacy over vital action. To equalise the circulation, and distribute the blood to the external surface and extremities, as in congestions. To furnish the animal with sufficient nutriment to build up the waste that is continually going on, and

prevent friction. No matter what the nature of the disease, the treatment should be conducted on these principles. Finally, to relax, to contract, to stimulate, and to furnish the system with the proper materials for nutrition, constitute the whole *modus operandi* of the reformed practice.

With these preliminary remarks, we will return to your subscriber's communication, in which he states that he has lost several calves within a few days by black-leg, and knowing of no medical treatment for the disease of any value, has searched the back columns of *The Cultivator* in hopes to find something recommended as a specific, [there is none in existence] but has found nothing except what is contained in the March number for 1847, vol. 4, p. 98. Regular and good feeding is there recommended as a preventive.

Good and judicious feeding, with proper attention to the management of calves, is one of nature's preventives. Dr. White, a veterinary surgeon of London, observes—"In horses or cattle, it is probable that almost all diseases may be prevented by judicious management with regard to feeding, breeding, rearing and exercise." Again, Dr. Dixon observes—"Nature is ever busy, by the silent operations of her own forces, endeavoring to cure disease. Her remedies are air, warmth, food, water and sleep; their use is directed by instinct, and that man is most worthy of the name of physician, who most reveres its unerring laws."

Black-leg, quarter-evil, joint murrain, black-quarter, and dygangrene, are analogous: by the different names is meant their grades. In the early or mild forms, it consists of congestions in the veins or venous radicles, and effusions in the cellular tissue, when chemical action overpowers the vital and gets the ascendancy, it assumes a putrid type, and gangrene is the result, or a destruction of organic integrity. Its proximate cause exists in any thing that can for a time, intercept the free action of the vital machinery. Its direct cause may be found in over-feeding, exposure in wet situations. The milk of diseased cows, is a frequent cause of disease. Men who are engaged in preparing cattle or calves for the market, attempt to fatten without any regard to their general health, climate, the quantity of food, its quality, or the state of the digestive organs. They are very apt to think that as long as the animal has what they term "good food," and just as much as they can cram into the stomach that they must be healthy and will fatten, when in fact, too much food oppresses the stomach, impairs and overworks the digestive organs, and converts the food into a serious cause of disease. Whenever the digestive powers are overtaxed, the food accumulates in the stomach and its appendages, and being submitted to the combined action of heat and moisture, gas is evolved which distends the viscera, interferes with the motion of the lungs and diaphragm, presses on the liver, and interrupts the circulation of the blood through that organ, seriously interfering with the bile-secreting process. This is not all, the gas evolved from the putrid mass in the stomach, is absorbed, and enters into the cellular structure, hence emphysema, &c.

Your correspondent observes—"My calves are well fed and in good order, and those that fell victims were in the best condition." The old maxim, an ounce of preventive is worth a pound of cure, is true; and I have no doubt your correspondent, if he makes the trial, will find it more convenient and less expensive. The reason why disease manifests itself in the extremities, is because they are more exposed to damp ground, and because the blood, in

returning to the heart, has a kind of up hill work to perform, hence it accumulates in the veins. Now, although we observe alarming symptoms in black-leg, it is no more a disease of the legs, than it is of impaired digestion, absorption, secretion, and circulation, for the whole functions are involved, and the cure of black-leg is the cure of all other maladies.

There is no particular treatment for black-leg, other than we have already alluded to, viz., to impart healthy action to the whole animal system, and to remove the direct cause. If the animal has been over-fed with a view of fattening, reduce the quantity of food, give mucilage of slippery-elm, and rub the leg with tincture of eapsium.

Our advice to farmers is, let your animals have their meals at regular hours, in sufficient quantity, (and not a particle more;) if they waste it, put less before them each time, until they eat the quantity given, without waste; let them have good beds of straw on which to rest their limbs; do not permit them to breath the emanations that arise from the dung and urine; keep them clean, and avoid undue exposure. Finally, govern them in a spirit of kindness and mercy, and there will be little foothold for disease. G. H. DADD. Boston, Jan. 1850.

Blind Teeth in Horses.

EDS. CULTIVATOR—Some two or three years since, I did myself the pleasure of giving you my experience on the subject of Wolf or Blind Teeth; since which time no actual ease has occurred under my observation till lately. I now send you enclosed a Wolf tooth, extracted from the upper jaw of a horse of mine, immediately in front of the grinders. I had observed a considerable degree of inflammation in the eye of this horse, and a thin film was gradually forming, which threatened its destruction. I tried various remedies in vain, when I discovered the Wolf tooth, situated as above described, which being extracted, the eye rapidly recovered, and is now entirely well.

As the existence of these teeth, and their effect upon the eye of the horse has been doubted by scientific men, I send you the tooth and state the facts, leaving it for science to say what is the connection between the cause and the effect. WM. LITTLE.

CARBON AS FOOD FOR PLANTS.—Mr. J. W. ROGERS says he was refused the gold medal offered, a few years since by a public body in Ireland, because he had set forth that carbon, given to the roots of plants, would invigorate them. He observes—'This was then deemed a fallacy, but I am happy to say, any one may now allege the same without being laughed at. At that period, a popular chemist had set it down 'that all plants depended upon the atmosphere for the carbon they contained,' but the leading chemical writer of the present day says very differently. Brande states, in the 6th edition, published 1848, that 'although the accumulation of decaying matter which chemists call *humus* performs an important part in vegetable nutrition, it is not by its direct absorption and assimilation, but by its influence as a source of carbonic acid, which is partly taken up by the juices of the roots, and partly evolved into the atmosphere, so that plants, independent of their leaves, can thus receive carbonic acid.'

The idle man is the devil's hireling, whose livery is rags, whose diet and wages are famine and disgrace.

He is a fool who makes his doctor his heir.

Business Notices.

Our Premiums.

It should be remembered that competition for the following list of Premiums, payable in Books, or in Implements or Seeds from the Albany Ag. Warehouse, is open till the 20th of March next, viz:

1. To the one who shall send us the largest number of subscribers to the CULTIVATOR for 1850, with the pay in advance, at the club price of 67 cents each, previous to the 20th of March next, the sum of FIFTY DOLLARS.
2. To the one sending us the next largest number, the sum of FORTY DOLLARS.
3. To the one sending us the next largest number, the sum of THIRTY DOLLARS.
4. For the next largest list, the sum of TWENTY DOLLARS.
5. For the next largest list, TEN DOLLARS.
6. For the Five next largest lists, each FIVE DOLLARS.
7. For the Ten next largest lists, each THREE DOLLARS.

In addition to the above, a copy of 'Thomas' "AMERICAN FRUIT CULTURIST, price one dollar—a very valuable work just published—to every agent who sends us Fifteen subscribers and \$10, and who does not obtain one of the above prizes.

The American Fruit Culturist.

This work has been sent by mail, only to such Agents as have requested it. Many have sent us 15 subscribers, entitling them to the work, who have said nothing about its being sent; and we have taken it for granted that they intended to procure more subscribers, and to be competitors for a higher prize. We therefore give notice that the work will be sent by mail only where specially requested, and that we will send it in any manner desired, and at any time, to any person who has sent 15 or more subscribers for this volume.—The postage on the work is only 21½ cents, to any post office in the United States.

To Postmasters and other Agents.

Some of our Agents seem not fully to understand the terms of *The Cultivator*, to clubs; we state,

1. That in forming clubs, it is not necessary that all the papers for one club should go to one post office. They will be sent to as many different offices as required.
2. It is not necessary that for a club of seven or fifteen, all the copies should be ordered at once. Any one will be entitled to seven copies after paying \$3, though he sends but one at a time. For instance, when a Postmaster sends us \$2 for two copies, he will be entitled to five more copies for \$3, making 7 copies for \$5. So when an Agent sends \$3 for 7 copies, he will be entitled to 8 more copies for the second \$5, making 15 copies for \$10.
3. When an Agent has sent \$5, for 7 copies or \$10 for 15 copies, he will be entitled to any additional copies he may order at the rate of \$2 for three copies.

Postage of the Cultivator.

In answer to several inquiries, we repeat the statement so often made, that *The Cultivator*, when sent without cover, is subject to newspaper postage only—that is, one cent within the State, and 1½ cents if out of the state, and over 100 miles from Albany. This question has been several times settled by the different Postmaster Generals. For Certificate of this, see Cult. for 1845, page 97.

Back Volumes of the Cultivator.

We can still furnish entire sets of *The Cultivator*:
First Series.—Ten vols., quarto—Price, bound, \$10—Unbound, \$8.
New Series.—Six volumes, octavo, now completed—price, bound, \$7.50—unbound, \$6.

Any of the Volumes, except the one for 1848, can be had separately.

The Horticulturist,

AND JOURNAL OF RURAL ART AND RURAL TASTE.

This popular work is edited by A. J. DOWNING, author of "Landscape Gardening," "Designs for Cottage Residences," &c. &c., and is published by the proprietor of "The Cultivator," each No. containing 48 pages, embellished by an engraved frontispiece and numerous other illustrations, at \$3 a year. Three vols. are completed, and the fourth is now in course of publication. Price per vol., bound, \$3.50—unbound, \$3. When two or more vols. are taken, a discount of 50 cents per vol. will be made.

Franking Privilege of Postmasters.

We notice that many Postmasters, who are Agents for *The Cultivator*, pay the postage on their letters to us. It will be seen by the following letter from Hon. F. H. WARREN, Assistant Postmaster General, that they are entitled to the privilege of franking their remittances:

Post Office Department,
 Appointment Office, Dec. 31, 1849.

Sir—The Postmaster General, after careful consideration of the question as to the right of Postmasters that have the privilege of franking, to frank letters to publishers of newspapers covering money for subscriptions or the names of subscribers, has decided, that when the Postmaster is Agent for the publisher, he has the power to frank such letters, and his Agency will be presumed from the fact that he franks them. As no Postmaster has any authority to frank these communications but when he is such an Agent, it is proper to regard him as acting in that capacity when he so conducts, until information is received to the contrary. In doing this business, the Postmaster must be regarded as entirely the Agent of the publisher, and not of the Department. FITZ HENRY WARREN.

Notes for the Month.

COMMUNICATIONS have been received, since our last, from Gleaner, W. L. Eaton, G. H. Dadd, S., Levi Bartlett, A. B., A Farmer, Agricola, Argus, A Subscriber, Mary, Calvin Stow, C. G. I., L. Durand, Jonathan Wood, C. E. G. (all too late for this month,) J. B. Garber, S. Tillotson, J. J. C.

BOOKS, PAMPHLETS, &c., have been received as follows:

Proceedings of the St. John (N. B.) Agricultural Society for 1849, from ROBERT JARDINE, Esq., President.

Northern Spy and Melon Apple, from ELWANGER & BARRY. Belcher's Farmers' Almanac, for 1850, Halifax, N. S., from C. H. BELCHER, publisher.

Proceedings of the Seneca County (N. Y.) Agricultural Society, for 1849, from JOHN DELAFIELD, Esq., President of the Society.

Sherwood's Manual for Magnetizing, with the vibrating magnetic machine, and for the magnetic treatment of diseases, from the publishers, FOWLER & WELLS, New-York.

New and Improved Poudreite of the Lodi Manufacturing Company, a pamphlet just issued by that company, 66 Dey-street, New-York.

Report of the Ohio Nurserymen and Fruit Grower's Convention, held at Columbus, Dec. 5, 1849.

PROF. JOHNSTON'S ADDRESS.—We give in this number, the address of Prof. JOHNSTON, delivered before the N. Y. State Agricultural Society at Syracuse. It is hardly necessary for us to invite the attention of our readers to this document; we presume it will be read with avidity by all who have the opportunity; and like other emanations of the same prolific pen, it will be found replete with useful facts and suggestions, beautifully and forcibly expressed. To make room for the address entire, we have been obliged to use small type; but we think the advantage of having the whole in a body, will overbalance this objection.

STATE FAIR.—It will be seen, by reference to the doings of the State Agricultural Society, that it has been resolved to hold the next Fair at Albany. We trust that our citizens will take timely hold of the matter, with a determination to make it, as it can be made, the best exhibition ever held in America. The Fair will be held on the 3d, 4th, 5th and 6th days of September.

PROF. JOHNSTON'S LECTURES.—These lectures, of which a programme was given in our last number, were commenced at the Assembly Chamber of the Capitol on the evening of the 4th ult. They have been attended by large audiences, composed of several of the prominent members of the Legislature, and many of our most intelligent citizens—all of whom have been deeply interested and gratified with the admirable manner in which the various subjects have been treated. It is expected that the lectures will be printed shortly, and we shall endeavor to give them, or a portion of them, as soon as practicable, through our pages.

☞ The late hour at which we received the copy of Prof. JOHNSTON'S Address, and our desire to present it entire this month, has rendered it necessary to omit several communications intended for this No., as well as to curtail very considerably the department devoted to Horticulture.

☞ If "A GLEANER" will furnish us his name, we will address him privately on the subject of his communication.

"H. C. W."—Our correspondent, Hon. F. HOLBROOK, writes—"I wish you could induce 'H. C. W.' of Putnam Valley, to try his hand oftener at writing for the Cultivator. He has a beautifully graceful and strong style, and I want to hear often-

er from him. His light must not be hid under the bushel nor his talent wrapt in a napkin." We earnestly second these sentiments, in which we will venture to say we are joined by all our readers.

NORTHERN SPY AND MELON APPLES.—We are indebted to Messrs. ELWANGER & BARRY, of Rochester, for handsome specimens of these esteemed new varieties of apples. The Melon being in perfection at the time of its arrival, (first January) we had a better opportunity for testing its qualities than we have had before, and unhesitatingly pronounce it an excellent apple. The Spy is not yet ripe, it being a late spring fruit.

ALBANY PRUNES.—We have received from Mr JOHN LOSSING of this city, specimens of excellent dried prunes, produced by trees raised by him from seed brought from Germany.

SAXON SHEEP.—In our last number, we noticed an importation of Saxon sheep by Messrs. CATLIN & SMITH. We have since had the opportunity of seeing these sheep, at the farm of Mr. CHARLES B. SMITH, Wolcottville, Ct. In several respects they are quite different from most Saxons we have seen. They are evidently the result of extraordinary skill in breeding; and as sheep producing the finest quality of wool, seem to approach nearly to a standard of perfection. The ewes are from two to three years old. They are handsomely formed—have, generally, full briskets and broad loins. Their weight is from eighty-five to one hundred pounds each. The rams are larger, in the usual proportion. What will be their weight when fully grown, we cannot say; they are only yearlings, (lambs of 1848) and of course may be expected to become considerably heavier.

These sheep have not only very fine wool, but they are especially remarkable for the *evenness* of their fleeces; they have no coarse spots—the wool being fine *all over the body*, with but little variation in quality. We have samples taken from the neck, shoulder, middle of the back, hip, and thigh of the same sheep, which will give a better idea of the uniformity of the fleece, than anything we can say. The wool is generally thickly set; and we should think the weight of the fleeces, cleaned as has been customary with Saxon wool in this country, would average three pounds. Their appearance indicates good health and fair constitution. We have no doubt they will prove a very valuable addition to the sheep-stock of the country, and we trust the enterprising importers will find their investment in all respects satisfactory. We should be pleased to show the samples of wool to persons who may wish to see them.

FINE FOWLS.—Our attention was lately called to a lot of beautiful game fowls, (about twenty pair,) bred by Mr. T. C. ABRAHAMS, of West Troy, and which were about being sent to different parts of the country. We mentioned on a previous occasion, that Mr. A. had bred a portion of his fowls from a cross made with the English pheasant. He still continues this stock, in which many of the traits of the pheasant are distinctly visible. He has, also, several other varieties, one of which was brought from Mexico, and is said to be the same that SANTA ANNA held in great esteem. Another is the Earl Derby variety, so celebrated in England, characterized by the black breast, and purple band across the wing, with yellow legs.

WASHING SHEEP.—Our correspondent "S. W.," of North Easton, Washington county, New-York, writes—"In conversing, recently, with a wool-grower of considerable experience, he gave me his mode of washing sheep, which is to use a wooden

vat, with a small stream of water running into it just large enough to supply the waste in slopping over and in taking out the sheep. In this way the heat of the sheep warms the water, and the oil and soapy matter from the wool converts it into a kind of soap suds, which cleanses the wool far more effectually than clear, cold water. I would like to know how this idea squares with the experience of wool-growers generally."

SALE OF THE BATES SHORT-HORNS.—**GEO. VAIL, Esq.**, of Troy, informs us that he learns by letters he has just received from England, that the sale of the celebrated herd of cattle of the late **THOMAS BATES** of Kirkleavington, Yorkshire, will take place in April or May next. The herd consists of about seventy head of bulls, cows and heifers, all of which will be sold without reserve.

THE VAN ALLENS.—We had the pleasure, last week, of entering on our books, a club of seven subscribers, all named **VAN ALLEN**. They all reside in one neighborhood, in Bethlehem, in this county.

PROFITABLE SHEEP.—**MR. DAVID ST. JOHN**, of Bern, in this county, bought fifty sheep in July, 1848, at \$1.12½ each—or \$56.50; of these, he wintered forty-nine. There were twenty-three ewes in the lot, which in 1849, reared twenty-five lambs. The same season, the forty nine sheep sheared 223 pounds of wool, of which 213 lbs. were sold for the gross amount of \$48. He sold in June last, to the Albany butchers, nineteen old sheep, (wethers) and ten lambs for \$48; thus making the gross amount of sales, \$116—and he has thirty old sheep and fifteen lambs (yearlings,) or forty-five in all, left, which are worth more than the first stock.

Mr. L. B. Maltby, of Bristolville, Trumbull county, Ohio, writes—"I would as soon think of doing without my bread, as without *The Cultivator*. Five hundred dollars would not cover the benefit I have derived from the articles contained in it, on the dairy alone."

A couple of pages of "Monthly Notices," and "Notices of New Publications," in type for this No., are necessarily omitted.

Prices of Agricultural Products.

New-York, Jan. 21, 1850.
FLOUR—Genesee, per bbl., \$5.50a\$5.62½—Extra Genesee and Ohio, \$5.75a\$6.50.
GRAIN—Wheat, Genesee per bush., \$1.23a\$1.23—Common and good Ohio, \$1.00a\$1.11. Corn, Northern, 63c.—Southern and Jersey, 61c. Rye, 62½c. Barley, 60a61c.—Oats, 42a45c.
BUTTER—best, per lb., 19a22c.—Western dairy, 15a17c.
CHEESE—per lb., 6a7c.
BEEF—Mess, per bbl., \$3.50a\$9.50—Prime, \$6a\$6.75.
PORK—Mess, (new) per bbl., \$11.25a\$11.50—Prime, \$9.
LARD—per lb., 6½c.
HAMS—per lb., Smoked, 7a9c.
HOPS—first sort, per lb., 17a18c.
COTTON—Upland and Florida, per lb., 12½a14c.—New Orleans and Alabama, 12½a14c.
WOOL—(Boston Prices.)
 Prime or Saxon fleeces, per lb., 40a45c.
 American full blood Merino, 35a37
 do half do 30a32
 do one-fourth do, and common, .. 27a29

REMARKS—The weather at New-York has been unfavorable for trade, and the market is rather heavy. Holders of flour anticipate an advance by the next steamer, and are, consequently, disposed to hold to present prices. Corn is firm, with a moderate supply. In provisions, pork is in moderate demand, though prices tend downward.

NEW-YORK CATTLE MARKET.

Monday, January 21.
 Offered, 1,200 **BEEVES**, (340 Southern, the remainder from this State,) 60 **COWS** and **CALVES**, and 5,500 **SHEEP** and **LAMBS**.
BEEVES—The inclement state of the weather to-day prevented the usual attendance of trade, and the market consequently closes very dull. Prices, however, show no falling off. We quote retailing quantities at \$6. It was estimated that full 400 head would be left over unsold.
COWS AND CALVES—Market dull and inactive. Sales at from \$22.50 to \$39a\$40. Unsold 15.
SHEEP AND LAMBS—Sales at from \$1.75 to \$3 to \$5.75, which is a slight advance. 800 unsold.—*Tribune.*

BRIGHTON CATTLE MARKET.

Thursday, Jan. 17.
 At market, including those remaining from last week, 950 Cattle of all descriptions—37 remain unsold at this time,—Friday morning, 10 o'clock.
 Prices of Beef Cattle were much as last week. Drovers asked more in the morning, but it was no go. A very few at \$9.25. Good at \$5, and very good at \$5.25a\$5.75. Lower grades from \$5 down to \$3.50, as in quality. Some of the salesmen reported a little more animation, and a shade higher price, upon ordinary cattle. Western drovers reported heavy losses.
SHEEP AND LAMBS, 2440 at market.
 Prices. \$1.75, \$2.00, \$2.25, \$2.50, \$3.00, \$3.50, \$4.00, \$5.00.
SWINE. But few at market. No change in price—4½a5½ at wholesale, and 5a6 at retail.—*Plowman.*

Highland Nurseries, Newburgh, N. Y.

Late A. J. Downing & Co.
 20,000 Apple Trees of the most approved varieties, for sale, (of extra size, from 8 to 12 ft. high, and 3 to 5 years' growth,) at \$20 per hundred.
 Persons wanting trees to sell again, will be dealt liberally with.
 Feb. 1, 1850—3t. A. SAUL & CO.

A Devon Bull for Sale.

THE subscriber offers for sale his full bred Devon Bull, from the best stock in the country.
 Any one wishing to purchase such an animal will do well to call at an early opportunity.
 Farmington, Ct., Feb. 1—1t. JOHN E. COWLES.

Selling off to Close the Business.

LINNEAN BOTANIC GARDEN & NURSERY, late of Wm. PRINCE, deceased. Flushing, L. I., near New-York. WINTER & Co., Proprietors.
 In consequence of the decease of the Junior, and of the advanced age of the surviving partner, the entire stock of this establishment, comprising every description, including the newest and choicest varieties of

Fruit and Ornamental Trees,

Shrubs, Vines, Plants, Roses, &c., will be disposed of for cash, at a REDUCTION OF 25 TO 50 PER CENT from the usual prices, according to kind and quantity. Young Stock, Ornamental Shrubs, Pæonies, Herbaceous Plants, &c., very low by the quantity.
 Descriptive Catalogues gratis on application, post paid.
 Feb. 1—1t.

Fruit Scions for 1850.

THE subscriber can furnish scions for grafting of the choice fruits of Western New-York. They can be sent by mail or express, and when possible, I will send sample apples:—
 "Northern Spy," apples,
 "Norton's Melon,"
 "Early Joe,"
 "Swaar,"
 "Esopus Spitzenberg,"
 "Fameuse,"
 "Pomme Gris,"
 "Baldwin,"
 And the "Wagener" variety, to which the State Society awarded a premium of \$5.
 Price for Scions one dollar per hundred.
 Applications, post paid, shall have immediate attention.
 Rochester, Feb. 1.—1t.* JAMES H. WATTS.

Take Notice.

THREE Months Extra Pay and One Hundred and Sixty Acres of Land will be procured for all who enlisted for five years, or during the war of 1812, and for all, including Volunteers who served in Mexico, and for the heirs of all who have died in the service.
 Information will be given to relatives, Free of Charge, by writing to G. F. LEWIS, Detroit, Michigan, (postage paid.)
 Those who do not know what became of their friends, write when and where they joined the army. Feb. 1—3t.*

Poudrette.

THE LODI MANUFACTURING CO., offer their new and improved Poudrette, for sale at their usual rates:—1 bbl. \$2—3 bbls. \$5, and \$1.50 per bbl. for any quantity over 7 bbls., delivered free of expense on board of vessel in New York. At the Factory, where vessels drawing 8 feet water can come, it will be sold at 25 cents per bushel.
 The expense per acre in manuring corn with Poudrette, will amount to about \$4, calculating 25 cents per bbl. freight, and all the necessary labor included. On land previously manured, or on good sward land, one gill to the hill is sufficient—on poor ground, a good crop can be raised by one gill at planting, and one at the last hoeing. The cost of the labor alone in manuring corn in the hill with barn yard manure, will amount to more than the first cost of the Poudrette, with freight and all charges added; and the effects of Poudrette are quicker, more vigorous, and the corn reaches maturity earlier. A fair trial, however small, is respectfully solicited.
 A pamphlet containing instructions for use, certificates from some of the first Agriculturists in the United States, and much valuable information will be sent gratis, to any one applying (post paid if by letter,) to "THE LODI MANUFACTURING COMPANY, 66 Dey street, New-York." Feb. 1—4ms.

Lynchburg (Va.) Land Agent.

THE undersigned has on hand, for sale, FIFTY PLANTATIONS, lying in this section of the State—say from two to one hundred and fifty miles from Lynchburg. Prices from three to twelve dollars per acre. Mountain land, from thirty-five cents to two dollars. All communications, post-paid, promptly attended to.
Lynchburg, Va., Feb. 1—21* BENJAMIN WILKES.

Wanted.

A YOUNG man with a small family to take charge of a nursery, who has some knowledge of farming, and is thoroughly acquainted with the propagation of Fruit Trees.
He must be well recommended as a man of integrity, and to be moral and temperate in his habits. None other need apply.
RUFUS WHITTIER.

Chickopee, Mass., Feb. 1, 1850.—3t.

Highland Nurseries, Newburgh, N. Y.

(Late A. J. Downing & Co.)

THE PROPRIETORS beg leave to inform their patrons, and the public in general, that their stock of

Fruit and Ornamental Trees, Shrubs, Roses, &c.,
For Spring planting, is unusually large and thrifty, and embraces all of the best varieties introduced into notice in this country or Europe; of Apple, Pear, Plum, Cherry, Peach, Nectarine, Apricot, Grape-vines, Gooseberry, Currants, Raspberry, Strawberry, &c., &c.

Portugal Quince trees, standards, extra size, each... \$1 00
do. do. quenoille, do. 1 00

Angers, (true,) extra 1 00
Trees of the usual size 0 50

Also, Pears on Quince, and Apple on Paradise stocks, for dwarf trees.

The stock of Ornamental Trees, Shrubs, &c., is very large; and quantities to dealers, or planters on a large scale, will be furnished at greatly reduced rates.

Hedge Plants.

A large stock of Buckthorn, and Osage Orange plants.

Also, a large stock of Rhubarb and Asparagus roots.

The entire stock has been propagated under the personal supervision of A. SAUL, whose long connection with this establishment is some guarantee, (and the reputation it has gained, (and the present proprietors are determined to merit,) as to the genuineness and accuracy of the present stock.

Orders respectfully solicited, and will receive prompt attention, which will be carefully packed and shipped to any part of the Union or Europe.

Catalogues furnished gratis to post-paid applicants.

Feb. 1, 1850—3t.

A. SAUL & CO.

To Fruit Growers and Nurserymen.

Spring of 1850.

THE subscribers invite the attention of Tree purchasers to their stock now offered for sale. By large importations from Europe, and an extensive scale of propagation in their own grounds, they are enabled to offer one of the most extensive and complete assortments, and on the most liberal conditions.

The well known health, hardness and vigor of the trees grown here, and the undivided and scrupulous attention given to every department by the proprietors, in person, offer great inducements to purchasers.

Standard Fruit Trees,

Pyramidal and Dwarf Fruit Trees,

Gooseberries, Currants, Strawberries, &c.,

Ornamental Trees and Shrubs,

Roses, Dahlias, &c.

Hedge Plants, including large quantities of

Buckthorn and Osage Orange.

Stocks for Standard and Dwarf Trees,

And all other nursery articles; besides a large collection of

Green House, Border and Bedding Plants.

Wholesale priced lists sent gratis to all post paid applications. A separate catalogue for 1850 of *Roses, Dahlias*, and other new and rare articles will also be furnished.

ELLWANGER & BARRY.

Mount Hope Garden and Nurseries, Rochester, N. Y.

Feb. 1, 1850.—1t.

The American Poultry Yard,

BEING a History and Description of Various Kinds of Domestic Fowls, with complete directions for their Management, Breeding, Crossing Rearing, Feeding, and Preparation for a Profitable Market. Also, their Diseases and Remedies. And complete directions for Caponising. Arranged from the best authorities in Europe and America.

Illustrated by numerous original engravings. Forming the most Practical Manual for those who are desirous of raising poultry, that has been published in this country. Price \$1, bound.

Published by C. M. SAXTON, 121 Fulton st., New-York,

And for sale at this Office.

Also, Allen's American Farm Book, \$1.

Allen's Domestic Animals, 75 cents.

Miner's Am. Bee Keeper's Manual, \$1.

Gunn's Domestic Medicine (117th thousand,) \$3.

Jan. 1, 1850.—2t.

Stocks, Scions, Evergreens, Strawberry Plants, &c.

B. M. WATSON offers for sale at the *Old Colony Nurseries*, PLYMOUTH, MASS., Stocks of Fruit Trees of first rate quality, suitable for spring grafting and budding in the coming summer, at the annexed prices per 1000. Apple, 1 year, strong, \$5; 3 years, transplanted, \$10—Pear, 1 year, \$8; 2 years, \$15; 3 years, transplanted \$20—Plum, 2 years, \$15—Cherry, 2 years, \$12; 3 years transplanted, \$15—Quince, large and fine, \$18; 1 year, strong, \$12—Mahaleb, strong, \$25—Paradised, strong, \$25—St. Jean, (dwarf) \$5 per 100. Ash, Maple, Laburnum, Lime, Spanish Chestnut, Poplar, Mountain Ash, Elm, Alder, &c., &c., 4 feet, at \$3 to \$8 per 100. Arbor Vitæ, Norway Spruce, Scotch Fir, Balsam Fir, Silver Fir, Larch, Red Cedar, 1 to 2 feet, \$5 to \$10 per 100.

SCIONS. Apple scions, (fine sorts) \$1.50 per 100. Paradise cuttings \$3 per 1000. Scions of the finest sorts of pear of established reputation (say 30 sorts,) and of other fruits, \$2 per 100, \$15 per 1000.

STRAWBERRIES. Burr's New Pine, \$4 per 100; Boston Pine, \$1; Hovey's Seedling, \$1; Richardson's Early, Late and Cambridge (fine sorts) \$1.50 per doz.; Early Virginia Scarlet, \$1 per 100; Jenny's Seedling, \$3; Aberdeen Beehive, \$5; Swainstone, \$3; Myatt's Eliza, \$2; Crimson Cone, \$2; Black Prince, \$5; Deptford Pine, \$3; Princess Alice Maude, \$3; Keene's Seedling, \$2; Willey's Seedling, \$3; White wood, \$1;—25 cents to \$1 per dozen.

Also, Dwarf and Standard Pears, select Shade Trees, Shrubs and Climbers; Weeping Trees for lawns, Roses, Phloxes, Verbenas, Chrysanthemums, and other fine plants for masses, at low prices, of which a priced list will be sent, post paid, on application.

Also, Year seed of prime quality.

Feb. 1, 1850.—3t.

New Scarlet Verbena---Robinson's Defiance.

J. M. THORBURN & CO., 15 John street, New-York,

HAVE now ready for delivery, strong plants of the above splendid Verbena, the finest in England, from whence they obtained it last June, fully testing its quality during the summer. The bloom is of the most vivid scarlet, with fine foliage, and so far from being injured by the heat of the sun, was rather improved, and continued a mass of flowers, rapidly covering the ground, while most others were destroyed by the heat, nor ceased to flower in profusion till checked by frost at the end of October—after which, being taken up and removed into the greenhouse, flowered away till December, and is now (January 21) fully out for a long succession of bloom.—It may be seen in perfection very soon by any one who will take the trouble to visit Astoria.

TESTIMONIALS.—*Gardener's Chronicle*, (Dr. Lindley,) Aug. 28.—"Robinson's Defiance" is a most brilliant flower—fine in form and a good trusser—best of its class.

Gardener's Journal, Sept. 4.—"Robinson's Defiance"—beautiful variety—form good—segments of the corolla broad, firm in substance and flat—color, a brilliant scarlet—habit of the plant good, and a free bloomer.

The Gardener, Sept. 18.—"Robinson's Defiance" is a superior variety, the petals are stout, the flower and truss large and well formed—color, a clear vivid scarlet—the plant is a strong and free grower, with a fine foliage and superior habit—we have not seen its equal.

It received first class certificates and the highest commendation at the following exhibitions—"Royal South London," Sept. 15—"Slough," Sept. 21—"Norwich," Sept. 23—"Metropolitan," Sept. 28—and the "Chelsea Society."

The habit of the plant is equally adapted for potting or bed culture, being short jointed with remarkably fine foliage, and a free bloomer. A large Italian vase filled with it at Astoria last summer, was the most striking object in the garden, and was adored by all gardeners and amateurs who observed it. It was first sent out in England in the Spring of 1848 at 7s 6d sterling per plant, but was not successfully imported here till last season.

A good stock of this beautiful Verbena, (*warranted to answer description*.) being now ready to send out, orders will be promptly executed with strong healthy plants at 50 cents each—\$5 per dozen—six at same rate—with a liberal discount to the trade when a dozen or more are ordered.

Also the following additional new Verbenas, from England:

ANACREON—large bright rose, good habit and fine foliage, free bloomer and close set, pretty eye.

BARKERII—scarlet crimson, good spreading habit and profuse bloomer.

ROSY MORN—light rosy crimson, large compact truss, good eye and free bloomer—a beautiful variety.

SATELLITE—orange scarlet, exquisite form and trailing habit, well adapted for large pan pots or vases—foliage soft, serrated, and of a feathery style, extra fine—50 cents each—or if the set of four is ordered, \$1.50—have been proved a season, and fully answer description.

The following approved older sorts, \$1.50 per dozen—Beauty Supreme, Flambeau, Fireball, Major Ringgold, Mestosa, Mary Anne, Othello, Polk, Queen, Roseum Elegans, Smith's Blue Bonnet, and others well adapted for bedding out or in patches.

PETUNIAS—Hebe, Filiza, Beauty of Yorkville, Duke of Bedford and other good sorts—\$2 per dozen.

DAHLIAS in dry roots—all the prize sorts exhibited at Castle Garden last October—\$5 to \$15 per dozen.

Plants of the new Verbenas can readily be sent by mail; by shaking off the soil a half dozen will not weigh over an ounce; by immediate potting on arrival and trifling care, will recruit in three or four days and be in advance and superior condition for turning out in the month of May—of course, much earlier, further south.

Feb. 1, 1850.—2t.

For Sale,

TWO Short Horn Bull Calves, 1 year old in April next. Both are descended from the bull Yorkshire—bred by the late Thomas Bates, Esq. In color, one is red, the other red with a little white.

Letters of inquiry, post paid, attended to. J. M. SHERWOOD. Auburn, Feb. 1—2t.

The American Fowl Breeder,

A New and Valuable book,

CONTAINING full information on Breeding, Rearing, Diseases and Management of

Domestic Poultry,

And instructions concerning the choice of pure Stock, Crossing, Caponising, &c., &c., **WITH ENGRAVINGS.** By an association of Practical Breeders.

The above valuable work is just published by John P. Jewett & Co., Cornhill, Boston, and it is offered at the extremely low price of *Twenty-five Cents* per copy, to bring it within the means of every man interested in Poultry.

We want 100 Good Faithful Agents,

To sell this work in every county in New England, New-York, Pennsylvania and the West, in connection with

Cole's American Fruit Book,

AND

Cole's American Veterinarian.

Active and intelligent men can make money at the business.

Address, post paid, the publishers.

JOHN P. JEWETT & CO.,

Cornhill, Boston.

P. S. The American Fowl Breeder is done up with thin covers, and can be sent by mail to any part of the country. Any person sending a quarter of a dollar by mail, *post paid*, shall receive a copy of the book.

Feb. 1—3t.

A New Patent Compressing Churn.




Fig. 1.




Fig. 2.

FEW of the many recent inventions denominated Churns, have merited the recommendations published by interested parties, and too often the favorable opinion of the press. In fact, not more than one or two of the many kinds have been worthy of being manufactured; the only object of the patentees seeming to have been to

hawk about the country selling *Patent Rights* for what they could get, which once sold, ends its existence, so far as the public are concerned, the purchaser of the patents only regretting he ever meddled with it.

On the contrary, our own course has ever been, to sell or recommend only such articles to the farming public, as we know from our long experience in selling and manufacturing, to be well worthy of the recommendations given them through our advertising. The *Kendall's*, the *Thermometer*, and the *Common Dash* churns having composed our assortment, for want of better kinds.

Until the improved churn, represented by the cut at the head of this advertisement came to our notice, we have not offered any thing new. This, although a recent invention, has been thoroughly tested during the past season, by a goodly number of dairymen in Chenango and Orange counties, with unprecedented success; so much so, that we hazard nothing in pronouncing it the most desirable churn now before the public.

Its construction is simple, having four pairs of broad blades or beaters all confined together, so set as to pass edgewise through the cream, as represented in fig. 2, (end view,) these floats, when turned in the direction of the arrow *C*, cause the cream to be compressed, and pass between the blades from *a* to *b*; this motion being continued until the butter will not pass through the openings at *b*; then, by reversing the motion, the bevel of the inner blade serves to throw the whole contents to the centre, where the butter rapidly forms into one solid mass, until the separation is complete. The floats may be instantly removed, and the butter taken out.

It received a *Silver Medal* at the fair of the American Institute, held at New-York, for being, in the opinion of the committee, the best churn ever offered for competition—nearly every other kind in use being in the same exhibition.

Some of the improvements in this churn, are—There is no shaft through the centre. This form of float passes easily through the cream, and at the same time produces a greater amount of agitation than any others in use. This process of compressing and collecting the butter from the cream is not excelled by any previous invention.

They are offered at about the same prices, according to size, as *Kendall's* churns, and a liberal discount allowed to dealers. All are warranted to give satisfaction, or may be returned.

Albany Agricultural Warehouse and Seed Store,

No. 369 & 371 Broadway.

Albany, February 1, 1850.

H. L. EMERY.

Farms for Sale.

THE Subscriber has several improved farms from 24 to 100 acres each, in Milton, Saratoga county, which he will sell for one-third cash, with a credit of five to ten years on the balance. The produce can nearly all be marketed in the immediate neighborhood, at Albany or Troy prices. Farm or carpenter work would be received for two-thirds or three-fourths of the smaller parcels. Several sober and industrious carpenters would find constant employment at good wages. For further particulars address (post-paid) Ballston Spa, N. Y.

Feb. 1, 1850—1*

SETH WHALEN.

JUST PUBLISHED,

BY DERBY, MILLER AND CO., AUBURN.

THE AMERICAN FRUIT CULTURIST,

BY J. J. THOMAS,

CONTAINING directions for the Propagation and Culture of Fruit Trees, in the Nursery, Orchard, and Garden, with Descriptions of the principal American and Foreign Varieties cultivated in the United States. With 300 accurate illustrations. One volume of over 400 pages, 12 mo. Price \$3.

A cheaper, but equally valuable book with Downing's was wanted by the great mass. Just such a work has Mr. Thomas given us. We consider it an invaluable addition to our agricultural libraries. *Wool Grower.*

We predict for it a very rapid sale; it should be in the hands of every fruit grower, and especially every nurseryman. It is a very cheap book for its price.—*Ohio Cultivator.*

It is a most valuable work to all engaged in the culture of fruit trees.—*Utica Herald.*

It is a book of great value.—*Genesee Farmer.*

Among all the writers on fruits, we do not know of one who is Mr. Thomas' superior, if his equal, in condensing important matter. He gets right at the pith of the thing—he gives you that which you wish to know at once; stripped of all useless talk and twattle. No man has a keener eye for the best ways of doing things. Hence we always look into his writings with the assurance that we shall find something new, or some improvements on the old; and we are seldom disappointed. This book is no exception. It is *full*. There is no vacant space in it. It is like a fresh egg—all good, and packed to the shell full.—*Prairie Farmer.* Jan. 1, 1850.—3t.

Horse Powers and Threshing Machines.

E. PLANT, No. 30 Cedar Street, New-York, Agent for the Proprietor, for making and selling the "Warren" Improved Two and Four Horse Powers and Threshers. Also, "Trimble's." Price of the "Warren" Two Horse Power and Thresher, only \$60
do do Four do do do \$110
Price of the "Trimble" Two Horse Power, (without Thresher,) \$60
do "Warren" do do do do \$30
do do Four do do do \$75

Bands, from \$4.50 to \$6.

These *latest Improved* Threshers and Powers give universal satisfaction, and are deemed far superior to any others known heretofore for any thing like their cost.

Cash Orders filled promptly.

N. B. PURCHASING & COMMISSION AGENCY.

The undersigned also continues the business of the late E. Plant & J. Plant, (E. Plant & Co.) of Purchasing for Orders, on Credit or for Cash, Dry Goods, Groceries, Hardware, &c., &c., for a commission of 2½ per cent. Produce, such as Sugar, Cotton, Tobacco, Peltries, &c., also received and sold on Commission. **E. PLANT,** Dec. 1, 1849—6t. No. 30 Cedar St New-York.

Good Opportunity for Situation.

A GENTLEMAN in *Eastern Va.*, desirous of engaging in other pursuits for 5 or 10 years, wishes to arrange with some intelligent, upright, industrious, persevering farmer, from the north,—one who can come well recommended in every way, to take charge of his farm on the 1st March next, for a term of years, upon shares.

Said farm is within easy distance of the markets of both Petersburg and Richmond, and near James river. It contains 500 acres—200 arable, well marled; 50 acres of unclaimed meadow, 20 reclaimed, 5 in grass, 150 well set in clover; is excellent wheat, corn, and clover land, and easy to work and improve. There is 100 acres seeded in wheat. The land is well adapted to grazing, and has a fine range for sheep. There is a young orchard—400 choice apple trees, usual stock—utensils, &c.; good house, out-houses, garden, 2 barns, 400 feet of shedding for stock, 2 wells, &c. The farm is well watered. He wishes it converted, as much as possible, into a grazing and dairy farm. He will furnish 6 hands, and provisions for one year, and furniture in house.

To any man who can come suitably recommended, and who is able to invest \$2,500 in additional stock (cows or sheep,) and utensils, manures, &c., he will give one-fourth of the *clear profits* for ten years, and the value of the stock he put in at the end of ten years—(r refund \$2,500, and pay for all *permanent improvement* during that time. The farm must be improved as much as possible—as may be contracted. In selecting cows, it must be with a view to dairy; sheep, for wool and mutton. Any one coming should bring persons skilled in dairy management. A peach orchard would be found extremely profitable. The entire management, except permanent improvements and alterations, will be given up to the party agreeing. Direct to P. Cabin Point, Va.

N. B. His reason for requiring an investment, is to make the party more interested. The farm can easily be made to realise \$1,000 a year, or more, by good management. Hay commands \$1, to \$1.25. Butter, 20 to 25 cents. The farm is perfectly healthy.

December 1, 1849—3t.



PATENT PORTABLE RAILROAD HORSE POWER.

**Patent Portable Railroad Horse Power,
And Overshot Threshing Machine and Separator.**

THE above celebrated machines have during the past year been more extensively sold and introduced than during any year previous; and what is most gratifying to all interested, they have given most unqualified satisfaction.

Upwards of three hundred and fifty sets have been sold this season without supplying the demand.

With increased facilities over those of the past season, for the manufacturing, and some additional improvements in their construction and materials, they are now offered to the public with increased confidence in their superiority over all other threshing machinery, for the farmer's own use and economy.

Their durability is no longer questioned. They have been in use every season for the past seven or eight years, without any perceptible wear or expense other than the necessary oil, and a new plank flooring for every twenty thousand bushels of grain threshed by them.

Some of the advantages of these machines are :

Their portability and compactness, admitting of their use inside of barns during all weathers, thereby protecting both man and beast—and at the same time requiring no more room than for threshing with the flail.

The whole may be operated by the force usually about the farm, without calling together the whole neighborhood, thereby enabling the farmer to thresh his own grain, and at such times as best suits his own convenience, or take advantages of markets.

The One Horse Power, requiring, with a change of horses once or twice a day, but three men to thresh 75 to 100 bushels of wheat or rye, or double the quantity of oats or buckwheat per day. Or with the Two Horse Power, and two horses, without a change, and four or five men, double the amount per day.

The prices will be about the same as last season, viz :

For the One Horse Power, Thresher, Separator, Bands &c., complete,\$120 00
Two Horse do., complete, 150 00

Portable Saw Mills, for sawing wood, slitting boards, plank, &c., for fencing or mechanical purposes, are also furnished when wanted, in complete running order, for \$35.

All articles warranted to perform equal to the above representations, or may be returned and purchase money refunded.

For further particulars see catalogue of Albany Agricultural Warehouse, furnished gratis on application or by mail; or the agricultural papers and reports of agricultural societies for the past three or four years.

HORACE L. EMERY,
Nos. 369 & 371 Broadway, Albany, N. Y.

N. B.—JOHN MAYHER & CO., No. 197 Water Street, are the only authorized agents for the above machines in the city of New York, of whom they may be obtained at the manufacturer's home prices.

CAUTION.—Since the above machines have become known and approved, and the demand for them greatly increased, manufacturers of other kinds have copied our descriptions, advertisements and engravings, with the difference of substituting their own names as makers instead of the original. To avoid mistakes, we state that the genuine machines may be known by the mark (Wheeler's Patent) distinctly stamped upon them; and on examination (July 8, 1841.) of nation and comparison, it will be found the only simple Rack and Pinion Power, without *Intermediate Gearing*, that can be used for the OVER SHOT Threshing Machine, without *crossing* of the bands, statements, descriptions and advertisements to the contrary notwithstanding. In this difference alone, consists the chief merits of this machine, and it is this, (secured by letters Patent,) which has given them such decided advantages over all other chain powers in use. A single glance at the several kinds, will satisfy any person of the truth and necessity of this CAUTION.

Albany, February 1, 1850.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.

THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

The following are a part of the utensils kept for sale by us, which are considered the best in use, all of them having taken the highest premiums:—Wheeler's Railway Horse Power, Threshing Machines and Separators, Grant's Fanning Mills, of six different sizes, for Rice as well as Grain; Mayher's do.; Hovey's Spiral Hay, Straw and Stalk Cutters; Smith's Smut Machines and Buckwheat Cleaners; Beal's Corn and Cob Crushers, for Feed, horse power; Sinclair's Corn and Cob Crushers, for hand or power; Sinclair's Hay, Straw and Stalk Cutters, hand or horse power; Greene's Hay Cutters, 12, 18 and 24 knives; Mayher's Hay and Straw Cutters, 8, 10, 12, 15, and 18 knives; Wheeler's Stalk or Cane Cutter, Power Machine; Mayher & Co.'s Corn Shellers, single and double-hand or power; Burrall's Corn Shellers and Separators; Warren's do., wood and iron; Smith's Corn Sheller and Separator, (power,) 1200 Bushels per day; Virginia do., hand or power, 600 to 800 bushels per day; Sinclair's do. do. and Husker, power; Whitman's Horse Power, Threshing Machine and Cleaners; Taplins' Horse Powers; Mayher's do. do.; Emery's Threshing Machines, one and two horse power; Emery's Seed Sowers or Corn Planters; Emery's Saw Mill; Emery's Centrifugal Churns; Thermometer Churns, of different sizes; Cylindrical Churns; Atmospheric Churns; Self-Acting Cheese Presses; Hay Presses; Rachelor's Corn Planter; Seed Sowers of different kinds; Bark Mills; Cider Mills; Paint Mills; Coffee Mills; Corn Mills; Fitzgerald's Flouring Mills; Prentiss and Pages' Flouring Mills, Burr Stone; Mayher & Co.'s Eagle Improved Polished Plows, of different sizes and patterns; Worcester do.; Mayher & Co.'s common do.; Freeborn do.; Prouty and Mear's Plows of all kinds Center Draught; Sub Soil Plows of different kinds and sizes; Side-Hill do.; Double Mouldboard do.; Cultivators, Steel and Cast-Iron teeth; Geddes' Harrows; Ox Yokes and Bows; Single and Double Wiffletrees; Ox Serapens, of Wood and Iron, large and small; Ox Carts; Farm Wagons; Mule Carts; Wheelbarrows; Canal Barrows; Field and Garden Rollers, Iron and Wood; Wheat Drills; Reaping Machines; Moving Machines; Rice Hullers; Store Trucks; Ground Augers; Ox-leg and Trace Chains; Pickaxes; Grub Hoes; Rakes, Scythes, Sneaths, Grain Cradles, Crow-Bars, &c., &c. In fact, we have every thing wanted for Farming purposes, got up in the best manner, style, workmanship, and of the very best material, of all the latest improvements. We have also for sale a large quantity of the best Seed and Spring Wheat, Oats, Corn, Barley, Rye, Peas, Beans, Turnip, Cabbage, Beet, Carrot, Parsnip, Onion, Radish, Asparagus, Clover and Grass Seed, raised expressly for us, and warranted fresh—a very superior article. We also have a large quantity of Guano, Bone Dust, Lime, Plaster and other Fertilizers on hand, Ornamental and Fruit Trees, Shrubs, &c., of the best quality, furnished to order. Also, Wire Cloth, of all kinds; Castings do., Steam Engines, Sugar Mills, Saw Mills, Shingle and Brick Machines, together with Force, Cistern, Well, and other Pumps.

JOHN MAYHER & CO.,
No. 197 Water street, New-York.

Feb. 1, 1850—1f

Seedlings.

PEAR, Plum, Cherry, Quince, Apples, Horsechestnut, Mountain Ash, and Buckthorn Seedlings for sale. Also seed of the above kinds of trees. Every variety of Fruit and Ornamental Trees, and grafts of the celebrated Virgalieu Pear of Geneva. For sale at the Geneva Nursery, by

W. G. VERPLANCK.

Geneva, Nov. 1.—6t.*

Contents of this Number.

Should the Farmer be a Man of Knowledge? by F. HOLBROOK, 65
 On the Construction of Live Fences, 67
 Principles of Manures, by Prof. J. P. NORTON, 69
 Prof. JOHNSTON'S Address at the Annual Exhibition of the N. Y. State Ag. Society at Syracuse, 71
 Annual Meeting of the N. Y. S. Ag. Society, 77
 Answers to Correspondents—Abolition of Bull Fights in Spain, Mr. Van Rensselaer's Devon Bull "Major"—Crops of 1849, and Drainage, by JOHN JOHNSTON, 79
 Agricultural Economy, by W. L. EATON—Water-tight Cellars, by A. B., 82
 Bartlett's Double Plow—Profits of Fowls, 83
 Wire Fences, by A. B.—Products of Labor and Capital, 84
 Things in Virginia, by J. BUNCH—Mode of Planting Corn, by W. R. WEBB—Profits of the Dairy, by J. Wood & E. FOWLER, 85
 Fruit Culture—Houghton's Gooseberry—Rotation of Crops—by D. T., 86
 Dictamnus Fraxinella, by D. T.—Transplanting Trees, by D. T.—Planting Shade Trees, &c., by WAYNE—Fire Blight, by J. HILDBRETH, 87
 Winter Peas—Preservation of Verbenas, 88
 The Black Leg in Cattle, by Dr. DADD, 89
 Blind Teeth in Horses, by WM. LITTLE—Carbon as Food for Plants—Business Notices, 90
 Notes for the Month, 91

ILLUSTRATIONS.

Fig. 142—The Buckthorn, 68
 144—Planting Hedges, 68
 145—Osage Orange, 69
 146—Devon Bull "Major", 80
 147—Houghton's Gooseberry, 86

Fertilizers.

PERUVIAN and Patagonian Guano, Bonedust, Plaster of Paris, Poudrette, and Combined Manure, a new and excellent article. A. B. ALLEN & CO., Feb. 1, 1850. 189 & 191 Water St., New-York.

Agricultural Implements.

THE largest and most complete assortment to be found in the United States, of Plows, Harrows, Rollers, Cultivators, Shovels, Spades, Hoes, Manure Forks, and Seed Planters. A. B. ALLEN & CO., Feb. 1, 1850. 189 & 191 Water St., New-York.

Garden Tools and Pruning Implements.

A GREAT variety of these, of American and Foreign manufacture, constantly on hand. A. B. ALLEN & CO., Feb. 1, 1850. 189 & 191 Water St., New-York.

Field and Garden Seeds.

ENGLISH, French, Dutch and Belgian Field and Garden Seeds, fresh imported and warranted. American Field and Garden Seeds of last year's crop, grown expressly for our establishment, and warranted true of their kinds. A. B. ALLEN & CO., Feb. 1, 1850. 189 & 191 Water St., New-York.

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums, and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted. Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c. Catalogues and other information can be had of the Nurseryman, Feb. 1—6ms. JOSEPH CALDWELL.

Kinderhook Nurseries.

THE proprietor begs leave to inform his patrons and the public in general, that his stock of Fruit and Ornamental Trees, Shrubs, Roses, &c., for spring planting, is large and thrifty, and embraces all of the best varieties introduced in this country, of Apples, Pears, Plums, Cherries, Peaches, Nectarines, Apricots, Grape Vines, Gooseberries, Currants, Strawberries, &c. Also, Hedge Plants.

A large lot of Buckthorn Plants, Locust, Privet, Box, &c. Asparagus roots, Rhubarb. Orders respectfully solicited, and will receive prompt attention. Articles will be carefully packed and shipped to any part of the country. Catalogues furnished gratis to post paid applicants. Kinderhook, Feb. 1, 1850—2t. H. SNYDER.

Seeds for Spring Sowing and Planting.

500 bushels of superior Black Sea Wheat, pure, having been but one year raised in the States.
 150 bushels of Clump wheat, a new article of spring wheat, of large berry, and said to be a good yielder, and is much grown in Canada.
 150 bushels of Italian Spring Wheat.
 100 bushels of Spring Rye.
 75 bushels of very superior Broom Corn Seed.
 A large supply of choice Clover and Timothy seed, a low price, at wholesale or retail.
 Garden and Field Peas, any quantity.
 A fresh lot of Garden Seeds, wholesale or retail.
 For sale at the Albany Agricultural Warehouse and Seed Store, No. 369 & 371 Broadway. Feb. 1, 1850. H. L. EMERY.

Louisville (Ky.) Seed and Agricultural Store.

THE subscriber offers for sale,
 1000 bushels Kentucky Blue Grass seed,
 600 " Red Top, "
 200 " Orchard Grass, "
 200 " Prime Timothy "
 500 " Red Clover "
 200 " Hemp "
 100 " Millet "
 100 " Buckwheat "
 Also, Lucerne and White Clover.
 30,000 papers Garden Seeds, assorted, and all varieties of Garden Seeds by the pound.
 50,000 Fruit Trees, consisting chiefly of Apple, Peach, Pear, Cherry and Quince.
 Also, Grape Vines, Asparagus roots, Strawberry plants, &c., &c., from the nurseries of L. Young, H. P. Byram & Co., Jas. Orr, and G. G. Hikes of this vicinity.
 He also keeps every variety of Agricultural and Horticultural Implements on hand, and will be happy to fill orders (accompanied with cash or satisfactory reference) from all parts of the United States. Feb. 1—2t. A. G. MUNN.

Seneca Lake Highland Nurseries.

Chamaine, Chemung County, N. Y.

DURING last Summer, an agent of a Rochester Nursery, was at some of the villages in this part of the State, procuring orders for trees, and to some if not all persons of whom he asked patronage, took occasion to introduce my name, by stating "that I purchased of that Nursery most of the trees I sold—that I had yearly at that place from eighty to ten hundred dollars worth," &c., &c. And on the delivery of trees in the Fall, to counteract dissatisfaction on the part of those who had given him orders, falsely stated that I then owed it about \$1000—he having manifested a great disregard for truth, and a most disrespectful propensity.

The facts are these:—In all my exchange and deal with any and all persons in this State, west of Cayuga Bridge, I never have purchased, had or received, \$200 worth of trees.

Nothing but self-defence would induce me to notice this, for I do think that above all things, Nurserymen, who claim the least iota of patronage, ought to adopt, and strictly adhere, to rules of honesty and fair dealing.

Having 40 acres of Nursery and Standard Trees, I am well prepared to furnish at reduced prices, wholesale or retail, all kinds of FRUIT TREES cultivated in this climate, ORNAMENTAL TREES and SHRUBS, GREEN-HOUSE PLANTS, &c., &c. Trees carefully packed and forwarded by public conveyance to any part of the Union.

Being located within two miles of the Chemung Railroad, used by the N. Y. & Erie R. R. Company, their agent's receipt will be forwarded by mail on their delivery.

Packages going East or West will reach the Erie Railroad at Elmira, 16 miles South of this, and the Buffalo and Albany route at Geneva, 45 North, which makes it a very desirable location for sending trees by public conveyance.

Neither the Pear or Plum Blight, or Peach Yellows, are known at this location.

Trees can be furnished of the new popular "Wagener" Apple—also the "Douse" or "Hawley."

The Horticultural Advertiser, containing a priced Catalogue, furnished gratis to all post-paid applicants. Feb. 1, 1850—1t. E. C. FROST.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 109 Broadway.
 BOSTON—J. BRACK & Co., 52 North Market-st., and E. WIGHT, 7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.
 ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms.

THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, MARCH, 1850.

VOL. VII.—No. 3.

Neglected Manures--Bones.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., Feb. 7, 1850. }

MESSRS. EDITORS—Having now called attention to some of the leading differences in the constitution of manures, and to the substances which are most valuable in them, I shall proceed to mention particular instances in the various classes named.

The extent to which fertilizers of every description are wasted in this country, is exceedingly great; if the value of all that is thus lost in one year could in any way be accurately ascertained, even over a comparatively small district, the aggregate amount would be found quite astonishing. Many farmers do not save much more than half of their farm-yard manure, permitting all of the urine and the drainings to be washed away by rains; of those who do endeavor to preserve their yard manure in the best possible state, there are many who neglect means of fertilizing their soils that are far more powerful. We often see those who buy guano, poudrette, &c., at high prices, and yet pass by quite as valuable manures that they might obtain for little or nothing.

I propose to specify and describe some of these neglected manures, and to explain some of the properties which establish their value.

One of the most common of all, and one that till lately has been almost entirely thrown away among us, is found in bones. Though this manure is now gradually coming into use, in most districts its excellence is still almost unknown, and incalculably the greater part of our bones are either thrown away, used for manufacturing purposes, or exported to enrich the soil of Great Britain.

In urging the importance of bones as a manure, I shall first give some details relative to their component parts. The bones of animals, birds, and fishes, when dry, do not differ greatly in their composition, although their appearance is so different. Bones of animals, in their fresh state, contain from five to thirty per cent. of water, mingled with a little fat; those of fishes contain from 70 to 80 per cent. of water. When dry, the proportion of earthy matter in each is about the same. This dry bone is not, however, by any means all earthy matter; about one-third of it is an organic substance called cartilage or gelatine. It is soluble in water, and may be for the greater part, extracted by boiling, forming common glue; this useful cement, the cartilage of bones, is an extremely nutritious and concentrated food. When obtained from clean bones, the solution evaporated, and seasoned so as to be palatable, little cakes may be made which will keep unchanged for a long time; small portions of these will retain the strength of the body in a degree corresponding to that derived from a full meal of ordinary food. When a strong heat is applied, this or-

ganic matter disappears, and the bone is left perfectly white, but not reduced in size. If a little muriatic acid be mingled with water, and a bone placed in it for a few days, the earthy matter will be dissolved out, the bone being again left of full size, but now perfectly flexible, so that it may be bent like a piece of rope. In this way, we can prove that the cartilage and the earthy part are each distributed through the whole bone. If it were all earthy matter, then it would be brittle and liable to snap by a sudden spring or blow; the cartilage, however, imparts so much elasticity that, unless in cases of great violence, bones ordinarily resist uninjured the shocks to which they are exposed.

This cartilage owes its remarkably nutritious properties to the large quantity of nitrogen which it contains. The 60 or 70 per cent. of earthy or mineral matter which remains after the separation of the cartilage, is composed chiefly of phosphoric acid, in combination with lime, forming what is called, as mentioned in my last letter, phosphate of lime. Beside this, there are small quantities of carbonate of lime, (lime and carbonic acid,) carbonate of magnesia, &c. Thus then, in 100 pounds of dry bones, there are about 35 pounds of cartilage, 50 to 55 of phosphate of lime, and 10 to 15 of carbonates of lime and magnesia.

When it is considered that the cartilage is rich in nitrogen, and the phosphate of lime in phosphoric acid, we see at once from what has been said as to the value of manures in a preceding letter, that bones must be remarkably fertilizing; in them we have the very requisites that were mentioned as the principal ones in all very powerful manures.

Some writers have attempted to show that the beneficial action of bones was due to the cartilage; others that it should be ascribed to the phosphates alone. I think that both are wrong, for the reason that each part contains substances in which most soils are deficient, and hence both are likely, in a majority of cases, to prove advantageous additions. One would suppose that as the cartilage is soluble, it would soon disappear, but this is not by any means the fact, for it seems to dissolve out very slowly under the earth's surface. Berzelius tells of a soil in Sweden which had long been celebrated for its capacity of bearing grain. There seemed to be no reason why it should be so superior to other soils, but a close examination with a glass, discovered fine fragments of bone, and it was then remembered that this had been, according to tradition, an ancient battle field; the bones of the fallen warriors still continued to enrich its soil. When a quantity of these fragments of bones were collected and boiled, a thin jelly was obtained by dissolving out small portions of cartilage which thus remained in part, even after the lapse of so long a time. Both portions

then, probably, continue to furnish food for the plant, until the bone finally crumbles quite away. The *first effect* is doubtless owing in a great degree to the cartilage, as that is most soluble.

Having thus settled the question as to the value of bones, we proceed to consider the various modes of applying them to the soil, with reference to their effect upon crops. The old plan was to plow in the bones whole; applied in this way, their action was not so immediate as lasting; the whole bone decomposes very slowly in the soil, and may be taken up after lying buried many years, scarcely changed as to its external form; it will be found, however, if it has lain near the surface, that the color has altered, that it has become light, honey-combed and brittle. A chemical examination will show that it has been slowly dissolving, and yielding its various constituents to supply the wants of plants. The roots of any plant which can reach such a bone, will twine around it, insert themselves into its cavities, and show in every way, how eager they are for the food which it affords them. The decomposition of whole bones being so gradual, and it being difficult to distribute them equally so that all of the plants might feel their influence, it was necessary to apply large quantities; from 70 to 100 bushels accordingly, were not an uncommon dressing for an acre.

At this rate, all of the bones available to the farmer, would not go far toward manuring his land, and it became desirable to devise some more economical method of application. This was found in crushed or ground bones. They are now in Great Britain, used in various stages of fineness; inch, half inch and dust, are three of the more common descriptions. Bone dust is the most active and the most speedy in its effects, so that a smaller quantity than that of the other kinds will produce an equal benefit to the crop. Being so fine, it decomposes more readily, and is therefore not as lasting. There is, nevertheless, better economy in its use, for it lasts a long time, even in a minute state of division; 8 or 10 bushels doing more good than 70 or 80 bushels of whole bones. Being powdered, the dust can be sown evenly over the surface, either by hand or machine, or can be deposited in drills. A small quantity thus put on at short intervals, keeps the land constantly well supplied with as little waste as possible; it is also, by this system, always retained near the surface, and within the reach of roots.

If the dust or crushed bones be heaped up ten days or a fortnight before required for use, and covered with earth, a heating and fermentation takes place which prepares for a more speedy decomposition, and consequent fertilizing action in the soil. It is also found a very good practice to mix with fermenting yard manure when it is intended to apply bone dust broadcast and plow it in.

From the mention which has been made of nitrogen and of phosphates in the *grain* of our crops, it might be inferred that this manure is especially adapted to the increase of that part, and experience in England has amply proved this to be the fact.

There are now several mills where bones are ground in the neighborhood of Meriden and Middletown, Ct. I have been informed during the past season, that ten bushels of bone dust from these mills, per acre, brings up much of the worn-out land in that vicinity at once, enabling it to bear as much Indian corn as when it was first broken up from the virgin forest. I have no reason to doubt this report, as it only agrees with the results obtained in numberless cases abroad.

There is yet another and most important method

of applying bones, a notice of which must be deferred till my next communication. JOHN P. NORTON.

Of Plows and Plowing.

EDITORS OF THE CULTIVATOR—In the course of travel last summer in Massachusetts, I met with Mr. NOURSE, of the firm of Ruggles, Nourse & Mason, plow-makers of world-wide celebrity. We had a conversation about some improvements in the construction of the Plow, which are important in order to arriving at some results in plowing, as yet unattained, in the most desirable manner. We had not time then to talk up the matter so fully as to settle upon the exact form of castings for our purpose, and agreed upon another meeting in the winter, at a time when both of us might be more at leisure. I accordingly called upon Mr. Nourse, a short time since, at his warehouse in Boston, and accompanied him from thence to the Plow Manufactory at Worcester, where, with the other gentlemen of the firm, our subject was fully discussed.

It was agreed, on all hands, that while the green-sward plow has been carried to so high perfection of form as to do its appropriate work with great precision, neatness, and ease of draught, a plow suitable for turning stubble or fallow-cropped land, has been very much overlooked. It has never yet occurred to me by what principles of construction the two implements can be combined in one; for sod and stubble plowing are two distinct operations, involving quite different mechanical principles.

The green-sward plow should enter the soil by a long and very gradually rising point, the wing or cutting share of which, should slowly widen, attaining its full breadth far in the rear; the mould board should lift the furrow-slice by an easy progression, quietly and smoothly laying it over in an inverted position; and the course of the plow through the ground should be so generally easy, natural and steady, as to require but little help from the plowman, and the least practicable draught upon the team.

The stubble plow should enter the ground more abruptly; and, by a generally shorter construction, and greater width of heel in proportion to length of mould-board, lift, and forcibly throw its loose furrow-slice over into the proper place, leaving a clear channel behind it. Ease of draught cannot be studied so closely here as in the green-sward plow, except at the expense of good work. The beam, and the standard of the castings, where the two connect, should be several inches higher than in any plow I have ever seen, in order to prevent clogging. I have followed the plow many a day in rank stubble, and in turning under partly fermented manure in moist land, with a crotched stick in my left hand, poking away with all my might, to keep the stubble or litter from gathering into a heap under the beam, and thus producing a baulk, or a shallow imperfect furrow. Last spring I determined to attempt an improvement in this particular. I got the standard of my stubble plow lengthened, and had a very high arching beam put in, which gave a space of *eighteen* inches between the sole of the castings and the bottom of the beam,—and that cured it of clogging. The mould-board of my plow, however, is not of proper form to turn stubble as it should be done.

If a stubble-plow of the right construction were put into sod-ground, it would lift the turf quite abruptly, and lay it over in a broken, uneven manner. So when a green-sward plow, of approved form, is put into loose, cultivated ground, we find that it lifts the soil to its highest or perpendicular point.

and then, for want of sufficient force in the mould-board, or rather from being too narrow at the heel, about as much of the earth rolls the wrong way as to the right; and the general character of the work is bad. These ideas seem to me to be correct; and if so, it is evident that the best kind of work can not be done both in stubble and green-sward, by one and the same plow.

For one, I feel the want of a sward plow that will turn a furrow a foot deep, and as narrow as is possibly compatible with that depth, and which shall not be liable to choke under the beam. When I commenced farming, my lands would not bear plowing over five or six inches deep. I have been gradually introducing the poor stratum below to the general influences of the atmosphere and of compost manure, until I have made a soil of nine or ten inches, of uniform quality. But I have got about as low as I can go with decent execution, until a different plow from any I now know of, is made. My mowing-lands bear a pretty heavy aftermath; and when the plow is guaged to a depth exceeding nine or ten inches, the clear space left between the beam and the surface of the ground is so narrow, that I am constantly vexed with the wadding up of the long tangling grass upon the cutter of the plow, and thus prevented from maintaining the desired depth of furrow.

Messrs. Ruggles, Nourse & Mason are now getting up patterns for a stubble and a breaking-up plow, which I think will meet my ideas exactly. When spring opens, I shall test them by a trial in the ground; and if I find them to be the thing wanted, I shall then send drawings of them for *The Cultivator*, along with remarks more fully in detail upon their construction, and the desirable results they are calculated to produce.

While walking through the establishments of these gentlemen at Boston and Worcester, observing the extent of their manufactures, and the many indications of their ingenuity and enterprise in the same, I was forcibly impressed by a reflection upon the important influences their labors are imparting to our agriculture. They may truly be said to be benefactors of the farmers. Their Warehouse and Seed-store in Boston, contains an agricultural variety, almost as exciting to the visitor as the collections of a Museum. Every kind of field and garden seeds, of implements and machines, may here be found, of the best quality, and in quantities to suit the purchaser. Their Manufactory at Worcester, is a little world of itself; and he who would like to see that which is to be done well done,—who prefers farming-tools possessing beauty, strength and durability, to those of a clumsy, heavy, and make-do construction,—may here find his tastes gratified, even to the turning of a screw.

Surveying with delight, the great variety and utility of the implements of husbandry around me, I said to myself—'here is striking evidence of the value of the efforts of science and cultivated mind on behalf of Agriculture.' If we wish now to perform any kind of labor upon the farm, we find a tool ready for our use, by which we can do the work easier, better and cheaper, than we could ten years ago. The effect upon our farmers is great. It sets them upon thinking, and awakens pride and a determination to farm it better every way. I have often been pleased in noticing the effects commonly following the first introduction upon a farm, of an improved modern plow, for instance. The owner takes it to his meadow, and to his surprise and delight finds that, with two or three cattle, and but little labor on his part, the sod can be laid over smoothly, and

with mathematical precision, where formerly he had to hitch on twice as much team to draw his old plow, and put himself into all sorts of shapes to keep it right side up in the ground, or perhaps to keep it in the field. As he surveys his now smooth and regular furrows, and contrasts them with his usual course of husbandry, he begins to think about mending his ways generally; and I have noticed that the introduction of the new plow has often proved the starting-post in a better general system of farming. The observing man does not look for enlightened and correct tillage where the tools in use are rude and ill-shaped, nor does he often find it careless and improvident where those of improved construction have been introduced.

Messrs. Ruggles, Nourse & Mason make their plows from patterns and by machinery of their own invention, upon which they have expended a great deal of time, thought and money, to bring them to their present state of perfection. Their Eagle Plows now embrace a great variety of sizes, forms and fixtures, fitted to all kinds of soil and modes of cultivation. The wood parts are made of the Worcester county white oak, of second growth. The forest oak is preferred to that growing in open land, because the grain is not so coarse, and the timber, when dry, is tougher. The beams and handles are sawed out by patterns nearly to shape, by the farmers around, and delivered at the factory in a partly seasoned state. They are then stacked up in a lumber-room to season a year longer, and are occasionally overhauled to prevent the powder-post. The handles, when sufficiently seasoned, are first steamed, and then they can be bent to any desired shape. Various machines afterwards dress, tenon, bore and fit them for use. The beams are first put into a machine which planes them to uniform thickness on the sides, and takes them out of wind; another machine brings the tops and bottoms to any curve that may be wanted, a pattern being laid on for a guide which is adapted to the purpose; others tenon and mortice the ends for the reception of the handles, corner and check them, and bore the various holes for the clevis, standard bolt, &c. A thousand beams and handles, of any one sized plow, having gone through these various operations, will all be alike in shape, and any or all of them will fit their proper place without further trouble. When a quantity of plows of a given pattern are to be fitted up for market, the castings are placed upon a platform, to which is affixed the proper gauges and guides to adjust the various parts of the plow to each other, so as to give the implement its proper land, pitch of beam, and pitch and height of handles; and the uniformity with which this may be done is so perfect, that any number of plows, of one size, will all be alike in these particulars.

A furnace is attached to the manufactory, where all the various castings are made. Some 5,000 lbs. of iron are daily worked up. The best quality of metal known in the markets is used. Numerous experiments have been tried in order to arrive at that admixture of the different kinds of iron which shall combine the greatest strength, toughness, hardness and durability of castings. No other metal has been found to be so strong and hard as the best American. Great pains is taken in the construction of flasks, in moulding and casting generally, in order to produce a close correspondence to patterns, and a perfect fit when the various parts of the plow are to be put together. The plow-points, and the entire length of sole on the land-side castings, are chill-hardened, as it is termed, so that the whole bottom-surface of the plow, exposed to wear, is

thereby made more durable. The castings are taken from the furnace and placed in a vat, containing a solution of vitriol in water, which takes off the sand or scale from the iron. They are then put upon grind-stones revolving rapidly by water-power, brought to a polished surface, and afterwards coated with a blue varnish to prevent rust. Thus a new plow, when put to work, needs no scouring, and will keep bright in the most adhesive soil.

In addition to the manufacture of plows, these gentlemen make a great variety of other agricultural implements, and all by machinery adapted to the purpose. When any new tool or machine, or any new form of an old one, is to be made, they set immediately about inventing machines by which it can be manufactured with accuracy, and which shall do the work of many men.

I may conclude to give, in another communication, drawings and descriptions of some of the more important articles of manufacture that I noticed, and which struck me as being very useful and perfect. F. HOLBROOK. *Brattleboro', Vt., January 20, 1850.*

Studies for the Farmer.

EDS. CULTIVATOR—Some weeks since, I received from my friend, F. HOLBROOK, Esq., of Brattleboro', Vt., in pamphlet form, a Report of the Vermont Legislature, on the formation of a "National Board of Agriculture," a copy of which was published in the December number of *The Cultivator*. Of the importance and merits of the Report, I need not here speak; it commends itself to the favorable consideration of every intelligent, thinking farmer in the country, who may be so fortunate as to obtain a copy of it.

As a text for a few remarks, I make use of the following short extract: "Too many of our intelligent, enterprising young men—observing the sad condition of the soil, and trained to false impressions—suppose that the agricultural profession, instead of being an open field for the efforts of science to improve, is but an arena fit only to be occupied by the illiterate and unenterprising, under the guidance of blind tradition. They accordingly press in masses into other callings, filling them to overflowing, and leaving the 'Art of Arts' to its fate."

The above extract, is a truthful picture of the past, but we have many good reasons for hoping a brighter day is dawning; intelligent and educated men of all the varied professions and pursuits of our country, are turning their attention to the importance of this "Art of Arts," and they are in various ways, lending their aid and influence to its improvement. Their precepts and examples are having a visible and salutary effect upon the great mass of practical farmers throughout nearly all sections of the older and long-settled parts of our country. And, added to this, the unwearied efforts of many of the master minds of the age, who from their laboratories, are scattering broadcast all over the civilised world, the great truth that agriculture is a science, as well as an art, and that by the application of correct scientific principles to the practical labors of the husbandman, his crops may be readily doubled, or tripled, upon the same area of soil, and that the profits of his labors will be increased in nearly the same ratio, while at the same time the manual and brute labor will be greatly lessened. These statements are not problems, yet to be solved, for facts innumerable, both in England and in this country, have fully settled the question. But the above are pecuniary considerations, and they

are not trifling ones, neither, in a community where "dollars and cents" possess such a potency, such a charm. But there is another view connected with this subject, in which *dollars and cents* come not in competition. I mean the right culture of the mind of the farmer, for there have been, and are now, "false impressions" in reference to this. The late Mr. Colman, in some of his writings, has the following truthful remarks: "The time has been, when it was thought that any dunce could make a farmer," But he said it "required quite as much intellect and study to make a good farmer, as it did to make a good Lawyer, Doctor or Minister."

To know how to skilfully wield the axe, the scythe, and the other implements of the farm, must be the result of long practice in early years, and it forms an important part of the young farmer's education. To cultivate and improve the mind, (that attribute which so pre-eminently qualifies man to reason and investigate) forms another important part of the farmer's education, and this, also, requires practice, united to study, and habits of close observation, for in the bosom of man his Maker has implanted instinctive longings to know and comprehend the "how and the wherefore" of what he sees in the world around him, by which, and for which he lives. To gratify these "instinctive longings," it seems to me there is no other pursuit in which there is a wider range for useful study, and a broader scope for the application of a larger number of the sciences for practical purposes, than in that of the farmer.

The investigation of that beautiful and allwise arrangement of matter, that has so intimately and mysteriously linked together the dead earth, the living plant, and the moving animal, is a source of ever-living study and instruction. The study of the earth or soil, is of great practical use to the farmer, and necessarily brings him in contact with geology, one of the most interesting and instructive of the modern sciences. All soils were primarily the result of geological agencies; the fertility of one soil and the barrenness of another, depends very much upon its geological formation, and the relative proportions in which the mineral constituents of the soil exist in it. But as there is no treatise on geology wholly or particularly adapted to agriculture, it must be studied as a science. The study of which will amply compensate any one for all labor bestowed upon it, for it carries the student in point of history back long series of ages before the appearance of man upon earth, and unfolds to the mind some of those mighty convulsions and throes of nature, that have fractured and rent asunder the solid strata, and uplifted them at every angle of elevation, and thus brought to the "light of day," the fossil remains of myriads of once living and organised creatures of the older world, great or small, of every shape, form and color. The study of these "medals of creation" fills the mind with wonder and amazement, both in respect to the creative powers of the Deity, and the immense antiquity of this our globe. The host of extinct races of creatures and plants that once flourished upon this globe, "though dead yet speak," and they speak, too, of a length of time, so vast in the aggregate, so indefinite, that in contrast with them, the most ancient monuments of Greece or Rome, or the hieroglyphics of Egypt, are but as things of yesterday. Design is evidently stamped upon all the works of the Creator, and we have every reason to believe that all those multitudinous changes to which this globe has been subjected in by-gone ages, were but unbroken links in the great chain of events, as connected with the present ra-

ces of beings, and the state of things now existing upon this planet.

Every one is aware of the different capacities of soils for the production of luxuriant crops. Yet, but a small portion of the weight of a plant is drawn directly from the soil; only that portion that remains in the form of ash after the plant has been burned, was derived directly from that source. This is termed the inorganic portion, and seldom amounts to 10 per cent., and in some species of plants it is less than 1 per cent. The 99 per cent. that is driven off by the process of burning, is called the organic part, and was derived from the gaseous constituents of the atmosphere and water.

The study of the atmosphere in reference to the purposes of animal and vegetable economy, is a source of the highest intellectual enjoyment, and it most beautifully illustrates the wisdom and beneficence of its great Author. "The atmosphere is a mixture of oxygen, nitrogen, carbonic acid, water-vapor, and ammonia; and every living thing on the dry land, animal and vegetable, is bathed in it, lives on it, and by it; and such is its adaptation to the wants of animals and plants, that neither class of *living* beings vitiates, or impairs its suitability for the other; but the very reverse of this, for each is the appointed means of preserving it in a salubrious state for the opposite class; the plant constantly adding to it food for the animal, the animal constantly supplying food for the plant."

The above seems a wise law of reciprocity. Although there is a vast difference in the specific gravity of the several gases composing the atmosphere, they are kept in a complete state of mixture by the law of "gaseous diffusion," a law overpowering the almost universal law of gravitation.

But an acquaintance with the qualities of the constituents of the atmosphere, implies some knowledge of chemistry, and for the most economical management of a farm, it seems necessary that the farmer should possess a competent knowledge of agricultural chemistry, for the whole process, from the first movement of the germ of the seed he commits to the earth, up to the full maturity of the crop it produces, is one continuous series of chemical changes and effects. Yes, farther than this; 'till his hay, grain, roots, &c., are converted into beef, pork, mutton, wool, &c. Said Mr. Quincy,—"It is in the power of every man to reserve some portion of his time for these pursuits; and he will find that every addition to his stock of knowledge will make his walks pleasanter, the flowers the sweeter, and every thing more full of interest and meaning." The farmer too, "should know something of the physiology of the vegetable world; and every blade of grass, and ear of corn will speak to him of the benevolence and skill of the Great Contriver." He should, too, possess some knowledge of mineralogy, and then every stone would partially disclose to him their great design, and every grain of sand bears unmistakable marks of the fingers of a most exquisite artist.

There are many more important branches of science connected with the well being of the cultivator of the soil, but the length of this reminds me of drawing to a close; but I trust enough has been written to prove that the life of the farmer, is not necessarily, as some would have us believe, a life of incessant toil, and grovelling drudgery, wholly of the "earth, earthy," for "the farmer is that favored being who is permitted as it were, to stand in the laboratory of the Infinite One," and from his fortunate position, he has the opportunity, if he will improve it, of deriving the highest moral, mental, and religious enjoyment. LEVI BARTLETT.

Sheep--Varieties of the Merino.

We have several times been requested to give "the specific marks" which distinguish the Saxon from the Merino sheep.

The impracticability of laying down strict rules in reference to such distinction, will be in some degree obvious, when it is understood that what is called Saxon is but a variety of the Merino, as will appear from a brief notice of their history.

The Merino is undoubtedly a race of great antiquity, and from the earliest times has possessed qualities quite different from any other sheep. Under different circumstances, the characteristics of the race have been somewhat modified, and varieties under different names have sprung up; but in Europe, the term Merino is applied to all the branches of the original stock.

The Merino race has, in modern times, been chiefly disseminated from Spain; though that country, is not, probably, its original home. We are informed of the introduction to that kingdom of sheep of similar characters; and the name *Mareno* signifies from beyond the sea.* Pliny, and other ancient Roman writers, describe various breeds of Spanish sheep, distinguished by different colors, as black, red, and tawny. Those bearing a reddish fleece, found in Bætica, Grenada and Andalusia, were considered of the finest quality. They were probably taken to Spain from Italy, where they had been long known and highly esteemed under the name of the Tarentine breed. Their introduction into Italy has been attributed to the Greeks, by whom the breed had been obtained from Syria and the coast of the Black Sea.

History informs us that Columella, a colonist from Italy, and uncle to a writer on agriculture of that name, introduced more of the Tarentine breed into Spain, during the first century of the Christian era. It is certain, however, that Spain possessed sheep which were celebrated for the fineness of their wool previous to this period. But in reference to the extent of the improvements effected by Columella, it has been observed, that "as Spain was at that time highly civilized, and as agriculture was the favorite pursuit of the greater part of the colonists that spread over the vast territory which then owned the Roman power, it is highly probable that the experiments of Columella laid the foundation for a general improvement in the Spanish sheep—an improvement which was not lost, nor even materially impaired, during the darker ages that succeeded."†

It may be remarked, in passing, that there have always been coarse-wooled as well as fine-wooled sheep in Spain—the former being principally called *Chunaks*. The Spanish government, at an early day became so convinced of the great value of the Merinos, that a special edict was passed, prohibiting their exportation without royal license. This prevented a general spread of the race till after the overthrow of the Spanish dynasty by the French, under Napoleon.

For several years, the most valuable Merinos in Spain were in possession of the Crown and its dependants. The principal flocks were the Escorial, Guadeloupe, Paular, Infantado, Negretti, Montarco, and Aguerre. These varied in quality, according to the skill and care which had been bestowed in breeding and management. The Escorial were deemed superior to all the others in fineness of wool.‡

* Hon. Wm. Jarvis. † Youatt.

‡ For particular descriptions of these varieties, see letter of Hon. W. Jarvis, *Cultivator* for 1844, p. 127; Youatt's *Treatise on Sheep*, p. 156; and Livingston's *Essay on Sheep*, pp. 47, 48.

ORIGIN OF THE SAXON MERINOS.—The first introduction of Merino sheep into Saxony, was made in 1765. They were obtained by a grant from the King of Spain to the Elector of Saxony. "One hundred and nineteen ewes and one hundred and ten rams were selected principally from the Escorial flocks, then the King's private property, under the care and management of the monks belonging to the monastery of that name, and which were considered the finest sheep in the kingdom."* Spanish shepherds went with the sheep, and remained till the Saxon shepherds could be instructed in the details of management.

These sheep were bred with great care, under the direction of commissioners appointed by the Elector to superintend the management of his flock, and after the expiration of twelve years, or in 1777, another importation was made from Spain, consisting of one hundred and ten rams and ewes. According to Mr. Grove, these were selected from the best flocks of Leon, Escorial, Negretti, Montarco, &c., and were of very superior quality.

From these stocks, the pure Merino breed rapidly increased in Saxony, and was finally extended into the neighboring German states. Its progress was at first strongly opposed by the prejudices of the people; but by the perseverance of the Elector and other influential individuals it became perfectly naturalised, and after the lapse of several years, the fleece of the Saxon was brought to a degree of fineness excelling the best Spanish.

It is thus seen that the Saxon is identical in blood with the Spanish Merino—that the former were, in fact, derived from a selection of the finer specimens of the latter, and that the superior fineness of the wool of the Saxons is attributable to the system pursued in their breeding and management. And here the question arises—Could not such an improvement be made in this country as well as in Saxony? We answer, yes: there is no reason why the application of the same skill and care to the same materials, should not produce the same results in America as in Germany. There is nothing in our climate or soil which naturally tends to the deterioration of the fleece; and in the hands of some of our wool-growers, the finest stocks that have been introduced from Spain and Saxony, have maintained their standard for many generations. We have had the Escorial and other Spanish stocks, from which the finest Saxon sheep were derived; and where fineness of staple has been the object, their American descendants have possessed the quality, in a degree always proportionate to the skill to which they have been subjected.

It does not, therefore, necessarily follow, that because sheep produce wool that is finer than ordinary Merino, they are Saxons, or that any of their ancestors came from Saxony. We might refer, by way of illustration, to examples in our own country, such as the flock of the late W. R. Dickinson, of Steubenville, Ohio, and other flocks in Ohio, Virginia and Pennsylvania, which were derived from this.† The great fact to be kept in view is, that the properties of animals, (including wool,) are modified by the influences which are brought to bear on them—as food, climate, shelter, and especially the rules observed in the selection of stock for breeding. Thus the Merino sheep, in the course of

several generations, may be made to produce either finer or coarser, longer or shorter wool, than the original stock. It is not uncommon to find among the descendants of imported Saxons of the finest kind, sheep whose wool is coarser than much which passes under the name of Merino. There is evidently a tendency in the variety to return to its primitive condition—a tendency which the breeder, if he possesses the requisite knowledge and judgment, may overcome.

The inquiry has been made, whether the shape or turn of the horns, affords any mark of distinction between the Saxon and Spanish sheep. We are not aware of any such distinction. The first Saxon sheep brought to this country, had generally wide spreading horns; many of those lately imported, have their horns curved close to their heads. It is well known that the turn of the horns in sheep and cattle, vary with the caprice or fancy of the breeder.

THE FRENCH OR RAMBOUILLET MERINOS.—The breeds of sheep originally belonging to France, varied in character with the face of the country, and the nature of the pasture; but until the introduction of the Merinos, they generally produced coarse wool. It might naturally have been expected that as the country was only separated from Spain by the Pyrenees mountains, the valuable Merinos would have supplanted the breeds above mentioned, at an early day; but such was not the case. In the beginning of the last century, however, the French statesman, Colbert, at his own expense, conveyed several Merinos across the mountains. Thirty years afterwards, a few more Merinos were introduced; but the prejudices of the people effectually prevented the spread of the breed; and nothing important was accomplished towards their establishment in the kingdom till 1786, when the French government took up the matter, and obtained in Spain 376 Merinos. They were selected, according to M. Gilbert, (as quoted by Livingston in his *Essay on Sheep*,) from a great number of Spanish flocks in different parts of the kingdom. Sixty of them died on the passage. The remainder were sent to Rambouillet, about forty miles from Paris, where the government had an agricultural establishment devoted to the improvement of domestic animals. Many of the sheep and lambs were destroyed by various diseases in the course of the first year.

Notwithstanding these disasters, the Rambouillet flock gradually increased. To facilitate the spread of the breed, a publication on the treatment of sheep, was drawn up by M. Gilbert, under the patronage of the government; a practical school for the instruction of shepherds was instituted, and two other depots for Merinos were established. But with all these efforts, the introduction of the Merinos was comparatively slow; for when, (as stated by Youatt,) a census of the sheep in the kingdom was taken, twenty-five years after the establishment of the Rambouillet flock, there were thirty millions of the native breeds, and only two hundred thousand pure Merinos. What has been their comparative increase since that period, we have no means of ascertaining; but as the French people enjoyed a long period of quiet and prosperity, and greatly increased their manufactures of every description, after the peace of 1815, it is reasonable to suppose that the Merinos are now extensively reared in the kingdom.

The principal alterations which the Merinos appear to have undergone in France, are increase in size, and in weight of fleece. What has been the average increase in these respects, we have no data to show. Some which have been imported to the United States, have weighed 200 lbs. each, and have

* H. D. Grove.

† For an account of the origin of Mr. Dickinson's flock, see *Cultivator* for 1843, pp. 10, 11. See also accounts of the origin of the flocks of John H. Ewing, Washington, Pa., Talbot Hammond, Brooke county, Va., and Jesse Edington, near Wellsburg, Va., in the *American Shepherd*, pp. 414, 419, 429.

produced fleeces, of one year's growth, weighing, in the dirt, from twelve to fourteen pounds. An English writer, describing the Rambouillet sheep, observes: "The Spaniards entertained an opinion that a looseness of skin under the throat and other parts, contributed to the increase of fleece. This system the French have so much enlarged on, that they have produced in this flock individuals with dewlaps almost down to the knees, and folds of skin on the neck, like frills, nearly covering the head."

It has been mentioned above that the French Merinos were originally selected from many flocks in different parts of Spain; and hence, according to Gilbert, "they were distinguished by very striking local differences, which formed a medley disagreeable to the eye, but immaterial as it affected their quality." It is probable that the differences which at first existed in the flock, have operated to prevent an assimilation to a uniform standard in shape and size of carcass and quality of wool.

RELATIVE PROFITS OF DIFFERENT VARIETIES OF SHEEP.—It is to be regretted that with all the controversy and strife between the advocates of different varieties, little or no light is brought out in reference to the main points which affect their relative profits. It is true that different varieties are adapted to different circumstances; and between two localities, for instance, differing widely in soil, herbage and climate, it may not be difficult to say which of two breeds is best adapted to each. Nevertheless, there are situations in which the varieties kept in this country chiefly for the production of wool—Spanish, Saxon, French Merino, &c.—may be deemed to meet on an equality. Such situations are farms which are well provided with shelter, and where summer and winter feed is abundant and wholesome.

Now as regards the *production of wool*, what variety would yield the greatest profit under these circumstances? In answering this question, it is not sufficient to refer to the weight of the fleece, to the price it would bring in market, or to the aggregate amount in money which each sheep annually affords. Neither of these can settle the point. Nor can it be fully determined by a comparison of the net proceeds afforded by the wool of different kinds, in proportion to the weight of carcass—though it is admitted that this would be an approximation towards the desired result. But who has even made a fair and reliable trial of this kind? The true test, however, is comprehended in the question—What variety will yield the greatest income in proportion to the land occupied, and the labor expended in management? It is in reference to the point here involved, that we want light. Who has ever taken two different parcels of land, of equal quantity and quality, appropriated one part to one variety of sheep, and the other part to another—carefully charging each with their respective expenses, and crediting the income?

It seems to us important that measures should be taken to bring out information on this subject which can be depended on; and we would suggest that it is a proper question to be decided by agricultural societies. In their hands, the experiments might be carried on free from the bias which belongs more or less to individual rivalry. Let a committee of judicious and disinterested men be appointed, under whose superintendance and direction the trials shall be conducted; and, that the point aimed at may be fully ascertained, let the trials be continued through a series of five years—the results from year to year being made public under the sanction of the committee.

The Question Settled.

EDS. CULTIVATOR—I am rejoiced to see in the October number of *The Cultivator*, that the long contested question in relation to the transmutation of wheat into chess, in the discussion of which so much feeling has been displayed, and such vast quantities of ink shed, has been finally settled, at least to the entire satisfaction of "A Gleaner of Agricultural Knowledge."

He says the question is settled, and most conclusively so in his mind, by evidence which cannot be contested, set aside, or explained away. Surely, the nineteenth century is destined to bear the palm from all the centuries that have preceded it, in grand and useful discoveries. The application of steam to navigation, the magnetic telegraph, and the transmutation of wheat into chess!—all discoveries of the nineteenth century, which is not half gone yet!

"A Gleaner of Agricultural Knowledge," should get the better of his modesty so far as to permit the world to know to whom they are indebted for such a valuable discovery, and for the settlement of so vexed a question;—one upon which the brains of so many have been suffered to go wool-gathering in days gone by.

The remarks of "A Gleaner" were of such a positive, sledge-hammer-like character, and came down so like "a thousand of brick," that I was forced to give in my adhesion to them; and so, before I had got through with his communication, I had come to the conclusion that the question was certainly settled, firm as the rock of Gibraltar; and had made up my mind henceforth to be a transmutationist—one of the straightest of the sect. But, lo! no sooner was the question settled, than it was immediately again unsettled by your criticism, appended to the communication of "A Gleaner." It was only for a moment, however, that I felt any misgivings in the new faith which I had so recently adopted, as the conclusion of your remarks again re-assured me of its truth.

Now in introducing the supposed case of the conversion of men into monkeys, I suppose you thought you was giving transmutation a tremendous thrust, whereas it has had the effect of more thoroughly confirming me in the faith, from the fact of its bringing to my mind an analogous (?) process, now going on in our midst, the degeneracy of our African population, and the process of transmutation of which they are the subjects, and through the effects of which they are rapidly being converted into whites!

Now if negroes can degenerate, as it is proved by ocular demonstration they do, and turn to white folks, why may not men be as easily 'converted' into monkeys, or wheat into chess?

Our lots have truly fallen upon evil times. Not only do our blacks turn white, and our wheat to chess, but even our timothy turns to chess, and our red clover to white. A few weeks since, I heard a farmer in this county assert, most positively, that timothy would turn to chess; and as evidence of the fact, cited a case within his own knowledge, by which he proved his position as conclusively as "A Gleaner" in *The Cultivator*, does his.

I have frequently heard the idea advanced that red clover, after a few years, would degenerate and turn to white clover. As to the way in which white clover was introduced in this country, there are a variety of opinions. Some contending that it is red clover degenerated, others that it is a sponta-

neous production, and I heard one man declare that it was brought in by a Yankee pedlar, and sold for red clover seed—his father having purchased some of the seed which proved to be white. It doubtless proved a profitable speculation to the vender, such an one as Yankees are apt to engage in, as white clover seed is only worth from four to eight times as much as red!

With these few prefatory remarks by way of introduction, as the writers say, I shall now proceed to relate my experience in the transmutation of wheat into chess.

In the fall of 1846, my father, with whom I was then living, sowed about ten acres in wheat. The ground had not been in wheat for some eight years before. The seed was so clear of chess that it was extremely difficult to find a grain. When harvest time came round, and the wheat was harvested and got out, the yield was only about six bushels to the acre, owing to its having been so badly frozen out in the winter. There were spots of a yard square or more perfectly bare of wheat. But where there was any thing, it was either wheat, or weeds of some kind, or timothy, which had been sown on the ground in the winter. There was scarcely a bunch of chess to be found in the whole field.

While the farmers generally were lamenting that their wheat had frozen out and turned to chess, or cheat, as it is called here, ours had frozen out as bad as any, but it had not turned to cheat. This was a poser to the transmutationists, whose attention was directed to the subject.

Divers were the reasons advanced and suppositions ventured in accounting for so unheard-of a phenomena as that of wheat freezing out and not turning to chess! Failing to convince the anties of the soundness of their doctrine, they would usually wind up by citing some half dozen cases, where clean seed had been sown upon clean ground, and a pretty fair crop of chess gathered in place of wheat.

In the fall of 1847, we sowed about twelve acres out of the wheat grown that year, a part on new ground, and the balance on old ground, that had not been in wheat for eight or ten years. We raised a good crop of wheat and no chess, or not more than could be chargeable to the few seeds that had been sown. In the fall of 1848, we sowed, between us, about 45 acres, out of the wheat grown that year, still as clear of chess as when we began with it in '46. Mine, some 15 acres, was very badly frozen out, so much so that had it escaped the rust, it would not have yielded more than five or six bushels to the acre; as it was, it was not worth cutting. A portion of my father's was also badly frozen out. Yet, notwithstanding the havoc made by the frost, the transmutationist's principal agent in the conversion of wheat into chess, I have no idea that in the whole 45 acres there could have been gathered a quart of clean chess.

Now these are facts, and facts, like certain long-eared animals, are said to be "stubborn things."

As to the question whether or not wheat may, can, will, or does turn to chess, I shall not pretend to decide, either *pro* or *con*; but would merely remark that in the course of my observation, I have found that those who are firm believers in the doctrine of transmutation, and consider it unnecessary to be very particular about cleaning their seed wheat, have their faith confirmed very often by their wheat turning to chess; while those who take the common sense view of the matter, that chess, like every other vegetable production, comes from the seed and no where else, and act accordingly, sowing

clean seed on clean ground, seldom, if ever, have to lament over their wheat turning to chess.*

Farmers generally have very vague and confused notions of the nature of chess. In the first place it is one of the most *accomodating* plants that grow. You may sow a gallon of the seed, in conjunction with a bushel and a-half of wheat, and if the wheat comes up and meets with no casualty, it will cover the ground, and you will scarcely see a head of the chess at harvest, over 6 inches in height. It is frequently seen in such cases not more than two or three inches high, with one or two fully developed grains on the top. But let the wheat be destroyed by freezing out, or grazing, and the chess, ready to fill its place, branches out, grows luxuriantly, and produces a glorious crop. Secondly, it is one of the hardiest plants in the world. The seed is in a manner indigestible, and is generally as capable of germination after passing through the stomach of animals, as before; and it may lie in the ground for years, under unfavorable circumstances, and when brought to the surface it will germinate and grow. Freezing seems to have no effect upon the plant, and grazing but very little. Thirdly and lastly, it is one of the most prolific of plants. My curiosity prompted me one day last summer, to count the seed on a common sized bunch of chess. Their number was 2,607. Supposing each grain capable of producing this number, and I have no doubt that it can, with any thing like a fair chance, such as having the wheat frozen out or destroyed in any way, and the increase of a single grain in three years, will amount to the enormous quantity of 17,718,342,543 grains. JAS. R. HAMMOND. *Shandy Hall, Cooper Co., Mo., Nov. 22, 1849.*

Rural Economy.

Profits of Dairying.

EDS. CULTIVATOR—As thy columns are filled up with modes and results of farming, I take the liberty to send a statement for publication, of the manner I have conducted my dairy, and the proceeds of the same for the year 1849.

My dairy consists of 30 cows, most of which are of common breed, though few are part Devonshire. They were fed as follows: on hay and upland pasture, with all the whey, except enough to rear three calves, and partially fatten four hogs. In addition, I fed during the season, sixty bushels of corn and oat meal, three-quarters of an acre of green corn, which, owing to the drouth, was not likely to come to maturity, and twelve loads of pumpkins, boiled and fed with whey, as was the meal.

The following is my mode of making cheese: We strain the milk at night into a tin pan, which is surrounded by a wooden one, with a space of one and a-half inch which is filled with water. After the morning's milk is put in, the whole is warmed to 80° by steam, operating upon the water. After the rennet is well stirred in, let it stand forty minutes, then cut it coarsely; let it stand fifteen minutes, then cut it finer, and raise the heat to 90°. Work it occasionally with the hand for thirty minutes; then

* These remarks should be remembered, as they show that faith, in this case, a matter of practical importance. We have often met with farmers who held the idea that chess, of itself, did not grow—it only came from wheat! Consequently, it was of "no use to be particular" about sowing the seed. We know many persons, however who do not believe in transmutation, and these farmers, (and this is a fact well worthy the consideration of the believers in transmutation,) grow no chess on their farms, and never have occasion to complain of the change of their wheat to chess.—Eds.

draw off one-third of the whey, and work the curd fine and scald to 100°, if for home market—and if for foreign, 110°. Draw off the whey, and let the curd cool; put one pound of Ashton salt to forty pounds of the curd, and press very hard.

I commenced operations 1st of 4mo., and up to 12mo. 29th day, I find the result as follows:

18,205 lbs. cheese, sold in New-York for 7 cts. per lb., . . . \$1274 35
550 lbs of Butter, 80 75

\$1355 10

Commission, boxes, and transportation, \$127 43

Nett proceeds, \$1227 67

Which gives to each cow 606 5-6ths lbs. of cheese and 18½ lbs. of butter, worth \$40.92, exclusive of calf, &c.

The age of the cheese when sent to market, has averaged from 30 to 60 days. OTIS DILLINGHAM. *Granville, Wash. Co., N. Y., 1st Mo., 25, 1850.*

Large vs. Small Cheeses.

The *Ashtabula Telegraph*, speaking of the great decline in the price of cheese in the northern part of Ohio, the last season, attributes it to the large size of the cheeses.

"It is stated by one of our most intelligent and cautious merchants, that his experience of New-York prices of cheese, acquired during his fall visit to make purchases, settled in his mind, conclusively, the form and weight of cheese intended for export or for city use. He found on inquiry at the highest sources, that while five and a-half cents was the top price for our large sized cheese, the small sizes, say from ten to twenty pounds, were quick of sale at nine and nine and a-half cents. This, he declared, was a fact worth knowing by a country merchant in the habit of buying cheese, and it is a fact worth knowing by those who make cheese. Large cheeses, however skillfully and carefully made and kept, are bad travellers. The principle of decomposition is inherent in every cheese, and nothing but dryness can arrest it; but in large dairies this degree of dryness is difficult of attainment,—is seldom attained. What is called *heaving* in cheese is simply fermentation, and this is the first step to decomposition, which is inevitable, after the *heaving* has once occurred. The great losses heretofore sustained by foreign merchants—purchasers of large cheese, have made them shy of the article, and their loss of character has led to their fall in value."

Dunlop Cheese.

The following method of making this celebrated cheese, is given by Mr. ROBERT GRAY, a practical Scotch Farmer, now residing in New Brunswick. It is taken from the report of the Directors of the St. John Agricultural Society:

When more than the produce of one milking is used, the old milk must be heated to the same temperature as that newly drawn from the cows, or a little above it. This is best done by putting the milk, after taking off the cream, into a tin pan, and that again into boiling water. When the milk is properly heated, it is (together with the cream previously drawn off,) and the new milk, put into a tub and well stirred together, and the steep applied. When the milk has coagulated, which will be in about 20 minutes, the whole should be stirred up and thoroughly broken by the hand. In ten minutes afterwards the whey should be taken off, and the curd pressed against the bottom of the tub, till it is firm enough to be lifted into a drainer, or vessel with a porous bottom, when it is cut with a knife once in

every ten minutes for an hour. It is then put into a cloth, and a pressure applied to expel the whey more thoroughly. When this is done and the curd gets dry and firm, it is put into a tub and carefully minced with the curd knife, and salt and a little nitre applied. The curd, with a cloth round it, is then put into a chesset, set before the fire for three hours, and turned from time to time to preserve a uniform heat. It is then put in the press and a light pressure applied. At the end of an hour the cheese is turned upside down in the chesset, and a cloth drawn from boiling water applied. At the end of another hour, the cloth is again changed, and the cheese is left in the press till the following morning, when it is taken out, slightly heated before the fire, and again returned to the chesset and the press. When the wet cloths have been changed a time or two, a dry cloth is substituted and a greater pressure applied. The dry cloths are changed every two hours till the cheese is perfectly dry, when it is taken out, the chesset well warmed, and a thin cloth put into it. The cheese is then returned to the chesset for the last time, and subjected to a slight pressure for half an hour, when it is taken out and laid on a plank in a dry situation with a cloth thrown over it for a day or two, and turned over and rubbed with a coarse towel, (taking care not to break the edges,) every two days till it is sufficiently dry for keeping.

To Make and Preserve Sausages.

EDS. CULTIVATOR—I send a receipt for preserving sausages, that is worth one year's subscription to *The Cultivator*, to every family that makes much use of them that does not already know it. Although too late for the last killing time, it will soon come around to another. And while I am about it, I will give my mode of seasoning them, as I have done it for twenty years. For one hundred pounds of meat, 1½ pound of fine salt, 6 ounces of black pepper, powdered, and 3½ ounces of sage. For market or immediate use, a little more salt might be added.

And now for preserving them. Immediately after the meat is seasoned, make it up into small cakes, (say as large as the top of a tea cup,) and fry them in the usual manner until nearly done—or quite done I think best. Then have clean small earthen or stone pots ready, and pack the cakes in as closely as possible till nearly full, pouring in the fat that comes out in frying them—then put a weight on, sufficient to keep them down until cold. If there is not enough fat fries out to cover them, supply the deficit with clean melted lard. When they are perfectly cold, it is best to put a little more melted lard on, as there will sometimes be cracks made in cooling—put a paper over them, and set them in a dry cool place, and they will keep from New Years till after the next harvest as good as when put up, or very nearly so. They will keep, I suppose, as well in large pots as small ones, until they are opened. It is only necessary to warm them up for use. Try it—there is no mistake in it. I have proved it. E. CROASDALE. *Phil. Co., Pa., 1st Mo. 29, 1850.*

FEEDING CATTLE IN WINTER.—The *American Farmer* says, "a neighbor of ours had an oblong tight box made, with a top—he filled this box with cut stalks, poured over them a pot of boiling water, shut down the lid and put a weight upon it, and thus cooked them with the steam. By the time the water became milk-warm, the stalks were sufficiently cooked. For his milch cows, he had bran or mill feed mixed; and they were always in a thriving condition."

Management of Bees.

EDS. CULTIVATOR—I have perused your valuable journal, *The Cultivator*, for several years past, and find it contains more important information for the young and inexperienced, as well as the aged and practical farmer, than any other periodical of the kind published in the State, and I might add in the United States. I take a number of journals devoted to the "improvement of the soil and the mind," yet there is none, in my estimation, which affords as much useful knowledge to all classes of community as *The Cultivator*.

I will state that I am now in possession of six elegantly bound volumes, which have cost me the price of two young swarms of bees. The information I have gained on this subject alone—the management of bees—has more than doubly paid me for the volumes I now hold. And as there has been less said on this subject than most others, I feel inclined to ask the inexperienced bee-keeper a few important questions: First, did you examine your hives of bees and honey after harvest, and satisfy yourself that each swarm had sufficient honey in store to keep them through the winter without being fed? Each swarm will consume some twenty pounds from the middle of October to the middle of April. If there is even a larger quantity left in the hive, the bees will thrive better the coming summer, and prove more profitable to the keeper. Secondly, is your Bee-House so constructed as to keep the blustering snow storms and cold rains from beating against the hives? If not, it should be so constructed. Bees can stand a great deal of cold during the winter, but they must be kept dry. Hives should be well ventilated. Have you examined your bottom-board, or holes intended for ventilation, to see if they are not closed with dead bees and other filth? If they are, the dead bees should be removed. If not attended to, the chances are, the whole colony will be dead before spring. It is well to examine your hives as often as once a month, during the winter.

I have seen and used many well constructed patented hives, yet I know of none that requires no attention. Bees require but little attention to keep them in a healthy condition, yet that little attention must not be neglected, if you would make them profitable. C. G. J. *Buffalo, N. Y., Jan., 1850.*

Cows for the Dairy.

Mr. ROBERT GRAY, near Fredericton, N. B., in answer to an inquiry from the Directors of the St. John Agricultural Society, says—"From my experience in the matter, I give a decided preference to Ayrshire cows for the dairy. I believe they will yield a greater quantity of milk, in proportion to the food they consume, than any other breed. Besides this, they are docile and hardy, and will thrive on pasture, and with a description of keep where such breeds as the Short-Horns would starve. They also possess more than average feeding qualities of their own, and when crossed with the Short-Horn or Durham bull, the produce is an animal remarkable for early maturity and a disposition to fatten. If proof were wanting of the excellence of the breed, it would be found in the circumstance that they are carried to almost every quarter of the globe. Large droves are every year taken to England, and during the last ten years, considerable numbers have been taken to the Cape, the Isle of France, to Sweden, Denmark, Belgium, and the United States."

Miscellaneous Items.

MAKING MAPLE SUGAR.—It is surprising how very general the practice is of boiling the sap in large cast-iron kettles. Sheet iron is much cheaper, needs far less fuel, does not crust nor burn round the top, and is decidedly favorable to very clean sugar. A simple mode of making sheet iron pans is described in the *Ohio Cultivator*—the pans being 4 or 5 feet by 2½, 9 inches deep, the bottom and ends one strip of good sheet iron, and the sides 1½ inch plank. The edges of the iron are punched with holes an inch apart in a zig-zag line, a strip of slippery-elm bark placed between the iron and plank when nailed on, and the whole then placed on a brick "arch" which entirely keeps the fire from the plank sides.

HENS IN WINTER.—S. W. Cole says that hens will never lay well in winter, unless they are made to "scratch for a living." This is done by burying their grain several inches in gravel. He states that eight hens, which did not lay an egg in a month in the winter, by adopting this course, lay 3 times as many eggs the following winter, as their whole feed cost.

FEEDING CATTLE.—Cattle standing in cold muddy yards, exposed to the weather, consume about twice as much as those in sheltered stables kept clean and littered, and free from the accumulations of manure.

The Veterinary Department.

Vermin on Cattle.

EDS. CULTIVATOR—It has long been known that a tincture of the seeds of the common blue Larkspur (*Delphinium consolida*) will destroy lice on the heads of children, immediately and effectually. Having tried on cattle, with partial success, everything recommended in books, (except preparations of mercury,) I used larkspur seed in diluted alcohol, and the insects appear to be entirely destroyed. The labor of applying it is much less than most other remedies, and it appears to have no injurious effect on the cattle to which it is applied. T. S. GOLD. *West Cornwall, Ct., Jan. 22, 1850.*

Ringbone.

EDS. CULTIVATOR—In the December number of *The Cultivator*, in answer to an inquiry, you remark, "We know nothing of ringbone being fed by a bladder, situated in the heel or posterior part of the foot." If you will turn to *Cole's Veterinarian*, you will find it there described, and the extraction of the bladder, recommended as a remedy. From twenty years observation, I am satisfied that three out of four may be thus cured, and why not the other fourth, is beyond my ken, unless it is because the operation is so slightly performed as to leave a connection between the bladder and the ringbone. But be that as it may, some of the worst cases I have ever known, have been permanently cured. For instance, a colt lame in three feet, all cured at once. A horse that had got into his *teens*, and had been for some months entirely useless, even holding up the lame foot when he moved, was well in two weeks after the operation, &c. The operation is very simple, and can be performed by any one, if the horse is properly secured, and will at most, do no harm. W. *Waterbury, Ct., Jan. 25, 1850.*

We should like to have the opinions of experienced veterinarians in reference to this subject.—EDS.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Pruning the Peach.

Although we have nothing new to offer at the present time on this subject, yet as the time is approaching for attention to the necessary work, we would remind our readers briefly of some of the principal points and advantages.

The peach, of all our fruit trees, is remarkable for its sensitiveness to shade. The leaves and branches positively refuse to grow, unless they can feel



Fig. 1.

the sun-light. Hence, as the tree advances in size, the shoots in the central parts of the head, dwindle, die, and drop off, leaving the more central portions of large heads, with long naked limbs, bearing tufts of leaves only on their extremities, as shown in the annexed figure, (fig. 1.) It is not necessary for us to point out the evils of this result, so obvious to every cultivator.



Fig. 2.

The remedy consists in keeping the leaf-bearing branches thinned out towards their extremities, so as to let the light into the centre of the head, as in fig. 2. This may be partly effected in trees which have been neglected, by cutting out shoots of some years' growth when necessary. But

the best way is to cut off, near the close of winter, from one-half to two-thirds of every last year's shoot, all over the tree, commencing this treatment as soon as the tree begins to bear, and repeating it annually as long as the continuance of the tree. This greatly reduces the weight of foliage, and thins the fruit. The crop borne on trees treated thus, is not so great as to numbers, but this deficiency is fully made up in measure, and the quality is incomparably improved. Such varieties as the Heath Cling, which are usually almost worthless, from being crowded on the tree, are the most easily thinned of their crop in this way—far more so than by the more frequent practice of picking off the young peaches.

This shortening of the shoots is so perfectly simple, that the most awkward workman can hardly go wrong, if he only attends to one point, that is to cut off two-thirds of the long shoots and half the

short ones. He may do this with a knife, and aided by means of a good standing or self-sustaining ladder. This mode of pruning the peach, although long ago practiced in some parts of Europe, has been but lately introduced to much extent here, where it has uniformly been attended with the best success.

North American Pomological Convention.

The proceedings of this Convention have been published, under the supervision of F. R. ELLIOTT, in a neat pamphlet of 64 pages. It is occupied with a record of the discussions in the Convention; and an extensive and minute report of the state of Fruit Culture in Illinois, by Dr. Kennicott,—and in New-York, by Dr. Wendell; with shorter reports from Wisconsin, by F. K. Phoenix; from Ohio, by F. R. Elliott, and from Vermont, by C. Goodrich. Altogether, it contains a great amount of valuable information on the adaptedness of fruits to the widely differing regions of the whole northern portion of the Union.

The following are the results of the action of the convention, on fruits not brought before the convention the previous year:—

PLUMS.

Smith's Orleans—first-rate.

Duane's Purple—second-rate, ranking high for size and beauty.

Lawrence Favorite—first-rate—not tested at the west.

Long Scarlet—second or third-rate—handsome and fine for cooking.

Lucombe's Nonsuch—nearly first-rate—poor bearer.

PEARS.

Fondante d'Automne, (Belle Lucrative)—first rate.

Dutchess of Angouleme—second-rate. Largely discussed, and taking its great size, free growth and productiveness into consideration, it was regarded by most of the members as well worthy of cultivation—many regarded it as equal in flavor to the Bartlett—but in all cases, it was pronounced worthless, unless upon quince stock.

Gansel's Bergamot—first-rate—somewhat variable—a moderate or poor bearer. Growth of the tree short and stumpy—leaves mealy.

Napoleon—good second-rate—fine grower, and abundant bearer.

St. Ghislain—in most localities, first-rate.

Buffum—a fine grower, but pronounced second-rate by most of the members, and first-rate by a few.

Long Green—second-rate—very thrifty, a good bearer, regarded by some as nearly first-rate.

Julienne—rarely nearly first-rate, often second-rate, and frequently worthless. Never fine unless gathered before fully ripe.

Frederick of Wurtemberg—very variable. When at perfection, very large, exceedingly beautiful, with a brilliant cheek, not exceeded by any wax imitation—needs thinning on the tree, and requires high cultivation—very large specimens had been produced by manuring the trees with bone-dust.

Fulton—nearly first-rate, by some as second-rate—hardy, productive, and adapted to nearly all localities.

Passe Colmar—by some, as second-rate—by others as "king of pears"—requires rich and careful cultivation to attain perfection, and skilful ripening.

Beurre Diel—nearly always first-rate—best on quince stocks.

Beurre d'Amalis—second-rate.

Dix—first-rate—long in coming into bearing—has sold in Boston for \$2 per dozen, or \$30 per bushel—has rarely fruited in N. Y. or at the West.

Easter Beurre—variously ranked as first and second rate—requires ripening in a warm room, after being kept cool through the winter—if brought too early into the warm room, it shrivels.

Bleecker's Meadow—from second to fifth-rate.

Beurre Bosc—first-rate.

APPLES.

Roxbury Russet—first-rate.

Hawthornden—second-rate; first-rate for cooking—productive.


Maiden's Blush—second-rate.

Rambo—very highly esteemed at the West.

Rawle's Jannette—highly esteemed at the West or South West—blooms very late, and hence escapes spring frosts, and a constant bearer—a long keeper—has kept in Kentucky till past midsummer.

Root-Grafting Large Stocks.

In grafting upon large two-year stocks, half an inch or more in diameter, must the graft be placed on one side of the stock so that the bark on one side of each may match? Would you in such case prefer a cleft graft to a splice? *D. Herkimer Co., N. Y.*



Root-Grafting.


and its upper point are pared off with the knife, as shown in *a*, where the dotted line shows the original or full size of the face, after the first cut is made.

This mode is better than cleft grafting, on account of the close contact effected by *cutting* the faces of the tongue, instead of *splitting* them as more commonly practiced in cleft grafting; by the greater expedition with which it is performed; and by the greater ease with which the plasters or wax may be closely fitted.

CAMELLIAS.—Ghent is somewhat remarkable for its nurseries and gardens; the *Gardener's Chronicle* says there are orders from England alone, averaging from 10,000 to 20,000 plants annually.

The Diana Grape.

This new seedling American grape, which originated near Boston, appears now to have been fully tested, and has recently been figured and described in the *Horticulturist* and in *Hovey's Magazine*. The former work describes it as "superior to the Isabella and Catawba," and "the best of American Grapes," "ripening a week or ten days before the Isabella." It is of a pale red color, with less pulp and more juice than the Catawba, more delicate, and less of the peculiar wild taste of the native grape. It is an abundant bearer.



The Diana Grape.

The following is the description in *Hovey's Magazine*:—"Bunch medium size, about four inches long, without shoulders; berries medium size, round, closely set, forming a compact cluster, of a delicate pale red color, with a greyish bloom, not so dark as the Catawba; flesh with scarcely any pulp, juicy, rich and vinous, with a high, delicious flavor. Seeds generally two, rather small. Ripe from a week to ten days before the Isabella."

CULTIVATING DWARF PEARS.—Every intelligent fruit raiser is aware of the necessity of cultivating and manuring the soil well, for dwarf pear trees. S. B. Parsons states that he has 1700 trees on four acres—that he applied to this orchard last spring, \$150 worth of manure, and gathered in the autumn 275 bushels of potatoes, 30 tons sugar beets, and a large quantity of turneps and cabbages—paying the expenses of manure and cultivation, and giving the pear trees a vigorous impulse.

Wire Fences.

In the last number of *The Cultivator*, A. B. attacks a statement, which gave strictly the results of *ten years'* experience with a wire fence. He commits the most singular error of entirely overlooking one of the first principles of mechanics, in his calculations. A little more modesty of manner would perhaps have been better, in thus deciding on the experiments of another.

In order to make the subject plain, it may be best to go into a little explanation. Suppose the wire, *a b*, ten feet long, is stretched so that a pressure against it sidewise, bending it three inches from a straight line, would snap it. Would the force thus required to break it, be as great as if the wire were drawn lengthwise? According to A. B.'s reasoning, the force in either case would be equal; but according to experiment and mathematical reasoning, the side pressure would be only about ONE TWENTY-FIFTH of the force required to draw it asunder lengthwise. Therefore, if a number 10 wire will sustain a longitudinal stress of 1500 pounds, as stated by Engineer ELLET, then a side pressure of more than 60 pounds would break it, if stretched as stated above.

For, in the action of all mechanical powers and forces, as every one perhaps knows, whatever is lost in distance is gained in power. But in pressing the wire three inches aside, it is drawn only about an eighth of an inch in length; consequently the force exerted, moving 25 times as far, is increased 25 times in power.

The dotted lines, *a c, b c*, show the position of the wire when pressed aside. If the wire were divided into two equal parts at the middle, the two ends would form the two curves *d c*. The sines of these curves would be the distance moved by the side pressure; and their versed sines, (bearing a very small proportion to them, but varying with the distance of the side pressure,) would show the actual increase in length in snapping the wire.

In all the different modes of constructing wire fences, it will be observed that effort is made to stretch the wire straight, which increases their liability to be broken, as shown above. I have seen a wire, strong enough to bear a draught lengthwise of 500 pounds, broken like burnt flax by a half year's calf, after the wire was stretched with the moderate strength of a man. A rod of iron, one-third of an inch in diameter, will bear a force lengthwise of nearly three tons weight; but when slightly stretched, I have seen such a rod broken by the bounding of a large steer against it.

Albany and Rensselaer Horticultural Society.

The annual meeting of this Society was held at the Rooms of the N. Y. State Agricultural Society, Feb. 6, 1850. JOEL RATHBONE, Esq., who had been the presiding officer of the society since its organization, declined being a candidate for re-election. The officers elected for the current year, are V. P. DOUW, of Greenbush, President; E. P. PRENTICE, Mt. Hope, Herman Wendell, Albany, Stephen E. Warren, Troy, Amos Briggs, Schaghticoke, Vice-Presidents; B. P. JOHNSON, Albany, Secretary; Luther Tucker, Albany, Treasurer.

The exhibition on this occasion, was not large,

on account of the severity of the weather—the mercury having been several degrees below zero; but there was, nevertheless, a tolerable show of fruits and vegetables, and a highly interesting display of plants and flowers—several of the specimens being new and in fine perfection. Messrs. Rathbone, Douw, Menand and Wilson, presented handsome collections of several kinds of plants. Mr. Wilson showed many varieties of *Camellia Japonica*, among which was the new seedling *Abby Wilder*, raised by Col. M. P. Wilder, Boston. The specimen exhibited, fully supported the high encomiums that have been bestowed upon it, and by unanimous consent, it was placed *first* among many fine kinds brought out on this occasion.


An herbarium, comprising upwards of one hundred specimens of plants, beautifully preserved, was offered for exhibition by Miss Eliza Cary, of Albany. It attracted much attention and high praise.

Messrs. Prentice, Morgan, Wendell, Gould, and others, each exhibited several varieties of apples. Dr. Wendell also showed samples of the Inconnue Van Mons pear. Joseph Cary showed excellent specimens of *Isabella* grapes. J. S. Gould exhibited very fine specimens of cauliflowers, which had been formed, chiefly, after the plants were dug, last fall, and planted in the cellar.

Kirtland Pear.

(Syn. Kirtland's Seedling, Seedling Seckel.)

One of the finest of all the new American pears, is the variety lately introduced to notice by Prof. J. P. Kirtland, of Cleveland, Ohio, and raised from the seed of the Seckel in 1819, by H. T. Kirtland, of Mahoning Co., Ohio. The fruit was exhibited



The Kirtland Pear.

at the fair of the N. Y. State Ag. Society held at Buffalo in 1848, from a specimen of which the accompanying figure and description were drawn. A colored figure appears in the Proceedings of the North American Pomological Convention, lately published.

Description. Size medium; form roundish-obovate, regular; nearly the whole surface a rich cin-

namon russet, resembling in this respect, the Doyenne gris, reddened to the sun and greenish in the shade; stem three-fourths of an inch long, thick, curved, slightly sunk; calyx reflexed, in a moderately deep basin; flesh very buttery, melting, rich, perfumed, of excellent flavor, equalled by very few sorts. It ripens early in autumn, before the usual pear season, which increases its value. The growth is vigorous. Dr. Kirtland states that "in hardiness and productiveness it far excels the parent Seckel; and in point of flavor it is esteemed as superior by many people."

Mulching Cherry Trees.

Cultivators have often lost newly transplanted cherry trees by the drouth of summer, after they have come out finely in leaf, and given promise of vigorous growth. We believe that no tree is more benefitted than this by mulching, or shading the soil with a thick coat of leaves or litter. During the past very dry summer, some very decided proofs of its eminent advantages were furnished, where dwindling trees were speedily restored to health and thriftiness, where neglect had not proved fatal. A Cincinnati correspondent of the *Horticulturist*, who remarks that "nature always mulches," states that by low heads, shaded position, and thorough mulching, he has succeeded in raising flourishing trees in that unfavorable climate, where formerly he had lost every one the first or second season.

Notes on Plums---The Curculio.

I. ELFREY, OR ELFREY'S PRUNE, of Downing.

I think this plum is not sufficiently known. It is a thrifty, hardy seedling, which bears most abundantly. It is well, though very briefly described by Downing. Its fruit, when perfectly ripe, is nearly first rate. Considering also, its slight exposure to the curculio, and its adaptation to sandy soils, it certainly should rank with the best varieties. I know of two families who cultivate the finest varieties of plums, who yet prefer the Elfrey to every other, as a constant dessert plum.

There are two facts in regard to it, not noticed in any of the books. The one is, the depth of its suture, on one side, extending often quite to the stone, even in the largest and most luscious specimens. The stone, too, as has been observed, frequently splits into two when the plum is opened. The other facts relate to the shape of its buds. These are blunt at the base, and the whole bud appears as set on mechanically.

This plum is very little liable to rot in hot and wet weather.

II. A PLUM WITHOUT NAME.

I found on the grounds which I occupy, a plum which I consider very valuable, especially as a market plum, and which I cannot identify with any name in the books. As it produces the same from the suckers, it is of course a seedling.

The tree has a most perfectly wild appearance. It is a slow grower, dwarfish, hardy, has a broad, spreading, very close head, with small, wiry, and rather drooping branches. It is slightly thorny; and was mistaken by an intelligent grafter, for a wild thorn, and as such was actually grafted with a pear scion.

Fruit, smallish, round, with a slight suture on one side; colored like the Bleeker, (Lombard of Downing,) covered profusely with a very white bloom. The whole fruit, when divested of its bloom, is ex-

ceedingly like the Lombard, only rounder, and with a little more acid next the stone, and a little later.

Other valuable points of this Plum:—1. Hardiness. 2. Nearly an annual bearer. 3. It matures its fruit when profusely bearing, better than any plum of my acquaintance. 4. The tree is scarcely at all liable to the black knot. 5. It is equally safe from the curculio. 6. It flourishes in a sandy soil. 7. The limbs never break with over bearing, even when the fruit lies in actual heaps upon the tree. 8. The fruit never rots. Eatable specimens were found, on the ground, under my trees, as late as the 22nd of October.

III. THE CURCULIO.

In the absence of novelty on this subject, corroboration may be valuable.

With an assistant, I spread two large sheets of white cloth under the tree, jar the tree suddenly, and kill the insect by a pinch of the thumb and finger. Three or four visits to the tree, after the curculio begins, have been found sufficient. To jar the tree, I use a stick made like a short flat ball club, covered with three or four thicknesses of carpet. With this in one hand, applied to a limb, and struck with a stone hammer in the other, the insect can be brought down with great certainty. I began with a long club covered with carpet, but found it bruised the bark quite frequently.

To perfect this plan, I would cover a square frame of poles with white cloth, leaving a slit in one side to the centre of the frame, so as to admit the tree.

The labor of taking care of a large plum orchard during the short season that the curculio works, is nothing to be compared with the value of the fruit saved. It should be known that plums, already stung, may be saved by cutting out the egg with the point of a sharp pen-knife. The curculio with his proboscis, turns up a little lip of the fruit, and lays his egg in its centre, where it may be seen like a minute drop of water. When the egg hatches, which it does, in a very short time, the worm drops down into the cavity made by the turning up of the lip, and finds his way to the centre of the fruit with incredible swiftness.

IV. PLUMS KILLED BY FRESH STABLE MANURE.

Having read, somewhere, that fresh stable manure put around fruit trees in flower, would repel the curculio, I put some around my plum trees. As I had to take the manure when it was offered for sale, I was obliged to apply it a little earlier than I desired. Soon after a heavy rain fell, washing, of course, the soluble portion of the manure down upon the roots of the trees. Quite a number of valuable bearing trees died outright, and numbers more were seriously injured. This was dear bought experience.

I doubt the feasibility of this plan of repelling the curculio. If the weather be dry or windy, it can do very little good, unless the quantity be large, and then you endanger your tree. Fruit trees growing near to stables and hog pens, would more probably be benefitted. C. E. G. *Utica*.

Cultivating Young Orchards, &c.

I observe that it is recommended in plowing among fruit trees, to use "short whiffletrees." A friend, I notice, uses leather traces, with a flap of the same sewed on the outside of each near the end, sufficiently large to cover the ends of the whiffletree, which prevents the possibility of galling the trees.

I understand that the hickory tree may be grafted and transplanted successfully. I have tried graft-

ing them but without success, and on account of their being tap-rooted, they seldom live when transplanted like other trees.

I wish to ascertain the proper method of transplanting hickories, and also the best time for cutting and setting the grafts. W. Waterbury, Ct. Jan.

Horticultural Miscellanies.

Mostly copied or condensed from the Proceedings of the North American Pomological Convention, 1849.

WIDE EXTENSION OF ROOTS.—E. HARKNESS, of central Illinois says, "I have found the roots of young apple trees, not more than four inches in diameter, which had penetrated *four feet downwards* into the clay subsoil, and *ten feet* from the collar of the tree," or occupying a bed of earth four feet thick and twenty feet in diameter. A tree one-quarter the diameter, or the size usually sold at nurseries, must have a proportionate extension; hence, in cutting a circle with the spade only a foot in diameter, in transplanting, a large portion of the roots must be cut off and left in the soil.

MANURE FOR FRUIT TREES.—DR. KENNICOTT, speaking of the fertile lands of northern Illinois, says, "For fruit trees, especially the apple and quince, I have found barn-yard manure, half-decayed chips, charcoal, and ashes, [mixed] serviceable. I have tried lime, but except on a small peaty spot, without benefit. Mr. Dunlap says he has killed apple trees with ashes—perhaps he gave them too much. I have found them decidedly serviceable." Yard manure alone is not recommended for that region, and for peaches, plums and cherries, is considered positively injurious.

FRUITS FOR WISCONSIN.—F. K. PHENIX gives the following as the result of his experience with the cultivation of fruits in Wisconsin, where the thermometer often sinks to 20° below zero. *Plums*—Duane's Purple, Smith's Orleans, Emerald Drop, Imperial Gage, and Long Scarlet, prove *tolerably hardy*. *Hardest Pears*—Urbaniste, Flemish Beauty, White Doyenne, and Easter Beurre. The Bartlett, unusually tender. Of *Cherries*, Mayduke, Arch Duke and Downer, are hardiest. The Clinton grape is perfectly hardy—the Isabella needs covering. Of *Apples*, Early Harvest, Keswick Codlin, Dutchess of Oldenburg, Drap d'Or, Fameuse, Autumn Strawberry, Pomme Gris, and others, are hardy, and maintain their eastern reputation. Rhode Island Greening, Roxbury Russet, Baldwin, Rambo, Esopus Spitzenburgh, and others, are tender. The application of old, well-rotted manure, in moderate quantities, induces an early maturity in growth in apple trees, and enables them the better to withstand the cold of winter.

LEAF BLIGHT IN THE PEAR AND PLUM.—F. R. ELLIOTT says,—"The leaf-blight has been more extended in the pear and plum this season, than in any previous one in Ohio. Application of common salt and wood-ashes to one tree, and wood-ashes alone to another plum tree, has rendered them free from leaf-blight, and a continued healthy appearance throughout the season. Application of pou-drette, ground bones, ashes and lime, all mingled, have rendered pear trees healthy and free from leaf-blight, while those 30 ft. distant, without such application, have been affected.

FRUITS AT PLATTSBURGH, N. Y.—J. W. BAILEY states that he has found the application of leached ashes a preventive for mildew in the *gooseberry*. Out of 300 peach trees *in bud*, many were

killed to within a few inches of the ground, and only about 20 of the inserted buds survived, having had no protection, and the thermometer being for *nineteen* days, below zero, and at one time 20° below. The most profitable *apples* at that place are Early Harvest, Bough, Toole's Indian Rareripe, Esopus Spitzenburgh, Rh'd Island Greening, Swaar, Roxbury Russet. Fameuse has proved very fine, till lately affected with bitter rot. Westfield Seek-no-further, of second quality, and moderately profitable. Pomme Gris, "the richest of all winter apples," but too small for profit. St. Lawrence, profitable as a cooking apple. Rosseau, unprofitable; Bourassa, uncertain; Yellow Bellflower, promising well.


LOUISE BONNE OF JERSEY.—This fine variety of the pear, so peculiarly adapted to the quince stock, is remarkable for its early productiveness. The N. E. Farmer states that two trees were bought in the autumn of 1848, by J. Washburn, of Plymouth, Mass. for \$1.25 each. The next season he received a \$6 premium for a select dozen of pears which they bore, and \$3 for the pears. It is scarcely necessary to say that their cultivation was by no means neglected.

Grafting and Improvement.

The address of J. R. Williams, before the Kalamazoo Agricultural Society, Mich. contains much good sense. The following remarks on the ease with which every man may improve the quality of his fruit, are applicable to latitude and meridian of other places besides western Michigan:—

"As it is with animals and vegetables, so it is with fruits. You can have stunted, astringent, crabbed fruits, or the most delicious. The precaution to send your neighbor's boy to snip off a shoot from a fine tree, while you are stopping to decide the affairs of the nation with him—a few minutes taken to slide it under the bark, while you are waiting for a meal at home, will transform a useless shoot into a valuable tree, that shall furnish pleasure and nutriment to generations of men. A few minutes improved now and then which would be otherwise idled away, will surround your dwelling with a grove, which shall prove of the greatest utility, and delightful embellishment. I know men say they have no time, yet I have always observed that the men who make this excuse, have plenty of time to lounge at the tavern,—plenty of time to run after some mountebank or charlatan, plenty of time to litigate with a neighbor. No, man! plant the tree. It will grow while you sleep. Bud it. Graft it. Nurse it, and it shall gladden the sight and please the palate of people yet unborn, and you shall have a memorial of your existence, springing from the green sod, when you shall repose beneath it.

"Some five or six years ago, I found on the place where I reside, some scrubs of natural fruit. The tops of my trees my neighbors said were too large to graft. But they were grafted with considerable labor. My predecessor might have budded or grafted each with a single germ, and saved me nineteen-twentieths of the time and expense. Another set of men told me the country was not natural for fruit. I put in the grafts and for years have had an abundance of delicious fruit for the table or cookery, for myself and my neighbors, in summer, fall, and winter, and I find none will eat it more greedily, than those who have no time to graft their own trees, and who curse the climate as unfit for fruit."



SUFFOLK COW.

Suffolk Breed of Cattle.

The origin of the various polled breeds of cattle, is involved in some doubt. There has existed from the earliest times to which history reaches, a stock of wild cattle having generally this peculiarity, and they are carefully preserved at this day, in Chatterhault Park, Lanarkshire, Scotland,—the residence of the Duke of Hamilton. But whether this is the parent stock of the present polled breeds, is a question not so easily settled.

The most noted of the domestic varieties of polled cattle are the Galloway, the Angus, the Norfolk, and the Suffolk. Of the latter, represented by our cut, Martin gives the following description:

“In Suffolk, a breed of polled cattle, known by the name of Suffolk duns, has been long celebrated; though the dun color is now by no means a common character; indeed it is not preferred; for with late improvements, other colors, as red, red and white, brindled, and yellowish or creamy white, have almost abolished the dun. There can be little doubt but that the polled Suffolk cattle owe their origin to the Galloways; not that they are of the pure strain of the Galloways: on the contrary, they are the result of interbreedings with them; and their chief qualifications are as milkers, rather than feeders; although, in this latter respect, even the lean cows when dried, show no little of the properties of their Galloway progenitors. A good Suffolk milking cow is lean and spare, with a light thin head, a clean neck, little dewlap; slender, but short limbs; a heavy and well-ribbed carcass, a large udder, and swollen milk veins. Generally the hip bones are high and prominent, the loins narrow, and the chine hollow. There is in all this, nothing of the true Galloway contour, and where the points characteristic of this breed prevail, though but in an inferior degree, the animal is fitter for the feeder than the dairyman.

“Few cattle excel the Suffolk as milkers; a good cow, in the plentitude of her milk, will often yield six gallons a day; some have even yielded eight.

“The Suffolk dairy-farmers in general pay but little attention to their breed of cattle; or rather, are actuated by no sound principles. They usually kill the bulls in their fourth year, irrespective of their intrinsic excellence; and the valuable and the worthless share the same fate: consequently, should

the progeny of any particular bull exhibit more than ordinarily good qualities, the chance is, that no advantage can be taken of the discovery, the sire having been slaughtered before it was made. Besides, the bull is in perfection from his fourth to his seventh year, and this is an important consideration. The heifers are also bred from at too early an age, before the system is fairly matured; in consequence of which their growth is stopped, or their constitution enfeebled. Indeed, unless the cows display more than ordinary qualities as milkers, it is not unusual to fatten them for the butcher at four years of age; a plan which surely cannot be commended.


“When dried, the Suffolk polled cow acquires a good condition with considerable rapidity, and fattens to forty or forty-five stones; the meat is of good quality—that, indeed, of the ox very superior.”

In the communication of JOHN W. PROCTOR, Esq., published in our last volume, p. 373, some hornless cows belonging to Mr. STONE, are mentioned as remarkable for the production of butter. Mr. P. has sent us the following letter, received by him from Col. JACQUES, in reply to an inquiry relative to the importation of polled cattle. The stock therein described, was probably the source of many of the hornless cattle, erroneously called Galloways, which have been raised in New England.

Ten-Hills Farm, near Boston, December 10, 1849.

JOHN W. PROCTOR, Esq.—In reply to yours of the 3d inst., I will state, that the only importation of polled or hornless cattle, into New England, of which I have any knowledge, was made about 1797 to 1800. A gentleman by the name of Joseph Russel, then residing in Boston, imported, I think, six cows and a bull, and placed them on what was then called Hog-Island, now called Belle-Isle, situated in the town of Chelsea. They were there bred pure for fifteen or twenty years.

I visited the island frequently, and watched the progress of these cattle. I found them hardy, good handlers, taking on flesh readily, and as milkers, much above our common stock. The calves from the imported stock, were generally raised for breeders, and many were sold. At one time, a large proportion of the cattle in Chelsea, were of this polled breed. But the people of that place gave little or



Dorking Fowls.

At the great poultry show at Boston in November last, some very handsome Dorking fowls were exhibited by Dr. E. WIGHT, of that city. They were bred by him from imported stock. They were of medium size, very beautiful in form, and uniformly of a clear white color. Dr. W. informed us that he had found the stock hardy and prolific; and that after numerous trials he had adopted them for general purposes, in preference to all others.

The above figures were taken from a pair of Dr. W.'s Dorkings, and, excepting some unnaturalness of position, are good likenesses.

The principal points which Dr. WIGHT prefers in his Dorkings, are given by him as follows: "A fine

head, with brilliant, reddish-tinged eyes; single or double combs, in both sexes; a graceful neck, rather short than long; wide, deep, projecting breast; the body is not only long, but is round, rather than flat or square; and the legs, considering their large size, short, and invariably of a silvery white. They move with an approach to the majestic. Their colors are (those I have imported at various times) both white and speckled; but I preferred to retain the white, and have bred from them. My stock is now entirely white. A cross with the Dorking, improves the shape of most other fowls."

For a description of the Dorking breed of fowls, see *Cultivator* for 1849, p. 113.

no attention to the preservation of the breed, pure, and they soon became more or less mixed in blood.

The oxen of this stock, were rather ill-looking animals; often having little, loose horns, attached to the skin only, dangling about their faces. The pure blood cows were frequently allowed to go with any little runt of a bull. The late Dr. Benjamin Shurtleff purchased a farm in Chelsea some 30 years since, and soon after obtained several of these cows. I had frequent conversations with him in regard to them, and he always spoke highly of their milking properties.

The blood of these cattle has been considerably disseminated in Massachusetts, New-Hampshire, Vermont, Maine, &c.; but I think it doubtful if the pure breed, possessing all the original distinguishing characteristics, can now be found in this neighborhood.

There are several varieties of hornless cattle. The Scotch Galloways are celebrated as beef cattle, and are said to give rich milk, but not a large quantity. It is thought they have never been improved

by crossing with any other breed. The Suffolk duns have been held in high reputation as milking stock. I am inclined to think the animals of the Russel importation were of this variety. Respectfully, &c.,

SAMUEL JAQUES.

BURNING STRAW.—An intelligent correspondent of the *Prairie Farmer*, says, if he had a thousand loads of straw he should want a good pile of dollars to induce him to set fire to it. He remarks that the rich prairies have a better supply of alkali than of vegetable matter, having been yearly burned from time immemorial. He mentions several instances in which the product was invariably greater where the straw was buried without burning. After his heaps of straw have been soaked with rain, he treads them down with horses, and the next spring the rotted heap is spread on corn ground, where "it shows for itself." On soils with much vegetable matter, burning may be perhaps the best.

PEORIA PORK PACKING.—The number of hogs packed last year in Peoria, Ill., was about 30,000

The Farmer's Note-Book.

Agricultural College.

The Report of the Commissioners appointed to prepare a plan for an Agricultural School and Experimental Farm, has been submitted to the Legislature by the Governor, who commends the subject earnestly to their attention.

Having, in their preliminary remarks, demonstrated the necessity of some liberal provision for a better education of the agricultural class, and for eliciting and disseminating information on the subject of agriculture, the Commissioners proceed to lay down their plan, the substance of which is comprised in the following extracts:

Impressed with these considerations, and desirous of establishing a college for American farmers, the Commissioners, in pursuance of the request of the Legislature, have made full inquiry into the subjects submitted to them, and they feel sensible that an institution founded by the State of New-York, should be adequate to the just claims of the farmers, as a class, and worthy of the character of the State. To combine this with economy, and to make it an institution eminent alike for efficiency, science and practical skill, has been their aim. With these views, they beg leave to recommend that an agricultural college should be established, connected with an experimental farm of 600 acres, which would probably combine sufficient extent and variety of soil for the objects to be accomplished: the farm to be cultivated by the labor of the scholars, who are to be employed four hours a day in practical agriculture, in all its various branches. Among these may be enumerated, the laying out the farm and garden in various modes, adapted to circumstances; the setting out of plants and trees; grafting, budding, pruning, transplanting and rearing of fruit trees; the different modes of fencing grounds, with the relative advantages and cost of each; the various qualities of forest trees, in reference to fencing and building purposes; the best mode of breeding and feeding stock; the comparative advantages of the various breeds; how to discover defects, and the way to remedy or eradicate them; the proper time to sell produce, and how to put it in market; the manner of keeping farm accounts; and, in short, a full course of instruction as to the management of a farm. These scholars to be 16 years of age, to be apportioned among different counties—say two for each Assembly district, to be nominated by the board of supervisors, and the expenses of their tuition, with board, washing, fuel and lights, to be only \$100 per annum; as the produce of the farm, under proper management, will furnish no small part of the supplies of the table. Besides these scholars, there may be others admitted, at \$25 per annum; who will board in the vicinity, at their own expense, but who will be required to submit to all the college rules, and to labor with the other pupils.

The applicant for admission into this institution, should be well versed in the rudiments of a good English education, and should be subjected to a strict examination on the following subjects: grammar, geography, and arithmetic as far as proper.

In this examination, regard will also be had to the ability manifested in the ready and practical use of these rudiments, and to the proper mental discipline requisite for the successful prosecution of the course of studies contemplated in the institution.

For the proper management of the institution,

there will be required a President, who must be a scientific and practical agriculturist. The plan, therefore of the Agricultural Committee, would require the following professors, viz:

A Professor of Chemistry and Chemical Manipulation.	
“ “ Natural History and Mineralogy.	
“ “ Mathematics, Engineering & Practical Surveying.	
“ “ Botany and Horticulture.	
“ “ History, Law and General Science.	
“ “ Veterinary Art and Anatomy.	

There should also be a farmer, having charge of the farm and stock, a gardener, carpenter, mason, and blacksmith, constantly employed, with the view of giving some practical knowledge of arts so essential in the management of a farm.

Allowing \$2,000 salary for the president,	\$2,000
And 1,250 for each of the professors,	7,500
400 each for the farmer, &c.,	1,600
1,000 for laborers,	1,000
Contingencies,	500
Stock for blacksmith,	300

\$12,900

The students at \$100 each, would contribute \$25,600, leaving a surplus of \$12,700, which, with the produce of the farm, would go far towards the support of the college.

The Commissioners would, however, recommend to the Legislature to make an annual allowance for the support of the college, of at least \$10,000, until it shall have been ascertained by experience that it can sustain itself.

For the purchase of a farm of the extent required, and comprehending the proper variety of soil, an estimate was made of \$24,000, being \$40 per acre.

The buildings required would be one for lectures, sufficient for the accommodation of 500 students.

The college halls, comprehending lecture and recitation rooms, library and chemical laboratory, 100 feet long and 60 feet wide,	\$10,000
The dormitories, comprehending the president's house, 560 feet long, 40 feet wide,	36,000
Chemical apparatus and library,	10,000
Farm-house and furniture,	3,000
Barns and out-houses, stock and implements,	10,000

A strict account of debit and credit should be kept, under the direction of the President, with every department of the institution, and rendered annually to the Legislature, on the first of February, so as to show the profit or loss of each department. The institution should be located at some point conveniently accessible from all parts of the State; and the pupil should be taught a varied system of farming, adapted to any market, and also, how to supply himself with the means of fertilizing land wherever he may be placed.

The course of instruction would require an attendance of six terms, one commencing the first of February, and continuing to the summer vacation; the other commencing about the 20th of August, and ending the middle of December. In summer, the scholars would ordinarily be required to labor 4 hours daily, while, in winter, the hours of labor would be one hour in the morning and two in the afternoon. The residue of the day would be occupied in studies, lectures and recitations.

With such a course of education, rigorously carried out, our State would reap, in the benefits conferred on this important interest, a thousand fold all the expenditure made in such an establishment. Careful examinations would be made into all matters connected with agriculture; comparisons had of the various modes of producing certain results, and records preserved, showing which is preferable; authentic statements made of agricultural experiments, creating order and system, and reducing to science the heterogeneous and often discordant mass of materials collected in agricultural journals. The cha-

acter of the soils in different sections of the State would be carefully analyzed, and farmers instructed as to the most successful and proper plan of increasing and preserving their fertility.

The best breeds of domestic animals would be here collected, and specimens distributed through the state, to improve the stock in the hands of farmers.

Nor are these direct advantages, great as they undeniably are, at all to be compared to those flowing from the general diffusion of a better system of agriculture. When we reflect that 100 young men, thoroughly instructed in scientific farming, are annually qualified for their business in this institution, it may well be deemed the *NORMAL SCHOOL* of farmers. In their several districts they will excite a spirit of emulation, both by precept and example. Farmers will feel that their noble pursuit, justly deemed the mother of arts, is honored by public attention, and become the care of the government: that in this Republic, as well as in ancient Greece and China, it is not beneath the dignity of those in authority, to encourage and honor a pursuit that is the chief intermediate agent between man and the bounty of his Creator.

To carry out the views of the Commissioners, the undersigned would recommend that a law be enacted authorising the establishment of An Agricultural College connected with an Experimental Farm, making the necessary appropriations for the object, and directing that eight commissioners, one from each judicial district, be appointed by the Governor, to locate such institution with authority to purchase the farm, and proceed forthwith to erect the necessary edifices, fixtures and appurtenances; to supply the same with suitable farm implements, farm stock and teams; to procure suitable animals of all kinds for breeding the most improved farm stock; to procure the apparatus for a chemical laboratory, and a philosophical apparatus; to purchase a suitable library, not to exceed \$5,000 in cost; to purchase and procure whatever may be necessary to put such institution in complete operation, and to select and appoint suitable persons to fill the several professorships and stations connected with the institution.

The commissioners should have power to select three of their number to proceed to the erection of all such buildings and edifices, and fixtures and appurtenances; and the procuring of such implements, farm stock and teams, (as may be necessary;) to select and procure suitable animals for breeding farm stock; to procure such chemical and philosophical apparatus, library, and other things as may be necessary for said institution; and for this service they should receive a compensation of \$ per day, while actually employed.

Premium Crops---Bennington Co., Vt.

EDS. CULTIVATOR—Above twenty years ago, an agricultural society was formed in this county; but it did not continue long. Another was established three years ago. Our fair last September was well attended. The show of cattle, horses and sheep, was large, and would have been creditable to larger counties. On the second day, an excellent address was delivered by Judge Ball, of Hoosick Falls, N. Y. The committees on crops, lately met to award premiums. I send you herewith the substance of their reports. **JOHN S. PETTIBONE.** *Manchester, Vt., Jan. 19, 1850.*

INDIAN CORN—four acres—to Joseph Parker, of Rupert, the first premium. The product was 427 bushels and 47 quarts. The land had been down to meadow four years. The land was plowed deep,

and 20 loads green manure per acre turned under. It was plastered three times, and about 12 bushels of ashes applied to the piece.

The 2d premium on four acres was awarded to Lemuel Bottom, of Shaftsbury, average 68 bushels per acre. Land sandy loam. The three years previous, down to meadow—30 loads coarse manure per acre, spread on before plowing; plowed the 1st of May—then harrowed and marked out both ways, 3 feet 1 inch apart; manured in the hill, 10 loads per acre; planted 15th May; seed rolled in plaster; hoed 3 times; cut up about the 20th of September. Whole expense for four acres, \$26.75.

Best one acre of corn—the first premium was awarded to W. R. Dean, of Manchester, 111 bushels 27 quarts per acre. Land, loam; plowed and rolled on the 9th September. In the spring, 55 loads of coarse manure were carried on; then plowed, then spread on 10 loads fine manure and harrowed; planted 18th May, 3 feet 3 inches apart each way; seed, long 8 rowed corn. It was plastered soon after it came up, using half a bushel of plaster; hoed twice, plastered second time hoeing with $\frac{3}{4}$ bushel. The land had been down to meadow ten or twelve years.

The second premium to D. Spenser, of Shaftsbury, 108 bushels; land had been down to meadow several years; manure spread on before plowing, and ten loads sheep manure after plowing; planted 3 feet 4 inches each way.

Third premium on one acre, to Robert Ames, Manchester, 106 bush. per acre; land gravelly loam; 30 loads coarse manure spread on the acre and plowed in; harrowed, then spread on 12 loads fine manure; planted 3 feet 3 inches apart each way.

F. Canfield, of Arlington, presented one acre; land gravelly loam; crop much injured by the drouth; gave 85 bushels per acre; the samples from this field were the best presented, being very hard and dry.

Best half acre of corn, to George M. Vaughan, of Arlington, 57 bushels 17 quarts. The land on which this corn was raised had been, till about 1814, a pond of water. The outlet was at the south end. A sand ridge 50 or 60 feet above the water at the north end of the pond, was tunneled by S. Deming, Esq., of Arlington, and the water drawn off to the north. Nearly 30 acres of land was thus reclaimed. The descent from the tunnel was 8 or 10 feet lower than the pond, and the whole embankment was carried away, so that the stage road now passes through this gulf. The land was put down to meadow, notwithstanding there was a descent of 8 or 10 feet to draw off the water; and a channel 3 or 4 feet deep through the meadow, was cut by the current. Yet the land was sowed, and produced coarse grass. Mr. Vaughan has cut several ditches on the margin and through the meadow, $2\frac{1}{2}$ or 3 feet deep. Between these drains, the corn was grown. The advantage of draining was clearly demonstrated. The corn produced was a new kind, produced by a cross of the 8 rowed yellow corn, with the white 8 rowed and red blaze variety. These kinds were three years ago, planted side by side, and the seed selected which was most equally mixed, and planted the next year by itself, apart from any other corn; and from seed selected from this crop, the corn of last year was grown. The sample presented was a beautiful 8 rowed yellow corn, each ear being marked on the top with the red blaze. The ear is long, with a small cob. We were informed by Mr. Vaughan, that the top of the stalk or tassel, was of the red blaze mark. Mr. Vaughan is an enterprising young farmer, who by his industry and good judg-

ment, is making great improvement in farming. A little *book knowledge* would not injure such a farmer.

BARLEY—1st premium to John W. Vail, of Bennington; 50 bushels per acre; sowed after corn, with the two-rowed variety, $3\frac{1}{2}$ bushels per acre; weight $47\frac{1}{2}$ pounds. Four bushels is recommended to the acre, for seed.

George Barnard, of Dorset, raised 25 bushels from $1\frac{1}{4}$ bushel of seed.

SPRING WHEAT—Premium to Nathan Bates, of Shaftsbury; $22\frac{1}{2}$ bushels, on meadow land turned over; one bushel western plaster per acre; no other manure.

RYE—Premium to M. Wheelock, of Shaftsbury; $22\frac{1}{2}$ bushels per acre; meadow turned over; no manure.

BUCKWHEAT—one acre; premium to F. H. Canfield, Arlington, 33 bushels per acre.

OATS—1st premium to Alonzo Hinsdill, Bennington, 503 bushels on five acres. 2d premium to L. Bottom, Shaftsbury, $90\frac{3}{4}$ bushels per acre. 3d premium to S. Ames, Shaftsbury, $78\frac{1}{2}$ bushels per acre.

BROOM CORN—1st premium to Alonzo Hinsdill, Bennington, 444 lbs. clean brush per acre. 2d premium to P. M. Henry, Bennington, 375 lbs. per acre of clean brush.

Growing Potatoes from Seed.

EDS. CULTIVATOR—I see by the January number of *The Cultivator*, that Mr. CHARLES W. TAYLOR, of Bucks Co., this State, has given you a statement in regard to the rot in potatoes still prevailing in his vicinity, and then goes on to say that he received some seeds of the potato from Rev. N. S. Smith, of Buffalo, and after giving the result of his experiment, is "sorry to add that they rot as bad, or even worse, than any of our other kinds; although they had the advantage in regard to time of planting, manure, situation, &c."

Now as I also was a recipient of Rev. N. S. Smith's favors, having received a half-ounce of his seed last spring; my experience with these seeds being somewhat different, or at least my success with them, leads me to a different conclusion, as regards their healthy nature; I will state the result. I also started the seeds in a hot bed, (about one-half of them) in the spring, and at the proper time transplanted the small plants to the open ground. As we had a long spell of dry weather in this section, commencing about the middle of June, and (with the exception of two or three sprinklings of rain,) continuing to the first week in October, a period of over 100 days. During all this time, vegetation was at a stand still. These small potato plants consequently suffered severely, many, nearly one-half, died from the heat and drouth. The balance remained stationary and barely alive, till a few weeks of moist and warm weather in October gave them a start, when frost arrested all further growth. I then took them up, and the produce was over a bushel, from the size of a pea, up to the size of eleven inches in circumference—of all sorts, sizes, shapes, colors and qualities.

Now as regards the rot. Although we had no rot, properly speaking, on any of our potatoes in this section of country, that I am aware of, last season, yet the plants of all the old varieties appear to lack that healthy, vigorous and flourishing appearance, which in former times, (that is previous the rot being known,) belonged to the plants. Indeed it is a rare thing now, to find the common, or old varieties, producing flowers and seed balls, and the plants

generally have a yellow and sickly appearance. On the contrary, these seedlings, when the wet weather commenced, at once put on a healthy, robust, and thrifty appearance, such as I had not seen for years. The plants were literally covered with blossoms, and had more the appearance of a row of *flowering plants*, than an esculent vegetable, producing seed balls in profusion; owing to the lateness of the season, however, they had not time to ripen. Now of course, I am not prepared to say that these seedlings will retain this healthy condition another year—or that they will escape the rot any more than the old varieties; but the presumption that they will do so, is greatly in their favor. J. B. GARBER. *Columbia, Lans. Co., Pa., Jan. 14, 1850.*

Application of Marl.

EDS. CULTIVATOR—I have a great quantity of blue marl. I spread some on grass land one year, and it took all the grass out by the roots. I again spread some on the land another year, and plowed it in, but did not perceive any benefit from it. The marl is about one hundred feet above the tide, and is full of different kind of sea shells. My farm contains 477 acres of land, and there is about one hundred underlaid with this marl. The surface is a tough sod for about eight inches, and then you come to a rusty sand, about a foot deep, and then to a black or dark blue marl, soft and full of shells, about three feet deep; then to a whitish marl, rather harder and full of shells, and when it comes to the air it slackens, like lime, so that you can shovel it up as you might a heap of ashes. I would like to know in what way it can be made profitable. JOSEPH WARTON. *Saint Andrews, N. B., January 15, 1850.*

We should be glad to receive suggestions in reference to the above. EDS.

Sheep Husbandry.

EDS. CULTIVATOR—Mr. St. John, whose profitable sheep husbandry was noticed in your paper of this month, is beyond doubt a skilful shepherd, and many of your readers will be divided in opinion whether his profits were 27 or exceeding 100 per cent. Now Mr. Pettibone, whose very intelligent communication was published in your paper in April last, will tell you that the hay those sheep consumed during the winter at \$7 per ton, would cost \$60. Mr. St. John will tell you that seven of those sheep did consume as much pasture as one cow. Estimating the pasturage of a cow at two shillings per week, would make the summer pasturage of these sheep worth at least \$50. Now add two dollars and fifty cents for washing and shearing, and it would leave a little less than 7 per cent. profit on the cost of those sheep. In the estimated expense, no account is made for grain fed to make sheep fetch, without their fleeces, 18 shillings per head, which cost but 9 shillings at their purchase, or for their care in summer, or the foddering of sheep and nursing of lambs during winter.

Another consideration. Those lambs, to be yearlings now, must have been winter lambs; and their feed from January to July, is deserving some little consideration in the account; particularly when 45 sheep with them included, are estimated to be worth more than fifty of the original stock.

It certainly can be no imputation upon our farmers that they do not grow wool enough to meet the consumption of the country, when they have no greater encouragement than the success of Mr. St.

John, favored as he was in location, in good luck, in good sense, and in skill and experience. A *FARMER*. *Hillsdale, Feb. 4, 1850.*

Green and Dry Wood.

EDS. CULTIVATOR—"Green wood will last longer than dry; and so will straw for cattle last longer than hay." This declaration was long since made by an author calling himself "The Prompter." But durability is one thing, and utility is another; and who has not learned the comparative value of green and dry wood? And yet how few lay up in store for an equinoctial rain, or a winter's snow! And how many, otherwise good providers, perhaps, have put off the building of a wood-house for ten, twenty, or thirty years, and many who have one continue to simmer away their two barrels of water from nearly every cord they burn. All will admit these things ought not to be so; but the most common objection to the timely preparation of wood, is the great amount of labor required at one time; and for this reason it is deferred to a "more convenient season," or until it *must be done*.

And now, as the time for getting good is close at hand, I would beg leave to present to your readers a remedy for some of these evils, and hope my brethren of the mallet and the plow, will not think me egotistical if I should make some allusion to my own experience.

Let trees be fallen and cut at such a length that a team will draw them on a bob-sled, to the place desired. Lay them together on poles lying at right angles on the ground; attach a cross-cut saw to a horse-power so geared that the crank will make about thirty revolutions, while the horse goes once round a circle of about twenty feet diameter. If the horse is a good walker, this motion is quick enough for the safety of the saw, and if well constructed, one horse will do the work; but two are better to keep up a strong steady motion. A light balance wheel is necessary to give regularity to the motion. Two posts should be erected about 2½ or 3 feet apart, one side of each, nearly in line with the saw, a square groove in the sides, next the saw; another piece fitted and screwed on at the top and bottom, with a corresponding groove; the wood about an inch apart, with the saw between. Next four pieces of hard wood so fitted as to slide in each groove and nearly touch the saw. Let each pair be screwed together above the saw with two wood screws, pinching a piece of hard leather at each screw, nearly to the thickness of the saw; the lower piece between the lower screw and the back of the saw; the slides of sufficient length to keep the saw steady, and play so easily in the grooves as to rise and fall with the saw.

There should be a safe and convenient way of raising and letting down the saw, without stopping the horse. I prefer a ten or at most a twelve inch crank, and a pitman, in two parts, introduced with a joint into a swing, suspended some ten feet above. A rail track thirty or forty feet long, placing the end of each bed-piece at the posts through which the saw plays. The car which carries the last end of the log, may be made with two wheels and an axle, with arms framed into the back side at such an angle that the ends will follow the wheels, and so beveled forward that the weight will be a little back of the bearing, and to this axle the log should be dogged firmly. The first end of the log should rest on a roller or windlass, the middle so girdled down that the log will keep the centre, and spikes driven in to draw the log forward. A piece should be fas-

tened to the out side of one of the posts, about even with the bottom of the log, for the block to rest on until it is sawed quite off, the other end to be raised or lowered at pleasure. Without this, the block will frequently drop, taking a sliver with it which may make trouble. The pitman should find a resting place when the saw gets through, so that if it is not raised immediately, it can do no injury.

Such a machine has no electro, nor railroad speed, but it is got up mechanically; is a good investment of some fifty dollars; but if "botched up," it will probably prove a failure, and be thrown away in despair. I have used one four seasons. My custom is to haul the wood on snow—a supply for a year or more; in the spring saw and split, throwing it into a pile; let it lie through the summer, and then put it into the wood-house. One man finds business enough to split and throw back as fast as it will saw. I find it an easy and quiet way of making wood.

For sawing wood exclusively, I would recommend a cast-iron horse power, with just wheels sufficient to get up the motion; as it would probably be the cheapest and most durable, and when the sawing was done for the season, it might be put away. A buzz saw might be connected to saw the limbs. The advantages of using mostly dry wood for a stove, are many. There is the joy-lighted countenance of the "better half," the pleasure of children, comfort of guests, the ready kindling, warming and cooking; and when the wood is cut in this way, the uniformity of length, the saving of labor, the saving of logs that would otherwise go to waste, the saving of chips, and the having it done up for the season. *CALVIN STOW. Braceville, Ohio, Jan.*

Muck as the Basis of Compost.

EDS. CULTIVATOR—The subject of manure, is one of increasing importance in the older sections of our country, and especially in New England. The increased facilities for transportation are bringing the products of the virgin soil of the west, in direct competition with our own, at the same time that our hill-sides are degenerating by continued cropping and the washing of rains. Far be it from us to decry the improvements in locomotion. We could not, if we would, and we would not if we could, put one straw on the track of the iron horse. We might as well dam up the waters of the Mississippi with bulrushes, as stop the flow of western products into our eastern markets. We do not murmur at this, but rather with an enlarged view of the prosperity of the whole country, gird ourselves anew for a noble competition with our western rivals.

We do not propose to consider here what changes the eastern farmer might make in the products of his soil, to meet the new exigency in his situation, but rather very briefly suggest what change can be made in the soil itself. If any one thinks that the same crops can be raised, that his father has raised before him, and with the same cultivation, he is behind the times. Fortunately there are few such among us. All the considerate, are looking to the compost-heap, as alone affording the *ammunition* wherewith to contend against our western rivals. As the basis of this compost-heap, I would urge the claims of *muck*, the partially decayed vegetable matter abounding in our swamps. With this resource on his farm, every farmer can double his manure and consequently his products. I speak not from theory, merely, but from actual experience, for in the past six years, the yield of my farm

has been more than doubled, and the increase has been owing mainly to the use of muck in the compost-heap; and I am by no means satisfied that the maximum product has been attained.

My mode of operation is to draw from the swamp whenever leisure permits, and line my barn and hog yards with the muck, a foot thick. Whenever the hogs have well composted their allowance, (and they work very cheap,) I give them another. Also under my horse-barn, and under my stable windows, I am sure to put a coat of muck, whenever there is a sprinkling of manure. By the side of my swamp, I draw out, mostly in the winter, different piles, and with one, mix a few ashes say one load of ashes to ten of muck, and with another a little manure, if it can be bought—say one load of manure to three of muck—and with another a dead horse from the neighboring village. These separate deposits are shovelled over as convenience may allow during the summer, and in the fall mostly used as a top-dressing on the meadows. I have never known lands thus treated that were not grateful for it, and did not pay good interest on the investment. Grass, I am satisfied, is the remunerative crop for most New England farms; still on corn and potatoe grounds, I have found muck to operate with beneficial effect. With such a resource for manure, what eastern farmer need fear competition from his western neighbors, two days journey, or a thousand miles off? **BERKSHIRE.**

Potatoes from Seed.

EDS. CULTIVATOR—The following brief of some experiments, with my seedling potatoes last season, is respectfully submitted for the Cultivator.

All the different varieties, though the season was much too dry for good crops, came off in the advance of former years.

I planted as late as the 19th of June, on a patch of new land, just cleared from the stump, about 7 bushels of the very smallest of several varieties of my improved seedlings. They were the remnants from what I had selected and sold at home and abroad for planting. "Too small to offer for sale as potatoes." A large portion in size less than Robin's eggs. The soil was too green and rooty for the plow; it was broken with the grub hoe; a sandy loam, not at all manured; the crop suffered much by the drouth, was hoed once, and lifted, after the frost had killed the foliage when in vigorous growth, and the product was good. A good portion of the crop range in size with large potatoes. The "Buffalo Pinks," "Russels" and "Eries," were finely developed. Others also were good. The surface of the plat was too much interrupted with stumps and roots to allow any just estimate per acre.

I planted a few "Prussian Seedlings," the product of seeds from the balls which I obtained direct from Germany. The tubers are of the finest specimens. Shall cultivate these Prussian Seedlings with the expectation of adding to my lists for public inspection another *most beautiful* standard seedling potato.

I sowed my improved seedling potato seed at different dates—1st, March 1st; 2nd, May 1st; 3d, May 19th. The 1st and 2nd sowing was in hot bed, both of which did well, though the crops, on account of the drouth and prevailing sickness, were limited. But the third sowing, the 19th of May, was in open bed like cabbage-seed, and transplanted. Also in drills, in the field, where the plants remained and were cultivated the same as

common potatoes. The product, notwithstanding the severity of the drouth, was abundantly satisfactory. The young seedlings were *numerous*, developing new varieties, and several of fine appearance. Many of the tubers were as large as a hen's egg. Mr. Ackerman, a gardener near me, sowed of the same seed the 25th of May in open bed, transplanted in rich garden soil, and the product was equal to 200 bushels per acre. Six of the first sized tubers weighed 22½ oz. Others are equally successful with the sown seed. Good improved seedling potato-seed is sure to vegetate, produces very hardy plants, and may be used to great advantage by sowing it in open bed or in drills in the field, for the purpose of new varieties and producing seed for the next season. **N. S. SMITH. Buffalo, Feb., 1850.**

Experiment with Potatoes.

EDS. CULTIVATOR—The following is an experiment which I made last season in planting potatoes. The kind is called by some the "Merino," and by others the "Red Mercer." It is a large long red potato with sunken eyes and a great many of them. It is a good potato for the table at any time after reaching maturity, but it is the best in the spring. It yields well in all soils, but produces the best quality in a sandy loam. The soil on which the experiment was made, was a sandy loam, and had been in clover two years. Planted three feet apart side by side. The following is the product of eighty hills of each:

Kind.	Yield, lbs.	Yield, bush., lbs.	Yield per acre.
1 large,.....	345	5.45	348
1 small,.....	234½	3.54½	236
½ large slit lengthwise,....	287½	4.47½	290
1 large, cut in two,.....	309	5.09	312
1 large, seed end only,....	251	4.11	253
1 large, root end only,....	287½	4.38½	281

The produce of the small ones were small, and of the large ones large. You are at liberty to do as you please with the above. **G. T. PEARSALL. Owego, Jan. 21, 1850.**

Advice Wanted.

EDS. CULTIVATOR—My farm consists of about 220 acres, arable land, divided into seven lots, numbered 1, 2, 3, 4, 5, 6, 7. No. 1 is river bottom, sandy alluvial, medium quality; average yield, 30 to 35 bushels corn, 10 or 11 bushels wheat per acre. Nos. 2 and 3 are identically the same; 4 and 5 are upland, gently undulating, stiff red clay, and dry, quality inferior; average yield per acre, say 20 bushels corn, 8 bushels wheat; clover and all the grasses do pretty well on these five lots; gypsum has a good effect. Nos. 6 and 7 we may regard as one field. The northern half was once a good clay mould; but it has been *skinned*, and we have now the clay without the mould. It lies almost level—quality about equal to 4 and 5. The southern half is totally different from the northern half, and from any other lot yet described; and it is in regard to this particular, that I want information.

This ground lies perfectly level—is, in fact, what we here call second bottom; that is, a bench or flat of land lying from 5 to 10, sometimes 20 feet above the first or sandy alluvial bottom. Clay predominates in this soil, and is sometimes, (that is in different places,) blue, sometimes nearly white, then again yellow, but is mostly a gray. In it there is gravel and sand; the gravel is small at the surface and increases in size as you descend. This is the poorest part of my farm—indeed, in its present condition, it is not worth cultivating; it would not yield

more perhaps than 10 bushels corn per acre. It is rather wet, for the crawfish work over two-thirds of it. There is about forty acres of it. Can this land be made valuable? if so, how? I know through draining is the first step. What then? Lime costs us 40 cents per bushel, delivered, and we have a bad market for surplus produce. Under these circumstances, I think, I can hardly afford to use lime. Would lime have a good effect on such land, for there is very little vegetable matter for it to act upon? I would give it up to the bushes and brambles, but that would be a bad example—and besides, it is in the centre of my farm—and of course, an eye-sore, that I would willingly get rid of, even at some pecuniary sacrifice. I could, without much expense, turn a small stream upon about one-half of it. Would not that be advisable? If so, should I suffer it to overflow it constantly, or only some few weeks at a time, through the year? Would you drain before overflowing? Would animal manure benefit such land much? or would some other manure (leave out lime,) do better?—In short, what would you do for a soil so uninviting? Give me the *modus operandi*. Blaze out a track, and I will try to follow it, no matter how crooked.

While speaking of this part of my farm, I will mention that there are several low, marshy strips, passing through it, at the depth of 2½ feet from the surface. These strips continue soft and miry. What materials suit best for draining such a place? I have tried stones; but they sink with the superincumbent weight and choke up. How would you underdrain such land? As to the general improvement of my farm, I have adopted the following rotation of crops:

	No. 1.	No. 2.	No. 3.	No. 4.	No. 5.	No. 6.	No. 7.
1 yr	Corn,	—	—	Corn	—	—	—
2 yr	Pasture	Corn	—	Oats with Clover	Corn	—	—
3 yr	Wheat	Past're	Corn	Clover	Oats and Clover	Corn	—
4 yr	Corn	Wheat	Past're	Wheat	Clover	Oats and Clover	Corn
5 yr	Pasture	Corn	Wheat	Corn	Wheat	Clover	Oats and Clover

In this way I give more rest to 4, 5, 6 and 7, than 1, 2, 3, for the reason that the three last mentioned are much more productive, and improve as much with one year's rest as the others with two. Necessity compels me to cultivate in corn one of the river lots and one of the upland. Under this necessity, can I adopt a better rotation? If so, point it out. Rapid improvement of the soil is my object, without regard to profit. My means of making manure are abundant—hundreds of acres of woodland, plenty of swamp mud, straw, weeds, corn-stalks, &c., &c., with about 70 head of cattle, same number of swine, 12 or 14 head of horses; and besides have Bommer's method of making manure. Apropos: What is the common opinion with you in regard to that method? Could I profitably use it? Another question. Where thin upland (clay) is to remain in clover but two years to be turned under for wheat, would you recommend any mowing or pasturing the second season? Would it be better to let it alone and turn the whole summer crop under? Recollect, benefit to the soil is more my object than large crops. ED. W. JONES. *Clover Hill, N. C., Jan. 22, 1850.*

Drive thy business or it will drive thee.

White Sugar Manufactory.

EDS. CULTIVATOR—During the past season we have, by availing ourselves of suitable machinery and apparatus, been able to make our entire crop of cane into white sugar, direct from the cane juice; and with about the same facility as in the ordinary way of boiling in open kettles.

The mode we have adopted is similar to that adopted in all refineries—by filtrations and concentration in vacuum—principally by the Deronne system. The machinery was constructed by the Novelty Works, New-York.

We have made some in loaf, which has been pronounced very fine; and feel assured, when the mode becomes generally adopted, that white sugar may be obtained twenty-five per cent less than at present, saving thereby to the consumers, a vast amount, and to the producers and merchants, the heavy drainage of brown sugars—the drainage being an entire loss.

Mr. Melsen's process has been tried here, but anticipations have not been realized. S. TILLOTSON. *New River, La., Jan. 3, 1850.*

Preparing and Sowing Clover or Timothy Seed.

EDS. CULTIVATOR—Take one bushel of clover seed, put it in a pile on your barn floor. Make 3 gallons of pickle, not quite strong enough to bear an egg, put it on the seed, mix it thoroughly, in the evening with a paddle or shovel, and then spread it on the floor, 4 inches thick. The next morning, wet it again as above; then mix about one peck of plaster, by sprinkling 2 quarts upon it at a time, well stirred; spread out your heap again, and so on, till you have it so well dried with plaster that the seed will not stick together. Sow while the seed is damp. One bushel thus prepared will make over one and a half bushels.

The advantage of sowing in this way is, you save at least one-third your seed, and are almost certain of its growing. In the spring and summer of 1849, I sowed in four different pieces, 42 acres in the above way, 6 quarts to the acre, not one acre of which "missed." I sowed nine acres in the "old way," viz. the clean dry seed; 6 qts. to the acre. On the whole field there may be 2 acres of clover, not more. I also sowed 9 bushels of plaster on this field; not any on the other.

An experienced gentleman told me of this way, and that he had seldom if ever missed having plenty of clover, and thick enough too. B. M. ELLIS. *Muncy, Pa., Jan. 23, 1850.*

Timber for Plank Roads.

We notice by some papers that serious apprehension is felt that the vast amount of timber used for plank road, is likely to render all kinds of wood and lumber scarce throughout the county. Let us give one moment's thought to this objection.

Suppose that every township in the country has its plank road—a result which, independently of the wood consumed, would add immensely to the value of land and prosperity of the whole country. This would be a road for say every five miles, or one mile of road for every five square miles. A good single track, (and few roads need more,) requires about 160,000 feet of lumber; a thousand feet are about equal to a cord of wood in weight; consequently a quantity equal to 160 cords is needed for every five square miles. The average durability, including the stringers, is about 8 years; or equal to the consumption of 20,000 feet of lumber,

or 20 cords of wood per year for the five square miles, or 4 cords for each square mile.

Now, in the thickly settled farming districts, not counting cities and villages, there are about 80 persons per square mile, or ten families averaging 8 persons each. These families consume on an average at least 20 cords of fuel each yearly, (many consume 40 or 50,) or 200 cords per square mile. This is just 50 times as much as is required for the yearly use of the plank road.

Again, nine-tenths of the fences in most parts of New-York are made of common stakes and rails; 43 of these are equal to a cord of wood, and will build 3 rods of substantial fence. It requires to fence one square mile into ten-acre lots, sixteen miles of fence. Throwing off six-tenths for waste and woodland, &c., and leaving ten miles, there are required for these ten miles no less than one thousand cords of wood in rails to fence each square mile; and if these last 12 years on an average, there are required yearly more than 80 cords for each square mile, or 20 times as much as for the plank road.

A village of 1500 persons, consumes in each year about enough wood to build ten miles of plank road; and the yearly consumption of wood in such a place as Rochester, Syracuse, or Utica, would run a half-dozen roads in different directions into the country, each from ten to thirty miles long, estimating merely the quantity of wood required.

Water-tight Cellars.

I notice in the last number of *The Cultivator*, the description of a mode of excluding water from cellars, by ramming in a space with clay between the wall and the earth, eight to twelve inches thick. Allow me to suggest another and cheaper mode. Plaster the whole inside, bottom and all, with two or three successive layers of water lime cement, making the cellar as tight as a water lime cistern. The water cannot get in at sides or bottom; and if two or three inches thick, and mixed with pebbles at the bottom; no rat, however ingenious, can pass it, after well hardened; and it makes a beautiful floor for the cellar. X.

Preparation for Spring Wheat.

Mr. Q. C. RICH, Chairman of the Committee on Field Crops for the Addison County (Vt.) Agricultural Society, makes the following remarks in reference to the cultivation of wheat:

"Wheat and Corn, we think, will be admitted to be the two most important grains grown in this county. Winter and Spring wheat has paid a fair profit for the outlay the past season, particularly winter, which has not been better in twenty years. The best preparation is a clover lay, but in case you have none, we would recommend plowing your land early in June, and sowing from one to two and a half bushels of Buckwheat per acre, to be turned under the last of August or first of September. The rapid decomposition of the vegetable matter warms the soil and makes it more friable—causes the wheat to vegetate, grow, and get a stronger growth—the roots to strike deeper than they would had you applied manure, or summer fallowed, as was the usual practice. The Black Sea (a spring variety,) is the only kind sown to any extent at this time. When it was first introduced into the county three-fourths to one bushel was considered sufficient to seed an acre; but now many are using two bushels; one and a half is believed to be preferable."

Durability of Underdrains.

A correspondent of the *New England Farmer* says that in walking over the grounds of the Duke of Portland, in the west of Scotland, he was led to examine the condition of a *brush drain*, constructed 32 years previously. The wood of the brush was found to be in an undecayed condition, and the drain acted as efficiently as newly constructed tile drains around it. This appears the more probable, when it is remembered that the brush is almost perfectly excluded from the external air, and most so on clayey ground. The string-pieces of plank roads, covered only by the plank, from the air above, are found to last 15 or 20 years. There is doubtless a great difference in different kinds of wood used as brush drain. Red cedar branches, buried in drains in clayey ground, would probably last beyond a lifetime. The writer has seen wood dug up in excavating deep wells 30 or 40 feet deep, which appeared to be cedar, perfectly sound, and where it must have been deposited at the time of the great deluge.

The correspondent above referred to, says that "it is well known that so far as permanence is concerned, tiles do not, on an average, last more than 20 years." The best ones *now* constructed, will however, doubtless last much longer, when not in decidedly unfavorable localities.

GUANO IN AGRICULTURE.—The opinion is gaining ground that guano is most advantageously applied to wheat—the coarser nature of yard manure being more appropriate for corn. It is either plowed in, or perhaps better applied in autumn; 200 or 300 lbs. being usually enough for an acre. According to T. S. Pleasants, in the *Am. Farmer*, the wheat and corn crops of the members of the Farmers' Club of Sandy Spring, Maryland, where it has been much used for the past five years, have averaged as follows:

1844.—Wheat	10 bushels per acre		
	Corn	24	" "
1845.—Wheat	14	" "	
	Corn	20	" " (season unfav.)
1846.—Wheat	11½	" "	" " (season unfav.)
	Corn	21	" "
1847.—Wheat	15	" "	
	Corn	23	" "
1848.—Wheat	18	" "	
	Corn	31	" "

INSURANCE OF LIVE STOCK.—Col. J. M. SHERWOOD, of Auburn, suggests, through the *Evening Journal*, the formation of a company for the insurance of live-stock. He observes—"There is in this and the adjoining States, a large number of valuable breeding animals, horses, cattle and sheep. These are all liable to injury and disease, which occasions serious loss to the owners. The liability to losses frequently prevents persons from importing and introducing valuable breeding stock into the country. In order to obviate in some measure these objections, I propose that there be formed a New-York State Live Stock Mutual (or Stock) Insurance Company, and that persons willing to join in such a company give notice thereof to the Secretary of the New York State Agricultural Society before the first of March next. When, if a sufficient number of persons (or a sufficient amount of capital, if a stock company,) are found willing to join in such company, measures may be taken to organize it."

Such companies have long existed in England, where their utility has been very great, and we think they would prove equally beneficial in this country.

Answers to Correspondents.

TO PREVENT SEED CORN FROM BEING PULLED UP BY BIRDS OR SQUIRRELS.—A. L., Apalachin, N. Y. Various preparations have been recommended for this purpose; such as soaking the seed in copperas-water, coating it with flour-sulphur, coating it with tar, &c. So far as we are acquainted, we believe the tar is most effectual; but its direct application to the grain, is liable to injure it; and to obviate this, some have adopted the practice of first coating it with plaster (gypsum,) and then coating it with tar. This, it is said, does not obstruct the germination of the corn; and the birds or squirrels will not pull it after they have found what it is. It is necessary that the corn should be well soaked in water before it is coated, otherwise the tar will not allow the penetration of sufficient moisture to produce germination.

COAL TAR.—F. E. S., Braceville, Ohio. Coal tar is usually applied with a common white-wash brush. It is used as a paint for fences and out-buildings, and is considered a cheap mode of preserving them from decay. It also answers a good purpose for protecting iron against oxydation or rust.

DESTRUCTION OF RATS.—J. T. S., Bearmont, Pa. Arsenic is a deadly poison to rats, but can only be used where other animals cannot come to it. Compositions of phosphorus with ground glass, have been recommended. Cork cut in thin slices, and fried in lard, it is said will kill them. Dr. J. V. C. Smith of Boston, states that ground plaster, mixed with dry meal will be eaten by rats, and that it will set in the stomach and kill them. Professional rat-catchers use substances to decoy the vermin into traps, or to places where they can be killed. The following is a composition used for this purpose:

Powdered assafoetida, $\frac{1}{4}$ grain.
Essential oil rhodium, 3 drachms.
" lavender, 1 scruple.

Oil of anisseed, 1 drachm.

See *Cultivator* for 1846, p. 371, and 1848, p. 225.

MOLES.—S. M. T., Glen Cove, N. Y. There are various traps for catching moles. A cut of a good one was given in *The Cultivator*, vol. 10, (old series,) p. 70. They are also destroyed by poison. Pills of bread, containing arsenic are laid in their tracks; small shreds of meat on which arsenic has been sprinkled, are used for the same purpose. It is said that the castor-oil bean, laid in their tracks will drive them away.

HARVESTING MACHINES.—E. S., Forty Fort, Pa. The most popular harvesting machines have heretofore been Hussey's and McCormick's. The address of the former is O. Hussey, Baltimore, Md.; of the latter C. H. McCormick & Co., Chicago. H. L. Emery, Albany, is agent for McC. & Co., and will have the machines for sale next season. Mr. J. R. Burrall, of Geneva, N. Y., manufactures a harvesting machine, which, we understand, is favorably spoken of by those who have used it.

MAPLE SUGAR.—A. O. B., Claridon, O. In Vermont, tin is considered preferable to iron for boiling syrup. You will find the directions you ask for in our vol. for 1849, pp. 123, 262, and in that for 1847, pp. 24, 25.

BOOKS.—J. R., Utica. There are only three vols. of the "Memoirs of the Board of Agriculture." Of the "Memoirs of the Philadelphia Ag. Society," we have five volumes, which we believe

comprise the entire series. We presume it will be a difficult matter to procure any of these vols.

BONES.—J. H. M., Columbia, Pa. If you have no bone mills in your vicinity, we do not know how you will be able to work them to advantage. The labor of crushing them by hand is considerable, and the bones may not be worth the cost. To dissolve bones in sulphuric acid, they are usually first broken in a mill, and then covered or saturated with the acid. Prof. Norton says, "Twelve lbs. of acid per bushel seems a good quantity to apply; but it must in all cases be previously diluted with once or twice its bulk of water. An excellent way of applying it, is to place the bones in a conical heap on a bed of ashes, and slowly pour on the diluted acid. They will absorb nearly the whole; the outside bones should then be turned inside, and the whole will in a short time become soft and fit to mix with ashes for drilling or sowing."

OLD TAN BARK.—If wood ashes can be cheaply obtained, the best way to convert tan into manure, is to mix it, in layers—say, a bushel of ashes, unleached, to ten of tan—the heap to be made up in spring, worked over in midsummer and used the next season.

BLACK-SEA WHEAT.—J. W., Bucks county, Pa. Mr. Emery, of the Albany Agricultural Warehouse, advertises this kind of grain.

HAND-DRILL, OR SEED-SOWER.—C. T., Kingsville, O. Emery's seed-planter will plant all kinds of seeds, from turnep seed to Indian corn. It is the kind generally used here for carrots. The price is \$14.

PEAS AND BEANS.—C. W. T., Trevoise, Pa. Peas are much cultivated in the Canadas, in the northern portion of New-York, and in Vermont, New-Hampshire, Maine, &c. They grow better in those northern regions than farther south, and are also comparatively free from bugs. Indian corn is less grown at the north than in the middle and southern states, and peas are used to some extent as a substitute for that grain. They are considered quite as valuable per bushel, for feeding sheep, hogs, or horses, as corn. They yield from twenty to forty bushels per acre. The English field bean is not much cultivated in this country, and we are unable to refer to any particular trials which have been made with it here. The beans usually cultivated here, are more valuable to sell as human food, than for feeding stock—though for such animals as will eat them, either whole or ground, they are considered equal to corn. A good yield is twenty-five bushels per acre.

OFFICERS OF AGRICULTURAL SOCIETIES FOR 1850.—BENNINGTON COUNTY, VT.—John S. Pettibone, President; Aaron Hubbell, Joseph Parker, Vice Presidents; Harmon Canfield, Secretary; Zaddock Canfield, Treasurer.

OSWEGO COUNTY, N. Y.—Hamilton Murry, President; C. A. Tanner, Peter Devendorf, Vice Presidents; James H. Wright, Secretary; J. S. Chandler, Corresponding Secretary; Samuel Allen, Andrew Place, A. W. Severence, Executive Committee.

WAYNE COUNTY, N. Y.—Joseph Watson, President; S. E. Hudson, G. Center, N. Warner, J. Jenner, J. Borrodale, E. Flint, A. Hale, Vice Presidents; D. Kenyon, Recording Secretary; R. G. Pardee, Palmyra, Cor. Secretary; J. D. Ford, Treasurer; A. G. Parry, W. P. Nottingham, B. H. Streeter, E. N. Thomas, H. G. Dickerson, Wm. Rogers, V. G. Barny, Executive Committee.

Notices of Publications.

THE COUNTRY GENTLEMAN—*a Cottage, Villa, Farm and Garden Newspaper.*—This is the title of a new weekly newspaper commenced in London, the first of the present year, under the auspices of GEORGE GLENNY, F. H. S., a well known and popular writer on gardening matters, by whom the Horticultural Department is conducted. We are much pleased with the first No., the only one which has as yet come to hand; and cheerfully commend it to such of our readers, whether of foreign or native birth, as wish to receive regularly a weekly newspaper from London, in which they will find, beside a journal of the news of the week, a record of the progress of the arts of culture in the garden, the orchard, and the conservatory, and on the farm. Price 6d sterling per No., equivalent to about \$6.50 per year, to which is to be added, to the American subscriber, the ocean postage, which would make the cost here \$3 to \$9 a year. (See advertisement.)

PROCEEDINGS OF THE SENECA COUNTY AGRICULTURAL SOCIETY.—We are indebted to JOHN DELAFIELD, Esq., for a copy of these proceedings. They comprise about 100 pages in quarto form, handsomely printed and bound, and embrace a general record of the doings of the Society for 1849.—Statistical tables are given of the agricultural products of each town in the county for the year 1848. There are, also, several valuable addresses and essays, from some of which we have already given extracts in our columns.

NEW WORK ON DISEASES OF ANIMALS.—We understand that Dr. G. H. DADD, of Boston, proposes to publish, within a few months, a work to be entitled—"Outlines of Anatomy and Physiology; also, a General History of the Rise and Progress of the Veterinary Science in England, with practical observations on Feeding, Watering, Grooming, Shoeing, &c., &c.; written with a view of teaching every man how to prevent disease in animals; with plates; containing also, a Compendious Dictionary of the Veterinary Art."

AMERICAN POULTRY YARD.—A work consisting of upwards of 300 pages relating to the origin, history, and description of domestic poultry of all kinds, with directions for breeding, &c., with numerous illustrations; by D. J. Browne; with an appendix on the comparative merits of different breeds of fowls, with much statistical information on the subject, by Samuel Allen. The work is from the press of C. M. Saxton, New-York. Price one dollar.

AMERICAN FOWL-BREEDER.—This is a manual lately published at Boston, comprising information in regard to breeding and managing poultry, their diseases, &c.—with engravings—by an "Association of Practical Breeders." It is offered at 25 cents per copy, and will be found useful to those who keep poultry.

THE FAMILY VISITOR.—We have received the first number of a paper with this title, published at Cleveland, Ohio, by Dr. J. P. KIRTLAND, S. ST. JOHN, and O. H. KNAPP, editors and proprietors.—The design of the publication is to furnish such information as shall tend to interest and improve the mind—or as expressed by the publishers—"a family paper, designed to instruct, enlighten, and interest the family circle." Articles will be furnished on various branches of natural science, embracing zoology, geology, chemistry, &c., accompanied by

illustrations. Agriculture and horticulture will also receive attention, and information will be furnished on all subjects touching the philanthropic, political and general improvements of the day.—The "Visitor" is issued weekly, at \$1.50 per year in advance. The paper is handsomely got up, in the quarto form, and from the high standing of the editors, we presume it will deserve and receive a liberal patronage.

MOORE'S RURAL NEW-YORKER.—This is the title of a paper, dating from the commencement of the year, published at Rochester, N. Y., by D. D. T. MOORE, late publisher and associate editor of the *Genesee Farmer*. The *New-Yorker* is to be devoted to agriculture, horticulture, mechanic arts, science, literature, education, rural and domestic economy, reports of the crops and markets, and general intelligence. Conducted by D. D. T. MOORE; L. B. LANGWORTHY, associate editor; ELON COMSTOCK, T. C. PETERS, corresponding editors; L. WETHERELL, editor of the educational department. The paper makes an excellent appearance in all respects, and we have no doubt will well fulfil its design.—Each number comprises eight pages, large quarto. It is published weekly, at two dollars a year.

AMERICAN JOURNAL OF SCIENCE AND ARTS.—The January number of this excellent work contains valuable articles on various scientific subjects, from the pens of Profs. Loomis, Dewey, J. D. Dana, Dr. Wyman, Dr. Darlington, S. S. Haldeman, John A. Porter, T. S. Hunt, and others. The work is published at New Haven, Ct., and is conducted by Messrs. SILLIMAN & DANA. Published every second month—\$5 per year.

GENESEE FARMER.—Mr. D. D. T. MOORE has relinquished his interest in this paper to Dr. DANIEL LEE, who has for several years been associated in the editorial department of the paper. Dr. L. continues its publication, and it is edited by him in connection with JAMES VICK, Jr. We have received the January number, which indicates that the good character of the work will be preserved.

PATENT PORTABLE RAILROAD HORSE POWER, AND OVERSHOT TRESHING MACHINE AND SEPARATOR.—The *Prairie Farmer* states that this machine has been extensively introduced into Illinois, Iowa and Wisconsin, during the past season, and that the result has been a general conviction of its superiority over any sweep machine known there. The editor says—"We have it from several persons using them, that with one of these implements, two horses and four or five men have done as much work, day by day, as threshers with eight horses and ten men operating along side of them. One man informs us, that he threshed one hundred and sixty bushels in a day, of wheat yielding only eight bushels per acre. This we call large threshing. Another informs us that his wheat yielded from seven to nine bushels per acre, with straw enough to produce in common seasons twenty or twenty-five bushels. With the same span of horses working every day, and his machine elevated sixteen inches, his ordinary threshing was eighty bushels per day. Others in the same circumstances, by hard driving, or changing horses, have threshed from one hundred to one hundred and fifty, and in one case, as we have said, one hundred and sixty."

For further particulars, see p. 95, current vol.

ACRE IN YARDS.—An acre contains 4840 square yards, or 70 yards in length and 69 1-7 in breadth—or 193 feet by 220.

Notes for the Month.

COMMUNICATIONS have been received since our last, from Prof. J. P. Norton, F. Holbrook, G. T. Pearsall, H., Daniel C. Douglass, J. C. H., Darwin E. Gardner, S. R. G., N. S. Smith, W. L. Eaton, Harry Betts, A New-York Farmer in Virginia, J. R., Otis Dillingham, E. Croasdale, C. G. J., W., J. S. Pettibone, A Farmer, Berkshire, Eliza P. Benedict, A. B., A Subscriber.

BOOKS, PAMPHLETS, &c., have been received as follows:

Transactions of the Essex (Mass.) Ag. Society, for 1849, from J. W. PROCTOR, Esq., President of the Society, and from Gen. WM. SUTTON.

Transactions of the Worcester (Mass.) Ag. Society for 1849, from JOHN W. LINCOLN, Esq.

Annual Message of the Governor of Ohio, from Hon. J. S. COFFLAND.

Proceedings of the North American Pomological Convention, held at Syracuse, 14th Sept., 1849.

The Application of Science to Farming, an address before the Hampden Ag. Society, Oct. 4, 1849, by W. C. GOLDTHWAIT.

An Address before the Hampshire, Franklin and Hampden Ag. Society, Oct. 1849, by Prof. JOHN P. NORTON.

Transactions of the Norfolk (Mass.) Ag. Society, for 1849, the first year of its existence—a handsome octavo of 150 pages—from Hon. M. P. WILDER, President of the Society.

The North British Agriculturist, several nos. from Mr. J. JOHNSTON, Geneva.

Sixteenth Annual Report of the Massachusetts Lunatic Hospital, from the Superintendent, Dr. GEO. CHANDLER.

Will "H. C. W., Putnam Valley," please favor us with his address?

APPLES OF 1846.—Mr. JAMES STEWART, of Hobart, Delaware county, N. Y., has sent us four apples, two of which grew in 1846, one in 1848, and one in 1849. They are all the product of one tree, a seedling, on the farm of Mr. S. They are remarkable from their property of long keeping; but we do not discover that they have any other qualities that would particularly recommend them.

FAT SHEEP.—Mr. B. McNEIL, of Schoharie, lately brought to this city, on his way to Boston, forty-two fat sheep. They were purchased at \$15 a head of GEORGE GOODEYEAR, of Schoharie, who fattened them. They are mostly of the improved Cotswold breed, and that breed crossed with the Bakewell or Leicester. Several of them weighed, alive, 300 lbs., and upwards each. Twenty-five of the lot were raised by Mr. GEORGE CLARK, of Springfield, Otsego county, and the others were raised in the same neighborhood. They were the finest lot of fat sheep we ever saw, of so great a number.

GRAFTING GRAPEVINES.—Mr. CURTIS, member of Assembly from Onondaga county, stated at one of the agricultural meetings in Albany, that he had been very successful in grafting the Isabella on the common wild grape. He takes about fifteen to eighteen inches of the root of the wild vine, and inserts in it a scion of the kind he wishes to propagate. It is done in the ordinary mode of cleft or "split" grafting. The vine is planted so that the connexion of the stock and scion will be just below the surface of the ground. The operation is performed in the spring before the vines come into leaf. Mr. C. stated that he had vines so grafted, which bore considerably the first year, and sometimes they had made a growth of fourteen feet the first season.

GOOD CORN CROP.—J. W. COLBURN, of Springfield, Vt., writes—"I have raised the past season, on four acres of ground, (Connecticut river alluvial,) within a few quarts of 416 bushels. It is of the variety known as the Brown corn; eight-rowed, small cob, deep flat grain, having a chocolate col-

ored tinge. In a rich soil, well prepared, and with clean and thorough cultivation, it will yield more than any kind I have ever tried; but on light and poor soils, and with ordinary culture, it will do nothing."

CHEESE DAIRIES IN WASHINGTON COUNTY, N. Y.—A correspondent in Middle Granville, informs us that from 150 to 200 tons of cheese were made in that town the past season. We publish this month, an account of the products and management of one of these dairies, and are promised farther particulars hereafter.

SAMPLE OF WHEAT.—We have received from Mr. S. B. PARSONS, of Colebrook, N. H., a sample of wheat, called "the Turkey wheat." Its appearance is similar to that of the "Black Sea" wheat, when that variety first came into the country. The name also, implies that they are from the same region. But as the sample sent us is understood to be the product of a later importation, it may possess some valuable qualities which the other has lost in acclimation. Mr. P. informs us that it has succeeded remarkably well, having ripened perfectly free from rust, in neighborhoods where other wheat totally failed.

SAMPLES OF WOOL FROM KENTUCKY.—We have received from Mr. WASHINGTON MILLER, of Winchester, Clarke Co., Ky., some handsome samples of Merino wool. We are informed that they are in part from sheep purchased by him, about fifteen years since, of LEWIS SANDERS, Esq., of Grass Hills, Ky., and in part from sheep lately purchased from the eastern part of Ohio. The samples are all good, and those from Mr. M.'s own flock, show that there is no obstacle to the production of fine wool in Kentucky.

LAWRENCE SCIENTIFIC SCHOOL.—By a circular, we learn that the course of instruction in this department of Harvard University commencing March 1, 1850, is to comprise the following lectures: 1, Engineering, by Prof. Eustis; 2, Chemistry, by Prof. Horsford; 3, Zoology and Geology, by Prof. Agassiz; 4, Anatomy and Physiology; 5, Botany and Vegetable Physiology, by Prof. Gray; 6, Experimental Philosophy, by Prof. Lovering; 7, Mathematics, by Prof. Pierce; 8, Astronomy, by Messrs. W. C. and G. P. Bond. For particulars in regard to this valuable school, inquire of Prof. E. N. Horsford, Dean of the Faculty, Cambridge, Massachusetts.

AGRICULTURAL ENTERPRISE IN CANADA.—A Canadian paper notices the improvements in agriculture made by CHAS. P. TREADWELL, Sheriff of the Ottawa District. It is stated that he has upwards of two hundred acres of land ready for spring wheat, and that he cleared upwards of a hundred acres of forest last season. His extensive operations in draining are also spoken of; he having made upwards of five miles of ditches with the spade, besides other ditches made by a plow designed for the purpose, drawn by four horses. He has also introduced the subsoil plow.

THE LAST SMITHFIELD SHOW OF FAT CATTLE.—This exhibition was held at London from the 11th to the 14th of December last. In the six classes of oxen and steers, there were fourteen prizes; of which the Herefords took four, viz: one first prize, including the silver medal to the breeder, and the gold medal for the "best ox or steer in the show-yard"—one second, and two third prizes; the Short-Horns took four—two first and two second prizes; the Devons took five—two first, two second

prizes, and one third prize; the West Highlanders one. In the three classes for fat cows and heifers, there were seven prizes; of which the Short-Horns took six, including all the first prizes, and the gold and silver medals for cows and heifers; the Devons one—a second prize.

COCHIN CHINA FOWLS.—Within a few years, much has been said in regard to fowls under this name, specimens of which, having been presented to her Majesty, Queen Victoria, were kept at the royal residence, Windsor Castle. Mr. GEORGE P. BURNHAM, editor of the *American Union*, Boston, states that he has received from Mr. J. J. NOLAN, of Dublin, some of this stock. From descriptions we have seen of these fowls for the last six years, we have never supposed that they differed essentially from other large Asiatic fowls, common in this country, under other names. This impression agrees with Mr. Burnham's description of his imported fowls, which, though not "exactly," he says, like some we have in this country, are still "very similar, as regards the general characteristics." Again, he says, "they bear a resemblance to the best Shanghaes we have here, with the exception of the tail," that of the Cochin Chinas being longest. We should like to know at what "English Agricultural Fair, this [Mr. B.'s] stock took the premium, at the side of her Majesty Queen Victoria's original Cochin Chinas?"

Attention is invited to the advertisement of Mr. HOWLAND, in this number. We have not seen the horse he offers for sale, but those who have represent him to be a valuable animal.

CORRECTION.—In our report of the premiums awarded by the N. Y. State Agricultural Society on grain crops, in our last, Mr. Crispell's crop of oats was stated 80 bushels per acre; but it should have been 85 bus. 20 qts. per acre.

GLASS WATER PIPE.—A specimen of this pipe has been left at our office by W. T. DE GOLYER. We learn that over fifty rods of the pipe were laid for Union College, Schenectady, in 1848, which is still in use, and has been found free from every defect. It is not in the least corroded, and affords the water as pure as at the fountain. Further particulars in regard to the article may be learned by addressing D. O. KETCHUM, Agent Albany Glass-Works, Albany.

MILK-HOUSE FOR MAKING BUTTER.—We have received several inquiries for plans of houses or apartments for setting milk for making butter, and shall be greatly obliged if our friends will give us their views in regard to the subject. We should like to learn from those who have had experience in making butter both with spring houses and without, what they deem the best plan. What do the celebrated butter-makers of Pennsylvania say?

LANDS IN WISCONSIN.—A subscriber, who with others, is desirous of emigrating to Wisconsin, wishes to obtain information as to the best section of the state for farming, and the usual course of farming there, commencing with the prairie land in its natural state. Will some of our Wisconsin friends give us an article on this subject?

Garden Tools and Pruning Implements.

A GREAT variety of these, of American and Foreign manufacture, constantly on hand. A. B. ALLEN & CO.,
March 1, 1850. 189 & 191 Water St., New-York.

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by HENRY COLMAN of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos. 35. For sale at the office of THE CULTIVATOR.

Prices of Agricultural Products.

New-York, Feb. 18, 1850.

FLOUR—Genesee, per bbl., \$5.50a\$5.62—Michigan, \$5.12a\$5.27.
GRAIN—Wheat, prime Genesee per bush., \$1.23—Ohio, \$1.10a\$1.12½. Corn, fine white Southern, 62c.—Southern and Jersey yellow, 60c. Rye, 62c. Barley, (prime) 70c.—Oats, 42a45c.
BUTTER—best, per lb., 18a20c.—Western dairy, 12a15c.
CHEESE—per lb., 6a8c.
BEEF—Mess, per bbl., \$10—Prime, \$6.50.
PORK—Mess, (new) per bbl., \$10.50a\$10.62½—Prime, \$9.
LARD—per lb., (tierces,) 6½c.—(kegs, prime,) 7c.
HAMS—per lb., Smoked, 8a9c.
HOPS—first sort, per lb., 14a16c.
COTTON—Upland and Florida, per lb., 12a14c.—New Orleans and Alabama, 12a14½c.
WOOL—(Boston Prices.)
Prime or Saxon fleeces, per lb.,..... 40a45c.
American full blood Merino,..... 36a40
do half do..... 33a35
do one-fourth do, and common, .. 26a27

BRIGHTON CATTLE MARKET.

Thursday, Feb. 14.

At market, 850 Cattle. 100 unsold. Prices have declined still further. Less than last week, by 12½a25 cents. A very few at \$6.25, by agreement. Discount upon the weight alive 35 per cent, which would probably reduce the price to \$6. We quote \$6 for a small portion of the whole number. Good, from \$5a\$5.75. Fair \$4.50a\$5. Inferior, \$3.50a\$4. Working cattle low and dull. Cows and Calves plenty, and not much demand. All sorts of store cattle dull.

SHEEP, 2050 at market. 1200 Stall fed sheep, prices, \$3.00, \$3.25, \$3.50, \$4.00, \$4.50, \$5.00, \$6.00, \$6.50. 850 Common sheep, \$2.00, \$2.25, \$2.50, \$2.75. 400 remain unsold.

SWINE. 800 at Market. But little activity—many unsold. Prices lower than last week. A few sales at 3½ a 4½. At retail, 4½a5½. Ploverman.

American Field and Garden Seeds.

A LARGE and varied assortment, fresh and warranted. The above seeds are grown expressly for us, and we have every reason to believe them genuine, and of the best and most improved kinds in market. For sale at the Agricultural Warehouse of
A. B. ALLEN & CO.,
March 1, 1850. 189 & 191 Water Street, New-York.

Bird Seeds.

CANARY, Hemp and Millet Seed, for sale at the Agricultural Warehouse of
A. B. ALLEN & CO.,
189 & 191 Water St., New-York.

Fertilizers.

PERUVIAN and Patagonian Guano, Bone-dust, Plaster of Paris, Poudrette, and Combined Manure, a new and excellent article. Enquire at the Agricultural Warehouse of
A. B. ALLEN & CO.,
March 1, 1850. 189 & 191 Water St., New-York.

Choice Seedling Potatoes.

BUFFALO Seedling *Pink eye*. Rather long, marble white, eyes bright pink. Productive, healthy and excellent for the table.
"Eric Seedling." Long, intershaded with pink, purple and green; productive, hardy, and fine for the table.
"Seedling Russet." Round, smooth, color cinnamon; hardy, early, productive, and agreeably flavored, and fine for the table.
My "Early Junos" are large, round, smooth, light orange white; on the whole, the best early potato for early marketing I have yet found.

Also, superior renovated *Seedling Potato Seed*, gathered from the most select varieties, combined with choice specimens late from Europe and South America.

Carefully packed and delivered at the depot, \$2 per bushel, \$4 per barrel. Seeds per packet, sufficient for 10 bushels seedlings, transmitted by mail at double postage, \$1 per packet. N. S. SMITH. Buffalo, February, 1850.

Poudrette.

THE LODI MANUFACTURING CO., offer their new and improved Poudrette, for sale at their usual rates:—1 bbl. \$2—3 bbls. \$5, and \$1.50 per bbl. for any quantity over 7 bbls., delivered free of expense on board of vessel in New York. At the Factory, where vessels drawing 9 feet water can come, it will be sold at 25 cents per bushel.

The expense per acre in manuring corn with Poudrette, will amount to about \$4, calculating 25 cents per bbl. freight, and all the necessary labor included. On land previously manured, or on good sward land, one gill to the hill is sufficient—on poor ground, a good crop can be raised by one gill at planting, and one at the last hoeing. The cost of the labor alone in manuring corn in the hill with barn yard manure, will amount to more than the first cost of the Poudrette, with freight and all charges added; and the effects of Poudrette are quicker, more vigorous, and the corn reaches maturity earlier. A fair trial, however small, is respectfully solicited.

A pamphlet containing instructions for use, certificates from some of the first Agriculturists in the United States, and much valuable information will be sent gratis, to any one applying (post paid if by letter) to "THE LODI MANUFACTURING COMPANY, 66 Dey street, New-York." Feb. 1—4ms.

Highland Nurseries, Newburgh, N. Y.

A. SAUL & CO., being about to clear off the entire stock of one of their nurseries, adjacent to the residence of Mr. A. J. Downing, they would call especial attention of Nurserymen, or persons about to commence the business, to the stock of trees thereon. They consist principally of Pears, including all the leading and standard varieties, from 2 to 4 feet high. Also, a lot of Plum and Cherry Trees, and some Ornamental Trees; many of which are good saleable trees. All of which will be sold at such reduced rates, as to make it cheap stock for young nurserymen to plant out.

March 1—2t.

Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR.

Ellwanger & Barry

WISH to say that the only travelling agents authorised to do business in their name, are ROBERT BLAIR, HIRAM BECKER and HENRY COLLINS. They feel compelled to make this announcement, from the fact that other persons in various parts of the country, are representing themselves as their agents.

Mount Hope Garden and Nurseries,
Rochester, N. Y., March, 1850.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$8, for sale at the office of THE CULTIVATOR.

Agricultural Warehouse,

193 Front Street, New-York.

THE subscriber, manufacturer and dealer in *Agricultural Implements*, offers for sale one of the largest assortments to be found in the United States. Among which are the celebrated *Premium Plows*, which were awarded the highest premium of the *New-York State Fair* in 1847, and of the *American Institute* in 1846, 1848, and 1849. Also, the *Centre Draught, Eagle*, and all other *Plows* mostly in use. *Corn Shellers, Straw Cutters, Fanning Mills, Portable Grist Mills, Horse Powers, Threshing Machines, Seed Sowers, Wheelbarrows, &c.* All of which will be warranted to be of the best quality and sold at the lowest rates.

JOHN MOORE, &c

March 1—3t.

193 Front Street.

A Rare Chance

THE subscriber offers for sale, or in exchange for serviceable horses or mares, his splendid bay Colt, of the "Surprise" stock. His interest in the Norman horse, makes it desirable to be free from this charge. The stallion offered, is nearly five years old, and from his size and muscular developments, promises finely. Some superior foals of his get, can be shown. Any communication may be addressed to

ROBERT B. HOWLAND,

March 1—2t.

Union Springs, Cayuga Co., N. Y.

Farm for Sale,

CONTAINING 200 acres of excellent land, situated in the town of Ballston, county of Saratoga, 2½ miles south of Ballston Springs, and near the residence of E. C. DELAVAN, Esq. and Col. SAM. YOUNG. The dwelling is large and convenient, and in good repair; in addition to which there are two tenant houses, and the necessary barns and outbuildings. This property, from its proximity to Ballston and Saratoga Springs, together with its healthy and pleasant location, offers a good opportunity to agriculturists or gentlemen wishing to retire from business.

Apply to C. SCHUYLER, Esq., on the premises, or to W. W. FROTHINGHAM, Esq. No. 513 Broadway, Albany, N. Y.

March 1—1t.



Isabella Grape Vines,

OF proper age for forming vineyards, propagated from and containing all the good qualities which the most improved cultivation for over twelve years has conferred on the Vineyards at Croton Point, are offered to the public. Those who may purchase will receive such instructions as will enable them to cultivate the grape with entire success, (provided their locality is not too far north.) All communications, post paid, addressed to R. T. UNDERHILL, M. D., No. 310 Broadway, New-York, will receive prompt attention.

He feels quite confident that he has so far meliorated the character and habits of the grape vines in his vineyards and nurseries by improved cultivation, pruning, &c., that they will generally ripen well, and produce good fruit when planted in most of the Northern and all the Western, Middle and Southern States.

March 1, 1850—2t.

Syracuse Nurseries,

THORP, SMITH & HANCHETT, PROPRIETORS,

Syracuse, N. Y.

WE have now standing in our nurseries, of suitable age and size for transplanting,

More than 100,000 Fruit Trees,

Consisting of the various kinds adapted to this climate, from which persons desiring to establish *Apple, Pear or Peach Orchards* for profit, or those who wish merely to furnish their *Gardens or Town Lots* with a few select varieties for their own pleasure and enjoyment, can provide themselves with all in quantity which may be wanted, and every thing in kind which is most worthy of cultivation.

Our stock embraces, of Fruit Trees,

Apple and Cherry, of extra size;
Peach and Plum, of the best early, medium and late varieties;
Standard Pear, of unusual thriftiness and beauty;

Dwarf Pear, among which are the following choice kinds:

Ananas,	Duchess d'Angouleme,	Madeleine,
Bartlett,	Doyenne White,	Passe Colmar,
Beurre Diel,	do Boussouck,	Summer Franc Real,
do Piquey,	Easter Beurre,	Soldat Laboureur,
do Capiaumont,	Glout Moreau,	Van Mons L. Le Clerc,
Colmar d'Arenberg,	Louise Bonne d'Jersey,	Vicar of Winkfield.

Of Ornamental Trees,

1,000 *Horse Chestnuts*, 10 to 12 feet high, very stocky, and well formed;

1,000 *Mountain Ash*, American, 8 to 10 ft. high, with fine heads

500 do. do. European, 6 to 8 ft high, do do

500 *Ailanthus*, large and regularly shaped.

And of Miscellaneous Productions,


Fir Trees, *Silver-leaved Abele*, *Snowballs*, *Michigan Roses* (double.) *Buckthorn*, bearing *Grape vines*, *Seeding Horse Chestnuts*, 1 and 2 years old, *Quince Stocks*, *Quince Trees*, &c., &c., &c. All or any of which will be sold at very reasonable prices,

At Wholesale or Retail.

As no pains have been spared to give our Trees while in the nursery, a vigorous and healthy start, they do not require, on transplanting, that tedious process of wet-nursing which is indispensable to bring up those of a slow, lean, and stunted growth.

☞ Catalogues furnished, as usual, to post-paid applications.

Syracuse, March 1, 1850—2t.



Constantly on hand at the

Albany Agricultural Warehouse & Seed Store,

Nos. 369 & 371 BROADWAY, ALBANY, N. Y.

PLOWs of all descriptions adapted to the soil and modes of cultivation throughout the United States.

Cultivators with Steel and Iron Teeth, for one and two horses, for all crops.

Corn Planters, for hills and drills, and adapted for all kinds and quantities of seed per acre, with a perfection not otherwise attainable.

Emery's Seed Planters, for Carrots, Turneps, Beets, Broom Corn, &c., for hand or horse power. Several hundreds of the above having been sold and approved during the past 3 years, there is no longer any question as to their utility.

Reaping Machines, Hussey's and McCormick's, will be furnished on demand.

A full and complete assortment of every kind of Implement and machine, as also seeds and grains for Field and Garden, required by the husbandman, constantly on hand, at the lowest manufacturer's prices, and warranted to be in all respects what they are represented.

March 1—1t.

HORACE L. EMERY.

Lynchburg (Va.) Land Agent.

THE undersigned has on hand, for sale, FIFTY PLANTATIONS, lying in this section of the State—say from two to one hundred and fifty miles from Lynchburg. Prices from three to twelve dollars per acre. Mountain land, from thirty-five cents to two dollars. All communications, post-paid, promptly attended to.
Lynchburg, Va., Feb. 1—2t* BENJAMIN WILKES.

For Sale,

TWO Short Horn Bull Calves, 1 year old in April next. Both are descended from the bull Yorkshireman—bred by the late Thomas Bates, Esq. In color, one is red, the other red with a little white.

Letters of inquiry, post paid, attended to. J. M. SHERWOOD.
Auburn, Feb. 1—2t.

Highland Nurseries, Newburgh, N. Y.

(Late A. J. Downing & Co.)

THE PROPRIETORS beg leave to inform their patrons, and the public in general, that their stock of

Fruit and Ornamental Trees, Shrubs, Roses, &c.,
For Spring planting, is unusually large and thrifty, and embraces all of the best varieties introduced into notice in this country or Europe; of Apple, Pear, Plum, Cherry, Peach, Nectarine, Apricot, Grapevines, Gooseberry, Currants, Raspberry, Strawberry, &c., &c.

Portugal Quince trees, standards, extra size, each... \$1 00

do. do. quenouille, do. 1 00

Angers, (true), extra 1 00

Trees of the usual size 0 50

Also, Pears on Quince, and Apple on Paradise stocks, for dwarf trees.

The stock of Ornamental Trees, Shrubs, &c., is very large; and quantities to dealers, or planters on a large scale, will be furnished at greatly reduced rates.

Hedge Plants.

A large stock of Buckthorn, and Osage Orange plants.

Also, a large stock of Rhubarb and Asparagus roots.

The entire stock has been propagated under the personal supervision of A. SAUL, whose long connection with this establishment is some guarantee, from the reputation it has gained, (and the present proprietors are determined to merit,) as to the genuineness and accuracy of the present stock.

Orders respectfully solicited, and will receive prompt attention, which will be carefully packed and shipped to any part of the Union or Europe.

Catalogues furnished gratis to post-paid applicants.

Feb. 1, 1850—3t. A. SAUL & CO.

JUST PUBLISHED,

BY DERBY, MILLER AND CO., AUBURN.

THE AMERICAN FRUIT CULTURIST,

BY J. J. THOMAS,

CONTAINING directions for the Propagation and Culture of Fruit Trees, in the Nursery, Orchard, and Garden, with Descriptions of the principal American and Foreign Varieties cultivated in the United States. With 300 accurate illustrations. One volume of over 400 pages, 12 mo. Price \$1.

A cheaper, but equally valuable book with Downing's was wanted by the great mass. Just such a work has Mr. Thomas given us. We consider it an invaluable addition to our agricultural libraries. *Wool Grower.*

We predict for it a very rapid sale; it should be in the hands of every fruit grower, and especially every nurseryman. It is a very cheap book for its price.—*Ohio Cultivator.*

It is the most valuable work to all engaged in the culture of fruit trees.—*Utica Herald.*

It is a book of great value.—*Genesee Farmer.*

Among all the writers on fruits, we do not know of one who is Mr. Thomas' superior, if his equal, in condensing important matter. He gets right at the pith of the thing—he gives you that which you wish to know at once; stripped of all useless talk and twattle. No man has a keener eye for the best ways of doing things. Hence we always look into his writings with the assurance that we shall find something new, or some improvements on the old; and we are seldom disappointed. This book is no exception. It is full. There is no vacant space in it. It is like a fresh egg—all good, and packed to the shell full.—*Prairie Farmer.* Jan. 1, 1850.—3t.

Horse Powers and Threshing Machines.

E. PLANT, No. 30 Cedar Street, New-York, Agent for the Proprietor, for making and selling the "Warren" Improved Two and Four Horse Powers and Threshers. Also, "Trimbles."

Price of the "Warren" Two Horse Power and Thresher, only \$80

do do Four do do do \$110

Price of the "Trimble" Two Horse Power, (without Thresher,) \$60

do "Warren" do do do do \$50

do do Four do do do \$75

Bands, from \$4.50 to \$6.

These latest Improved Threshers and Powers give universal satisfaction, and are deemed far superior to any others known heretofore for any thing like their cost.

Cash Orders filed promptly.

N. B. PURCHASING & COMMISSION AGENCY.

The undersigned also continues the business of the late E. Plant & J. Plant. (E. Plant & Co.,) of Purchasing for Orders, on Credit or for Cash, Dry Goods, Groceries, Hardware, &c., &c., for a commission of 2½ per cent. Produce, such as Sugar, Cotton, Tobacco, Peltries, &c., also received and sold on Commission. E. PLANT,

Dec. 1, 1849—6t. No. 30 Cedar St New-York.

Seeds for Spring Sowing and Planting.

500 bushels of superior Black Sea Wheat, pure, having been but one year raised in the States.

150 bushels of Clump wheat, a new article of spring wheat, of large berry, and said to be a good yielder, and is much grown in Canada.

150 bushels of Italian Spring Wheat.

100 bushels of Spring Rye.

75 bushels of very superior Broom Corn Seed.

A large supply of choice Clover and Timothy seed, at low prices, at wholesale or retail.

Garden and Field Peas, any quantity.

A fresh lot of Garden Seeds, wholesale or retail.

For sale at the Albany Agricultural Warehouse and Seed Store, No. 369 & 371 Broadway. Feb. 1, 1850. H. L. EMERY.

Louisville (Ky.) Seed and Agricultural Store.

THE subscriber offers for sale,

1000 bushels Kentucky Blue Grass seed

600 " Red Top, "

200 " Orchard Grass, "

200 " Prime Timothy, "

500 " Red Clover, "

200 " Hemp, "

100 " Millet, "

100 " Buckwheat, "

Also, Lucerne and White Clover.

30,000 papers Garden Seeds, assorted, and all varieties of Garden

Seeds by the pound.

50,000 Fruit Trees, consisting chiefly of Apple, Peach, Pear,

Cherry and Quince.

Also, Grape Vines, Asparagus roots, Strawberry plants, &c., &c., from the nurseries of L. Young, H. P. Byram & Co., Jas. Orr, and G. G. Hikes of this vicinity.

He also keeps every variety of Agricultural and Horticultural Implements on hand, and will be happy to fill orders (accompanied with cash or satisfactory reference) from all parts of the United States.

Feb. 1—2t. A. G. MUNN.

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums, and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted.

Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c.

Catalogues and other information can be had of the Nurseryman, Feb. 1—6ms. JOSEPH CALDWELL.

Kinderhook Nurseries.

THE proprietor begs leave to inform his patrons and the public in general, that his stock of

Fruit and Ornamental Trees, Shrubs, Roses, &c.,
For spring planting, is large and thrifty, and embraces all of the best varieties introduced in this country, of Apples, Pears, Plums, Cherries, Peaches, Nectarines, Apricots, Grape Vines, Gooseberries, Currants, Strawberries, &c.

Also, Hedge Plants.

A large lot of Buckthorn Plants, Locust, Privet, Box, &c. Asparagus roots, Rhubarb.

Orders respectfully solicited, and will receive prompt attention. Articles will be carefully packed and shipped to any part of the country.

Catalogues furnished gratis to post paid applicants.

Kinderhook, Feb. 1, 1850—2t. H. SNYDER.

Wanted.

A YOUNG man with a small family to take charge of a nursery, who has some knowledge of farming, and is thoroughly acquainted with the propagation of Fruit Trees.

He must be well recommended as a man of integrity, and to be moral and temperate in his habits. None other need apply.

RUFUS WHITTIER.

Chickopee, Mass., Feb. 1, 1850.—3t.

Highland Nurseries, Newburgh, N. Y.

(Late A. J. Downing & Co.)

20,000 Apple Trees of the most approved varieties, for sale, (of extra size, from 8 to 12 ft. high, and 3 to 5 years' growth,) at \$20 per hundred.

Persous wanting trees to sell again, will be dealt liberally with. Feb. 1, 1850—3t. A. SAUL & CO.

Take Notice.

THREE Months Extra Pay and One Hundred and Sixty Acres of Land will be procured for all who enlisted for five years, or during the war of 1812, and for all, including Volunteers who served in Mexico, and for the heirs of all who have died in the service.

Information will be given to relatives, Free of Charge, by writing to G. F. LEWIS, Detroit, Michigan, (postage paid.)

Those who do not know what became of their friends, write when and where they joined the army. Feb. 1—3t.*

Stocks, Scions, Evergreens, Strawberry Plants, &c.

B. M. WATSON offers for sale at the *Old Colony Nurseries, Plymouth, Mass.*, Stocks of Fruit Trees of first rate quality, suitable for spring grafting and budding in the coming summer, at the annexed prices per 1000. Apple, 1 year, strong, \$5; 3 years, transplanted, \$10—Pear, 1 year, \$8; 2 years, \$15; 3 years, transplanted \$20—Plum, 2 years, \$15—Cherry, 2 years, \$12; 3 years transplanted, \$15—Quince, large and fine, \$18; 1 year, strong, \$12—Mahaleb, strong, \$25—Paradised, strong, \$25—St. Jean, (dwarfed) \$5 per 100. Ash, Maple, Laburnum, Lime, Spanish Chestnut, Poplar, Mountain Ash, Elm, Alder, &c., &c., 4 feet, at \$3 to \$8 per 100. Arbor Vita, Norway Spruce, Scotch Fir, Balsam Fir, Silver Fir, Larch, Red Cedar, 1 to 2 feet, \$5 to \$10 per 100.

SCIONS. Apple scions, (fine sorts) \$1.50 per 100. Paradise cuttings \$3 per 1000. Scions of the finest sorts of pear of established reputation (say 30 sorts,) and of other fruits, \$2 per 100, \$15 per 1000.

STRAWBERRIES. Burr's New Pine, \$4 per 100; Boston Pine, \$1; Hovey's Seedling, \$1; Richardson's Early, Late and Cambridge (fine sorts) \$1.50 per doz.; Early Virginia Scarlet, \$1 per 100; Jenny's Seedling, \$3; Aberdeen Beehive, \$5; Swainstone, \$3; Myatt's Eliza, \$3; Crimson Cone, \$2; Black Prince, \$5; Deptford Pine, \$3; Princess Alice Maude, \$3; Keene's Seedling, \$2; Willey's Seedling, \$3; White wood, \$1—25 cents to \$1 per dozen.

Also, Dwarf and Standard Pears, select Shade Trees, Shrubs and Climbers; Weeping Trees for lawns, Roses, Phloxes, Verbenas, Chrysanthemums, and other fine plants for masses, at low prices, of which a priced list will be sent, post paid, on application.

Also, Pear seed of prime quality.

Feb. 1, 1850.—3t.

New Scarlet Verbena---Robinson's Defiance.

J. M. THORBURN & CO., 15 John street, New-York,

HAVE now ready for delivery, strong plants of the above splendid Verbena, the finest in England, from whence they obtained it last June, fully testing its quality during the summer. The bloom is of the most vivid scarlet, with fine foliage, and so far from being injured by the heat of the sun, was rather improved, and continued a mass of flowers, rapidly covering the ground, while most others were destroyed by the heat, nor ceased to flower in profusion till checked by frost at the end of October—after which, being taken up and removed into the greenhouse, flowered away till December, and is now (January 21) fully out for a long succession of bloom.—It may be seen in perfection very soon by any one who will take the trouble to visit Astoria.

TESTIMONIALS.—*Gardener's Chronicle*, (Dr. Lindley,) Aug. 28.—"Robinson's Defiance" is a most brilliant flower—fine in form and a good trusser—best of its class.

Gardener's Journal, Sept. 4.—"Robinson's Defiance"—beautiful variety—form good—segments of the corolla broad, firm in substance and flat—color, a brilliant scarlet—habit of the plant good, and a free bloomer.

The Gardener, Sept. 18.—"Robinson's Defiance" is a superior variety, the petals are stout, the flower and truss large and well formed—color, a clear vivid scarlet—the plant is a strong and free grower, with a fine foliage and superior habit—we have not seen its equal.

It received first class certificates and the highest commendation at the following exhibitions—"Royal South London," Sept. 15—"Slough," Sept. 21—"Norwich," Sept. 23—"Metropolitan," Sept. 28—and the "Chelsea Society."

The habit of the plant is equally adapted for potting or bed culture, being short jointed with remarkably fine foliage, and a free bloomer. A large Italian vase filled with it at Astoria last summer, was the most striking object in the garden, and was adored by all gardeners and amateurs who observed it. It was first sent out in England in the Spring of 1845 at 75 6d sterling per plant, but was not successfully imported here till last season.

A good stock of this beautiful Verbena, (*warranted to answer description*), being now ready to send out, orders will be promptly executed with strong healthy plants at 50 cents each—\$5 per dozen—six at same rate—with a liberal discount to the trade when a dozen or more are ordered.

Also the following additional new Verbenas, from England:

ANACREON—large bright rose, good habit and fine foliage, free bloomer and close set, pretty eye.

BARBERI—scarlet crimson, good spreading habit and profuse bloomer.

ROSY MORN—light rosy crimson, large compact truss, good eye and free bloomer—a beautiful variety.

SATELLITE—orange scarlet, exquisite form and trailing habit, well adapted for large pan pots or vases—foliage soft, serrated, and of a feathery style, extra fine—50 cents each—or if the set of four is ordered, \$1.50—have been proved a season, and fully answer description.

The following approved older sorts, \$1.50 per dozen—Beauty Supreme, Flambeau, Fireball, Major Ringgold, Mestosa, Mary Anne, Othello, Polk, Queen, Roseum Elegans, Smith's Blue Bonnet, and others well adapted for bedding out or in patches.

PETUNIAS—Hebe, Eliza, Beauty of Yorkville, Duke of Bedford and other good sorts—\$2 per dozen.

DAHLIAS in dry roots—all the prize sorts exhibited at Castle Garden last October—\$5 to \$15 per dozen.

Plants of the new Verbenas can readily be sent by mail; by shaking off the soil a half dozen will not weigh over an ounce; by immediate potting on arrival and trifling care, will recruit in three or four days and be in advance and superior condition for turning out in the month of May—of course, much earlier, further south.

Feb. 1, 1850.—2t.

The American Fowl Breeder,

A New and Valuable book,

CONTAINING full information on Breeding, Rearing, Diseases and Management of

Domestic Poultry,

And instructions concerning the choice of pure Stock, Crossing, Caponising, &c., &c., WITH ENGRAVINGS. By an association of Practical Breeders.

The above valuable work is just published by John P. Jewett & Co., Cornhill, Boston, and it is offered at the extremely low price of *Twenty-five Cents* per copy, to bring it within the means of every man interested in Poultry.

☞ *We want 100 Good Faithful Agents,* ☞

To sell this work in every county in New England, New-York, Pennsylvania and the West, in connection with

Cole's American Fruit Book,

AND

Cole's American Veterinarian.

Active and intelligent men can make money at the business.

Address, post paid, the publishers.

JOHN P. JEWETT & CO.,

Cornhill, Boston.

P. S. The American Fowl Breeder is done up with thin covers and can be sent by mail to any part of the country. Any person sending a quarter of a dollar by mail, *post paid*, shall receive a copy of the book.

Feb. 1—3t.

Seedlings.

PEAR, Plum, Cherry, Quince, Apples, Horsechestnut, Mountain Ash, and Buckthorn Seedlings for sale. Also seed of the above kinds of trees. Every variety of Fruit and Ornamental Trees, and grafts of the celebrated Virgalieu Pear of Geneva. For sale at the Geneva Nursery, by

W. G. VERPLANCK.

Geneva, Nov. 1.—6t.*

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.

THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

The following are a part of the utensils kept for sale by us, which are considered the best in use, all of them having taken the highest premiums:—Wheeler's Railway Horse Power, Threshing Machines and Separators, Grant's Fanning Mills, of six different sizes, for Rice as well as Grain; Mayher's do.; Hovey's Spiral Hay, Straw and Stalk Cutters; Smith's Smut Machines and Buckwheat Cleaners; Beal's Corn and Cob Crushers, for Feed, horse power; Sinclair's Corn and Cob Crushers, for hand or power; Sinclair's Hay, Straw and Stalk Cutters, hand or horse power; Greene's Hay Cutters, 12, 18 and 24 knives; Mayher's Hay and Straw Cutters, 8, 10, 12, 15, and 18 knives; Wheeler's Stalk or Cane Cutter, Power Machine; Mayher & Co.'s Corn Shellers, single and double-hand or power; Burrall's Corn Shellers and Separators; Warren's do., wood and iron; Smith's Corn Sheller and Separator, (power,) 1200 Bushels per day; Virginia do. do., hand or power, 600 to 800 bushels per day; Sinclair's do. do. and Husker, power; Whitman's Horse Power, Threshing Machine and Cleaners; Taplins' Horse Power; Mayher's do. do.; Emery's Threshing Machines, one and two horse power; Emery's Seed Sowers or Corn Planters; Emery's Saw Mill; Emery's Centrifugal Churns; Thermometer Churns, of different sizes; Cylindrical Churns; Atmospheric Churns; Self-Acting Cheese Presses; Hay Presses; Bachelor's Corn Planter; Seed Sowers of different kinds; Bark Mills; Cider Mills; Paint Mills; Coffee Mills; Corn Mills; Fitzgerald's Flouring Mills; Prentiss and Pages' Flouring Mills, Burr Stone; Mayher & Co.'s Eagle Improved Polished Plows, of different sizes and patterns; Worcester do.; Mayher & Co.'s common do.; Freeborn do.; Prouty and Mear's Plows of all kinds Center Draught; Sub Soil Plows of different kinds and sizes; Side-Hill do.; Double Mouldboard do.; Cultivators, Steel and Cast-Iron teeth; Geddes' Harrows; Ox Yokes and Bows; Single and Double Wheelbarrows; Ox Scrapers, of Wood and Iron, large and small; Ox Carts; Farm Wagons; Mule Carts; Wheelbarrows; Canal Barrows; Field and Garden Rollers. Iron and Wood; Wheat Drills; Reaping Machines; Mowing Machines; Rice Hullers; Store Trucks; Ground Augers; Ox-leg and Trace Chains; Pickaxes; Grub Hoes; Rakes, Scythe Sneaths, Grain Cradles, Crow-Bars, &c., &c. In fact, we have every thing wanted for Farming purposes, got up in the best manner, style, workmanship, and of the very best material, of all the latest improvements. We have also for sale a large quantity of the best Seed and Spring Wheat, Oats, Corn, Barley, Rye, Peas, Beans, Turnip, Cabbage, Beet, Carrot, Parsnip, Onion, Radish, Asparagus, Clover and Grass Seed, raised expressly for us, and warranted fresh—a very superior article. We also have a large quantity of Guano, Bone Dust, Lime, Plaster and other Fertilizers on hand, Ornamental and Fruit Trees, Shrubs, &c., of the best quality, furnished to order. Also, Wire Cloth, of all kinds; Castings do., Steam Engines, Sugar Mills, Saw Mills, Shingle and Brick Machines, together with Force, Cistern, Well, and other Pumps.

JOHN MAYHER & CO.,

Feb. 1, 1850.—4t

No. 197 Water street, New-York.

Contents of this Number.

Neglected Manures—Bones, by PROF. NORTON,..... 97
 Of Plows and Plowing, by HON. F. HOLBROOK,..... 98
 Studies for the Farmer, by LEVI BARTLETT,..... 100
 Sheep—Varieties of the Merino,..... 101
 The Question Settled, by JAS. R. HAMMOND,..... 103
 Profits of Dairying, by OMS. DILLINGHAM,..... 104
 Large vs. Small Cheeses—Dunlop Cheese—To make and Preserve Sausages, by E. CROSSDALE—Feeding Cattle in Winter,..... 105
 Management of Bees, by C. G. J.—Cows for the Dairy—To Destroy Vermin on Cattle, by T. S. GOLD—Cure for Ring-bone, by W.—Making Maple Sugar, &c.,..... 106
 Pruning the Peach—Proceedings of the N. A. Pomological Convention,..... 107
 Root-Grafting Large Stocks—The Diana Grape—Cultivating Dwarf Pears,..... 108
 Wire Fences—Albany & Rensselaer Hort. Society—Kirtland Pear,..... 109
 Mulching Cherry Trees—Notes on Plums and the Curculio, by C. E. G.—Cultivating Young Orchards, by W.,..... 110
 Horticultural Miscellanies—Grafting and Improvement,..... 111
 Suffolk Breed of Cattle,..... 112
 Dorking Fowls—Burning Straw,..... 113
 Plan for an Agricultural College,..... 114
 Premium Crops in Bennington County, Vt., by JOHN S. PERTHONK,..... 115
 Growing Potatoes from Seed, by J. B. GARBER—Application of Marl, by J. WATSON—Sheep Husbandry, by A. FARMER, Green vs. Dry Wood, by CALVIN STOW—Muck as the Basis of Compost, by BERKSHIRE,..... 117
 Potatoes from the Seed, by N. S. SMITH—Experiment with Potatoes, by G. T. PEARSALL—Advice Wanted, by E. W. JONES,..... 118
 Manufacture of White Sugar, by S. TILLOTSON—Preparing Clover Seed for Sowing, by B. M. ELLIS—Timber for Plank Roads,..... 119
 Water-tight Cellars, by X.—Preparation for Wheat—Du ability of Under-drains—Guano—Insurance of Live Stock,..... 120
 Answers to Correspondents—Ag. Societies,..... 121
 New Publications—Wheeler's Horse Power,..... 122
 Monthly Notices—To Correspondents,..... 123

ILLUSTRATIONS.

Figs. 148, 149—Pruning the Peach,..... 107
 150—Root Grafting large Stocks,..... 108
 151—The Diana Grape,..... 108
 152, 153—Wire Fences—The Kirtland Pear,..... 109
 154—A Suffolk Cow,..... 112
 155—Pair of Dorking Fowls,..... 113

Geo. Glenny's New Farm & Garden Newspaper, "THE COUNTRY GENTLEMAN,"

Is published in London, on Mondays in time for post, with the latest market prices of Corn, Meat, Cattle, Seeds, and Money, and is the very best weekly Review and Family Newspaper in England, as well as the acknowledged highest authority in all matters connected with Horticulture. Price 6s. 6d. per quarter in advance.

Address GEO. GLENNY, 420 Strand, London.
 March 1—3t.

Bloodgood Nurseries,

Flushing, L. I. near New-York.

KING & RIPLEY, PROPRIETORS,

OFFER for sale every variety of Fruit and Ornamental Trees, Evergreens, Flowering Shrubs, Grape Vines, Hedge Plants, Raspberries, Strawberries, &c.

We have 20,000 Peach Trees, of one, two and three years growth, and our Fruit Trees generally, are of large size and thrifty.

Orders sent to us at Flushing, or 214 Pearl St., New-York, (where Catalogues may be obtained gratis,) will receive immediate attention, and the trees packed with much care for transportation.

March 1, 1850—1t.

Hamilton Nursery.

THE proprietor of this establishment confines himself wholly to the propagation of hardy Fruit Trees, all of which have been obtained from the most reliable sources, or cut from bearing trees of well known varieties. About sixty varieties of Plums and a large quantity of the Apples have been proved on his own grounds; and all are cultivated with his own hands assisted by his son, who is soon to assume a personal interest in the business. And all the cutting of buds or grafts, and the labelling of Trees with the oversight of taking up and packing being done by him in person, he feels confident of being able to give as good satisfaction as to correctness, as can be given by any other nursery. The stock of Apples and Plums is large and embraces numerous varieties, so that the fruit grower and amateur Horticulturist can each be supplied.

A liberal discount to nurserymen and dealers in Trees. See listing Stocks of Apples and Plums for sale. Agents—Geo. G. Sheppard, 145 Maiden Lane, New-York; H. J. Stephens, Honesdale, Pa.; and Wm. J. Hamilton, Kingwood, Mc Henry Co., Ill.

Catalogues sent gratis to all post paid applicants.
 CHARLES HAMILTON.
 Canterbury, Orange Co., N. Y., March 1—1t.

To Fruit Growers.

THE subscriber cultivates at his various nurseries, and has for sale at his residence, *Eustis St., Roxbury, Mass.*, all the choice varieties of the

Pear, Apple, Plum, Cherry, Peach, and other Fruit Trees. Raspberries, Gooseberries, Currants, Grape Vines, Strawberries, Asparagus Roots, &c.

Also, several thousand Pear Trees on the quince, 1, 2, 3, 4, and 5 years from the bud.

Particular attention paid to the cultivation of the PEAR; persons wishing extra sized trees, or Trees on Quince Stocks in a bearing state, will please call at the nurseries, and make their own selection.

Buckthorn for Hedges, One, Two and Three Years Old. Ornamental Trees, Shrubs, Roses, Herbaceous Plants, Pæonies, &c.

Scions of all the varieties of the Pear, of established reputation, and also of other fruits.

The whole for sale at the market price.
 SAMUEL WALKER,
 Roxbury, Mass.

March 1, 1850.—2t.

Nursery of J. J. Thomas,

Macedon, Wayne Co., N. Y.

THIS nursery now contains many thousand fine trees, of large, handsome and thrifty growth, consisting of Apples, Pears, Cherries, Peaches, Apricots, &c., and the smaller fruits, of the best standard sorts, and most of the finest new varieties; in all cases they have been propagated for sale after being thoroughly proved in bearing.

The collection of APPLES, consists of many thousand large trees, mostly 7 to 9 feet high, embraces the finest standard varieties, and nearly all the valuable new sorts.

When purchasers desire, selections of the best for affording a regular succession of fruit throughout the season, will be made by the proprietor.

A carefully assorted collection of hardy ornamental trees, shrubs, and herbaceous perennial plants, will be furnished at very moderate prices.

Trees for canal and railroad conveyance, will be well packed in bundles, enclosed in sraoug mats, with the roots mudded and encased in wet moss, so as perfectly to preclude all danger of injury.

All communications, post-paid, to be directed Macedon, Wayne Co., N. Y.

The proprietor, wishing to make some alteration in his grounds now occupied with a fine growth of large sized apple trees, will furnish a good selection, chosen mostly by himself, of summer, autumn, and winter fruit, of the finest standard varieties, at \$16 per hundred, without charge for packing, where the orders, with remittances, are received before the first of 4 mo. (April) next. Also, Cherry trees, 9 or 10 feet high, suitable for planting avenues, of the finest kinds only, selected by the proprietor, at \$25 per 100.
 March 1—1t.

Fruit Trees for Sale.

THE subscriber offers fruit trees at very reduced prices. Having a large stock of the following kinds on hand, he will sell Apple trees at \$12 per hundred.

Cherry Trees, \$25 per hundred,
 Frost Gage Plum Trees, \$20 to \$30 per hundred.

Early Golden Apricot trees, from one to four years old (on peach stock) from \$8 to \$15 per hundred; (on plum stock,) 30 cents. All the above trees are smooth and healthy.

Isabella Grape Vines, 1 year old, \$7 per hundred.

2 do \$10 do.

3 and 4 do \$12 do.

3 years old, transplanted, \$14 do.

The vines have all been annually cut to the ground, and have fine roots for planting.

Also, a few thousand Fir Trees, from 1 to 3 feet high, at 8 cents per foot.

All other trees sold as low as at any other nursery.
 Fishkill Landing, March 1, 1850—1t. CHARLES DUBOIS.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
 BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT, 7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms.



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, APRIL, 1850.

VOL. VII.—No. 4.

Culture and Manufacture of Flax.

It is doubtless known to most of our readers that flax is largely cultivated in some parts of the country, wholly for the seed, the stalks being thrown away. In some of the rich districts of Ohio, particularly in the Miami Valley, this branch of agriculture is carried on to a great extent. A correspondent of the *Ohio Dollar Statesman* gives an interesting account of the flax culture of that section, with some valuable suggestions in regard to the manufacture of flax. He states the average yield of seed at ten bushels per acre, though in some instances it reaches fifteen bushels. The ordinary price per bushel in Dayton, where the seed is principally sold and the oil extracted from it, is eighty cents to a dollar; but last year, owing to scarcity, the price ranged from a dollar and ten cents to a dollar and forty cents per bushel, of 52 pounds. The amount of seed worked up in the city of Dayton annually, is put down at 150,000 bushels. There are five mills, which, altogether, use ten hydrostatic presses, some of them having a power of 1,000 tons each. The oil is principally sent to Cincinnati and thence to New-York, and the oil-cake is exported to England, where it brings \$40 to \$50 per ton, and is used for fattening cattle and sheep.

The income which the crop affords per acre, after paying all expenses, is given as \$3. This must be considered a small amount, though some additional credit may be allowed the crop from the fact, as stated, that the farmers are able to obtain "a much larger return of wheat, to be sown after flax, than used to be harvested when that crop followed in succession after corn, or even summer fallow." The writer suggests that a system may be adopted by which the profits of the crop may be greatly increased. The quantity of seed, he thinks, may be brought up to 20 bushels per acre, and four to five hundred pounds of fibre may be obtained in addition—the seed to average ninety cents to a dollar per bushel, and the fibre eight to ten cents per pound. The following extracts denote the writer's views in regard to the proper course to obtain these results:

To obtain so large a return of fibre and seed, an improved system of cultivation and rotation of crops will have to be put in practice. What this system is, I shall presently explain. Flax requires a rich soil, one that is calculated to produce an abundant yield of straw; and the subsoil within from eight to twelve inches of the surface, should be clay. This, however, is not absolutely necessary, but a strong fibre, and an abundant yield of seed, are not so likely to be obtained from a sandy soil, or where it is principally composed of vegetable remains to the depth of from one to two feet, as where the clay comes within from six to ten inches of the surface. The soil for flax should be plowed in the autumn to

the depth of from eight to ten inches, and in the spring it should be again plowed, harrowed and rolled before the seed is sown. Instead of sowing from three to four bushels per acre, not more than two should be sown. The period for sowing the seed should invariably be governed by the following simple rule, that has, in all countries where flax is extensively grown, been found to give a large return, even in adverse years. As soon as the indigenous forest trees begin to put out their leaves, the sowing of flax should be commenced, and the entire operation should be completed by the time that the leaves are fully out. The seed should be covered very lightly, and as soon as the plants are above ground, a top-dressing of one bushel of salt, one bushel of plaster of Paris or gypsum, and two of common house ashes to be sown broadcast, will secure a vigorous growth, although the season may be very adverse for the flax crop. By the first of July, the crop will be ready to be pulled, and this operation will require a large force of hands, if the crop be large, to secure its being done at the proper season. As soon as the straw begins to get yellow, and whilst the capsules or seed balls have yet a light green color, the business of pulling the crop should be commenced, and as soon as practicable after that period, the entire crop should be pulled. By early pulling, the seed will have a bright appearance, and the straw will have a uniform color and texture, and be worth at least twenty-five per cent. more for manufacturing purposes, than if pulled when ripe. Flax may be pulled in the neighborhood of large towns, where redundancy of labor of the right description, can usually be had for \$3 per acre, including board, lodging, &c.; and in a densely populated neighborhood some distance from town for \$3.50 per acre; which of course would include binding and shocking. This expense may be considerably reduced by using a machine for pulling flax, that was invented at the village of Waterloo, Seneca county, New-York. This machine, by the aid of one horse, a man and a boy, will pull from three to four acres per day, performing the work, if the crop stands up tolerably well, with as much neatness as though it was done by hand.

As soon as the straw becomes cured, it should be drawn to the barn to be threshed, which labor will require to be performed with the flail. The next process is water or dew-rotting; then follows the breaking and scutching, the latter of which finally prepares the fibre for market. Much skill is required to properly rot, break and scutch flax, but like all other branches of industry, it may be mastered, provided those who engage in it are determined to overcome all difficulties. Competent hands may be had, consisting of experienced flax dressers who have emigrated from the flax-growing countries of Europe in order to improve their condition, and those who en-

gage extensively in the growth of this crop, should secure the services of men who understand the business in all its branches. The day has passed when flax can be successfully broken and scutched by hand labor. Breakers and scutchers to be driven by steam or water power, are the only means that are now thought practicable to manage flax so as to make linen goods sufficiently cheap to compete with cottons. Machinery can be had that will not cost beyond \$400, which will clean in a proper manner from 500 to 600 lbs. of clean scutched flax per day, at an average cost, including the expense of rotting, of not more than two cents per lb. for clean scutched flax. Great improvements have been made in Ireland, in Scotland and in some portions of the United States, in the machinery for the preparation of flax for market; and those who may extensively engage in the business, would do well to make themselves acquainted with those improvements, and employ such as have been found the most economical and efficient.

The annual importation of all descriptions of flaxen goods in our country, cannot be much less than \$10,000,000, and the high duty that is levied upon goods of this description, the exchange between Europe and this country, the cost of transportation, &c., afford a guarantee of the most substantial kind, for the profitable prosecution of the linen business. Machinery for some years past has been in successful operation in Scotland, in the north of Ireland, and in Leeds, England, for the spinning and weaving of flax goods, which turns out linen fabrics of the finest staple at nearly as low rates as what it costs to manufacture cotton goods. In Massachusetts, and in Paterson, N. J., similar machinery has been for some time employed in extensive linen and shoe thread establishments, and the prospect now is, if the farmers will only come up to the work as they might do by employing more skill in their business, that the United States before long will be as independent of other countries for linens, as they have nearly become in cotton and woolen goods.

The value of a good quality of flax in England, may be fairly quoted at from \$150 to \$300 per ton, at which price it might be sent to that market from Ohio, netting a fair profit to the grower, if machinery of the most improved description and skillful laborers be employed in prosecuting the business. The annual importation of flax and flax seed into Great Britain for the past ten years, has cost \$50,000,000, and not a fraction of that money finds its way into the hands of the farmers of the United States. But what makes this matter still worse, a considerable portion of this flax is manufactured, on which the British manufacturer makes a large profit; it is then shipped to our country, a high duty is paid at the port of entrance; it is then sold at a considerable higher profit than if it were manufactured here. To place this great interest on its true and legitimate basis, we, as a people, must become not only the producers, but the manufacturers of linen fabrics, threads and twines; and by availing ourselves of the improvements effected in other countries, where the growth and manufacture of flax is a leading branch of agricultural and mechanical industry, it will be found to be productive of the most important results to the inhabitants of this State.

I am highly gratified in being able to inform you that a beginning, for the first time, has been made in this city, in the manufacture of flax goods, which affords the strongest evidence that an entire revolution will shortly be made in the business of flax growing in Montgomery county. The establish-

ment is owned and conducted by Messrs. McCann, Carnegie & Co., who have embarked some \$15,000 in it, employing the most improved Scotch machinery, and also Scotch spinners and weavers. The firm purchase the flax straw of the farmers, paying for it at the rate of \$7 to \$10 per ton, according to quality and rot, break and scutch it themselves. The breaking and scutching apparatus are constructed on a plan very different from those in general use, which are driven by water power, performing the work with greater despatch and efficiency than any machinery for that purpose that has been introduced into this western country. The tow made by the scutchers is² manufactured at present into a strong and even carpet thread, and the clean scutched flax is manufactured into twines, &c., all of which will be sent to the Boston market.

The Flax Rust—(*Puccinia Linii*.)

BY ASA FITCH, M. D.

In connection with the preceding article, we have thought it proper to give the following remarks, written for the forthcoming volume of the N. Y. State Ag. Society's *Transactions*, in reference to a malady which has in some instances proved very injurious to the flax plant, and a considerable hindrance to its cultivation.—Eds.

The disaster of which we are about to speak, is altogether the most baleful of any to which the flax crop in Eastern New-York is subject. And yet, in but a single instance do we find any allusion to it, in the botanical and agricultural works which we have at hand, though some of these latter profess to treat of "all" the diseases and casualties to which this crop is liable.

In the *Transactions of the Society of Arts of the State of New-York*, vol. ii, pp. 185, 187, is a short article from the pen of the Hon. Ezra L'Hommedieu, entitled "Description of a late disease in flax on Long-Island," in which we are informed that this disease first commenced in the town of Bridgehampton, near the east end of that island, about the year 1803, and the following year extended eight or ten miles further, and within two years thereafter was all over the eastern part of the island, "so that there is but little flax raised." In 1806, the same disease attacked the crops in Pittsfield and Richmond, Mass. It is described as a small black speck about the size of a pin-head, sometimes with a slight black streak about half an inch long proceeding from it; and this spot, it is stated, comes only upon or near the middle of the stalk, and does not make its appearance till the flax is pulled and dried. We think this description is drawn from specimens in the incipient stage of their growth, or else that at that early day the disease had not developed itself so far as to put on the marks which it now wears. On being dressed, the flax-stalk, it is stated, breaks in two where this spot appears; and though the affection was popularly regarded as a kind of mildew, Mr. L'Hommedieu thinks it more likely that it proceeds from the sting of an insect, which lets out the sap or juice, and rots the stalk in that part—though he had been unable to detect any insect which he could regard as producing this wound.

We proceed to give the facts that are within our knowledge, respecting this disease.

The "flax-rust," as it is termed by our farmers, seems to prevail more in some years than in others. In 1846, several fields were badly injured by it. The past year, 1849, which was noted for its drouth, there was scarcely any of it. Upon one point, our flax-growers generally concur. Where it does ap-

pear, it is almost invariably upon flax growing upon land that has been fertilized by artificial manuring. It would hence seem that a rank, luxuriant growth, such as an unduly rich soil produces, was a prominent exciting cause of this malady. Crops of flax, moreover, that are unusually late, seldom escape. Gen. McNaughton, of Salem, relates to me a notable instance, illustrating this fact. An old resident in his neighborhood, though a very worthy citizen, was always behind-hand with his work, so that he was never known to get his flax sown until some time in the month of May; and he was never known to have a crop but what was badly rusted—this disease commonly making its access after the patches of flax on the adjoining farms had all been pulled.

It is a little before the flax is gathered, that this malady usually makes its appearance. The earlier the attack, the greater is the injury. If it does not come on until just as the flax is being pulled, it is believed that it causes but slight damage. It comes in the form of black spots, looking as though a small drop of tar or some such substance, had previously been put upon the stem, and had spread out into a thin pellicle, concreting upon and adhering to the surface. If these spots have any different appearance in the incipient stages of their formation, none of my informants have observed it. They appear mostly upon the upper and branching parts of the stalk, but are sometimes scattered along its whole length; and wherever one of these spots appear, it rots off and destroys that part of the fibres of the flax with which it is in contact. If the spots are only at the top of the stalk, the injury is but slight; but when a solitary spot occurs any where near the middle of the stalk, every fibre with which it is in contact is lost; for the reason that, when the flax comes to be dressed, as it is held under the knives of the dressing machine, the upper part of all those fibres which have been cut asunder by the rust-spot, is whipped out among the tow; and when the operator turns the handful to dress its opposite end, the remaining part of these same fibres is similarly taken away. Hence a spot of this mildew reaching half round a stalk near its middle, occasions a loss of half the fibres in the stalk; and this seems the more lamentable, because these wasted fibres are good flax, except the minute portion that was covered by the rust. As an example of the loss that is sometimes experienced from this cause, the following may be related. Anson Collins, of Jackson, in 1846, sowed an acre of flax beside his barn, where the soil, it is evident, would be in a high condition as to fertility. It grew finely, and from its thrifty appearance, there was no doubt it would have yielded over two hundred pounds of dressed flax. But the rust invaded it, and from this cause alone, forty pounds was the entire product of the piece.

I have had no opportunity of seeing this disease in the growing flax. A few specimens of it, however, found after much search upon dried flax, are now before me. These, I am assured, exhibit perfectly the usual appearance of this disease. The spots are about one-fourth of an inch in length, and reach about half way around the branches of the stalks on which they occur. They are of a coal-black color, their edges well defined and visibly elevated above the level of the contiguous bark. A magnifying glass shows that the epidermis or thin outer bark is unbroken, but is merely raised up, as it were in a blister, which has become black and gangrenous. There is no doubt, therefore, that these specimens are immature, and that had the flax stood a few days longer, the epidermis would have been ruptured. Enough, however, is shown by them to

clearly indicate the nature of this disease. It is obviously a parasitic fungus of the group *CAEOMACEÆ*, or dust Fungi, of naturalists; and though its generic marks cannot be fully seen in these specimens, I have scarcely any hesitation in referring it to the genus *Puccinia*. In all the points of its history as above narrated, the reader will have perceived a close analogy between this and the common grain-rust, (*Puccinia graminis* of authors,) which so frequently attacks our oats, wheat, &c. But this flax-rust is evidently a distinct species from the grain-rust. All the best authorities discountenance the idea that the grain-rust ever attacks any plants except those pertaining to the grain and grass families. That appears, moreover, in the form of long, narrow spots, whilst here the spots are broad, oval, and with rounded, or irregularly situated ends. The characters herewith adduced are ample for distinguishing this species from the grain-rust, and from the several other species of blight and mildew of which I have any knowledge.* The name *Puccinia Lini*, literally meaning *the rust of flax*, is therefore proposed for this species, and a more definite description of its structure is reserved, until it has been examined in its growing and matured state.

To render this subject more plain to the general reader, it may be observed, that the rust-spots on flax, as on other plants, are occasioned by clusters or tufts of exceedingly minute mushrooms, which take root among the fibres of the inner bark, and by their growth raise up and distend the epidermis until it bursts; whereupon their seeds escape and float off in the atmosphere, or settle to the ground. How these nearly infinitesimal seeds find their way into the plant, to there vegetate, is not conclusively ascertained. The most plausible supposition appears to be, that they are disseminated in the soil, from whence they are imbibed by the roots of the plant, and are carried upwards by its juices, until they reach the appropriate places for them to grow. Drawing their nourishment from among the fibres of the flax, that portion of these fibres which is thus exhausted, withers and decays. Yet if the fungi have only commenced growing when the flax is pulled and dried, their further growth is arrested, and the fibres in which they have nestled are then but slightly disorganized.

From the facts that have now been related, it appears that the main safeguard against this malady, is early sowing upon ground that is not fertile to excess, especially from raw animal manures.

Where, from the vigorous growth of the flax, there is reason to fear it may be invaded by the rust, as the period for gathering it approaches, it should be closely watched, and that part of the field particularly examined where the crop is most luxuriant. And if it is discovered at any time that this blight is making its appearance upon the stalks so as to threaten serious injury, the crop should be pulled and dried without delay. Thus the loss which is otherwise inevitable, may be averted. There is but one consideration that will cause any one to hesitate in adopting this course, and that is the diminished amount of seed that is liable to be obtained if the crop is prematurely gathered. The rust, however, does not commonly make its appearance until

* How numerous are the kinds of rust, blight, smut, &c., which infest the vegetation of this country, is indicated by the fact, that that distinguished botanist, the late Rev. L. de Schweinitz, in his "Synopsis of North American Fungi," published in the Transactions of the American Philosophical Society, vol. iv, pp. 141—316, enumerates as known to him, forty-two species of *Puccinia*, and a yet larger number pertaining to each of the allied genera, *Uredo* and *Æcidium*.

near the time for pulling the flax, when most of the balls are so far advanced that the seed within them will ripen, though they are more immature than is desirable. The loss in the seed will therefore in most cases be small, compared with the loss that will be sustained in lint, if the crop remains many days ungathered, after this malady makes its appearance.

Agricultural Chemistry.

EDS. CULTIVATOR—The application of Chemistry to Agriculture formed a new era in agricultural improvement. Scientific minds brought their energies to bear on the subject, and a vast amount of knowledge is the result of their investigations. The theories of active, inquiring minds which experiments seemed to sustain, were tested,—those that were true, established, and those that were false, abandoned,—and every truth developed, prepared the way for further discoveries. Science answers the interrogatories of Art, which most otherwise have remained in doubt; for speculative experiments in agriculture lead to no results that can be relied on.

Works on Agricultural Chemistry are so numerous, that all may furnish themselves with the means to become acquainted in some degree with the science of agriculture. The results of experiments conducted by deep-searching minds, have been given to the world. The operations of nature in the chemical changes that are constantly taking place in the vegetable kingdom, are no longer shrouded in mystery; for the laws that govern vegetation in its rise, growth and decay, have been searched out by science, and are now plainly understood.

Prof. Liebig has given in his "*Familiar Letters on Chemistry*,"* a great amount of information at once interesting and instructive; and it may be studied with profit by the farmer, manufacturer and merchant. The application of chemistry to physiology, is perhaps, not so generally understood as in its application to agriculture. It is true, man may live and breathe, eat, drink, and labor through a long life, in entire ignorance of the laws of his being; without understanding how he lives, why he breathes, or in what way food sustains life, and adapts his system to endure labor. Still it is not to be denied, that with a knowledge of physiological laws, he might escape many of the ills of life that ignorance inflicts upon him. Every one knows that the system daily requires a certain amount of food, but few know how much it requires, except as they are told by the appetite, and that is not an unerring monitor. Especially in the case of young children, ignorance is the rule rather than the exception, as to the quantity and kind of food necessary for life and perfect health. Food must contain all the elements that form the various parts of the system, and what is required to sustain the waste that is constantly going on. But what are these elements? and why is one kind of food more nutritious than another? or why nutritious at all? Science alone can answer these questions. Flesh, blood and bone contain nitrogen and phosphates, therefore the food must contain these, or it cannot be converted into blood, which is the life of the system. A part of the food must also consist of carbon and hydrogen, for the oxygen that is taken into the lungs in respiration, combines with these elements for the pro-

duction of animal heat. Hence, life cannot be sustained by gum, starch, sugar or spirits, because they contain neither nitrogen or phosphates, nor can respiration be continued without these in some form; that is, their carbon and hydrogen. In feeding animals, a knowledge of this subject is important, in order to understand what substances are best adapted to the growth of muscle and fat, or to give strength to labor. It would not do to feed animals on turneps or potatoes alone, as they contain from 75 to 92 per cent. of water, and but a small portion of nitrogen. It is well known that hay is better than grass for working animals, and still better is it to feed some with oats or corn. Chemistry as applied to physiology, informs us in regard to all these matters, and is a study with which all farmers should be acquainted.

A knowledge of agricultural chemistry is but little disseminated, even among that class of people that it is especially designed to benefit. Indeed, the science is not yet fully developed, for the field of investigation is extensive, and progress necessarily slow, owing to the complicated nature of chemical examinations and experiments. But much has already been done, and the knowledge elicited is exerting a great influence in agricultural improvement. In the results of investigations that have been reached by different processes of reasoning and experiments, it would be strange if there was always an exact agreement. But if there are errors, no doubt but in time they will be discovered and corrected. It is the generally received opinion, I think, that manures are valuable in proportion to the amount of nitrogen they contain. Dr. Dana maintains this opinion in his *Muck Manual*, p. 123. "The nitrogen then, in dung, is that organic element, to which must be attributed its chief enriching quality." And on page 143, "A great part of the value of bone as a manure, depends on its cartilage." Liebig in Letter 16, says—"My recent researches into the constituent ingredients of our cultivated fields, have led me to the conclusion that of all the elements furnished to plants by the soil, and ministering to their nourishment, the phosphate of lime, or rather the phosphates generally, must be regarded as the most important." p. 52, "Bones contain from 30 to 36 per cent. of earthy matter—chiefly phosphate of lime, and the remainder is gelatine. Their efficacy as manure does not depend, as has been generally but erroneously supposed, upon the nitrogenized matter which they contain, but on their phosphate of lime." pp. 14, 54.

Liebig also maintains that the atmosphere contains a sufficient quantity of carbon and nitrogen, for all the purposes of vegetation, and if the other elements exist in the soil, these will be supplied from the atmosphere. By a process of reasoning which appears perfectly correct, in which a great variety of facts and experiments are taken into consideration, he arrives at the following conclusion:—"The effect of an artificial supply of ammonia as a source of nitrogen, is therefore, precisely analogous to that of humus as a source of carbonic acid—it is limited to a *gain of time*; that is, it accelerates the development of plants. This is of great importance, and should always be taken into account in gardening, especially in the treatment of the kitchen garden: and as much as possible in agriculture on a large scale, where the time occupied in the growth of the plants cultivated is of importance." p. 52.

The following extract shows plainly the importance of science in conducting farming operations successfully. If a farmer, without the guidance of

* Chemistry, in its Application to Physiology, Agriculture, and Commerce. By Professor Liebig. Fowler & Wells, New-York. Price 20 cents.

just scientific principles, is trying experiments to render a field fertile for a plant which it will not otherwise bear, his prospect of success is very small. Thousands of farmers try such experiments in various directions, the result of which is a mass of practical experience, forming a method of cultivation which accomplishes the desired end, for certain places; but the same method frequently does not succeed—it indeed ceases to be applicable to a second or third place in the immediate neighborhood. How large a capital, and how much power are wasted in these experiments! Very different, and far more secure, is the path indicated by SCIENCE; it exposes us to no danger of failing, but on the contrary, it furnishes us with every guaranty of success. If the cause of failure—the barrenness in the soil for one or two plants—has been discovered, means to remedy it may readily be found.

“The most exact observations prove that the method of cultivation must vary with the geognostical condition of the subsoil. In basalt, graywacke, porphyry, sandstone, limestone, &c., are certain elements indispensable to the growth of plants, and the presence of which renders them fertile. This fully explains the difference in the necessary methods of culture for different places; since it is evident that the essential elements of the soil must vary with the varieties of the composition of the rocks, from the disintegration of which they originated.

“Wheat, clover, turneps, for example, each require certain elements from the soil; they will not flourish where the appropriate elements are absent. Science teaches us what elements are essential to every species of plants by an analysis of their ashes. If therefore, a soil is found wanting in any of these elements, we discover at once the cause of its barrenness, and its removal may now be readily accomplished.” p. 40.

To all interested in scientific studies, this work will be exceedingly interesting, as it contains a great amount of valuable knowledge on the subject of which it treats. It is one of the books that farmers need. W. L. EATON. *East Weare, N. H.*

Indian Corn.

EDS. CULTIVATOR—Taking all things into consideration, I think the Indian corn crop is one of the most important that is raised in this country. The grain is used largely as an article of human food, and for the sustenance of all our domestic animals. A few remarks in regard to its cultivation in New-England, may not be inappropriate at this season of the year.

PREPARATION OF THE GROUND.—The selection of the soil and preparing it for the crop is of importance. If you have an old tough meadow or pasture that you design for corn, plow it in November, just before the ground freezes up. Lay the ground over smooth, to the depth of eight inches, following with a subsoil plow, and going down six or eight inches lower. Then make it smooth with the roller, and let it lie till spring. When it is sufficiently dry, harrow it with a fine-tooth harrow. If you have a good lot of compost manure, give a good top-dressing, and plow it in with a shallow furrow, leaving the old sward undisturbed.

If the soil is light and mellow, it is preferable to plow and subsoil in the spring, first spreading on the coarse unfermented manure, which is to be plowed in. For marking out the rows for planting, a “corn-marker” may be used to advantage. It is made by taking a piece of scantling, three inches square and ten to twelve feet long, with teeth of

hickory or white-oak, inserted at distances of two to four feet, according to the width designed for the rows. Then an old pair of wagon-thills and a pair of old plow-handles are put to it, and your marker is done. With a good horse to draw this implement, the ground may be made ready for planting very rapidly.

It has formerly been the practice in Connecticut, and still is to some extent, to plow corn-ground into ridges,—particularly when the ground is in sward. This is done by turning two furrows together, leaving a narrow strip between the furrows to be plowed afterwards. This mode requires a great deal of hard labor in the course of cultivating the crop. An experience of ten years leads me to the conclusion that a crop can be cultivated with one-third the expense, where the ground is left flat, than where it is ridged; and I see no advantage in the latter mode, except where the ground is wet.

The difference in the two modes is chiefly this:—where the ground is ridged, the corn being planted between the edges of the furrows it comes immediately in contact with the manure, springs up and grows rapidly the fore part of the season. Where the ground is left flat, and the manure turned under the furrows, the corn will often look feeble at first, and in growth will frequently be much behind that on ridges; and the inference, early in the season, is, that the ridged ground will give the best crop; but as soon as the roots of the corn on the flat ground, get hold of the manure, (say about the 20th of July,) the corn will shoot rapidly ahead, and the full force of the manure will be given to the stalk just at the time of forming the grain. Corn cultivated in this way, if the soil is deeply tilled, will often keep green, while that on ridges is dried up.

PREPARING SEED AND PLANTING.—Many farmers, at planting, shell the corn off the cob and plant it dry. Others soak it a few days in warm water. But when the seed is only treated in this way, it is very likely to be pulled up by birds and injured by worms. To prevent this, I first soak the corn in a strong solution of salt-petre; then take a quantity of tar, and having warmed it over a fire, pour it on the corn, and stir with a stick or paddle till the corn is all smeared with the tar; then add plaster till the corn will separate freely; and have no trouble in planting.

It is sometimes complained that tarred corn does not come up well; but when it is arranged as here described, there is no trouble on this score. No birds, not even crows, will pull it up. Some of my neighbors, who planted their corn without tarring, and whose fields were strung entirely round with cord the past season, suffered much by these birds. There is something in the smell of tar which is disliked by birds. I have frequently seen half a dozen crows at a time, walking over my corn fields; but not a hill would they touch.

The time of planting, will of course vary with the season. In this section, however, it may generally be planted from the fifteenth to the twenty-fifth of May. That which is planted late, often escapes the spring frosts, which injure that which is planted early. Thus it often happens that corn planted the 10th of May, is cut down by frost, and gains nothing over that planted the 25th of the same month.

AFTER CULTURE.—Where the ground is flat, I do not recommend the use of the plow at all; a light harrow, or a cultivator, is much better to go between the rows. If the cultivator is drawn both ways, very little labor is afterwards required with the hoe, except to weed out the hills, thin out the

stalks, &c. Formerly, a great deal of useless labor was spent in hilling up corn—indeed, in dry seasons it was worse than useless, for the corn was injured by it. The earth hauled round the stalk does not assist its growth, nor aid in holding it up—the brace roots, which come out as the stalk increases in height, support it; and it has been observed, that in a heavy storm and thunder-gust, corn that is hilled will be broken down more than that which is not hilled. The ground which is kept level has also the advantage of more readily absorbing rain—rendering the crop less liable to suffer from drouth.

I generally give corn two regular hoeings, and after haying, (say first of August,) go through the field with the hoe and clean out the weeds. My fields are generally clean, under this system; but it should be made a rule to keep down the weeds at any rate.

HARVESTING.—My way is this: two hands take five rows, cutting the corn close to the ground. They leave a hill standing to form the centre of the shock, placing the stalks round it—never laying them on the ground. After the shock is made of sufficient size, take a band of straw, and having turned down the tops of the stalks, bind them firmly, and the work is done.

Corn may be cut up as soon as the centre of the grain is glazed, even if the stalks are green. There will be sufficient nutriment in the stalk to perfect the ear; and the fodder is much better than when it gets dry before it is cut. If the shocks are well put up, they may stand four or five weeks. The corn may then be husked out, and the fodder secured for winter use. L. DURAND. *Derby. Ct., March, 1850.*

Suggestions, in answer to inquiries of E. W. Jones.
(*Cultivator for March, p. 118.*)

EDITORS OF THE CULTIVATOR.—In the March No. of *The Cultivator*, your correspondent, ED. W. JONES, Esq., of Clover Hill, N. C., solicits advice as to the method he shall pursue to improve Lots Nos. 6 and 7, of his land. I feel some diffidence about putting forward the following remarks in reply to his inquiries, for there are so many local and particular circumstances which I ought to know, and yet which I cannot know, that any thing I can say will doubtless need to be received with many qualifications. Your correspondent will therefore please understand that in what follows, I am addressing him, not in the language of *advice*, but in that of suggestion; and if my remarks are of any value, they are very much at his service.

The first thing to be done, in attempting the improvement of wet land, of every description, is to drain thoroughly. You are doubtless well informed as to the various approved modes of draining, some of which, with such variations as your judgment will dictate, it is to be presumed will fit your case.

After thorough drainage, and when the land is in grass, irrigation will probably prove advantageous. The water should flow gently over the surface, while the new grass is springing, and until it has grown sufficiently to cover the ground well, and then it should be taken off, or it will injure the quality of your hay. Too much water may be used,—thus drowning the grass roots and overcharging and chilling the land. While water imbibed by the soil from rains, dews, or gentle irrigation, is particularly grateful and invigorating to the cultivated grasses, stagnant water, or a soil surcharged with water, is destructive to them.

After draining, the leading fundamental idea in renovating your barren clay should be, as it seems to

me, to change its texture and alter its chemical constitution. This may be done by a proper system of manuring and a proper rotation of crops. A few of your first dressings of manure will need to be heavy, in order to start the land and perceive any marked results; and it would therefore be well to avail yourself of the vegetable substances which you say are abundant on your premises, and compost them with the droppings of your farm-stock;—say as much as two parts of muck, or of vegetable mould from the woodlands, to one of manure. Having provided such a compost, I would take one of the fields in hand and plow a surface furrow, say five or six inches deep, and following with the subsoil plow, loosen the lower stratum eight or ten inches deep, which will let in warmth and moisture, and extend the range for the roots of your crops. I would plow at that season of the year which, with you, is best adapted to assist in pulverization. With me, it would be best to plow late in the fall, for the frosts of winter help very much to break down and divide the clay.

In the spring, I would spread 40 loads (or 20 cords) of compost per acre on the inverted furrows, and harrow and cross-harrow till all is fine and well mixed. Plant corn, if you please, work the land often with the cultivator or other pulverizer, and keep down all weeds, so as to have a clean surface for the following crop. I would next seed to grass with such grain and at such season of the year as is best calculated to insure a good catch of grass. In doing this, I would loosen and level the surface, without disturbing the sod underneath; for its gradual decomposition there will keep the land lighter and mellow than it would be if the sod were again brought to the surface.

In stocking to grass, I would sow the seed with a liberal hand. It should undoubtedly be a principal object with you to fill the clay intimately with grass-roots. Penetrating the soil in every direction, these roots open, loosen, and finely divide it, and admit heat and moisture. When the land is again broken up, the decay of this mass of vegetable fibre, intimately pervading the soil, mellows it, forms a sort of reservoir to receive and retain moisture, and it furnishes important nourishment to the crops of the next rotation. I would, therefore, sow at least 12 lbs. of clover seed per acre, together with 12 quarts of herd's-grass, and a half bushel of red-top seeds, or such other meadow grasses as you prefer, in like liberal proportions.

By the end of the second year, the clover will mostly disappear, and the other grasses will then take possession and form a rich sward. The clover roots, filling the clay everywhere, have finely divided it, and in their decay, will add vegetable matter for the nourishment of the other grasses. While the land is in grass, use the irrigation. It will, among other things, thicken up the sward. If you please, you can top-dress the grass with alluvial mould, or sand or gravel loam, at the rate of from 40 to 100 loads per acre, with manifest advantage to the land and the grass. You are no doubt aware that there are no improvements in farming of a more permanent nature than those made by a judicious admixture of soils. But if this is inconvenient and costs too much, a top-dressing, either of fine farm-yard and muck compost, of muck and ashes, of muck and lime, of muck and alkali in any other form, or of any of the other highly concentrated manures, will be serviceable in increasing the crop and thickening up the sward.

If, after the land has lain in grass for the space of four or five years, you have succeeded in getting

a rich, thickly-matted sward, you have gained an important point. When this sward is plowed under for a new rotation, its mechanical and other influences upon the clay will have an important bearing. As soon as this sward has formed, say in four or five years after seeding, plow again, running each plow an inch or two deeper than before, spread the same quantity of compost, and plant, sow and seed down on top of the decomposing sod, as at first. By pursuing this course for a few years, you will probably succeed in forming a fertile surface soil, of good depth, well proportioned as to vegetable mould, essentially changed in texture and composition, and producing well,—particularly a fine quantity and quality of hay for winter forage.

It strikes me that your rotation on the other five lots is rather hard for the land. I will suggest that if your rotation were,—1st, corn, with manure—2d, wheat, or other grain, with grass seeds—and then three years grass, your crops would all be heavier, and your land would improve faster with the same manure. However, I merely suggest.

With regard to "Bommer's Method," there are various good ideas and hints advanced in it that might perhaps be beneficial to follow, where one's means for making manure in other ways are limited. But with your large amount of farm-stock, and your abundant supply of muck and other vegetable substances, all the necessary manure can be made, if a system of composting and saving all is adopted.

I have attempted to "blaze out a track," as you request; but in trying to follow it, you may perhaps find yourself in a condition somewhat like that of the traveller in a crooked and uncertain path, with trees imperfectly marked, and nightfall settling thickly around him. F. HOLBROOK. *Brattleboro, Vt.*

The Dignity and Relations of Agriculture.

EDS. CULTIVATOR—In the brief history of the creation of man, given in the sacred Scriptures, we are informed that "God formed man of the dust of the ground," and that "every herb bearing seed, and every tree yielding fruit, was given to him for meat."

The study and practice of agriculture then, has this dignity; it is directly connected with the question of the origin and sustentation of the human frame, and the human race.

The earthy origin of that frame is directly proved by the easiest chemical analysis; and its continued sustentation from the same source, is a matter of common and familiar experience.

Accordingly, after man was created, he was placed in a garden. The Hebrew word "gan," means a *hedged place*, and is appropriately translated *garden*, i. e. a *guarded place*. The name of this garden was "Eden," (Hebrew "Aden,") literally *pleasure* or *loveliness*. Here then we have the proof of the security of man's divinely appointed home, and the indication of the beauty of its location and scenery. We are further informed that "God put him in the garden to dress it and to keep it." The Hebrew word "aubad," translated to *dress*, means to *work*, and is the root from which another word, ("ehed,") which means a *servant*, is derived. The Hebrew word *shamar*, translated to *keep*, means to *watch* as a "watchman." Hence then, we have this result: *the original designation of man, was to a life of labor and enterprise*. All this was arranged before sin had cursed the ground, and while man was in his primeval condition.

Need another word be said then, of the utility,

dignity, and I had almost said, divinity of agriculture.

After this introduction, it may be well to say something of agriculture in its relations to *utility and science*.

I. GENERAL RELATIONS OF AGRICULTURE.

1. *To the supply of Food, Raiment, Shelter, &c.*—All these are intimately connected with the cultivation of the soil.

Barbarous countries possess a very sparse population. Thus, Asiatic Russia has but two inhabitants to a square mile, the whole of Africa but five; while cultivated Europe has sixty-six. Again, half-civilized countries, as Equador and Venezuela, though possessed of a fine climate, and much fine soil, have a population of but two inhabitants to the square mile; while cultivated Belgium has 323, Holland, 254, and Great Britain, including Ireland, 223. It is true that these last countries are much the oldest, but this makes but a small part of the difference.

A people who live almost entirely on flesh, as most barbarous nations do, require a larger territory, even when it is cultivated, to support the same population, than when the inhabitants live partly or largely on vegetables. The reason is, that vegetable food, when eaten by men, in the first instance, contains more nutriment than the same food converted into meat.

The fact, and its causes, that cultivated lands afford better raiment and shelter than uncultivated, is too obvious to need illustration. The savage hunter and fisher lives precariously, whether you regard his food, raiment or shelter.

2. *To Health.*—Man, and perhaps all animated beings, need exercise to promote health. The labors of the agriculturist, taken as they are in the free open air, under the light of the sun, under the impulsive desire of food and gain, become more healthful, on the whole, than any other species of labor. This is evident in the superior vigor and longevity of an agricultural population, in all ages and nations. It should not be forgotten, also, that the varied scenery, labors, and interest of such a population, do much to cultivate that mental vivacity and quiet on which good health is based.

3. *To Mental Development.*—"Mens sana in sano corpore,"—i. e., a sound mind in a sound body, is an adage as old as it is true. A brisk, equable circulation of the blood, firm muscles, and steady nerves, are as important to the vigor and health of the mind, as of the body.

4. *To Moral Improvement.*—Whatever gives health to the body promotes mental calmness; whatever familiarizes man with the works of God, removes him from large associations and exciting scenes, pleasantly and usefully occupies his time and thoughts, and maintains the family state—that is favorable to moral improvement. All this is embraced in the pursuits of the tiller of the soil. Seldom, among them, are we struck with the perpetration of dark crimes and high misdemeanors, or the exhibition of towering ambition and violent political animosities.

5. *To the cultivation of Social Sympathies.*—Such sympathies are the sweetest in life, and are the foundation of all that is interesting in the idea of home. When correctly cultivated, they form the highest degree of social harmony, comfort and improvement. Such results are no where so uniformly attained as in a rural population.

6. *Agriculture is the necessary calling of perhaps four-fifths of the population of every age and country.*—Food is the first want of man, the first object of wise and laborious pursuit. Except in

positions peculiarly favorable to commerce and manufactures, and the ready importation of bread, no community will embark largely in either of these pursuits, while a fertile soil and genial climate invite to agricultural pursuits. Many individuals too, in the fluctuations of business, or the pursuit of health, have recourse to it. An agricultural population is the main source, whence principally the *Mechanic arts*, the pursuits of *Merchandise* and *Commerce*, and the *learned professions*, draw fresh recruits to fill up the wasting ranks of each—a striking comment, alike on the sanitary influences of the one, and the destructive tendencies of the other.

In tracing out these relations I need not state them all, since, in a loose manner of speaking, every single science or calling is nearly or remotely related to every other. It is enough then, to state the more obvious of them. Nor is it needful here, that I should trace these relations with minute and scientific accuracy, as though writing a school book. It is enough to state a few obvious facts, leaving to books of science to fill up the blanks.

II. THE SCIENTIFIC RELATIONS OF AGRICULTURE.

1. *To Geometry*.—Whether the notion be true or false that this science rose in Egypt, among the farmers of the Nile, who, by its aid, revived the landmarks which the annual floods of that river had effaced, we need not stop to inquire. If it be a fable, it strikingly exhibits the impression of the ancients of the utility of this science to agriculture. In a new country, wild lands must be surveyed; and successive sales and subdivisions require resurveys in all lands.

Fields, also, need to be measured and laid out for the ordinary purposes of culture and embellishment. Some knowledge then, of the *rules*, if not of the *principles* of Geometry, are essential to the cultivator of the soil.

2. *To Botany*.—This science, whether contemplating the systematic arrangement of plants, or the mutual relations and uses of their parts, is intimately connected with agriculture. Indeed, some knowledge of this science is implied in the rudest condition of this pursuit. The habits, structure and qualities of plants, the soil and climate best adapted to them, the best mode of culture, and the power of that culture to change and improve them, are all questions in which the farmer is interested. He learns that the grasses, what are often termed English grains, and potatoes, require only moderate heat and light, combined with a due degree of moisture. So also of the apple, pear and plum. On the other hand, Indian corn, pumpkins, squashes, melons, tomatoes, cucumbers, and other tropical plants, require the highest degree of heat and light that our climate usually exhibits, with a less degree of moisture than the preceding class. The same remark applies to such fruits as peaches, grapes, apricots, and nectarines. Not less must the farmer understand the power of originating new plants by the union of old and nearly related varieties. But enough here on a topic that readily expands into volumes.

3. *To Medicine*.—The analysis of plants with reference to their qualities of nutrition, stimulation, &c., and of minerals constituting the natural or needful basis of all productive soils, naturally also develops their *medical* qualities. Hence it will be found, to a considerable extent, that the sciences of agriculture and medicine advance with equal pace.

4. *To Chemistry*.—This science teaches us that the whole material world with which we are acquainted, is made up of varied combinations of from 56 to 60 simple substances; and that about 12 or more

of these enter, more or less commonly, into the constitution of those vegetables with which the farmer is acquainted, as well as into the constitution of all those animals which feed on those plants; that what thus is found in the animal and the plant must previously have existed in the soil, and thus should be considered a necessary constituent of all soils adapted to the growth of such vegetables.

The bulk of all vegetable matter is composed of three elements, carbon, oxygen, hydrogen—in short charcoal and water, to which is occasionally added a little nitrogen. Combined with these, but usually in comparatively small proportions, are phosphorus, sulphur, iron, silica, potash, lime, allumina, manganese, and, it may be, a few others. Some of these last, as phosphorus, potash, siliceous and lime, are indispensable to almost every plant, sometimes to the herbage, at others to the seed, and often to both. Other mineral substances may be present in a soil, and, either intrinsically, or by the degree in which they exist, may prove poisonous to vegetation; such are lead, arsenic, some forms of iron, magnesia, copper, &c.

Chemistry will teach the farmer the influence of heat in the production of the peculiar secretions of tropical plants, and hence the relation between a hot and dry summer, and their valuable qualities. The effect of electricity, also, although not yet very well defined, will be referred to this same science. So also, the system of manuring, as intended to add to the soil, substances indispensable to the growth of plants, but absent from that soil, or present in too small a proportion, is explicable only by the science of chemistry. The philosophy of plowing, as tending to break up the soil, and bring its minute particles into an available condition, as well as to open it to the influences of heat, light and moisture, is also chemical. The germination of the seed in the soil, the growth of the plant, and the maturity of the seed or fruit, are all processes which are purely chemical.

But the full illustration of this branch of the subject, as in the parallel case of Botany, would be the work of volumes.

5. *To Mineralogy and Geology*.—All the mineral elements of plants being derived from the soil, it becomes a question of importance to ascertain their condition in that soil, and also their source. Mineralogy teaches us the rocky origin of all such elements; and investigates their state of combination with other, and often useless or noxious substances; and also the mode of their development, by the natural agencies of water, frost and chemical changes, or by such artificial means as science may indicate. This science further develops the existence of some mineral elements, such as some of the forms of lime and phosphorus, that are the remains of a former condition of the world, when animated by a very different class of animals from those that now inhabit it. Hence, to a great degree, the mineralogical structure of a soil, settles the question of its adaptation and fertility. Soils, especially rich in phosphorus, lime, potash, and allumina, may often be cropped for a long time with little regard to alternation or stint.

Again, as all minerals are originally derived from those vast rocky layers of which the earth was once constituted, so the geological indications of any country will go far towards settling the character of all those surrounding soils that were constituted by their disintegration.

6. *To Astronomy*.—The sun is the great and obvious source of both *light* and *heat* to the world.

The seasons of the year and the progress of ve-

getation depend on the degree of these indispensable stimulants. The general angle of incidence, with which light strikes the earth, settles the question of climate, in all its gradations, from tropical to polar. Ignorance and superstition have attributed important influences on the weather and the seasons, as well as on other human interests, to the moon, stars, and signs of the zodiac. But science does not confirm these opinions, but shows them to be baseless and harmful.

7. *To Zoology.*—With one class of animals, the farmer is concerned for the purposes of draught, food and clothing. They are the horse, cow, swine, sheep, goat, goose, hen, silkworm, &c.

With another class he associates an interest, as they are his auxiliaries in repelling the depredations of others that are noxious. They are such as the dog, the cat, various sorts of birds, and some classes of insects.

A third class, mostly birds and insects, are familiar to him as destructive to the interests of the field crop, the garden and the orchard.

With the forms, habits, &c., of each, the cultivator should be acquainted, that he may know how to avail himself of the aid of the useful, as well as to repel the encroachments of the mischievous.

An enlightened and discriminating view of this subject has corrected many popular errors. Many animals, once considered useless, and perhaps repulsive in form and habits, are now found to be peaceful and important auxiliaries to the gardener and farmer. Thus the toad, so unshapely to the eye, and once thought worthy to be a sort of personation of the evil one, is now known, not only to be not poisonous, but eminently destructive of innumerable insects. So also, many birds, once hunted with avidity, on account of an occasional injury to the field or garden, are now ascertained to accomplish a large balance of good.

8. *To Mechanics.*—The farmer needs carriages, various tools, especially for cultivation and seed sowing, reaping, excavation, &c.

In the construction of these, reference should be had to the persons using them, and the quality of the soil to be cultivated, and the facility with which they may be used, and their durability. In nothing does the enlightened agriculture of some nations appear more than in the wisdom of their machinery.

9. *To Commerce.*—The supply of agricultural productions, in an enlightened community in a genial clime and upon a fertile soil, will be limited only by the demand. This demand will depend on a well regulated commerce. A surplus of productions will itself be likely to originate commercial enterprises and regulations. Hence will result a wise appropriation of the soil in any country, guided by its natural powers, and the foreign demand.

10. *To Artistic Skill.*—Suppose the farmer to be instructed intellectually in all the facts and sciences of his calling, he yet needs wisdom to concentrate all upon his appropriate labors, that they may be performed with appropriate skill, at the proper time, and result ordinarily in abundant and cheap productions, appropriate to the soil and the demands of commerce. Such results will ordinarily follow only where the cultivator has passed through a leisure apprenticeship of principles and manipulations; the one acquired in the field, the other in the study or the schools, and both pursued with a just appreciation of the utility and dignity of agriculture.

OBSERVATIONS.

Let the Farmer seek higher qualifications.—Perhaps some, after contemplating the preceding outline of relations, may be disposed to say that "such

and such persons, in the past and present generation, *have been and are* good farmers, without all this parade of education." I answer, that in proportion to their skill and success, they had, at least practically, some of the advantages of such an education, advantages gradually acquired from experience, observation and reading. And who shall say how much more successful they might have been under higher advantages from these sources. Again, is it not painfully evident that the want of knowledge and skill are a great drawback on the profitableness of much of the farming of the present day? How much loss results from the want of well-constructed tools, unwise plowing, ignorance of the proper rotation of crops, the just adaptation of crops to particular soils, badly selected flocks and herds, waste of food in fattening animals, bad selections of fruits, &c. Now much of this loss would be prevented by a wise agricultural education, the cost of which, to a young man, would not be equal to the loss of a single year, arising from the mismanagement of his farm.

Another reader of these observations, who admits them in all their force, will exclaim, "how am I, a poor youth, ever to become a farmer if such be the needful qualifications?" Here you point out ten scientific relations of agriculture, each one of which would require at least a year of hard study in the attainment of its rudiments, a thing for which ninety-nine in the hundred of young men have neither money nor time." I answer, there are various stages in the path of improvement. Many a young man, who cannot get a collegiate education, nor spend two or three years at an agricultural school, may yet spend a year or two with some farmer of enlightened mind, and improved modes of culture. And if a poor young man cannot do even that, the simple fact, that his mind is awakened to a knowledge of his own ignorance, and the existence of sources of light, will have the effect to arouse all his powers of attainment, so that his eye, his ear, and his mouth, are all henceforth to be opened in the eager pursuit of appropriate knowledge. The spell of traditionary usage is broken, and he at once thrown into the path of certain, though it may be slow, improvement. Henceforth, he will seek new books appropriate to his calling; he will watch experiments in his own labors, and those of his neighbors. Thus, by the time he reaches middle age, he will have made the most desirable attainments in his calling. Others, meanwhile, with more means and higher advantages, will have become fitted to be *Professors* in the science of agriculture.

Society will thus, on this subject, present a beautiful climax of attainment, from the first lessons and labors of the ardent youth to the sublime theories, and startling results, of the doctors of agricultural philosophy. Thus, the science of Agriculture, so fundamental to all the interests of human society, and so intimately related to almost all the other sciences, will no longer bear the reproach of being conducted by machines as mindless as the patient ox or "iron horse" that impels his heavy machinery, but the agriculturist will be classed among the most enlightened students of the works of God, and be worthy to be considered the firmest pillar in the church and the state.

At the same time the equipoise between rural and literary pursuits will be maintained, and men will no longer forsake the plow emulous of fame in the supposed elevated paths of science.

2. *Let the Farmer feel an established conviction of the Dignity of his calling.*—That calling is first in historic origin, first in necessity, first in comfort,

first in varied qualifications when wisely pursued; and shall the laborer in the field look on his hard hand, brown skin, and well developed muscles—his plain, strong, but comfortable clothing, and dwelling, and equipage, as signs of inferiority and meanness? His is health, strength, contentment and independence; his is a central and fundamental position in society, and shall he cower? The humble and learned divine, the skillful and humane physician, the acute but honest lawyer, the enlightened teacher of science, the keen but honorable merchant, and skillful mechanic, are all honorable men, whose virtues and agencies are indispensable to the best good of society; and so are their wives, their sons, and their daughters, honorable; but not exclusively so; nor in a higher degree than the farmer who honors his calling. If the tiller of the soil has heretofore enjoyed less honor than the indispensableness of his calling naturally accorded him, it was because he brought fewer of the lights of science to bear on his toils than naturally clustered around them.

Now, that science is simplified and made accessible to all; let the farmer concentrate its rays upon the dark bosom of the earth until it is radiant with the light of philosophy, while it fills his "basket" and his "store" with its rich and varied productions, and teaches him the wisdom, power and grace of God. C. E. G. *Utica, N. Y.*

The Veterinary Department.

Bone Disorder in Cows.

It has often been mentioned that in some parts of Europe, where land has been long pastured by milch cows, the animals are subject to a weakness of the bones, a disease which has been attributed to the exhaustion of the phosphate of lime in the soil. We have also mentioned that in the older settled parts of our own country, the same disease had made its appearance. The application of bones as manure to the soil, or the phosphate of lime as it is found in some rocks, has been found to restore the necessary quality in the grass, and the animals become healthy. It appears, also, that "bone meal" has been given to the cows with good success.

Mr. WM. R. PUTNAM of North Danvers, Mass., gives some valuable ideas on this subject, in a communication to the *N. E. Farmer*. He says—"In a former communication I attempted to show that there was such a disease, caused by the want of proper food. It will be my object, at this time, to show why it may exist in some sections of the country, and not in others. Those farmers, in this town, whose cows have been affected by it, have not been in the habit of raising stock, but they have sold their calves to the butcher. The farmer who keeps ten cows, usually sells annually eight calves. These at five weeks old, will weigh one hundred and twenty-five pounds each. Where this course has been pursued for fifty years, there have been taken from the soil twenty-five tons of animal matter, and but small return made to it by the manure voided by calves at this age. Now it will be obvious to every one that this will sooner exhaust the animal matter from the soil, than where they raise stock; for the ox that is kept until he weighs as much as the eight calves, will have voided a larger amount of manure.

"It is the practice of most farmers here, to purchase heifers that are driven from New-Hampshire, Maine, and Vermont, in the autumn, before they are three years old, which are expected to calve in the spring. This is a time when they will require the

largest amount of animal matter to promote their own growth, and furnish nutriment for their offspring. It is these young cows that are most likely to be affected by this disease. On Mr. Preston's farm, alluded to in my last communication, for fifteen years before they began to use bone-meal, they were not able to keep any of these until they were six years old. They became so stiff and feeble that they were obliged to dry them. Many of them were driven to New-Hampshire to a pasture that has always been used for fattening cattle. There they fattened as well as cows that had never been diseased.

"I will give my reason why I think this disease has not shown itself any more in Hamilton; yet I think I have seen some signs of it there. When I see the boards about the cow-yard look as if the cows had been trying to eat them up, it is a sure sign of one form of this disease. The farmers in that town are in the habit of using a considerable quantity of hay from the salt marshes of Ipswich and Essex. I have never seen any analysis of this grass; but, from the large quantity of lime in the shells of clams and muscles, found about these marshes, the inference is that it contains a large amount of phosphate of lime.

"The pastures there may be as much exhausted of animal matter as here; yet if the cow has had a full supply of it during the winter, she will be able to go through the summer without showing the want of it. It is the opinion of some there, that the manure made from salt hay is better than that made when the cattle are fed upon English hay. The inference from this is, that it furnishes something to the soil, which the other does not. It is the practice of many there to keep a portion of their best salt hay until the time the cows go to pasture. They will often eat it then, when they will not eat the best of English hay.

"It may not be, that those farms which have been cultivated the longest are most exhausted of animal matter. It depends more upon the manner of cultivation than upon the time. Perhaps we may apply the same principle to feeding milch cows, that we act upon in feeding hens. When we see them trying to eat the lime from the walls of their coop, we think they need it to form the shell of their eggs, and we give it to them in oyster-shells, old mortar, and bones. So when we see a cow trying to eat old bones, we should think that she needs something of this sort to furnish milk.

"In Dr. Dana's *Muck Manual*, it is stated that the liquid evacuation of the cow contains a considerable quantity of phosphate of lime. When no attention is paid to preserving this, and the solid excrements are exposed to the air, the most volatile and valuable parts are lost. From this we may infer that where there is a barn cellar for preserving the manure, the cows will not be so likely to have this disease, and experience will warrant the conclusion. It is there stated, also, that peat ashes abound in phosphate of lime. By carting muck to our barn-cellars, to be wet by the urine of the cows, we not only increase our manure, but it will abound in that particular ingredient which the soil needs to produce proper food for milch cows."

Blind Teeth in Horses.

EDS. CULTIVATOR—In confirmation of Mr. Little's statement in the February number of *The Cultivator*, concerning wolf or blind teeth in horses, I would add, that in the fall of 1849, I purchased a horse five years old. When delivered to me, after a long journey, I discovered a dullness of the eyes,

accompanied with a slight weeping or running. Upon examination, the wolf-teeth were found in front of the grinders. The horse's eyes continued to grow worse until I had the wolf-teeth drawn.—Immediately after, the eyes improved, and soon became bright and perfectly sound, and still continue so. E. Bridgton, N. J., Feb. 23, 1850.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Transplanting.

Much has been said on this very important art of altering the locality of a growing tree; but while so many trees are lost, and a still larger number stopped in growth by the operation, the subject cannot be regarded as done with.

All the different parts of this work, come under one general requisite for success—which is, *to take the tree up and set it out again just as it previously stood*, with as little violence to the different parts as practicable.

1. *One of the most obvious points, is to take up the roots as nearly whole or uninjured as may be done.* Instead of cutting off the roots close to the tree, the spade must be set far back from it; and if the tree be of such sort as has tough roots, it should be *slowly drawn* up by the strength of two or three men; but if the roots are tender, the tree must be *lifted* out, earth and all, and the earth removed afterwards by shaking. The roots of a young tree usually extend in a circle equal in breadth to its height. In the annexed figure, where *a* is the trunk of the tree, *b b* the circle of roots cut off by the spade in a hasty or careless removal, the great majority of the roots left in the soil outside of this circle, may be at once perceived.



But as about one-half of the roots must be cut off, even in a careful lifting of a good sized tree, the top must be lightened with the knife in a corresponding proportion. From apple trees, one half of last year's shoots should be cut off, and two-thirds or three-quarters from peach trees. If the head is too compact, this proportion of the shoots may be cut entirely out; but if the head is thin, one-half to three-quarters of each shoot may be cut. So great is the advantage of thus rendering the top lighter, that no person who has once given it a fair trial, can easily be induced ever to omit it.

2. *A second very essential requisite, is to keep the roots moist while out of the ground.* For this reason it is very useful to plunge them in a bed of soft mud, made on purpose, which coats over the roots and preserves the moisture for a long time on

their surface, until they can be again set in earth, or packed in wet moss for sending long distances. Trees received from a nursery should always be *immediately* buried in the roots in mellow soil, so that one by one can be taken out fresh and moist as wanted.

Careless operators often take up trees and suffer them to remain more or less dried for whole days together; all the smaller fibres are thus killed, and the erroneous notion has hence arisen, that the smaller fibres are of no value.

3. *A third requisite is to replace the earth compactly among the roots, leaving no interstices.* If the earth is hastily and carelessly thrown in, vacancies will be left beneath the tree, which will cause great injury, if not death. To do the work well, the earth must be fine, and gradually sifted in from the shovel, spreading out all the roots with the fingers as the work proceeds. Dashing in a few quarts of water before the hole is filled, settles the earth well against all the roots, the surrounding earth soon absorbing the superabundant moisture, and leaving the tree firm. This close contact of soil, it will be observed, is assisted by the mudding of the roots, already described.

There are several other points of minor importance, or occasionally very necessary, as paring off all bruised parts of the roots before re-setting; staking up the stem or throwing a bank of earth up around it, to prevent shaking about by the wind; avoiding a water-soaked soil; planting no deeper than the tree stood before,—or even placing the tree on the surface, and embanking upon it, if the soil be wet; and keeping the *stem* and *branches* moist, but not watering the roots, if the tree is too much dried, till the leaves appear.

The subsequent success and vigorous growth of the tree, depend on *three requisites*. 1. First and most important, is a fertile soil. This may be secured for the tree while young, by digging large holes, and filling them (except in immediate contact with the roots) with very rich soil, or with short manure well mixed with soil. Young apple trees, as large as a riding stick, with holes seven feet in diameter thus filled, have borne a bushel of fruit each the *fifth summer*. By the time the roots have run between these holes, the rest of the ground may have been enriched and deepened by manuring and plowing. 2. A second requisite, scarcely less essential, and indeed often more so with peach and some other trees, is to keep the soil *mellow and clean* at all times of the season. Even a crop of potatoes or ruta bagas lessen the growth of the trees, although *immeasurably* less so than sown crops or grass. 3. A third requisite is *mulching* during dry seasons. This consists merely in covering the ground 6 inches thick with litter, leaves, or similar substances, for *several feet* each way round the tree, during the hot and dry part of the year. It obviates watering, and assists to an almost incredible degree, the growth of the tree.

Street Shade Trees.

We would briefly remind those who can feel the difference between bare lines of buildings, and dry, glaring, and dusty streets, on the one hand,—and the softness, luxuriance, the interminable beauty of masses of green foliage, and the refreshing shade of our finest forest trees planted in villages and by road-sides, on the other,—we would remind these that the time has now come for action—no delay must be made, if another whole year is too valuable to be lost.

Most of the directions, given in the preceding article on transplanting fruit trees, are equally applicable to shade trees. But there is one all essential part of the work, without which failure is about as certain as the course of water down hill, and that is, the trees after being set out must be carefully protected from the rubbing of street animals. We have seen trees five inches through, which had been moved with nearly a ton of earth on the roots, all destroyed the second year by the rubbing of pigs and cattle. The best, most substantial, and most durable protection, consists of three posts in the form of an equilateral triangle, enclosing the tree, with horizontal cross pieces, or boards securely nailed to the posts. This frame will besides prevent those, who think a tree is a very handy object to hitch a horse to, from spoiling it by allowing the horse to gnaw the bark. "You will be exceedingly vexed," says a late writer, in allusion to such a disaster, "but will be consoled by the assurance that the owner never knew his horse to do so before—and you will wish him and his horse at — the end of their journey!"

A few brief directions for planting shade trees, may be summed up as follows:—

1. Dig the hole before the tree is taken up, for being large, its roots cannot be so easily protected from dying as a smaller tree, and it should therefore be out of the ground as short a period as possible.

2. If the trees are two to three inches in diameter, the holes must not be less than six feet in diameter, and a foot and a-half deep, and the roots of the tree taken up, of nearly corresponding size.

3. Cut round the tree two and a-half or three feet from the stem, and lift it out without tearing the roots or bruising the stem—not after the recommendation published some years ago, as a *very careful* mode of removing, "cutting the roots with an axe, and dragging the trees out with a yoke of oxen."

4. Cut off or thin out one-half or three-fourths of the top, having an eye to the future shape of the tree. This lessens the number of leaves, the draught is less severe on the roots, the fewer shoots grow more rapidly and the wind has less power on the tree.

5. Plant the tree no deeper than before; as some one quaintly remarks, "nature has attended to the growing of trees some six thousand years, and cannot in this particular be improved upon."

6. As soon as the tree is set, then immediately erect the tripod-protection, already described.

7. Cover the ground several inches deep with litter, in a circle six feet in diameter. The soil cannot be easily cultivated, and this mulching is the best substitute.

Trees treated according to these rules, will begin to grow immediately, and will form handsome, rich, dense masses of foliage, in less time than those which are carelessly torn from the earth and hastily planted like a fence-post, can recover from the violence which they have received. It is better to plant ten trees well, than twenty or thirty badly.

Trees which have grown in the open ground are hardier and far better than those taken from the forest. Thick woods afford almost the protection of a green house; and trees removed from them and set out in open air often perish solely in consequence of their tenderness. Those from borders of swamps are often better than those from upland, the soft mucky soil more perfectly admitting the entire removal of the roots. The dissimilarity of soil where they are placed, rarely proves of any detriment. As a general rule, such trees have succeeded much

the best with us. This is also, particularly the case with *evergreens*, which always need a large *cake* of earth to be removed entire upon the roots. This cake should always be large enough to hold the tree stiff against the wind without any staking. *When this has been done, we have never lost a single evergreen tree by transplanting.* In the borders of swamps, where the muck is shallow on a hard-pan, the roots of evergreen trees usually form a thick mat of roots, all near the surface; cutting round one with a spade, allows the tree to be taken up with great ease, the whole mass of the roots and muck *peeling* readily off from the hard-pan.

Inquiries Answered.

AGE OF TRANSLANTED PEACH TREES.

"Will Peach Trees, one year from the bud, bear as soon as those two years from the bud?" *A. P. Clarkson, N. Y.*

According to the experiments we have made, peach trees of the usual size at two years, well treated, will come into bearing decidedly sooner than one-year trees. Such trees need the shortening-in process, as an indispensable requisite to complete success, at the time they are set out. Treated in the best manner, and with the ground kept clear and mellow afterwards, such trees not unfrequently produce from two to three pecks of fruit the third summer.

SHORTENING-IN CHERRIES.

"Will it be a good plan to shorten-in my young cherry trees, which have become rather top-heavy by their vigorous growth, some shoots having made two and a-half feet the past season?" *J. T. Rome, N. Y.*

No harm can result in cutting back the young shoots, to render the tree less top-heavy; but, unless the head is quite thinly formed, it may be advisable wherever a cut is made, to take off the entire shoot, which would in such case give the head a neater and cleaner appearance. It scarcely ever becomes necessary to prune the head of a cherry tree to let in the light, which is so essential for the peach.

ROOT GRAFTING.

"In root-grafting, how long must the scion be, and how far above ground when set out—must the ground be packed around it? Is paper as good as muslin for the plasters?" *D. D. D. Ilion, N. Y.*

The graft should be about three or four inches long, and the tip must be just even with the surface of the ground, which prevents the danger of its becoming too much dried. The earth should be closely packed around it for the same purpose. More care, however, is usually needed in packing well about the root below, careless workmen usually leaving interstices. A deep, inverted sod, where the soil is sufficiently fertile, is much better for setting out root-grafts than other ground, being attended with fewer losses. Muslin is better than paper, as usually applied;—but if thin, tough paper is selected, and the wax applied copiously, it is fully equal to muslin.

GRAFTING WAX.

"I notice in the *American Fruit Culturist*, that a *cheap* grafting wax is recommended composed of 6 parts of beeswax, 1 of rosin and 1 of linseed oil. As beeswax is rather high priced, is there not some mistake in this?" *P. Ontario Co. N. Y.*

This mistake escaped correction in consequence of the distance of the author from the printing office. It should be 6 parts of rosin, 1 of beeswax, and 1 of oil.

MARKET APPLES.

"Do you think the Tewksbury Blush would be profitable planted largely for shipping? What is the quality of the Northern Spy as compared with Rawle's Jannet? The latter is a general favorite here." *H. A. Burlington, Iowa.*

The Tewksbury Blush is valuable for being a very productive apple, and a long keeper—but it is not of the highest quality, and is too small to become extensively popular. It is hard as yet to compare the Northern Spy with Rawle's Jannet. The Jannet has been but little proved side by side with the Spy, the former having scarcely ever fruited in New-York, (where the seasons are probably too short for it,) and the latter having never fruited at the west. It is absolutely essential to test every thing of the sort by actual trial. The Spy comes slowly into bearing, which is the chief reason its adaptation to Western New-York has not been ascertained. It is a more showy apple than the Jannet.

DISTANCE OF PEACH TREES.

"Will peach trees set ten feet apart, do as well as at twelve feet?" *A. P.*

Peach trees which are not shortened-in, require a distance of twenty feet; but by keeping the heads compact, they will not interfere with each other at twelve feet distance. Ten feet would be rather too close planting. By planting near, we get a greater number of trees to an acre, and consequently a larger crop of peaches from an acre. A distance of 12 feet will allow three hundred trees per acre; twenty feet only a little more than one hundred. The ground should be well cultivated in any case, and the nearer distance thus becomes the more economical. The more numerous the trees, however, the more rapidly the soil is exhausted. Hence, heavier manuring becomes requisite.

The objection that the trees are kept too small by shortening-in the heads, is not valid, because the large unpruned heads only bear fruit at the ends of the branches.

Productive Strawberries.

A correspondent of the *Michigan Farmer*, who has raised 30 bushels of strawberries on one-third of an acre, has been most successful with Large Early Scarlet, Hovey's Seedling, Boston Pine, and Hudson's Bay. The Large Early Scarlet produces double the fruit of any other sort, continuing a month. Hovey's Seedling yields a fair crop, and much larger fruit than any other, having obtained single specimens measuring $4\frac{3}{4}$ inches in circumference.

The land is trenched 18 inches or 2 feet deep, and enriched with a mixture of well-rotted manure and mould from the woods—the rows are 2 feet apart, and every third year, the runners are allowed to occupy the ground between them, and the old rows are spaded in.

Large Crop of Water Melons.

Late in May I turned over a piece of green sward that had been in grass for mowing until it was run out. On the 30th of May, 1849, I planted upon a portion of it one hundred hills of water melons, without any manure, the surface having been slightly mellowed by the harrow. They grew very slowly during the six weeks drouth that occurred between June 28th and August 9th, during which they were hoed three times, watered frequently with fresh water, and twice with soap suds. After the August rains, they grew with great rapidity. I gathered in September, (beginning on the 7th, fif-

teen weeks from planting,) six hundred and fifteen melons, besides which, numbers that were rotten or very small, were not counted. About one-fifth of the whole crop were decayed at the heart, a consequence, I suppose, of sudden chills, a liability which is the main cause of disease in all the tropical plants which we cultivate. The quality of these melons was very fine, but the sale was bad, partly from the lateness of the crop, and partly from the lingering fear of the cholera. They were mostly from about eight to sixteen pounds weight, though many were heavier. Another plat of water melons, forwarded in hot beds, and set in richer soil, were much larger and earlier, but not better than these. The varieties I cultivated were—the *Black Spanish*, the *Carolina Green*, the *White Cored*, and *Imperial*.

A long hot season is indispensable for water melons, especially if raised in open culture. This we had this year. The other main favorable circumstance was the fresh green sward.

TEST OF THE RIPENESS OF A WATER MELON.—A water melon that has just attained its full growth is solid, and heavier than the same melon when fit for the table. Its subsequent maturity consists *first* in a *chemical* change of its juices to a luscious sweetness, and *secondly* in a *mechanical* change, i. e., a drying out of the centre so that the melon becomes hollow. This last change does not take place when the fruit is picked prematurely, or when it ripens late.

We are now prepared to understand the test of maturity. If the melon be moderately pressed between the hands, or better between the hands and knees, it will, if ripe, yield a slight cracking sensation, both to the feeling and the ear. This is in consequence of the yielding of the hollow sides to the pressure. Although an experienced eye can judge, with some degree of correctness, of the condition of a water melon, I know of *no certain test* but the foregoing. *C. E. G. Utica.*

Early Vegetables.

Hardy vegetables may be planted as early in April as the ground will answer to work. Radishes, lettuce, cabbages, turneps, potatoes, peas, &c., for early use, may be planted on warm soils almost as soon as the frost is out. If very severe cold occurs after the plants are up, some straw or hemlock boughs may be spread over them, which will be a sufficient protection, and may be readily removed when no longer wanted.

The best early varieties of peas are the Prince Albert, Early Kent, Early June (or Washington,) and the Cedo Nulli. The latter is a dwarf variety, requiring but little space, is prolific, and comes to maturity in about as short a time as the Prince Albert. The Early Kent is very popular in this neighborhood, where it has been raised for a few seasons. A good mode of raising early peas was described in our last volume, page 93.

A good mode of raising early potatoes is to sprout the tubers in warm horse-dung. They may be placed in layers with the manure, either on the ground or in a box or crate. If the potatoes, when packed for sprouting, are laid on small pieces of tough sods, the grass side downwards, they may be planted with the sods, without breaking the sprouts or roots, which will greatly facilitate their growth. They should not be started too much before planting, as it is difficult to prevent the sprouts from being bruised or injured, if they are much more than an inch long. If planted very early, they should be

put on a warm and rather dry soil, to avoid the liability of their rotting, if the weather is moist and cool.

There are several kinds of early potatoes, but no one kind has a universal preference. There is much confusion in regard to the names of varieties. Sometimes several varieties are confounded under one name; but a more common difficulty is the attachment of several names to one variety. There are several kinds, differing considerably in appearance and quality, which pass under the name of Early June. Some are round, others oblong; some yellow inside, others white. A kind introduced from England, and there known as Shaw's Early or Early Shaws, is here variously called by those names, as well as Early June, Mountain June, Fort potato, &c. The true sort is white, both inside and out, roundish in form, tending to become oblong on rich soil, or when it reaches an unusual size. It is one of the best kinds within our acquaintance. There are but few earlier kinds, and those few are poor yielders, and not superior to the Shaws in quality. They frequently grow to a size fit for eating, in eight weeks from the time of planting. When cooked before they are ripe, or while growing, their quality is superior to most kinds in the same stage. They are hardy, yield well, and keep well.

Twenty-five Hardy Shrubs.

Frequent inquiries are made by those but little acquainted with ornamental shrubs, for the names of some of the most desirable and ornamental as well as the most hardy species. Among the hundreds which are offered for sale in nurseries, the following list has been given by A. J. Downing, and may be of service to those now about to commence the improvement of their homes by ornamental planting:—

The most desirable 25 hardy deciduous shrubs, furnishing a succession of flowers or ornamental fruit from March to November:

Pink Mezerion,
Japan Quince, white and scarlet,
Dwarf double-flowering Almond,
Double purple Tree Pæony,
White Persian Lilac,
Chinese White Magnolia,
Soulange's Magnolia,
Sweet-scented Magnolia, (M. glauca),
White Fringe-Tree,
Garland Deutzia, (*D. scabra*),
Large-flowered Syringo,
Broad-leaved Laburnum,
Rose Acacia,
Tartarian Tree-honeysuckle, red and white,
Double white Hawthorn,
Double pink Hawthorn,
Sweet Scented Shrub,
Dwarf White Horsechestnut,
Fragrant Clethra,
Oak-leaved Hydrangea,
Venetian Sumac (or Purple Fringe),
Purple Burning Bush, (*Euonymus*),
Buffalo Berry.

To the preceding might be added, as superior to some of them, the Siberian Lilac, the Althea or Hibiscus syriacus, and, although so common, the Snowball. Nor should some of the Roses be forgotten.

The following are given as some of the *finest hardy climbing shrubs*:—

Large-flowering trumpet creeper, [rather tender,] Queen of the Prairies Rose, Chinese Wistaria, Sweet-scented Clematis, Double purple Clema-

tis, Monthly Fragrant Honeysuckle, Chinese Twining Honeysuckle, Yellow Trumpet Honeysuckle. [To which the Scarlet Trumpet Honeysuckle should by all means be added.]

Horticultural Miscellanies.

Mostly copied or condensed from the Proceedings of the North American Pomological Convention, 1849.

CLIMATE OF ILLINOIS.—In northern Illinois, the winters are often very severe, the thermometer sinking to 20 degrees below zero; while in the southern part of the State, the cotton plant matures a partial crop, and the indigenous cane, though dwarfish, survives the winter.

APPLES OF NORTHERN ILLINOIS.—Dr. Kennicott gives in substance the following:—

Yellow Harvest—large, usually fair, excellent—young trees shy bearers.

Keswick Codlin—not over good; the most early, uniform and enormous bearer.

Rambo—receives the most praise further south.

Oslin, Newtown Pippin, Roxbury Russet,—"miraculously unproductive here."

Rhode Island Greening—shy bearer—also cracking at the collar of the nursery tree.

Rawle's Jannett—all speak highly of this for Illinois.

Limber Twig—highly commended in southern Illinois.

White and Yellow Bellflower—"perfectly at home on our rich prairie soil."

Carthouse or Red Romanite—one of the most profitable market varieties, from one end of the Mississippi to the other.

English or Poughkeepsie Russet—has produced the largest crops of all keeping apples,—six bushels having been produced on one tree the sixth year from planting out. The same was obtained from a Keswick Codlin. In planting, the holes were five feet across, 18 inches deep, the soil mixed with a little manure, good cultivation given, and the stems washed with soap-suds.

Fulton Apple—an Illinois seedling,—the original tree being 19 years old, a foot in diameter, 25 feet high, and 28 across the top.

STRAWBERRIES FOR MARKET.—F. R. Elliott, of Cleveland, Ohio, states the following experiment:

Upon one-fourth of an acre, light loamy sand, rather poor, not highly manured, planted in 1846, the variety known as Willey, in rows 2 feet apart, and plants one foot in the row.

In 1847, 1345 quarts from this, sold for \$145 in market.

In 1848, 615 quarts sold for \$63.35. These were both exclusive of those used in a family of twelve persons.

Estimate of cost:—

Use of $\frac{1}{4}$ acre of land for 3 years,.....	\$6 00
Planting and hoeing first year,.....	4 00
do do second year,.....	3 00
do do third year,.....	3 00
Gathering first year,.....	20 00
do second year,.....	12 00
	\$48 00

Receipts, first year, cash,.....	\$140 00
do second year, cash,.....	63 35
do say for family use,.....	10 00
	\$213 35

Nett profit,.....\$165 35

[The Willey as a very productive variety, thought to be about equally so with Dundee and Burr's old Seedling.]

PEACHES IN ILLINOIS.—Dr. Kennicott (19 miles from Chicago) says that fine varieties sell for \$1.50 to \$2.50 at the orchard, and \$3.50 to \$4.00 taken to market. One man some 30 miles west of Chicago, sold \$2,000 worth of peaches in 1847 from one orchard.

The trees bear young—sometimes the second year—often the third—but usually die in 6 or 7 years.

GRAPE CUTTINGS.—The *Mich. Farmer* states that Elijah Buck, a successful cultivator, has met with uniform failure in raising grapes from cuttings in the usual way of placing them nearly perpendicular or obliquely in the soil, not one in ten thus treated ever showing signs of growth. A different mode was afterwards adopted, by placing the cutting horizontally just beneath the surface. Not one in fifty failed.

HARDY GRAPES IN MAINE.—Alex. Johnston, of Wiscasset, states in *Hovey's Magazine*, that the Isabella is the only variety of American grapes that will succeed in that severe climate. Even that requires ample protection in winter. One vine, three and a-half inches in diameter at the ground, and which had borne finely, had been killed by leaving it exposed. The Catawba is unfitted for that region.

TRANSPLANTING LARGE TREES WITH BALLS.—The same correspondent describes a mode of removing large evergreen trees with frozen balls of earth, requiring far less labor than the usual way of cutting round them through the hard frozen ground. The ground at the roots is covered in winter a foot deep with evergreen boughs, which keep it from thawing so soon in the spring, as the surrounding earth. The tree is then easily removed, roots, frost and all.

APPLE TREES IN ILLINOIS.—The fertile soil, hot summers, and severe winters of a large portion of the western states, render the culture of some kinds of fruit more difficult than at the east. It appears to be well established that apple trees budded and grafted on strong, full sized, entire roots, are more hardy than those raised by root-grafting as commonly practiced. Prof. Turner, of Illinois College, states in the *Horticulturist*, that 60 root-grafted trees, 100 grafted on full seedling roots, and 60 budded near the ground, were transplanted under precisely similar circumstances in similar soil. In the following year, only six root-grafted trees were alive; on the other hand, all the budded trees but six were living, as well as all the trees grafted on whole seedling roots.

NEW NAMES TO OLD FRUITS.—The long time required to prove the correctness of a fruit by coming into bearing, renders the public peculiarly liable to imposition from venders. Every year exposes some great humbug. For some years past, a grape has been sold very extensively, at a guinea a plant, under the name of *Josling's St. Albans*. Robert Thompson, the greatest English pomologist, highly commended it. Josling is said to have obtained by its sale more than ten thousand dollars. It is now found to be an old sort, long known as the Chasselas Musque, or Musk Chasselas.

WINTER PEARS.—Hovey says, "our correspondent, Mr. Washburn, of Plymouth, informs us that he has just sold the last of his *Easter Beurre* pears, the produce of one dwarf tree. They brought him the handsome sum of twenty dollars; and less than a bushel of fruit. He finds no difficulty whatever in ripening the pears; his practice is to let the fruit hang on the tree as late as possible, even after two

or three frosts, if they are not likely to be very severe. Each pear is wrapped in double papers, and kept at an even temperature in a cool room, until wanted for use; they are then brought into a warmer temperature, where in the course of a fortnight they begin to change color, and soon become fit for cooking. In this way they may be ripened off in succession from the middle of December to the middle of March."

MANURE FOR FRUIT TREES.—The *Horticulturist* recommends, as one of the best manures for fruit trees, &c., the following:—Pour brine, (old brine is as good as any) on fresh lime till slaked to a powder. Then make a heap of the fallen leaves of the trees, by sprinkling over every layer of leaves a portion of this compound of lime and salt, at the rate of four bushels to a cord of leaves. In a few weeks it will be ready for use. The proportion of salt to the lime is about as one to four. Grape leaves, thus treated, are recommended as best for grapes; peach leaves for peach trees, &c.

RIPENING OF APPLES AT THE SOUTH.—The following statement of E. J. Capell, of Centreville, Miss., in the *Horticulturist*, shows the wide difference between the periods of the ripening of apples in the northern states and at the south:—

"Early Harvest—1st of July."

"Bevan—early summer."

"Holland Pippin—July and August."

"Maiden's Blush—ripens in August."

"Golden Russet—ripens in September."

The preceding appear to be well adapted to the soil and climate of the south. Here, the Early Harvest and Bevan ripen late in summer—the Holland Pippin and Maiden's Blush at mid-autumn—and the Golden Russet is a good keeping winter apple.

The Diana Grape.

From the experience I have had with this new variety, I should judge it difficult to grow from cuttings, as in several attempts I have not succeeded, and I have understood that others have met with similar failures. The wood is slender, which may be the cause. S. H. COLTON. *Worcester, Mass, 2d mo., 1850.*

Farmer's Song.

BY W. L. EATON.

'A rural life is the life for me,
Away from the city's strife,
Where the breath of Heaven is pure and free,
And nature 's full of life;
Where the earth is clothed with a lovely green,
The flowers smiling and fair,
And the wisdom of God is distinctly seen,
In all that flourishes there.

We do not envy the man of trade,
Whose life is with cares oppressed,
Who only is happy as wealth is made,
And not when others are blessed;
His life bound up in his merchandise,
His heart absorbed in his gains,
The beauty of earth shut out from his eyes,
But not from his soul, its pains.

We have nothing to do in Ambition's ways,
And do not envy the great,
Puffed up by the hollow voice of praise,
And perplexed with the cares of state;
Elated with hope or depressed with fear,
'They must run when the people call;—
We are happier far in our humble sphere,
Than they in the Nation's hall

The gifts of Heaven are freely bestowed,
The harvest our labor crowns;
No despots can reach our peaceful abode,
We quail at no tyrant's frowns.
A rural home is the home we love,
Away from the city's strife,
We bow to none but the God above—
None know a happier life.




Fig. 1—Section of fence—A. shows the bank, which may be made any required height. The first wire is 4 inches from the ground—the second is $4\frac{1}{2}$ above that—the third $4\frac{1}{2}$ —the fourth 6—the fifth 7—the sixth 8, and the seventh 9 inches apart.

Construction of Wire Fence.

EDS. CULTIVATOR—I observe in your January number, a correspondent expresses his fears, that those who have constructed wire fences, will be disappointed as to their durability and efficiency; that the swaying of the wire will have a tendency to break it off where it goes *through the posts*, and that the accumulation of water in the *holes* of the post, will rust the wire, and weaken and destroy it. If these premises were correct, the conclusions would not be so far out of the way. But I will say in all kindness that your correspondent, in this matter, is deficient in that wisdom which is “profitable to direct.” I propose in this communication, to give my experience, and method of constructing *Wire Fence*. In 1845, I constructed the first wire fence that I, or any of my neighbors ever saw; it was something entirely new. This piece of fence is about twenty-five rods long. I have made more every year since, and now have more than a mile of wire fence on my farm, and I think I shall make no other kind unless it may be around yards, where shelter from the wind is desirable. In the first that I made, which has stood nearly five years, the wire appears as sound as when it was put on. I am of opinion that wire of the size of No. 10, will not be injuriously affected by rust, if it is not in contact with the ground, and care should be taken that it should not be. The advantages of wire fences over other kinds are, it costs less, is more durable, is not injured by high winds; is not likely to be broken by unruly cattle; where the frost heaves the post out, they may be driven down without difficulty; it obviates the difficulty of snow drifts where roads are thus fenced; gives an appearance of neatness to a farm, and a feeling of satisfaction to the owner that his crops are safe. The best method of construction is to set the posts one rod apart, and three of smaller size between, so as to have the spaces four feet between the posts to which the wire is fastened, by staples made of wire. The end posts of the line of fence must be firmly set and braced, as in the above engraving. I have a machine for




Fig. 2—A. Box for Tools and Staples.

straining the wire, made similar to a wheelbarrow, with a reel 16 inches in diameter on an iron shaft $1\frac{1}{4}$ inches in diameter, as in Fig. 2, with a long



Fig. 3—Manner of looping the Wire.

crank for straining the wire, and a shorter one for reeling the wire on the machine. We unite the wire by looping it together as we reel it from the coil on to the reel; in reeling, one takes a coil unbound in his left hand and delivers it with his right, as another turns the reel with one hand and guides the wire with the other, on which he should have a thick leather mitten to prevent laceration from the flaws and slivers on the wire. Enough should be reeled at one time to reach at least, the distance required to be made. Place the machine about ten feet from the end post, in line with the fence to be made. A loop is formed on the end of the wire; one takes it from the reel to the further end post, and fastens it by driving a staple in the loop and another across the twist; then turn the reel till the wire is drawn nearly straight; then place the wire properly against the posts, and fasten it by driving the staple about half way in; then strain the wire as tight as you wish, drive the staple in the end post near the reel, tightly upon the wire; as the reel slackens, turn the wire back and cut it; form a loop, and drive a staple across the twist, as at the other end; then drive the intermediate staples not exactly tight upon the wire, and it is complete.

For road fences, seven wires are sufficient, if a bank is formed by two back furrows with a plow, for dividing fields, six are sufficient, or five, where cattle and horses only are to be guarded against. One pound of No. 10 is about 23 feet, which at $5\frac{1}{2}$ cts., is four cts. a rod, nearly, which for 7 wires, is 28 cts. a rod for the wire, which I think is less than any other material can be furnished for; so that the wire, exclusive of the staples, will cost at that rate from 20 to 28 cents a rod. The whole cost of the fence, including posts, which are worth from two to four dollars per hundred, and the labor of erecting, is less than fifty cents per rod. The wire should be annealed before using, as it works better, and is not so apt to break in twisting. The tools necessary in making the fence, are two pair of pincers, to make the loops—such as are used by shoemakers will do—a hand-saw file for cutting the wire, a stick about four feet long, marked with the proper distances for the wire, by which the posts are to be marked for the wires.

The best way that we have tried to make staples, is to take a piece of wire about 20 feet long, fasten one end in a vice and then upon a flat bar of iron, $1\frac{1}{2}$ or 2 inches wide, and about a quarter of an inch thick, wind the wire from the other end closely and tightly upon it; then with a sharp cold chisel cut the wire in the middle on both sides of the bar; 20 feet of wire will make about 120 staples, which can



GALLOWAY OX.—(see p. 146.)

be done in a few minutes. Wire No. 11 is large enough for staples. The staples drive and hold much better by being flattened at the ends, and the durability of posts is much increased by charring the ends a few inches above the ground line. I think there would be no great difficulty in constructing a machine to make staples as fast as nails can be cut, and I hope some machinists will do it. The staples should be from $\frac{3}{4}$ to 1 inch in length—three-quarters is best when driven into oak posts, and one inch for chestnut or cedar.

I have been thus minute in this description, in compliance with the request of your correspondent in the February No. of *The Cultivator*, and I hope if any of your contributors can give further information they will let us hear from them. I consider the introduction of wire fences, the most important improvement in farming that has been made since the invention of the cast-iron plow, and that a greater amount of iron will be required for fence, than for railroads or any other purpose, and thus benefit an important branch of our country's manufactures. HARRY BETTS. Brunswick, Rensselaer County, N. Y., Feb., 1850.

EDS. CULTIVATOR—Since my last communication to *The Cultivator*, relating to wire fence, I have bought 60 pounds No. 10 wire, at $5\frac{1}{2}$ cents per lb., which confirms the statement I then made regarding the price. I think it was manufactured in Fairfield County, Ct., and were I to construct a mile of this fence in a straight line, I think I would employ but two posts, placing one at each end. These posts should be set at least 3 feet into the ground, and as it is supposed that the posts are much less liable to decay when the holes are filled with small or broken stones, instead of earth, (see *Cultivator* for 1845, page 209,) I would adopt this method, raising the stones around the post a foot above the surface. A strong brace is placed against this post, the foot of which is so firmly planted in a hole directly under the line of the fence, against a flat stone, or plank, that it cannot yield when the wires are strained—the hole filled as above. The post is hewn flat on the side opposite the brace; small auger holes through the brace and post, are made at such distances as the workman may wish the strands to be apart.

The posts being thus placed at each end and angle of the line, the wire, which comes in a coil of a single piece, is introduced by inserting one end of it through the brace and post, and coiling it around a billet of wood, say 2 inches in diameter by 6 inches long, several times in each direction, by twining it around the strand between the billet and post in such a manner that it cannot roll when the wires are strained. The workman now takes the coil of wire and proceeds along the line, uncoiling as he walks, until he reaches the end of the coil. Another coil is now attached, which is done by laying the two ends on the ground, passing them some eight or ten inches by each other, and crossing them twice at about equal distances from the ends, like tying the first part of a common hard knot. A billet of wood like that at the post, except a few inches shorter, is laid on and the ends, brought up over the wood, and tied again, and twined around the main wires.

In this way the workman proceeds, until he reaches the other post, at the end or angle of the line, through which the wire is passed and drawn up as straight as can easily be done by the hands. It is there fastened to a billet of wood, as at the first post; each strand being thus extended with the same degree of tension, or as near as may be. The workman now proceeds to set large-sized common fence stakes. If the surface is undulating, on each eminence and in each hollow, these stakes are to be set into holes made with a heavy crowbar, two feet deep, and driven down with an axe or beetle, and about 15 or 20 feet apart, throughout the line. This being done, he again proceeds with hammer and nails and saw in hand, and inserts in the stakes saw cuts about $1\frac{1}{2}$ in. deep, corresponding exactly with the holes and distances on the posts. Into these cuts the strands are placed, and a tenpenny nail is driven down nearly to the head, across the cut, confining the wire to the stake.

This being done at each stake, no further straining of the strands is necessary, when the surface is sufficiently undulating, but in most cases it will be necessary to attach a strainer, by means of a round stick, 4 inches in diameter, the same length of post above ground, with corresponding holes, and a two inch auger-hole near the centre. It is temporarily erected near the foot of the brace, the wires passed through, before passing through the brace and post,

and before the stakes are set, it is carried along on the wires to the centre of the line between the posts. After the wires are put into the saw cuts, a lever is inserted in the large hole, by which the strainer is turned around until the wires are sufficiently strained. The lever is left in, and a stick one inch in diameter and same length of strainer is put in an upright position between the lever and wires, which holds it to its place. In no case should the wires be made to form angles, or even small circles. As a preventive, billets of round wood are used, and the holes in the strainer rounded off.

The wire for a fence of the above description will cost about 17 cents per rod, and when designed for cattle and horses only, the whole cost I think, will not exceed 35 cents per rod. I am inclined to think that annealed wire requires no protection to prevent corrosion. It is said that annealed telegraph wires do not corrode to the injury of their strength, and it is fallacy to suppose that electricity prevents it, when no heat is conveyed to the wires. A recent newspaper relates an instance of a poultry yard having been surrounded 15 years with annealed wires, and they are yet in a good state of preservation. The annealing operation is easily performed, viz.: as a blacksmith heats the tire for setting on a wagon-wheel, allowing it to cool slowly. My cattle fence has 5 strands—top strand five feet, and bottom strand 22 inches from the ground—the space filled with the three remaining strands at equal distances. A. B.

The Farmer's Note-Book.

Galloway Breed of Cattle.

See Portrait—p. 145.

This valuable breed of cattle derives its name from a district of country in Scotland called Galloway, embracing several counties. It may be fairly considered aboriginal, and evidently closely allied to the semi-wild stock of Chatelherault Park—the descendants of an ancient race, which in early times roamed unrestrained in the Caledonian forests.

The true Galloways are without horns. Their color is generally black, though sometimes red and dun. Of all the polled breeds, they are the most highly prized, on account of their many excellencies. As observed by Professor Low—"The breed of Galloway is peculiarly confirmed in its characters, and thoroughly adapted to the condition of the country." Various crosses have been attempted with other breeds with a view of improving the Galloways; but the results, in the end, have not answered expectation, and in the language of Mr. Youatt—"The intelligent Galloway breeder is now perfectly satisfied that his stock can only be improved by adherence to the pure breed and by care in selection."

It is for their superior grazing qualities that the Galloways are most esteemed. They fatten very easily, and their beef commands a high price in the English markets, it being fine in the grain, and the fat well mixed with the muscular parts. They are mostly slaughtered at three years old, and the average weight of those sent to the London market, is put down at 770 to 840 lbs., the four quarters. The qualities of the breed for the dairy, are only middling. The cows do not yield a large quantity of milk, but it is rich and affords comparatively a large proportion of butter, which is of the finest quality; and the average annual yield per cow, where all the

milk is devoted to butter, is 150 lbs., though larger returns are often obtained.

The points of the Galloway ox, are thus given by Martin:—A well-bred Galloway is of admirable form; all is close and compact; the barrel is rounded and ribbed home to the hip-bones; the chest is deep, the shoulders thick and broad; the neck short and thick; the head clean; the back straight and broad; the limbs short, but extremely muscular; the skin moderate but mellow, and well covered with long soft hair,—that on the ears, which are large, is peculiarly rough and long.

We think the Galloways would prove a very useful breed of cattle for many sections of this country, particularly the mountainous and hilly portions of the northern and middle states. We have, on former occasions, expressed the belief that the introduction of these cattle and the West-Highlanders, would be a decided acquisition; and we trust that, through the aid of agricultural associations and enterprising individuals, we shall, before long, have the pleasure of seeing specimens of these valuable breeds in the country.

Southern Ohio.

EDS. CULTIVATOR—It is said all things were made for some good end—and surely it is wise to consider the design and fitness of things. One part of our country—by soil, climate, and market, is suited to one product—another, though not widely different perhaps, for an entirely different.

It is pretty obvious that this part of our great country is well adapted to the raising of stock. Without alluding to our extensive and fertile bottom lands which skirt all of our numerous streams, permit me to occupy a little space in considering the character, quality and capacity of the hills.

Most of them are filled with mineral wealth; iron and coal abound, with lime and marl, as well as the best qualities of stone and clay;—these however, are treasures to be developed in other years; the chief and always the earliest pursuit of a civilized people, is agricultural.

The soil is of every variety—the rich, tenacious red clay, limestone loam, and light sand may all be found contiguous—the latter near streams.

The timber consists of oaks of almost every variety, hickory, walnut, poplar, maple, beech, locust, mulberry and the vine.

Water abundant and pure—showers more reliable than in a level country.

Seasons mild, yet the air bracing; with less change and less severity than those parts of country under either the influence of lakes or prairies.

No marshes, and a very general exemption from the diseases incident to such districts.

Skirted on the south by the Ohio river, by which, at a very small cost, we are enabled to send our products to a market at pleasure.

As there are numerous streams which are navigable for flat boats for from twenty to seventy miles interior, the facilities for cheap transportation are excellent—besides the canals and railroads projected and already completed.

These lands are rough, but adapted to the most nutritious grasses; and while it is impolitic to plow very much, they are admirably adapted for stock of all kinds. Horses may be raised with profit, as we are nearer an eastern market than those with whom we come in competition. Cattle require but little care and thrive well; had I room, it would be easy to show that the dairy is eminently worthy of increased attention. Sheep of the larger breeds of

Merino can be grown by almost any of our farmers successfully, while the finest quality may be produced by those who devote the pains and attention. No where is stock more uniformly healthy, exempt from those diseases which in some localities render the business hazardous.

What we need is more attention devoted to the subject, more capital invested, and more care and skill in breeding.

There are tracts of valuable land bordering upon the Ohio river, such as above described which at most moderate prices are open to the purchaser. DARWIN E. GARDNER. *Marietta, Ohio, Feb. 5.*

Growth of Pumpkins.

EDS. CULTIVATOR—Last summer I had several pumpkin plants come up in my garden spontaneously; and as I devoted a part of the garden to pumpkins, I thought I would let some of them grow. They were not in the richest part of the garden, and I took no pains with them, only to keep down the weeds around them. Two grew very luxuriantly, and produced abundantly. I did not keep an exact account of the number that grew on one; but there were over forty pumpkins, which would average nine or ten pounds a piece. The other produced twenty-seven pumpkins, which averaged a fraction over 22 lbs. each. The heaviest weighed 33 lbs. The lightest weighed 9½ lbs. The whole amount was 601 lbs. The longest vine was 63 feet, and was still growing when I measured it.

I enclose a few seeds, out of one of the 27 pumpkins. Perhaps they will not do any better or as well in your climate, than your common pumpkins, but you can try them, or let some other persons have them. JACOB HITCHCOCK. *Dwight Mission, Cherokee Nation, Jan. 24, 1850.*

Cabbage Culture.

EDS. CULTIVATOR—I am induced to ask, through your journal, what are the effects of growing cabbages on soil? Is the crop an exhauster or renovator?

There is a little community of us here engaged in cultivating potatoes and cabbages for the southern market. We are on the bank of the Ohio river, immediately below New-Albany, Ind. Our practice is to take a crop of potatoes, and then a crop of Drumhead cabbage from the same ground in one season. We invariably find, that we can get a better crop of potatoes from the ground on which we took, the previous year, both a crop of potatoes and a crop of cabbages, than we can when we only take a crop of potatoes, and leave the ground idle till the following spring.

We have reason to think our experience is not singular in this matter; and we wish to know where the "protein compounds," which a writer in the *Edinburgh Review* speaks of as being found in the cabbage on analysis, are obtained—do they come from the subsoil or from the atmosphere?

Our soil is alluvial, rather sandy, and the subsoil similar to the surface for about thirty feet, when we come to a slate rock. We have had periodical overflows from the river, of three to five feet in depth, once in fifteen years, since 1800. In some instances, the water sweeps three or four inches from the surface, and in other places it deposits from one to two feet in depth. It is probable that the whole space our land now occupies, has in former periods constituted the channel of the Ohio. J. H. COLLINS. *Locust Lawn, near New-Albany, Ind., Feb. 12, 1850.*

Juries in Civil Causes.

BY DAVID THOMAS.

A lawyer of great experience, after reading my remarks in *The Cultivator* for October 1849, page 315, said to me, "that is correct as far as it goes, but it does not reach all the abuses that are practiced. The manner of selecting jurors, is often highly exceptionable. It was doubtless intended by the legislature that supervisors and assessors should choose the best men; but it too often happens when these officers convene, and proceed to business, that if A— is mentioned as a suitable person to serve in that capacity, the reply will be after this manner: "Yes, but he is actively engaged in affairs of his own, and it might be a great damage to him. We had better not impose such a burden on him." So of B—, so of C—; and in this way *second rate*, and *third rate* men have their names entered, and enough of them to make a jury trial but little better than a farce.

"Again—the manner in which juries often arrive at the amount of damages, is iniquitous; and nothing short of a burlesque on Courts of Justice. Suppose K— has slandered L—, and the latter asks damages. When the jurors have retired to their room, a difference of opinion is soon perceived,—and how do you suppose they make up their verdict? By carefully weighing the evidence, and trying to enlighten each other's minds? Perhaps they do so at first; but such discussions soon become tiresome; and not unfrequently they proceed to *chalk*, and take the *average*!! Now then is the time for partialities and antipathies to bud, blossom, and bear fruit. The juror is no longer restrained by the arguments or opinions of his colleagues; but with a view to the *average*, and apprehensive that others may be as *twistical* as himself in an opposite direction,—he marks down a sum which his sober judgment intimates is twice, or three times as great as it ought to be. In the mean time, others with a similar view, mark down only half or a third of what they believe to be just. The whole is then added together and divided by 12! and the foreman gives it in, under oath, as a *true verdict according to law and evidence*!!

"It is some comfort to know however, that the Court will generally set such verdicts aside, if the facts become known; but the utter worthlessness of juries in civil causes, is none the less palpable on this account."

Having forwarded to my learned friend, the preceding sketch for revision,—he sent me by return of mail, the following supplement,—saying however that he had no time to write on such subjects, except in the greatest haste.

"The habits of the great mass of those who are drawn to serve as jurors, do not render them the best judges of the intricate questions upon which they are called to decide,—not that they are deficient in natural endowments, or incapable by due training to resolve the doubts and difficulties which in every contested suit, must perplex men of the keenest intellect. We do not employ a blacksmith to make our coats, nor a carpenter to mend our watches, nor a physician to make our shoes,—and why? Simply because they do not understand the business, and others do. If I disagree with a neighbor as to our mutual rights, why should I refer the matter to 12 men whom I do not know, but of whom I may safely predict that they have been selected at random, and are no better at the solution of a difficulty than myself or my neighbor? Why not at once refer it for final decision to a judge, or a bench of judges, trained to reflection by years of study, and

by years of practice, which are the keenest of all sharpeners of intellect. Pay our judges good salaries, render them independent and at ease in a pecuniary point of view, and we can command the best intellect of the country to act as arbiters and umpires between man and man.

"When we reflect that at every circuit of our Supreme Court the most intricate questions come up for decision, differing in the different causes, and originating generally in kinds of business, or phases of circumstances with which "the gentlemen of the jury" are in no wise familiar,—is it at all wonderful that juries so often disagree? or if they agree, that their verdicts are so frequently set aside? The puzzling of witnesses, and the laborious efforts of counsel "to make the worse appear the better reason," leaves *nine* jurors out of *ten* in a sea of doubt, from which they cannot emerge, except by the aid of the judge. He recapitulates the facts, explains the law, and declares the application of the law to the particular facts in the case, and then the jury may come to a lucid conclusion. But why not leave all to the judge at once?

"It is a great error to suppose that it is an easy matter to act as a juror in an average of litigated causes. If the facts are perfectly plain, and the law equally so, it is true that juries can act without difficulty; but it so happens that when these things are so, there is little or no litigation. Men do not often go to law where their mutual rights or remedies are clear; none but a dunce would do so; or now and then a man in a passion to revenge himself of an enemy, might venture a small sum in costs, to give his opponent as much trouble as he makes for himself,—but such cases are rare.

"As a general thing, it is only in cases of doubt that men get entangled in law suits; and then is the time they need the aid of learned judges, and not the opinions of their neighbors who are as ignorant as themselves. Give us juries in criminal cases; but in all civil matters, I for one, prefer to run the risk of *corruption* on the bench, rather than abide the decision of *stupidity* and *prejudice* in the jury box."

Plantation Railroads.

EDS. CULTIVATOR—About two years since, we constructed a railroad of Red Cedar, extending from the Mississippi river about midway of the plantation to the sugar house,—a distance of two miles—for the double purpose of transporting our sugars and molasses to the river for shipment, and carrying our sugar to the sugar house. It answers many other valuable purposes, to wit:—The laborers are conveyed to and from their work in less time and without fatigue. No mud or broiling sun impedes their way. The various supplies for the place, and articles of transportation, are carried on the road. Though last, not least, a higher consideration has been kept in view. Every sabbath morning, all the people, *white* and *black*, are provided with cars to convey them to the church at the end of the road, to hear the word of God preached; the value of which no one can estimate.

The cost of the road did not exceed one thousand dollars per mile.

The greater portion of the road, (the rails being about six or seven inches square) is laid without cross ties; and seems to answer as well as that laid with ties—the ends of the rails being doweled together, and a short plank at the ends laid under.

The rails are bedded about half in the ground. The car wheels are without flanges, and are kept on

the track by small horizontal wheels on a vertical axle, running inside the rails, and are not liable to run off. We feared flanges would cut the rails, as no iron is used. From present appearances the road may last twenty years. In our opinion the stock pays fifty per cent. per annum. Two horses are equal to twenty in the usual way. The heaviest load we have carried on it, was a steam sugar boiler, (a locomotive boiler) weighing 14,000 lbs., and without apparently affecting the road.

We believe railroads, both private and public are not yet fully appreciated.

Let us have a railroad *all* the way from New-York to New-Orleans—then where could the Union be divided? S. & R. TILLOTSON. *New-River, La.*, Dec. 30, 1849.

Progress in Knowledge.

EDS. CULTIVATOR—Your able correspondent, Mr. Holbrook, in the February number of *The Cultivator*, very graphically portrays the controversy that has been going on for some years past, between the old and new school classes of farmers; I have, for a long time been an interested "looker on" in this matter, and if I am any judge in human progress, the old school or plow-jogger class are fast losing ground. The great number of agricultural papers that are distributed through the various sections of our Union, are fast doing away the prejudices that once so generally existed in the minds of practical farmers, against what used to be sneeringly termed "book farming."

There seems to be a general belief springing up among a large proportion of the tillers of the soil, that there are special and unerring laws which govern the vegetable, as well as the astronomical world; and reading, thinking farmers are beginning to understand the workings of some of these laws. Ten years ago, how few farmers knew even the name of silice, or silica, and much less of the part it played in the composition of their grains and grasses. But now, thousands upon thousands of our common farmers know all about silica. They know it is the material that gives stiffness to the straw; and they know the use of spreading sand or gravel upon their reclaimed peat meadows and drained swamps, the soil of which consists mostly of decaying vegetable matter. They know too, what is meant by phosphate of lime, and that it enters largely into the composition of the bones of animals; and they have learned too, that old bones can, by the efficient agency of vegetable chemistry, be prepared to be again worked up into new bones, as well as old gold and silver coin, can, by the agency of the mint, be again wrought into new eagles and dollars. And they further know, that ammonia is not the name of some heroine of a novel, or love-tale, but an important constituent of animal manure; finally, they have learned a great many other important things about book-farming. And with such instructors as Profs. Johnston and Norton, they are in a fair way of learning much more that will be of intrinsic value to them. "Science made easy," seems to be the object of Prof. Norton's letters, and that's what we working farmers want—must have, to be interested and benefitted by the labors of scientific men. Technical terms and formulas, are legal tender among the scientific, but they are at rather a discount among farmers at present, though we hope the day is not far distant, when the technical terms of chemistry will be as familiar among the intelligent part of the farming community as "household words." B. Warner, N. H., Feb. 19, 1850.

A Wet Cellar made Dry.

EDS. CULTIVATOR—A writer in *The Cultivator* for February, under the head of "Water-Tight Cellars," after some correct observations on the evils and inconveniences of a wet cellar, remarks, that—"every reader who has experience in the use of means to make a dry cellar, should communicate it to the public." Being one who has known the "evils" of a wet cellar, for nearly half a century, and which has within the last two years been converted into a dry one, I freely give the process for the benefit of all interested.

My dwelling stands on a moderate swell, contiguous to an extensive piece of low ground, and the bottom of the cellar being so nearly on a level with it, though furnished with a drain, was never dry, and was often very wet. Flat stones and boards were resorted to as a temporary relief, till in some parts several strata had accumulated. The walls having been laid chiefly with such stones as were gathered on the farm, and without mortar, became a thoroughfare for rats, which till recently, bid defiance to the efforts for their expulsion. This, in connection with the evil first named, made it necessary that something thorough should be attempted, and the work was commenced accordingly. All the varied furniture of a cellar, such as potato and apple bins, meat barrels, &c., was speedily removed. Several inches were pared off the bottom to make room for an equal amount of gravel. A trench was then cut entirely round the cellar, about six inches from the wall, which having been commenced on the surface, rendered this operation indispensable. The trench was carefully stoned with a double row of cobbles, and covered with flat stone, the surface of them being two or three inches below the general level. The old drain was re-opened and deepened sufficiently to receive the water from the inner drain. The next step was to procure a sufficient quantity of creek gravel to give a coating of two or three inches. The number of wagon loads used was five, the cellar being equal to about 30 by 20 feet. The gravel was made compact and sufficiently smooth to receive the mortar, by using a flat headed pounder.

Mortar made of quick lime and sand was then applied to the wall, and the chinks generally filled. But in more places than one, before the mortar had become hard, those marauding, sagacious animals, whose intelligence seems hardly inferior to those who occupy a higher place in creation, made their accustomed inroads. But to the main subject.

The necessary quantity of sand, say about sixty bushels, and four barrels of water-lime, being in readiness, the next step is to proceed to the mixture and application. Unless the sand is nearly free of pebbles, I think it best to sift it, though that is not indispensable. The proportion of each used, was one bushel of lime to three and a-half of sand, which being thoroughly mixed, was then reduced to the proper consistency for application. A vast quantity of water will be necessary, and if not at hand, it should be previously in readiness, as three hands will hardly be sufficient to tend a single mason. The cement was spread from an inch to an inch and a-half thick, and the work completed in about eight hours. The cash expense was about \$8, labor estimated at about \$12. From four to six weeks are necessary for the bottom to harden sufficiently to walk on without injury. It is well, as a precautionary measure, to lay down a few boards after a couple of weeks, and let them remain until the cement has become so hard as not to receive foot prints.

I have said the *cost* was about \$20; the *benefit* of this improvement I will hardly trust myself to estimate. I have a dry cellar; the floor of which is as easily swept as that of any room in the house, and I am not aware that a quart of water has ever appeared on its surface as formerly, except from a supposed leak in a stone cistern, a few times, which was easily disposed of. And I would further say that the rats are beginning to find their case hopeless, it being a long time since they discontinued their unwelcome visits. G. BUTLER. Clinton, March 1, 1850.

Flax with Barley.

EDS. CULTIVATOR—I have, for a number of years, been in the practice of loaning flax seed to sow, for the purpose of obtaining a supply of seed for manufacturing into oil. For the last three years, the average yield has not exceeded ten from one, which is, indeed, a very ordinary yield. I have known farmers who had thirty from one, but it is considered a good return, if one bushel produces twenty.

I recently purchased from Mr. Lawrence Gardner, of Charlton, Saratoga county, N. Y., a little short of twenty bushels, which he raised among his barley, from a little more than a peck sown. Mr. Gardner assured me that the flax by no means interfered with the growth and yield of the barley—that it did not interfere with the harvesting, but on the contrary, it kept the barley so together as to render the harvesting less difficult.

This yield of about seventy-five from one, is perhaps unprecedented in this country; and it would be well for farmers, especially those who do not live at a great distance from Mr. Gardner, to ascertain his mode of sowing, so as to be able to effect such desirable results. X.

We find in the *Berkshire Culturist*, an account of a crop of flax and barley together. It was raised by Mr. REED MILLS, of South Williamstown, Mass. He states that he derived his information in regard to the crop, from *The Cultivator*, vol. iii, (new series) pp. 57, 127, 157. Last spring, he sowed an acre and a-half of ground with three bushels of barley and one of flax-seed. Before sowing, he soaked the barley in weak brine 24 hours, then rolled it in plaster, and added the flax-seed, mixing both together. He obtained 40½ bushels of barley, worth 67 cents per bushel; 9 bushels of flax-seed, worth one dollar per bushel—the whole being worth \$36.14; from which, deducting the expenses of cultivation, interest on land, &c., \$11.50, a net profit was left of \$24.64.

Farming Economy.

EDS. CULTIVATOR—Twenty years ago it was a common saying among farmers, that all a man could make in farming, was enough to support his family, and, possibly, save a hundred or two hundred dollars a year besides. Farmers who held this idea, were no doubt, honest; they only judged of the profits of farming from their own management. Even now, a great many farmers suppose that in order to make money by farming, they must do all the labor themselves; they say they "can't afford to hire help." This is evidently a great mistake, for if the farmer makes his own labor profitable, he could make that so which he hires, under good management, and without that, no labor can be profitable.

Labor in this country is high, in proportion to what it is in older and more populous countries; but I do not regard this as a subject of regret, for who is "worthy of his hire" if the day-laborer is not?

If the high price of labor operates against the interest of some, it tends greatly to improve the condition of the masses. As a matter of course, the farmer will save as much manual labor as possible, consistent with the proper cultivation of his farm.

But a great point in farming economy consists in the adoption of labor-saving machines and improved implements. Yet a good deal of hand labor will always be required to carry on farming advantageously.

The question is often asked whether capital laid out in farming can be made to *pay*. In reply, I would say, I have known many instances where money laid out in this way has paid well. It is true, that *time* is required for this result; but I believe that capital invested in farming, need never pay less than six per cent.; and under good management, it may yield even eight to ten per cent. on the original stock. The culture of fruits—such as apples, pears, peaches, &c.—often yields a profit of eight to fifteen per cent.

A great barrier to improvement in farming, is the erroneous value which farmers often put on *money*. They seem to think that a dollar is worth much more than its equivalent in wheat, or any agricultural product. This leads them to hoard their cash with scrupulous care, fearing to trust the earth with the loan of a cent—the risk being so much greater, as they say, than on deposits in banks. This difficulty can only be removed by demonstrating to the farmer, the certain success of a better system of management; which will gradually inspire confidence that labor and money expended on the soil, shall not go unrewarded. L. DURAND. *Derby, Ct., Feb., 1850.*

Trial of Plows.

The New-York State Agricultural Society offer the following premiums on plows—the premiums to be decided by a trial to take place at Albany, commencing on Tuesday, the 4th day of June next, and to continue until the committee are fully satisfied that they have arrived at correct results.

Best Sod Plow for stiff soils, furrows not less than 7 inches in depth nor over 10 inches in width,.....	Diploma and \$15
Second best do.,.....	10
Best Sod Plow for light soils, furrows 6 by 12 inches, Diploma &	15
Second best do.,.....	10
Best Plow for fallows or "old land",.....	Diploma and 6
Second best do.,.....	6
Best Subsoil Plow,.....	Diploma and 6
Best Side-hill Plow,.....	Diploma and 8

A general competition for these premiums is invited, as the trials will be conducted and the decisions made without regard to any former trials or awards, and will be open to *competitors from any part of the world.*

Competitors must become members of the Society, for which an entrance fee of one dollar will be required, and their names, together with the names and number of the plows intended for trial, must be given to the Secretary, B. P. JOHNSON, Esq., Albany, on or before the 15th of May next. The plows for which premiums are awarded, must be deposited at the Rooms of the Society, if others of the same pattern are not already there.

The committee to superintend this trial and award the premiums, consists of A. Van Bergen, Cocksackie; John Delafield, Oaklands; J. Stanton Gould, Hudson; Sanford Howard, Albany; B. B. Kirtland, Greenbush.

The committee will meet at the Society's Rooms on Monday, June 3, to make arrangements for the trial.

In deciding the general question—what are the

best plows? the committee will be governed by the following principles: 1st, the character of the work performed; 2d, the power required in draught; 3d, quality of materials, durability and cost of the implements.

For *stiff* soil, excellence of work shall consist, first, in leaving the furrow-slice light and friable; second, in so disposing the sod and all vegetable matter, as to insure its ready decomposition.

For *sandy* soil, or that which is already *too light*, the points in regard to quality of work will be, first, thoroughly burying the vegetable matter, and second, leaving the ground generally level.

For fallows or old land, the principal point in reference to the quality of work, will be thorough pulverization and friability of the soil.

In determining the power required in draught, the most perfect instrument will be used, and the trial will be conducted in the most careful and thorough manner.

The same implement for testing draught, and the same team, will be used for all plows in the same class.

The plows may be held by the competitors or by persons appointed by them, as may be preferred.

Importation of Animals from Asia.

The *Charleston (S. C.) Mercury* states that Dr. Davis, of that city, has imported the Cashmere goat, a pair of Bramin cattle, and some "Water oxen," together with an assortment of useful poultry. We suppose the Bramin cattle mentioned, belong to the Zebu race, a description of which, with a cut, will be found in our volume for last year, p. 59. It was there mentioned, also, that the late GORHAM PARSONS, Esq., of Brighton, Mass., introduced, and for several years bred, this kind of cattle. The "Water ox" is probably the common buffalo (*Bos bubalus*) of Asia, eastern Africa, and southern Europe—an animal which naturally inhabits swampy grounds and marshes, and has the habit of wallowing in mud and water. It is sometimes used in Asia for labor in the cultivation of rice grounds, and its milk and flesh are used in some countries for human food.

Among other remarks made in the paper above referred to, respecting the success of these animals in this country, it is said—"The Merino sheep, carried from its original locality, degenerates; but in Saxony crossed upon a coarse woolled sheep, makes a superior and more valuable animal than the Merino in Spain."

We do not think the Merino sheep generally degenerates when carried from Spain—that being the country which is probably alluded to as its "original locality." It has not degenerated in the United States nor in Europe, except under unskillful management. In regard to fineness of wool, it has been *improved* in Germany; as the finest woolled sheep of that country are, in blood, *pure* Merino. It may be true that some high cross of the improved Saxon with the common or "coarse woolled" sheep of that region, produces wool of a finer quality than the common Merino of Spain; but the original Merino blood is, nevertheless, that which is relied on as the foundation of the most perfect fleece.

WETTING BRICK IN LAYING.—The advantage of soaking bricks in water, to prevent the too rapid drying of the mortar, is so great, that a wall 12 inches thick built with wet brick, is considered better than one 16 inches thick with the brick unsoaked.

Letters from Prof. Norton—No. 4.

Neglected Manures--Bones.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., March 7, 1850. }

EDS. CULTIVATOR—The very important method for the application of bones, to which I alluded in the closing paragraph of my last letter, is that of dissolving them in sulphuric acid, the common oil of vitriol. Before describing the various ways of doing this, one or two other points must first be considered.

The first which I would notice is, that the phosphates of lime which compose bones, and in fact all of their earthy parts, are nearly insoluble in water; hence their action, unless added in a state of extremely minute division, or in very large quantity, is often tardy. It is sure and lasting, but the farmer often desires to produce an immediate effect, and that too without adding any very large quantity of the manure which in his neighborhood may be expensive or only procured with difficulty.

The second point relates to sulphuric acid. This is a cheap acid, costing by the carboy, from 2½ to 3 cents per lb., at least in the vicinity of large towns and cities. It is very sour, and extremely corrosive, destroying animal and vegetable structures with great facility; it burns through flesh or clothing almost instantly, and a very small portion swallowed is fatal to life. It flows thick and has all the appearance of oil; placed upon wood it blackens and chars it, so that it looks as if it had been burned.

When strong, this acid destroys all vegetable life, but when diluted, it becomes a valuable manure. If mixed with so much water that the liquid has no perceptible sour taste, and sprinkled over fields by means of a water cart or other convenient machine, a very remarkable fertilizing effect is produced on many soils, thus proving that the acid itself contains something useful to plants. In certain situations it has been found to give very fair crops of turneps, without the aid of any other manure.

We may now proceed to an account of the changes which take place when this acid is applied to bones, and of the beneficial nature of the compound produced.

Various ways have been recommended for dissolving the bones, and I will mention a few of the most successful. The first step in all cases, is to dilute the acid with two or three times its bulk of water. If used of full strength, it chars and blackens, but does not dissolve the bones. When they are crushed into small pieces or powdered, one-third their weight of acid is sufficient to dissolve them; if whole and large, less than half will not do it completely.

A very common way of managing the solution, is to put the bones into an old hoghead or other convenient vessel, and then pour half or two-thirds the proper quantity of diluted acid upon them; they should be occasionally stirred, and if not dissolved after a day or two, the remainder of the acid may be added.

Another way which I have found very effectual, is to break down the bones and lay them in a heap, on a place where the acid cannot soak away. It should be poured in successive portions on the top of the heap, at intervals of half a day, turning over and mixing thoroughly each time. By both of these methods the bones are finally dissolved, or at least crumbled down to a soft pasty mass, that is mostly soluble in water. The solution is more ready if the bones are powdered slightly, moistened and laid in a heap, to ferment a month before use.

Several chemical changes take place while the

bones are dissolving. When the acid is first added, a bubbling up or effervescence occurs; this is owing to the decomposition of whatever carbonate of lime may be present. The carbonic acid goes off, and the sulphuric acid unites with the lime, forming sulphate of lime or common gypsum, which is as all know an excellent manure for most soils.

The sulphuric acid then attacks the phosphate of lime also, and unites with a portion of its lime, forming sulphate of lime again. The remainder of the lime is still united with all of the phosphoric acid; of course each pound of lime has much more of it than before, thus forming what is called a bi-phosphate or super-phosphate of lime, from its containing a double portion of phosphoric acid. This is much more soluble than the ordinary phosphate.

The acid also acts upon the organic matter or gelatine of the bones, bringing it into a state more readily soluble, and better fitted to supply the wants of plants. Thus we have sulphate of lime, super-phosphate of lime, and soluble organic substances; all being manures of great value, and in states easily appropriated by the plant.

The bones when dissolved, are sometimes applied simply mixed with water. The water is added until no taste of sourness can be perceived, and the liquid is then distributed by a water cart. It produces in many cases most remarkable effects. In fact, when applied in this way, they are more efficacious than in any other, because they are more finely divided and more evenly distributed. It is however, an inconvenient and expensive method, and hence it is more usual to mix the dissolved bones with charred peat, or ashes, or vegetable mould, or sawdust, in sufficient quantity to dry up the acid, and make a compound which can be sown by hand or by a drill machine.

From the composition already given of this manure, it is obvious that it must be one of much value, and the results of its application in practice, fully confirm our theoretical conclusions.

It is found that for many crops, from two to four bushels of dissolved bones produce an effect equal to 16 to 20 bushels of bone dust, which latter has already been described as one of the most powerful manures used. It is a *cheap* application also; two bushels of bones would certainly not be worth more than 50 cts., and would weigh from 100 to 120 lbs. 50 lbs. of acid to dissolve them would cost \$1.50, making a total expense of \$2. This, with half the usual quantity of ordinary manure, is found quite enough for an acre, and thus appears to be far cheaper than any thing else that could be used with like effect.

Bones enough to fertilize several acres in this way, could be collected in the course of a year on every farm, and their use cannot be too strongly recommended. The trouble of preparation is little, save in imagination, and few who once make trial of them in the way here prescribed, will meet with disappointment. The mixture of dissolved bones and peat or ashes mentioned above, is to be applied either broadcast or sown in drills. This latter method is best in many cases, because it brings the manure in a position more directly and easily accessible to the roots. It should be sown in the bottom of a drill, then a light furrow over, and the seed above so as not to come in immediate contact with the mixture. This is for turneps and that class of crops. For wheat and grain it is best sown broadcast or by a machine.

Machines which sow the manures of this kind, and the seed at the same time, are used in England and would be valuable here. JOHN P. NORTON.

Facts and Opinions.

THOROUGH AND ENRICHING CULTURE.—The *Working Farmer* says that Samuel Allen, of Morris, N. J., rented last year a field which had been planted two years in corn, and gave only 24 bushels per acre. He subsoiled it, and applied 200 lbs. of Peruvian guano and 200 lbs. of bone dust, composted with charcoal dust, costing six dollars; and the result has been that he raised at the rate of 72 bushels of shelled corn per acre.

TIMBER FOR WORM FENCES.—In the discussions in the Legislative Agricultural Club of Ohio, one member stated that worm-fence rails, well kept from the ground, will last 20 years—another, that if well put up, the fence would last without repairs 8 years, when it should be re-layed every 4 years, adding two new rails each time. Handsome fences were made by splitting all the rails from the centre of the log of one shape, the ends notched together. The rails are found to last longest when cut in summer, and the bark peeled, so that they will speedily dry as hard as horn, and not remain wet so as to become soft and half decayed by partial fermentation. Black Walnut will thus last 40 or 50 years, and oak heart 20 or 30. Shell-bark hickory, peeled and seasoned, will last 20 years or more.

DURABILITY OF POSTS.—In the same discussions, one member said he had used burr-oak posts 7 years, and thought they would last 6 or 7 years longer. White oak will last, according to another member, ten or twelve years; locust 20 years or more. Another stated that cherry rotted in eight or nine years; white oak in 10 to 14 years; black walnut in 9 to 10 years; locust 20 years. Much depends, it was affirmed, on the character of the soil; moist land causing a sooner decay than dry.

AGRICULTURAL PAPERS.—The *American Agriculturist* says that of the 20 million inhabitants of this country, more than three-fourths of whom are engaged in agricultural and horticultural pursuits, and most of whom obtain their entire support from these avocations, *not one in two thousand*, and we much doubt if there is *one in three thousand*, who subscribe for and read a purely agricultural paper!

CORN COBS.—The *American Farmer* says, "we believe there is one-third as much nutriment in a bushel of the cobs, as there is in a bushel of the grain; and we know that cows or oxen, fed upon three pecks of the crushed and steamed cobs, in addition to their usual quantity of hay or fodder, *will keep fat.*"

PROGRESS IN MICHIGAN.—According to the census of 1840, and the assessors returns in 1849, the increase in sheep and wool in Michigan, has been as follows:—In 1840, 99,618 sheep, and 153,375 pounds of wool—[rather small fleeces.] In 1849, 610,563 sheep, and 1,645,750 pounds of wool.

There is not so great a disparity in the quantity of grain. In 1840, there were 2,157,000 bushels of wheat, and 4,566,000 bushels of other grain. In 1849, there were 4,739,000 bushels of wheat, and 8,179,000 bushels of other grain.

THE GREAT EXHIBITION.—It is stated that the Committee, who have in charge the arrangements for the World's Great Industrial Exhibition, to be held next year at London, have already determined to erect a building *a mile in length*, with five avenues each a mile long, and that this is only to begin with, as it is thought to be quite too small for the whole. This will appear more probable, when we

remember that at the late *exhibition of implements* at the Fair of the Royal English Agricultural Society, 27 acres were covered by them. To understand well, all that is to be seen at the great approaching exhibition, will require about the same length of attentive observation, as the tour of Europe.

BENEFIT OF DEEP PLOWING.—The *Michigan Farmer* states that H. B. Lathrop, of Jackson Co., in that State, put in a piece of wheat, plowing not less than *eight inches deep*. At the same time, a neighbor plowed an adjoining field, being careful that the plow did not run more than *four inches deep*. The deep plowing gave *thirty-two* bushels to the acre, and the shallow plowing only *seven*. A portion of the sub-soil often operates as manure, and a deep soil prevents excessive flooding, as well as excessive drouth. The result, however, may vary much with change in localities, but may be easily determined by experiment.

IMPORTATION OF MANURES INTO GREAT BRITAIN.—It is computed that the importation of guano into Great Britain in a single year, has been 219,764 tons, and that the importation of bones has been of equal amount, making an aggregate of upwards of 500,000 tons of fertilizers of this kind in one year, which at \$5 per ton, amounts to an outlay of £2,500,000—(\$12,500,000.)

MINERAL MANURES.—An article in the *Edinburgh Quarterly Review*, attributed to Prof. JOHNSTON, speaking of the failure of certain "patent mineral manures," remarks—"Those insoluble manures have now disappeared from our markets; purely mineral mixtures, however, still retain an uncertain and temporary hold upon the public favor. But two facts are sure to banish them from the list of fertilizing substances, which can generally be relied upon in all soils and for all crops. These are, *first*, that plants do really obtain and require from the soil certain forms of organic food; and, *secondly*, that all naturally fertile soils do contain a sensible proportion of such organic matter. Suppose a soil to be deficient in this organic matter, a purely mineral manure, compounded, cannot supply it; and the application of such a manure upon such soils must be followed by a failure. But let it be naturally rich in such matter, and the mineral mixture may possibly be applied with a profit."

RICHNESS OF MILK.—An experienced farmer says, "I find by churning the milk separate, that *one* of my best cows will make as much butter as *three* of my poorest cows, giving the same quantity of milk."

LARD OIL.—It is estimated that 11 million pounds of lard and fat pork will be used in a year in Cincinnati for making lard oil, nearly one-third being converted to stearine. The fat is extracted from the pork, after it is divested of the hams, by means of hot steam under about five atmospheres in large tanks. One establishment thus reduces 600 hogs per day.

TO DESTROY MOLES.—The *Michigan Farmer* gives in substance the following, which must go for what it is worth:—A lady farmer said the meadow moles had annoyed them greatly, and had destroyed two fine pear trees. She tried an expedient for them with triumphant success. Their subterranean passage was uncovered, and two cow's horns, with the large ends from each other, placed in it, so that the moles, coming either way may enter the horns. Such is the "natur of the crittur" that it never backs out of a scrape, persevering ahead till it makes its way or dies in the attempt. The latter it does in the present instance.

Answers to Correspondents.

SUBSTITUTE FOR WRINGING CLOTHES.—M. M. B., Boston. We have no information in regard to Robinson's Drying Machine, except that given by our correspondent "R.," in our last volume, page 147. We shall feel obliged if any one will tell us where it can be had, its cost, &c.

CURCULIO.—S. R. G., Bristol, Ct. We have not a cut of this insect at hand. You will find a good mode of destroying it described in our volume for 1848, page 182. The insect is well described (with cuts,) in Thomas' *Fruit Culturist*, pp. 315, 320.

SWEET POTATOES.—S. D., Granville, N. Y. We doubt whether it would be an object to attempt the cultivation of sweet potatoes so far to the north. But if you are disposed to try them, get an early kind from New Jersey, place them in a hot-bed, and when the sprouts are two to three inches above the ground, break them off carefully, close to the potatoes, and set them in hills or ridges, raised a few inches above the surface—two plants to the hill—the hills two by three feet apart. The soil should be loose and warm, and moderately rich.

DWARF PEAR TREES.—"A Subscriber." Dwarf pear trees are formed by grafting the pear on the quince stock. See any modern work on the culture of fruits.

WIND-MILLS.—E. G., Bradford Co., Pa. You will find some information on this subject in our vol. for 1846, p. 221. In a late number of the *Boston Cultivator*, LEANDER MORTON, of Hatfield, Mass., gives a brief description of a windmill of his own invention. Its cost is said not to exceed one hundred dollars. He says—"Run a shaft up through the roof of your wood house, with a fly wheel on the top, similar to a tub-wheel, bottom upwards, and build a round house around your fly wheel with doors opening to every point of the compass. If the wind is in the North and South, open your North and South doors, and give it a passage through, upon the extremity of the wings of the wheel. If in the East or West, open your East and West doors, with ropes attached thereto, to let on or shut off wind at your pleasure. Place a drum around the shaft in your wood house, with a connecting belt to the axle of your circular saw.

THRASHING MACHINES.—A. J., Smyrna, Del. For a machine that will thresh the amount you speak of—800 bushels per day—we would refer you to Joseph Hall, Rochester, N. Y.

SEPARATORS.—A. J. Pitt's separators we believe work well. They could probably be had of Mr. Hall, at Rochester, or of J. A. Pitts, Springfield, Ohio.

POTATOES.—J. E., Warren County, Pa. Potatoes do not usually do as well on the same ground year after year, as when planted in rotation with other crops; but if it becomes necessary to continue them on the same spot, plow in considerable vegetable matter, in the shape of litter or muck, with moderate dressings of animal manure.

GRASS SEED SOWN WITH BUCKWHEAT.—J. E. Land is sometimes seeded to grass with buckwheat, and in favorable seasons will catch well.

HARVESTING MACHINES.—G. B., Goderich, C. W. See answer to inquiry under this head in our last number, (page 121.)

DORKING FOWLS.—We have seen fowls imported as Dorkings, as well as others bred here from imported stock, that had but four toes to a foot. We

have no doubt that the fowls to which the name of Dorking was first applied, had five toes. Whether any of their descendants unmixed with any other blood, have only four toes, we cannot say. But fowls are now called Dorkings which are quite different from those first described under this name.

CARROTS, BEETS, &c.—T. B., Kingston, C. W. The cultivation of these crops on the same land for several years in succession, with good manuring, does not injure the land for grain crops.

STABLE MANURE.—T. B. We know of no "artificial manures" that are preferable for "crops in general" to good stable manure. If the stock is fed liberally, as you say, with grain and roots, the manure is all the better.

APPLE TREES.—W. D. H., Berks county, Pa. Apple trees of good kinds can be bought here, of Wilson, Thorburn & Co., at \$18 per hundred.

PEAT.—M. D. Jr., Lynchburg, Va. Peat is bog earth, formed chiefly by the growth and decay of moss, in wet or swampy situations. Various aquatic plants and trees also grow in many instances, in these places. The plants add their annual growth, and the trees shed their leaves and drop their dead branches, and in time die themselves, and their trunks mingle with the other substances; and thus the mass accumulates. The lower portion becomes compact by pressure, and in the oldest bogs may be cut out in pieces, which may be dried and used for fuel. The modes of using it for manure have been often described by us. See *Cultivator* for 1847, p. 297.

CARROT SEED.—M. D. Jr. The orange carrot and the white carrot are most productive. The seed of both kinds is kept at the principal seed stores in all parts of the country.

SWINE.—W. B. D., Pekin, Ill. There are no Berkshire hogs, nor any known as the "Columbia breed," in this vicinity. The Suffolk breed fattens easily. William Stickey, of Boston, has stock of this breed, imported by himself, for sale.

IMPROVEMENT OF SANDY SOILS.—S. M., Winsted, Ct. The best means of improving sandy soils, are to apply wood ashes, and well decomposed compost manure. Sow red clover, six quarts or twelve pounds to the acre. If white clover does not "come in," sow two quarts of that seed, per acre, mixed with the red. It has an excellent effect in binding the soil. If plaster is known to operate well on similar land in your neighborhood, sow about 100 pounds per acre, every spring. The plaster and ashes may be sown and left on the surface; the manure should be well harrowed in, or covered with a light furrow. The grazing of sheep is very useful in compacting sandy soils, and in connection with clover and turneps, has been practiced with much advantage. See our volume for 1847, pp. 53, 261.

SALE OF MERINO SHEEP.—We are informed that Messrs. J. D. PATTERSON, of Westfield, Chautauque county, and A. S. PATTERSON, of Perry Centre, Wyoming county, N. Y., have lately purchased of Messrs. E. & W. HAMMOND, of Middlebury, and JESSE HINDS, of Brandon, Vt., upwards of 100 superior Merino sheep. For one lot of 20 young ewes, the price is stated to have been \$20 per head.

ADVERTISEMENTS.—Several correspondents have urgently requested that articles advertised in our columns should have the prices affixed to them, and we submit whether the interest of both buyer and seller would not be promoted by this measure. Persons might in many cases be induced to purchase at once, rather than to take the trouble to open a correspondence to learn prices.

Notes for the Month

Our Premiums for Subscribers.

We offered, it will be remembered, TWENTY PREMIUMS, to those who should send us, with the payment in advance, previous to the 20th of March, the greatest number of subscribers to *The Cultivator* for 1850. In announcing the result, it is proper for us to say, that none of our Agents in the cities are included among the competitors for the prizes, which will account for the non-appearance of their names in the list of those receiving Premiums.

We annex a list of the twenty persons who have obtained the prizes; and we take this occasion to tender to them, and to all others who have so kindly acted as Agents, our most hearty thanks:

1. A. Cary, Fort Plain, N. Y.,.....	245 subs.	\$50.	
2. L. W. Curtis, Madison, N. Y.,.....	204	\$40.	
3. Wm. E. Calkins, Piconderoga, N. Y.,.....	175	\$30.	
4. H. & J. Brewer, Springfield, Mass.,.....	130	\$20.	
5. C. P. Waller, Honesdale, Pa.,.....	116	\$10	
6. Wilson Dennis, Quakertown, Pa.,.....	114		} Each
7. Samuel Brooks, Edgefield C. H., S. C.,.....	113		
8. L. Richmond, Woodstock, Vt.,.....	104		} \$5.00
9. Hiram Mills, Lowville, N. Y.,.....	69		
10. O. C. Chamberlain, Richfield Sp'gs, N. Y.,.....	57		} Each
11. M. Davis, Jr., Lynchburgh, Va.,.....	60		
12. James Wells, Johnstown, N. Y.,.....	60		} \$3.60
13. Willetts Keese, Peru, N. Y.,.....	76		
14. L. Helmer, Lion, N. Y.,.....	65		
15. R. S. Bartlett, Binghamton, N. Y.,.....	54		
16. Wm. McKimney, Ida Mills, N. Y.,.....	51		
17. J. H. Reid, Frederickton, N. B.,.....	46		
18. F. H. Fessenden, Brattleborough, Vt.,.....	42		
19. A. N. Barber, Harwinton, Ct.,.....	41		
20. Charles Root, Gilbertsville, N. Y.,.....	40		

To all the above, except the first four, we shall add to each premium, a copy of the second volume of *THE HORTICULTURIST*. We shall also send a copy of the same volume, in addition to the *American Fruit Culturist* to which they are entitled, to all those who have sent us thirty or more subscribers, as follows:

W. H. White,.....	39	M. Crowell,.....	32
G. A. Ainsworth,.....	38	F. B. Smith,.....	32
J. M. Hart,.....	38	Jas. La Roche,.....	31
Jedediah Miller,.....	38	P. M. Ross,.....	31
J. D. Spinner,.....	37	P. C. Stone,.....	31
Thos. Briggs, Jr.,.....	36	E. Adams,.....	30
H. Moore,.....	36	A. Cornell,.....	30
R. H. Van Rensselaer,.....	35	J. Franc,.....	30
J. N. Sawyer,.....	35	S. C. Jackson,.....	30
W. L. Avery,.....	34	James Lee,.....	30
C. W. Kellogg,.....	33	R. S. Marshal,.....	30
B. Macomber,.....	33	O. F. Marshall,.....	30
E. H. Townsend,.....	33	C. C. Purdy,.....	30
Charles Bartlett,.....	32	J. B. Packer,.....	30
J. W. Reed,.....	32	Jas. Culver,.....	30

To all others who have sent us 15 or more subscribers, a copy of *THOMAS' American Fruit Culturist*.

COMMUNICATIONS have come to hand since our last, from A. B., H., T. H. Collins, A Wool Dealer, C. E. G., Lotan Smith, Jacob Hitchcock, E., David Thomas, G. Butler, Levi Durand, C. F., F. Holbrook, F. Engle, G. H. Dadd, —, Prof. Norton, D. D., Thos. Craighead, Jr., J. H. Salisbury, Wm. R. Prinee, R. W., A. S. Copeman, D.

BOOKS, PAMPHLETS, &c., have been received as follows:

- A. Address before the Anderson District (S. C.) Farmers' Society, November 21, 1849, on the four principal means of improving the soil.—Draining, Subsoil Plowing, Rotation of Crops, and Manuring, by Dr. O. R. BROYLES.
- Annual of Scientific Discovery—a Year-Book of Facts in Science and Art, for 1850, from the publishers, GOULD, KENDALL & LINCOLN.
- A package of Seeds, from the Commissioner of Patents.
- Report of the Committee of Supervision of the first exhibition of Domestic Poultry, held at Boston, November, 1849, from Dr. E. WIGHT.
- Scions from a Seedling Apple, from W. DENNIS, Quakertown, Pa.
- Grammar of Arithmetic, or an Analysis of the Language of Figures and Science of Numbers, by CHAS. DAVIES, L. L. D., from A. S. BARNES & Co., publishers, New-York.
- Annual Report of the Board of Agriculture of Ohio, for 1848, from P. C. STONE, Esq., Tallmadge, Ohio—pp. 220.
- Guenon's Treatise on Milch Cows, with Introductory Remarks on the Cow and the Dairy, by J. S. SKINNER—pp. 68—price, in paper covers, 37½ cents, from the publishers, BANGS, PLATT & Co., New-York. The same, from Mr. McELRATH, bound, price 62½ cents.
- Address before the Hartford (Conn.) Ag. Society, by SIMEON HART, Esq., of Farmington.

AGRICULTURAL COLLEGE AND EXPERIMENTAL FARM.—The Committee of the Assembly, to whom was referred the report of the Commissioners appointed to mature a plan for an Agricultural College and Experimental Farm, together with that part of the Governor's Message and other papers relating to the same subject, have brought in a bill for the establishment of such an institution. This bill makes liberal provision for effecting the general design and purposes contemplated, and proposes that the Comptroller be authorised to borrow, on the credit of the State, the sum of one hundred thousand dollars for establishing and carrying on the institution. The bill has not yet been acted on, but we understand that a favorable feeling is manifested in regard to its general features, in both branches of the Legislature.

"IMPORTED SHORT-HORNS—MR. BATES' STOCK."—We have received from AMBROSE STEVENS, Esq., a reply to the remarks of Mr. CHAPMAN, on this subject, published in our January No. Having published Mr. Stevens' commendation of his and Mr. Sherwood's cattle, in our last volume, in which it was thought by Mr. Vail's friends, that injustice was done to Mr. V.'s herd, it became a matter of duty to give place to Mr. Chapman's reply. But as we can perceive no benefit to be derived by our readers from a continuance of the controversy, and as the question has a personal bearing on the interests of two public spirited importers of foreign cattle, we think it best to decline any further discussion of the points at issue, in our pages.

NORTHERN FARMERS IN VIRGINIA.—We have received a communication from a gentleman formerly a citizen of the State of New-York, but who at present resides in Powhattan county, Virginia, on a farm of 700 acres, purchased by him a few years since. In relation to the advantages which that section possesses for northern farmers, he appears to have experienced some disappointment; and he comes to the conclusion that the investment of money in Virginia lands, will not generally prove profitable, under any management that can be adopted. "compared with the same expenditure of labor and money in the State of New-York." He gives various reasons for this conclusion, the principal of which is, that the expenses which the farmer must necessarily incur there, are much greater, in proportion to his income, than at the north. Among the heavy expenses of the farmer in Virginia, he cites those of educating his children. He must either hire a teacher for his family, or pay very high charges for sending them to schools, often at a great distance. Expenses of transporting produce to market are represented as much greater than at the north, and though what the farmer has to sell does not generally, command a higher price than in New York, everything he has to purchase is considerably dearer.

FINE CATTLE.—The butchers of Albany, purchased several fine animals for their usual display of meat on the 22d of February last. E. KIRKPATRICK purchased of CLEMENT LEACH, of Eaton Madison county, N. Y., a pair of short-horned oxen, five years old, raised by E. SHELDON, of Sennett, Cayuga county, N. Y., which received one of the premiums on fat cattle at the State Fair at Syracuse; also a cow, five years old, apparently a mixture of Short-horn and Devon, which received the first premium on fat cows at the same show. J. FREDERICH purchased the fine Short-horn heifer of J. BARBER, Homer, Cortland county, which took the first premium for fat heifers at Syracuse. These

were very superior animals—fully equal in fatness and weight in proportion to offal, to any we have ever seen in this market.

DIANA GRAPE.—Several of our subscribers have asked us to send them buds or cuttings of this grape. There are none to be had in this vicinity.

GOOD CROP OF CORN IN MASSACHUSETTS.—Mr. LUTHER BUTTERFIELD, of Tyngsborough, Mass., informs us that Mr. UNDERWOOD, of that town, raised ninety bushels of corn to the acre last year. We should be glad to receive his account of the mode of cultivation.

LIVINGSTON COUNTY CATTLE.—Mr. ROBERT ROME, of Mount Morris, Livingston county, N. Y. passed through this city on the 16th of March last, with nineteen head of cattle, fattened by himself, several of which were remarkably fine. Among them we noticed a pair of roan oxen, five years old this spring, half blood shorthorns, bred by Mr. R., weighing 4,820 pounds. They received one of the premiums on fat cattle at the State Fair at Syracuse. A pair of Devon oxen, five years old, bred by E. P. BECK, of Sheldon, Wyoming county, weighing 3,702 pounds. They received the first premium for *grass-fed* cattle at Syracuse. A red Short horned cow, five years old, bred by HALSTEAD, of Castile, weighing 2,075 pounds. A roan cow, in part of Short-horn blood, bred by Hon. A. AYRAULT, of Geneseo, weighing 1,900. She received one of the premiums on fat cows at Syracuse. A heifer, three years old, in part of Short-horn blood, bred by Mr. ROME, weighing 1,608; three steers bred by him, same age and similar blood, weighing, 1,700—1,670—1,610 lbs. A pair of oxen, of the common stock, weighing 4,420 pounds. One of the first mentioned oxen, the Devon oxen, the two cows, and the three-year old heifer, were animals of a symmetry and quality seldom equalled. These cattle were designed for New-York, and will afford the epicures of that city such beef as they do not often get.

GOOD PRICES.—We are informed that Messrs. HILL, of Bridport, Vt., sold a three-year old colt, by Black Hawk, a few weeks since, to Col. CARROLL, of Maryland, for \$1,500; and that they have lately sold a three-year-old filley, for \$300. Other colts and fillies, two to three years old, are mentioned as having been sold at prices of \$300 to \$600 each. An advertisement of Black Hawk for the present season will be found in this number.

Mr. S. A. GILBERT, of East-Hamilton, Madison county, N. Y., passed through this city a short time since, with a substantial gelding and beautiful mare; the former of which he purchased in Walpole, N. H., and the latter of Mr. INGRAHAM, of Chester, Vt. They were both by the well known horse, Gifford Morgan. The mare is six years old, well made, and a fast traveller. We understand the sum paid for her was \$300. She will be an acquisition to the fine stock of Messrs. ACKLEY & GILBERT, whose horses, Morgan Hunter, and Morgan Chief, are advertised in this number. It will be seen, also, that Messrs. MASON & Co., advertise the fine horse Major Gifford. An advertisement of Mr. BURNETT's noted horse Consternation, will also be found in this number.

THE YAM POTATO.—During the last two years, we have frequently heard this variety of potato mentioned as superior to most kinds in resisting the rot. Mr. LOTAN SMITH, of Sullivan county, N. Y., first brought this potato to our notice. He left some for distribution last spring, with Mr. JOHNSON, secretary of the N. Y. State Ag. Society, and several persons who raised them last season, have spoken highly of their productiveness, and of their good

qualities for the table. Mr. SMITH states that they out yield all other varieties he ever planted, not excepting the Rohans, and that they retain their qualities later in the spring than other kinds. They require a full season to grow, and should on this account be planted early. By reference to Mr. S.'s advertisement in this number, it will be seen that he has the variety for sale.

EGGS FROM CHOICE FOWLS.—We acknowledge the reception of several packages of eggs, viz., from Capt. FRANCIS ALDEN, Dedham, Mass., samples from a stock imported from Shanghai, China, by Mr. C. B. MARSH, in 1848, and from a stock known as the Forbes importation, from the same place; from Mr. JOHN FUSSELL, Jamaica Plain, Mass., a sample from a stock imported from Shanghai in 1849; from Dr. E. WIGHT, Boston, a sample from his Dorkings, described in our last number. We saw specimens of Capt. ALDEN's fowls, of the Marsh stock, at the great poultry show in Boston, last November, and noticed that they showed striking marks of having been bred with care and skill. They were very large—the hens weighing 8 to 9, and the cocks 10 to 12 pounds each—of good form, and quite uniform in color and general characters. We have not seen Mr. FUSSELL's fowls; but are informed that they are similar to Capt. ALDEN's. The laying qualities of both are said to be first rate.

LOSS IN IMPORTING STOCK.—The sheep noticed in our Dec. No. of last year, page 378, as on their way from England to our correspondent, J. H. REID, Esq., Fredericton, New-Brunswick, we learn with much regret, died on their passage. Mr. Reid has since, however, ordered another lot from Mr. Large, among which is a New Oxfordshire Ram, for which he pays £50 sterling.

ANNUAL OF SCIENTIFIC DISCOVERY: or Year Book of Facts in Science and Art, exhibiting the most important Discoveries and Improvements in Mechanics, Useful Arts, Natural Philosophy, Chemistry, Astronomy, Meteorology, Zoology, Botany, Mineralogy, Geology, Geography, Antiquities; together with a list of recent scientific publications; a classified list of patents; obituaries of eminent scientific men; and an index of important papers in scientific journals, &c. Edited by DAVID A. WELLS and GEORGE BLISS, Jr. Boston: GOULD, KENDALL & LINCOLN.

We believe this is the first attempt in this country, to embody the items of annual discovery; though books of this kind have been published for several years in Europe. The volume comprises nearly four hundred pages, handsomely printed and well bound. We cannot doubt that it will meet the approbation of the public, as it furnishes in a convenient form, a collection of the most important facts which have been brought out during the past year. The work is well arranged, and great care has been taken to insert nothing except on good authority. The editors state that Professors AGASSIZ and HORSFORD, of the Lawrence Scientific School, Cambridge, have rendered them important assistance in preparing the work.

Our attention was lately attracted by a beautiful lot of Game fowls—four cocks and twelve hens—from the stock of Mr. T. C. ABRAHAMS, West Troy, designed for Mr. J. H. STICKNEY, Boston.

FALSE ECONOMY.—The *Am. Agriculturist* estimates there are ten farmers who waste \$50 annually in manure, where there is one who pays a dollar for an agricultural paper, which would show him how to save it.

UNITED STATES STANDARD BUSHEL.—This contains 2150.42 cubic inches. Its dimensions are 18½ inches (inside) diameter, and 8 inches deep, and when heaped the cone must be at least 6 inches high.

Prices of Agricultural Products.

New-York, March 18, 1850.

FLOUR—Genesee, per bbl., \$5.62a\$5.75—Ohio and Michigan, \$5.18a\$5.37.
GRAIN—Wheat, Genesee per bush., \$1.23a\$1.30—Ohio, \$1a\$1.15—Canadian, \$1.66a\$1.10. Corn, Southern, 56a57c.—Northern, 56a57c. Rye, 57a58c. Oats, Northern, 40a43c.—Southern, 33a34c.
BUTTER—best, per lb., 15a23c.—Common state, 8a15c—Ohio, 7a12c.
CHEESE—per lb., 6½a3c.
BEEF—Mess, per bbl., \$3.75a9—Prime, \$5.75a\$6.12.
PORK—Mess, per bbl., \$10.37a\$10.44—Prime, \$8.94a\$9.
LARD—per lb., 6a6½c.
HAMS—per lb., Smoked, 8a9c.
HEMP—per ton, American dew-rotted, \$155a\$160.
COTTON—Upland and Florida, per lb., 11½a13c.—New Orleans and Alabama, 11½a13½c.
WOOL—(Boston Prices.)
 Prime or Saxon fleeces, per lb.,..... 43a45c.
 American full blood Merino,..... 39a42
 do half do 35a37
 do one-fourth do, and common, .. 33a34

At the great sale of wool in New-York, March 13th, about 300,000 pounds of American fleece wool was sold as follows:
 13,000 lbs. common and quarter blood,..... 33c
 20,000 half blood Merino,..... 34a35c.
 44,000 three-quarters and full blood Merino,..... 37c
 35,000 Saxony and Merino, Pa.,..... 38½c
 35,000 " " New-York,..... 40c
 25,000 " " extra fine, 43c
 30,000 extra fine Saxony, (Washington Co., Pa.) . 46c
 15,000 three-qrs. to full blood Merino, Pa. and Ohio, 38c
 15,000 half blood, " 35½c
 30,000 three-quarters Merino,..... 36½c
 19,000 three-quarters to full blood Merino,..... 35½
 20,000 full blood Merino and Saxony,..... 45c
 1,500 black fleece,..... 34c
 8,000 unwashed fleece,..... 21½a27c

There was a large attendance at the sale, of manufacturers from abroad. The wool was all purchased for home consumption, with the exception of about 80,000 lbs., which was bought by New-York speculators and dealers. About 80,000 lbs. was purchased by one mill—the Manchester (New Hampshire) Print Works.

NEW-YORK CATTLE MARKET.

Monday, March 18.

At Market—1,500 Beeves, (1,000 Southern, the remainder from this State and the East,) 75 Cows and Calves, and 2,500 Sheep and Lambs.

BEEVES.—Owing to the inclement state of the weather, the attendance of the trade was comparatively sparse to-day, and the market closes inordinately dull. Good retailing qualities have been selling since our last at from \$5.50 to \$7.50 per cwt. as in quality. This is a fraction lower. About 400 would remain over unsold.

COWS AND CALVES.—Rather dull of sale at from \$20 to \$30a\$42.50. Left over, 200.

SHEEP AND LAMBS.—The supplies are gradually falling off. Sales at from \$2.25 to \$3.75a\$5.50. 200 would be left over. *Tribune.*

Osage Orange Seed for Hedges.

A SUPPLY of fresh Osage Orange seed, just received from Texas—price \$1 per quart, \$7 per peck, \$25 per bushel. Directions for raising the plants and managing hedges are given in the *Ohio Cultivator*, and will be furnished to each purchaser of seed.

M. B. BATEHAM.

Columbus, Ohio, April 1—1t.

Madder Roots.

MADDER sets selected for planting—price \$1 50 per bushel if not less than 10 bushels are ordered. Will be carefully packed and forwarded by railroad or canal, if desired, adding cost of boxes.

M. B. BATEHAM.

Columbus, Ohio, April 1—1t.

The Yam Potato.

FOR sale, 300 bushels of this excellent potato. The price will be sixty-two and a-half cents per bushel, at the farm of the subscriber, or three dollars per barrel at the Erie Railroad, about 30 miles distant.

LOTAN SMITH.

Liberty, Sullivan Co., N. Y., April 1—1t.

Durham Bull for Sale.

THE subscriber has for sale a full blood Durham Bull, three years old, bred by J. Haswell of Hoosic, from the stock of Judge Ball. His color is white—is of good form, quiet and docile temper. He will be sold at the low price of \$75, as he has been used for two years in the subscriber's herd.

J. W. PECKHAM.

Easton, Washington Co., N. Y., April 1.—1t.*

Wire for Fences.

IRON WIRE FOR FENCING, constantly for sale at New-York prices.
 Z. HOSMER,
 April 1, 1850.—6t. 110 Milk St., Boston.

Ayrshire Stock for Sale.

ONE Cow eight years old, imported by the late Richard S. Griswold, Esq.
 Also, one Bull, "Governor," two years old, from Mr. Griswold's celebrated imported cow, "Lady Rose."
 Specimens of stock from the above named animals, may be seen at the residence of the subscriber.
 E. M. WOODFORD.
 Cottage Farm, West Avon, Ct., April 1, 1850—1t.*

Morgan Hunter and Morgan Chief.

MORGAN HUNTER will stand the coming season, at the stable of S. A. GILBERT, East Hamilton. Terms \$10 to insure. This fine horse is seven years old; was bred in Springfield, Vt.; got by Gifford Morgan; dam by the same horse. For figure and description, see *The Cultivator* for 1849, page 216.
MORGAN CHIEF, will be three years old on the 18th of June next. He is a very superior colt; was got by Gifford Morgan, dam by Green Mountain Morgan. See *The Cultivator* for 1849, page 67. He will be kept for a few mares only, at the stable of H. R. ACKLEY & GILBERT, East Hamilton. Terms \$10 to insure. ACKLEY & GILBERT.
 East Hamilton, Madison county, N. Y., April 1, 1850.—2t.

Fruit Trees, Scions, and Strawberry Vines.

THE subscriber, general agent for ELLWANGER & BARRY, nurserymen, for the sale of Trees, can supply orders for any quantities, or for Shrubbery and Scions of the best kinds, grown at Rochester; and where persons would wish a selection made of either, he would advise without charge.

STRAWBERRIES.—He is also agent for M. G. WARNER, for the sale of Strawberry Vines, which can be nicely packed in moss and sent over the Continent with safety, by express or otherwise. The kinds below mentioned are among the best grown:
 Burr's New Pine, Crimson Ccne,
 Rival Hudson, Black Prince,
 Boston Pine, Columbus,
 Hovey's Seedling, Bishop's Orange
 Large Early Scarlet.

The Burr's New Pine, is one of the best extant, and the Rival Hudson for a market fruit is No. 1, and for preserving is the *very best*. Post paid applicants with funds enclosed, shall have prompt attention. He refers to Mr. Tucker, publisher of *The Cultivator*.

Printed Catalogues furnished free to applicants.
 Price of Strawberry Vines, 50 cents per dozen. Address
 JAMES H. WATTS.

Rochester, April 1, 1850—2t.

Anti-Pyric Paint.

FIRE, WATER, AND WEATHER PROOF.

THIS Paint, manufactured by "The New-York Anti-Pyric Paint Company," is a new species. It is composed of materials entirely fire proof, being scarcely destructible by the blow pipe. It forms a coating impervious to air and moisture, and is completely fire-proof from all the ordinary causes of FIRE, whether Sparks, Cinders, or Heat from a neighboring building in flames.

It is especially adapted for the following uses:—To protect
Roofs from Fire and Leaking,
Wood of all Kinds from Decay,
Tin from Rust, Iron Work, &c., &c.

And it will effectually accomplish it by being properly applied.

It is also the best PAINT for the Walls of Brick Buildings, giving them the appearance and solidity of stone, and saving the necessity of using sand, which is annoying, and will last but a short time. Besides this, it NEVER PEELES OFF. See Certificate from Professor REID.

Persons desirous of trying this Paint, are requested to call at the office of the subscriber, who keeps it constantly on hand for sale, and where every information will be given.

GEO. G. SHEPPARD.
 Sole Agent for the N. Y. Anti-Pyric Paint Co., 187 Water Street, near Fulton.

CERTIFICATE.


N. Y. Hospital, Dec. 8, 1849.

I have made an experimental investigation into the properties of a paint prepared by the N. Y. Anti-pyric Paint Company, named ANTI-PYRIC PAINT. Being acquainted with its composition, I would state, that it is of an incombustible nature; and from the dense and adhesive qualities it is prepared of, that it is eminently protective against the action of the atmosphere, and will have the effect of preserving wood and other surfaces on which it may be spread, from decay. With regard to its Anti-Pyric qualities, I would say, from the experiments I have made, that there is no probability of shingles and other wooden surfaces painted with it, taking fire from showers of ashes and cinders, one of the principal causes of the disastrous character of our fires. I consider that the "New-York Anti-Pyric Paint Company" has brought forward a valuable and useful improvement in a necessary article, and that it deserves the consideration of the public, as a safeguard against fires, and the earnest attention of the Insurance Companies, as greatly lessening their risks.

LAWRENCE REID,

Professor of Chemistry, and Lecturer on Medical Chemistry, New York Hospital.
 April 1—1t.

New Patent Churn.



THIS churn is offered to the public with the fullest confidence in its superiority over any other crank churn in use. It has all the advantages of the crank churn without having any of their objections, the iron rod is dispensed with and the difficulty of gathering the butter is removed, as this arrangement of the floats is the best for gathering of any ever

before offered. For further particulars, see Catalogue of Albany Agricultural Warehouse, or February No. of *Cultivator*.


The Silver Medal of the American Institute was awarded this churn, as the best of a large variety exhibited at their Fair in October last.

Also, Kendall's, Gault's and Dash Churns, constantly on hand at the Albany Agricultural Warehouse of

H. L. EMERY,
369 & 371 Broadway.

April 1, 1850.

Emery's Cylindrical Dynamometer.



THIS instrument is intended to be used as a comparative test of the power required to overcome the resistance of bodies under draft, & more particularly that of Plows. The common spring instrument has many faults, among which the most important are its vibration and its want of self Determination in pounds of the medium force constantly

required to perform the work. This invention is not only free from these faults, but it also indicates the absolute relative quantity of force expended in performing a given quantity of work. It consists of a strong iron cylinder with piston ground steam tight, the piston rod passing through a stuffing box and terminating with a ring. The cylinder being filled with the proper fluid, and a small hole made through the piston, by applying the force to the ring, the piston is drawn out in a given time and by a given force. The State Agricultural Society, American Institute, and the Worcester Mechanics Association, each awarded the inventor a silver medal and the highest recommendation for its correctness and utility.

County Societies, Plow manufacturers and others desiring these instruments, can obtain them by addressing H. L. EMERY,

Albany Agricultural Warehouse,
369 & 371 Broadway, Albany.

April 1, 1850.

Morgan Horse Black-Hawk.

THIS well-known stallion will stand for the present season at the stable of the subscribers; terms, \$20 the season. The superiority of this horse as a stock-getter, is becoming more and more highly estimated, as his progeny increase, and their powers as fast trotters and durable roadsters are demonstrated. For particulars, see large bills.

D. & D. E. HILL.

The Imported Thorough-bred Horse

CONSTERNATION, will stand for mares the coming season, at the farm of the subscriber, near the city of Syracuse.

TERMS.—Five dollars in advance, and five dollars additional if the mare is got in foal. Mares left with the subscriber during the season, or until he consents that they shall return, will be insured for \$10. Pasture 3 shillings per week. No mare taken except at the risk of the owner.

J. B. BURNET.

April 1, 1850.—2t.

The Morgan Horse

MAJOR GIFFORD, will stand the ensuing season on Mondays, Tuesdays and Wednesdays, at the stable of E. W. Sheldon, in Sennett. On Thursdays and Fridays, at the stable of S. B. Rowe, in Camillus, and on Saturdays, at the stable of John C. Munro, in Belisle.

Major Gifford is seven years old this spring, his color a beautiful chestnut—was sired by the Gifford Morgan, his dam a pure Morgan. Breeders of good horses are invited to call and see him.

TERMS.—Ten dollars to insure. Pasturage furnished. Accidents and escapes at risk of owners.


MASON & CO.

April 1, 1850.—3t.*

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by HENRY COLMAN of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos., \$5. For sale at the office of THE CULTIVATOR.

Emery's Seed and Corn Planter,
For Hand or Horse Power.



THIS is acknowledged the best machine for the purpose, now in use. They have been in use four years, and the demand constantly increasing. The first premiums of the N. Y. State Ag. Society, the Massachusetts Charitable Association, the American Institute, and at every county society where it has been exhibited, have been awarded it.

It is equally well adapted for all small seeds in drills, or Corn, Beans, Peas, &c., in either hills or drills, any quantity and distance apart, &c., &c.

It is driven by a gear motion without bands, which insures a constant and uniform action. Price \$14. For sale at the

Albany Agricultural Warehouse,
Nos. 369 & 371 Broadway.

April 1, 1850.

H. L. EMERY.

For Sale.

THE horse SIR HENRY ECLIPSE. He is four years old, past, and is over seventeen hands high; girth at the breast, where the collar rests, 5 feet 2 inches; lengthwise, around the breast and rump, 13 feet 7 inches; from inside of hip to shoulder, 1 foot 10 inches; round the thigh, 3 feet 8 inches; round the arm, 1 foot 11 inches.

He is a dark chestnut, and is hardly excelled by any horse in the land; and his stock bids fair to excel any of the horse kind ever in this country. At three years old, he took the first premium at Buffalo, for colts of that age, and if justice had been done, he would have taken the sweep-stakes at Syracuse.

I also offer the horse PETER MORGAN or Morgan Messenger. He is five years old, past; is a dark bay; fast trotter; stands 15 1/2 hands high, and is well shaped in all respects.

If not sold, there will be notice in the May number of *The Cultivator*, of the place of standing for these horses, the coming season. Any communication, post paid, will receive strict attention.


JOHN D. SPINNER.

Herkimer, N. Y., April 1, 1850—1t.

Upright Saw Mill.

For Sawing Curved work in Wagon making, Cabinet Work, &c., &c.,

THE annexed cut represents the most simple and effectual arrangement for a saw mill for the purposes designed.



As these are made, they are equally well adapted for our 1 Horse Power, or may be used by steam or water power as desired. Its construction is a simple frame with two uprights from 8 to 12 feet long, with 3 cross beams of 3 1/2 X 6 1/2 inch square. Near the upper end is hung a straight shaft with fly wheels D on each end, outside the frame.

E. Two driving pulleys, (one loose).

C. Wrist pins in fly wheels, to drive connecting rods.

F. Connection of the driving rods, and lower part of saw gate.

G. Table.

B. Dog for holding down plank.

A. Wind Box and Pipe, for cleaning away sawdust.

These mills can be afforded complete for \$35, ready to be driven by horse, steam, or water power. They are warranted to be superior to any thing of the kind heretofore offered—and with one of the R. Road Horse Powers, is an important acquisition to mechanics having heavy or curved sawing to do.

For sale at the Agricultural Warehouse of

H. L. EMERY,

April 1, 1850.

369 & 371 Broadway, Albany, N. Y.

N. B. The whole can be taken to pieces and packed for shipment to any part of the country. Weight about 300 pounds.

Highland Nurseries, Newburgh, N. Y.

(Late A. J. Downing & Co.)

THE PROPRIETORS beg leave to inform their patrons, and the public in general, that their stock of

Fruit and Ornamental Trees, Shrubs, Roses, &c.,
For Spring planting, is unusually large and thrifty, and embraces all of the best varieties introduced into notice in this country or Europe; of Apple, Pear, Plum, Cherry, Peach, Nectarine, Apricot, Grapevines, Gooseberry, Currants, Raspberry, Strawberry, &c., &c.

Portugal Quince trees, standards, extra size, each... \$1 00

do. do. quenouille, do. 1 00

Angers, (true,) extra 1 00

Trees of the usual size 0 50

Also, Pears on Quince, and Apple on Paradise stocks, for dwarf trees.

The stock of Ornamental Trees, Shrubs, &c., is very large; and quantities to dealers, or planters on a large scale, will be furnished at greatly reduced rates.

Hedge Plants.

A large stock of Buckthorn, and Osage Orange plants.

Also, a large stock of Rhubarb and Asparagus roots.

The entire stock has been propagated under the personal supervision of A. SAUL, whose long connection with this establishment is some guarantee, from the reputation it has gained, (and the present proprietors are determined to merit,) as to the genuineness and accuracy of the present stock.

Orders respectfully solicited, and will receive prompt attention, which will be carefully packed and shipped to any part of the Union or Europe.

Catalogues furnished gratis to post-paid applicants.

Feb. 1, 1850—3t. A. SAUL & CO.

Syracuse Nurseries,

THORP, SMITH & HANCHETT, PROPRIETORS,

Syracuse, N. Y.

WE have now standing in our nurseries, of suitable age and size for transplanting,

More than 100,000 Fruit Trees,

Consisting of the various kinds adapted to this climate, from which persons desiring to establish *Apple, Pear or Peach Orchards* for profit, or those who wish merely to furnish their *Gardens or Town Lots* with a few select varieties for their own pleasure and enjoyment, can provide themselves with *all in quantity* which may be wanted, and *every thing in kind* which is most worthy of cultivation.

Our stock embraces, of Fruit Trees,

Apple and Cherry, of extra size;

Peach and Plum, of the best early, medium and late varieties;

Standard Pear, of unusual thriftiness and beauty;

Dwarf Pear, among which are the following choice kinds:

Ananas,	Duchess d'Angouleme,	Madeleine,
Bartlett,	Doyenne White,	Passe Colmar,
Beurre Diel,	do Boussouck,	Summer Franc Real,
do Piquy,	Easter Beurre,	Soldat Laboureur,
do Capiaumont,	Glout Morceau,	Van Mons L. Le Clerc,
Colmar d'Aremerg,	Louise Bonne d'Jersey,	Vicair of Winkfield

Of Ornamental Trees,

1,000 *Horse Chestnuts*, 10 to 12 feet high, very stocky, and well formed;

1,000 *Mountain Ash*, American, 8 to 10 ft. high, with fine heads;

500 do. do. European, 6 to 8 ft high, do do

500 *Ailanthus*, large and regularly shaped.

And of Miscellaneous Productions,

Fir Trees, Silver-leaved Abele, Snowballs, Michigan Roses (double,) Buckthorn, bearing Grape vines, Seeding Horse Chestnuts, 1 and 2 years old, Quince Stocks, Quince Trees, &c., &c., &c. All or any of which will be sold at very reasonable prices,

At Wholesale or Retail.

As no pains have been spared to give our Trees while in the nursery, a vigorous and healthy start, they do not require, on transplanting, that tedious process of wet-nursing which is indispensable to bring up those of a slow, lean, and stunted growth.

☞ Catalogues furnished, as usual, to *post-paid* applications.

Syracuse, March 1, 1850—2t.

Take Notice.

THREE Months Extra Pay and One Hundred and Sixty Acres of Land will be procured for all who enlisted for five years, or during the war of 1812, and for all, including Volunteers who served in Mexico, and for the heirs of all who have died in the service.

Information will be given to relatives, Free of Charge, by writing to G. F. LEWIS, Detroit, Michigan, (postage paid.)

Those who do not know what became of their friends, write when and where they joined the army Feb. 1—3t.*

A Rare Chance.

THE subscriber offers for sale, or in exchange for serviceable horses or mares, his splendid bay Colt, of the "Surprise" stock. His interest in the Norman horse, makes it desirable to be free from his charge. The stallion offered, is nearly five years old, and from his size and muscular developments, promises finely. Some superior foals of his get, can be shown. Any communication may be addressed to ROBERT B. HOWLAND,

March 1—2t Union Springs, Cayuga Co., N. Y.

To Fruit Growers.

THE subscriber cultivates at his various nurseries, and has for sale at his residence, *Eustis St., Roxbury, Mass.*, all the choice varieties of the

Pear, Apple, Plum, Cherry, Peach, and other Fruit Trees. Raspberries, Gooseberries, Currants, Grape Vines, Strawberries, Asparagus Roots, &c.

Also, several thousand Pear Trees on the quince, 1, 2, 3, 4, and 5 years from the bud.

Particular attention paid to the cultivation of the *PEAR*; persons wishing extra sized trees, or *Trees on Quince Stocks in a bearing state*, will please call at the nurseries, and make their own selection.

Buckthorn for Hedges, One, Two and Three Years Old.

Ornamental Trees, Shrubs, Roses, Herbaceous Plants, Pæonies, &c.

Scions of all the varieties of the Pear, of established reputation, and also of other fruits.

The whole for sale at the market price.

SAMUEL WALKER,

March 1, 1850.—2t. Roxbury, Mass

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums, and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted.

Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c.

Catalogues and other information can be had of the Nurseryman, Feb. 1—6ms.

JOSEPH CALDWELL.

Highland Nurseries, Newburgh, N. Y.

A. SAUL & CO., being about to clear off the entire stock of one of their nurseries, adjacent to the residence of Mr. A. J. Downing, they would call especial attention of Nurserymen, or persons about to commence the business, to the stock of trees thereon. They consist principally of Pears, including all the leading and standard varieties, from 2 to 4 feet high. Also, a lot of Plum and Cherry Trees, and some Ornamental Trees; many of which are good saleable trees. All of which will be sold at such reduced rates, as to make it cheap stock for young nurserymen to plant out.

March 1—2t.

Agricultural Warehouse,

193 Front Street, New-York.

THE subscriber, manufacturer and dealer in *Agricultural Implements*, offers for sale one of the largest assortments to be found in the United States. Among which are the celebrated *Premium Plows*, which were awarded the highest premium of the *New-York State Fair* in 1847, and of the *American Institute* in 1846, 1848, and 1849. Also, the *Centre Draught, Eagle*, and all other *Plows* mostly in use. *Corn Shellers, Straw Cutters, Fanning Mills, Portable Grist Mills, Horse Powers, Treshing Machines, Seed Sowers, Wheelbarrows, &c.* All of which will be warranted to be of the best quality and sold at the lowest rates.

March 1—3t.

JOHN MOORE,
193 Front Street.

Highland Nurseries, Newburgh, N. Y.

Late A. J. Downing & Co.

20,000 Apple Trees of the most approved varieties, for sale, (of extra size, from 8 to 12 ft. high, and 3 to 5 years' growth,) at \$20 per hundred.

Persons wanting trees to sell again, will be dealt liberally with.

Feb. 1, 1850—3t A. SAUL & CO.

Wanted.

A YOUNG man with a small family to take charge of a nursery, who has some knowledge of farming, and is thoroughly acquainted with the propagation of Fruit Trees.

He must be well recommended as a man of integrity, and to be moral and temperate in his habits. None other need apply.

RUFUS WHITTIER.

Chickopee, Mass., Feb. 1, 1850.—3t.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$8, for sale at the office of THE CULTIVATOR.

Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR

Stocks, Scions, Evergreens, Strawberry Plants, &c

B. M. WATSON offers for sale at the *Old Colony Nurseries*, PLYMOUTH, MASS., Stocks of Fruit Trees of first rate quality, suitable for spring grafting and budding in the coming summer, at the annexed prices per 1000. Apple, 1 year, strong, \$5; 3 years, transplanted, \$10—Pear, 1 year, \$8; 2 years, \$15; 3 years, transplanted \$20—Plum, 2 years, \$15—Cherry, 2 years, \$12; 3 years transplanted, \$15—Quince, large and fine, \$15; 1 year, strong, \$12—Mahaleb, strong, \$25—Paradised, strong, \$25—St. Jean, (dwarf) \$5 per 100. Ash, Maple, Laburnum, Lime, Spanish Chestnut, Poplar, Mountain Ash, Elm, Alder, &c., &c., 4 feet, at \$3 to \$8 per 100. Arbor Vitæ, Norway Spruce, Scotch Fir, Balsam Fir, Silver Fir, Larch, Red Cedar, 1 to 2 feet, \$5 to \$10 per 100.

SCIONS. Apple scions, (fine sorts) \$1.50 per 100. Paradise cuttings \$3 per 1000. Scions of the finest sorts of pear of established reputation (say 30 sorts), and of other fruits, \$2 per 100, \$15 per 1000.

STRAWBERRIES. Burr's New Pine, \$4 per 100; Boston Pine, \$1; Hovey's Seedling, \$1; Richardson's Early, Late and Cambridge (fine sorts) \$1.50 per doz; Early Virginia Scarlet, \$1 per 100; Jenny's Seedling, \$3; Aberdeen Beehive, \$5; Swainstone, \$3; Myatt's Eliza, \$2; Crimson Cone, \$2; Black Prince, \$5; Deptford Pine, \$3; Princess Alice Maude, \$3; Keene's Seedling, \$2; Willey's Seedling, \$3; White wood, \$1—25 cents to \$1 per dozen.

Also, Dwarf and Standard Pears, select Shade Trees, Shrubs and Climbers; Weeping Trees for lawns, Roses, Phloxes, Verbenas, Chrysanthemums, and other fine plants for masses, at low prices, of which a priced list will be sent, post paid, on application.

Also, Pear seed of prime quality.

Feb. 1, 1850.—3t.

Horse Powers and Threshing Machines.

E. PLANT, No. 30 Cedar Street, New-York, Agent for the Proprietor, for making and selling the "Warren" Improved Two and Four Horse Powers and Threshers. Also, "Trimbles."

Price of the "Warren" Two Horse Power and Thresher, only	\$80
do do Four do do do	\$110
Price of the "Trimble" Two Horse Power, (without Thresher),	\$60
do do "Warren" do do do do	\$50
do do Four do do do do	\$75

Bands, from \$4.50 to \$6.

These latest Improved Threshers and Powers give universal satisfaction, and are deemed far superior to any others known heretofore for any thing like their cost.

Cash Orders filled promptly.

N. B. PURCHASING & COMMISSION AGENCY.

The undersigned also continues the business of the late E. Plant & J. Plant, (E. Plant & Co.) of Purchasing for Orders, on Credit or for Cash, Dry Goods, Groceries, Hardware, &c., &c., for a commission of 2½ per cent. Produce, such as Sugar, Cotton, Tobacco, Peltries, &c., also received and sold on Commission. **E. PLANT,** Dec. 1, 1849—6t. No. 30 Cedar St New-York.

Poudrette.

THE LODI MANUFACTURING CO., offer their new and improved Poudrette, for sale at their usual rates:—1 bbl. \$2—3 bbls. \$5, and \$1.50 per bbl. for any quantity over 7 bbls., delivered free of expense on board of vessel in New York. At the Factory, where vessels drawing 8 feet water can come, it will be sold at 25 cents per bushel.

The expense per acre in manuring corn with Poudrette, will amount to about \$4, calculating 25 cents per bbl. freight, and all the necessary labor included. On land previously manured, or on good sward land, one gill to the hill is sufficient—on poor ground, a good crop can be raised by one gill at planting, and one at the last hoeing. The cost of the labor alone in manuring corn in the hill with barn yard manure, will amount to more than the first cost of the Poudrette, with freight and all charges added; and the effects of Poudrette are quicker, more vigorous, and the corn reaches maturity earlier. A fair trial, *however small*, is respectfully solicited.

A pamphlet containing instructions for use, certificates from some of the first Agriculturists in the United States, and much valuable information will be sent *gratis*, to any one applying (*post paid* if by letter), to "THE LODI MANUFACTURING COMPANY, 66 Dey street, New-York. Feb. 1—4ms.



Isabella Grape Vines,

OF proper age for forming vineyards, propagated from and containing all the good qualities which the most improved cultivation for over twelve years has conferred on the Vineyards at Croton Point, are offered to the public. Those who may purchase will receive such instructions as will enable them to cultivate the grape with entire success, (provided their locality is not too far north.) All communications, post paid, addressed to R. T. UNDERHILL, M. D., No. 310 Broadway, New-York, will receive prompt attention.

He feels quite confident that he has so far meliorated the character and habits of the grape vines in his vineyards and nurseries by improved cultivation, pruning, &c., that they will generally ripen well, and produce good fruit when planted in most of the Northern and all the Western, Middle and Southern States. March 1, 1850—2t.

The American Fowl Breeder,

A New and Valuable book,

CONTAINING full information on Breeding, Rearing, Diseases and Management of

Domestic Poultry,

And instructions concerning the choice of pure Stock, Crossing, Caponising, &c., &c., WITH ENGRAVINGS. By an association of Practical Breeders.

The above valuable work is just published by John P. Jewett & Co., Cornhill, Boston, and it is offered at the extremely low price of *Twenty-five Cents* per copy, to bring it within the means of every man interested in Poultry.

☞ We want 100 Good Faithful Agents, ☜

To sell this work in every county in New England, New-York, Pennsylvania and the West, in connection with

Cole's American Fruit Book,

AND

Cole's American Veterinarian.

Active and intelligent men can make money at the business. Address, post paid, the publishers.

JOHN P. JEWETT & CO.,
Cornhill, Boston.

P. S. The American Fowl Breeder is done up with thin covers, and can be sent by mail to any part of the country. Any person sending a quarter of a dollar by mail, *post paid*, shall receive a copy of the book.

Feb. 1—3t.

Seedlings.

PEAR, Plum, Cherry, Quince, Apples, Horsechestnut, Mountain Ash, and Buckthorn Seedlings for sale. Also seed of the above kinds of trees. Every variety of Fruit and Ornamental Trees, and grafts of the celebrated Virgalieu Pear of Geneva. For sale at the Geneva Nursery, by

W. G. VERPLANCK.

Geneva, Nov. 1.—6t.*

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.

THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

The following are a part of the utensils kept for sale by us, which are considered the best in use, all of them having taken the highest premiums:—Wheeler's Railway Horse Power, Threshing Machines and Separators, Grant's Fanning Mills, of six different sizes, for Rice as well as Grain; Mayher's do.; Hovey's Spiral Hay, Straw and Stalk Cutters; Smith's Smut Machines and Buckwheat Cleaners; Beal's Corn and Cob Crushers, for Feed, horse power; Sinclair's Corn and Cob Crushers, for hand or power; Sinclair's Hay, Straw and Stalk Cutters, hand or horse power; Greeue's Hay Cutters, 12, 18 and 24 knives; Mayher's Hay and Straw Cutters, 8, 10, 12, 15, and 18 knives; Wheeler's Stalk or Cane Cutter, Power Machine; Mayher & Co.'s Corn Shellers, single and double-hand or power; Burrall's Corn Shellers and Separators; Warren's do., wood and iron; Smith's Corn Sheller and Separator, (power.) 1200 Bushels per day; Virginia do., hand or power, 600 to 500 bushels per day; Sinclair's do. do. and Husker, power; Whitman's Horse Power, Threshing Machine and Cleaners; Taplus' Horse Powers; Mayher's do. do.; Emery's Threshing Machines, one and two horse power; Emery's Seed Sowers or Corn Planters; Emery's Saw Mill; Emery's Centrifugal Churns; Thermometer Churns, of different sizes; Cylindrical Churns; Atmospheric Churns; Self-Acting Cheese Presses; Hay Presses; Bachelor's Corn Planter; Seed Sowers of different kinds; Bark Mills; Cider Mills; Paint Mills; Coffee Mills; Corn Mills; Fitzgerald's Flouring Mills; Prentiss and Pages' Flouring Mills, Burr Stone; Mayher & Co.'s Eagle Improved Polished Plows, of different sizes and patterns; Worcester do.; Mayher & Co.'s common do.; Freeborn do.; Prouty and Mear's Plows of all kinds Center Draught; Sub Soil Plows of different kinds and sizes; Side-Hill do.; Double Mouldboard do.; Cultivators, Steel and Cast-Iron teeth; Geddes' Harrows; Ox Yokes and Bows; Single and Double Wiffletrees; Ox Scrapers, of Wood and Iron, large and small; Ox Carts; Farm Wagon; Mule Carts; Wheelbarrows; Canal Barrows; Field and Garden Rollers, Iron and Wood; Wheat Drills; Reaping Machines; Moving Machines; Rice Hullers; Store Trucks; Ground Augers; Ox-leg and Trace Chains; Pickaxes; Grub Hoes; Rakes, Seythe's Sneaths, Grain Cradles, Crow-Bars, &c., &c. In fact, we have every thing wanted for Farming purposes, got up in the best manner, style, workmanship, and of the very best material, of all the latest improvements. We have also for sale a large quantity of the best Seed and Spring Wheat, Oats, Corn, Barley, Rye, Peas, Beans, Turnip, Cabbage, Beet, Carrot, Parsnip, Onion, Radish, Asparagus, Clover and Grass Seed, raised expressly for us, and warranted fresh—a very superior article. We also have a large quantity of Guano, Bone Dust, Lime, Plaster and other Fertilizers on hand, Ornamental and Fruit Trees, Shrubs, &c., of the best quality, furnished to order. Also, Wire Cloth, of all kinds; Castings do., Steam Engines, Sugar Mills, Saw Mills, Shingle and Brick Machines, together with Force, Cistern, Well, and other Pumps.

JOHN MAYHER & CO.,

Feb. 1, 1850—tf

No. 197 Water street, New-York.

Contents of this Number.

Culture and Manufacture of Flax,	129
The Flax Rust, by Dr. FITCH,	130
Agricultural Chemistry, by W. L. EATON,	132
On the Culture of Indian Corn, by LEVI DURAND,	133
Suggestions in answer to E. W. J., by F. HOLBROOK,	134
The Dignity and Relations of Agriculture, by C. E. G.,	135
Bone Disorder in Cows—Blind Teeth in Horses, by E.,	138
On Transplanting—Shade Trees,	139
Answers to Horticultural Inquiries,	140
Productive Strawberries—Large Crop of Water Melons, by } C. E. G.—Early Vegetables,	141
Twenty-five hardy Shrubs—Horticultural Miscellanies,	142
The Diana Grape, by S. H. COLTON—Farmer's Song, by W. } L. EATON,	143
Construction of Wire Fences, by HARRY BETTS, and A. B.,	144
Galloway Cattle—Southern Ohio, by D. E. GARDNER,	146
Growth of Pumpkins, by J. HITCHCOCK—Cabbage Culture, } by J. H. COLLINS—Juries in Civil Causes, by D. THOMAS,	147
Plantation Railroads, by S. TILLOTSON—Progress in Know- } ledge, by B.,	148
A Wet Cellar made Dry, by G. BUTLER—Flax with Barley, } by X.—Farming Economy, by LEVI DURAND,	149
Trial of Flows—Importation of Animals from Asia,	150
Neglected Manures—Bones, by Prof. NORTON,	151
Facts and Opinions, on various subjects,	152
Answers to Correspondents,	153
Monthly Notices—To Correspondents,	154

ILLUSTRATIONS.

Fig. 156—Transplanting,	139
157, 158, 159—Wire Fence,	144
160—Galloway Ox,	145

Geo. Glenny's New Farm & Garden Newspaper,
"THE COUNTRY GENTLEMAN,"

IS published in London, on Mondays in time for post, with the latest market prices of Corn, Meat, Cattle, Seeds, and Money, and is the very best weekly Review and Family Newspaper in England, as well as the acknowledged highest authority in all matters connected with Horticulture. Price 6s. 6d. per quarter in advance.

Address GEO. GLENNY,
March 1—3t. 420 Strand, London.

Cherry and Apple Seedlings.

CHERRY (15,000) of the Mazzard varieties, averaging about one foot in height, \$10 per thousand.
Apple (90,000) at from \$3 to \$5 per thousand—one foot and over, \$5 per thousand.
The above will be well packed and delivered in New-York, free of expense, on orders for 1000 or more accompanied by the cash.
PHILETUS PHILLIPS.

Middletown Point, N. J.—1t.*

Webster's Dictionary, Unabridged.

Washington, Jan. 31, 1850.

I POSSESS many Dictionaries, and of most of the learned and cultivated languages, ancient and modern. But I never feel that I am entirely armed and equipped in this respect, without Dr. Webster at command. DANIEL WEBSTER.

"I think it the most useful Dictionary of the English and American language extant." HENRY CLAY.

"I find it an invaluable *vade mecum*." WASHINGTON IRVING.

"Every scholar knows the value of a work, which, in addition to its etymological learning, has done so much to enlarge our acquaintance with the English vocabulary, both by the number of its words, and the accuracy and extent of its definitions." WM. H. PRES-COTT.

"The etymological part surpasses anything that has been done for the English language by any earlier laborers in the same field."—GEO. BANCROFT.

"We recommend it to all who desire to possess THE MOST COMPLETE, ACCURATE, AND RELIABLE DICTIONARY OF THE LANGUAGE."
DAN'L WEBSTER,
LEWIS CASS,

THOMAS H. BENTON,

And thirty other members of the U States Senate.

MILLARD FILLMORE, V. Pres. U. S.
GEORGE N. BRIGGS, Gov. Massachusetts.
WILLIAM B. CALHOUN, Sec. State Massachusetts.
ROBT. C. WINTHROP, late Speaker U. S. House Rep.
CHANCELLOR FRELINGHUYSEN, N. Y. University.

"We rejoice that it bids fair to become the standard Dictionary to be used by the numerous millions of people who are to inhabit the United States." Signed by 104 members of Congress.

Framingham, Feb. 13, 1850.

"Webster's Unabridged Dictionary has been introduced into the several schools of this town, and we find that it is more used and more useful even than was anticipated. The copious list of Geographical names, is an important feature of this work for schools, and is itself WORTH THE COST OF THE WHOLE WORK.

B. G. NORTHOPE, A. ALDRICH, CARLTON PARKER, School Committee of Framingham."

Published by G. & C. MERRIAM, Springfield, Mass., and for sale by Booksellers generally.

JUST PUBLISHED,
BY DERBY, MILLER AND CO., AUBURN,
THE AMERICAN FRUIT CULTURIST,

BY J. J. THOMAS,

CONTAINING directions for the Propagation and Culture of Fruit Trees, in the Nursery, Orchard, and Garden, with Descriptions of the principal American and Foreign Varieties cultivated in the United States. With 300 accurate illustrations. One volume of over 400 pages, 12 mo. Price \$1.

A cheaper, but equally valuable book with Downing's was wanted by the great mass. Just such a work has Mr. Thomas given us. We consider it an invaluable addition to our agricultural libraries. *Wood Grouser*.

We predict for it a very rapid sale; it should be in the hands of every fruit grower, and especially every nurseryman. It is a very cheap book for its price.—*Ohio Cultivator*.

It is a most valuable work to all engaged in the culture of fruit trees.—*Utica Herald*.

It is a book of great value.—*Genesee Farmer*.

Among all the writers on fruits, we do not know of one who is Mr. Thomas' superior, if his equal, in condensing important matter. He gets right at the pith of the thing—he gives you that which you wish to know at once; stripped of all useless talk and twattle. No man has a keener eye for the best ways of doing things. Hence we always look into his writings with the assurance that we shall find something new, or some improvements on the old; and we are seldom disappointed. This book is no exception. It is full. There is no vacant space in it. It is like a fresh egg—all good, and packed to the shell full.—*Prairie Farmer*.

In the volume before us, we have the result of the author's experience and observations, continued with untiring perseverance for many years, in language at once concise and perspicuous.—*Albany Cult*.

For sale in New-York, by M. H. NEWMAN & CO., and C. M. SAXTON. Boston, B. B. MUSSEY & CO. Philadelphia, THOMAS, COWPERTHWAIT & CO.

** Copies in paper covers sent by mail free of expense on receipt of \$1, post paid. Direct to DERBY, MILLER & CO. Auburn, April 1, 1850.—3t.

BENNETT'S AMERICAN POULTRY BOOK.
The Poultry Book

And Fowl Breeders' Guide.

BEING a Treatise on the Breeding, Raising, and General Management of DOMESTIC FOWLS, with numerous original descriptions, and Portraits from Life. By JOHN C. BENNETT, M. D.

This work will be found to contain a greater amount of original and other information, both practical and useful, in regard to Fowl Breeding, than is contained in all other American works together. It will be illustrated with nearly FIFTY PORTRAITS of the most choice varieties of American and Foreign Fowls, some forty of which are from life, from drawings taken especially for this work, of the most important breeds, and several of them from Fowls very recently imported.

The publishers have spared no expense to bring out this work in a superior manner, both in regard to the engravings, the merits of the work, and the general execution of every part of the book. And it is believed that the work will be found to contain more Practical Information on *Breeding and Managing Domestic Fowls*, than any work issued in this country.

Price—in Muslin binding, 75 cts.; in Paper covers, 50 cts.

PHILLIPS, SAMPSON & CO., Publishers,
April 1—3t. 110 Washington St., Boston.

Patent Rail Road Horse Power,

And Overshot Threshing Machines and Separators,

NO Threshing Machinery ever invented has met with so rapid an introduction, or given so general satisfaction as this.

Four years since, and less than a dozen sets were made and sold within this State, where last season, upwards of three hundred sets were made and sold, beside many in Pennsylvania and the Western States.

Formers desiring to avoid the trouble, inconvenience and expense attending the employment of the ordinary lever powers and threshers, are requested to examine our terms, descriptions, machines, &c. before purchasing, or again employing the large machines.

For further particulars, see Catalogue of Albany Agricultural Warehouse and Seed Store, Agricultural Papers, and Reports of Agricultural Societies, &c., &c. H. L. EMERY,
April 1, 1850. Nos. 369 & 371 Broadway, Albany, N. Y.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, MAY, 1850.

VOL. VII.—No. 5.

Improvement of Old Lands.

How shall our Worn-out Farms be restored to Fertility?

EDITORS OF THE CULTIVATOR—A few days ago, an enterprising, inquiring young farmer, asked me the question—"How shall I bring up my poor old farm?"—As this question is often asked me, and being persuaded that there are many young farmers scattered about, who really wish to be told how to go to work with the means immediately within their reach for the improvement of their land, I shall now attempt to give the substance of my reply to the young farmer, so far varying it as partly to answer the general question propounded at the head of this communication. To advanced farmers, my remarks may be quite common-place, but it should ever be borne in mind that there are those behind that want to come along up.

I am aware that the course I am now about to advocate for the renovation of worn-out lands, involves, what, if you please, may be called a good deal of hard work; but, for wise reasons, it is our allotment, in any and all the various walks of this life, to be beset with difficulties that must be surmounted, and to reap our most substantial advantages and enjoy our choicest pleasures, only as the reward of patient and strenuous exertion. To all such as are unwilling to use the means within their reach for the improvement of their soil, because there is work in it, I would say:—You are not fit to farm it here in New-England, at least; and it would be better for yourself, and all concerned, that you should immediately abandon the business, and be at something else, or go west, where you may find a virgin soil, and enjoy the inexpressible pleasure of giving it a clean thorough skinning. The question very naturally arises here, which I will not now discuss,—Whether a diligent and careful husbandry of the means for making manure, and a liberal application of that manure to the soil, is not, in the long run, the *easiest*, as well as the most agreeable and profitable course of farming in this land of barrenness?

Much of our soil, under a long course of wearing tillage, has been deprived of its vegetable matter; and in supplying this material, we also supply valuable inorganic elements which are contained therein. We are led by observation to conclude that the presence of vegetable mould is a grand essential to fertility; we find that nature, every where, in making her choicest soils, endows them liberally in this respect; its presence makes the soil more permeable to heat and moisture and more retentive of the same; it keeps land from packing down too hard, and helps the roots of plants to penetrate and range about at pleasure,—to find that genial air, and

health-giving water and pasture, which cause the crops to mature into bountiful harvests. The absorbent and retentive properties of vegetable matter, make its presence desirable in the compost heap, also; for there it imbibes and retains those liquids and gases of the manure, which too many of our farmers, from negligence, or the want of a proper appreciation of their value, permit to run to waste. So we see, that by gathering up the waste substances on our farms that are rich in vegetable matter, and mixing them with the excrements of our farm-stock, we not only return to our tillage fields an important deficiency, but with it, we also carry on rich fertilising saline matters, which would otherwise too often be lost. In other words, there are means within our reach, by which we may more than double the quantity, without detriment to the quality, of our manure.

The first material I shall name, is swamp muck. The farmer who has an abundance of muck at his command, who understands how to manage it, and is willing to go at it resolutely, may be sure of making his land productive. I know several men who, in a very few years, have added barn to barn, and filled them too, as the result of a vigorous and thorough system of muck-composting. To manage muck to the best advantage, the arrangements for draining the swamp should be so complete, that men and cattle need not work up to their knees in mud and water. This being done, a quantity of the muck may be got out into heaps on dry ground, to be used when wanted. It pays well to keep two years stock beforehand in these heaps. The atmosphere will act favorably upon the muck, and it will be lighter to handle and draw; it will also crumble down to a fine powder, mix up better with the manure, and more completely absorb its liquids and gases. It is also well to get a year ahead with the compost, for by giving it more age and ripeness, the gases of the manure will all be developed and absorbed by the muck, and retained in the form of salts, and that, in turn, will expel all acidity, and thus the compost will be very much more effective upon the crops.

A barn cellar for the reception of the compost should by all means be had, if the construction of the buildings and the shape of the ground will admit of it. A layer of muck a foot deep may in the fall be spread over the cellar bottom, and when enough manure has accumulated under the scuttles in the stable floor to make a coat over the muck of 7 or 8 inches, the same may be spread. Then another coat of muck and manure, as before, and so on. If it can be so contrived as to get a year's stock of manure ahead, the compost may remain in the cellar till after haying, and then, at leisure, be carted out into large compact heaps on the field where wanted. The heaps should be nicely laid up to prevent unnecessary loss by evaporation.

The most perfect way of composting muck, and, on the whole, about as cheap a way as any, is to have the planks of the cattle stalls just long enough for the animals to stand up or lie down upon, and immediately behind them let there be a trench, four inches deep and fifteen or eighteen inches wide. Into this trench, each morning, put a suitable quantity of muck, and all the liquid and solid excrements from the animals will fall upon it, and the whole, when thrown out, will be thoroughly intermingled. In this way, a very much larger proportion of the muck can be used than in any other, because all parts of it come into immediate and intimate contact with the manure-droppings, warm from the stock, and a powerful action at once takes place. A warm place may be provided in or about the barn to hold a number of loads at a time of the muck, and then it can be taken up on a wheelbarrow, and deposited in the trench. This may by some be called extra labor; but it comes at a season of the year when it can be done about as well as not, and a compost thus prepared, will produce extra good crops, wherever applied. I did this kind of work with my own hands two winters; I found that it took, on an average half an hour longer, each morning, to do the 'chores,' and I also found, in the spring, that my manure heap was very much larger and better by the means.

If a cellar is not to be had, at reasonable expense, the compost may still be made in the trench, and thrown out at stable windows, in the usual way. In this case, it would be a matter of economy, in the long run, to build a shed-range in front of the stable windows, to protect the manure from bleaching by storms, or evaporation by sun.

If the idea of a trench seems too particular and notional a mode of farming, the planks of the stable floor may be laid with an opening of one-half inch between them, and so arranged that they can be readily taken up, and a layer of muck of 2 or 3 feet deep thrown under, to catch and hold the urine from the stables. In the spring, this will be found to be strong and good. The solid manure may be thrown out at the windows and afterwards mixed with muck, in the yard or in the field. If in the field, it is a good way to draw the muck to the spot where wanted, and drop it in two winrows, as long as the heap is to be when done, with a space say of 6 or 8 feet between the winrows. Spread into this space, of the muck from each side, a suitable layer, and then drive up to the ends with the manure, and throw on a layer of it. Then another coat of muck and of manure and so on, until the heap is about five feet high,—the last layer being of muck. Two parts of muck may be used to one of manure. The heap should be laid up as lightly as possible, in order to promote fermentation. It should not be too high, for the bottom courses will not decompose, if too much compressed.

In the spring, the barn yard and sheds should receive a good coat of muck, which should be occasionally plowed and worked over, and carted out in the fall, and another coat supplied. Each cow, yarded at night through the summer and fall, will prepare for use at least six loads of muck. The borders or one end of the yard may be the highest, so as to afford a dry place in a wet time, or there may be another yard for such times. If the yard is very large, it may be well to divide off a part of it for summer use, so as to concentrate the cattle droppings, and lessen their exposure to evaporation. I find that the compost prepared under sheds, is much stronger than that made in the open yard;

and I strongly suspect that it would be economy to have more shed room than most of us do.

The hog-yard must not be neglected. If possible, it should be so located as to receive the horse manure, and the washings from the house. Muck should be added at suitable intervals, and the hogs will show a specimen of workmanlike and thorough composting,—paying particular attention to tossing about the horse-manure, and mixing it with the other materials, so as to prevent injury from burning. Horse-manure, if left in a heap by itself, becomes almost worthless by over-heating.

Muck and unleached ashes, in the proportion of four or five bushels of the latter to a-half cord of the former, is a good compost. I have never failed of raising large, sound, mealy potatoes with a dressing of this kind liberally spread upon a light warm loam. This mixture also makes a capital dressing for grass ground.

Muck and good fresh lime, in the proportion of five cords of the former to a hogshead of the latter, (my hogsheads hold seven bushels each,) is a good compost, for either corn, potatoes or grass. A layer of six inches deep of the muck is spread down, and the lime is slaked to a dry powder as fast as wanted, by sprinkling on just water enough for that purpose, and immediately scattered over the muck; then another layer of muck and of lime, and so on, till the whole is mixed. It is better to crumble the lime to a powder than to put it on in lumps, because it becomes more thoroughly intermingled with all the muck, and if slaked no faster than wanted, and if put on immediately, while yet warm, there will be heat enough to produce a powerful fermentation at once. The best of fresh lime is the cheapest; for it will make more than twice its bulk when dry slaked, and its action upon the muck is immediate and strong.

In composting muck with either lime or ashes, the best success will depend upon the care and precision exercised in mixing the ingredients. The layers of muck should not exceed six inches in thickness, and then the alkali will penetrate them in every direction, and all acids will thus be neutralised. Complete fermentation will be the most surely secured if the heaps are made up in hot weather,—as every one knows. Whenever I want to use more manure than I can make with my stock, as is frequently the case, I had rather depend upon these two composts than to be at the expense of the purchase and transportation of manure from abroad.

If the farm does not afford muck, other materials may probably be found, with which to save the volatile and liquid portions of the manure, as well as to increase the heap. The extra accumulations of leaves and vegetable mould in the hollows and at the foot of hill-sides in the forest, may be dug up with profit. I collect more or less of this material every year. In the latter part of November, and until snow falls, it may be dug up with stout hoes made for the purpose, and with a wheelbarrow, put into a heap or heaps convenient for hauling to the barn and yards, in the winter. It is so light as never to freeze more than two or three inches, and can therefore be handled at any time. It may be managed agreeably to the directions heretofore given for the treatment of muck, with this difference,—being free from hurtful acids, it is much sooner fit for use. It would not be advisable to take off this vegetable mould indiscriminately; but there are places where it gets to be four to six inches deep, and if taken off, a sufficiency for the wants of the trees will soon accumulate again. In such instances, the deposits are probably worth more to the tillage fields than to

the forest. Often, too, a stone wall or a rail fence, bordering a wood-lot, will be half buried by an accumulation of leaves in various stages of decay. Such deposits should be sought out and turned to good account. Last season I applied a compost, made of this vegetable mould and lime, to my potatoes, and I never raised better ones. They came out in the fall large and clean, have kept well, and cook finely.

Rich, thickly matted turf may be used for manure. It should be dug about two or three inches deep, and placed in the yard in the spring, and frequently plowed and pulverised during the summer, and in the fall carted out and a new layer supplied. The hogs like it in their yards, and it is healthy for them. A lot of it may also be dug up and piled by itself, to rot, and then it can be more readily incorporated with the manure from the stables. If the road-side does not afford good turf, it may be taken up near the fences in the fields. Where the farming has been bad heretofore, there will be high ridges or headlands beside the fences, and these may be taken to the yards. Then there are hollows in the pasture and elsewhere, that receive more than their share of the riches of the farm; and by taking a portion from them to the compost heap, and from thence distributing it back to the fields, the farmer may perhaps find his income increased.

All waste vegetable substances, wherever to be found, should be gathered up and brought to the yards. A systematic saving of this kind, amounts to a very important matter, in the course of a year. In short, *something* must be used to absorb those portions of the manure in the stables and yards, which are too often allowed to escape beyond reach.

To bring up a worn-out farm rapidly, such a rotation of crops should be adopted on the tillage fields as will give each of them a dressing of manure at regular intervals, and those as frequent as possible. The depth of furrow should be gradually increased, bringing up an inch or two of the poor lower stratum at each breaking up, until a surface soil of uniform quality, of nine to twelve inches deep, is obtained. The compost should be spread on the top of well-turned furrows and harrowed in, and the land planted to whatever crop it is best to raise. The next season, the surface should be levelled and made mellow, without bringing up the sod, and sowed to grain and grass seed. The decomposing sod beneath will furnish food for the growing crops; it will keep the land lighter and mellow than would a half-dozen plowings and cross-plowings in the spring; it will hold moisture for the use of the young grass for several years, in consequence of the vegetable decomposition beneath. Grass-seeds should therefore be scattered bountifully at seeding-time, for thus the soil is filled with the kind of vegetation wanted, and a richer turf is formed with which to enrich the land at the next plowing. Clover should be profusely mixed with the other grasses, for by its system of large tap-roots it fills the soil, draws up a good portion of its sustenance from below the reach of the other grasses, and the decay of its roots improves the surface soil. None of us like clover for hay so well as some other grasses; but while our farms are poor certainly, and our object is to improve them, we cannot dispense with the advantages arising from the liberal sowing of it.

I have often thought that if I had a poor farm to bring up, I would not at first attempt to raise much grain. In August or September, I would turn over as much of mowing-land as I could manure with 12 to 15 loads of compost per acre, spread the compost

on the inverted furrows, and re-seed immediately to grass, without taking a grain crop. This dressing would probably improve the land as fast as 25 or 30 loads per acre would, if it were planted one year and sowed to grain the next, in the usual way; and thus *all* my tillage land could be sooner brought to doing something to remunerate labor.

Worn-out pastures, level enough to plow, may be improved as fast as leisure can be found to turn under two crops of buckwheat in a season, and then sow rye in the fall, and grass seeds on a late snow in the spring,—the rye to be fed off the following season, while the young grass is getting root. The rye should not be taken off in the form of a grain crop, for that would sap the land and defeat all improvement. In the immediate vicinity of large villages, where pastures and pasturage are scarce and high, this kind of management would pay well.

Steep unproductive hill-sides may be put into a more productive condition by planting them out to wood and timber; and in this day of rail roads and steam mills, no improvement can be made in some localities, that will, in the end, pay a better interest. If planted to trees, these lands lay in a state of rest, soon the annual fall of leaves adds fertilizing matter to the soil, the rains do not wash them so much as before, and thus they are gradually restored to fertility. If poor hill-sides are wanted for pasturage, they may be much increased in productiveness by planting out here and there the common white locust tree. It will improve the land and the quality of the feed in a very few years.

Finally, there are numberless methods by which our poor old farms may be improved, and that too, in a way that shall pay as the improvements proceed. I have taken up a subject that hardly has limits; but I will pursue it no further at this time. I will merely remark, that close observation, diligent study, and patient but strenuous industry, are the essential requisites to good farming in our older settled districts of country; and with these, the farmer need not fear any rivals, no matter from what quarter they hail. F. HOLBROOK. *Brattleboro', Vt., March 4, 1850.*

Improvement by Draining.

Underdraining.

EDS. CULTIVATOR—The subject of draining does not as yet appear to be thoroughly understood by a great many farmers. They suppose that they have done all that is necessary in this matter, when they have furnished a furrow, or shallow channel sufficient to draw off the surface-water before it rots the seed, or scalds out a young crop of corn or other grain. I believe the want of suitable drainage, is the most common cause of the failure of crops; yet the disappointed husbandman is often seen looking around him in vain for some more remote cause, sufficient to produce the effect. We are familiar with the many causes assigned for the repeated failures of the potato crop; but any person who has observed the careless mode of cultivation adopted with this vegetable, will not hesitate to assign, as the original cause, the damp vegetable mould, so often selected for the potato patch. It has been a common practice with farmers to plant that portion of the field to potatoes which was too wet for corn. When we add to this, the fact, that the seed used, has been raised in the same way, and that the same process has been continued for many seasons, we need not be surprised at the result. It is more than probable that the rapid degeneration of grains, grasses,

vegetables and fruits, of imported varieties, is owing to a want of thorough drainage more than to any unfavorableness of climate. Orchardists have not failed to observe the poor quality of the fruits of acknowledged excellence, when raised on cold damp soil.

Not only the surface of the ground should be drained, but some plan must be adopted which will effectually remove all unnecessary moisture from the subsoil, to the depth of at least two feet. Open drains or ditches should not be entirely dispensed with. They are necessary to furnish a rapid passage for the surplus waters in the spring, and to prevent the flooding of cultivated fields by the overflow of upland swamps. An open channel is also necessary when some lawless brook is required to forsake the crookedness of his ways, and flow in a direct line. The smaller drains should be covered, to afford an unbroken surface to the plow.

A cheap method employed in Europe is as follows. An ordinary ditch is made about two feet deep and fourteen inches wide at the bottom. A channel eight inches in width and depth, is cut in the bottom of the ditch. A rope of straw slightly twisted, and of sufficient size to fill the channel, is placed in it; the earth is then shovelled in, and the drain is completed. The offsets between the two channels, are intended to aid in sustaining the superincumbent earth. The water will continue to filter through long after the straw is decayed. Could not the channel be filled with coarse clean gravel, as a substitute for straw?

If a larger quantity of water is to be discharged, a good drain may be made of pine or hemlock boards. Slit them to a suitable width, say nine inches, then with a common paint brush, cover them on both sides with tar and rosin melted together; nail them in the form of a prism, place them at the bottom of the ditch, and cover with earth, as already described. Or the passage may be made by placing a row of brick edgewise, on each side of the ditch, and cover over with a layer of brick placed crosswise, which would require one hundred bricks to the rod; or if a layer of bricks is required at the bottom, it would take 150.

The draining tiles lately introduced, are a decided improvement. Each farmer will of course decide upon the material to be employed,—whether wood, brick, glass, tiles, or iron. But let your fields be thoroughly drained by some method, as the first point to be attended to in successful farming, and then by careful plowing, improved manures and a proper succession of crops, you will receive the reward which the bountiful earth bestows upon *intelligent labor*. D. D. C. Geneva, April, 1850.

Draining.

EDS. CULTIVATOR—I am not ignorant of the use of *stone* and *tiles* in draining. Without meaning to deery the use of either, and admitting that, in some circumstances, they are the most eligible materials for this purpose, I yet wish to describe another mode with which I am familiar, and which I have practiced with great success. The main material of my plan is hemlock lumber, in the shape of board and scantling.

1. *The ground to be operated upon.*—My upland grounds are sandy, and slope off into a swamp with a clay and clay-gravel subsoil, which also probably underlays the upland, as, just upon the brow of the side-hill, the water oozes out from beneath the sand, making the low land very wet, since, from the nature of the subsoil, the surplus waters cannot sub-

side readily. The object of my draining is to carry off the water from the side-hill across the low ground.

2. *General course of the Drains.*—I first made main drains from the hill, starting usually in some gully or natural ravine, and following the lowest ground, and so across the field. I tried to make other drains, intersecting these, and at nearly right angles, on the brow of the hill, but, from the spongy nature of the soil, I was only partially successful. Some of these last drains needed to be tapped in the centre, by running a branch directly down the hill to the nearest point of the main drain, to prevent a fatal dripping down the brow of the hill.

3. *Mode of Construction.*—I dug my ditches from two to three feet deep, so as to have them below the frost and the subsoil plow. Sometimes it was needful, in crossing some point of land that made out into the desired course of the ditch, to dig much deeper for a short distance.

They were usually made about one foot wide at the bottom. Where the ground was soft, I frequently could dig but a rod at a time, before it was needful to lay the drain to prevent the sides from falling in. Occasionally it was convenient to begin the ditch at the upper end. Suppose a considerable portion of ditch dug, I laid my materials thus. If the ground were much descending, or the bottom were of loose sand or filled with stieks, I made it as level as possible and then laid down my boards, end to end fitting the ends pretty accurately. But if the ground were nearly level, and a firm clay or hard-pan, I used no board in the bottom. Upon this board or hard-pan I placed my scantling, which were sawed 2+4, and were set in the narrowest side. I was careful to have the scantling break joints with the boards, as this would prevent the work from settling unequally. These scantling were placed, for the widest drains, 6 or 8 inches apart, and for narrower, three or four. They were tacked at the ends with nails to hold them firm. The top board was then laid on, and nailed with about six nails if twelve feet in length. Care should be taken always to have the top board sound and free from bad shakes, as it has to sustain a considerable weight. The water way also should be carefully cleared of all stieks and loose stones. Where the amount of water is large, and especially when the drain descends a hill, I leave the ends of the scantling a half inch apart, and saw them off sloping, so that an orifice is left open pointing up hill. A grass sod should be laid close to the scantling below this orifice. In case the end of a drain is at a spring or bed of quick sand, it will be needful to guard it, otherwise some beds of quicksand will discharge large quantities of sand in a short time. This guard may consist of loose brush fixed firmly around the opening.

Generally, I take no pains to lead the ordinary water along the course of the drain into it, as it is sure to find its way through the chinks between the boards and scantling. Side drains are united to the main one by sawing out a few inches of scantling on one side of the main drain, and bringing up the end of side drain snug. Where a drain is laid deep, and in very heavy soil, I prefer not to throw back the soil just as it came out, but to mix muck with it to make it porous.

Results.—I have laid, during the last five years nearly two hundred rods of such drain, and have had but a single failure. That was of a side branch running down a steep hill. The meadow moles had dug in at the head during the winter under the snow, which melting in the spring, deluged the drain, and carried so much sand down to the junction as to stop it up. It was readily and cheaply repaired.

By means of these drains, I have reclaimed six acres of ground, some of which was a shaking quagmire, so that it is now good tillable soil.

Expense.—I make no estimate of expense. The price of digging will vary greatly with circumstances. The price of lumber will vary also with place.

Suppose the boards to average ten inches in width, they will, with the two scantling, make fifty feet of lumber, board measure, to the rod. The cut nails will cost but little. Nor is the work of laying difficult—less so, I think, than with any other material. The care of wise location, and of faithful and judicious construction, will be nearly the same, whatever be the material. When the lumber keeps wet, as it is likely to do in my case, it may be expected to last a great many years. My greatest trouble is with the meadow moles, which seem to choose the soil over the ditches on account of its deeper, dryer, and softer character, and because their prey is more likely to abound in such a locality.

In a country where lumber is cheap, I think this drain could be made more cheaply than any other, in permanently wet ground. It will be less liable to choke with sand than any other, and less liable to incidental injury from cattle, plowing, and the stroke of a crowbar, or the subsidence of the soil. And should the top-board, by any means be split and settle, it could hardly endanger the current of the water.

This drain, as every other, needs to be carefully watched at the mouth, lest it should choke with the sand, which will always flow down in greater or smaller quantities. C. E. G. *Utica, March, 1850.*

Bean and Pea Culture.

The Culture of Beans.

EDS. CULTIVATOR—At your suggestion, I give you my views of the bean crop, and my mode of cultivating it.

I appropriate to this crop my light land, either of gravel or sandy loam, from which I should not expect a full crop of corn; although it may be advantageously put upon land which will give 35 to 40 bushels of corn per acre.

I prepare the ground as for a corn crop; get the surface smooth by harrowing or otherwise, then mark it with a marker, making three or four marks at a time. I usually mark two and a-half feet apart, but have no doubt they will do well at two feet. I then plant with a drill-barrow, following the track of the marker, by which I get straight lines and uniformity of distance. I plant twelve to fourteen quarts of seed to the acre, which I find abundant. More would injure the crop, by making the plants too thick. I now use Emery's drill barrow with which the beans may be planted with almost perfect uniformity. That machine may be regulated to drop any quantity of seed desired, which I determine by trying it upon a smooth piece of ground or upon a floor. Three to four beans in a foot are enough.

The time of planting must depend on the locality; a frost after the beans are out of the ground destroys them. They will ripen in ordinary seasons with me, if planted at any time before the 8th of June; but the 20th of May would give a better crop, if they escape frost in the spring.

At the usual time of hoeing the first time, I turn my sheep upon them—if there is much grass or weeds among them—keeping a pretty strict watch upon them, turning them off as soon as they begin

to take the beans, which they will not do until they have despatched the grass and weeds. They should not be turned in when very hungry, or they will take beans and weeds together for a while.

As soon as the weeds and grass have made considerable progress again, I again put on the sheep. By this time the beans are 6 or 8 inches high. I then go through with a double mould-board plow, so set as to throw the furrow on both sides well under the rows, or, which is as well, use a cultivator with a double share in front, and half shares in rear, on each side turning outward. This I have found sufficient cultivation. If the weeds come up again, I put on the sheep again, after which the beans will so cover the ground as to take care of the weeds themselves.

I let the beans stand until they get so ripe and dry that I can pull one day and thresh out the next, and often pull in the forenoon and thresh in the afternoon of the same day, which is better, as I avoid the risk of rain, which can hardly fail to injure them after pulling. I so divide my force as to thresh as I haul in, as they soon grow damp if heaped in the barn, and they then cannot be threshed clean without bruising. Care should be taken if they are not well dried in the field, to dry them after threshing. They should not be threshed in a machine, but with a flail.

A man will pull three-fourths of an acre in a day, and will haul and thresh about the same quantity. They are usually ready for harvesting by the middle of September. Frost does not hurt them after ripe.

I lay them in heaps as I pull them, as large as a bushel basket or less, and in rows far enough apart to drive a cart between.

The cost of the crop is about as follows:

Plowing, harrowing, and marking, per acre,.....	\$1 75
Planting, with horse or man to draw machine, at say, 6 acres per day, at twenty-five cents,.....	25
Plowing or cultivating between rows,.....	30
Harvesting, including use of team, say,.....	2 50
Seed,.....	50
Add for contingences 10 per cent.,.....	53
	\$5 83

The feed for the sheep is more than a compensation for turning them in and out. Light land will give from 12 to 25 bushels per acre, depending upon the season and fertility of soil. The price of a good article is from \$1.12½ to \$1.50 per bushel. The small round bean, called the "pea bean," is preferred in market.

If some are not fully ripe at harvesting, they must be thoroughly dried, or they will be discolored and injure the sample and the price. And as it is difficult to dry them on the ground, from risk of rain, which will be sure to injure them, more or less, I thresh them so lightly as to leave the green ones in the straw. I take care to save the straw, which I feed to cattle. Sheep are fond of the dried pods, but will not eat the straw as well as cattle. If harvested as soon as ripe, the straw, if well taken care of, will pay one-half the cost of cultivation.

The bean sends its roots deep in the ground, and exhausts the soil less than almost any other crop. Through its broad leaf, it draws largely upon the atmosphere for its growth. I have found a sensible difference in favor of the crops following beans, over those following grains. S. CHEEVER. *Bemis Heights, Saratoga County, March, 1850.*

The Culture of Peas.

EDS. CULTIVATOR—In the northern section of our country, we consider peas a profitable crop. We deem them a highly nutritious food for animals, and

reckon them worth as much per bushel for fattening hogs, as corn. The crop leaves the ground clean and mellow, furnishing an excellent preparation for other crops, especially wheat. We sometimes sow them with oats, in the proportion of one-third peas to two-thirds oats. The peas and oats, ground, are excellent food for horses, cattle, sheep or swine. A variety of peas which has rather a light vine is preferable, as the ranker kinds are apt to overrun the oats, and lay too close on the ground, but the straw of the oats will hold up the lighter ones, so that both the oats and peas will fill well.

A loamy soil, rather inclining to clay, is best adapted to peas. Early sowing generally gives the best crop. Very hot weather is unfavorable to their filling, and it is hence advisable to have the crop well advanced before the hottest part of the season comes on. A sod which was plowed the previous autumn, well harrowed, makes a good bed for peas, but any good sward, well broken up and mellowed, will answer—and if sod ground cannot be had, that which has been under cultivation one or more seasons may be taken. No manure is generally needed; but if any is put on, it should be a small quantity of that which is thoroughly rotted, spread on the furrow and harrowed in. A large quantity of manure, or that which is in a green state, makes too great a growth of vines and tends to blight.

The quantity sown per acre varies somewhat with the kind of pea, some being of a more spreading growth than others, and requiring less seed. It is usual also, to sow a larger quantity of very large peas, than of small ones, because the number of peas or germs is greater in the same measure of small ones. The large marrowfats, for instance, are double the size of some others. From three to four bushels of seed per acre is the quantity usually sown.

The covering of the seed is best performed by a small plow, or by a cultivator. It is difficult to bury peas with a harrow, many being always left on the surface, where it is attempted. A depth of about two inches is the proper one for covering. A good way is to pass the harrow over the field after the peas are sown, which will prevent them from rolling into rows or bunches, and then plow them in with a shallow furrow. The varieties adapted to field culture are the Canada field pea, the marrowfat, and the black-eyed pea. The yield on good soil is from twenty-five to forty bushels per acre.

To destroy the pea-weevil, or bug, which in some sections is so troublesome, immerse the peas in water, boiling hot, for two minutes; then take them out and mix plaster, dry ashes, or slaked lime with them, till they will separate in sowing or planting. No fears need be entertained that the hot water will prevent the peas from vegetating—not one in twenty will be hurt at all. T. M. *Essex county, N. Y., March, 1850.*

PARSNEPS FOR PIGS.—The *Sussex* (Eng.) *Express*, says, "at our farm we have been in the habit of employing parsneps for this purpose for some time. Upon reference to our books, we find that on the 11th of October, 1847, we put up two shoats of eleven weeks old, and fed them on skim milk and parsneps for three months, when they were killed, weighing 231 and 238 pounds. They were well fattened, firm in flesh, and the meat of excellent flavor. The quantity of parsneps consumed by them was nine bushels each.

☞ If a man could have half his wishes, he would double his troubles.

Vegetable Physiology.

Motion of Sap in Plants.

EDS. CULTIVATOR—I herewith send you some thoughts and facts upon the flow of sap, which were addressed to me by a respected friend,—a man of science, who has given to nature a wide observation. I have read his manuscript with much satisfaction, and think its publication in *The Cultivator* would afford equal pleasure to other readers. F. HOLBROOK.

Motion of Sap. Not circulation—suspension in winter—in spring, what causes its ascent—peculiarities of different plants, as birch, butternut, beech, oak, sugar-maple and grape—wonderful.

In the human body, the arteries carry the blood from the heart to the extremities, and there veins, beginning in extreme minuteness, take up the blood and return it to the heart. In the arteries, the blood is passed by pulsations; in the veins, it flows with a slow and insensible stream. From the blood is taken out, at the extremity of the arteries, the portion necessary to nourish the body; in the veins flows the unused blood, which is mixed on its way, with the wasted and lifeless matter taken up by the absorbents from every part of the system; and the venous mass is thrown by the heart through the lungs, to be purified and fitted for its object. This is a real *circulation* of the blood.

In plants, there are vessels in the outer part or wood, to carry the sap into the leaves, or to the surface of leafless vegetables, where the sap is formed into *latex* or nutritious matter; which then is passed down the vessels in the inner bark to be conveyed by the *medullary* rays inwards through the wood, and even into the pith, to support the whole by its nutriment. There is not a real circulation of the sap.

By the vital operations of the plant in summer, the leaves and stems are gorged in autumn with nutriment; the absorption by the roots and leaves is diminished; the evaporation from the plant diminishes, and less is absorbed by the roots; the motion of the sap slackens, and finally nearly ceases in winter, as the requisite compounds have been produced in the plant. The vegetable world nearly suspends its operations in winter, as if resting in preparation for the active energies of spring and summer. The elaborated sap or nutriment has merely descended to its needed places, and wood, starch, oils, gums, &c., have been formed. No descent of sap into the roots.

In the autumn and winter, the roots have shot out new *radicles*, terminated by a sort of mouths, to take up the matter, that is, the sap, from the earth. In the sugar maple this sap is sweet.

As the frost is leaving the earth, activity is seen in the roots, and the sap ascends through the plant, even to the buds, which are to form the leaves and flowers. The immediate cause of the ascent is not understood. The heat and light stimulate the buds into action, which uses up the contiguous sap, whose place is supplied by the ascent from below.

Besides this, there may be another reason, viz: the expansion of the vessels, enlarging the spaces, and more than all, the operation of *life*, whatever that is.

Some kinds of wood are more compact in winter than in summer. The observing farmer long ago found that a barn floor of frozen and green hemlock plank will be more close than the one put down from the same plank, unfrozen, in summer. The frozen

plank, full of sap, evidently enlarge as the frost leaves them, and they continue to expand by the heat.

This contraction when frozen, and expansion by warmth, is always transverse and never lengthwise. In length, green and seasoned timber, fit and preserve their fitting, when mixed in a frame, perfectly well.

There is a great difference in trees, and shrubs, and herbs, in their bleeding, as it called, when cut, and that difference is not yet explained. Cut off a twig of Lilac, Poplar, Elm, Oak, Pines, White Birch, &c., and very little sap will flow out in the spring, or at any season. Cut off a twig of some grapes, and the sap will flow in profusion in May and June. Cut down a Yellow Birch in winter, and no sap will flow from either part; but, when the frost is wholly out of the ground, that stump will throw out a great quantity of sap, containing no sugar, for many weeks. The activity is in the roots alone, for the trunk and leaves are not there, nor any expansion above to lead up the sap. It is the activity of life. The stump of the oak, elm, beech, &c., operate not at all in this manner. But, if an incision is made in the trunk of a Yellow Birch, while the stump of the other is flowing, sap will issue in abundance from the incision, and only a part will ascend into the limbs.

If the Butternut is tapped when in frozen ground, the sap flows abundantly till the ground is thawed, when it wholly ceases. This tree is late in the spring, in showing any action in its buds. The life in the roots would seem to be the moving power. It is well known that this sap yields a bitterish sugar, having the butternut taste, and quite cathartic. A coloring matter, rather nauseous, is also in it.

The Sugar Maple, being tapped, sends forth abundance of sap when the ground thaws by day and freezes by night. If the freezing does not occur for two or three nights, it yields no sap; but if the freezing occurs, the sap runs abundantly. Hence, if a snow falls at this time, and the cold affects the earth to freezing, so great a rush of sap follows, that this is usually termed a *sugar-snow*. When the freezing ceases, the sap no longer runs from the orifice or incision, but there can be no doubt it flows from the roots to the extremities of the tree in profusion.

When a root of the Sugar Maple is cut in the time of the running of the sap from an incision, the sap flows out from both ends of the severed root and its severed parts. This fact has been lately proved by actual experiment, and the sap from each part found to be sweet.

When an incision is made in the maple in sap time, the sap flows chiefly and nearly entirely from the upper side of the cut. This proves that it is the sap, already ascended into the trunk, which runs downwards and outwards by the incision. Does not the freezing of the ground compel the sap upwards into the tree, and detain it there so that it can be discharged by descent to the cutting made in the tree?

Cut off a twig of the common cultivated grape after the frost is out of the ground, and like the Yellow Birch, the sap will run for weeks. A tube has been fastened tight around the cut part, and the sap flowed to the height of twenty feet in the tube. In this is seen again the operation of that mighty principle, *life*.

These differences are great and wonderful. How little is known yet of the causes of diversity. The subject is worthy of experiment and observation, only let there be *care and certainty*. SACCHARINE.

Neglected Manures—No. 5.

Bones, Ivory Dust, Horn, Wool and Hair.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., April, 1850. }

EDS. CULTIVATOR—In addition to the method for dissolving bones by means of sulphuric acid, mentioned in my last letter, I ought here to say a few words respecting a new process for reducing bones, which has attracted a good degree of attention in England. Steam is the agent employed. A boiler is made for the purpose, capable of bearing a pressure of from 30 to 40 pounds per square inch; in the lower part is the water box; this has a floor above, on which the bones are placed, and exposed to the action of the steam. According to the method which seems most advisable, a pressure of 25 to 30 pounds of steam is given for 24 hours. At the expiration of this time the charge is withdrawn, and the bones are found to be in such a state, that they can easily be crushed to a fine powder with a mallet.

This powder is said to produce remarkable effects upon turneps and other crops, even when applied in quite small quantities. By the continued steaming, every portion of the bones is brought into a very readily decomposable state, so as to be available at once for plants. The water which remains in the boiler, has a certain portion of gelatine from the bones dissolved in it, and of course should be saved, for sprinkling over the land as a top-dressing, or to mix into a compost heap.

In order to prevent the gelatine from decomposing, and to avoid the consequent loss of ammonia that would ensue, it is recommended to mix salt with the powder before it dries. This also, in most cases, materially increases the value of the manure because it adds still another ingredient to the soil.

The effects of this manure have not as yet been fully tested, in comparison with the other forms of bones mentioned, but during the coming season there will probably be extensive experiments. I have mentioned it here, that farmers may know what is meant by steamed bones, and may appreciate any results obtained by their use.

I have lately had some of the ivory dust from comb factories, sent in for examination; it has been analysed by Mr. Crane, one of my assistants. He found it to differ in composition from ordinary bone, as to its amount of phosphates. The following table gives the result of Mr. Crano's analysis, as compared with two by Dr. Thomson, on other classes of bones.

	Bones of a Sheep.	Bones of a Haddock.	Ivory Dust.
Organic matter, or gelatine,.....	43.3	39.5	37.7
Phosphate of lime,	50.6	56.1	56.1
Carbonate of lime,.....	4.5	3.6	3.9
Carbonate of magnesia, with a little potash and soda,.....	1.4	1.6	1.5
	99.8	100.8	99.2

This agreement in the composition of ivory with that of dried fish bones was quite unexpected to me, and is really very remarkable. In both, there is considerably more phosphate of lime present than in other bones, and their value as permanent manures is of course greater. The above is one of those singular coincidences that we often find in chemistry. It would not be supposed that ivory, so compact and so hard, was so positively identical in its composition with soft and brittle fish bones.

The ivory dust of the comb, and other factories, where it is produced, is an extremely valuable manure. It is already reduced to a fine powder, and

is therefore much better for plants, just as bone dust is. This dust is also easily dissolved by acids if necessary, a much smaller quantity effecting the solution, than is required for the whole bones.

I have heard in one or two cases, complaints that this manure, and other forms of bones, injured the land after a time, but found on inquiry that the evil was produced not by using bones alone, but by not using at the same time other manures. Phosphoric acid and lime are valuable constituents of a soil, but they are not all that it needs. The farmer who cultivates judiciously will supply *everything* that is necessary, and not attempt to keep up his soil by giving it two or three only, of the numerous substances required. If farm yard manure in moderate quantity, had been applied with the bones, no injurious results would have been experienced.

Still another form of manure, which resembles bones in its composition, is horn. This, according to some examinations which I have made, contains when dried, about 40 per cent of phosphates. Horns are nearly indestructible in the soil, and cannot well be ground in mills, from their softness and toughness. The proper way to treat them would be with sulphuric acid, or to powder them by the steaming process mentioned above. In either case, they would make a most valuable manure. Near many factories, there are large quantities of horn shavings to be had, and they should always be secured at once by the farmer as an article of much value. Their decomposition in the soil is quite slow, but their effect is powerful, and of course quite lasting.

For fear of surfeiting my readers with various forms of bones, and the virtues of phosphates, I will now pass on to some other class of fertilizing substances, that are suffering under unmerited neglect. Unfortunately, these are not difficult to find in almost any part of the country.

One of the manures most highly valued in England and in Europe, is found in hair and wool. These are of similar composition. They contain but little ash, only from one and a-half to about two per cent. This ash consists chiefly of chlorides and sulphates of potash and soda, with small quantities of phosphates. Sulphur is a substance which exists quite largely in these, parts of the animal, amounting usually to about five per cent.

From the small proportion of ash, it is evident that we must look to the organic part, in explaining the remarkable effect which these manures produce under nearly all circumstances. On analysis of this part, it is found to be particularly rich in nitrogen, containing about 17 per cent. This is sufficient at once to determine its value. Much of our ordinary farm-yard manure does not in its whole bulk, contain more than three or four per cent of this body, and yet it has a great influence in enriching the soil.

How much more powerful must this class of manures be, in which is four or five times as much nitrogen as in barn-yard manure. The farmer is always safe in concluding that a substance, in whose composition an analysis shows more than eight or ten per cent of nitrogen, is a very valuable and concentrated manure; always provided of course, that it contains nothing beside likely to be actually hurtful in its nature. When the percentage of nitrogen ranges as high as in the present case, about 17 per cent, he may rest assured that he has found a manure of the most powerful description at present known.

So far as my information extends, hair, refuse wool, and all substances of a like nature, are almost entirely neglected in this country. I have

known of many cases, where they were completely thrown away. In the neighborhood of woolen factories, for instance, all the refuse and waste of the mills is of great value as manure. Besides the natural constituents of wool, it is saturated with oil and grease, which increase its fertilizing power.

This refuse does not of course contain as much nitrogen as the clean wool, or hair would do, owing to its admixture with dirt and other foreign substances. Some recent analyses by Prof. Way, of the Royal Ag. Society, show that in the better samples, there is ten or eleven per cent. These cost in England from \$15 to \$20 and sometimes \$30 per ton, and are found a very profitable application at such prices. The demand there is so large and constant, that it has led to adulteration in various ways; linen and cotton rags, or clippings, among other things, are mixed with the woolen. Prof. Way found that some samples which appeared well to the eye, were really not worth more than from \$4 to \$8 per ton, in place of \$20 or \$30.

Woolen rags decompose very slowly in the ground, and for this reason, disappointment is experienced in their effect on crops that require a speedy and powerful fertilizing action. They are most used for the winter grains, and for other crops that occupy a long period in their growth. The hop-growers of Kent and other counties of England, rely on woolen waste, and rags, as one of their most important manures; they bury it under the hop vines, and the influence continues in a most efficacious manner, for a number of years.

In some situations, hair of various kinds may be procured, and should always be carefully preserved; its composition being, as noticed above, the same as that of wool. I noticed in North Lincolnshire, England, an application of what they called cony dust. In clipping rabbit skins to obtain the fur for hat bodies, there is much waste of hair, and this with clippings from the skins, is swept up and sold at a high price, under the above name. It is used for turneps on light soils, at the rate of from 10 to 20 bushels per acre, and produces excellent crops. In the instance that I saw, they were dropping it in the bottom of drills.

Where the refuse hair from tanneries could be obtained, it would also be an excellent manure; the lime which is usually mixed with it adds to its value, though making it decompose much more rapidly.

I have now, perhaps, said enough to call attention to this class of manures, and to convince farmers of their efficacy. They are not within the reach of all, and those who are in a position to obtain any of them, will, if they understand their own interest, take steps to prevent any further waste, by securing as much as possible for the enriching of their own fields. JOHN P. NORTON.

The Veterinary Department.

Ringbone in Horses.

EDS. CULTIVATOR—In answer to your inquiry concerning ringbone, we define it to be an exostosis, or bony tumor, originating from a bone. It is situated on the small pastern, (called *os corona*,) between the shell of the bone and the periosteum covering it. Sir A. Cooper calls a tumor of this nature, *cartilaginous exostosis of the periosteum*. "It originates in a deposition of cartilage, of a very firm texture, and similar to that which forms the nidus of bone in the young subject. The periosteum adheres to the external surface of the swelling.

Thus, on dissection, we discover—1st. The periosteum thicker than natural; 2d. Cartilage immediately below the periosteum; and, 3d. Ossific matter deposited within the cartilage, extending from the shell of the bone nearly to the internal surface of the periosteum, still leaving on the surface of the swelling a thin portion of cartilage unossified.

Consequently, when ringbone has been formed in this manner, the shell of the original bone becomes absorbed, and cancelli are deposited in its stead. In the latter stages of ringbone, (provided the natural process has not been interrupted by the firing-iron, &c.) the outer surface acquires a shell resembling that of the bone itself. A ringbone is composed of a cartilage for its basis, and an earthy salt or phosphate of lime. This fact may be easily demonstrated by steeping the bone in acid, for by this means, it is deprived of the phosphate of lime, and the cartilaginous structure remains of the same form and magnitude as the diseased deposits.


So long as a ringbone is confined to either of the pastern bones, it is of little consideration; for it does not occasion much inconvenience to the animal; but should it show itself near one of the joints, it seldom fails to produce lameness, which is often of a permanent nature. When this disease invades ligamentous structure, lameness generally accompanies it, probably on account of the tenderness of the parts. Ringbones, splints, spavins, and other bony deposits, though of great size and quick growth, are often unattended with lameness. I never knew of any "bladder" to be found in the situation alluded to by your correspondent. There are in the region of tendons small bursæ, or sacs, formed of a tendinous expansion, and lined by a membrane similar in its texture to the synovial membrane of a joint; which like it, secretes and contains a fluid resembling the white of an egg; this fluid facilitates motion between parts moveable on each other, by preventing friction; how this "bladder" can "feed ringbone," I cannot conceive; for windgalls, which are nothing more or less than enlarged bursæ (situated at the lower part of the canon, or shank-bone,) exist for years without any enlargement of the bone. "Mr. Cole recommends the extraction of the bladder." I had the pleasure of a visit from that gentleman this morning, and he stated that the article referred to was compiled from a work on that subject, without any personal knowledge of his own; I showed him several specimens of bony deposits, and he feels satisfied that my definition is correct.

Various remedies have from time to time been resorted to for the cure of ringbone, and without success. I know of nothing that tends so much to produce absorption and diminish lameness, as counter irritants. The removal of ringbone by an operation, has been performed, yet such an operation requires much skill, and where there is no lameness, and the only object is to get rid of an eyesore, it had better not be attempted. G. H. DADD, V. S.

Spaying Cows.

EDS. CULTIVATOR—As there are many inquiries relative to the best time for spaying cows, I would answer, not less than twenty days after calving, and any time from the first of April to the middle of June; and heifers at any time excepting in the extreme hot weather in summer, and at any age from three days up to twenty years, when intended for beef. Any further inquiries, either by letter or through *The Cultivator* on the subject, will be promptly answered. WILLIAM C. CARTER. *East Bloomfield, March 2, 1850.*

The Dairy.



Dairy-Steamer.

The above cut represents Farmer's Dairy Steamer, an apparatus for heating milk in the manufacture of cheese.* It consists of a boiler for the generation of steam, attached to a stove or furnace. A pipe is attached to the boiler for conveying the steam to the vessel where the milk is heated. The milk is contained in a tin vessel, and this vessel is placed in a wooden vat of such dimensions as to leave a space of two inches at the bottom, sides and ends. This space is filled with water. When the milk is heated, for the application of rennet, the steam-pipe is let into the water, and the steam let on and continued till the milk is warmed to the required degree, which should be ascertained by plunging a thermometer into it. Dairymen are not exactly agreed as to the degree of heat to which milk should be raised; but none recommend less than 82° or more than 90°.

The use of an apparatus similar to the above, has been adopted in some of the largest dairies in this state, and is much approved. Mr. A. L. FISH, of Litchfield, Herkimer county, has highly recommended this mode of heating milk. See *Cultivator* for 1848, p. 153, and for 1849, pp. 154, 183.

One great advantage of this process is, that the heat is equally diffused through the whole mass, without any portion of it being exposed to an excessive degree. Mr. FISH observes—"The more water there is in the larger vessel, the more uniform heat is conveyed to the milk." The size of the tin vat for containing the milk has been given as follows:—For a dairy of 30 cows, 2½ feet wide, 6 feet long, and 19 inches deep. The night milk is strained into the tin vat, which is surrounded with cold water, in order to keep it properly cool till next morning, when the morning milk is added, and the water heated by steam for "running up" the curd.

A branch of the steam-pipe is connected with a tub or vat for heating water for washing utensils, &c., used in the dairy.

Premium Butter.

The statements of the competitors who received the highest premiums on butter, at the last exhibition of the N. Y. State Ag. Society, furnish, perhaps, as good information as we can give, in answer to several inquiries concerning the best mode of butter-making. We have therefore prepared the fol-

*For particulars in regard to this steamer, address G. FARMER, Herkimer, Herkimer county, N. Y.

lowing article from the forthcoming volume of the Society's *Transactions*.

For the best fifty pounds of butter made at any time, the first premium was awarded to HORACE CLAPP, of Houseville, Lewis county. This butter was made on the 5th of September. The number of cows belonging to the dairy is forty, and the average product of butter for each cow for the season, is 165 lbs. The milk usually stands from 36 to 48 hours, according to the weather, but is skimmed before it turns sour; the temperature of the milk-room ranges from 58 to 62 degrees. The cream before churning is kept in a tin vessel, made for the purpose, and is set upon ice to cool to the proper temperature for churning—55 to 58 degrees. The butter is worked with a "butter-worker," which is considered preferable to the hand. The Bonaire ground salt is used at the rate of six pounds to a hundred pounds of butter, during warm weather, and somewhat less in autumn. No saltpetre, or any substance but salt, is mixed with the butter. The mode of keeping butter in summer is to lay it down in tubs, leaving space at top for half an inch in thickness of salt, which is laid on, moistened with strong brine, and kept moist during warm weather.

The cows are of the common stock, crossed to about one-fourth blood with the Short-horned breed. They are fed with hay only in winter, and grass in summer; they have access to salt at all times.

For the best twenty-five pounds of butter, made in June, JOHN SHATTUCK, of Norwich, Chenango Co., received the first premium. He keeps twenty cows. The milk is strained into tin pans as soon as drawn, and kept on racks in the milk-room, until the cream is removed, which is always done in warm weather before the whey appears, and in cool weather before the milk begins to turn bitter. The cream is kept as cool as possible after it is taken from the milk, and the sooner it is churned the better. Churning is done every morning in warm weather, tempering the cream with ice, so as to have it gather well and hard, in which state it is readily freed from the butter-milk. In warm weather ice-water is used to rinse the butter when it is removed from the churn; the butter-milk is worked out clean, and the butter salted with ground rock-salt, at the rate of one pound to twenty pounds of butter. After it is thoroughly worked, it is set in a cool place about 24 hours, when it is again worked so as to entirely free it from the butter-milk; then pack it in a firkin, which is covered so tight as to exclude the air, until the firkin is filled. Nothing but salt is mixed with the butter. For keeping through the season, cloths are spread over the butter in the firkins, and strong brine, made of rock-salt, is poured on.

For the greatest amount of butter made from five cows in thirty days, JOHN HOLBERT, of Chemung, Chemung county, received the first premium, and NELSON VAN NESS, of Mayville, Chautauque county, the second. Mr. H.'s cows yielded in thirty days, (from May 23d, 1849,) 264½ pounds, or an average of 52 pounds 14 ounces per cow—and those of Mr. V. N., 221 pounds—or an average of 44 pounds 3 ounces per cow. Mr. H.'s cows were of common stock, with a "slight mixture" of the Short-horned breed. Mr. V. N.'s were entirely of the common stock. Both herds were fed on grass only.

PROFITABLE DAIRY.—GEORGE W. GOODNOW, of Southborough, Mass., gives an account in the *Mass. Plowman* of the produce of twelve cows kept by him during the last year. From the first of March to the first of December, he sold 2237 lbs. of butter,

for which he received \$524.79—butter consumed in the family during the same time, was worth \$29.94—milk sold, \$77.76—calves sold, \$70.71—making a total of \$703.20.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Summer Management of Young Trees.

In answer to frequent inquiries, it may be stated that the first and great requisite in the successful treatment of newly transplanted trees, is to keep the surface of the soil for many feet around them clean and mellow by cultivation. This is important to all kinds of trees, but especially so to the peach. An instance occurred where a young peach orchard stood the first year in a clean and repeatedly cultivated potato field, and the green shoots on all the trees at the end of the first summer measured from a foot and a half to two and a-half feet in length—on an adjoining uncultivated piece of land, none of the shoots were three inches long.

A great mistake is often made by watering the roots of newly set trees, before the leaves expand, by which they become water-soaked and killed. A leafless tree is in a nearly dormant state, and throws off but little moisture. But as soon as the leaves expand, they exhale moisture rapidly, and a supply is then needed at the roots. Watering, however, usually fails of the intended purpose. The water is poured on the top of the ground, and only serves to bake the surface, without ever reaching the dry soil further down. If watering is actually required, the surface should be first removed, and the water then poured in directly on the roots, replacing the removed earth. An acquaintance who set out last year about 60 cherry trees, lost every one which was watered on the surface, consisting of about one-third of the whole.

If trees have been dug up carefully and with uninjured roots, and then well transplanted,—in the first place; and the soil kept mellow as already stated, in the second; they will usually have made so good a growth by midsummer, as to be beyond the danger of drouth. But if the transplanting has been badly done, or the soil has been allowed to get hard, the careless cultivator will doubtless be reminded of his negligence by the death of a part of his trees.

Watering a feebly growing tree, is at best but a very irregular way of supplying it with moisture. A greatly superior protection from midsummer heat and dryness, is *mulching*, or covering the surface of the earth for some feet round each tree with hay, straw, or other litter, several inches in thickness. This covering keeps the ground soft and moist, and night dews are retained in the soil through hot summer days. During the excessively dry season of last year, a row of newly set apple trees, standing on a high and dry piece of ground which could not be easily cultivated, were observed to cease growing, and the leaves to assume a yellowish cast. They were immediately *mulched*. In a few weeks, they recommenced growth, and the leaves returned to a dark healthy green, although no rain had fallen during all this period.

Cherry trees, which in spring or early summer, give strong promise of a flourishing growth, are frequently destroyed by a parching midsummer's heat. To such, mulching is of eminent service.

Mulching is not usually advisable for young trees after the first season from transplanting, unless their

growth is feeble. As soon as the growth is sufficient to give the tree strong and well established roots, whether it be the first or second year, clean and mellow culture is the best treatment which a tree can receive.

Pruning the Peach.

A correspondent says, "I have noticed that much is said about shortening-in the shoots of peach trees, commencing young and continuing annually—but I wish to know what to do with my trees, now seven or eight years old, and which have never been pruned. Will it do to cut them after the leaves have begun to appear, as has been asserted?"



We have found great advantage in pruning back the peach, even when the trees have been long neglected. A case once occurred where an old tree was greatly improved by the rough and random trimming it received from the tempest, which swept away a part of its limbs.

The treatment which an old or neglected tree receives, must be somewhat different from the annual shortening-in of young shoots. It becomes necessary to shorten-in on a larger scale, and with a freer hand. Even three or four feet may be taken off at a stroke, where the form of the tree appears to re-



quire it. We have found such treatment, when judiciously performed, often to double the size of the fruit, and to improve astonishingly the flavor. The above figures may possibly be of use, in pointing out more particularly the mode of performing this kind of pruning; *a* representing a common, well-grown, unpruned tree, and *b* the same, with such branches as may be cut away indicated by dotted lines.

In connection with pruning, it is quite essential to give the trees a good mellow soil by cultivation, and if needful to enrich it by manure. Pruning alone, is insufficient to restore a neglected tree. With the two combined, those not actually enfeebled by old age, may be made to send out new and strong shoots, and to acquire the vigor of young trees. Their duration, with subsequent annual pruning, will be greatly increased.

The pruning of the peach may be performed, apparently, quite as well, after the leaves are partly expanded, as early in the spring—such, at least, is the result of several experiments. In the more northern states, it may therefore be accomplished during the early part of the present month.

Supports for Runners.

Small or slender climbers, as the Cypress-vine and other Ipomeas, the Madeira vine, Aristolochia, &c. present the best appearance when supported on a



light frame, with some symmetry or regularity of appearance. Some of these frames were figured in our first number for this year. More irregular or rampant climbers may be borne aloft on a post with holes cut through it at intervals, for the passing and repassing of the flexible stem with its thickly clustered branches. A still more wild and irregular appearance is obtained by setting, as a post in the ground, the stem of a cedar tree, with portions of its larger branches left to support the climbing verdure. Both of these supports were figured in this paper last year. Some difficulty has however been felt. The single post requires some care and skill to cover it properly; and the armed cedar post is not always easily procured. In its absence, the following is a good contrivance. A single post is planted with horizontal arms fixed in holes bored for this purpose, as shown in the above figure. More irregularity is obtained by placing these arms alternately at right angles with each other. No nails are used in this support; it is firm and strong, and if made of durable wood, will last many years.

Curious Insect-Catchers.

The following very interesting fact is stated in S. B. PARSONS' New Haven Address, where he urges the importance of employing various animals for the destruction of insects, as the ferret is employed to destroy rats:—"I recollect visiting some years ago, an intelligent physician in the West Indies, who had trained some lizards to take the flies from his face when asleep. To show me their skill, he leaned his head against the side of the summer house, closed his eyes, and immediately, half a dozen bright little fellows, three or four inches long, appeared near him. Their glistening eyes twinkled with expectation, and the moment a fly made its appearance on any part of the Doctor's face, one or more of them would dart like lightning across his face, scarcely touching it, but carrying off the unfortunate fly." The same Address further states that "a French agriculturist had a hundred pairs of the bird called

Kuikimanore, from the Sandwich Islands. During the season, he would let them loose at night and they would return in the morning, each pair destroying, as was estimated, some four thousand Maybugs. In Malta, small birds are kept to free the house of flies during the summer, and are found very effective."

Strawberry Culture.

An intelligent friend, residing at Palmyra, N. Y., has furnished us the few following notes of a visit to one of his neighbors, remarkable for his success in the cultivation of the Strawberry, and celebrated for the enormous size and productiveness to which he has brought different sorts as they have successively passed under his hand. Whatever may be thought of the utility of large doses of cold spring water, one thing is certain, he has far outstripped all other gardeners in his vicinity, in his large, thickly trussed fruit:

"A very rainy day suggested to me to drop in and spend an hour this afternoon with him and his social wife, who together live almost excluded from the world without, except by books and papers: For many years he has been remarkably successful with strawberries, and although he has cultivated one kind for two or three years, and then replaced them by another kind, and then again by another and still another, yet somehow he manages every year, no matter what kind he has in cultivation, to astonish us all by his enormous crops of fruit.

"During the past three years he has given his almost sole attention to the cultivation of Hovey's Seedling, yet contrary to usual theory and practice, he firmly refuses to allow a single staminate plant to remain in their vicinity. Besides, the last season, he allowed all his strawberries to cover the ground completely with runners, and yet from the many neighbors and others abroad, who visited his garden during the fruiting season, not a man could be found who had ever seen it excelled either in the extraordinary size or quantity of fruit, in any kind of strawberries. Not a foot of ground, or apparently a single plant, that was not covered with large and perfect fruit. Some days he picked two or three bushels, and could have picked much more.

"One bed was on the lower end of his garden, where I should think it might be a deep soil; but a smaller bed near his house, is on about six or eight inches of good soil over a stiff hard-pan, yet this bed has borne during the past two years, at least as large fruit and as great quantity, as the most favored portions on the deeper soil below.

"Now it may be curious perhaps to inquire, what is the secret of all this? for I have been very careful to state only such things as I know to be facts. In answer, I would say after a close observation for a number of years, I am convinced it can be summed up in a single line, to wit,—*Select good plants,—give them clean culture,—and plenty of cold HARD water.*

"The importance of clean culture every one understands, but my friend is a little peculiar in his hydropathic views. He believes, from the careful observation and experience of half a century, that *hard* water is far better for plants than *soft* water—that the lime held in solution is evidently useful to them*—and also that plants may be *trained* to receive cold water at all hours—hence he accustoms

his strawberries to take a cold bath from the well at mid-day in the face of a hot summer's sun *without shrinking*. In a dry hot time he will give, twice a day, every four or six feet square of his strawberry bed, a pailful of clear cold water."

Varieties of the Garden Pea.

Last year experiments were made in the garden of the London Horticultural Society, on many varieties of the pea, obtained from different cultivators, for the purpose of comparison, and testing their relative merits. The results have been published at length, which we here present in a condensed form, embracing the principal facts. The sorts were all sown on the 21st day of 3d month (March.) The color refers to the peas when dry.

- Thompson's Early Dwarf*—fit for use, June 28—height 2 ft.—pods, small, round, with 4 to 6 peas—white. Tolerably prolific.
- Bishop's New Long Pod*—June 28—2 feet—straight, cylindrical—6 to 7. Excellent, early, prolific. Far superior to Bishop's Early Dwarf.
- Prince Albert*—June 20—3 feet. Resembles Early Kent and Early Frame, but one week later. Early Warwick and Early Race-Horse, generally proved to be Early Frame.
- Lady's Finger*—July 4—5½ to 6 ft.—long, cylindrical—6 to 7—white Good, moderately productive
- Early Hero*—July 6—5 to 5½ ft.—slightly curved—6 to 7—white. Peas medium size, good.
- Shilling's Grotto*—June 27—4½ to 5 ft.—thick, short, badly filled—4 to 6—white. Bad bearer.
- Dwarf Branching Marrow*—July 2—2 ft.—nearly straight, flattish—6—white. Moderate bearer. Stalk strong, short-jointed, leaflets broad, flowers large, cream-colored, peduncles short. Grimstone's Egyptian, found in an ancient Egyptian vase, (?) proved identical with Dwarf Branching Marrow.
- Queen of Dwarfs*—July 20—18 inches—large, flat—4 to 6—large, white. Moderate bearer.
- Bellamy's Early Green Marrow*—June 30—4½ to 5 ft.—long, straight, cylindrical—6 to 7—green or white. Good bearer, excellent.
- Sutton's Superb Green Marrow*—July 14—5½ to 6 ft.—flattish, nearly straight—6—large, green. Slightly harsh, moderate bearer.
- New indented Green Marrow*—July 18—5 feet—(resembles Knight's Green Marrow.) A good pea.
- Victoria Marrow*—July 24—6 to 6½ ft.—nearly 4 inches long—generally in pairs, straight, roundish—6 to 8—green. Good.
- Flack's New Large Victoria*—July 2—2½ to 3 ft.—flattish, nearly straight—about 6—blue or partly white. Peas large, pods medium. A good, dwarf, prolific variety.
- Bedman's Imperial*—July 14—2½ to 3 ft.—slightly curved, roundish—6 to 7—large, blue. Valuable, prolific.
- New Imperial*—June 20—3½ feet—small, cylindrical—blue. Inferior to many.
- McLean's Seedling*—July 3—2 feet—large, nearly straight—very large, bluish. Excellent, prolific.
- British Queen*—July 28—5 feet—large, straight, nearly round—about 7—light green. Peas very large, good bearer.
- Gros Vert Normand*—July 20—6 feet—slightly curved, flattish—7 to 8—bluish. Sugary, excellent, very productive.
- Fairbeard's Champion of England*—June 30—5 feet—long, slightly curved—7 to 8—bluish. Sugary, very productive, excellent.

Successful Treatment of Young Trees.

As I promised to furnish you with an account of my management of fruit trees, I give you the following:

The soil on which I am forming my orchard, is gravelly, with some sand, and clay intermixed. A part is very fine gravel, and works easily; a part is coarser and stronger and will grow good corn. In the spring of 1848, I set out about one hundred trees, (mostly apple,) in the following manner: Large holes were dug, and a large farm wheel-barrow load of chip dirt, *well rotted*, put into each hole. The tree was then set by myself, carefully spreading out the roots with the hand, after having cut off the bruised parts with a sharp knife, and shortened back the top. A pail of water was dashed in as the earth was thrown in to settle it about the roots.

The ground was planted with potatoes before the trees came, (which were received late in the season;) the trees were carefully hoed during the summer, and now for the results:—All lived and grew finely but one cherry tree; many grew a foot the first season. In the fall, the ground received a heavy top-

* If the mineral substances held in solution possess fertilizing power, the experiment may succeed quite differently, so far as these affect its results. In different regions of country, where, on account of geological distinctions, these dissolved manures may be very unlike.—Ed.

dressing of manure, which was plowed under. The trees were earthed up, to prevent the mice from girdling them beneath the snow. In the spring of 1849, they were dug around for about 6 feet with a stout manure fork, the land plowed and sowed to onions, carrots, &c. The trees started vigorously, and grew till about the first of July, when the drouth was so severe that they ceased growing, the wood ripened well, scarcely making any second growth; the finest growth was about 15 inches on the average, some trees throwing out shoots 2 ft. in length. I intend to try some special manures upon them, and will give the results, if desired, at a future day, if life and health permit.

In the spring of 1849, I set about 140 trees, and although the season was severe for newly planted trees in consequence of the drouth, I lost but one, and that was a cherry tree. They were set in a similar manner to those in '48, except that a compost of rich earth and well rotted manure was used instead of chip-dirt, and the trees were mulched with straw and coarse manure. The average growth was 6 to 8 inches; the land was planted to potatoes and corn; where corn was planted, 3 or 4 rows of potatoes were planted next the trees.

A hard strong hail injured the trees in the early part of the season, bruising them severely. In the fall, those set in '49, were manured with a compost of leached ashes, muck, and well-rotted manure, with a small quantity of night soil, well mixed. About a bushel of this mixture was placed around each tree, which I intend to dig in this spring, as soon as the ground will do to work. The trees were all earthed up last fall, and I have not discovered any depredations of mice. The trees set are apple, pear and cherry. I am at a loss about pruning—but shall endeavor to form broad, spreading tops. If any one has had experience in the culture, pruning, &c. of young orchards, I should be glad to hear from such, through the columns of *The Cultivator*. J. TALCOTT. *Rome, Oneida Co., N. Y., April 4.*

Manure for Fruit Trees.

"What is the best manure for fruit trees, to spade or work in near the roots, of general application?" G. C.

The following has been found, after several years experience, to constitute one of the best manures for fruit trees generally. A mixture of peat or swamp muck, with one-half to one-quarter of its bulk of stable manure, and about one-twentieth of leached ashes. These ingredients should lie in a heap together for a few weeks, and then be worked over. If for peach trees, the soap-suds from the laundry thrown over the heap will improve it. If for cherry trees, which will not bear high manuring, the proportion of peat or muck should be larger, and with less of yard manure and ashes.

There are some other ingredients which may occasionally be added to advantage, as ground or dissolved bones, night soil, &c., where a strong manure is needed.

Profits of Fruit Culture.

S. B. Parsons, in his recent address before the New Haven Horticultural Society, states that within a few miles of his residence there is an orchard of about 20 acres, producing \$2000 a year, the vegetables between the trees paying the cost of cultivation—that the vineyards of Dr. Underhill, on Croton Point, are said to yield a net profit of some \$4000 per annum—that two cherry trees of his own yielded often, \$30—and that the net profits of the

great Newtown Pippin orchard of R. L. Pell, at Esopus, are some \$8000 per annum.

Great Crop of Winter Squashes.

A neighbor of mine raised last year (1849) a very remarkable crop of winter squashes. The seeds were mostly of the hybrid squash produced by a cross between the Seven Year Pumpkin and Green Flesh Melon, and originated in my garden in 1844, as described in your May number, 1848, page 150. The soil was a sandy loam highly fertilized with barn-yard manure, and the dressings of limestone, made by the preparation of building stone. The extent of ground occupied by this crop was 36 square rods, being a plat 9 by 4. This area includes the whole spread of the vines. The number of the fruit was about nine hundred. The weight of which was usually from about twenty to eighty-four pounds, of which last weight there were some three or four. The estimated average was forty pounds. This gives eighteen tons as the average of the whole crop, or one thousand pounds to the square rod, which would give twenty-five fruits of average size to each square rod, or about one squash to each 11 square feet. The yield of this small plot will be seen to be equal to eighty tons to the acre. A crop of beets or carrots of the same weight would amount to sixteen hundred bushels, estimating the bushel to weigh fifty pounds. I saw the squashes after they were gathered, and have no reason to suppose the weight was over-estimated, as I am accustomed to sell large quantities of this vegetable, and always sell them by weight. This prodigious crop is to be credited, partly to the quality of the soil, and partly to a long hot and dry summer, the crop being saved from the extreme effects of drouth by subsoil water, at the depth of three or four feet. C. E. G. *Utica, March, 1850.*

Trees of California.

In HARTWEG'S recently published account of his botanical tour in California in 1846, we find many interesting descriptions of the vegetable productions of that region, some of which cannot fail to interest our readers.

The Californian Horse Chestnut, (*Pavia californica*), which must be in the highest degree ornamental and showy, is thus described:—

"On the dry banks of the ravines, to the northeast of Monterey, the Californian horse chestnut is common. This extremely ornamental shrub or low tree rises to the height of twenty-five feet, is of a globular shape, and produces its fragrant whitish flowers of a delicate pink hue, in great abundance on spikes twelve inches long; one of these spikes, which I had the curiosity to count, had more than 400 open flowers and buds upon it."

On the mountains, about 4,000 feet above the level of the sea, he found the cones of the *Pinus macrocarpa*, or large-coned pine, measuring 15 inches in length, and growing on trees thirty or forty feet high. On the west flank of the great mountain range, the *Abies bracteata* was discovered, a remarkable fir, "which attains the height of fifty feet, with a stem from twelve to fifteen feet in diameter, one-third of which is clear of branches, and the remainder forming an elongated tapering pyramid, of which the upper part, for three feet is productive of cones."

The enormous growth of the forest trees in this region of the world, is strikingly exhibited in the *Taxodium sempervirens*, (known by the English names of Redwood and Bastard Cedar,) and in some

species of the pine. The *Taxodium* is thus described:—

"In close forests it grows to an enormous size, averaging 200 feet in height, with a stem of six to eight feet in diameter, which is as straight as an arrow, and clear of branches up to sixty or seventy feet. One tree, that is termed by the Americans "the giant of the forest," is 270 feet high, with a stem measuring fifty-five feet in circumference at six feet from the ground. The bark of the redwood is from six to twelve inches thick, reddish and smooth; the timber is of a beautiful red color, like pencil wood, fine, close grained, light, but brittle; it is well adapted for in and out door work, as the boards, when seasoned, do not warp, nor is it attacked by insects. Large quantities of timber are annually exported to the Sandwich Islands; 1,000 feet of one inch boards, delivered on the beach at Santa Cruz, are worth 81."

Some of the gigantic pines were noticed in an attempted ascent of the snowcapped mountains in the early part of summer:—"Ascending the gradual acclivity, we left the region of the *Pinus Sabiana*, and entered that of *Pinus Benthamiana*, which seems to be the characteristic of the upper region. Some trees of this noble pine attain an enormous size. The largest I measured were 28 feet in circumference [9 ft. diam.] and 228 feet high. Of equal dimensions is *P. Lambertiana*, which however does not constitute masses by itself, but is thinly scattered among the former. The same is the case with a *Thuja* [arbor vitæ] which rises to the height of 130 feet, by 12 or 15 in circumference."

The rapidity of vegetation under that cloudless sky, may be judged by the fact that during an absence of ten days from Monterey, bulbous flowers had dropped their blossoms, and fully ripened their seed. This rapidity is not much less, even in spring. "By the end of April, the prairies in the Sacramento Valley assumed a different aspect; 2 weeks ago, they were a carpet of flowers, which have now disappeared, and a yellow, sickly tinge pervades the whole." "Most kinds had, during the fortnight since I first saw them in flower, ripened their seeds, and it was with difficulty I found a few grains of the beautiful little *Lepidosiphon aureus*, and similar plants, which, between their taller neighbors, had almost become invisible."

Shipment of Fruit from Wayne County.

We make the following extract from Mr. PARDEE's Address before the Wayne County (N. Y.) Ag. Society:

We also learn what was to me an astonishing fact, that the offices in Wayne county, during the year 1848, cleared more dried fruit, by more than 30 per cent., than the entire state west of us, to and including Buffalo; and also, more by 15 per cent. than the entire state east of us. The offices west cleared 538,000 lbs.—those east, 610,000 lbs.—while Lyons and Palmyra cleared 708,000 lbs., or more than 30,000 bushels.

This is indeed a noble tribute to the industry of the daughters of Wayne county; (for the women and children do the most of this work;) for who can calculate the enormous amount of labor, in drying 150,000 bushels of apples, peaches and plums—this being the requisite amount to make the 30,000 bushels when dried.

For several years past, the Palmyra office has cleared about 60,000 barrels of fine grafted apples per annum, or 150,000 bushels more of fruit; and if Lyons, Newark and Clyde together, send off as much more, (as they doubtless do from 50 to 100 per

cent. more,) we then have the aggregate of 400,000 to 500,000 bushels of fruit, in a green and dried state, exported annually.

ROSE CUTTINGS.—One of the best methods of securing the success of these, is to stick the cutting about an inch deep into *clean* river sand—with properly prepared soil about an inch below to receive the roots as soon as they strike. The clean sand prevents the roots from rotting. A correspondent of the *Horticulturist* succeeded with this when every other mode failed—and says he does not lose one in twenty.

Hints to Young Men.

A Letter of Advice,

FROM AN OLD FARMER OF HERKIMER COUNTY, TO A YOUNG MAN NOW IN VIRGINIA.

As you lived with me, from a small boy to the time you was twenty-one, I claim the right to advise you.

You should bear in mind that you are young, without property, and without wealthy or influential relatives or friends to assist you; and that your future prospects in life, both as to character and wealth, must depend entirely on your own exertions. Do not be discouraged on this account; there is the more need of courage, perseverance and economy. There are many wealthy and influential farmers, particularly in western New-York and Ohio, who commenced with no more means than you have. They saved a few hundred dollars, went in while the country was new and land cheap, and grew into their present situation by their own industry and the improvement of the country. You can do the same. The new states and territories offer an equal chance, and perhaps better, owing to the increased facility of travel, and the transportation of produce to market. One could hardly find a place now to locate, where he would not, in all probability, be reached in a few years, by boats or cars propelled by steam. This was not formerly the case.

Whether you are to be in a situation to support a family comfortably, and to bring up and educate your children well, or to have a scanty and precarious support from day's work, is an important matter to you, and now is the time to think of it, and make the necessary preparations; much depends on the course you take for the first three or four years. If you are industrious and prudent, and lay up money during this time, your chance will be good—while if you are slack and spend what you earn, your prospects will be bad; your habits of thinking and acting during this time, will become so fixed that it will be hard to alter them. I speak of your family, because it is more than probable you will have one. "*Multiply and replenish*," is a command of holy writ.

Your first object should be to establish for yourself a *good moral character*; without which you cannot expect to succeed well, and with it you can hardly fail of success. To effect this you should deal honorably and uprightly, keeping your word good on all occasions; be careful about making contracts and promises, but when made, fulfil them to the very letter.

Be thorough and persevering, in whatever business you undertake, and engage in none but what is fair and honorable.

Be careful and never do a *dishonorable* or a *mean* thing. Avoid law-suits; they are expensive, and

usually unprofitable, both in a pecuniary and moral point of view.

Avoid gambling by all means; it is bad in itself, and will lead to many other vices.

Be temperate in the use of intoxicating drinks; or what is much better, not use them at all.

Avoid loose, drinking, gambling company, whether they be rich or poor; whether they drink wine or whiskey. Habits acquired while young are hard to get rid of.

Treat every one with respect, and all decent persons will respect you.

Whenever you get a little money ahead, put it out in safe hands, on interest; better for the present to receive than to pay interest. If you have health, you can in a few years, lay up enough to buy good land, in a new country, sufficient for a farm.

Better not enter into speculation; although some get rich by it, it is believed the majority fail. If a whole community should turn speculators, they would soon be in want of bread. Better to acquire wealth by the ordinary means of production.

Better not buy horses and carriages, until you have use for them, and can make them profitable.

The time to buy a thing, is when you really need it, cannot well do without it, can buy to good advantage, make it profitable, and have the money to spare to pay for it.

This you see, would exclude the purchase of pistols, bowie knives, watches, dogs, race-horses, &c. Young farmers in moderate circumstances, can get along without these things.

I advise you to take a public newspaper. One from the city of New-York is best. You can get one for a dollar a year, (say the *Evening Post* or *Tribune*, as best suits your political views.) The postage is a mere trifle; and the money paid in this way will be worth to you twice the amount paid out for *fiddling*. Remember this; in our country, the man who does not read the papers is behind the times. They give a history of matters and things in general, as they daily transpire, and their reading keeps one up with the times. As you are farming, you had better take *The Cultivator*. Better to spend your leisure time reading than at *cards*.

I am told you have taken, (in company with a partner,) a large farm and dairy on shares; if so, manage it thoroughly and with care and prudence. This will be both to your profit and credit. You, doubtless, have a written contract. Fulfil it in every respect; keep an exact and minute account between the land owner and yourself. This will save trouble in making settlement, and will help to establish your character as a correct business man; while if your accounts are loose and incorrect, you will have trouble in making settlement, and it will operate much to your disadvantage. A good character as a business man, once established, is easily sustained, while it is hard to recover from a bad one.

Remember that your only capital consists in your ability to labor, and in the improvement of your mind so as to turn your labor to good advantage; and that an honest, intelligent laboring man ought to be respected in any society, and is respected by all fair-minded men.

Nature has so ordered it, that but "*few men can be really great*," while every common-sense man can be honest, intelligent and industrious. I hope you will at least come up to this standard.

In short, make up your mind to "*do to others as you would wish them to do to you*," and you will succeed. This is the essence of morality, and the best rule of politeness; adopt this rule, be industrious, go *a-head*, and all will be well with you.

Facts and Opinions.

(Condensed from Books and Papers.)

RAISING POTATOES CHEAPLY.—The *Michigan Farmer* says that A. Z. Moore raises potatoes at small cost, as follows:—In planting, which is done while the plowing is progressing, the potatoes are dropped into every third furrow, the fourth furrow covering them. When up, the whole surface is harrowed, killing weeds and not hurting potatoes. A plow throws out the potatoes in harvesting, and a fork removes all omitted by the plow.

STEAMING CHOPPED FOOD.—An English farmer, who keeps 90 head of cattle and horses, estimates that he saved thirty tons of hay in one year, by chopping and steaming a mixture of equal parts of hay and straw, and saving \$270 worth of hay. The cost of the cutting and steaming was less than \$20.

BEES IN WINTER.—The *New-England Farmer* recommends the shading of bee-hives in winter, to prevent the bees becoming warmed into activity, and leaving the hive to be chilled to death on the snow—and also states that he has found by weighing that bees consume honey much faster in the dry part of summer, when the flowers afford no honey, than in winter; that hives, kept uniformly cool in cellars, have scarcely lessened in honey through winter; and that the greatest losses have occurred where bee-sheds have faced the south, exposed alternately to hot sun, cold winds, and sharp nights.


Loss of HEAT.—By experiments made some years ago in Philadelphia, the following proportions of heat were radiated or thrown out into the room:

Sheet iron stove with 42 ft. pipe,	radiated	100	parts of heat.
do do 13 "	"	95	" "
do do 5 "	"	67	" "
Cast 10 plate stove, 5 "	"	45	" "
Open Franklin stove, 5 "	"	37	" "
Open coal grate,	"	13	" "
Common fire place,	"	10	" "

CLOSE, AND LIBERAL FEEDING.—A. Todd of Smithfield, R. I., states in the *N. E. Farmer*, that he had five cows pastured on a piece of land, but not feeling satisfied with the amount of feed they obtained, he sold one at the end of the year. He consequently found that the four yielded a greater *nett profit* than the five had done. "Concluding in my mind," says he, "that if four cows were more profitable than five, on the same principle *three* might be still better, (although I find no rule in "Adams" or "Smith" that supports this doctrine.) I accordingly disposed of another, and by taking a little extra pains with the *three* left, I churned *more butter* from the three than I had in any preceding year from the four or five."

SECOND-GROWTH FORESTS.—The same paper gives the experiment of John M. Weeks of Vt., who carefully excludes cattle from his woods, and allows the second growth to spring up freely where his fire wood has been. In a few years, the best and most thrifty of the young trees are trimmed up six feet, leaving about 800 or 1000 trees per acre. The value and beauty of the eight acres thus covered with young growth, from one to seventeen years old, exhibits very strikingly the value of this trimming out. Two acres of this piece are young pines only six years old, and so vigorous and heavy is their growth, that he thinks there is more timber on the land than ever before, setting aside some of the largest pines. He intends to cut out soon about half of these young pines, leaving about 400 to the acre.

COARSE WOOL.—The *Wool-Grower* says that the present high price of coarse and medium wool, "is bringing in a large amount of foreign, and we should not be surprised if the importations this year should exceed at least twenty millions."



FORBES. From Life

LADY GIFFORD.

Stock Husbandry.

Lady Gifford.

The above figure is an excellent portrait of a mare, noticed in our last, as having been purchased by Mr. S. A. GILBERT, East Hamilton, N. Y., of Mr. INGRAHAM, Chester, Vt. We are informed that she was bred by MADISON ALDREDGE, of Weathersfield, Vt.; was by the well-known horse Gifford Morgan, dam a bay mare owned by Mr. Aldredge. Her color is a dark chestnut, or brown. She has great depth and capacity of chest, and remarkable muscular development, combined with justness of proportion, which gives her great bottom and power. She has not yet been trained, but her natural action is of the right kind, and indicates that mature age and proper management only, are wanting to enable her show speed equal to the best. She has great spirit and fire, but withal so much intelligence and gentleness that a lady or child can safely drive her.

Alderney breed of Cattle.

In the islands of Jersey, Guernsey, and Alderney, in the English Channel, a breed of cattle has long existed, the cows of which have been much celebrated for the richness of their milk. This breed is said to have come originally from Normandy, France, where cattle of similar characters are still found. In the islands above mentioned, however, the breed has been of late years much improved, so that it is considered superior to the Norman stock.

The improvement alluded to, has been produced chiefly by an association of farmers in Jersey. An account of the improvement effected by this society, has been given by Col. LECOULTEUR, in the fifth volume of the Transactions of the Royal Agricultural Society. He states that these cattle were formerly ill-shaped, of poor constitutions, and great consumers in proportion to their weight. The farmers had looked only to the production of rich milk and butter, and the consequence was, that, though the cows gave good returns in this respect, they were less profitable than they might have been, had they possessed other valuable qualities, the union of which would not have detracted from their dairy produce. But these defects, we are told, have been in a great degree remedied. Col. LeC. observes—"By having studied the habits of a good cow with a little more tendency to fatten than others, and crossing her with a fleshy well-conditioned bull of a stock that was also known to produce quantity and quality of butter, the next generation has proved of a rounder form, with a tendency to make fat, without having lost the butyraceous nature."

For determining the comparative excellence of animals, the society have a "scale of points" for bulls and another for cows, as follows:—

Scale of Points for Bulls. P'ts.

- Art. I. Purity of breed on male and female sides, reputed for having produced rich and yellow butter,..... 4
- II. Head fine and tapering, cheek small, muzzle fine and encircled with white, nostrils high and open, horns polished, crum



ALDERNEY COW.

- III. Neck fine and lightly placed on the shoulders; chest broad, barrel hooped and deep, well ribbed home to the hips,.... 3
 - IV. Back straight from the withers to the setting on of the tail, at right angles to the tail. Tail fine, hanging two inches below the hock,..... 3
 - V. Hide thin and moveable, mellow, well covered with soft and fine hair,..... 3
 - VI. Fore-arm large and powerful, legs short and straight, swelling and full above the knee, and fine below it, 2
 - VII. Hind quarters from the huckle to the point of the rump, long and well filled up; the legs not to cross behind in walking,.... 2
 - VIII. Growth, 1
 - IX. General appearance,..... 2
- Perfection,..... 28
- No prize shall be awarded to a bull having less than 20 points.

Scale of Points for Cows and Heifers. P'ts.

- Art. I. Breed, on male and female sides, reputed for producing rich and yellow butter, .. 4
- II. Head small, fine and tapering; eye full and lively. Muzzle fine and encircled with white; horns polished and a little crumpled, tipped with black; ears small, of an orange color within,..... 8
- III. Back straight from the withers to the setting on of the tail; chest deep, and nearly on a line with the belly,..... 4
- IV. Hide thin, moveable, but not too loose, well covered with fine soft hair,..... 2
- V. Barrel hooped and deep, well ribbed home, having but little space between the ribs and hips; tail fine, hanging two inches below the hock,..... 4
- VI. Fore legs straight and fine, thighs full and long, close together when viewed from behind; hind legs short, and bones rather fine; hoof small; hind legs not to cross in walking,..... 2

- VII. Udder full, well up behind; teats large and squarely placed, being wide apart; milk veins large and swelling,..... 4
- VIII. Growth,..... 1
- IX. General appearance,..... 2

Perfection for cows,..... 30

Two points shall be deducted from the number required for perfection on heifers, as their udder and milk veins cannot be fully developed. A heifer will therefore be considered perfect at 28 points.

No prize shall be awarded to cows or heifers having less than 21 points.

Some of the improved variety of this breed, are said to possess nearly every good point in the scale, and they are, at the same time, fully equal to the old stock for the dairy—some giving fourteen pounds of butter in a week, and ten pounds being common through the spring and summer months.

We commend the above rules to the attention of our dairymen. With the exception of one point, a "thin skin," we approve them. For our severe climate, a skin of considerable substance is indispensable, though it should be mellow, and as the rule says, "well covered with soft hair."

Alderney cows have at various times been imported into this country; but we have not heard of the introduction of any of the improved variety described by Col. LE COUVEUR. They are doubtless much superior to the old stock in form and constitution. The old breed has not, generally, sufficient hardiness for the climate of the northern section of our country.

Pedigrees of Short-Horns.

EDS. CULTIVATOR—In the January No. of *The Cultivator* for 1850, is a letter from Mr. Chapman, giving a part of Mr. Bates' letter to the publisher of the print of his bull, Duke of Northumberland, in which Mr. Bates says he has the whole of the Duchess family in his possession, and that they are superior to all other tribes of Short-horns.

Now I propose examining the pedigree of this bull, Duke of Northumberland, to see how much Duchess blood he has. For this purpose, I copy his pedigree from the Herd-book:

"DUKE OF NORTHUMBERLAND (1940,) roan, calved Oct. 15, 1835, bred by and the property of Mr. T. Bates; got by Belvidere (1706,) d. Duchess 34th by Belvidere (1706,) gr. d. Duchess 29th by Second Hubback (1423,) gr. d. Duchess 20th by the 2d Earl (1511) gr. gr. d. Duchess 8th, by Marske (418,) gr. gr. gr. d. Duchess 2d by Ketton 1st, gr. gr. gr. gr. d. Duchess 1st, bred by C. Colling by Comet (155,) gr. gr. gr. gr. d. by Favorite (252,) gr. gr. gr. gr. d. by Daisy Bull (186,) gr. gr. gr. gr. gr. gr. d. by Favorite (252,) gr. gr. gr. gr. gr. gr. d. by Hubback, (319,) gr. gr. gr. gr. gr. gr. gr. d. bought by C. Colling from Stanwix, by James Brown's Red Bull, (97.)³⁵

Now we will count the cow bought from Stanwix as "*pure Duchess*;" when she had a calf by Hubback, the produce was half; the first produce of Favorite was a quarter; the produce by Daisy bull was an eighth; the second produce by Favorite was a sixteenth; the produce by Comet was one thirty-second part; the produce of Marske (418) is one sixty-fourth part; the first produce of Belvidere, Duchess 34th, is one one hundred and twenty-eighth part; and the second produce of Belvidere is one two hundred and fifty-sixth part. *That is, the Duke of Northumberland had but one part Duchess blood, while he had two hundred and fifty-five parts of other blood.*

In this estimate I did not count some fractions, but they would have given him even less Duchess blood than the estimate above, had they all been counted. Now if Duke of Northumberland weighed two thousand and forty pounds, he had but eight pounds of "*Duchess tribe*" in him. But I suppose this is enough to brag on.

I heartily concur with Mr. Chapman in the hope that some of our enterprising breeders will import some of the best of Mr. Bates' herd; but as to the "*pure, unalloyed Duchess tribe*," there is no such thing in existence. But I do not consider Mr. Bates' stock any the less valuable on that account. The Oxford premium cow owed her excellence to the union of several tribes; particularly to the Princess, Daisy and Duchess tribes. None of the tribes have been, nor can they be kept "*pure and unalloyed*" for any length of time, without endangering their *health, thrift and productiveness*. Mr. Bates' stock, if equal to their reputation, would be a great acquisition to the breeders of Short-horns in America, particularly in those localities where the breeder was near market. But a circumstance mentioned in his letter to the publisher of the print of the Duke of Northumberland, is indicative of great tenderness; or bad travelling, perhaps both. In that letter he says, Duke of Northumberland, in travelling twenty-six days, lost 392 pounds, or more than fifteen pounds a day. I suppose he was driven moderately, with great care. If his stock should inherit this quality, they would be in a sad plight, when driven to market from Kentucky to New-York! However, I should like to have some of them; I would risk their travelling to nearer markets.

Mr. Bates has been very particular in using the best blood, and in that way, has kept up the excellence and reputation of his stock. For this he has been largely indebted to the Daisy tribe, which I have not seen mentioned either in his or any other publication, and have been at a loss to account for the omission. His first Duchess cow, purchased in 1804, was by Daisy Bull (186,) and all his Duchess tribe are descended from her. So he began with half Daisy blood. That the Daisy tribe were equal in England in 1810, in the estimation of purchasers, is evident in the fact that at Mr. Charles Collings' great sale, a cow of that tribe (Lilly) sold for four hundred and ten guineas—ten guineas more than any cow of any other tribe. And that they still kept up their reputation in 1831, is proved by a certificate of George Coats, keeper of the English Herd-book. After giving the pedigree of Bertram (1716,) a bull

of the Daisy tribe, (brought to America by Col. Powel, and brought to Kentucky by David Sutton,) he says:—"This bull combines more perfection in form, handling, and dairy qualities, than any bull I ever saw. I consider him very much superior to old Comet, bred in my neighborhood, and sold by public auction for one thousand guineas."

Mr. Stevens, in the August number of *The Cultivator*, says that 3d Duke of Cambridge—"is the only bull in America got by Mr. Bates' '*crack prize*' bull, Duke of Northumberland." Now Locomotive (4242,) was not only got by Mr. Bates' "*crack prize*" bull Duke of Northumberland, but his dam was Mr. Bates' "*crack prize*" cow Oxford. Locomotive was brought to Kentucky by Mr. Letton.

Whilst I am writing, I will notice an error of Mr. Stevens, published in the American Herd-Book, p. 68. He says, in regard to Mr. Bates' stock,—"*Up to the introduction of Belvidere to his herd, he had adhered to his Duchess blood entirely. (except in the case of two or three cows put to Marske,) and produced a disposition to sterility. * * * Since 1831, Mr. Bates has used that blood, a union of the Duchess and Princess tribes, mainly, and has only resorted to any other in one instance, viz: Cleveland Lad.*"

Mr. Bates has used other blood in many instances; a few of which I will notice. Look at 3d vol. English Herd-Book, page 355, you will see that the Duke of Cleveland was calved in 1831, bred by T. Bates, and got by Bertram (1716,) a bull of the Daisy tribe. In 1833, Duchess 35th was calved (p. 354,) by Gambier (2046;) Gambier was by Bertram (1716,) his dam of Mr. Charge's stock. In 1835, Duchess 38th was calved, got by Norfolk (2377,) a bull of Mr. Whitaker's breeding (p. 356.) In 1833, the Matchem cow had a cow calf by Gambier, and in 1834, a cow calf Oxford by Duke of Cleveland (1937;) both these bulls were by Bertram (1716,) (p. 494.) I deem it unnecessary to multiply cases, as these are sufficient.

I think Mr. Stevens is also mistaken in saying—"the pedigree of the Princess tribe of Short-horns, traces farther back than any one recorded in the Herd-Book;" but presume the reasoning by which I come to this conclusion would be uninteresting. Mr. Bates says in his letter to Mr. Vail, (published in the *Agriculturist* 1848, p. 125,)—"No animals of the Princess tribe can now be had in England, *worth sending* to America, except what I have, descended from the Matchem cow, the dam of your Wellington; and that tribe was only preserved by putting the Matchem cow to bulls of my Duchess family." * * * "I have been thus particular to let you know how highly I prize this tribe, the *only one* left of any value from the Princess tribe of cows."

Thus it appears that according to Mr. Bates' opinion, he had all the Duchess tribe, and all the Princess tribe, that was worth anything. Notwithstanding Mr. Bates' opinion, given above, I have no doubt the cattle imported by Mr. Stevens, of the Princess tribe of Short-horns, are *really fine*. S. D. MARTIN. (*Near Colbyville, Ky., March, 1850.*)

TIME FOR HEIFERS CALVING.—A late English writer considers it a matter of great importance, that heifers should be so managed as to have their first calf late in spring, when there is an abundance of succulent food, inducing a large supply of milk. This is much better than to have them come in early in spring, when they have dry food only. The habit at first formed is apt to remain with them, and if they commence by giving a good supply of milk, they are apt to be good milkers afterwards.

The Farmer's Note-Book.

Culture of Indian Corn.

EDS. CULTIVATOR—Although not engaged, at present, in agriculture, I am not an indifferent spectator of its progress, and have witnessed with pleasure the success of several quite different modes of cultivating Indian corn. As the season for planting is now close at hand, I will call the attention of your readers to a point in the cultivation of that crop, which if known, is not duly appreciated, and therefore much neglected. I mean the *early culture of the plant*.

All intelligent farmers know that a deep, rich, dry and warm soil is the most suitable for corn, (and by deep plowing and manuring, most soils may be made so,) but they are not so unanimous in the belief of the benefit of deep plowing for corn, because good crops are *occasionally* grown on rich soils, and in favorable seasons, with shallow plowing. The value of barn-yard manure to corn, may be inferred from the fact that even on some of the fertile lands of the west, already too rich for other cereal crops, the corn crop is benefitted by it, and it is the only grain crop to which it can be applied there with profit. Deep plowing of a rich soil, is then the first step in corn culture, as it best secures the crop against injury from parching drouth, as well as excessive rains, and furnishes a wider range for the roots to seek their nourishment. The soil should be well pulverised by the harrow, and marked out carefully for planting into drills about 3 inches deep, unless the surface is very level, and liable to be flooded by rains. Plenty of seed should be used, so as to ensure at least two, but never more than three thrifty plants in each hill.

The spaces between the rows must vary with the kind of corn planted. The speedy germination of the seed, and the rapid and vigorous development of the young plant, exert an important influence on it, during the whole period of its subsequent growth to maturity; therefore, to hasten germination, the seed may be steeped over night in some fertilizing liquid, and rolled in gypsum or guano; or a little well rotted manure or compost may be put into the hill with the seed; and as seeds germinate most readily in fresh plowed ground, it is desirable that the plowing and other preparation of the ground, and the planting, should be done with as much despatch as is consistent with having it *done well*.

The seed should *not be steeped* unless it is to be planted in *fresh plowed or moist soil*. The best time for planting in this neighborhood is from the 10th to the 20th of May. If the plowing and other preparation of the ground has been well done, and the corn is planted, it may be said truly of the cultivation, that—"Well begun, is half done."

As soon as the young plant is well up, start the cultivator, and run it as near the rows as possible; or if the plowing has not been thoroughly done, a small plow may be used for this first dressing, turning the earth away from the plants. Then with potato hooks or similar implements, stir the soil around and between the plants, which will destroy a whole generation of weeds in embryo; now drop a spoonful of gypsum on every hill. This first early dressing promotes the growth of the young plants, and gives them the start of the succeeding crop of weeds; and while your neighbor is "waiting," as he says, "for his corn to get big enough to hoe," yours will call loudly for a second dressing. *His* will be sickly, pale and spindling, in consequence of its struggle with the grass and weeds, which have nearly sup-

planted it; while the large stem, the broad leaf, and the deep green color of yours, will indicate its healthy and vigorous growth. With double the labor, he cannot now half destroy the weeds; and by the time "his corn," as he says, "is big enough for hilling," you may with less labor have given yours three and even four dressings with the cultivator and hoe—during which time its growth has been rapid, and it will be "setting for ears." Keep the surface nearly level, and "earth up" slightly round the plants. The more the earth is stirred the better, especially during dry weather, and the cultivation should be continued till it "sets for ears," when it will so cover the ground as to arrest the further growth of weeds. And now some gypsum should be sown over it broadcast, and the labor of cultivation is ended.

The following advantages result from this mode of cultivation. It increases the quantity and quality of the corn; it leaves the land clean, and prepares it for wheat or any other succeeding crop, or grass, as well, if not better, than a naked fallow; it hastens the maturity of the corn so that it may be cut up the last of August or first of September, in season for sowing wheat; it may be husked and the stalks housed before the autumnal rains set in, and finally, (best of all) it is the most profitable.

Seed-corn should be gathered in the field before the main crop is harvested. The largest of twin ears, and those of earliest maturity should be selected. Instead of deteriorating, corn may be much improved by this method.

I omitted to state in its proper place, that at the second dressing the plants should be thinned out to three in a hill. A. D. G. Troy, N. Y., April.

"A Little Land Well Tilled."

EDS. CULTIVATOR—Farmers are very liable to err in cultivating too much land. They make their calculations to sow and plant so many acres, without taking into account the quantity of manure they have to apply, or the amount of labor they can bestow. This not only subjects them to much haste and inconvenience, but their crops are not cultivated as they otherwise would be, and the land is not left in so good condition when it is laid down to grass. There is still greater folly on the part of some, in the desire to increase their estates by the purchase of more land, when their system of *half cultivation* should admonish them that they had better sell than buy.

"What is worth doing is worth doing well." This should be the motto of farmers in the performance of all their work. A small farm well cultivated, is better than a large one half cultivated. Any one that has a good kitchen garden can see how profitable land may be that is manured and cultivated thoroughly. Pursue the same course in all land cultivated, and the profit would be in proportion. The majority of farmers do not know experimentally what an acre can be made to produce. Mechanics in our villages, and those that own but little land, generally manage to make that very productive. An illustration of what may be done on a small piece of land, came under my observation last fall, during a sojourn of a few days with a friend, in one of our manufacturing villages. About three years since, he purchased a piece of land for a house lot, its area not exceeding half an acre. After building, he laid off his ground, and planted some peach trees, two or three kinds of cherry and plum trees, some dwarf pear trees, a few choice apple trees, grape and strawberry vines, and currant and white

raspberry bushes. On the remainder, besides having borders for plants and flowers, (by the way, I thought his *household flowers* the most interesting,) he raises all the vegetables necessary for family consumption. Some of the trees have already commenced bearing; he has a supply of strawberries, currants and raspberries in their season, and in a few years, will probably have a plenty of fruit, much better than can be obtained in market, because nicer and fresher, and the cost of it will be merely nominal. The most of the labor of planting and cultivating this ground has been done in spare moments, redeemed from the engrossing cares of manufacturing.

This shows what can be done with small means, even when the cares of business leave but little leisure. Examples of this kind are becoming more numerous, as there is an increasing interest manifested in rural pursuits. Thorough cultivation is becoming better understood and appreciated, and the example of good cultivators has a great influence over the careless and negligent. W. L. EATON. *Weare, N. H.*

How to Prevent the untimely Sitting of Hens.

EDS. CULTIVATOR—It is the sentiment of some benevolent persons, that hens should always be permitted to sit when they are disposed to do so. If they were in a state of nature, this would undoubtedly be a safe rule, as they would then hatch one, and perhaps at most two broods. But the hen, when domesticated, and fed artificially, becomes a factitious being, and is no longer governed by natural instinct merely, as in her wild state. Every one familiar with the breeding of fowls, well knows that they will sit, if permitted, in almost every month of the year. Fancy breeders may have the time and patience to take care of a brood of young chickens in January; but the farmer, who must have a constant eye to profit, cannot. Chickens, in central New-York, should never be hatched later than the first of September. I once had a brood of sixteen chickens, hatched the middle of September, many of which died of a cold chill on the 2d of December, although they were treated with ordinary care.

The ordinary notion, that late chickens lay earlier than early chickens, is, I half think, true. It seems at first sight, physiologically improbable. Possibly the reason may be, that they do not become so fat as earlier chickens.

It becomes a question of interest then to every farmer, how he can most cheaply and readily prevent the sitting of hens at untimely seasons. The following suggestions, which I saw substantially in some book, many years since, will bear repetition. I have myself practiced them for five or six years, and know their value. The treatment consists in putting the hen wishing to sit, in close quarters, where she has light, food and water, but no straw, and where she can see her associates. Three or four days confinement here will be sufficient. She may then be liberated, and will soon begin to lay again.

I use for this purpose, a sort of lattice, made by nailing two or three dozen ordinary house laths across two or three poles or strips of board eight feet long. This is set leaning against the side of the barn, in some roomy place, with the ends stopped up. This is cheaper and more effectual than any other. To dip a hen into cold water, at a time when nature has thrown her into a fever, is often injurious to her health; and to tie a red or white rag

to dangle behind her, thus making her alternately the terror and laughing stock of the whole barn-yard, is not generous. A. M.

Live-Stock Insurance.

The "American Live-Stock Insurance Company," incorporated by the Legislature of the state of Indiana, publish the following classes of hazards and rates of annual premiums:

<i>Rates for Horses.</i> —1st. Horses employed for agricultural purposes, under \$125 per head in value,	3 pr cent.
2d. Over \$1.25 and under \$200,	3½ "
3d. Hackney, gig and carriage horses, under \$200 pr head in value, for country,	5 "
do do do for city,	5½ "
4th. Dray horses, for general use, under \$200 per head in value,	5 "
5th. Horses, \$200 per head and upwards in value, for country,	5 "
do do do in city,	5½ "
6th. Stallions, of under \$200 in value,	6 "
If \$260, and under \$375 in value,	6½ "
If \$375, and under \$1000,	7 "
<i>Sheep.</i> —Of every description, if above 3 months old,	5 "
<i>Rates for Cattle.</i> —1st. Cattle, under \$50 per head in value, 2½ "	
If worth \$75, and under \$125,	3 "
<i>Prize Bulls and Cattle of extraordinary Breed.</i> —At rates proportionate to their value, from 3½ to 5 per cent.	
Cows kept in large towns are not insurable.	
Stock under 12 months old, not insurable, except at extra rates, viz:	
For 6 months insurance, 2-3 the rate.	
3 " " " 1-3 "	

Risks of *Pleuro Pneumonia, Glanders*, and other fatal and contagious diseases, 1 per cent. in addition to the above rates.

For further particulars, see advertisement.

Farming in Aroostook.

EDS. CULTIVATOR—I have been engaged in farming in this county for about ten years past, and have during that time taken several agricultural papers, and think they have more than ten times paid me the cost of them in the increased productions of my farm. I have raised during the past season nearly four hundred bushels of excellent Christie potatoes, that have cost me only five cents per bushel. I have also raised at the rate of upwards of eighty bushels of corn to the acre, on one acre and one hundred and eight square rods of land, and the crop gave me, clear of all expenses, *one hundred and eight dollars*. My success in raising these crops, I attribute entirely to the information derived from reading agricultural papers. PARKER P. BURLEY. *Linneus, Aroostook Co., Me., March 25, 1850.*

Improvement in Connecticut.

A correspondent of the *Agriculturist*, who dates at Farmington, Ct., gives a favorable account of the improvements in farming in that neighborhood. In regard to the production of grass and the quality of the cattle, we can from personal observation testify to the correctness of his statements. The writer observes that there is a large proportion of land in Farmington which has formerly been considered exhausted, and has been sold as low as \$3 an acre within the last twenty years; but which is now worth, to cultivate, from \$40 to \$50 per acre, and is still improving. He says—"Our grass lands lying in the vicinity of our main street, produce on the average four tons to the acre, both crops, (we always cut two crops, per year;) one field that was actually weighed, produced over five tons to the acre, and there are others which will equal that. There were three acres of oats, averaged 86 bushels per acre, one acre of which being limed produced 92 bushels; of corn there have been several pieces measured, some of the results I will state. One single acre produced 136 bushels; one piece of three

acres produced 116½ bushels per acre, weighing 60 lbs. per bushel. Another piece of six acres, one acre of which was measured, produced 102 bushels, a fair average of the whole. In the same field there were three acres of potatoes, which produced something over 600 bushels sound tubers. There were other fields in corn which were estimated to produce more than the last named, but not measured. We have the pride also to believe that we rear as good horned cattle as any of our sister states. Our matched cattle sell at from three to four years of age, for 125 to 150 dollars per yoke; we can show cows from whose milk at grass alone, 2 lbs. butter per day are made; and from a town in our vicinity which is considered as one of the poorest in our state, of only a population of 633, was exhibited at a late neighborhood cattle show, a team of nearly 80 yoke, many of which were worth \$100 per yoke."

Raising Pumpkins.

EDS. CULTIVATOR—Last season, Mr. Alvah D. Grenell raised large quantities of pumpkins and good corn, notwithstanding the unfavorable season. He says he always succeeds by pursuing the following course. In the fall he scrapes up the leaves and black soil in the woods, into broad winrows, about the width of a wagon or cart, and then drives over them with a load of lime, scattering it as they go. In closing up this winrow, and loading it, the lime becomes intimately mixed in, and the whole is deposited in heaps in the field, where it lies till the ground is plowed in the spring. This he thinks makes *new ground* of it, and pumpkins delight in new ground.

I was mentioning this mode of raising pumpkins to Mr. Sam. Strong. I remarked, there were scarcely any pumpkins. "Why," said he, "I have lots of them." How do you manage? "Why I didn't do any thing;—I only drew a lot of dry leaves for my hogs to nest in, and when they got wet and worn up, put in more; and then in the spring, manured my ground with this substance." So his experiment makes good Mr. Grenell's supposition, that the leaves contain the substances proper for the growth of the pumpkin. H. V. O.

Turning Stock to Grass.

In many instances, sheep may be turned to pasture, almost as soon as the snow is gone. If there is grass of the previous year's growth, the sheep will derive more benefit from eating it, provided the ground is not too wet, and the pasturage for the present season, will be rather improved by its being cleared off. The sheep should, however, be regularly provided with what hay they want, otherwise they may fail to obtain a proper support. Portable racks or feeding boxes may be placed in some sheltered part of the pasture, and the hay supplied morning and evening, until the grass is sufficiently grown to render it no longer necessary. Care should be taken to shelter them from storms, especially while they are having lambs and while the lambs are young, and also immediately after shearing.

It is not expedient to turn cattle and horses to grass as early as sheep may generally be turned out, chiefly for the reason that the larger animals are liable to do injury by poaching the soil, and breaking and destroying the sward. On this account, it is proper to keep them in winter quarters till the ground is well settled and the grass is well started. It is advisable, in order to check the too laxative effect of succulent herbage, to allow the animals

more or less hay, according to their appetites, for a week or more after they are put to grass. Milch cows are generally brought to the barn for some time after they are first turned out, and they should be closely watched, lest they become weakened by the sudden change to green food. The best of hay, and what salt they will voluntarily eat, should be allowed them while in their stalls or yards.

If the farmer is properly supplied with hay, it is best to feed working oxen at the barn till the spring work is performed. They will be stronger, and will endure labor better, fed on hay, than on grass; and there is much convenience and saving of time in having them at the barn door whenever wanted. Horses which are kept daily at work, should be fed at the stable at all times. Grass alone, is not sufficiently substantial or nutritive to impart the requisite strength to an animal whose muscles are constantly and powerfully exercised. Hence it is necessary to add grain, in certain proportions, according to the amount of labor performed. When the animal is fed in the stable, the food can be readily regulated, mixed, and apportioned, as circumstances render proper.

Culture of Carrots.

EDS. CULTIVATOR—I should like to be permitted through the medium of your valuable paper, to say a few words to dairymen and others in relation to raising carrots and other roots for the purpose of feeding their stock. Will you give your readers your opinion as to the best time of sowing the seed, and mode of cultivating the crop? I think you will agree with me in saying that it only wants a thorough knowledge of the manner of raising carrots, and their profitableness to feed all kinds of stock, to make them a common as well as a very valuable crop to the farmer. A few of my neighbors have been trying them a year or two, and have come to conclusion that the root culture is almost indispensable with good farming. They say they can (with plenty of carrots) make as much butter and cheese from the first of March, or from the time cows come in, to the first of June, as they can in the same time in summer, on the best of feed. Dairymen think of this, and try it; you will find carrots as good for feeding horses and young stock, as they are for cows. The tops are preferable to hay, to feed in fall. SUBSCRIBER. *Salisbury, April 16th, 1850.*

Carrots should be sown on warm and friable soil. They may be sown at any time after the ground is sufficiently warm to insure the germination of the seed, till the tenth of June. The ground should be in good condition as to richness, and well pulverised. The seed may be sown with a machine in drills, eighteen inches apart, the plants being thinned to three inches apart. The crop should be kept clean of weeds. (See back volumes Cultivator.) EDS.

Mode of Cultivating Corn.

EDS. CULTIVATOR—I have thought that the following mode of raising corn, as practiced by Mr. Clark, of Castleton, Vt., and others, might be of profit to some of the readers of *The Cultivator* at this season of the year, and they be led to try the experiment, and perhaps by doing so double their crop; for I doubt not there are many who do not raise over forty bushels per acre.

In the year 1847, Mr. C., from one acre, raised 117½ bushels, by weight, (according to the standard of that State.) In 1848, 110 bushels, for which he received the premium from the Rutland County Ag-

ricultural Society. Last year, from $2\frac{1}{2}$ acres, he raised 275 bushels, but made no application for premium.

Green sward is invariably used, being plowed in the spring and turned over, so that the edge of one furrow will rest upon the other, after the manner of shingling. The manure being spread upon the furrows, and thoroughly harrowed, it is marked, the rows three and a-half feet apart, running north and south. A compost is made for each acre, of 10 bushels unleached ashes, 3 bushels of manure from the hen roost, and 2 bushels of plaster—the whole well mixed together, dry. (The hen manure will have to be beat or thrashed fine before mixing.) One handful is sufficient for two hills. A boy will drop it as fast as two men will plant. The seed, before planting, is soaked six hours in a solution made by dissolving chloride of lime in water sufficient to cover it, in proportion of half a bushel to a bushel of seed. If the corn is the common sized eight-rowed; put three kernels in each hill one foot apart. Cover not over one inch in depth, unless it is very dry, as the sooner the grain is up the larger the stalk will be, and the better the crop. Mr. C. says he knows from actual experience that the compost for one acre will produce more corn than fifty loads of manure. I shall try the experiment, and hope others will do the same. A. S. F. Granville, N. Y., April 17, 1850.

Manufactures vs. Agriculture.

EDS. CULTIVATOR—In your marginal note on page 56, of the January number of *The Cultivator*, did you not omit to deduct the wear and tear in farming operations? In the first place, 25 per cent. is too high for the wear and tear of a cotton factory, properly conducted. The wear and tear on \$10,000 worth of cultivated land, which is made to produce crops yearly, would, according to my observation, be fully equal to that of a cotton factory employing the same amount of capital, especially when we consider the deterioration of the soil, fences, teams, utensils, &c. I therefore think there can be no error in Professor Tucker's tables. ARGUS.

Domestic Economy, Recipes, &c.

Importance of Good Bread.

We make the following extract from a private letter on this subject:

"I observed that some agricultural society at the East, last year, offered a premium for the best bread. I should have been glad to have seen such a premium offered by our State Ag. Society. Making good bread is a most important as well as very rare accomplishment—shall I not say that it is quite as important as good plowing, or raising good cattle? I am most decidedly of the opinion that it is—but among the very good breadmakers that I have met with, none could give me directions by which another, less skilled, could succeed equally well. Is it too late for the Society yet to offer such a premium? The competition would certainly be one of great interest. But there should be an essential requisition,—that is, that every thing should be accurately stated by weight or measure, and the time required for each part of the process as nearly pointed out as practicable, and every thing else accurately described. Directions thus obtained, would prove of incalculable value. But the premium should be liberal—enough so to constitute a series of careful experiments. An acquaintance, who is a very nice

judge of such matters, who has travelled lately in Europe, assures me that in Paris, the best bread is as much better than our best bread, as the latter is better than a sour or unrisen loaf. He attributes a part of this superiority to the better quality of wheat or flour used in Paris, but also more largely to the eminent skill brought to bear in its manufacture. I would go a long way to eat a slice of meritorious premium bread, but much further to get the receipt for making it."

The Poor Man's Plaster.

EDS. CULTIVATOR—For rheumatism and dyspepsia, I have tried no external application equal to "the poor-man's plaster," which gently irritates the skin. The common way of using it however, greatly lessens its value.

You go to the druggist's and ask for the article. It is most likely that he has kept it a long time, and the wax has become dry and hard. Now *don't let him roll it up*, though more convenient, but carry it home, flat as it came from the manufacturer's, and prevent the wax from scaling off.

Another thing—it is customary to heat the whole plaster, and apply it at once to the skin. If it sticks well, having been spread on stiff paper, it feels about as comfortable as a shingle would on the same spot; for on no part of the body can it be laid where the action of the muscles would not chafe it, break the grain of the paper, and cause much of it in a few days to peel off. Now listen to me. *Cut the plaster into four pieces at least*; and in applying them to the skin, *leave a finger's breadth between each piece*. This method gives joints to the plaster—no unpleasant stiffness is felt—the paper is not rumpled and broken—and it will last a long time. AN OLD FARMER.

To kill Rats without Arsenic.

In answer to a correspondent, who wishes to know how to kill rats without arsenic, we give the following from a late number of the *Farmer's Magazine*:

In or near the places frequented by these pests, place upon a slate some dry oatmeal, lay it thin, and press it flat, so that you may easily know what has been taken away. The rats, if not disturbed, will come regularly to feed upon this. Supply them thus with fresh oatmeal for two or three days, then add two or three drops of oil of aniseeds, stir the mixture well together, feed them well with this for two or three days, then for one day give them half the quantity they have usually eaten, and on the following day place the following mixture: to four ounces of dry oatmeal, scented with six drops of oil of aniseeds, add half an ounce of carbonate of barytes pounded, mix this well with scented oatmeal, then lay the mixture on the slate as the oatmeal had been placed, and allow the rats to come and eat of it without interruption. A few hours after partaking of this meal they may be seen running about as if drunk or paralytic, retiring to their haunts to die. Rats are extremely sagacious, therefore when they have eaten only a small portion of the mixture, it should not be disturbed for some time. The oil of aniseeds is disagreeable to dogs and many other animals, but, in small quantities, alluring to rats.

BEARING YEARS OF APPLES.—The Baldwin is an enormous bearer, every other year. A New-England cultivator, by altering the usual bearing year of his trees, so that his crop comes in the scarce year when the price is high, has increased his profits on the crop.

Notices of Publications.

THE FARMER'S GUIDE TO SCIENTIFIC AND PRACTICAL AGRICULTURE.—This is the title of a work, by HENRY STEPHENS, of Edinburgh, author of the "*Book of the Farm*," and Prof. JOHN P. NORTON, of Yale College, New Haven. The first volume of the work has already been issued in Edinburgh, and the American edition is in course of publication from the stereotype plates which have been imported. It is put forth in numbers of 64 pages each—22 numbers comprising the work. The price is 25 cents per number, or \$5 in advance for the whole. The numbers can be sent by mail at periodical postage. We have received the first number of this work, and from its careful perusal, and from what we know of the writings of its distinguished authors, we venture the opinion that it will be the most complete treatise on agriculture that has ever been issued. It will treat the subject in its broadest and most comprehensive sense—fully discussing its principles and relations to the various sciences, and describing its practical details. It will be illustrated by 18 to 20 engravings on steel, and more than 600 wood engravings in the highest style of the art. Published by LEONARD SCOTT & Co., 79 Fulton-street. New-York.

WORKING FARMER.—This paper has been enlarged, and its typographical appearance much improved. We have received the first number of the new volume, which contains a large amount of good matter. It is edited by Prof. J. J. MAPES, and published monthly by KINGMAN, Cross & Co., New-York. Terms, \$1 a year.

AMERICAN JOURNAL OF SCIENCE AND ARTS.—We have received the March number of this valuable journal. It contains among other articles of importance, an article on the "Connection between the Atomic weights and the physical and chemical properties of Barium, Strontium, Calcium and Magnesium, and some of their compounds," by Prof. E. N. HORSFORD; "Observations on the Size of the Brain in various Races and Families of Man," by Dr. S. G. MORTON; "An account of some Fossil Bones found in Vermont, in making excavations for the Rutland and Burlington Rail Road," by ZADOC THOMPSON; "On the American Prime Meridian," by Prof. J. LOVERING; with much other interesting intelligence. Conducted by Professors SILLMAN and DANA. Published at New Haven, on the first of every second month, at \$5 a year.

BRITISH AND FOREIGN MEDICO-CHIRURGICAL REVIEW; or Quarterly Journal of Medicine and Surgery. This high-standing periodical is republished by Messrs. R. & G. S. WOOD, 26, Pearl-street, New-York. It should be in the hands of every practitioner of the healing art. Terms, \$3 a year.

ILLUSTRATED SELF-INSTRUCTOR IN PHRENOLOGY AND PHYSIOLOGY, with one hundred engravings, and a phrenological chart of character; by O. S. & L. N. FOWLER. This is an interesting manual to those who wish to inform themselves in regard to the subjects on which it treats. It is very handsomely "got up," and is sold for only twenty-five cents. Published by FOWLER & WELLS, New-York.

EXPERIMENT WITH ASHES.—A correspondent of the *New-England Farmer*, spread "on a small square of a few rods" ten bushels of ashes, on worn-out meadow. "The grass there was three feet high, while all around, with equal advantages, except ashes, it was hardly five inches high in July."

Answers to Correspondents.

CLAYEY LAND.—M. V. B. B., Fishkill, N. Y. The first step towards the improvement of this land, is to drain it thoroughly by under drains. Then plow it seven inches deep, following with the sub-soil plow, which should be run at as great a depth as the team can move with it. Use plenty of coarse manure, and work it well into the soil for the double purpose of letting in the air—which effects favorable changes in clays—and of making the soil more loose. The muck you speak of, will have the effect to loosen the soil, and will also act as manure; but it will be better to let it lie in heaps one season before it is applied, to dispel the acids it usually contains when in its natural beds.

CULTIVATOR FOR STONY LANDS.—J. W. G., New Fairfield, Ct. The steel-tooth cultivator is best for stony and rough land, and best for working among corn, except where the ground is very light and clean from weeds or grass. It may be had at the Albany Agricultural Warehouse. Price, \$7; with cast iron teeth, \$5½.


GRAFTING.—W. A. E., West-Springfield, Mass. The wild black cherry is of no value as a stock for grafting the cultivated varieties. The various kinds of native thorn will answer for grafting the pear. It is best to graft close to, or below the surface of the ground.

MERINO AND LEICESTER RAMS.—J. W. W., Spring-Grove, S. C. The best opportunity for you to buy this kind of stock will be at our State Fair, first week in September next. They can be had, probably, at all prices, from ten to a hundred dollars a head. The fall is the best time to take them south.

BONES.—M. D., Jr., Lynchburg, Va. You will find the best direction for preparing bones for manure, in the series of articles now in course of publication in our columns, by Prof. NORTON.

WORK ON AGRICULTURE.—A New-York Mechanic. As a work calculated to furnish "a good fundamental and practical knowledge of farming generally," we would recommend the '*Farmer's Guide*.'

LOCATION FOR A MECHANIC TO ENGAGE IN FARMING.—J. F., New-York. We should think Wisconsin or Northern Illinois would afford good situations for such a person as you mention. A residence near some thriving village or town, where there are good facilities for a market, would be desirable.



Cast Iron Dirt Scraper.

This implement is made in various forms. The cheapest and best are now made of cast iron for bottom, sides and edge, with wood back and handles, and wrought iron bail. They are extensively used for excavating and filling up for buildings, and for making and repairing roads. The prices vary, according to size and weight, from \$4.50 to \$10. They may be had at the Albany Agricultural Warehouse.

Notes for the Month.

COMMUNICATIONS have been received, during the past month, from Dr. S. D. Martin, W. C. Carter, N. W. McCormick, A Sheep Man, H. C. W., T. M., A. M., Prof. J. P. Norton, Chas. L. Fleischman, A Subscriber, A. B., W. L. Eaton, A New-York Mechanic, D. M., Sylvanus, An Old Farmer, One of your Subscribers, A. S. F., C. C., Niagara.

BOOKS, PAMPHLETS, &c., have been received as follows:

The Massachusetts System of Common Schools; being a revised edition of all the Laws and Regulations in force in that State, in relation to its public schools. Also, The Thirteenth Annual Report of the Mass. Board of Education, for 1849—both from Wm. Bacon, Esq., Richmond. A lithographic print of the Cotton Plant, in its various stages, drawn from nature by C. L. FLEISCHMAN, U. S. Consul at Stuttgart, and published at that place—decidedly the best exhibition of the plant which we have seen. An Essay on Manure, by Dr. S. L. DANA—from C. M. SAXTON, publisher, New-York. The Journal of Agriculture, and Transactions of the Highland and Ag. Society of Scotland, for January and March, from BLACKWOOD & SONS, Edinburgh. The American Bird Fancier, by D. J. Browne, from C. M. SAXTON, publisher, New York. The Advocate of Veterinary Reform, and Outlines of Anatomy and Physiology of the Horse; also, a Veterinary Dictionary, by GEO. H. DADD, M. D. From the author, Boston. Transactions of the Trumbull County, (Ohio) Agricultural Society, for 1849, with the Address, delivered by SAMUEL ST. JOHN, A. M.

PLANTS FROM CALIFORNIA.—A letter received from Wm. R. PRINCE, dated Sacramento City, Jan. 27th last, states that a large collection of seeds of rare forest trees, shrubs and flowering plants, which had been collected by him in California, had been forwarded to Flushing, Long-Island, for the establishment of Mr. Prince. The collection is said to embrace 150 species, comprising the most splendid specimens of the Flora of that interesting region. We understand that there are several species of oaks, pines and other trees, bulbous plants, &c., the introduction of which, to our region, will be either useful or ornamental.

ANALYSIS OF SOILS, MANURES, &c.—In answer to several inquiries, we will state that Mr. J. H. SALISBURY, of this city, is prepared to make analyses of soils, rocks, manures, &c., at the following rates:

1. Complete quantitative analysis of a soil, \$5
2. Complete organic analysis of a manure, marl, or peat,..... 5
3. Proximate organic analysis of manure,.. 5
4. Analysis for obtaining one ingredient,.. 1
5. For information on any particular subject,..... 1

The above fees to accompany all samples or communications, which may be directed to the Secretary of the N. Y. State Agricultural Society.

LARGE CORN CROP.—R. W. T., of Newton-Centre, Mass., writes that he raised last year, on an acre and one hundred and twenty-four rods of ground (or a little over an acre and three-fourths,) 424 bushels of ears of corn, two of which, he thinks equal to a bushel of shelled corn. The ground was formerly a frog pond. It had been drained and had borne good crops of grass for two or three years. It was plowed in the spring of 1849, heavily manured with barn-yard manure, and planted to corn—the above being the result.

DAIRYING.—A correspondent requests us to ask information, from practical dairymen, in regard to the following subjects: What are the best breeds of cows for the dairy, and how much butter may be ex-

pected from each cow in a year? What is the most profitable mode of feeding cows in the different seasons? It will afford us pleasure to receive and publish any articles which can throw light on these subjects.

POISONOUS LIZARDS.—N. HOWARD, Esq., of Stephentown, N. Y., informs us that there is a species of lizard that is poisonous to fowls, if eaten by them. It is described as the "red lizard." Mr. H. states that he has in several instances known fowls killed by eating this reptile. In one instance, a fowl died suddenly, and on opening its crop one of the lizards was found; in another instance, a fowl, which was in good health was seen to eat a lizard, and in a few minutes afterwards was taken sick, staggered and soon died. Mr. H. is a close observer, and not likely to be mistaken in his conclusions.

TRANSMUTATION.—We do not intend to bore our readers with this subject; but are under the necessity of alluding to it occasionally for the purpose of explanation. Mr. THEODORE PROBASCO, of Quaker-Town, N. J., writes that, until lately, he has always believed that chess would not grow from wheat; but his former opinions have been changed by a wheat-head having been shown him, from which projected a "fibre containing six chess-grains." We have seen several cases of this kind, and have more than once explained how they occurred. The panicle to which the chess is attached, is entangled or wound into the wheat-head, and when it gets dry is broken from the parent stem, and appears attached to the wheat. On carefully opening the wheat-head, the manner of connexion will be plainly seen.

THE BEE-MOTH.—A new plan of preventing the ravages of this depredator, is given in the advertisement of Mr. WHALEN, in this number. Personally, we have no knowledge of the discovery; but it appears to be new, and may be tried without much expense or risk. Mr. WHALEN is the presiding officer of the Saratoga County Agricultural Society, and is not unknown as a writer on agricultural subjects.

FAT OXEN.—Our attention was called a few days since, to a pair of fat oxen, owned by JAMES L. MONIER, of Naples, Ontario county, which were on their way to New-York. Their weight, according to the bill of charges from the railroad agent, was 6,325 lbs. They are six years old this spring. As their blood is not particularly known, they are called of the "common stock." Their present owner purchased them of Mr. MUNDAY, of Allegany county, when they were about two years old. They are both small-boned, well-made animals, and one of them, (the smaller of the two,) will compare favorably in symmetry and quality, with any ox we have seen.

SHORT-HORNED BULL LOCOMOTIVE.—In Dr. MARTIN's communication, on another page, this animal is spoken of as though he were living. Mr. AMBROSE STEVENS desires us to say that he had been informed that Locomotive died some three or four years since, and that he supposed this was the fact when he wrote the article to which Dr. M. alludes. He wishes to be informed whether Locomotive is still alive.

HORSES GIFFORD MORGAN AND GENERAL GIFFORD.—The whereabouts of these noted horses will be seen by the advertisements of Mr. ARNOLD and Mr. INGERSOLL, in this number. The first named horse is so well known that nothing need be said here in regard to him. The latter is a colt of the

former, and has acquired considerable celebrity in the central part of this State, having been owned for several years by Messrs. MASON & MUNRO, of Onondaga county. Mr. MARKS, of Onondaga county, also advertises an excellent young horse of the same stock.

SALE OF SHORT-HORNS.—We are informed that GEORGE VAIL, Esq., of Troy, has recently sold to Mr. HUMPHREY, of Michigan, a bull called American Comet, 2½ years old, by Meteor, dam Hilpa,—together with two cows and two calves, all except one having more or less of the blood of the "Bates' stock." The aggregate amount paid for these animals, we learn, was \$1,000—the bull being reckoned at \$300. We trust the enterprise of the purchaser will be properly rewarded.

TARRING SEED CORN.—Mr. DURAND writes us that a mistake occurred in regard to his mode of preparing seed-corn, as given in our last, (p. 123). He says—"It should be soaked 24 hours in strong saltpetre-water;—then take a small quantity of tar in a basin and water enough to cover the tar; simmer over the fire till the tar dissolves with the water, and turn it on the corn, and stir with a paddle till the corn is smeared; then plaster till the corn will separate freely."

PITTS' SEPARATORS.—These machines are still being manufactured at Rochester, N. Y. They are of great importance in grain-growing districts, and so far as we learn, give entire satisfaction. They can be adapted to threshing machines of any kind. For particulars see Mr. Pitts' advertisement.

TRANSMUTATION.—Mr. ALEX. CULBERTSON, of Pleasant Unity, Pa., writes—"The idea of the transmutation of wheat into chess, is an error which is calculated to do great injury to the farmer, because he is not likely to use much effort to get rid of a pest which he thinks will return with the first injury done to his wheat, either by winter-killing, by the fly, or by late pasturing. In proof of the fact that nature does not cut such wild capers, there are farmers within my knowledge who have not a stalk of chess on their farms, although their wheat is liable to the same casualties that other wheat growers experience, but they, of course, are not believers in transmutation. One of them has been many years a reader of *The Cultivator*, and being a man of mind and good judgment, his reading of agricultural works tells well on everything about him."

GILMORE'S BEE-HOUSE.—An advertisement of this article will be found in our present number. We have formerly known the inventor of this beehouse, as a successful manager of bees, and we learn from various persons in Maine, that this plan is thought to possess important improvements.

☞ We noticed in our last number some of the fine animals killed for the display of meat in this city, on the 22d of February last. A correspondent, who dates at Schodack-Centre, informs us that WM. CASTLE had in his stall, in the Centre Market, on the day alluded to, a calf, raised and fattened by MILTON KNICKERBACKER, Esq., of Schodack-Centre, which, taking age into consideration, he thinks was "far superior" to any of the animals spoken of by us. We did not see this calf.

☞ MORSE'S GREY, a well known and valuable horse, it will be seen by the advertisement of Mr. GRANT, is at his old stand.

SUFFOLK PIG.—Messrs. BURDETT, of Cambridgeport, Mass., furnish to the *Plowman* an account of a Suffolk pig, which was bought by them on the 8th of July, 1849,—at which time it weighed 110 lbs.,

alive—and was killed on the 4th of October following, when it weighed, dressed, 370¾ lbs.—making a nett gain of over three pounds per day. The same paper gives an account of another Suffolk pig, thirteen months old, fattened by J. W. KIMBALL, Charlestown, Mass., that weighed, dressed, in Faneuil Hall Market, 470 pounds.

CLINTON COUNTY, N. Y. AGRICULTURAL SOCIETY.—We have received a copy of the premium-list of this society for the current year, together with a copy of the constitution, and an able address to the "farmers and friends of agriculture" in that county. The farmers of that section are much awakened, and are making rapid improvements. The officers of the society are Elias A. Hurlbut, President; Peter Keese, Samuel H. Moore, S. V. R. Havens, Anderson Keese, J. S. Stetson, Z. C. Platt, Roswell O. Barber, John W. Bailey, A. J. Moses, John Dunning, Vice-Presidents; Willetts Keese, Peru, Secretary; Jonathan Batty, Treasurer.

HARROWING WHEAT IN SPRING.—Myron Adams of East Bloomfield, N. Y., has for many years harrowed over the whole of his wheat fields every spring, pulverising the crust and greatly benefitting the crop. If the ground is to be seeded with clover, it is harrowed in at this time. The whole amount torn up by the roots has been found by examination not to exceed the amount of a bushel on ten acres. The wheat looks rather unpromising when thus dusted over with earth; but the first shower washes it off, and leaves it clean, fresh and vigorous.

CORN-FIELDS AND CORN-CRIBS OF THE WEST.—The *Cincinnati Gazette* states that JAMES DAVIS, of Waverly, Ross county, Ohio, cultivates eighteen hundred acres exclusively in Indian corn, and had last winter a corn-crib filled, which was *three miles long*, ten feet high, and six feet wide. It states further, that on the Great Miami Bottom, about 25 miles below Cincinnati, there is one field, (belonging to several owners,) seven miles long by three miles broad, which has been regularly planted to corn for nearly half a century. In the Wabash Valley there are also extensive corn-fields—one between Terre Haute and Lafayette, being ten miles long.

WHEAT CHANGED TO OATS!—Prof. Lindley received a head of wheat, which had grown in an oat field, having a real, genuine oat flower growing out of it! He supposed that the oat had been stuck in by some one trying to mystify philosophers, but a careful examination showed the suspicion unfounded. Glue was next taxed, but no glue was found. The head was next pulled to pieces by the Doctor's old experienced botanical fingers, when the mystery was laid bare; the slender stalk of the oat flower had become twisted round the ear of wheat when both were young, and they had both grown up in strict embrace, the wheat chaff completely concealing the oat stalk, till the latter, becoming accidentally snapped off in some unknown manner, the oat was left fast to the wheat. "The union," says Dr. Lindley, "was so perfect that it would have been almost certain to deceive every eye except that of an unbelieving naturalist." It would have been a very interesting specimen for our friend of *The Michigan Farmer*, to have deposited in his cabinet of curiosities.

LARGE FARMING.—H. L. Ellsworth of Fayette, Indiana, conducts the business of Farming in a decidedly princely manner. He had last year, a thousand acres of corn, which yielded about fifty bushels per acre, making about fifty thousand bushels, which he has been feeding to twelve hundred hogs.

SALE OF THE BATES HERD OF SHORT-HORNS.—The *Mark-Lane Express* of April 1st, contains an advertisement by Mr. STRAFFORD, stating that he will sell by auction, on the 9th of May, this celebrated herd—consisting of 22 bulls and 48 cows and heifers.

The attention of northern farmers, who wish to change their location, is invited to the advertisement of Dr. PECK, in another page, who offers for sale a large tract of land on Long-Island, which, it appears to us, offers great inducements to purchasers, from its nearness to markets, its susceptibility to improvement, fine climate, and cheapness.

IMPORTATION AND SALE OF STOCK.—Mr. L. G. MORRIS, of Mount Fordham, Westchester county, N. Y., left New-York on the 17th April, for Europe. One of his main objects is to obtain agricultural information generally, and especially to purchase such domestic animals as are calculated to improve the stock of the United States. He purposes to attend the sale of short-horned cattle belonging to the estate of THOMAS BATES, Esq., of Kirkleavington, Yorkshire; but will not confine his purchases to that herd. He expects to return to America in September next, and the second annual sale of cattle from his own herd will take place in October. Whatever stock he may import will be at his place at the time of sale. Printed catalogues of the animals to be sold will be issued in due time.

QUANTITY OF SALT YET ON HAND.—Soundings in the sea, according to Bakewell's Geology, have been made one mile and a quarter deep. Laplace, from calculations on the tides, showed the depth of the ocean to be not less than ten miles. This contains salt enough to cover the whole one thousand feet thick; or enough to cover all dry land half a mile thick. Sea water has $2\frac{1}{2}$ per cent. of common salt, and $\frac{1}{2}$ per cent. of other salts.

Vermont Premium Crops.

The Rutland County, Vt., Ag. Society, paid premiums for the following crops, the growth of 1849. *Winter wheat*, 38 $\frac{3}{4}$ bushels on one acre and five rods; *Spring wheat*, 41 bushels 9 quarts, on one acre—the land "mountain sheep pasture;" *Indian corn*, 88 $\frac{3}{4}$ bushels on one acre; *Oats*, 88 $\frac{3}{4}$ bushels on one acre; two other competitors raised 72 bushels and 64 $\frac{1}{2}$ bushels per acre; *Potatoes*, 335 $\frac{1}{2}$ bushels on half an acre.

The Addison County, Vt., Ag. Society awarded premiums for the following crops, the growth of 1849. *Winter wheat* 44 bushels per acre; *Spring wheat* 41 bushels per acre; *Indian corn*, 93 bushels per acre; second and third premiums 88 and 78 bushels per acre; *peas*, 32 bushels per acre; *sugar beets*, 305 bushels on a quarter of an acre; *carrots*, 263 bushels on a quarter of an acre.

The Orange County, Vt., Ag. Society, awarded premiums on *Wheat*, (supposed to be spring wheat,) as follows: 39 $\frac{1}{2}$, 39 $\frac{1}{4}$, 37 $\frac{1}{2}$, 32 $\frac{3}{4}$ bushels per acre; on *rye*, 42 $\frac{3}{8}$, 39 $\frac{1}{4}$, 22 $\frac{1}{2}$ bushels per acre; *Indian corn*, 110, 96 $\frac{3}{8}$, 94 $\frac{1}{4}$, 91 bushels per acre; *barley* 30 $\frac{1}{4}$ bushels per acre; *oats* 89, 78, 69 bushels per acre; *carrots* 245 $\frac{1}{2}$, 230, 203, per quarter of an acre.

The Windsor County, Vt., Ag. Society, awarded premiums for *winter wheat* 43 $\frac{1}{2}$ and 38 bushels per acre, 38 bushels per acre on three acres; *spring wheat* 31 $\frac{3}{4}$ bushels; *oats* 83 $\frac{3}{4}$ bushels per acre, on four acres; *Indian corn* 128 bushels per acre, 104 bushels per acre, on four acres; *potatoes* 363 $\frac{3}{4}$ bushels per acre, 208 bushels on half an acre.

Prices of Agricultural Products.

ALBANY, APRIL 20, 1850.

[Review of the Market for the last month.]

FLOUR.—The market has maintained a uniform character, with a tendency during the last few days to more firmness on the part of holders, and an advance in the better grades. This feeling, so different upon the near approach of the opening of the canal is caused by the apprehension of light supplies from the lakes; from which point flour is shipping south by the various canals and railways, inducing at New-York some slight speculative feeling. To what extent this will continue remains to be seen; we perceive however that a shipment of some 3,000 barrels of flour from Chicago for St. Louis, had made the market at the latter place dull, and flour on the 11th was quoted lower. The sales have averaged about 3000 bbls. weekly, closing at \$4.62 $\frac{1}{2}$ to \$1.75 for common state, \$4.87 $\frac{1}{2}$ to \$5.12 $\frac{1}{2}$ for ordinary to favorite state, \$5.12 $\frac{1}{2}$ to \$5.25 for Michigan, \$5.37 $\frac{1}{2}$ to \$5.50 for pure Genesee, \$5.62 $\frac{1}{2}$ to \$5.75 for fancy Genesee and Ohio, and \$5.87 $\frac{1}{2}$ to \$6.25 for extra.

GRAIN.—The same speculative feeling in regard to flour, is applicable to wheat, of which the market at this point is completely bare; the only sale made, on the spot, was a lot of 8000 bushels Genesee, at about \$1.25 $\frac{1}{2}$ —part not strictly prime, going at a lower figure; and on Saturday, 2600 bushels prime Genesee and 2500 do Mediterranean, to arrive by canal, sold on private terms. For rye, the supply has been from the street, and quotations have advanced to 55a59c. Oats have continued in good demand, and sales in the street have steadily advanced from 37 $\frac{1}{2}$ to 40a11c. at which figure they are firm; from store, we notice a sale to-day of 1500 bushels, at 42c. and 2500 bushels from the road within a few days, at 39 $\frac{1}{2}$; to arrive by canal, a sale was made on the 23d ult. at 43c. In Corn, beyond the street supply, there has been nothing done; quotations have ranged from 55a57c., closing at the higher figure. In Barley, the street supply has been limited, and prices have ranged from 65a75c. according to the wants of purchasers; the closing figures were 67a68c., with little or none arriving; for parcels to arrive there has been much speculative feeling, and sales have been made, delivered from the canal, at from 61a66 $\frac{1}{2}$ c. for two and four rowed, a sale at the higher figure having been effected on Saturday; holders generally ask 70c., and that and a higher figure is looked for within a few weeks, owing to the demand for the article in the western states; at Cleveland 80c. has been paid, and at Milwaukee 70a75c. Barley malt is 78a80c., at which figures some 10,000 to 15,000 bushels have been taken. Small peas 87 $\frac{1}{2}$. White beans \$1.50.

WHISKEY has been a dull market, owing to the light receipts; prices have generally declined and S. P. bbls. are quoted at 23 $\frac{1}{2}$ c. with none in hand.

SEED. The market both here and at New-York is very dull, and the trade is almost a retail business; quotations for lots may be given at 6 $\frac{1}{2}$ a7 $\frac{1}{2}$ for Ohio and State medium, and 8 $\frac{1}{2}$ a9 $\frac{1}{2}$ for larger. Timothy is also dull at \$2.50a\$2.75; for Canadian and State, \$2.62a\$3.

WOOL. The near approach of the opening of the Canal, and of the new clip has had a tendency to reduce prices. The sales during the month have been 116,000 lbs., about one-half of which sold on private terms, and the balance at prices ranging at 33 $\frac{1}{2}$ a 31c. for No. 1 pulled, and 36a35c. for super.; the closing sale to day was made at 32 and 35c.

PROVISIONS. Beyond the ordinary retail demand, we notice sales 226 bbls. Beef Hams, at \$16.50 for country, and \$17a\$18 for city, closing at the lower figure; 10,000 lbs. smoked hams at 9c. and 17 hds. pickled hams at 7 $\frac{1}{2}$ c. The retail figures for Cut meats are 7 $\frac{1}{2}$ a8c. for Western smoked hams, and 9c. for city; Shoulders 5a5 $\frac{1}{2}$ c. Lard 7a7 $\frac{1}{2}$ c. in bbls. and kegs. Butter \$a10c. for Ohio, 12a14c. for common state, and 16a18c. for good. Cheese 6 $\frac{1}{2}$ a7 $\frac{1}{2}$.

John A. Pitts,

Manufacturer of THRESHING MACHINES and DOUBLE PINION HORSE POWERS, 68 South St. Paul Street, Rochester, N. Y.

THE subscriber continues the manufacture of the celebrated "Pitt's Separator." It is the same machine that has stood, and now stands unrivalled by any machine for Threshing and Cleaning Grain, in existence. It has been exhibited at State and County Agricultural Fairs, in the United States and Canada,—always receiving the *First Premium*.

The Horse Power, for strength, ease, durability, and cheapness of repair, is unequalled. The driving wheel is six feet in diameter, driving two full pinions, each receiving equal power; 2 bevel wheels, driven by the full pinions, connect with two pinions, on the line shaft; thus it will be seen, this Horse Power is double the strength of any single geared Power. It may be driven with from two to ten horses, depending upon the power required.

The Machines have fully sustained all I claim for them; I therefore solicit orders from those who would secure the best Threshing Machine and Horse Power.

Please address as above.
Rochester, May 1, 1850—3t.

JOHN A. PITTS.


Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR.



Wheeler's Patent Improved Railway Chain Horse Power, and Overshot Thresher & Separator.

THE subscribers, proprietors of the Patents for these Machines, and manufacturers of them, having recently increased their facilities for manufacturing are now prepared to fill orders for machines, and to establish and supply agencies to any extent that may be desired.

These machines are favorably known wherever they have been used or exhibited. They have taken premiums at many different State and County Fairs held in Massachusetts, New York, New Jersey, Pennsylvania, Ohio and also in Canada, never having competed for premiums without success and flattering commendations.

As many as 2,000 of them are now in use, of which over 500 were sold the past season.

The accompanying cut gives a view of a two horse machine at work, with the hands necessary to attend it. It will thresh from 125 to 200 bushels of wheat, or twice the quantity of oats per day. The one horse power or single machines thresh rather more than half as fast as the double ones.

These horse powers are strong and durable, and run extremely light. With one end of the power slightly elevated (as represented in the annexed cut,) the weight of the horse alone affords sufficient power to thresh at the rate before stated, or to drive circular and upright saws, or any other machines used by farmers requiring propelling power.

The Overshot Thresher takes the grain from a level feeding table or apron, (of a proper height to allow the feeder to stand erect and feed, without annoyance from dust,) and passes it through a toothed or spiked concave or bed, placed over the cylinder. A recent improvement admits of lowering the concave so as to bring it nearer the cylinder, and at the same time so varying the inclination of the spikes, as to set the machine for threshing tough or damp grain, or short oats, and resetting it at pleasure, for long rye or wheat or oats in good order, or for timothy, grass or clover, and all this is accomplished without stopping the machine, so simple is the process. By means of the Separator, the straw, as it comes from the Thresher, is effectually separated from the grain.

The Power, Thresher and Separator, complete, for either one or two horses, is easily loaded on a common farm wagon; but where frequent moving is desired, the two horse machines are placed on wheels in such a manner that when used for threshing, the forward wheels are removed, dropping that end of the power, and leaving the opposite end elevated on the other axle, ready to receive the horses. By this arrangement, (which has been made for the convenience of those who make threshing a business, and for partnership machines,) two men can with ease set a two horse machine ready for work in 15 minutes, and re-load it for moving in the same time.

W. M. & Co. also manufacture Stalk, Hay and Straw Cutters, to be used with their Horse Powers, and also Circular Saws and Benches, for cutting ordinary fire wood, and locomotive and other fuel.

Every machine made or sold by W. M. & Co., or their agents, is WARRANTED to work to the satisfaction of the purchaser, or it may be returned to them, or to the agent of whom it may have been purchased, within sixty days, and the purchase money, (if paid,) will be refunded.

These machines are so light, compact, and easily handled, as to admit of transportation to any part of the country with trifling expense—the weight of the two horse machine, complete, being less than 2,000 pounds, and of the one horse, about 1,200.

The manufacturers are now establishing agencies in all parts of the United States and Canadas, where they are needed to facilitate the sale of these machines. Good agents are wanted in the Southern and Western States and the Canadas, to whom liberal commissions will be allowed.

HORACE L. EMERY, Esq., is a general agent for the sale of these machines in the State of New-York, and is sole agent for the city of New-York, and the New England States.

Our other agents, as far as definitely ascertained, are—Rapalje & Briggs, Rochester; T. C. Peters & Brother, Buffalo; Peter R. Sleigh, Esq., Poughkeepsie; F. P. Parker & Brother, Detroit; ———, Chicago; W. D. Bacon, Waukesha, Wisconsin; John Melick, Trenton, N. J.

These machines can also be had of John Mayher & Co., New-York city. WHEELER, MELICK & CO., Hamilton street, corner Liberty and Union sts., Albany, N. Y.

No Humbug.

THE undersigned, after 20 years' experience and much research, has discovered a cheap chemical compound, easily applied, which completely prevents the ravages of the Bee-moth, and which can be adapted to each and every kind of hive, whether patent or otherwise. This discovery he will impart to any individual on the receipt of one dollar. It being understood the purchaser shall hold himself honorably pledged, not to impart the information to others. The whole contained in a circular, to which is added several valuable suggestions in the construction of hives and management of bees, worth more than any patent hive in existence.

Address, post paid, SETH WHALEN,
May 1, 1850—3t * Ballston Spa, N. Y.

10,000 Acres of Long Island Land for Sale,

At Lake Road Station, or Irvington.

THE undersigned is, and has been for several years, engaged in the improvement and cultivation of the wild lands of Long Island. The fact being now fully established, beyond any doubt, that the land in the middle parts of the Island, along the borders of the L. I. Railroad, is as good and productive, when cultivated in the same manner, as any other part of Long Island. 10,000 acres are now offered for sale, in parcels to suit purchasers, from 10 acres, to 100, or 1,000, at a very low price, and on favorable terms. This tract is near the geographical centre of the Island, being about equidistant from Long Island Sound, and the Great South Bay, (the Island being about 13 miles wide there,) and 45 miles from New-York.

There are many highly cultivated farms in the immediate vicinity, on the north and south side of this land,—having been settled and cultivated more than 150 years. It is well watered, being bounded on the north by the famous Ronkonkama Lake—has also a large and never failing stream running through it. The lake and stream are full of fish—perch in the lake, and trout, in great abundance and of large size, in the stream. The country abounds in game, deer, and wild fowl.

The climate is mild and perfectly healthy, the surface is smooth, gently undulating, with an inclination to the south of about 15 feet to the mile—the soil—free from stone, easy and pleasant to cultivate—is a loam, large portions of which may be called a heavy loam, or it is of sufficient tenacity to make sun-burnt brick, right out of the surface—is from 18 inches to 3 and 5 feet deep, and is susceptible of the highest degree of cultivation. The railroad passes through this tract, affording easy and constant communication with the Brooklyn and New-York markets, where the highest price in cash, can always be had for every article that the farmer and gardener can produce. To capitalists, an excellent opportunity is here presented to obtain a large tract of valuable land at a low price, possessing all the advantages for settlement of a new country, without any of the privations,—but with all the privileges and comforts of an old one. Apply to A. B. ALLEN, Esq., Editor of the *American Agriculturist*, 157 Water Street, New-York, or to

E. F. PECK,
306 State Street, Brooklyn, L. I.

☞ Lake Road is an important and central depot on the Railroad—there are large buildings and a settlement there.
May 1, 1850—3t.

Burbank or Morgan Chief.

THIS Horse will stand the present season at the stable of the subscribers in Warren, Mondays and Thursdays: at Waitsfield, Tuesdays and Wednesdays; and at the village in Rochester, Fridays and Saturdays.

This horse was sired by the celebrated Old Woodbury Morgan, afterwards known by the name of Burbank Morgan. His dam was known by the name of Empress, and was sired by the original Justin Morgan Horse. It will therefore be seen that this horse possesses equally as much Morgan blood as either of the four Stallions sired by the Original Morgan, and more Morgan blood than any other stallion now living, except the Old Gifford, which was sired by the same horse. For further particulars, see our bills.

WRIGHT & ELDRIDGE.

Warren, Washington county, Vt., May 1, 1850—2t *

Geo. Glenn's New Farm & Garden Newspaper, "THE COUNTRY GENTLEMAN,"

IS published in London, on Mondays in time for post, with the latest market prices of Corn, Meat, Cattle, Seeds, and Money, and is the very best weekly Review and Family Newspaper in England, as well as the acknowledged highest authority in all matters connected with Horticulture. Price 6s. 6d. per quarter in advance.


Address GEO. GLENNY,
March 1—3t. 420 Strand, London.

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums, and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted.

Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c.

Catalogues and other information can be had of the Nurseryman
Feb 1—6ms. JOSEPH CALD ELL




I. T. GRANT & CO.'S

PATENT FAN MILLS AND CRADLES. We continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New-York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Slocum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S.'s, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £18, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49.)—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."



Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.

The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention.

I. T. GRANT & CO.

Junction P. O., Rens. Co., 8 miles north of Troy
May 1, 1850—tf.

Sir Walter

WILL stand the present season (for a limited number of mares,) at the stable of the subscriber, one-fourth of a mile north of the Railroad Depot, in East Hartford, Main Street **SIR WALTER** is a fine natural trotting horse; was six years old last June; is a beautiful dapple bay, fifteen hands and three inches in height; weighs 1175 lbs.; and by the best judges, is pronounced the most Perfect Horse in this part of the country. His stock in the neighborhood of Wilbraham, Mass., stands unrivalled.

Sir Walter is three-fourths English and one-fourth Morgan. He was sired by the imported horse Sir Walter, who was justly celebrated for symmetry of form, speed, ease and elegance of action. His dam is from a Morgan mare, by the English horse Pincher, formerly owned in Pennsylvania, and was sold for \$1100. **Sir Walter** obtained the first premium at the Hartford County Agricultural Society, last fall. He was purchased and brought into the county for the express purpose of improving the breed of horses. The terms are therefore put low, viz. \$4. a single leap, and \$6 the season. Insured by agreement. During the two past years, he has covered more than two hundred mares. All persons interested in breeding fine horses are invited to call and judge for themselves. Mares from a distance will be pastured and well taken care of on reasonable terms. HENRY OLMSTED

East Hartford, Ct., May 1, 1850—1t.*

Merino Sheep for Sale.

THE subscriber has a few choice full blood Paular Bucks still on hand; also, a few yearlings and lambs from his Paular ewes, and a Buck imported by J. A. Taintor, Esq., which promise to be of unequalled beauty of form, hardness of constitution, fineness and quantity of wool. Price from \$10 to \$15.

Also, a few ewes of the same breed. Price \$10 to \$20.

Those who wish to secure a selection from this lot of sheep, will do well to make their selection, or send in their orders at an early day.

They can be shipped to any part of the United States with perfect safety.

ALFRED H. AVERY.

Galway, Saratoga Co., N. Y., May 1—1t.*

Gilmore's Patent Bee-House.

HAVING purchased the right of using and selling the above valuable improvement for several of the counties of this State, the subscriber would invite the attention of Farmers, Gentlemen of Leisure, and Mechanics to the subject.

The objects to be gained by this invention, are as follows: The swarming of bees in the open air is entirely obviated, and they will increase faster—combining any number of swarms or stocks of bees into one body or republic, thus uniting their strength against a common enemy; and by changing the relations the bees sustain to each other, doing away with all cause for discord or quarrelling. The hives are so constructed as always to be kept fresh and pure, and also a succession of new comb. This is indispensable to the health and success of the bee, affording a perfect protection against the ravages of the "bee moth." An arrangement of boxes, tumblers and jars is attached to the hives, into which the bees will deposit their honey as readily as in the hives; they may at any time be removed, without in any way injuring or killing the bees, or disturbing those in the hive. The bees may at pleasure be removed from one hive or part of a hive into another, without the apiarian being in any way exposed, and without injury to the bees. In connection, there is a receipt for a preparation for "Feeding Bees," by the use of which honey can be made purer and in much larger quantities at a trifling cost. The whole arrangement is very cheap and easy of construction.


By this system a degree of perfection is attained never before realised, effectually doing away with all the objections to keeping bees, and making them a source of infinite profit.

Prices.—Individual right to make for his own use, and using any number of hives, including a receipt for the preparation, \$10; a right to make and use three hives only, \$5.

All communications upon this subject, addressed to the subscriber, post paid, will be promptly attended to.

JOHN H. HIDLEY.

Post Office address, Troy, N. Y.—Residence, Greenbush, Rensselaer Co., N. Y.



The Plow that Beats the World.

RICH'S PATENT IRON-BEAM PLOW.

THIS Plow has become the universal favorite of the farming community wherever it is known. It is but two years since it was first introduced in Northern New-York, in which time it has attained a popularity beyond that of any other plow yet known. Messrs. John Rich & Co. manufactured and sold upwards of one thousand of these Plows last season, in the months of May, June, July, August and September. The first premium was awarded these plows, at every Fair where they were exhibited, viz., Saratoga, Montgomery and Rensselaer, and at the Great Fair of the American Institute, Castle Garden, N. Y.

The success which attended this plow the last season, has prompted the subscribers to extend their business facilities, so as to be able to supply any calls that may be made upon them, which was not the case last season. The great advantages attained by these Plows over others now in use, are—1st. they require near one-third less draft of team; 2d. they are much easier held or guided; 3d. the form of the beam is such that it cannot choke under the beam; 4. the form and construction of the mould-board is such that meadow or mucky soil, will not adhere to it and clog it as is the case with other plows. 5. They are less liable to get out of repair, and much easier repaired when needed; 6. They pulverise and work the soil most admirably; 7. the shortness of the beam bringing it near the team, which is a great advantage in point of draft, ease in guiding the plow, and turning the team, as well as beauty of work. In short, it possesses every good quality which the patentee, a man of forty years' experience, has been able to combine. More than two thousand recommendations in favor of this plow, among which are many of the ablest and most scientific farmers in the United States, can be obtained; but the subscribers, in preference, respectfully submit it to the tillers of the soil, in competition with any Plow ever offered to the public.

Manufactured and for sale, wholesale and retail, by

BOSWORTH, RICH & CO., Patentees,
335 & 437 River-St., Troy.

May 1, 1850—1t

Improved Short-horns—Bates' Stock.

IN the August (1849) number of *The Cultivator*, is an article by me on the Short-horns, which I imported last year for Mr. Sheafe, Col. Sherwood and myself. The January number contains strictures by S. P. Chapman, on so much of my article as relates to the bull, 3d Duke of Cambridge. As Mr. Chapman does not understand my views, and therefore mis-states and mis-constructs them, it is necessary to answer him. He makes many assertions and takes positions, which present questions and issues, so numerous, complicated and extensive, that, at present, I must leave them unnoticed. There is beside, just now, a *strong propriety* in not discussing these issues. As soon as this condition ends, I shall resume the subject, and will fully consider them. In this notice, I propose merely to state my meaning in the paragraph, to a portion of which Mr. Chapman objects, as he understands it, and refute one of his positions. To be clear, I must re-produce the passage entire. Speaking of the 3d Duke of Cambridge, I said:

"I have great pleasure in knowing that I have brought to this country so superior a bull from the herd of that eminent breeder, Mr. Bates. He is the only bull in America got by Mr. Bates' crack-prize bull, Duke of Northumberland (1940,) the best bull Mr. Bates ever bred. Mr. Bates has but one more left got by the same bull; and Duke of Northumberland is now dead. Mr. Bates repeatedly told me that 3d Duke of Cambridge was more like his sire than any bull ever got by him. Breeders desiring the blood of Mr. Bates, can no where else in this country procure it with such high characteristics of style, quality, symmetry and substance."

Mr. Chapman quotes merely the last sentence and discusses it alone. The whole paragraph being connected, and the last sentence the conclusion or deduction, and the whole having been the subject of remark, I will briefly state what it only means, and was meant only to mean. I mean by it, that I have brought to America a superior bull from the herd of Mr. Bates; that this bull, 3d Duke of Cambridge, (5941,) is the only bull in America got by Mr. Bates' Duke of Northumberland, (1940;) that Duke of Northumberland, (1940,) was Mr. Bates' "crack prize" bull, and was the best bull Mr. Bates ever bred; that Mr. Bates has but one more bull got by Duke of Northumberland, (1940,) that the Duke of Northumberland, (1940,) is dead, and that Mr. Bates repeatedly told me that 3d Duke of Cambridge, (5941,) was more like his sire, (Duke of Northumberland,) than any bull ever got by him, (Duke of Northumberland.) In 1845, Duke of Northumberland died. In July, 1848, Mr. Bates owned but two bulls got by Duke of Northumberland, and these two were 2d Duke of Oxford and 3d Duke of Cambridge. I brought 3d Duke of Cambridge to America, and this left but one son of Duke of Northumberland, (1940,) at Mr. Bates', and Mr. Bates did not in his lifetime part with that son. I designed to place before breeders the fact, that there is in this country but one bull, the get of Mr. Bates' best bull, and that if they wish the blood of Mr. Bates' they could no where else in America, than from Cambridge, get Mr. Bates' blood, through the particular channel of a resembling and superior son of Mr. Bates' best bull, Duke of Northumberland, (1940.)

The last sentence of the paragraph which I have quoted from my August article, is this:—"Breeders desiring the blood of Mr. Bates, can no where else in this country procure it with such high characteristics of style, quality, symmetry and substance." This sentence is the text; its disapproval the object of Mr. Chapman's whole article. Never was an unfortunate sentence so misconstrued. In an article printed in Canada, it is made the basis on which to charge me with having asserted, "that from Mr. Sherwood, (through 3d Duke of Cambridge,) and from him alone, the Duchess blood can be procured" [in this country.] In letters addressed to others, and by the receivers shown to me, this sentence is made to mean, "that the 3d Duke of Cambridge possesses more of Mr. Bates' Dutchess blood than any other bull in America," and I am charged by its use with so saying, and designing so to say. Mr. Chapman makes it mean the same thing, but does so by way of inference, or deduction. His words are:—"No one will deny, that if any one animal from a herd possesses the power of imparting to his produce 'higher characteristics of style, quality, symmetry and substance,' than any other animal from the same herd, he must possess more of the choice blood of that particular herd. To question this, is at once doubting the efficacy of blood animals." That is, my position, if it be true, must be true, because 3d Duke of Cambridge has more of Mr. Bates' choice blood than any other bull in America. This is the meaning which, by deduction Mr. Chapman places on my words. Having done this, he proceeds to prove, by quoting Mr. Bates' opinions, in his own words, from public printed letters, that the choice blood of his herd, in Mr. Bates' opinion, is the Duchess blood. No one ever doubted that this was his opinion, who either knew Mr. Bates or had read his printed or private letters. I know such was his opinion. Mr. Chapman then gives from the 4th vol. of the Herd Book the pedigrees of 3d Duke of Cambridge, and Mr. Vail's Duke of Wellington, and by these pedigrees shows that Cambridge has by his sire one cross of Duchess blood, and that Wellington has two by his sire and the sire of his dam. The precise quantity which Mr. Chapman gives to each is 1, i. e. 2-8, of Duchess blood, to Cambridge, and 3-8 to Wellington; and therefore he concludes, that Wellington must be a better bull than Cambridge. Logical conclusion! Now all this shows a total want of knowledge of breeding and of pedigrees in general; and in special of the particular pedigrees which Mr. C. gives of the animals under his consideration. But to explain this as to the pedigrees, would require too much space now, and I pass it.

If Mr. Chapman be correct, then it would be true that a bull got by one of Mr. Bates' Dutchess bulls, dam by a Dutchess bull, grand-dam, a poor roadside tack, would be a better gettier—would impart more 'high characteristics of style, quality, symmetry and substance'—than a bull got by a Duchess bull, out of a pure, full bred, stylish, shorthorn cow, of another approved tribe. Such an absurdity no one, I think, would maintain, save Mr. C. and those who helped him to produce his article.

On Mr. Chapman's rule, if sires have each the same amount of Duchess blood, they would possess and impart equal "style, quality, symmetry and substance." Yet no two full brothers were ever equally good animals and equally good getters. Duke of Northumberland, [1940,] and 2d Duke of Northumberland, [3046,] were full brothers. The first was superior as an individual, and very superior as a getter. The last was far inferior to his brother as an individual; far inferior as a getter. The 3d and 4th Dukes of Northumberland were full brothers and twins. The 3d Duke Mr. Bates never used; he was far inferior, both as an individual and as a getter, to the 4th Duke. The 3d and 4th Dukes had more Duchess blood than their half-brother Duke of Northumberland, (1940,) and were far, very far, inferior to the Duke of Northumberland, as individuals and as getters. Mr. Vail's Duke of Wellington, (3654,) has more Duchess blood than his half brother Locomotive, (4242,) and yet Locomotive was a far better animal and better getter than Wellington. Mr. Harvey's bull, (6655,) son of Locomotive, a distinguished winner even in Great Britain, is vastly superior to any thing ever got by Wellington. Duke of Cleveland, (1937,) the sire of the dam of Mr. Vail's Duke of Wellington, (3654,) was a Duchess bull, and was so inferior, that Mr. Bates says of him, "this bull never exceeded in weight forty stones of fourteen pounds per stone, when above three years old;" that is, 560 pounds, dead weight; not half the proper weight of a merely fair animal of that age. (See the London New Farmer's Journal, Aug. 8, 1842.) Duke of Northumberland, (1940,) at the same age, weighed, live weight, 2520 lbs. Sink one-third live weight, and his dead weight would be 1680 pounds; just three times the weight of Duke of Cleveland. Could any thing be more despicable than the Duke of Cleveland, (1937)? Yet, he had more Duchess blood than Duke of Northumberland, (1940,) by one-half.

The second best bull, as an animal, ever bred by Mr. Bates, in his opinion, was the first Duke of Cambridge, (3033,) a full brother of 3d Duke of Cambridge, and winner of the head prize in his class at the show of the Royal Agricultural Society of England, in 1840—an animal for which he was offered more money than for any other, except Duke of Northumberland, (1940.) And yet 1st Duke of Cambridge had only one-fourth as much Duchess blood as Duke of Cleveland, (1937.) 1st Duke of Cambridge was refused to Earl Spencer by Mr. Bates, at a very large price, and when sold to go to Australia, Mr. Bates said of him, "He is too good a bull to remain in England, out of my own herd." And so he was exported at twenty-one months old. Mr. Bates' Duchess bull, Short-tail, (2621,) the sire of Mr. Vail's Duke of Wellington, had more Duchess blood than Belvedere, (1706,) for Belvedere had none; and yet Short-tail was an inferior animal, deficient in every point, except his brisket and his handling, and was at best only a moderate getter; while Belvedere, (1706,) was magnificent as an animal, and the best getter that Mr. Bates ever used, and was the sire of the best animals he ever bred. Mr. Renick, the agent of the Ohio Cattle Company, who went to England to purchase for them, said of Belvedere, that "he was the best and finest bull he ever saw in England or America." The best cow which I saw in Mr. Bates' herd was a Duchess, and was not got by a Duchess bull; but was by Belvedere, (1806.) The poorest of the whole herd was a Duchess, and was got by a Duchess bull. Another Duchess cow, got by a Duchess bull, was a very superior cow. The two last were equal in Duchess blood; and yet, their produce were like themselves—from the superior one, superior, from the inferior one, inferior.

Oxford premium cow, the dam of Mr. Vail's imported Duke of Wellington, (3654,) was got by Duke of Cleveland, (1937.) Her half-sister, Oxford 2d, was got by Short-tail, (2621.) Short-tail and Duke of Cleveland had the same precise amount of Duchess blood, and of course Oxford premium cow and her half-sister Oxford 2d, had also the same precise amount of Duchess blood. Yet Mr. Bates never kept on his place any thing out of Oxford premium cow, which he could sell; never used a bull out of Oxford premium cow, for any purpose, even to get steers. Yet he never sold an animal out of Oxford 2d, at all—and in a letter to Mr. Vail, printed in the American Agriculturist, he says he would not sell her produce, of which he then had four, for five hundred guineas [\$2,500] each; nor, indeed, would he sell them at any price. The full brother and the sons of Oxford 2d he used to his whole herd, except herself and her daughters. And Mr. Bates was right; for Oxford 2d, and all her produce, are vastly superior to Oxford premium cow and her produce.

Mr. Vail commissioned me, when in England, to select from Mr. Bates' herd a young bull. I could not get for him such a one as I approved, at a suiting price; and I did not, therefore, execute the commission. Mr. Bates offered me, for Mr. Vail, a bull calf, by 2d Beverly, (5963,)—(a good Duchess bull)—dam Oxford, 4th, by Duke of Northumberland, (1940.) grand-dam, Oxford premium cow; but a regard for Mr. Vail's interest made me refuse the offer, though the price suited. I saw the calf's dam; I saw Mr. Bates' opinion, as shown by his practice, and acting accordingly, refused the calf.

I have cited these peculiar examples, to show by animals having Duchess blood, the utter absurdity of Mr. Chapman's notions of breeding. I have compared animals to show his errors, and he set me the example. I have confined myself, in my comparisons, to the blood that he selects for his comparisons, and have, like Mr. C., quoted Mr. Bates' opinions, as printed, and his practical ones, as shown by his breeding.

Having refuted the positions of Mr. Chapman, shown him in error, and proved that my position may be true, and not in consequence of the reasons he assigns, let me state what my words so often quoted, do mean, and what they only can be made to mean, by any construction of the sentence. I mean, and only mean that 3d Duke of Cambridge will impart Mr. Bates' blood, in some degree, more or less; that in himself he is the bull having the most "style, quality, symmetry and substance." of all the bulls that have ever come to America from Mr. Bates' herd; that he will get produce with more "style, quality, symmetry, and substance," than any bull from Mr. Bates' herd in America. Now I mean this, and nothing more; and not that he had or would impart more Duchess blood.

Mr. Chapman does not pretend to deny my positions, when construed as I have here set them forth. *He makes another issue.* I admit that Mr. Vail's Wellington has more Duchess blood than Cambridge. I never thought he had not; never said he had not; and never wrote or spoke a sentence that would in any manner, directly or indirectly, indicate such a thing; and but from misconception or design, I never would have been charged, directly or by deduction, with the assertion, that "from Mr. Sherwood, and from him alone, the Duchess blood can be procured," nor with the assertion, direct or consequential, "that Cambridge has more Duchess blood than any bull of Mr. Bates' breeding in America."

Mr. Chapman institutes a comparison between Mr. Vail's animals and Cambridge, in point of *Duchess blood*, giving pedigrees. I could investigate these pedigree, and will hereafter. He wisely makes no comparison between those animals in their physical character. I could, but will not now, though I will hereafter. I will merely say, that excellence in the physical animal consists of "style, quality and substance," and excellence in blood consists in having good blood, *unmixed with bad blood*; and as like begets like, it is necessary that animals should have their descent, not only from pure blood, but from animals who were characterised by physical excellence. I know Mr. Bates' herd, and certainly am not to be instructed in the excellence of Mr. Bates' Duchess tribe, by those who have never seen a single animal of it. Mr. Chapman has stated matters to which I now make no allusion, but I beg to assure him that I will return to them hereafter, when it will be more proper to discuss them than now, and when I shall not be charged, as I have been, with views and purposes which I have never entertained. A. STEVENS.

May 1, 1850—1t.

Sir Charles.

THIS fine young horse, owned by TITCOMB & WALDRON, of Waterford, N. Y., will be kept this season by PHILIP R. ARGOTSINGER, one mile from Johnstown, Fulton county, N. Y. He was got by Morse's Grey, dam a Messenger mare.

May 1, 1850—2t.

The Thorough-bred Imported Horse Leopard,

BRED by the Duke of Bedford, is pronounced by the best judges in Canada and the States, as being superior to any blood horse ever imported from England. This horse will stand for mares at J. LAPHAM'S. For pedigree, &c., &c., see English Stud book, and the Racing Calendar for 1846—also, advertisement in *The Cultivator* for 1850.

Terms \$7 service, \$10 season, \$15 insurance.

Peru, Clinton Co., May 1, 1850—2t. O. K. LAPHAM & CO.

The Old Gifford Morgan,

THE highest blooded Morgan Stallion now remaining, will stand the coming season at the stable of Benjamin Gates, in Walpole, N. H. Terms \$25, \$5 of which to be paid at the time of service, and the remaining \$20 if the mare prove in foal.

Pasturage furnished on reasonable terms. A. ARNOLD, Walpole, May 1—5t.* Agent for the Proprietors.

The Morgan Stallion

GIFFORD MORGAN, JR., will be four years old May 29, 1850. Was sired by Gifford Morgan, G. sire, Woodbury Morgan, G. G. sire, Justin Morgan. His dam was sired by Sherman Morgan, and he by Justin Morgan. The G. dam of Gifford Jr., was sired by Justin Morgan.

This combines in Gifford Morgan, Jr., more of the Morgan blood than is possessed by any other Stallion in this State. In color, size, form, and action, he closely resembles his sire. He will be kept on my farm at \$10 for each colt. E. MARKS.

Fairmount, Onondaga Co., April 15, 1850.—1t.*

Morgan Horse General Gifford.

THIS justly celebrated horse will stand the coming season at Lodi Village, Seneca County, N. Y. He was got by Old Gifford Morgan, out of a pure Morgan mare. In his size, color, form and action, he closely resembles his distinguished sire, and is one of the very best specimens of this invaluable race of horses.

Terms of insurance, \$12.

Good pasture provided at the usual rates, and all necessary attention given to mares from a distance.

Accidents and escapes at the risk of the owners.

May 1, 1850—3t. CHARLES W. INGERSOLL.

Morse's Grey.

THIS celebrated horse will stand the ensuing season at the stable of JAMES RICE, in Spiegletown, three miles north of the village of Lansingburgh. He is a beautiful dapple grey, 15½ hands high, strongly and finely proportioned; has trotted his mile in two minutes and fifty seconds; is a square trotter, and combines first-rate trotting qualities, and great powers of endurance, with unsurpassed gentleness and docility. His colts are justly celebrated for speed, bottom and good temper, are eagerly sought after in the market, and command prices varying from \$150 to \$500.

The very high reputation of his stock as road horses, and the extraordinary prices they command, render him by far the most profitable horse to breed from of any in the country.

Gentlemen sending mares from a distance, may rest assured that they will have such attendance and keeping as the owners desire, and upon the most reasonable terms. The horse will be under the charge of his former owner, Mr. CALVIN MORSE.

Terms, \$10. Insurance to be agreed upon.

Communications addressed I. T. GRANT, P. M., Junction, Rensselaer county, will receive prompt attention.

May 1, 1850—2t.

The Well known Hunter and

STEEPLE CHASE HORSE, WAXY POPE.—This celebrated imported horse will stand for mares the ensuing season, at the stable of the subscriber, 2½ miles west of the village of Fonda. The season will close July 4th.

Terms—\$10 the season. Insurance by agreement.

Pedigree.—Old Waxy, the sire of WAXY POPE, was by Sir F. Pool's Waxy; his dam Prunella, (also, the dam of Penelope, Parasol, Podargus, Pioneer, Pawn, Pope Goan, Picquet and Prudence, the best of their day at New-Market,) by Highflyer; great dam Promise by Juap, Julia by Blank; great dam by Partner—Sir F. Pool's Waxy was by Pot-8-o's, the best bred son of Eclipse, his dam Maria by King Herod, grand dam Jisette by Juap; Swordsman, the sire of the dam of Waxy Pope, was by the Duke of Grafton's Prize Fighter, his dam Czara by Eclipse—there can be no more fashionable or better combination of blood than this.

A colt of his get took the first premium on three-year-olds at the State Fair at Saratoga, and three of his stock took premiums at Syracuse.

All mares parted with before foaling time, will be held as season mares, and charged accordingly.

All accidents and escapes at the risk of the owners.

Fonda, May 1, 1850—1t.* JOHN J. BOSHART.

Morgan Horse Black-Hawk.

THIS well-known stallion will stand for the present season at the stable of the subscribers; terms, \$20 the season. The superiority of this horse as a stock-getter, is becoming more and more highly estimated, as his progeny increase, and their powers as fast trotters and durable roadsters are demonstrated. For particulars, see large bills.

Bridport, Vt., April 1.—3t.

D. & D. E. HILL.

The Imported Thorough-bred Horse

CONSTERNATION, will stand for mares the coming season, at the farm of the subscriber, near the city of Syracuse.

TERMS.—Five dollars in advance, and five dollars additional if the mare is got in foal. Mares left with the subscriber during the season, or until he consents that they shall return, will be insured for \$10. Pasture 3 shillings per week. No mare taken except at the risk of the owner. J. B. BURNET.

April 1, 1850.—2t.

Morgan Hunter and Morgan Chief.

MORGAN HUNTER will stand the coming season, at the stable of S. A. GILBERT, East Hamilton. Terms \$10 to insure. This fine horse is seven years old; was bred in Springfield, Vt.; got by Gifford Morgan; dam by the same horse. For figure and description, see *The Cultivator* for 1849, page 216.

MORGAN CHIEF, will be three years old on the 18th of June next. He is a very superior colt; was got by Gifford Morgan, dam by Green Mountain Morgan. See *The Cultivator* for 1849, page 67. He will be kept for a few mares only, at the stable of H. R. ACKLEY, East Hamilton. Terms \$10 to insure. ACKLEY & GILBERT. East Hamilton, Madison county, N. Y., April 1, 1850.—2t.

The Morgan Horse

MAJOR GIFFORD, will stand the ensuing season on Mondays, Tuesdays and Wednesdays, at the stable of E. W. Sheldon, in Sennett. On Thursdays and Fridays, at the stable of S. B. Rowe, in Camillus, and on Saturdays, at the stable of John C. Munro, in Bellisle.

Major Gifford is seven years old this spring, his color a beautiful chestnut—was sired by the Gifford Morgan, his dam a pure Morgan. Breeders of good horses are invited to call and see him.

TERMS.—Ten dollars to insure. Pasturage furnished. Accidents and escapes at risk of owners. *ASON & CO.

April 1, 1850.—3t.*

Wire for Fences.

IRON WIRE FOR FENCING, constantly for sale at New-York prices.

April 1, 1850—6t.

Z. HOSEMER,
110 Milk St., Boston.

Emery's Seed and Corn Planter,

For Hand or Horse Power.

THIS is acknowledged the best machine for the purpose now in use. They have been in use four years, and the demand constantly increasing. The first premiums of the N. Y. State Ag. Society, the Massachusetts Charitable Association, the American Institute, and at every county society where it has been exhibited, have been awarded it.

It is equally well adapted for all small seeds in drills, or Corn, Beans, Peas, &c., in either hills or drills, any quantity and distance apart, &c., &c.


It is driven by a gear motion without bands, which insures a constant and uniform action. Price \$14. For sale at the

Albany Agricultural Warehouse,

Nos. 369 & 371 Broadway.

April 1, 1850.

H. L. EMERY.



JUST PUBLISHED,

BY DERBY, MILLER AND CO., AUBURN,
THE AMERICAN FRUIT CULTURIST,

BY J. J. THOMAS,

CONTAINING directions for the Propagation and Culture of Fruit Trees, in the Nursery, Orchard, and Garden, with Descriptions of the principal American and Foreign Varieties cultivated in the United States. With 300 accurate illustrations. One volume of over 400 pages, 12 mo. Price \$1.

A cheaper, but equally valuable book with Downing's was wanted by the great mass. Just such a work has Mr. Thomas given us. We consider it an invaluable addition to our agricultural libraries. *Wool Grower.*

We predict for it a very rapid sale; it should be in the hands of every fruit grower, and especially every nurseryman. It is a very cheap book for its price.—*Ohio Cultivator.*

It is a most valuable work to all engaged in the culture of fruit trees.—*Utica Herald.*

It is a book of great value.—*Genesee Farmer.*
Among all the writers on fruits, we do not know of one who is Mr. Thomas' superior, if his equal, in condensing important matter. He gets right at the pith of the thing—he gives you that which you wish to know at once; stripped of all useless talk and twattle. No man has a keener eye for the best ways of doing things. Hence we always look into his writings with the assurance that we shall find something new, or some improvements on the old; and we are seldom disappointed. This book is no exception. It is full. There is no vacant space in it. It is like a fresh egg—all good, and packed to the shell full.—*Prairie Farmer.*

In the volume before us, we have the result of the author's experience and observations, continued with untiring perseverance for many years, in language at once concise and perspicuous.—*Albany Cult.*

For sale in New-York, by M. H. NEWMAN & CO., and C. M. SAXTON. Boston, B. B. MUSSEY & CO. Philadelphia, THOMAS, COWPERTHWAYE & CO.

*** Copies in paper covers sent by mail free of expense on receipt of \$1, post paid. Direct to DERBY, MILLER & CO. Auburn, April 1, 1850.—3t.

BENNETT'S AMERICAN POULTRY BOOK.

The Poultry Book

And Fowl Breeders' Guide.


BEING a Treatise on the Breeding, Raising, and General Management of **DOMESTIC FOWLS**, with numerous original descriptions, and Portraits from Life. By JOHN C. BENNETT, M. D.

This work will be found to contain a greater amount of original and other information, both practical and useful, in regard to Fowl Breeding, than is contained in all other American works together. It will be illustrated with nearly FIFTY PORTRAITS of the most choice varieties of American and Foreign Fowls, some forty of which are from life, from drawings taken especially for this work, of the most important breeds, and several of them from Fowls very recently imported.

The publishers have spared no expense to bring out this work in a superior manner, both in regard to the engravings, the merits of the work, and the general execution of every part of the book. And it is believed that the work will be found to contain more Practical Information on *Breeding and Managing Domestic Fowls*, than any work issued in this country.

Price—in Muslin binding, 75 cts.; in Paper covers, 50 cts.
PHILLIPS, SAMPSON & CO., Publishers,
April 1—3t. 110 Washington St., Boston.

New Patent Churn.



THIS churn is offered to the public with the fullest confidence in its superiority over any other crank churn in use. It has all the advantages of the crank churn without having any of their objections, the iron rod is dispensed with and the difficulty of gathering the butter is removed, as this arrangement of the floats is the best for gathering of any ev-

er before offered. For further particulars, see Catalogue of Albany Agricultural Warehouse, or February No. of *Cultivator*.

The Silver Medal of the American Institute was awarded this churn, as the best of a large variety exhibited at their Fair in October last.

Also, Kendall's, Gaul's and Dash Churns, constantly on hand at the Albany Agricultural Warehouse of
H. L. EMERY,
April 1, 1850. 369 & 371 Broadway.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$8, for sale at the office of **THE CULTIVATOR.**

Patent Rail Road Horse Power,

And Overshot Threshing Machines and Separators,

NO Threshing Machinery ever invented has met with so rapid an introduction, or given so general satisfaction as this.

Four years since, and less than a dozen sets were made and sold within this State, where last season, upwards of three hundred sets were made and sold, beside many in Pennsylvania and the Western States.

Farmers desiring to avoid the trouble, inconvenience and expense attending the employment of the ordinary lever powers and threshers, are requested to examine our terms, descriptions, machines, &c. before purchasing, or again employing the large machines.

For further particulars, see Catalogue of Albany Agricultural Warehouse and Seed Store, Agricultural Papers, and Reports of Agricultural Societies, &c., &c. H. L. EMERY,
April 1, 1850. Nos. 369 & 371 Broadway, Albany, N. Y.

Agricultural Warehouse,

193 Front Street, New-York.

THE subscriber, manufacturer and dealer in *Agricultural Implements*, offers for sale one of the largest assortments to be found in the United States. Among which are the celebrated *Premium Plows*, which were awarded the highest premium of the *New-York State Fair* in 1847, and of the *American Institute* in 1846, 1848, and 1849. Also, the *Centre Draught, Eagle*, and all other Plows mostly in use. *Corn Shellers, Straw Cutters, Fanning Mills, Portable Grist Mills, Horse Powers, Threshing Machines, Seed Sowers, Wheelbarrows, &c.* All of which will be warranted to be of the best quality and sold at the lowest rates.
JOHN MOORE,
March 1—3t. 193 Front Street.

Horse Powers and Threshing Machines.

E. PLANT, No. 30 Cedar Street, New-York, Agent for the Proprietor, for making and selling the "Warren" Improved Two and Four Horse Powers and Threshers. Also, "Trimbles." Price of the "Warren" Two Horse Power and Thresher, only \$80
do do Four do do do \$110
Price of the "Trimble" Two Horse Power, (without Thresher), \$60
do "Warren" Four do do do \$50
do do Four do do do \$75
Bands, from \$1.50 to \$6.

These latest Improved Threshers and Powers give universal satisfaction, and are deemed far superior to any others known heretofore for any thing like their cost.
Cash Orders filled promptly.

N. B. PURCHASING & COMMISSION AGENCY.

The undersigned also continues the business of the late E. Plant & J. Plant, (E. Plant & Co.) of Purchasing for Orders, on Credit or for Cash, Dry Goods, Groceries, Hardware, &c., &c., for a commission of 2½ per cent. Produce, such as Sugar, Cotton, Tobacco, Peltries, &c., also received and sold on Commission. E. PLANT,
Dec. 1, 1849—6t. No. 30 Cedar St. New-York.

Fruit Trees, Scions, and Strawberry Vines.

THE subscriber, general agent for ELLWANGER & BARRY, nurserymen, for the sale of Trees, can supply orders for any quantities, or for Shrubbery and Scions of the best kinds, grown at Rochester; and where persons would wish a selection made of either, he would advise without charge.

STRAWBERRIES.—He is also agent for M. G. WARNER, for the sale of Strawberry Vines, which can be nicely packed in moss and sent over the Continent with safety, by express or otherwise. The kinds below mentioned are among the best grown:

- Burr's New Pine, - Crimson Cone,
- Rival Hudson, - Black Prince,
- Boston Pine, - Columbus,
- Hovey's Seedling, - Bishop's Orange.
- Large Early Scarlet.

The Burr's New Pine, is one of the best extant, and the Rival Hudson for a market fruit is No. 1, and for preserving is the *very best* Post paid applicants with funds enclosed, shall have prompt attention. He refers to Mr. Tucker, publisher of *The Cultivator*.

Printed Catalogues furnished free to applicants.
Price of Strawberry Vines, 50 cents per dozen. Address
JAMES H. WATTS
Rochester, April 1, 1850—2t.

Poudrette.

THE LODI MANUFACTURING CO., offer their new and improved Poudrette, for sale at their usual rates—1 bbl. \$2—3 bbls. \$5, and \$1.50 per bbl. for any quantity over 7 bbls., delivered free of expense on board of vessel in New York. At the Factory, where vessels drawing 8 feet water can come, it will be sold at 25 cents per bushel.

The expense per acre in manuring corn with Poudrette, will amount to about \$4, calculating 25 cents per bbl. freight, and all the necessary labor included. On land previously manured, or on good sward land, one gill to the hill is sufficient—on poor ground, a good crop can be raised by one gill at planting, and one at the last hoeing. The cost of the labor alone in manuring corn in the hill with barn yard manure, will amount to more than the first cost of the Poudrette, with freight and all charges added; and the effects of Poudrette are quicker, more vigorous, and the corn reaches maturity earlier. A fair trial, *however small*, is respectfully solicited.

A pamphlet containing instructions for use, certificates from some of the first Agriculturists in the United States, and much valuable information will be sent *gratis*, to any one applying (*post paid* if by letter,) to "THE LODI MANUFACTURING COMPANY, 66 Dey street, New-York." Feb. 1—4ms.

Contents of this Number.

How shall our worn-out Farms be restored to Fertility, by Hon. F. HOLBROOK, 161
 On Underdraining, by D. D. C., 163
 Modes of Draining, by C. E. G., 164
 The Culture of Beans, by Hon. S. CHEEVER—The Culture of Peas, by T. M., 165
 Parsneps for Pigs—Motion of Sap in Plants, by SACCHARINE, Bones, Ivory Dust, Horn, Wool and Hair, as Manures, by Prof. NORTON, 166
 Ring-bone in Horses, by Dr. G. H. DADD, 167
 Spaying Cows, by W. C. CARTER—Farmer's Dairy Steamer—Premium Butter, 169
 Summer Management of Young Trees, 170
 Pruning the Peach—Supports for Runners—Curious Insect Catchers, 171
 Strawberry Culture—Varieties of the Garden Pea—Successful Treatment of Young Trees, by J. TALCOTT, 172
 Manure for Fruit Trees—Profits of Fruit Culture—Great Crop of Squashes, by C. E. G.—Trees of California, 173
 Shipment of Fruit from Wayne County—Rose Cuttings—Hints to Young Men, 174
 Facts and Opinions, on various subjects, 175
 Lady Gifford Mare—Alderney Cattle, 176
 Pedigrees of Short-horns, by Dr. S. D. MARTIN, 177
 Culture of Indian Corn, by A. D. G.—"A Little Land well Tiled," by W. L. EATON, 179
 To Prevent the untimely Sitting of Hens, by A. M.—Live Stock Insurance—Farming in Aroostook, by P. P. BURLEY—Improvement in Connecticut, 180
 Raising Pumpkins, by H. V. O.—Turning Stock to Grass—Culture of Carrots, by A. SUBSCRIBER—Culture of Indian Corn, by A. S. F., 181
 Manufactures, vs. Agriculture, by ARGUS—Importance of Good Bread—The Poor Man's Plaster, by AN OLD FARMER—To Kill Rats, 182
 Notices of New Publications—Answers to Correspondents—Cast Iron Scraper, 182
 Monthly Notices—To Correspondents, 184

ILLUSTRATIONS.

Fig. 161—Dairy Steamer, 169
 162,3—Pruning the Peach, 171
 164—Support for Runners, 171
 Fig. 165—Lady Gifford, 176
 166—Alderney Cow, 176
 167—Cast Iron Scraper 183

Agricultural Implements.

SEED SOWERS of the most approved kinds, suitable for sowing large and small seeds. One will do the work easily of several men.

CORN PLANTERS.—These drop Corn, Beans, &c., any required distance from two to six feet apart. A boy and horse with one of these machines, will do the work of six persons.

CULTIVATORS—Of at least a dozen of the most approved patterns, two of which are entirely new. They stir the earth equal to the best plows, and cut up the weeds and leave it in the finest condition for the growth of the crop.

PLOWS—A great variety of the best kinds of Plows for weeding and hilling Potatoes, Corn, and other crops. Also, large Sward and Stubble, Subsoil, Side-hill, Double Mould-Board, Self-Sharpening, and other Plows. A. B. ALLEN & CO., May 1, 1850—1t. 189 & 191 Water St., New-York.

American Botanic Garden and Nursery,

Waterloo, Seneca Co., N. Y.

NATIVE TREES, SHRUBS AND PLANTS, by the 100 or 1000 collected to order.

Exotic and Native FRUIT and ORNAMENTAL TREES, SHRUBS and PLANTS, cultivated and for sale, wholesale and retail.

Trees and plants packed for safe transportation to any part of the United States, Canada, Europe, &c. WM. S. DELI. May 1—1t.

Horse Powers and Threshers.

RAILWAY or Endless Chain, Taplin's Circular and Cast Iron Sweep Powers, of various sizes

Threshers—Both Over and Undershot, with or without Separators or Shakers. The Overshot Thresher is of a superior kind.

WOOD-SAWING MACHINE—To go by Horse Power, to saw fire-wood. A. B. ALLEN & CO., Agricultural Warehouse and Seed Store, May 1—1t. 189 & 191 Water St., New-York.

Webster's Dictionary, Unabridged.

IT is an invaluable work.—Daniel Webster. "Most useful Dictionary extant."—Henry Clay. "Best specimen of the printing art ever produced in this country."—Librarian of Congress. "I find it an invaluable *vade mecum*."—Washington Irving. "Every scholar knows its value."—Wm. H. Prescott. "Surpasses anything that has been done for the English language."—Geo. Bancroft. "The copious list of Geographical names, is itself WORTH THE COST OF THE WHOLE WORK."—School Committee of Framingham." Published by G. & C. MERRIAM, Springfield, Mass., and for sale by Booksellers generally. May 1—1t.

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by HENRY COLMAN of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos., \$5. For sale at the office of THE CULTIVATOR.

Constantly on Hand and for Sale

At the Albany Agricultural Warehouse,

PLOWS. The Albany, Peabody, Worcester, Boston, Cast and Wrought Iron Beam Plows of all sizes and the most approved patterns and makers. All warranted to work to the satisfaction of purchasers, for the purposes they are designed, and to be of the best materials and workmanship.

GUANO. Peruvian, African and Patagonian Guano, by the ton or sack.

FENCE WIRE. All sizes and qualities, suitable for fences, for sale low.

SEED CORN. Dutton, Egmont-Rowed, White Flint, Sweet, Early and Late, Tuscarora, Darling's and Canada varieties, in large or small quantities.

GARDEN SEEDS. All varieties, new and genuine, by the paper, or in quantities for gardeners and dealers.

CULTIVATORS, and Double Mould Board Plows, of various sizes, for cultivating and hilling Corn, Potatoes, &c.

For sale at the Agricultural Warehouse of H. L. EMERY, May 1, 1850. 369 & 371 Broadway, Albany, N. Y.

Peruvian Guano, Bone Dust, Plaster, Poudrette.

THREE hundred tons best Peruvian Guano, in lots to suit purchasers.

One thousand barrels Bone dust, both sawings and ground. Five Hundred barrels Poudrette.

Two Hundred Tons Plaster of Paris, ground fine and in barrels. Agricultural Warehouse and Seed Store, A. B. ALLEN & CO., May 1—1t. 189 & 191 Water Street, New-York.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled. May 1, 1850—1t. JOHN MAYHER & CO.,

The American Live Stock Insurance Company,

At Vincennes, Ind.

CHARTER unlimited. Granted January 2, 1850. Capital \$50,000! For the Insurance of HORSES, MULES, PRIZE BULLS, SHEEP AND CATTLE, of every description, against the combined risks of Fire, Water, Accidents and Disease. Losses paid in 30 days after proof of death.

Directors.—Joseph G. Bowman, Hiram Decker, M. D., Isaac Mass, George D. Hay, John Wise, Alvin W. Tracy, Hon. Abner T. Ellis, Abm. Smith, Hon. Thomas Bishop, Joseph G. Bowman, President. B. S. Whitney, Secretary, Wm. Burch, Treasurer. Agents solicited for all parts of the Union. May 1—2t.

Bamborough's Celebrated Grain Fans

HAVE taken TWENTY-FIVE PREMIUMS and FOUR SILVER MEDALS—taking the premium at every exhibition. Among them the Delaware and Maryland State fairs, the Franklin Institute of Philadelphia, (silver medal), and all the leading societies in Pennsylvania, New Jersey, Delaware and Maryland.

Fifty-seven hundred have been sold within a few years. They are universally pronounced by those who have used them, to clean faster and better, and with less power, than any other fan ever tried.

Farmers who want the BEST article going, should get one. For sale by John Bamborough, Lancaster, Pa.; D. Landreth, Philadelphia; Bamborough & Co., Trenton, N. J.; Bamborough & Co., Delaware City, Del.; John J. Heckert, Port Deposit, Md.; Ezra Whitman, Baltimore, Md.; Jos. Taylor, Elkton, Md.; Samuel P. Smith, Cumberland, Md.; Elgin Russell, Petersburg, Va.

Rights for sale. Address, JOHN BAMBOROUGH, May 1, 1850—1t. Lancaster, Pa.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway. BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT, 7 Congress-st.

PHILADELPHIA—G. B. ZIEBER. ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms.

THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, JUNE, 1850.

VOL. VII.—No. 6.

Improvement of the Soil.

Management of Sandy Lands.

SOME soils are too light, and others too heavy for profitable cultivation; and it was long ago held to be one of the cardinal principles in farming, to "make light land heavier and heavy land lighter."

The difficulties attending the successful cultivation of a sandy soil, arise chiefly from the want of coherence in its particles at the surface. From this cause it parts too easily with moisture, and with the gaseous portion of manures. Seeds placed in such soils may fail to germinate, or may be blown from their beds by winds, and the young plants are liable to be destroyed from the same cause. It is true, that when plants are once fairly started in sandy soil, they will often sustain themselves during drouth, better than in a soil of compact texture; because the mechanical relations of the soil in the former case, favor the ascent of moisture from below, and also allow the ready extension of roots to a great depth. Hence, as before indicated, the principal defect to be corrected in a sandy soil, is the looseness of its surface. To insure the germination of seeds, and to secure the young plants in their places, the soil must be made firm enough to resist the action of winds.

One of the best substances to apply to a sandy soil, is clay. Common clay, although composed chiefly of sand or siliceous matter, owes its adhesiveness to another substance it contains, called alumina; and hence, by the application of clay, we increase the adhesive principle. It is fortunate that most sandy tracts are underlaid with clay, at a greater or less depth, and in many instances it may be obtained and applied at a cost which would render it a profitable means of improvement. A coating of stiff clay, two or three inches thick, will convert almost any sandy soil into a good loam.

Prof. NORTON, in his address at Northampton, (1849,) observes:—"The want of alumina is not easily supplied, except in situations where clay can be procured. When it can be had, a load of it is frequently of more value than a load of manure, because it has not only an immediate effect, but also permanently improves the land. I know of one farmer near Hartford, who has carted clay by his return teams from that city, a distance of nearly nine miles. He assured me that it paid him well, and that a full load of stiff clay was worth, on his soil, two loads of manure. * * * This addition of clay is not alone useful as bringing new and valuable ingredients to the soil; perhaps its principal value consists in the power it gives the soil to retain moisture, and the manures which are applied to it. Thus it is the means of lasting improvement."

W. C. GOLDTHWAIT, Esq., in an address delivered

at Springfield, Mass., last fall, observed:—"If land is too porous for want of clay, then supply what is wanting. Nature has fortunately so disposed the different kinds of earth, that no part of our territory is very remote from a deposit of the best clay. This costs nothing but the labor of removal, and though in most cases it will not act as a manure, yet it will render the effect of all manure more lasting, and render the soil more moist and more fit for future cultivation. * * * I have tried some experiments of this kind, putting on about eighty cords to the acre, or say three inches in depth. * * * Some may prefer a lighter dressing, but in farming as well as elsewhere, 'work once well done is twice done.' The effects of this course of treatment are exceedingly durable. Fields within my knowledge that were so treated a long time ago, have exhibited the beneficial effects after a lapse of twenty-five years. It should be remarked that much care is necessary to see that the clay is thoroughly mixed with the soil, or much of it will prove little better than blocks of stone. Exposure to the frost before plowing in, is one of the most efficient means of accomplishing this. Water expands in freezing; hence moist earth expands under the influence of frost, and becomes disintegrated. The use of the harrow, after the clay has frozen and dried, will be exceedingly efficient."

It is, no doubt, true that the beneficial action of clay on sandy soils, consists chiefly in its rendering them more tenacious; but some clays abound in the elements which produce fertility and supply the food of plants. They become, under the effects of drainage, and proper exposure to air and frost, very productive, especially in grass. This is strikingly the case with clays in the Connecticut Valley; and the stiff blue clay of Albany, when its tenacity is sufficiently overcome, forms a rich soil. Prof. EMMONS analysed this clay, and gives the following as its composition:

Water of absorption,	4.25
Organic matter,	1.17
Sulphate of lime,	1.00
Silicates,	69.02
Peroxide of iron and alumina,	17.24
Potash,	0.14
Carbonate of lime,	4.00
Magnesia,	3.00
	99.82

Prof. E. remarks—"It appears from numerous examinations which we have made, that clays contain more or less vegetable matter; they all blacken previous to ignition, and give off the odor of burning vegetables." The above analysis shows a fair proportion of lime in the states of carbonate and sulphate—as well as potash and magnesia. It shows in fact, a richer soil, except in vegetable matter, than most of those ordinarily called good. So that we not only increase the tenacity of sandy soil by adding such clay to it, but we, at the same time

furnish elements which are directly useful in the growth and perfection of plants.

Wood-ashes are also an excellent manure for sandy soils. The potash dissolves a portion of the siliceous flint, and the soil becomes more close in its texture. It is probable that all alkalies have a similar tendency. Hence urine and guano, which contain much ammonia, are particularly valuable for sands—they furnish the nitrogen of plants, and improve the physical character of the soil by making it more compact. Unfermented animal manures, mixed with straw or other vegetable matter, are not proper for sandy soils. They increase the defect which it is wished to remedy; that is, render the soil more open, which, according to the weather, causes the manure either to dry up and its strength to evaporate, or to be leached into the earth by rains. It is found best in all cases, so far as we have been acquainted with the improvement of this kind of soil, to apply animal manure in the form of well rotted compost. The objection which has been made, that this mode of managing manure causes a waste of its valuable properties, is not well founded. The absorbent substances, peat or litter, which should be mixed with the manure, will prevent the escape of the saline and gaseous portions—the ammonia will combine with the carbon, and remain sufficiently fixed till the manure is applied to crops. Manure in this state does not make the soil more dry, but rather attracts moisture to it, and consolidates its particles.

Several kinds of plants have a beneficial effect in binding sandy soil. On very light sands, some kinds of reeds, which will grow in such situations, are planted. Prof. NORRIS states that the *Arundo arenaria* is planted in the blowing sands of some parts of Holland and Belgium, which were formerly not only of no value, but were often driven by winds over cultivated fields, burying the crops and the fertile soil. He states that the roots of the plant run forty to fifty feet, sending up a shoot at every joint, and that he has walked over immense sand heaps, the surface of which, even to the bleak and exposed tops, was bound together by this plant.

Another plant which is much prized in Europe, in the improvement of sandy soils, is spurry. We do not know that this plant has been cultivated in America. Prof. JOHNSTON, in his late lectures in this city, observes—"Of all food for cattle, spurry grows best on light, sandy soil. In Europe it is considered an exceedingly milk-producing food for the cow." It appears from the accounts we have of it, that it is not adapted to the very lightest and poorest soils, but will grow on those which will not bear ordinary cropping. It is cultivated largely on the sandy soils of Flanders, and according to THÄER, is the most nourishing, in proportion to its bulk, of all forage, and gives the best flavored milk and butter. It is said, also, to be particularly valuable for plowing under—producing a large crop. It is well worthy of a trial in this country.

The clovers, red and white, are among the best plants for a sandy soil, though they will not at first flourish well on the poorest sands. The red clover is enabled, from its long roots, to draw nourishment from a great depth in the soil, and in common with other plants of the same family, (*Leguminosæ*.) it has the faculty of drawing much of its support from the air. On these accounts, it is one of the best crops which can be grown as a fertilizer—that is, to be plowed into the soil. The carbon of the atmosphere, and the soluble mineral elements of the soil, are combined by the plant, which, by its decomposition furnishes a store of food for other crops. The white clover has a more binding effect on the

soil than the red, on account of the peculiar character of its roots, one set of which start near the surface and extend in a lateral direction, fastening the soil in a thick net-work.

The manures of which we have spoken, especially ashes, greatly favor the growth of clover. Plaster, or gypsum, also, on many soils, produces a great growth of this plant. In improving sandy soils, the application of these substances in the outset, may in many cases be found expedient, in order to insure the first crops of clover.

The cultivation of sandy land has of late years received much attention in various parts of Europe. In Great Britain, as well as on the continent, much of the light soil which formerly produced scarcely any thing, and was deemed of little value, is now made to produce good crops of wheat. The feeding of sheep, in connection with the growth of clover and turneps, has always been deemed an important auxiliary in the improvement of this kind of soil. It is by this course, and the application of bones, that the light soils of Norfolk have been made to produce some of the best wheat crops in England. The same kind of soil in other districts, has likewise been greatly improved. Prof. NORRIS in speaking on this subject, observes—"I have seen in the North of England, a fertile tract, covering what was a few years since a wide moor, bleak and desolate. In the centre of the flourishing farms, on a small hill, stands a stone pillar, some seventy feet in height, bearing on its base an inscription signifying that it was erected in former days to guide the traveler, bewildered on those dreary and trackless wastes. Many of the farms immediately surrounding that pillar, now produce thirty-two bushels of wheat to the acre."

The writer of an English prize essay on the culture of wheat, says the course which has been pursued with light soils, "established the fact that the clover root was a better bed for wheat than a fallow, the sheep's treading and droppings were a much better dressing than lime or barn-yard manure; and that blowing sand could, in eight or even four years, be adapted to the production of as many bushels of wheat to the acre as the naked, open, laborious fallow." He thinks the most suitable manure for wheat is bones, in connection with the droppings of sheep, left while feeding on the land; and observes—"In the bones, the phosphorus, which is so essential to the formation of the grain, is supplied, and the urine and dung of the sheep supply the other constituents necessary for perfecting the plant in straw and grain."

The improvement of light and sandy soils is beginning to attract attention in this country, and some examples of very successful cultivation of such soils might be named. In Rhode Island, and in some parts of Massachusetts and Connecticut, tracts of more or less extent are fairly reclaimed and brought under a profitable course of cropping.

Several trials have been made in cultivating the sandy plains near Albany, which deserve notice. Mr. J. McD. McINTYRE is the owner of 900 acres of this land, eight miles from Albany, which came into his possession about ten years since at \$10 an acre. It was then mostly covered with pitch pines, generally of small size—the whole growth not amounting to over twelve to fifteen cords of wood to the acre. In some places, the growth was only small bushes, and scattering shrub-oaks. Mr. McI. began farming on this land as an experiment, determined to proceed cautiously and on a comparatively small scale, till the profit or loss should indicate the proper course. The first results having been favor-

able, he has lately extended his operations; has now cleared in one body, 90 acres, to which he is making yearly additions; and intends to go on in this way till he has made a farm of 500 acres.

His course of procedure in regard to this land, has latterly been to plow it as soon as the wood and bushes are off, and plant potatoes. The yield has never been less than 100 bushels to the acre. Last year seven acres yielded in the aggregate 900 bushels. No manure is applied to this crop. The potatoes have been sold at from 50 to 62½ cents per bushel. The crop has generally more than paid all expenditures on the land, including clearing, cultivation, &c. The second season, the land is sown to oats and clover, to which is added, on the more moist portions, timothy and red-top. The first crop of oats usually averages 40 bushels per acre. The clover is either mowed or pastured with sheep—sometimes mowed the first year and pastured the second. It is then, usually, plowed again, 15 loads (30 bushels to the load,) of rotted manure applied to the acre, and planted to corn, potatoes or turneps. The best portions are taken for corn, and the average yield of this grain has been 40 to 45 bushels per acre, and in one instance, 63 bushels per acre were obtained. The yield of turneps has been from 400 to 550 bushels per acre. Last year, notwithstanding the prolonged drouth, seven acres gave 2,800 bushels. The land is then laid down with oats, clover and grass seeds. The second course of crops—that is, after the land has been once in clover—is usually better than the first. Ten acres of oats in one instance gave 610 bushels—or 61 bushels per acre. The weight per bushel last year, when oats were generally light, was 35 lbs. The crop of clover has been from one to two tons per acre—the best portions yielding, at the second course, fully two tons.

Sheep, (South Downs,) are the principal stock kept on the farm. There were last year 120 head of sheep, two oxen, two cows, and three horses. This stock did not consume all the hay, ten or twelve tons being carried off the farm. The turneps are fed, in quantities according to the condition and circumstances of the sheep—ewes with lamb and such as suckle, receiving the greatest allowance. Clover hay, passed through a cutting machine, is their dry food in winter.

This farm is generally rather level; but there are many knolls of greater or less height. The level part is not subject to become very dry, except at the surface; the knolls are lighter, and in some instances the soil is liable to be moved by winds. After they have once been set in clover and pastured with sheep, they remain stationary. Where clearings have latterly been made, the lightest knolls, where the soil would be most likely to be blown, have been left in trees, and the underbrush being removed, these little groves, covering the principal eminences, give the fields a picturesque and park-like appearance.

An experiment was tried in feeding off turneps with sheep, in the fall, on two acres of some of the lightest of this land. The sheep were put on in November, and when they had cleared off the crop, the ground was plowed. The next spring, it was sown to barley, and the yield was 42 bushels per acre. The only manure was the fifteen loads per acre for the turneps, and what was left by the sheep while feeding them off. The soil was much compacted by the tread of the sheep and enriched by the manure and urine—the benefit of the course being seen in all the succeeding crops. The soil be-

came well swarded with clover and grasses, and still retains its tenacity.

Mr. McI. considers clover, turneps and sheep, the chief instruments of improvement for this land. It is certain that the land grows richer, produces larger crops, and supports more stock per acre under his system. The farm has derived little benefit from foreign manures. The application of manures purchased in the city, was once tried, but, with the cost of transportation, was found to be too expensive. Care has been taken, however, to save every thing which could be converted into manure on the farm.

One considerable advantage of this soil is, that when crops are fairly started, they are comparatively sure, whatever may be the season as to wetness or dryness. They are not likely to suffer seriously either from excess or deficiency of moisture. The large average product of Mr. McI.'s farm, is owing in a great degree to this fact. So constant has been the growth of herbage on this farm through the season, that even in our extreme drouths, the pastures have supported from four to six sheep per acre.

We might refer to other examples of the profitable cultivation of this kind of land—especially to some tracts devoted to the production of vegetables for market—but the length of this article renders it necessary to defer further accounts till another occasion.

Agricultural Discussions.

Wheat Culture.

The discussion in relation to the culture of wheat, which took place at Albany, at one of the weekly meetings held during the past winter, brought out some useful facts which we think are not generally known, and their insertion in our pages may interest and benefit our readers.

Mr. BREWER, of Tompkins county, said he had cultivated wheat for more than twenty years, and would give some of the results of his experience. A part of his farm, which in 1830 was an open common, has been wholly devoted to wheat and clover since that time—having produced thirteen crops of wheat and eight of clover. The soil is rather a gravelly loam. His farm is on one of the hills, towards the head of Cayuga Lake, which it is said were burned over by the Indians every year. He had made various experiments in plowing at different depths—from three inches to seven inches—and has always had the best crops where the furrows have been the shallowest. Usually plows but once for wheat; has sometimes plowed in May, but had no better crops than when he plowed in September, just before sowing. The yields he had obtained were from sixteen to twenty-six bushels per acre. On new land—stiff soils for instance—it might be necessary to plow more than once for a wheat crop, and in such cases it might be better to plow deep the first time.

Mr. B. stated that he had made some trials with various quantities of seed per acre, as 1½, 1¾, 2 and 2½ bushels, and had usually got the best returns from the latter quantity; that is, 2½ bushels of seed had given from 2 to 3 bushels more yield per acre than 2 bushels of seed, and 6 bushels more than 1½ bushels seed. He had not been plagued with rust but once in twenty years. Was seldom annoyed with the Hessian fly or with the wheat midge; but the wheat has often been much injured by these insects in vallies, when it was not noticed on the hills. Has commenced sowing wheat in drills; sowed a

part of his crop in this way last fall; the drilled portion looked much the best at the setting in of winter. Saw two fields of wheat last year, adjoining each other, on one of which the seed was drilled in, and on the other sown broadcast; the drilled yielded much the best. Drilled wheat stands the winter best; the small ridges between the rows are constantly working down, and keep the roots of the wheat covered.

Mr. B. spoke of the Etrurian wheat, which had lately been introduced, and had so far done well—it weighed 64 pounds to the bushel.

Mr. LAWRENCE, of Yates county, differed from the preceding speaker in regard to the proper depth of plowing. The remarks in favor of shallow plowing, seemed strange to his ear. The farmers of Yates improve their land by deep plowing. The farm which he occupied had been rented for many years previously to its coming into his possession, and had been plowed about four inches deep, and produced 12 to 15 bushels of wheat per acre. He at once plowed it six to seven inches deep, and raised the first season 30 bushels of wheat to the acre. It was the general expression, in his county, that deep tillage was the best for all crops.

He had tried subsoiling; first plowed with a common plow, seven inches, then run the subsoil plow the same depth—cross plowed before sowing wheat—has invariably had the best crops where he has subsoiled—has sometimes subsoiled a portion of a field and left the remainder plowed only in the ordinary way, and the yield is always in favor of the subsoiled part. His is a strong lime-stone soil, and he intends to subsoil his whole farm, being satisfied that it will pay. He makes great use of clover as a fertilizer, and uses plaster to benefit the clover. Never could perceive that plaster benefitted the wheat much, but it greatly increases the growth of clover. He attributes the improvement of the soil by clover mostly to the roots; they penetrate the earth to the depth of two to two and a-half feet, and raise the soluble substances on which the plant feeds, to the surface, where, by decomposition, they supply food to the wheat crop.

Mr. L. said wheat was formerly raised in Yates county chiefly on fallows; but latterly, the more common course is to take first corn, then barley, then wheat—the corn generally manured—but it must be remembered that this cannot be done on a poor soil. He had tried wheat after various kinds of grain, but it does best after barley. The system of drilling wheat is beginning to be practiced in Yates county, and Mr. L. concurred with what had been before said in regard to the advantages of this mode of sowing. Palmer's is the kind of drill most in use in his neighborhood, and it gives good satisfaction. The quantity of seed sown can be regulated to a quart to the acre. It covers the seed one and a-half to two inches deep. The rows are nine inches apart. The cost of the machine is \$55. The best varieties of wheat in Yates county, are the Hutchinson, Soule's and Flint. Many preferred the Hutchinson on account of its earliness and freedom from rust. It would ripen two weeks earlier than the red chaff. Mr. L. thought they raised as good crops of wheat in Yates as in any county in the State. He had himself raised forty-four bushels per acre on sixteen acres, in 1846.

Lieut. Gov. PATTERSON said his experience was in favor of deep plowing. The wheat lands in the Genesee valley, when new, produced about fifteen bushels of wheat per acre. They were plowed shallow—the farmers generally had not then sufficient strength of team to plow deep; now they plow

much deeper than formerly, and obtain from twenty five to thirty bushels per acre. In Livingston county, thirty-five bushels per acre were obtained on some farms. Some farmers there, now plow ten inches deep. Deep tillage has many advantages; an important one is, that it enables crops to stand drouth. As to varieties of wheat, the old red chaff bald had done best with him, and he had tried many kinds. The Soule's variety had done better than the flint; but two crops of the red chaff are better than three of the flint. The blue-stem is being introduced, and meets with favor. The proper time to sow wheat in the Genesee valley, is from the 15th to 25th of September. If sown earlier than this, it is very liable to be injured by the Hessian fly. As to the quantity of seed per acre, he thought a bushel and a-half, if thrashed with a flail or trodden out by horses, was about right; if the seed was thrashed with a machine, two bushels per acre were necessary. The difference was owing to the wheat being broken in passing through a machine, so that many of the grains would not germinate. In regard to summer fallowing, he had had better success with wheat on ground so prepared than in any other way, and thought he could raise wheat in that way cheaper than he could raise corn or oats. As a crop to precede wheat, he considers peas preferable to any kind of grain, or any crop, except flax. The cheapest manure for wheat is clover, though he would use all the manure from the barn-yard; considers a good crop of clover equal to twenty loads of ordinary yard manure per acre. His practice is to sow six to eight pounds of clover seed per acre—seed costs about ten cents per pound—in spring sows 100 pounds of plaster per acre—pastures the clover till latter part of May and plows it under in June—could never see that plaster benefitted the wheat, but it makes the clover, and the clover makes the wheat. He is much in favor of the system of drilling wheat. Wheat put in by this method is less likely to be winter killed. The roots of grain that is sown broadcast, are often injured by the earth being blown off from them; by the drill system, this is prevented—the earth which forms the ridges between the rows being blown over the wheat, keeping the roots covered. His wheat crops have sometimes been forty bushels per acre—has raised 30 bushels per acre on sixty acres.

Mr. COWLES, of Onondaga county, said there was great variety of soil in that county—that on which oak and chestnut constituted the chief timber growth, was best for wheat; but 30 years ago this kind of land was generally thought good for nothing. When it was first tilled, it was plowed about four inches deep, and it did not produce very well; now it is plowed from seven to ten inches deep, and the crops are good and the land is growing better. On this kind of land, plaster benefits all crops; but on some other soils plaster has no apparent effect. On the chestnut and oak lands, the best crops of wheat are obtained by sowing about the first of September. He had noticed the effect of different crops on wheat. A field was sown as follows:—one-third with peas, one-third with barley, one-third with oats; the next crop was wheat; it was best after the peas, next best after barley, and poorest after oats. So far as his observation had gone, wheat was generally poorer after oats than after any other crop. On his land wheat was generally best after a summer fallow. As to varieties, the old fashioned flint was best—the Canada flint next best. He related an experiment: a neighbor of his took some winter wheat—a white variety—put it into tubs, wet it, and left it to freeze—it being in the winter season.

It remained frozen till spring, when it was sown; the produce was a *red spring* wheat, which had been continued in his neighborhood until this day. This experiment convinced him that all wheat was of one species, and that varieties might be originated by causes unusually affecting the germ or the plant.

Lieut. Gov. PATTERSON had no reason to doubt the result of the experiment just cited; it brought to his mind the long-contested point of the transmutation of wheat into chess. He had known chess produced under circumstances which seemed to favor that hypothesis. He knew a piece of new land, just cleared from the forest, at a considerable distance from any other cleared land, sown to wheat, and on a swale, in the middle of the piece, there was scarcely anything grown but chess.

Mr. LAWRENCE said he could not believe that a grain of wheat ever produced chess. All the cases of supposed transmutation that he had ever heard of, could be explained without resorting to such an unnatural idea. It was sometimes said that *clean* wheat was sown, and it produced chess. He had often examined wheat that was called clean, and found chess enough among it to produce all that was grown among the wheat. In wet places the wheat would die out, but the chess would grow all the better, and people were astonished at the quantity.

Mr. ———, (whose name we did not learn,) made some remarks in regard to smut. He had sown a piece of ground with seed wheat that was a little smutty, but scarcely enough to be noticed—did not apply lime or anything to prevent smut, and the crop was two-thirds smut. His son sowed some of the same seed, prepared by soaking in brine, and then limed, and the crop had hardly any smut in it. He inquired whether this accorded with general experience. Several gentlemen replied that they had never been troubled with smut when the seed was treated with lime, alkali, or vitriol.

Neglected Manures—No. 6.

Blood, Flesh, Animal Charcoal, Glue Refuse, Coal Ashes, Adulterated Manures.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., May, 1850. }

EDS. CULTIVATOR—In my last letter, I called attention to several powerful manures, remarkable for the large quantity of nitrogen which they contained; there are quite a number more of the same class that are valuable, and I will select two or three of them.

One of the most efficacious and energetic manures known, is to be found in flesh, of every description. Under this head, I include the blood, as that has nearly the same composition as the flesh. They both contain some 15 per cent. of nitrogen; owing to this, and to the quantity of water which enters into their composition, every form of flesh and blood is strongly disposed to speedy putrefaction. This is seen in the flesh of animals, and of fishes after death, especially whenever the temperature of the air is a little elevated.

This facility of decay, although it has its disadvantages, causes them to produce an immediate effect when applied as manures. In France, blood is dried and sold in the form of cakes; these if kept dry, will remain unchanged for a long period. The same thing may be accomplished with flesh, but only at the expense of much time and trouble. There are few farmers but have seen the remarkable effect produced by some small dead animal, when buried

under a vine or young tree, or under a portion of some growing crop. It pushes the plant rapidly forward, makes its foliage luxuriant, and of a dark green, healthy color. On the field of Waterloo, the huge graves which were indiscriminately filled up with men and horses, were distinctly marked out for years, by the superior luxuriance, and the vivid green color of the grain which grew over them.

Facts tending to a similar conclusion, as to the great value of these manures, abound in almost every section of the country, and yet for the most part they are entirely neglected. If a horse, or cow, or sheep dies, it is drawn out to some lonely place, where the crows and dogs soon make away with its flesh. This is not, I am aware, true of all places; I know of some regions where they are too wise to throw away such rich manures, where animal flesh, fish refuse, &c., is eagerly sought after; these are not, however, the majority.

I have been told of a case near the capital city of one of our largest states, where the offal from the slaughter houses, was allowed to accumulate year after year, in a hollow, down the bank of which it was thrown. The farmers would not pay for it even so much as six cents per load, and many of them would not take it away for the mere expense of cartage. This mass of material would have brought from \$5 to \$15 per ton, in England, and would have been eagerly sought for at that price.

When manures of this class cannot be used immediately, they should be made into compost, by mixing with large quantities of some absorbent material; if this mixture is sprinkled over with gypsum occasionally, nearly all escape of valuable substances may be prevented.

Another valuable manure, which owes much of its efficacy to blood, is to be found in the refuse animal charcoal, or bone black, of the sugar refiners. Some refiners now employ gelatinous alumina largely for purifying sugar, in place of blood, but where the latter is used, the worth of the manure is greatly increased. The use of alumina deteriorates it. Various valuable substances besides blood are present, as the impurities of the sugar, and usually some gypsum also; the animal charcoal itself is simply burned bones crushed to a powder. We have then in this refuse, an abundance of nitrogen in the blood, and of phosphates in the bones, the two most important essentials for a good manure. It is worth \$5 to \$10 per ton, in England and France; in this country, it has been almost given away, so far as my experience of its use has extended.

In the yards of glue factories, a refuse accumulates, which is in England called *scutch*. It consists of variable proportions of animal matter, hair, &c., mixed with lime, this last partly as phosphate. This substance has an exceedingly offensive smell, and is largely used by the farmers. It varies a good deal in its composition. Prof. Way, chemist to the Royal Ag. Society, has lately examined several samples, and considers them worth from \$5 to \$6 per ton. This manure then, would not bear a long transportation, but would be valuable to farmers near the glue works.

The English and Scotch farmers, have in their zeal for refuse manures, gone in many cases to the opposite extreme; and have paid large sums for various substances because they were refuse, and seemed cheap, which turned out to be almost valueless. Prof. Way gives some instances of this kind; one of these is so remarkable that I will insert it here. It was an artificial manure or mixture, sold as remarkably adapted to the turnep crop, and greatly puffed as made from cheap refuse substances

of a valuable nature. The price was nearly \$40 per ton, and large quantities were disposed of. Great disappointment was experienced in its effects, and a sample was analysed by Prof. Way; his result was as follows:

Water,	4.93
Sand and Clay,	74.16
Organic matter,	4.43
Phosphate of Lime,	trace.
Oxide of Iron and Alumina,	13.88
Carbonic acid,	trace.
Sulphuric acid,	none.
Lime,	1.05
Common salt,	1.62
	<hr/>
	100.07

This, as shown by the analysis, was nothing more than a red soil, crumbled down to a tolerably fine powder, and was a most unparalleled piece of imposition. Most of the dealers, when making up such manures, add something to them which has a most powerful and offensive smell; this causes them to take with the farmers at once. They have learned that guano, animal manures, &c., have such smells, and hence conclude that all highly scented substances are fertilizers. If the dealer can succeed in imparting a most intolerable odor to his worthless mixture, he is pretty sure to find a ready sale at good prices. A man must not then, in this business, follow his nose too implicitly, but must call in the aid of other senses also. If a high price is to be given for a manure, it should be one of acknowledged character and value.

As concentrated fertilizers come into more general demand in this country, and as their importance becomes fully appreciated, dealers will doubtless be found, who will attempt impositions of a similar character. I perceive already, advertisements of various artificial manures; these may so far as I can say, be of good quality, but I would still urge the necessity of caution, in all cases where the dealer is not known to be honorable, or where he cannot give some sufficient guarantee as to the quality of the article that he sells.

In the preceding letters, I have indicated numerous natural manures heretofore in a great degree disregarded; some of which may, in almost every locality, be obtained without much difficulty or expense. Many of these are entirely neglected as refuse, and others can be bought for a mere trifle. I would then recommend that the farmer, before paying largely for such manures as guano, and others of the same class, look carefully about him and see if there are not to be had some such substances as I have named, that may be made available by a little exertion and perseverance, in collecting and preserving them.

There are few neighborhoods where a man who is watchful, cannot in the course of a year, collect a considerable quantity of these otherwise neglected substances. When all of the farmers come to understand their true value, they will no longer permit them to leave their own land, and the supplies will of course become limited. Before their importance is generally known, those who are in favorable localities for the collection of such materials, have an opportunity of enriching their soils with comparatively a very small outlay.

I have hitherto mentioned, with the exception of bones, manures whose worth depended for the most part, on their organic portion, and on the nitrogen which this contained. There is another important class, consisting of manures wholly or chiefly inorganic, some notice of which seems necessary.

The value of wood ashes, seems now to be quite generally recognised; among those who can ever

pretend to be good farmers, they are no longer neglected. Coal ashes, however, are generally thrown away, and in the large cities immense quantities are thus wasted. We have as yet, no detailed series of analyses, from which to calculate the actual value of these ashes. Some partial investigations made in my own laboratory, show that they contain several pounds in 100, of soluble substances. These are of the same class as those which occur in wood ashes. In many places the soap makers will give a small price for these ashes, thus showing that they are able to extract some alkaline matter from them. All this, is of course valuable for the soil. I am intending to pursue the investigation of this subject on the first opportunity, and hope to lay before the community some important results.

In the mean time, I have no hesitation in saying, that these ashes will pay well for their preservation; and that it would be an object for farmers in the vicinity of cities, to send in their teams for a portion of the vast quantities which are annually thrown away.

In the course of a conversation a few days since, with a very intelligent gentleman, who has a farm near Hartford, Ct., he informed me, that according to his experience, coal ashes were worth upon his land, from one-third to one-half as much as wood ashes. This was reliable practical evidence, and was in accordance with the views that I had previously entertained. JOHN P. NORTON.

Composition of Hog and Cow Manures.

BY J. H. SALISBURY, ALBANY.

Percentage of water, dry matter and ash, in

	Hog Manure.	Cow Manure.
Percentage of water,	52.30	77.40
do dry matter,	17.70	22.60
do ash,	3.61	3.11
do ash, calculated on the dry matter,	20.565	13.761

About four-fifths of the weight of these manures is water. The hog manure contains about five per cent. more water than the cow manure. It will be noticed too, that these manures are decidedly rich in inorganic matter. A little over one-fifth of the dry matter of the hog manure is ash, while the ash of the cow manure is less than one-seventh of its dry matter.

Composition of the Ash.

	Hog Manure.	Cow Manure.
Silicic acid,	45.525	51.275
Carbonic acid,	0.446	0.145
Sulphuric acid,	4.120	60.065
Phosphoric acid and per-oxide of Iron, .	29.295	13.160
Lime,	2.870	1.690
Magnesia,	1.160	1.730
Potash,	3.320	4.150
Soda,	10.740	19.145
Chlorine,	0.305	0.370
Organic Acids,	2.055	1.825
	<hr/>	<hr/>
	99.366	99.555

Proximate Organic Analysis.

	Hog Manure.		Cow Manure.	
	With the water.	Without the water.	With the water.	Without the water.
Chlorophyl, fatty matter, and wax,	0.51	2.252	0.25	1.016
Fibre and other bodies, insoluble in water and alcohol,	15.86	70.022	15.86	64.445
Albumen,	3.21	14.172	5.46	22.157
Casein,	0.26	1.148	0.18	0.731
Dextrine or gum,	1.88	8.300	1.88	7.633
Sugar and Extract,	0.93	4.106	0.98	3.982
	<hr/>	<hr/>	<hr/>	<hr/>
	22.65	100.000	24.61	100.000
Water and volatile organic products,		77.63		74.95
	<hr/>	<hr/>	<hr/>	<hr/>
	100.23		99.56	
Percentage of ash in fibre,		16.078		13.871

The percentage of albumen in the dry matter of these manures is evidently greater than the percentage of albumen in the dry food eaten. This corresponds with experiments of Boussingault; that though the weight of the dry manure voided by an animal is always considerably less than the dry food eaten, yet it is sensibly richer in organic matter and nitrogenized bodies. The reason of this, is that relatively a larger proportion of carbon is given off through the lungs in respiration, than there is of nitrogen compounds and inorganic matter assimilated by the system.

Comparative view of the percentage quantity of the inorganic and organic bodies in equal weights of the hog and cow manures.

(Calculated from the foregoing results.)

	HOG MANURE.		COW MANURE.	
	1000 lbs. one ton.	1000 lbs. one ton.	1000 lbs. one ton.	1000 lbs. one ton.
	lbs.	lbs.	lbs.	lbs.
Silicic acid,.....	16.571	33.142	15.947	31.894
Carbonic acid,.....	0.162	0.324	0.045	0.090
Sulphuric acid,.....	1.500	3.000	1.886	3.772
Phosphoric acid and per oxide of iron,.....	10.663	21.326	4.080	8.160
Lime,.....	1.045	2.090	0.526	1.052
Magnesia,.....	0.422	0.844	0.538	1.076
Potash,.....	1.208	2.416	1.301	2.602
Soda,.....	3.909	7.818	5.954	11.908
Chlorine,.....	0.111	0.222	0.015	0.030
Organic acids,.....	0.759	1.518	0.568	1.136
Chlorophyl, fatty matter and wax,.....	4.218	8.436	1.980	3.960
Fibre,.....	131.151	262.302	125.503	251.006
Dextrine or gum,.....	15.546	31.092	14.888	29.776
Sugar and extract,.....	7.691	15.382	7.761	15.522
Albumen,.....	26.434	52.868	42.233	84.466
Casein,.....	2.150	4.300	1.425	2.850
Water and volatile organic products,.....	776.300	1552.600	774.950	1549.900
	999.840	1999.680	999.600	1999.200

There is a marked difference in the composition of these two manures; and this difference affords, I think one reason why their effect on the grain crops generally is so different. In organic products they do not materially differ, except in albumen, and in this the cow manure is the richest by about 31 lbs. to the ton. This large percentage of albumen in the cow manure (if this body were as essential as phosphoric acid) would argue that this manure is the best; but experience teaches otherwise. Every farmer knows that generally, in the grain crops, a given weight of good hog manure is worth double its weight of cow manure. The cow manure is the richest in soda by about 4 lbs. to the ton. But the essential difference in the value of these manures, appears from the foregoing analyses to reside mainly in the phosphoric acid. Of this the hog manure contains about 21 lbs. in the ton, while the cow manure has but 8 lbs. in the same quantity. Thus it will be seen that in phosphoric acid, hog manure is the richest by about 13 lbs. to the ton of the manure before it is deprived of water. In a ton of dry hog manure, there is 95.40 lbs. of phosphoric acid, and in the same weight of dry cow manure 36.32 lbs.; giving a quantity in the former greater than that in the latter by 59.08 lbs. to the ton.

In the cultivation however, of potatoes and the root crops generally, cow manure is considered in the main to be equally as good, if not better than hog manure. The foregoing results would incline to the same conclusion, from the fact, that the composition of the former manure corresponds more nearly with the food required by the last mentioned crops; while the composition of the latter is more analogous to the food required by the grains.

It may be well to state, since the dung of the same animal varies in composition with the food eat-

en, that the cows which afforded manure from which the foregoing results were obtained, were fed principally upon hay; and the hogs, during the summer, upon grass and potatoes, and during the fall and winter upon potatoes, with some pumpkins, apples and soft corn. The manure from the hog sty was of a poorer quality comparatively than that from the cow stable, on account of a little admixture of chaff and straw which had been thrown in for nesting.

Foreign Correspondence.

On the Silk Culture of Austria.

Stuttgart, Feb. 21, 1850.

In the 14th century the enterprising Venetians introduced the culture of silk into their country, from whence it gradually spread over all those regions of Italy favorable to the silk worm.

In the mountainous regions of Lombardy, where the ever refreshing air of the Alps mingles with the hot rays of the Italian sun, producing a balmy atmosphere in which the mulberry tree bears the most tender leaf, and where the worm thrives and spins the most perfect thread, silk culture has been brought to a great degree of perfection, and the silk of Lombardy is celebrated all over Europe.

There is no branch of industry which yields such rich results from so small an outlay for land and labor as silk growing; agriculture prospers in connection with it, because the mulberry tree takes but little nutriment from the soil, feeds mostly on the balmy air, and leaves the full strength of the soil to the perfection of grain. It does not interfere with the principal operations of farming; after the ground has been prepared for the spring crop, the worm then begins to burst forth from its winter cell, and in 40 days passes through all the stages of metamorphose, and the glossy cocoons furnish the industrious silk grower with the means to secure his other crops, and all necessary domestic comforts.

The reeling and twisting operations give employment to women and children during the greater part of the year, and enable this densely inhabited country to support a large population; and, although England brings great quantities of silk from the East Indies, and the silk crop of France and other countries is steadily on the increase, nevertheless, the demand for Italian silk has been constantly advancing, with a fair prospect of continuing to do so.

According to the last official returns, the yearly production of cocoons in Austria is estimated at—

In Lombardy,.....	248,000 Cwt.
In the Venetian provinces,.....	190,000 "
In Tyrol,.....	30,000 "
In Hungary,.....	5,000 "
In the Military colonies,.....	4,000 "
In Dalmatia, Bohemia, &c. &c.,.....	10,000 "

488,000 Cwt.

Or, in a round sum, 500,000 cwt. of cocoons.

According to the official statistics, there are now in Lombardy 842,000 Jochs* of land planted with mulberries; a Joch produces on an average 29½ lbs. of cocoons; in Brianza it amounts to nearly 50 lbs. of cocoons per Joch.

The mulberry orchards increase in Lombardy with every year; districts which served as pastures are now planted with this valuable tree, giving to the whole country the aspect of a garden.

In the highly cultivated provinces where land is scarce, the less valuable grape vine must make room for the mulberry tree. According to the estimate

* An Austrian Joch is 1.422 acre.

made in the year 1835, the number of mulberry trees in Lombardy amounted to 16,573,123, without bringing into calculation the mulberry hedges, from which great quantities of leaves are gathered.

A middle-aged tree yields per year, on an average 70 to 110 lbs. of leaves, and 20 lbs. of fresh leaves are calculated for 1 lb. of cocoons.

The yearly crop of cocoons in Lombardy amounts to 248,000 cwt., which would require, according to the above estimate, 4,860,000 cwt. of mulberry leaves. The price of leaves varies; but 2 fl. 20 kreutzers per cwt.* is considered a low price; according to this estimate, the crop of mulberry leaves amounts to 11,340,000 florins; from this sum 2,025,000 florins must be deducted for gathering the leaves, &c., and 9,315,000 for ground rent.

One ounce of worm eggs, or 1½ loth, yields 67 Vienna lbs. of cocoons, which require 1,333 Vienna lbs. of leaves.

Silk culture, as well as farming is carried on by persons who rent the land or trees for half the silk crop; the land owners furnishing one-half of the worm eggs, and the colono or renter, the other half of the seeds, and all the labor and care the worms require.

RAW SILK.—The crysalides within the cocoons, are killed by exposing them to the hot air of heated ovens or to steam; the cocoons are then thrown into boilers or kettles filled with warm water; the threads of 3, 4, 5 or more cocoons are united to form one thread; the product is called *raw silk*. The kettles are mostly heated in the common way, but of late, and especially in Lombardy, they are now heated by means of steam; and for a large reeling establishment, the steam is generated in one or two boilers, and is conducted to the kettles by means of pipes, whereby not only a great deal of fuel is economized, but the silk produced in that way is considered better and of a handsomer appearance, which is ascribed to the uniform temperature which can be kept up with steam. To each kettle two women are required, one to attend to the reeling (*malstra*) and the other to turn the reel.

Upon this operation depends the evenness and beauty of the thread. The silk growers therefore pay great attention to it, and the superior quality of Lombardy silk is to be ascribed to the perfect management of this simple operation.

The number of kettles in use in Lombardy during the above mentioned operation amounts to about 40,000 which are employed in about 3,500 *Filandas*, to which 90,000 persons are required.

The operation of reeling lasts from 40 to 50 days; in this space of time the cocoons are all converted into raw silk.

The wages for an overseer, are from 35 to 50 kreutzers; for a *maestra*, 22 to 30 kreutzers; for the hands to turn the reel, from 8 to 13 kreutzers per day exclusive of a meal (*ministra*.)

They must keep close at work from early in the morning till late in the evening, with only one hour's recess.

The quantity of wood required for heating the kettles in the ordinary way, averages 50 to 60 lbs. per day; when steam is used, half the amount of fuel is sufficient.

To each kettle belongs a reel, and it is estimated that a reel can work up 800 lbs. of cocoons in 50 days.

11½ lbs. of cocoons yield 1 lb. of raw silk; in *Brianza* it requires less cocoons for 1 lb. of silk, but on an average 1 lb. of raw silk requires 12 lbs. of cocoons.

In the operation of reeling, arises an offal consisting of a coarse kind of thread which covers the cocoon. This layer must be carefully removed. The husk which covers the crysalides is used for bed covers, or spun for common silk stuffs. The offal or *strata* amounts to 10 per cent. of the weight of raw silk, and sells for 12 to 24 kreutzers per lb. The price of raw silk averages 12 florins 30 kreutzers per pound.

FILATORES OR TWIST MILLS.—At the *Filatores* the raw silk is twisted for the *warft* (*organzin*) and *welt* (*trama*.) It is done by means of large machines, set in motion by water and horse power. Twisting is carried on the whole year round; this operation makes a loss on silk from the breakage of the threads, knots, &c., which amounts to from 3 to 6 per cent.

In Lombardy, the number of *Filatores* amounts to about 500, which employ 3,750 men, 7,040 women and 2,015 children. To twist a pound of silk, costs from 1 fl. 27 to 1 fl. 34 krs.; when to this, the cost of reeling is added with 44 kreutzers per lb., the expense of working up the cocoons into twist, costs about 2fl. 15 kreutzers per pound.

The total value of silk of the different countries of Austria, is estimated at 50,500,000 florins, which is to be divided:—

For the Cocoons.....	42,700,000 florins.
Reeling or producing Raw Silk.....	2,900,000 “
Twist.....	4,400,000 “
Offal.....	500,000 “

The raw material has a value of about 43,000,000 fl., which amount is increased to about one sixth of its value, or 7¼ millions through the operation of reeling and twisting.

Although silk culture is carried on in the same manner all over Lombardy, the Venetian kingdom, and the southern part of Tyrol, yet each province produces a peculiar kind of silk, each bearing a different character. The best silk is produced in *Brianza*; it is superior to any in Italy, or in the whole world; the next best is that of *Varese*, in the province of *Como*, and *Bergama*.

Silk culture has especially been improved in *Brianza*, through the influence and labors of the silk-growers' societies of *Mayland* and *Como*. Through various improvements and good management, silk has there obtained greater lustre, softness and suppleness, which was formerly only possessed by the silk of *Turin*.

The finest and most glossy stuffs are manufactured from the silk of *Brianza*, and the industrious and highly intelligent inhabitants of that district are considered masters in the treatment of the silk worm, as well as in the operation of reeling and twisting.

Bergamos silk has an old established reputation, and is much sought after for the English market.

Brescia silk comes next, then *Cremona*, and that of a part of *Mantua*, where silk culture has been of late much increased and improved.

Lodi and *Pavia* are, from their low situations and practice of irrigating the meadows and fields, less favorable to the culture of silk. The worm there spins a coarse and less uniform thread, which is to be ascribed to the dampness of the atmosphere, in which the worm works more sluggishly than in provinces of a greater altitude, where the air is more pure and dry.

Verona and its vicinity, with several districts of *Mantua*, produce the most celebrated sewing silk. It is not long since the operation of reeling was left in the hands of inexperienced reelers, who produced a dirty, unequal and spotted thread; but of late, more attention has been paid to the operation; the cocoons are now picked and the double ones

* One Florin is 50 cents. The florin has 60 kreutzers.

thrown aside, because they always yield an inferior article.

Verona is the great depot for sewing silk Padua and Rovigo furnish twisted silk, (tortigliata,) of which cords of all colors are made for the Levant market.

Vicenza and Bassano's principal products are double thread Tram silk; it is rather heavy and not very supple, which is ascribed to the hard water used in reeling; it seems that that operation is not well attended to, and the careful removal of the coarser threads on the outside of the cocoon is much neglected, which makes the thread less uniform and pure.

The silk of Tyrol has a fine appearance, and it would be still more even if the maestras would pay more attention to cross the thread properly in reeling.

The silk commerce of Italy has its principal seat in Lombardy. It has undergone great changes during the last forty years, and Italy now produces the best silk, and much more than any other country in Europe.

The facility with which silk is grown and the great profits it yields, induced the silk growers to extend this branch of industry as much as possible.

In the year 1800, the total amount of silk grown in Lombardy alone, was estimated at 1,800,000 lbs. which has since increased to 4,000,000 lbs.; it may perhaps, in the next twenty years, run up to 6,000,000 lbs.

The political difficulties with which Italy has had to contend since the beginning of this century, have much impeded the development of the culture of silk. Napoleon's policy of the continental system closed the English market to the Italians. The East India Company brought to England, Bengal silk as a substitute for the Italian silk; though of an inferior quality, it answered very well for certain articles.

	Italian Silk.	Asiatic Silk.
	Pounds.	Pounds.
In the years 1800—1802,	2,011,680	1,350,870
do 1803—1805,	2,437,160	1,306,580
do 1806—1808,	1,917,080	1,704,390
do 1809—1811,	2,280,740	1,198,710
do 1812—1814,	3,147,840	2,516,690
Suma,	11,794,200	8,077,240
Mean average,	786,280	538,483
But in the years 1815—1817,	1,281,280	2,903,600
1818—1820,	3,633,000	2,497,140
1821—1823,	4,024,500	4,432,780
1824—1826,	5,144,000	4,689,640
1827—1829,	6,024,600	5,887,880
1830—1832,	5,308,500	6,138,750
In the year 1833,	1,883,400	1,794,100
do do 1834,	1,631,095	3,143,127
Suma,	28,930,375	31,457,017
Average,	1,446,819	1,572,881

The foregoing tables show that in former periods, the quantity of Italian silk brought into the market, over reached the quantity of Asiatic silk nearly 50 per cent.

In the second period, the importation of Asiatic silk increased considerably; the Italian silk enjoyed an equal share of increase. Of late, a considerable quantity of silk goes to Germany and Switzerland, and the average exports of Austria, are—

To London,	1,330,100 lbs.
To Lyons,	1,695,000 "
To Germany and Switzerland,	2,552,500 "
To Russia,	169,600 "

According to the official reports, the quantity of silk in Lombardy has increased three-fold within 40 years, and the price doubled; consequently, the income from silk has increased six-fold in forty years

The same official reports estimate the value of exported silk to 30,446,640 florins; the amount consumed in the Empire to 12,000,000 fl.; together, to 42,446,640 florins.

To raise 438,000 cwt. of cocoons, requires, 8,760,000 cwt. of leaves; calculating that one man can gather 50 centners in 40 days, employs 175,200 hands in gathering leaves. To every $\frac{3}{4}$ metric ounces of eggs,—the labor of one woman is calculated to raise the worms, yielding about 100 lbs. of cocoons, which requires 438,000 hands.

Reeling 6,386,000 lbs., employs for 50 days,	150,000 hands.
To twist 4,568,000 lbs., requires, during 200 days, ..	20,000 "
The preparation and manufacture of stuffs from the offals,	13,000 "

Together,

796,200 Individuals
About one-sixth of the whole population of the Lombardy and Venetian kingdoms is thus engaged in this branch of industry. C. L. FLEISCHMAN.

IRRIGATION.

EDITORS OF THE CULTIVATOR—While in Worcester, Mass., a few days since, I was invited by Col. J. W. LINCOLN to examine his system of irrigation, and to accompany him down the Blackstone river into Rhode Island, to look at the watered meadows which so frequently occur on that stream. I was agreeably surprised to find such an extensive and systematic use of water for the purpose of irrigation; and feeling quite an interest in the general subject of watering land by artificial means, I will attempt a description of what I saw in my recent journey, and state some of the principles of the action of the water of irrigation.

Col. Lincoln has 30 acres of interval land, situated on the margin of the Blackstone river, which he has been watering from that stream, for twenty years. A portion of the land had been imperfectly irrigated by a previous owner; but when the Colonel took possession of the land, he found the ditches in so bad a state, and so poorly arranged, that he commenced entirely anew with a thorough and systematic process. The surface of the meadow is considerably uneven, and it required some skill and care in laying out the ditches so as to conduct the water over the meadow. He thinks that if the thing were to be done again, he should first graduate the surface so as to get the water over the land with greater facility. As it is, however, every part is well watered.

The ground is, as is usual with alluvial lands, highest near the stream, descending thence towards the foot of the uplands, and also descending with the river. On the side of the meadow joining the higher lands, there is a hollow, running through the entire length of the junction, with branches diverging, and some of them extending across the interval; and these hollows are very convenient for draining off the surplus water of irrigation. Wherever it is necessary to convey the water across these hollows in order to distribute over land beyond them, an embankment is raised, with the carrier ditch in the top, and thus the water is conducted over at the proper level. Cheap stone culverts are constructed in these embankments, in order that the trench drains may not be interrupted in their work of drainage. A thorough dam is thrown across the river, a little way above the meadow; in it are strongly secured gates, easily opened or shut, as more or less water may be required; a stone flume receives the water from the dam, and passes it into a main carrier ditch, running from thence through the entire length of the meadow on the highest ground. Small-

er sectional carriers branch out as nearly at right angles with the principal carrier as the surface of the interval will admit, and with such frequency as to conduct the water on to every level of the land. Little gutters are made with a hoe, in the sides of these sectional carriers, through which the water flows in small streams, and then trickles over the entire surface of the ground. To determine the particular place for these ditches, so as to get the water properly over the land, is a work of skill, and requires a practiced eye, together with the aid of a spirit level, and the frequent sticking down of small stakes, for the guidance of the plowman in turning his furrow for the sectional ditches. It is not found advisable to give much descent to the water in the carriers, because it would have too much tendency to the lowest place, and would not flow over the land with sufficient equality. One or two inches fall in every ten feet of length, is enough. Flumes made of plank, with gates in them, are placed in the main carrier ditch, at suitable intervals, and also at the mouth of the side carriers, and by opening and shutting these gates, the water is taken off the land at one place, and let on at another, at pleasure.

When the water is first let into the ditches, if any slight inequalities in the sides or surface of their banks occur, by which the water escapes before they are filled, enough earth is taken from the bottom of them to make all level, so that the water may serve all parts of the land equally. Trench drains are made in the hollows, to conduct off all surplus water, and prevent water grasses from appearing in the sward. In cutting the trench drains, a careful examination with the aid of the level was made, in order, if possible, to give the drains such a direction as should conduct the water to land on some lower level, where it could be again used for irrigation. Much advantage was in this way gained.

In these various ways the waters of the Blackstone are conducted to, and spread over thirty acres of land. The ditches once made, nothing more has ever been necessary in order to thorough irrigation, save the making of slight repairs in the sides of the ditches, occasioned by meadow moles, and the feet of the cattle while feeding off the aftermath.

As I walked over this irrigated ground, observing the rich sediment with which the never failing waters of the river were charged, the thoroughness and convenience of the dam, gates and ditches, for controlling the irrigation, and the evidences of the fertility which had been imparted to the meadow, I thought to myself, here is going on that "gallant operation" so quaintly and yet so tersely described by old Walter Blith in his *English Improver*. He remarks—"If either thy land be gravell, or of a sound warm sandie, or mixed nature, and any whit descending, then any running streame will have a gallant operation. The warmer, lighter, and sounder is the land, the greater is the advantage. These particulars discovered, out of question thou hast a wonderful advantage before thee, especially if thou hast any great length and quantity of land along the River, or by a great road way side, or else hast any good land floods from great townes or cities, make as much of these advantages, and apprise them as thy lands, for though hereby thou canst make thy lands no more, yet thou mayst make them so much better, almost as thou canst desire. And so doe but a little consider of the way of both fitting thy land to thy water, and thy water to thy land, with the truest, naturalst, and properest seasons for bringing it on and taking it off, and thou shalt see an admired issue. For this seriously observe,

that the water running trickling among the grasse and upon the earthe, leaving her thicknesse, soyle, or filth, which I call richnesse, among the grasse, and upon the earth, and itself runneth away into the draying trench, and troubleth thee no more, and so the goodnesse of the water is as it were riddled, screened, and strained out into the lands, and the leanesse slideth away with it."

Col. Lincoln's meadow is naturally of an exceedingly light sandy soil, with a loose open subsoil, so much so that at the commencement of the irrigation, it was difficult to cover parts of it with a grass sward at all. But by appropriating the "wonderful advantage" afforded by the river, by "fitting the land to the water, and the water to the land," he finds that "the" natural "leanesse slideth away," and a remarkable fertility takes its place. His interval now gives him an average yield of two tons of hay per acre, per annum. There has been no season, however moist, for the past twenty years, that he has not derived much benefit from the artificial watering.

The Colonel thinks there are no means so cheap or expeditious as those afforded by irrigation, for improving and rendering permanently productive, all dry, barren, sandy, or gravelly lands. Give him water, he says, and just so far as he can spread that, he has no occasion to draw and shovel manure, for the water will bring on, and diffuse, and establish fertility. At the commencement of this enterprise, he took down his old barn, and erected another in its place, of much larger capacity; and although the crops from the farm for the first few years did not quite half fill the new barn, yet there is now no spare room,—the increase being in the greatest degree owing to the irrigation. The artificial watering is indirectly advantageous to the whole farm; for while the meadow yields vastly more hay than formerly, it yet requires no manure from the yards; the extra produce supports a much larger stock of cattle, double the manure is in consequence made, all of which is spread upon the uplands,—thus giving a progressive improvement to all the land. The hay from the irrigated land is found to be of a very milky quality, and the cows and other stock are very fond of it for its softness and succulency. Then, too, there is a full bite of aftermath on the meadow for the cattle in the fall, which comes at a time when the upland pastures are used up for the season.

Now that the ditches are all completed, it takes but a half hour to an hour each day to manage the irrigation; but this daily attendance, however, must not be remitted; on the contrary, much depends upon careful attention and the exercise of judgment, for if the water is not frequently changed from place to place, it will stagnate in the soil, wild grasses will spring up, and the quality of the hay will be injured. No part of the meadow, therefore, received the water more than two days in a week, and after the grass has got well started in the spring, the water is not usually continued more than one day in the week, in one place. In this way the water is used, from early spring to late autumn, saving an interval commencing two to three weeks before haying, and ending at the close of that business. The best success is found to follow, where the water can be made to flow gently over the surface,—a rapid current being apt to carry off fertilizing matters, and a sluggish inactivity being apt to bring in wild grasses. Gentle, but constant activity of the water, is therefore considered to be a leading maxim in the irrigation.

"It is observed," says Prof. Johnston, "that

the good effects of irrigation are produced only by *running water*—coarse grasses and marsh plants springing up when the water is allowed to stagnate. Running water comes upon the field charged with gaseous matter, with oxygen and nitrogen, and carbonic acid, in proportions very different from those in which these gases are mixed together in the air. To the root and to the leaf also, it carries these gaseous substances. The oxygen is worked up in aiding the decomposition of decaying vegetable matter. The carbonic acid is absorbed by and feeds the plant. Let the same water remain on the same spot, and the supply of these gaseous substances is soon exhausted. In its state of rest it re-absorbs new portions from the air with comparative slowness. But let it flow along the surface of the field, exposing every moment new particles to the moving air, and it takes in the carbonic acid especially with much rapidity, and as it takes it from the air almost as readily, again gives it up to the leaf or the root with which it first comes into contact. But further, if water be allowed to stagnate over the finer grasses, they soon find themselves in circumstances in which it is not consistent with their nature to exhibit a healthy growth. They droop, therefore, and die, and are succeeded by new races, to which the wet land is more congenial."

In addition to the watered meadow, Col. Lincoln has several acres of upland, situated on a southern slope, which he irrigates temporarily by turning on a small stream issuing from springs in the highlands beyond, and which receives sufficient accessions from the rains and melting snows of early spring to adapt it to that purpose. The brook is brought on to this land at the highest point in the slope; a ditch, made by the plow, runs across the land, at right angles with the descent, and the water, trickling over the lower side of the ditch, diffuses itself over the surface for a considerable breadth, until it is caught by another ditch, lower down, and parallel to the first, when it is again spread, and so on, to the bottom of the slope. If for any reason it is desirable to bring the water on to the land at a lower point than the first named ditch, it can be done by regulating the gates at the mouth of the ditches. In this system of irrigation it is not found to be so important as in the flat land mode, to change the water from place to place frequently, though it is still well to vary its course at short intervals, giving equal benefit to all portions of the land.

Col. Lincoln thinks that irrigation should not be neglected by any farmer who can turn even a small stream, or springs, on to his grass lands for only a few weeks in the spring. On land thus partially irrigated, the grass starts very early, the earth having acquired a thicker covering, is afterwards less affected by drouth, and the crop of hay, although less than on lands receiving a more constant watering, is yet much superior to that on adjoining land, of equal quality of soil, on which water has not been turned. There are many temporary streams, formed in hilly districts in the spring of the year by the rains and melting snow, that collect in their course a rich sediment, which may be arrested and distributed by the water among the grass roots of our pastures and mowings, instead of passing to the river to make a useless deposit in its bed, or aiding to fill up a neighboring mill-pond. Oftentimes, too, by throwing a cheap embankment or dam across the lower end of valleys among the hills, these waters may be bottled up for a more prolonged use.

Even spring water, containing no perceptible sediment, is found in practice to be very beneficial in irrigation. Prof. Johnston remarks that "in lime-

stone districts, these waters are generally impregnated with carbonate of lime, and in other districts again, the springs contain gypsum and common salt, and sulphate of soda and sulphate of magnesia, and thus are capable of imparting to plants many of those inorganic forms of matter, without which they cannot exhibit a healthy growth."

Sir Humphrey Davy remarks that "even in cases where the water used for flooding is pure, and free from animal or vegetable substances, it acts by causing the more equable diffusion of nutritive matter already existing in the land; and in cold weather it preserves the tender roots and leaves of the grass from being affected by frost. In 1804, in the month of March, I examined the temperature in a water meadow near Hungerford, in Berkshire, by a very delicate thermometer. The temperature of the air at seven in the morning was 29 deg. The water was frozen above the grass. The temperature of the soil below the water, in which the roots of the grass were fixed, was 43 deg."

Sinclair, in his *Code of Agriculture*, remarks that "clear spring water, in the state in which it issues from the hills, is certainly of a fertilizing quality; and in either cold or hot weather, it moderates the temperature of the soil. Clear spring water may also be used longer than the foul or muddy, being less apt to render the grass gritty and unwholesome; hence some give a preference to clean watered crops."

Several interesting experiments have been made by distinguished philosophers, showing the effects of pure water upon vegetation.

"Mr. Boyle dried in an oven, a proper quantity of earth proper for vegetation, and after carefully weighing it, planted in it the seed of a gourd. He watered it with pure rain water, and it produced a plant which weighed fourteen pounds, though the earth producing it had suffered no sensible diminution."

"A willow tree was planted by Van Helmont, in a vessel containing a thousand pounds of earth. This plant was watered with distilled water; and the vessel was so covered as to exclude all solid matter. At the end of five years, upon taking out the plant, he found it had increased in weight 119 pounds, though the earth had lost only two ounces of its original weight."

There is another theory as to the action of simple water when used for irrigation, which I will state. It is believed by some that all plants excrete certain matters from their roots which are hurtful to other plants of the same kind; that the cultivated grasses, being in time affected by their own excretions, do not continue permanently healthy in the same site, and therefore mosses and other inferior plants, spring up and extirpate them; that the water of irrigation, in its descent through the soil and subsoil, washes away this excrementitious matter from the roots of the grasses, and carries it off in solution; and that hence, in a good degree, the healthfulness and verdure of irrigated meadows.

After taking a good look at Col. Lincoln's irrigation, I accompanied him down the river into Rhode Island, to view the watered meadows which there so frequently occur. Some of the meadows preserve their original surface, and the ditches are laid out, and the water distributed, in a way precisely like that practiced by Col. L. Other meadows have been graduated by the plow and scraper, so as to present a surface best adapted to systematic irrigation. A mound of earth is raised, extending through the centre of the meadow in its entire length, and a carrier ditch, starting from the dam in the stream,

enters this mound, and passes the water through the interval. The land on each side of the main carrier is laid out in beds of forty feet in width, at right angles, lengthwise, with the main carrier. The beds are made quite crowning in the centre, by frequently back furrowing the soil with the plow. Sectional ditches cut through the centre or most crowning part of these beds, take the water from the main ditch, and pass it the entire length of the beds. Frequent little openings are made in the top of the sides of these sectional carriers, through which the water flows, and then it spreads each way from the ditch, over the entire surface of the beds, passing into the dead furrows, when used profusely, and by them it is carried to a main trench to be conducted to land on a lower level, or else back into the river. Flumes and gates are placed in the main carrier at suitable intervals, and also at the mouth of the side carriers, so that the water can be changed from one section to another, as desired.

It struck me, upon viewing these graduated meadows, that they were in the long run, of a cheaper construction than those where the surface is left in its natural state. Once done, they are right for all time, the irrigation is easier managed, the water more perfectly distributed and drained off, and its effects, in consequence, are more beneficial.

I should remark that all the irrigated fields which I saw in my recent journey are invariably of a light dry sandy soil, with an open subsoil. It is found, however, in practice elsewhere, that almost all soils are benefitted by irrigation, if water does not stagnate for want of proper drainage.

Sinclair remarks that "irrigation is not restricted to any particular description of soil. Land naturally wet may be greatly improved by it, when accompanied by drainage, and it is equally beneficial to that which is dry. Rich loams produce the greatest crops, even though waters be not of the first quality. Peat bogs, when properly drained, will likewise yield good crops. Irrigating adhesive clays is expensive, and the benefits from it do not so soon appear; but it is evident, from a meadow near Longleat, that even this sort of land may, by good management, be thus rendered more fertile; and it is well known that some of the best meadows in Gloucestershire, and at Woburn, are upon a clayey substratum. The most suitable soils, however, are those of a sandy or gravelly nature; more especially when they can be irrigated by muddy streams, the sediment of which corrects their excessive openness. Indeed, by means of the warm and rich waters of a low, fertile and populous district, impregnated with mud, and full of animal and vegetable manures, almost any soil may be converted into a rich meadow."

Finally, the theory of the advantages of irrigation is thus summarily stated by Stephens, in his *Book of the Farm*. "*Could the hand of man,*" he remarks, "distribute manure around the roots and stems of grass as minutely and as incessantly as turbid water; could it place a covering of woolen texture upon each blade and around each stem of grass, as completely as water can embrace each plant and keep it warm; could it water the grass as quietly and constantly as the slow current of irrigation; and could it wash away hurtful matter from the soil as delicately from the fibres of the roots of grass as irrigating water, there would be no need of irrigation; the husbandman could then command at will verdant pasturage for his flocks and herds, throughout the year, and in the driest season. *His mechanical* agency would be as effective as irrigation; but constituted as the relative state of things at present

are between man and the action of physical laws, he employs irrigation as an instrument of his will, and induces Nature to assist him in maintaining his live stock by an application of her peculiar mode of acting, under his own guidance, but in which she undoubtedly displays her superiority over him, both in perseverance and dexterity."

I have prolonged my article to a great length; but believing that the subject of irrigation is not very generally understood, and that the art is much less practiced than it should be where so many excellent natural facilities for it exist, I have thought it advisable to be at considerable pains in citing authorities sufficiently to explain its principles, and turn attention to its practice. F. HOLBROOK. *Brattlboro', Vt., April 30, 1850.*

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Pear-Tree Blight.

John Randolph once remarked to his physician, "in the multitude of counsellors there is *confusion*," which is true when hasty and partial opinions are given. This is strongly illustrated by the discussions on the Pear-tree Blight.

"It is always caused by the freezing of winter," says one. "It is always produced by the burning heat of summer," says another. "It is owing to succulent growth, produced by injudicious cultivation," asserts a third; "it comes on like a pestilence or the potato rot, uncontrolled and unaverted by any skill," responds a fourth. Some have discovered that it is caused by an insect girdling the interior bark; others, that it results from the poisonous sting of an insect in the branches. Many maintain that particular varieties only are strongly liable to this disaster, and many more, that it attacks all sorts alike.

In addition to previously advanced opinions, we have received a communication from E. J. GENET, of Greenbush, N. Y., in which he confidently advances the belief that he has discovered the true cause; but the length of his communication, and the very narrow limits of the Horticultural Department of this paper, preclude its publication entire. We can furnish only an abstract of his theory and observations. At or a little before mid-summer, in the absence of dew for several nights, he observed liquid drops falling from a pear tree, which were subsequently found to proceed from minute aphides thickly covering the shoots or branches, and which had at first escaped notice from the identity of their color with that of the pear bark. The varnish which these insects exude, is regarded as a poison, absorbed by the pores of the bark, and preventing also the natural perspiration. These insects were observed to continue for about ten days, when they disappeared. They are doubtless worthy the attention of fruit growers, and may under certain circumstances produce the death of the tree or branches; but it would be deciding from too limited data to say that this is the usual or universal cause. Observations must be made with great judgment and accuracy through all parts of the country,—through a long series of years,—through all the variations of seasons,—under all modes of cultivation,—in all varieties of soil,—and in various latitudes and climates, to enable any one to overthrow all previous opinions, and to establish a single theory applicable alike to all cases. But it is always interesting and

useful to receive and record all the observations which may be made, relative to this formidable malady.

The following remarks of our correspondent, relative to the *periodical appearance* of the fire-blight, will be new to our readers, but we fear the rule will be regarded by some as established as much by its exceptions as by direct evidence:—

“The same disorder prevailed among the apple, pear, and quince trees, on the banks of the Hudson in 1780, and continued its ravages until 1793. Twenty-two years after, (1802,) it again made its appearance, and continued its attacks for 4 or 5 years. Again 22 years elapsed, and in 1824 the same disorder prevailed, and lasted 4 years;—and in 1846 we were once more sufferers from the same cause—our pear trees are still prostrated by its fatal attacks. This disease has been called by some “fire blight”—it has been attributed to a “coup de soliel”—one writer says it is produced by the *aphis lanata*, a small insect covered by a fine white wool;—the insect which came under my observation, is very different in every characteristic—so small as to escape notice in the first stage; and so similar to a fly at maturity as to mislead an inattentive observer.”

Experiments in Raising Seedling Peaches.

The cultivation of the peach having engaged some of my attention, I collected all the fine sorts I could get; still for a while I had no good ripe peaches. Seven years ago, I went to Mr. Conklin's extensive peach orchard about the 20th of September, and bought two bushels on purpose to get the seeds. We sought the very best we could find; his early peaches were nearly gone; I took the last on the trees. That brought the ripening of them to the period I picked the peaches off, 20 days later. The Columbia was just beginning to ripen; I got the first ripe. That brought them two weeks earlier than the original. I planted the stones in rows, like planting potatoes, only covered shallow, following nature as near as I could. All brought the same sort in color and appearance. The result is, I have the Morris White through the season; the Columbia and Early York also, so that the whole space is now filled with the same species from last of August to 20th October, and any farmer, if he has one superior peach tree, can raise seedlings from it, and change to early and late to last the whole season. But plant the stones when fresh, if you expect to raise a good tree, for if they become dry, you will get a poor peach something resembling the original, but worthless. My seedlings, out of about 500 trees, which I planted seven years ago, contain only about four trees that are not as good, and many much better than the original. THOS. CRAIGHEAD, JR. *Whitehill, Cumberland Co., Pa., March.*

The importance of raising new varieties which shall be severally better adapted to the various and widely differing localities of our broad territory, than existing sorts, is becoming strongly felt by the cultivators of fruit. Experiments therefore, like the preceding, are of much interest and value, and our correspondent appears to have been unusually successful in the excellence of his results.

The opinion is by no means uncommon, that by planting a apple seeds and peach stones *in the fruit*, or perfectly fresh, the seedling will very nearly resemble the original. This result can be confidently asserted only after repeated experiments in both ways side by side. Whether this has any influence whatever, is not perhaps as yet established. It is

probable that the peculiar character of the seedling is chiefly if not wholly stamped upon the seed at the time of the impregnation of the ovule by the floating pollen; after causes may modify the result, but if so, in but small degree. At any rate, we do not find any modifying effect by freshness or age, in any of the common seeds sown by the farmer, nor any thing of the kind in the cucumber, melon, and squash. ED.

The Peach Crop.

Throughout Western New-York, there is a most promising appearance of an abundant crop of peaches. The trees are loaded with blossoms. In a large portion of the northern States, appearances are equally favorable. Northern Ohio will doubtless afford an abundant supply, but in the central portions of that State the crop is thin, although in many localities a fair product will be obtained. It sometimes occurs that the crop is destroyed or injured late in spring, or after the present period, but such occurrences are unusual. We must not, however, be too confident in advance, as it is better that our hopes should be exceeded than disappointed.

Sweet and Sour Apple.

I have observed several remarks on the Sweet and Sour apple in *The Cultivator*. I am in possession of a few facts which I have never seen published. The apple that I am acquainted with has been growing in what was formerly my father's orchard ever since my recollection; there are now but three trees living; they do not mix as well as formerly. On 2 of the trees I have not observed any except sour ones for two or three years; on the other tree, they still mix pretty well, though they are mostly all sweet or all sour, growing promiscuously. The sour apple is a perfect Rhode Island Greening, consequently a winter apple; the sweet is a fall apple, about half the size of the Greening, which causes the mixed apples to grow in ridges. The sweet apple is an agreeable, pleasant apple. I have never seen the kind any where else. The wood of the tree is curly. BENJ. MACOMBER. *Grand Isle, Vt.*

The above described variety has been considerably cultivated in various parts of the Northern States. It is a very singular peculiarity of the fruit, that certain portions, and often the whole apple, by a sort of diseased or imperfect growth, fails to develop the acid qualities of the juice. This imperfect growth is shown by the smaller size of the sweeter portions, and by its whitish or blanched color. A similar mixture of imperfect and healthy vegetable growth may be seen in the leaves of the *ribbon grass*; and the tendency to sweetness or insipidity in blanched substances is shown in celery and sea-kale, and in potatoes kept excluded from the light.

It is a very common notion that this variety was originally produced by cutting through the centre, the buds of a sweet and sour apple, and joining the halves of each at the time of budding. But such a result is a physical impossibility. For in common budding and grafting, the union always takes place by the granulations of the newly forming wood; a bud consists of a great number of minute and concentrically folded leaves, and all these edges cannot be made to coincide, much less to adhere together. If it were possible to cut directly through the vital point of the bud without killing it, and the two parts could be made to adhere; then, as in every other instance of union between two dissimilar varieties, each part would maintain its own identity.

When a sweet tree is grafted with a sour fruit, all the parts above the graft will bear sour apples; and all parts below, if branches are allowed to shoot out, will bear sweet apples. In the same way, if it were possible to make the two parts of a bud adhere, which is wholly improbable, then one side of the resulting tree would bear sweet apples, and the other sour apples, each sort being perfectly distinct. The Sweet-and-Sour apple is evidently a distinct variety, produced from seed, resembling the Rhode Island Greening in flavor, but differing in the growth of the tree. We have heard a great many persons assert that this variety was certainly produced by the two halves of the buds; but we have never been able to find the man who had performed the operation or seen it done. ED.

Influence of Grafting on Varieties.

"Is it true that the straight upright shoots of an apple tree set as grafts, will produce straighter trees than the lower and curving side shoots? and that the trees from grafts cut from young unbearing trees will be longer in coming into bearing?" C. T.

It is a common opinion that a difference is produced in the new tree by the part of the tree from which the grafts are cut. Experiments, however, made under the observation of the writer, do not favor this opinion, as no difference could be observed in the results produced. Cultivators sometimes arrive at erroneous conclusions by reasoning by false analogy. The improvement in the Indian corn and other crops, by successive selections of the seed, has induced some to think that similar changes may be made by successive selections of grafts. But where seed is planted, a new individual or new variety is produced at each germination; while grafting or budding is only a perpetuation of the *same* individual or variety. It may indeed be modified for the time being, by external and constantly acting causes, but its nature cannot thus be permanently changed. The quality of a pear is often greatly changed by grafting it on the thorn, apple, or quince; but it again resumes its former character, when grafted back to its original kind of stock. A certain variety of the apple may be changed in quality and productiveness, by being transplanted into a different soil; but trees propagated from the latter and set back into the former soil, will not retain any of the change. No permanent influence appears to be wrought upon the variety

To make Peach and other trees bear Young.

S. W. COLE says, "To induce early bearing, particularly where trees are luxuriant and barren, clip off the extremities of the branches in July, about one-third of the new growth; this will produce blossom buds the latter part of summer, for a crop the next season. We have found this very successful." A. J. DOWNING says, "If you wish to bring fruit trees into bearing at an early age, pinch off the shoots the first of July, and again at the end of six weeks."

Soap-Suds for the Grape.

A. J. DOWNING says "I have seen an Isabella grape produce 3,000 fine clusters of well ripened fruit in a single season, by the liberal use of manure and soap-suds from the weekly wash."

The effect of soap-suds on other plants is sometimes surprising. A cypress vine, which had remained stationary a fortnight when about two inches high, immediately commenced growing after

a good watering with soap-suds, and grow about 6 inches the first five days. The peach is much benefited by soap-suds.

Peaches and the Curculio.

The following extracts from a letter of a distinguished amateur cultivator, present some interesting facts, relative to the liability of different peaches to the attacks of the curculio:—

Serrate Early York—"This is the best peach of its season, ripening with me, 3 to 5 days after the *Early Tillotson*—it is not quite so rich a peach as the *Tillotson*, but more hardy—a good bearer, and what is better than all, the curculio does not touch it—while they will, literally, eat up the *Tillotson*, stone and all!"

Large Early York—"The very best, out of 25 kinds, that I have growing—the tree is hardy, a fine grower, a great bearer, and the fruit is exempt from the curculio."

"How is it, that the curculio will work at a peach quite downy, when those with smooth skins, on an adjoining tree, will not be attacked at all? The *Large Early York* is quite a smooth-skinned peach; *Hills' Chili*, standing next to it, carries as much wool as a sheep on its back—still the latter suffers dreadfully from their attacks, while the former is not touched at all." D. T. MOSELEY. *Skaneateles, N. Y., April, 1850*

The Tree Box—(*Buxus sempervirens*.)

This beautiful evergreen is quite hardy at this place—one and a half miles east of the Cayuga Lake—though I should be apprehensive of injury, where the thermometer at any time in winter, indicated twelve or fifteen degrees below zero. I have one about 8 feet high, and very bushy. One spring, the leaves on shoots of the last year, had assumed a yellowish cast, but they soon recovered their color, and there is not a dead twig on the whole tree.

Loudon in his Encyclopædia of Plants, enumerates three species of *Buxus*, all natives of the Eastern world. Speaking of *this* kind, he says, it is a native of most parts of Europe from Britain southwards, and is very abundant in different parts of France and Switzerland. It abounds in many countries of Asia, as about Mount Caucasus, in Persia, China, and *America*." The last name however, is probably a slip of the pen, as it is not known to be indigenous to this continent.

The box grows well under the shade and drip of trees. Like the Yew, it bears clipping; and sometimes it is made to assume very fanciful forms. Such objects as novelties indeed, may interest us for the moment, but a correct taste will be more charmed with the wild luxuriance of nature. D. T. Greatfield, near Aurora, N. Y., 4mo., 1850.

Scions for Budding.

The wood of rose cuttings should be *well matured*, especially if they are to be sent great distances by Express, or to be kept some days before using. When detained on the way—and small parcels are sometimes overlooked—the most succulent, or least ripened wood, always suffers the most. Two years ago, I had 56 kinds of rose cuttings sent me from Virginia; but they were kept back by some unworthy agent, longer than the time required from Liverpool to New-York, and every one perished, though the most succulent were the most decayed. Except where the buds are set with very little delay, *no scis*.

on less mature than a twig that has flowered, should be chosen. D. T.

Leaf-blight in the Plum.

Accident often teaches valuable lessons to the observing. The following interesting fact is mentioned by F. K. PHOENIX, in the *Prairie Farmer*:—"I called on Mr. Truesdell of Elgin. The leaf-blight had troubled the plum trees last year for the first time. On one spot he showed me, they seemed wonderfully vigorous and healthy, while all about them were more or less stunted with the blight. On inquiry I learned that in that place there was formerly a cellar which had been filled up, and in the great depth of the soil, the roots had sustained themselves against the blight."

Expeditious Budding.

The same writer says, "The Messrs. Overmans (of Canton, Ill.) are the greatest "live" budders I ever saw, or I may say, ever heard of,—the two brothers having set, as I learned, 3250 buds in one day! The buds and stocks, however, were previously prepared." This was very good work, but there is a "live budder" now in Western New-York, who set about half that number, or equal to one of those individuals, in a day, and prepared his own buds; and yet, budding must be a great deal easier in Central Illinois where trees grow so rapidly, than here, for our friend Phoenix says in the same article, "With apple trees it did not seem as if a bud could fail,—no matter whether the stocks were large or small, or the work nicely or coarsely done. In fact, after investigating the matter pretty closely, I became almost satisfied that it was enough barely to strip off a bud and fling it at a stock, to have it take!"

As a proof of the wonderful rapidity of the growth of apple trees in that region, it is stated that a very irregularly planted orchard was observed on one nurseryman's grounds, and on inquiring the cause why they were planted in such disorder, it appeared that these trees were what they called *culls*, which were to be cleared off a year or two before, but had been neglected by the owner. Thus left, they had actually run away from him, having become orchard trees! Buds too, will make a good growth the same season they are set. No wonder that nurserymen there can afford to sell all kinds of trees at six cents a-piece, as we have seen advertised.

The Peach Worm.

Our readers will bear in mind, we hope, that all peach trees suffering from attacks of the peach worm, should be thoroughly examined and cleared of these intruders, before the end of the present month. The exudation of gum at the surface of the ground, mixed with the pulverised bark, is a sure indication of their presence. The mode of dislodging them is well described by a certain distinguished horticulturist in Downing's Magazine, under the incog. of "OLD DIGGER"—

"You can do this good turn for a peach tree in five minutes, by lifting the soil around it two or three inches deep, laying bare the stem just between wind and water, as the old sailors say. If all looks clean and smooth there, very well; replace the soil again. If, on the other hand, you see gum, then look out for the enemy. Scratch a moment with your knife where the gum oozes out, and you will get on his trail; cut into the bark till you find him—

in the shape of a white grub, three-quarters of an inch long—and when found, 'make no note of it,' but settle his accounts as rapidly as you can.

"This grub comes from an egg laid in the bark, in summer, by the winged insect. Unless the creature is wonderfully abundant, it contents itself with looking about for the tender bark at the surface of the ground. On this account, it is a good plan to outwit the rascal by heaping up a little cone or pile of wood ashes, tan or sand, say six inches high, around the trunk. The sole object of this is to guard the soft place in the bark at the neck of the tree. On this account you must clear away the pile every fall, so as to let the bark harden again. If you do not, but keep it there winter and summer, you will find that it does no more good than blowing against the wind—for the very plain reason that the bark becomes tender at the top of the pile, instead of the surface of the ground, as before."

The same eminent writer gives us the results of an experiment in treating these little fellows with hot water; which however, for general use, will not be found quite so convenient for the worm, as the knife:—

"I have satisfied myself by experiment, (though I am sorry I have not yet had time to get up the theory,) that a good dose of hot water is a means of bringing-to many a peach tree just about giving up the ghost. It seems to rouse the vital powers; and if there is life enough left, a good scalding at the neck seems to produce a reaction that is at times quite wonderful.

"Three years ago I had two trees, a peach and a favorite apricot, that had been failing for a couple of seasons—often thought before that very serviceable trees. They had been rather badly treated by the worm, to be sure, but that had been attended to in time, and the roots appeared to be in very fair condition. Still, the trees dwindled, looked sickly, and bore little or no fruit. As a desperate remedy, I resolved on a trial of hot water. I removed the soil directly round the neck of the tree, making a basin three inches deep and twenty inches across. Into this I poured twelve gallons of boiling water.


"To my great satisfaction the trees, instead of dying, immediately pushed out vigorous shoots, took a healthy appearance, and made a fine growth of wood, and have since borne two crops of delicious fruit. I experimented last year, again, with equal success, and now am ready, like old Dr. SANGRADO, to prescribe hot water in all desperate cases."

PROFITS OF HIGH CULTURE.—At one of the Boston Agricultural Meetings, George Pierce, of West Cambridge "advocated the high culture of fruit trees, and raising no crops among them after they were large. From four apple trees which he set in 1839, he gathered last year, (10 years) twenty-nine barrels of choice fruit, twenty barrels of which sold for \$100. He sold \$997 worth of fruit, the past season, from eight acres of land."

GARDENS IN FRANCE.—A writer in the *Revue Horticole* says there are 600,000 hectares (over 1,000,000 acres) of gardens and orchards in France, giving employment to about 2,500,000 persons. A very large proportion of these are undoubtedly market gardens.

☞ What maintains one vice will bring up two children.

The master's eyes will do more work than both his hands.



VILLA IN THE TUDOR STYLE.

Rural Architecture.

Design for a Villa.

The accompanying designs were originally furnished for the *Horticulturist*, by Mr. G. WHEELER, architect, Hartford, Ct., and from his explanation of the plan, we take the following:

This design is that of a country residence, suited to the demands of a family of taste and wealth, and is made in the Tudor Gothic style of architecture, adapted to the wants of the present day.

A kitchen, large staircase and entrance halls, pantry, &c., and back staircase, complete the accommodations on this floor.

Entrance is gained to the house by means of an angular porch, consisting of a single pillar, from which spring two arches, stopping against the wall of the house, and resting on corbels on either side of the spacious entrance doorway. This porch might, if desired, be made very much larger, so as to admit of a carriage driving through, and permitting visitors to enter under cover.


Over the library and kitchen is a large room, which it is intended, in the present instance, should be used either as a private chapel or large library; but if such an arrangement is not desirable, the room could be divided into three chambers, or otherwise distributed as may be required. The boudoir forms the lower story of a species of tower, which is carried above the roof.

The large angular bay of the drawing-room is also extended to the room over, which room would thus make a very spacious and desirable chamber.

The style of the house is one that would be peculiarly adapted to those localities where the scenery was rather sylvan than wild, and on an undulating lawn, stretching away to a broad river or lake, and backed by tree clad hills, would look very well.

The material might either be entirely stone, or brick with stone dressings; the latter being a frequent and very appropriate manner of building in this style.

The windows should be glazed in a manner accordant with the spirit of the design, and the interior of the rooms protected from the heat of the sun by inside shutter blinds, made to slide into the walls, whilst there might be in the drawing and dining-rooms, sliding doors, glazed or otherwise, which could be made to entirely shut off the bays, either to contract the size of the rooms in cold weather, or to shade the rooms from the sun in the middle of the day during the summer.



Principal Floor.

The disposition of the plan provides for a large dining and drawing-room, which communicate with each other, and also, by means of glass doors in the side of the rooms, with a conservatory or plant cabinet; an arrangement which would be found very beautiful in effect, and convenient for many purposes.

There is next to the drawing-room, and communicating with it, a boudoir, or ladies' room; and the dining, drawing, and this latter room opening *en suite*; the space capable of being thrown open, on occasion of company, would be found very liberal. Next to the boudoir is the library, a large well lighted, and handsome room. All of these rooms, with the exception of the library, are fourteen feet high, and large in proportion.



The Reviewer.

Poultry and Poultry Books.

DOMESTIC FOWL: Their Natural History, Breeding, Rearing, Feeding, and General Management; by H. D. RICHARDSON. Third edition. Dublin, 1849.

THE AMERICAN FOWL-BREEDER: Containing full information on Breeding, Rearing and Management of Poultry; also instructions concerning the choice of Pure Stock, Crossing, Caponising, &c., with engravings; by an ASSOCIATION OF PRACTICAL BREEDERS. Boston, 1850.

THE NEW-ENGLAND POULTRY BREEDER: Being a brief History of Domestic Fowls, and containing full directions for their Rearing and Management; illustrated with twenty-five correct Engravings; by a PRACTICAL POULTERER. Boston, 1850.

EDS. CULTIVATOR—The rearing and management of poultry, is a business of more importance, in a commercial view, than would be supposed without particular examination. According to the census of 1840, the value of poultry in the United States, was \$12,176,170. The amount of sales of poultry in the city of Boston, for 1848, is computed at one million of dollars. The annual sales in the city of New-York, probably amount to a still larger sum, and those of other cities and towns to equal sums in proportion to their population. The statistical returns of various European countries, represent the interest as possessing a corresponding value there.

I do not imagine, however, that the great interest which has lately been manifested in the rearing of poultry, has arisen wholly from a sudden perception of its relative consequence among the productions of the country, or from an impression that the pursuit of the business is generally attended with extraordinary profits. Whatever may have been the influence of these ideas, I am inclined to think that the desire of obtaining new or rare varieties—either on account of their supposed superiority, or their novelty—has been a greater cause of the attention now devoted to the subject. Hence, a leading motive in the publication of most of the new works on poultry, has been to describe varieties represented to have been hitherto uncommon.

In treatises on animals, it is obviously proper that the peculiar characteristics of species and varieties

should be given; but they should be given with correctness, and in their classification, each should be placed in its appropriate position. It is to be regretted that some of the descriptions contained in the works referred to, are calculated to propagate error and create confusion, and that they betray an ignorance or disregard of the most important principles in which the subject is involved.

I do not propose to enter into a detailed criticism of all the poultry books which have lately been issued, but with your permission, will notice some portion of the contents of those under the above titles, and on another occasion, may ask space for noticing others.

Mr. Richardson's book, has not, probably, had a very large circulation in this country; but as it has been frequently referred to as authority by other writers, and has constituted the main body of at least one of the late American poultry books, it deserves some notice here.

Mr. R. arranges the breeds of domestic fowls under twenty-five different heads. He begins with the Malay—a stock which derives its name from having been brought from Malay, or Malacca, the southern peninsula of Asia, of which, and the neighboring region, it is undoubtedly a native. The second variety is the "Java fowl." This name, however, the author thinks is wrongly applied, and regards the variety as a "cross between the Malay and Dorking or Spanish fowl."

That different breeds of fowls have been brought from the island of Java, is a well known fact, but I have seen none that indicate any such "cross" as is here spoken of, though there are various home-bred mongrels under the name of Javas. But the large fowl generally known here as *the Java fowl* is evidently but a branch of the Malay. Hence Martin—decidedly the most systematic and intelligent writer I have met with on this subject—describes the Great Malay, Cochin Chinese, or Kulm Fowl, (*Gallus giganteus*), as "a native of Java, Sumatra, and perhaps the Malay peninsula."*

* Poultry: by W. C. L. Martin, late one of the officers of the Zoological Society of London. 1848.

Having put down the Malay and Java as the two first varieties, Mr. Richardson goes on with the Shakebag as the third, the Spanish as the fourth, the Columbian as the fifth, the Dorking as the sixth, the Spangled Hamburg as the seventh, the Polish as the eighth, the Dutch Every-day-layer as the ninth, the Barbary fowl as the tenth, and the *Cochin-China* as the eleventh variety.

The consistency of an arrangement which thus places the *Cochin-China* fowl the *tenth* remove from the Malay, is not easily perceived. Aside from the hyperbole of his own account, it is obvious that there is no material distinction between them. Mr. Richardson claims to draw his description of the *Cochin China* fowl, from specimens in Her Majesty Queen Victoria's aviary. Mr. Martin, speaking of the same fowls, says he is aware that "some regard these as distinct from the *Gallus giganteus*, but we look upon them as a mere domestic variety of the Malay gigantic fowl."

But Mr. Richardson has doubtless heard the adage that "the king's chaff is better than other men's corn." He says—"This variety of fowl [the *Cochin-China*] so far surpasses both in size and power, all that we have yet seen in the shape of poultry (!) as to have led many persons not conversant with zoology, on first viewing them, to refer them to the family of Bustards." But notwithstanding their wonderful size and other characteristics, he admits that they are "genuine poultry." One of the most "striking" of the "distinctive" traits which he represents as belonging to these fowls, is a peculiar structure of the wing, "so that the posterior half can, at pleasure, be doubled up and brought forward between the anterior half and the body. The birds," he continues, "can do this at pleasure, and the appearance the manœuvre imparts to their form, has procured for them the title of 'ostrich fowl.'"

Many persons will recollect that the "title of ostrich fowl," was given to various specimens of the Malay, long before the introduction of the Queen's fowls; and those who have kept them know that the doubling of the wing, which Mr. Richardson magnifies into a strange anatomical peculiarity of the *Cochin-Chinas*, belongs, more or less, to the whole tribe. There is no mystery about it. The chicks are often thinly feathered, and in many instances remain quite naked until several months old. The feathers of the tail and wings are shorter than in ordinary fowls—in some individuals, indeed, are scarcely developed at all—and the whole plumage has a more downy character. From the absence of the wing-braces, or pinion feathers, there is nothing to prevent the close folding of the limb, as in newly hatched birds.

But the fecundity of the Queen's *Cochin-China* fowls, according to Mr. Richardson, is still more astonishing than their size and the structure of their wings. He says—"They are very prolific, frequently laying two, and occasionally THREE eggs on the same day, and within a few moments of each other!" Verily, this is only equalled by "Old Grimes' hen," which is poetically described—(I cannot relate the story in verse)—as having laid two eggs every day, and three on Sunday.

But Mr. Richardson's encomiums of the Queen's *Cochin-China* fowls do not end here. In a communication on the varieties of fowls suited to the farm, published in the *Irish Agricultural and Industrial Journal*, 1848, after having described the principal qualities of these fowls, in language similar to that I have quoted from his book, he thus extols their prowess: "The cock is game to the last degree, ca-

pable of killing the most powerful game-cock in a few moments!" How *crest-fallen* must be the amateur breeders of the hitherto invincible game cock at this announcement! Why have we not already heard that the Earl of Derby has disposed of his aristocratic stock of game fowls, which he and his ancestors for several generations, have bred with such scrupulous care, and substituted in their place these valorous *Cochin-Chinas*? But Mr. Richardson is probably the only breeder who has discovered the superiority of these fowls as a fighting stock.

In describing the Bantam fowl, Mr. Richardson gives the specimens of the breed "kept by her Majesty, at the Home Park," a prominent place. He tells us that "they possess some peculiar traits of habit and disposition that we cannot overlook." The cocks possess the "strange propensity" of sucking the eggs laid by the hen, and their impulse to gratify this appetite is represented as so strong, that they will not only drive the hen from her nest to obtain the eggs, but "have even been known to attack her, tear open the ovarium, and devour the shell-less contents." But by the ingenuity of Her Majesty's keeper, this habit was finally broken up. He gave the cocks a marble egg to "fight with," preventing, at the same time, their access to the hens and to real eggs. This so thoroughly cured them in the course of a few weeks, that they made no further attempt at the "destruction either of the hen or of the actually laid egg."

But these Bantams exhibit another "strange propensity,"—"a passion for sucking each other's blood." They pulled out each other's feathers, and sometimes pecked each other naked. But the keeper overcame this propensity likewise. "That person observing that the birds were subject to great heat of the skin, and that its surface occasionally became hard and tightened, conceived that in such cases the hard roots of the feathers being drawn into a position more nearly at right angles with the body than at ordinary times, the skin and superficial muscles were thus subjected to an unusual degree of painful irritation; and it immediately occurred to him, that the disagreeable heat in question was simply a provision of nature for the relief of the suffering birds." He was, however, induced to make some application to the skin of the fowls—such as anointing with "pomatum," &c., and their plumage remained afterwards untouched.

Now in what is here described, as remarkable and peculiar propensities of these Bantams, is anything more discernable than is often noticed in ordinary fowls? Almost every one knows that when fowls are confined to small enclosures, (and sometimes when running at large,) they are liable to contract the habit of pulling out and swallowing each other's feathers. Generally one or two individuals of the flock, are made the special victims for the gratification of the morbid appetites of the others. Sometimes the fowls which are "pecked upon" are almost entirely denuded of feathers; but more frequently the plucking is confined to particular parts of the body—as the breast, or abdomen—and the habit is occasionally so inveterate, that the fowls do not stop with drawing the feathers merely, but break the skin, and tear out the crop, or the entrails. Should the ovarium in such cases, be torn out, it is very probable that its "shell-less contents" would be devoured.

When this feather-eating habit first makes its appearance in the poultry-yard, the mischief is often done by one or two of the flock. These should at once be sought out, and if they possess no special or extraordinary value, it is best to dispose of them

at once; or if this is not done, to confine them in separate places till they forget the habit. In this way, the trouble, if taken in time, may be easily got rid of, but if allowed to run on, it is difficult of eradication. As to medical treatment—"pomatum" is sometimes used to promote the growth of *hair* on *coombs*, and it might have a similar effect on *cock's feathers*. If any substance disagreeable to the taste of fowls were mixed with it, it might tend to preserve the subjects to which it was applied, from further molestation; but it is probable that *grease*, "by any other name," would do as well.

The "*American Fowl Breeder*" takes its illustrations and descriptions of varieties chiefly from Richardson, though it occasionally puts forth an idea not found in the original. It speaks of "the Java fowl" as if there were but one variety belonging to Java, and this, it says "resembles the Malay in shape," and also in "its character and qualities," but which is "supposed to be a cross of the Malay and the Dorking or Spanish breeds." This *supposition*, the authors of course derive from their prototype, as has been shown above; but another hypothesis is added, viz., "it is generally supposed that from this variety, the English game cock originated." In other words, the English game fowl originated with a variety resembling the Malay "in character and qualities," and *that* variety originated in a "cross between the Malay and Dorking or Spanish breeds!" Tell such stories to the marines—who else will believe them?

The Cochinchina fowl is described as a "*species*" which has been "very recently introduced into England," as a present to Queen Victoria. Following Richardson, it is said—"This fowl surpasses, both in size and power, all known descriptions of poultry," being "nearly allied to the Bustards." Whether geese, turkeys, &c., are considered "poultry," does not appear. The phenomenon of the hens laying three eggs a day, "and within a few moments of each other," is told in Richardson's language, though not credited.

To the Bantam fowl, the same strange propensities are attributed as mentioned by Richardson, and the description, with no intimation of its being copied, is given mostly in his language. We have the same story of their thirst for each other's blood, of their hankering after eggs, even while in the body of the hen—and the same account of the "marble egg," and other means resorted to for curing the habit, with the additional prescription, by way of *improvement*, of washing the fowls "with hot water" to "allay the irritation." If the water were sufficiently heated, it would undoubtedly produce this effect.

The "*New-England Poultry Breeder*," may, perhaps, be said to be a more *independent* work than some of its cotemporaries, though it can have but trifling claims to be considered a systematic (much less scientific) treatise. This "Practical Poulterer," as he styles himself, begins his enumeration of breeds, with the "Chittagong fowl," a "magnificent bird," he says, and of which he pretends to give a description from Richardson, and applies to it, verbatim, that writer's description of the Malay, adding that "a *species* [I make the italics] of this fowl is frequently called the 'Great Malay.'" Now the *fact* is, that Richardson, after having described the Malay, says—"This fowl is also frequently called the *Chittagong*." Many writers, as Mowbray, Dickson, and others, very properly use the terms Malay and Chittagong as synonymous—and they are usually applied to the same fowl. But the "Practical Poulterer" then goes

on with the "*Grey Chittagong*," as the second breed. Then passing to the Cochinchina, the Shanghai, the "Plymouth Rock fowl," the Dorking, the Spanish, the Bolton Grey, the Black Poland, the Game, and the Bantam, he at length comes to what he calls the "Common Malay fowl." This variety he represents by a copy of the engraving of the hen given by Richardson as a representation of the Malay, and from the description of which, this "Practical Poulterer" takes the description of his Chittagong!

Of the Cochinchina fowl, Richardson's description is first given, to which is added an account of some of this "*species*," as they are called, imported by G. P. Burnham, of Roxbury, Mass. His next variety is the "Shanghai fowl." These and the Cochinchinas, it is said, are often confounded. And why should they not be? This writer himself says—"That the Cochinchina and the Shanghai fowl originate from the same country and stock, we have no question. They are very like each other, generally—and all the best specimens we have yet seen in America, resemble each other strongly." Yet he pretends to make a characteristic distinction between them, and that distinction is, merely, that the Cochinchinas are not feathered on the legs, and the Shanghaes are.

The humbuggery of this notion is apparent to every one who has had much experience with fowls of the Malay tribe, (*Gallus giganteus*)—whether under the name of Malay, Chittagong, Java, Cochinchina, China, Shanghai, &c.—all of which, especially when first brought from their native country, have more or less tendency to be feathered on the legs. Even those *brag* specimens of the Malay which this "Practical Poulterer" calls the "Grey Chittagong" are thus feathered. They are so represented in the cuts and so described. "The pullet," it is said, "is rather heavily feathered on the legs, the cockerel shows but few feathers below the thigh." The trait is generally less conspicuous after the fowls have been bred for several generations in Europe or in this country. This may result partly from acclimation, and partly from the general selection of such specimens for breeding as are most free from feathers on the legs—they being commonly regarded as a blemish.

There are various other things in these books which it might be well to notice, if sufficient space could with propriety be allowed in your pages; but the length to which these remarks have already been extended, obliges me to close. OBSERVER.

The Veterinary Department.

Inflammation of the Lungs in Horses.

The transportation of live-stock by railroads, has been latterly much adopted on the principal lines in this country. It is, in many cases, cheaper to convey animals in this way, besides avoiding the great loss of weight which takes place, especially in fat animals, when they are obliged to travel to market. The present season, many horses destined for sale in New-York and Boston, have been brought to Albany by Railroad from Western New-York. On reaching Albany, it has been common for them to tarry several days, in order to recruit and appear in the market in the best possible condition. Many of these horses, while stopping here, have been attacked with inflammation of the lungs, which in several cases has terminated fatally. The disease has sometimes been so violent and rapid in its prog-
ss

that death has ensued within twenty-four hours. We are informed that the frequent occurrence of this disease in horses brought by railroad, has been a discouragement to that mode of conveyance. Without pretending to a particular knowledge of the circumstances, we will venture to suggest that the primary cause of the disease is the confinement of the animals in a heated and vitiated atmosphere in the cars. Their sudden transfer to the open air, or to an atmosphere of much lower temperature, produces the effect so well described by Youatt. "The discharge from the skin is at once arrested, and the revulsion, or pernicious effect of the sudden stoppage of a natural evacuation, falls on the lungs, too much weakened and disposed to inflammation by heated air and poisonous fumes." The first difficulty is probably accelerated in many instances by overfeeding, and want of exercise.

As a prevention of the disease, the better accommodation of the horses in their railroad transit, should be the first object. The next should be to feed moderately, using constant care in regard to the protection of the animal from the effects of changes of temperature, giving daily exercise, with good grooming. Should the evacuations from the bowels indicate constipation, the administration of simple cathartics will be safe. A dose of Epsom or Glauber's salts—half a pound to a pound, according to the symptoms—may be given. But in a disease of so important a character, it will be safest, when it makes its appearance, to entrust the animal to the care of a skillful veterinarian.

Ringbone.

EDS. CULTIVATOR—In a preceding number of *The Cultivator*, I discover a number of communications on the subject of ringbone in horses. I have been in the habit for the last fifteen years, of operating on horses for this complaint, which has caused me to notice what kind of horses are most afflicted with it, and I find those that are the longest jointed are the most numerous subjects. Seldom do I see one on a French horse, and never, with but one exception, on a mule. Hence the careful necessity of attending to this particular point in breeding.

The causes of ringbone are numerous; such as standing on a hard floor, running in the pasture, leaping fences, and in horses of mature age, being put to heavy loads, &c., &c. These causes produce a leakage, and the sinova, or juice of the fetlock joint issues into a bladder or spongy substance at the back part of this joint, and it is from thence conveyed by two conductors down on each side nearly to the edge of the hoof, where it becomes ossified and gradually increases until it forms what is very justly called a ringbone.

I extract this spongy substance, or bladder, taking particular care at the same time to cut the conveyors off—thus stopping the escape of the sinova.

In answer to "W." in your March number, as it respects all operations not being equally as successful, I know of no reason why they should not be, provided they were skillfully done. I know of no cases where I have operated, but what have proved equally successful under similar or like circumstances. Where the complaint has been of long standing, and as a natural consequence, the hoof has become much contracted, of course the lameness will not be cured until the hoof arrives at its natural state. If the complaint occurs in a colt, and the operation is performed as soon as the bunches are perceptible, he never will be lame at all.

But I have known many instances where the ope-

ration did no good at all, and what is still worse, entirely ruined the animal. Hence the necessity of the operation being performed by one skilled in the art. I know much prejudice exists against this mode of treating the ringbone; but I know it will effect a cure if performed rightly, as many instances attest the fact. S. G. CONE. *Unadilla, March 15, 1850.*

The Farmer's Note-Book.

Jersey or Alderney Cattle.

EDS. CULTIVATOR—In your May number you say you are not aware that any person has imported the "Improved" Alderney cow, from Jersey. Col. Le Couteur, last year, did me the favor to select for me one of the best and highest grades of the pure Alderney breed. She certainly is a fine cow, and I would not sell her for two hundred dollars. I have also the pure Alderney stock, imported by my late friend N. Biddle, at a cost of two hundred dollars a head. My four year old bull I consider perfect. I have also, three of the pure Alderneys imported by Dr. Physick, of Germantown, with which I am as much pleased as with any of my stock, and presume I have as large a herd of Alderneys as any man in the country; and this I am satisfied with—that any one who can keep one cow, and wants good milk for the use of his family, ought to have an Alderney. R. L. COLT. *Paterson, N. J.*

We are glad to hear that Mr. COLT has introduced a cow of the improved Jersey or Alderney variety. We think it will prove a valuable dairy stock. At a meeting of the Council of the Royal Agricultural Society, in April last, Col. Le Couteur made some observations on these cattle, which are worthy of attention. He referred to the scale of points (see last No. of this paper,) for deciding the relative merits of animals. He said the system had worked well, and that during ten years he had been secretary to the Jersey Society, he had never known a case of absolute dissatisfaction. In reference to characteristics, he remarked that "the cows which had the inside of the ear tinged with a deep yellow color were invariably found to yield butter of a rich orange color, while those with ears of a lighter tint furnished butter of a correspondingly inferior quality, and of a paler hue. In the finest stock, too, the eye of the cow was soft and placid, while that of the bull was lively and full of fire. The 'action' of Jersey cattle also indicated not only their muscular power and their mode of employing it, but that general conformation and adaptation of parts which constituted excellence: a finely bred Jersey animal, Col. Le Couteur remarked, ought to walk off the ground like a race-horse."

In reference to the term Alderney, which has been applied to the cattle of the Channel Islands, he said the island of Alderney had belonged to his great-grandfather, who introduced into it great numbers of the Jersey cattle, but which, from the inferiority of the pasturage, soon deteriorated, and at the present time there was scarcely an animal in Alderney that he would think worth purchasing. He said many animals were passed off as of the true Jersey breed, such as those from Normandy and Brittany, some of which were of a black and black and white color, and very inferior to the genuine Jersey stock. The best cows of this breed, in the flush of feed in May and June, had given sixteen pounds of butter a week.

Mental Culture.

EDS. CULTIVATOR—Time has been, when it was thought that mental cultivation in a farmer, would unfit him for the humble toils of husbandry; when it was thought unnecessary for *him* to cultivate those faculties, which alone distinguish him from the brute. And I blush for human nature, when I find many in the *present* age, who believe that intelligence is detrimental to the interests of the farmer! But, thank Heaven! I believe that these relics of a barbarous age—these mists, which during the long night of ignorance, have gathered about the human mind,—will vanish before the flood of light which is dawning upon mankind. Then will our hardy yeomanry appreciate their own strength; and then, but not till then, will others award them the respect which is their due.

Man, without mind, is lower in the scale of existence than any being which has animal life. Brutes are endowed by nature with instinct; which reason in man, renders unnecessary. But when man is destitute of reason—when the fire of intellect becomes extinct—*then* we can see how much the mind has to do in forming the man! But still there are thousands who *practically* say that mind is not necessary. Oh, what absurdity! As though there were nothing to be attained, nothing worth striving for, save a mere animal existence; to eat, sleep, then die and be forgotten.

The pleasure arising from the cultivation of our mental powers, would alone be a sufficient recompense for all our study and toil. Every faculty of our nature, when exercised in its legitimate sphere, is in itself, an inexhaustible source of enjoyment. Hence the greater the number of faculties called into action, the greater will be our means of enjoyment; hence those who cultivate only the physical powers, leaving the mind in a state of inactivity, will reap but a small portion of the happiness which they might have enjoyed, had they understood and followed the teachings of nature. And further, as every organ is strengthened by exercise, and as the pleasure derived from the action of any faculty depends upon its strength, and the facility with which it acts, so the more we cultivate our minds, the greater will be the happiness derived therefrom; and as the more we accomplish the more difficulties we overcome, the greater will be our strength; and still higher flights toward realms which science has not yet explored.

Considered in a moral point of view, the neglect of mental culture cannot appear otherwise than as the basest ingratitude. Few would treat with indifference the favors of a friend, yet how many treat the mind—the greatest gift of God, as though its only use were to minister to our animal passions! The fact that God has bestowed these faculties upon us, is a sufficient proof of our duty to cultivate them.

But the greatest complaint among farmers is, that they have no time to study. But what is the reason? Why cannot the farmer find time for mental improvement, as well as the mechanic? Alas! I fear that the chief reason will be found in the fact that it is not considered necessary; yes—knowledge is considered useless in those who form the foundation of civilized society! As well might we expect to rear a durable structure upon a foundation of *sand*, as to expect the fabric of society to rest securely upon the rotten foundation of ignorance. If knowledge is not necessary to the farmer, then cer-

tainly those who do nothing but consume the fruits of his toil, do not need it.

But a brighter day is dawning upon the human mind. The time will soon come when the farmer will possess and be content with

"An elegant, sufficiency, content,
Retirement, rural quiet, friendship, books,
Ease and alternate labor, useful life,
Progressive virtue and approving Heaven."

May Heaven speed the day when the light of truth shall illumine every mind with its heavenly radiance! SYLVANUS. *East Weare, N. H.*

Shrinkage of Corn.

EDS. CULTIVATOR—Knowing that a great difference of opinion exists among farmers as to the loss of corn by shrinkage or drying, from the time it is cribbed in the fall, till spring,—say the latter part of March, I determined to satisfy myself on this point,—at least so far as a single experiment could determine.

On the 23d of November last, the day on which we finished husking, I measured two bushels of ears in a standard bushel, as accurately as I could. I then weighed each bushel, and found the weights 43½ lbs. and 44 lbs, respectively. The number of ears, 58 in one and 60 in the other. I had one parcel shelled, and got 33½ lbs. by weight, and half a bushel and half a peck by measure, and 10 lbs. of cobs. The corn was spread in a dry airy place, where it remained till a few days since, when it had lost just half a peck, or 20 per cent. by measure, and a fraction over 3 lbs. or 10 per cent. in weight.

This shows a difference of 10 per cent. between the loss by weight and measure. How is this difference to be accounted for? Is it owing to the minute division of the water in the corn, that while we find a loss in weight that should occupy a space less than three pints, there is an actual loss of eight pints in bulk? The cobs of this parcel were accidentally destroyed; so that I was prevented from ascertaining the loss on the cob.

The other bushel of ears was kept in a dry, airy place, and shelled a few days ago, and gave just half a bushel of corn, weighing thirty and a quarter pounds. The cobs of this parcel, weighed seven and a quarter pounds.

These are the facts, as gathered from my small experiment. The corn was a variety of the white, between the Gourd-seed and Flint—a mixed variety having from ten to twenty-six rows. The corn was in good condition for housing, at the time we finished husking. N. W. McCORMICK. *Independence, Cecil Co., Md., March 25, 1850.*

How is it?

EDS. CULTIVATOR—If I read them right, some agricultural chemists maintain that manures are valuable as they contain nitrogen; others say their greatest value depends on their phosphates. Prof. NORTON, in his article on "Neglected Manures," Cult. for March, says the value of bones depends upon both these substances. A question or two, if you please. Many farmers, perhaps the majority, in winter and spring throw the manure from their stables and cattle hovels 'out doors,' and leave it exposed to 'rain and shine,' till wanted for use. Now how is such manure injured the most;—by the escape of the ammonia into the air, or by the washing out of the phosphates and liquid parts, by the rain? It is generally known that manure is best to be kept under cover, but *why* it is so, is not so generally understood. But when kept under cover, care

must be taken, or it will heat and drive off the ammonia. What effect does this have on the value of the manure? A correspondent of *The Cultivator*, May, 1849, p. 139, says a neighbor of his spread his green manure over his yard that it might lay through the summer and mull. After becoming thoroughly mulled, would it be worth more than 20 per cent? Cannot some one enlighten the unscientific on this subject? W. L. EATON.

Stump Machines.

Agreeably to the request of a correspondent, we herewith give cuts and descriptions of two stump machines. Fig. 1 represents one that has been used extensively in Vermont and the northern part of this State. It may be made by any farmer, and can be operated with a good degree of efficiency and dispatch. The cost of the apparatus is about \$100. It is said to have been invented by two brothers by the name of Manchester, of Burlington, Vt., in 1828. It is described as follows:




Fig. 1.

"It is simply the wheel and axle on a large scale. The uprights should be 11 feet high, 10 by 12 inches square, of hard wood. The sills 7 by 9 inches square, 14 feet long and turned up at the ends, sled runner fashion, to enable it to slide easily on the ground. Let the posts be firmly morticed into the sills, and well braced. The axle or shaft, should be white oak, ash, or maple; 18 inches in diameter, with the gudgeons 8 inches. It should be 20 feet long, and 2 pins should be driven into it, outside the posts, to keep them together. The wheel should be about 18 feet in diameter, with 8 spokes; 4 of which should go through the axle, and the other 4 set as deep as possible into the shaft without cutting away too much wood, for fear of weakening it. The spokes are to be white oak plank, 8 by 3 inches square. Let the felloes be sawed out of 4 inch plank, and planked by two courses of inch boards on the two sides, in such a manner as to "break joints," (as the phrase is,) with the first set; thus, and at the same time, to form a groove to keep the rope from slipping off. Then get two strong chains made of $1\frac{1}{4}$ inch iron, and 12 feet long each. Fasten one end of each by a strong staple to the axle, and on the other end of one have a hook, on the other a large link or ring. Then fasten one end of a $1\frac{1}{2}$ inch rope on the wheel, give it two or three turns around it, and your machine is complete. Now bring your two yoke of cattle, and one assistant; hitch them to the staples, (which should be in each end of each sill,) and drive where you like. Dig a hole under the main root of the stump, (on one side if possible,) and pass your chain under it. Hitch

your cattle to the end of the rope, and they will draw any stump that ever grew in the ground."

Fig. 2 represents a very powerful stump machine, invented by R. HALL, of Owego, N. Y., which received the premium and silver medal of the New-York State Agricultural Society in 1846. The following extract from a description written by GEO. J. PUMPELLY, Esq., of Owego, will give a good idea of its operation.




Fig. 2.

"The machine requires three men and a boy, with a small horse to work it to advantage. Its cost, with all the chains, levers, &c., is from \$300 to \$400.

"Upon some of our best lands in the southern counties, the Stump Machine must precede all agricultural implements but the axe. The expense is considerable, being from 15 to 25 cents per stump, but the ground is thereby thoroughly cleaned to any depth. The stumps are either made into fence or burnt; the plow and harrow do their work, the seed is sown, and the effect is like magic; the unsightly stumps are gone, and the whole field is like a garden.

"There are four or five different kinds of stump machines now in use in this county, and some of them work very well; but Hall's is the most powerful, most convenient in the application of power, and is least likely to get out of repair."

Exhibition of Works of Industry of all Nations in 1851.

The Commissioners having in charge the arrangements and management of this grand exhibition, have fixed on the first day of May, 1851, for its opening. They will be prepared to receive all articles intended for exhibition, at some place in London, to be hereafter named, on and after the first of January, 1851, and goods will be received till the first of March, after which none will be received. In the plan of the exhibition, the articles to be offered for prizes, are comprised under four general divisions, and the principles on which the prizes will be awarded, will be understood from the following extracts from a circular issued by the Commissioners:

"In the department of RAW MATERIALS AND PRODUCE, prizes will be awarded upon a consideration of the value and importance of the article, and the superior excellence of the particular specimens exhibited; and in the case of prepared materials, coming under this head of the Exhibition, the juries will take into account the novelty and importance of the prepared product, and the superior skill and ingenuity manifested in the process of preparation.

"In the department of MACHINERY, the prizes will be given with reference to novelty in the invention, superiority in the execution, increased efficiency, or increased economy, in the use of the article exhibited. The importance, in a social or other point of view, of the purposes to which the article is to be applied, will also be taken into consideration, as will also the amount of the difficulties overcome in bringing the invention to perfection.

"In the department of MANUFACTURES, those articles will be rewarded which fulfil in the highest degree the conditions specified in the sectional list already published, viz.:—Increased usefulness, such as permanency in dyes, improved forms and arrangements in articles of utility, &c. Superior quality, or superior skill in workmanship. New use of known materials. Use of new materials. New combinations of materials, as in metals and pottery. Beauty of design in former color, or both, with reference to utility. Cheapness, relatively to excellence of production.

"In the department of SCULPTURE, MODELS, AND THE PLASTIC ART, the rewards will have reference to the beauty and originality of the specimens exhibited, to improvements in the processes of production, to the application of art to manufactures, and, in the case of models, to the interest attaching to the subject they represent."

All articles of foreign growth or manufacture, it is stated, must come under the charge and sanction of the "Central Authority of the country of which they are the produce;" and that "it will rest with the Central Authority in each country to decide upon the merits of the several articles presented for exhibition, and to take care that those which are sent are such as will fairly represent the industry of their fellow countrymen."

The Executive Committee of the N. Y. State Ag. Society, have requested the President of the United States to designate a Commission to take charge of such articles as may be sent from the different states. Information has been given that the space on the ground of the exhibition, allotted to this country, is 80,000 square feet, one half of which will be required for alleys, and the other half will be devoted to articles for exhibition. We shall give further particulars in regard to this exhibition, when we learn the action of the Executive of the General Government in relation to it.

Culture of Millet.

The culture of millet is chiefly recommended in this country for making hay. For this purpose, it is a good substitute for clover and the ordinary grasses. When, therefore, from any cause, a sufficiency of hay is not likely to be obtained from the latter sources, millet may be advantageously resorted to. It is a plant which will grow quite well on rather thin soils, and it grows so fast, that when it is up and well set, it is seldom much affected by drouth. In this latitude, it is commonly sown in June. Half a bushel of seed to the acre, is the usual quantity, sown broadcast and harrowed in. For the finest quality of hay, it is thought advisable to sow an additional quantity of three or four quarts of seed. The ordinary yield of crops may be put at from a ton to a ton and a half of hay to the acre.

It should be cut as soon as it is out of blossom; if it stands later, the stems are liable to become too hard to make the best of hay. In curing, it is best to put it in cocks when fairly wilted, letting it remain in this situation for twelve hours, in order that it may undergo a *sweating*, which improves the hay, both by the development of its saccharine qualities, and by doing away with its stiffness and harshness, making it soft and more agreeable to the animals.

There are several varieties of millet. That known as the German, is perhaps most common in this country. It grows, ordinarily, to the height of about three feet, with compact heads from six to nine inches in length, with yellow seed. There are some sub-varieties of this, as the white and purple seeded.

The Italian millet is larger than the preceding, reaching the height of four feet, in tolerable soil, and its leaves are correspondingly larger and thicker. The heads are sometimes a foot or more in length, are less compact than the German, being composed of several spikes, slightly branching from the main stem. It is said to derive its name from being cultivated in Italy, though its native habitat is India. It is claimed by some, that this variety will yield more seed than any other, and the seed is rather larger; but the stalk is coarser, and would probably be less relished by stock.

The seed or grain of various kinds of millet has sometimes been used, when ground into meal, for bread. The seed is also used in various European countries as a substitute for sago, for which it is considered excellent. It is also a valuable food for poultry—particularly for young chickens, which, from the smallness of the grain, can eat it readily, and it appears to be wholesome for them.

If the greatest amount of seed is desired from the crop, it is best to sow it in drills two to two and a half feet apart—using a seed drill for the purpose. This admits of the use of a small harrow or cultivator between the rows, while the plants are small, which keeps out the weeds. The crop will ripen more uniformly in this way, than broadcast, which enables the farmer to cut it when there will be the least waste. The seed shatters out very easily when it is ripe, and when the crop ripens unequally, it cannot be cut without loss; because either a portion of it will be immature, or if left till it is all ripe, the seed of the earliest falls out. It should be closely watched, and cut in just about the same stage that it is proper to cut wheat—while the grain may be crushed between the fingers. It may be cut with a grain cradle, and when dry, bound and shocked like grain; but it should be threshed out as soon as practicable, on account of its being usually much attacked by birds, many kinds of which are very fond of the seed. In particular localities, they assail the crop in such numbers, from the time it is out of the "milk," till it is harvested and carried off the field, that it is no object to attempt to ripen it.

This crop is sometimes sown in drills when it is only intended for fodder, being cut and cured in bundles, as corn-stalks are cured. It is best to pass it through a cutting-machine, before feeding it to stock; indeed, all millet hay will be fed with less waste in this way, than if fed to animals without cutting.

There is another species of plant, (*Sorghum*,) often called millet, several varieties of which have been introduced and more or less cultivated in this country. It is also popularly called Egyptian corn. It is closely allied to the broom corn, the head being similar in structure, and the seed similar, except that in most varieties of the sorghum, the outer covering does not adhere, as in broom corn. The plant bears a strong resemblance while growing, to Indian corn. There is also some resemblance in the grain, and it is extensively used as food by many oriental nations, from which circumstance it is supposed to have been confounded by some writers with the American maize, or Indian corn. A variety under the name of "African purple millet," was some years since introduced, and recommended for cultivation as a soiling crop. But we believe that this, as well as other varieties, have failed to answer the recommendations for this purpose,—at least, they possess no advantages over Indian corn, and they are now cultivated here merely as a curiosity.

Notices of Publications.

ELEMENTS OF SCIENTIFIC AGRICULTURE, or the connection between Science and the art of Practical Farming: a Prize Essay of the New-York State Agricultural Society. By JOHN P. NORTON, Professor of Scientific Agriculture in Yale College. Albany: ERASTUS H. PEASE & COMPANY. 1850.

The design of this work, in the language of the author, is to "clearly and distinctly explain the great principles that are involved in the applications of science to agriculture." In reference to the manner in which this design has been carried out, we cannot better express our own views than by the adoption of the language of the committee by whom the examination of the essay was made and the prize of \$100 awarded:—"As a work of science, it embodies every principle and fundamental feature of Agriculture which has been developed to this period, and having the stamp of truth arrayed in simple yet perspicuous language, it would seem expedient that no effort should be spared to carry this work to the home of every man, whether directly or remotely connected with the pursuit of Agriculture. Until science shall unfold to us other facts, and further developments of nature's laws, this work should be the elementary text-book for every person who studies the cultivation of the earth; it should form a prominent object in every school-district in the state, and be strong alike in the affections of teacher and pupil."

The committee closed their report by recommending that the work be adopted by the publishers of books for the school-district libraries. The Executive Committee of the State Agricultural Society, have also passed a resolution authorising the printing of one thousand copies at the expense of the Society, to be awarded as premiums. We are confident the work will meet with a ready demand, and that it will be read and studied with great satisfaction and advantage by all who are interested in the principles of agriculture.

THE ADVOCATE OF VETERINARY REFORM, and Outlines of Anatomy and Physiology of the Horse; containing also a VETERINARY DICTIONARY; by G. H. DADD, M. D., Boston.

The principal object of the first division of this work, appears to be to produce what the writer calls "reform," in the treatment of the diseases of animals. This reform is to consist, mainly, in the abandonment of "destructive agents," so called—in other words, blood-letting, and poisonous substances. As a substitute for this, the work under consideration advocates a system which seems to contemplate rather the prevention than the cure of disease. The directions in reference to this point are, in the main, such as would be approved by persons acquainted with the subject. We agree to the old adage that "an ounce of prevention is worth a pound of cure;" still, with the strictest observance of this rule, we apprehend animals will sometimes be sick, and in such cases it will be necessary to adopt the best means for relief and cure. It is impossible to say what these are, under all circumstances; but the propriety of restricting the catalogue of medicines to those wholly of a "botanic" origin, (whether poisonous or harmless,) will probably be doubted by many successful practitioners, whose opportunities for observation and the acquirement of knowledge in the veterinary art, have been neither few nor small. The same remark may be made in reference to the rejection of the lancet, in the treatment of disease. It is not our present pur-

pose, however, to make decisions where "doctors disagree." Dr. DADD's book contains much that is valuable *beyond controversy*. It is handsomely printed and bound, and comprises upwards of three hundred pages.

THE FARMER'S GUIDE.—We have received the second number of this work, which we take occasion again to recommend. The single chapter on Meteorology, which is completed in the second number, is more than worth the price of the whole work. We will remark in reference to its change of title from "The Book of the Farm," that we are authorized to say that such change has been made with the full understanding and consent of Mr. STEPHENS, and the Edinburgh publishers.

THE POULTRY BOOK: A Treatise on Breeding and General Management of Fowls; with numerous Original Descriptions and Portraits from life. By JOHN C. BENNETT. Boston: PHILLIPS, SAMPSON & COMPANY.

This is a work of 310 pages, 12mo., printed and bound, in excellent style, and in general execution is superior to any work of the kind which has appeared in this country. It will probably have an extensive sale.

THE FAMILY KITCHEN GARDENER; containing plain and accurate descriptions of all the different species and varieties of culinary vegetables; with their botanical, English, French, and German names, alphabetically arranged, and the best mode of cultivating them in the garden or under glass; with a description of implements and medicinal herbs in general use; all descriptions and characters of the most select fruits, the management, propagation, &c., illustrated with twenty-five engravings; by BOBERE BUIST. New-York: C. M. SAXTON.

This is a well-known, standard work, which has passed through several editions. The present edition is handsomely printed, and makes in all respects a creditable appearance. We can safely recommend the work to all who wish information on the subjects of which it treats.

THE AMERICAN BIRD FANCIER; considered with reference to the breeding, rearing, feeding, management, and peculiarities of cage and house birds; with remarks on their diseases and remedies; drawn from authentic sources and personal observation; by D. J. BROWNE. New-York: C. M. SAXTON.

This is a neat little volume, copied chiefly from various European authors. It is "got up" in beautiful style—the type and the illustrations being of the very best character—and from a glance at the contents, we presume they will be found useful to those persons for whom they are designed.

Song of the Plowman.

See, the morning breaks away,
Waken plowman to your toil;
From early dawn to gloamin' grey,
Guide the plow and till the soil.

Draw the furrow wide and deep,
Scatter widely—never spare;
Let the harrow o'er it sweep—
The faith of future bread is there.

Nature now her aid is bringing,
Green the dewy blade is springing;
Hear the lark above it singing—
The faith of future bread is there.

The vernal sun all brightly glows,
Diffusing life and joy around;
The genial showers so mildly flow,
Imparting freshness to the ground.

Cattle on the lea are feeding,
Fleecy flocks the hills adorning;
Beauteous flowers their blossoms spreading,
Charm the eye and cheer the mind.—*Selected.*

Notes for the Month.

COMMUNICATIONS have been received, since our last, from E. J. Genet, A Farmer's Wife, W. L. Eaton, Hon. F. Holbrook, Prof. J. P. Norton, Observer, J. A. H. Ellis, M. H., A Gleaner, Norfolk, H. L. Brown, *, S. P. Rollo, A. W. P., A Connecticut Farmer.

BOOKS, PAMPHLETS, &c., have been received as follows:

Elements of Scientific Agriculture: by Prof. J. P. NORTON, of Yale College. From E. H. PEASE & Co., publishers, Albany—price 75 cents.

The Poultry Book: by J. C. BENNETT, M. D. From the publishers, PHILLIPS, SAMPSON & Co., Boston—price 75 cents.

The Story of a Family: by the author of the "Maiden Aunt." From E. C. LITTLE & Co., Albany—price 50 cents.

The Family Kitchen Gardener: by ROBERT BUIST. From the publisher, C. M. SAXTON, New-York.

An Introduction to the Water Cure: by T. L. NICHOLS, M. D.,—(price 12½ cents,) and

Thoughts on Domestic Life: by NELSON SIZER, (price 12½ cents,) from the publishers, FOWLERS & WELLS, New-York.

A choice collection of Ornamental Plants, from A. J. DOWNING, Esq., Newburgh.

A bundle of Apple Trees, containing over thirty of the best varieties, from J. J. THOMAS, Macedon.

Seeds of the "Round Borneo" Citron Melon, which took the first prize at the last annual exhibition of the Penn. Hort. Society, from THOMAS HANCOCK, Ashton Nurseries, Burlington, N. J.

THE AMERICAN FRUIT CULTURIST.—Copies of this work were sent by mail, the last week in March, to all our Agents who were entitled to it, by having sent us fifteen subscribers and \$10. We regret to learn, as we do from various letters, that many of those to whom it was sent, have failed to receive it. Upon inquiry, we have ascertained that many copies of it have been detained in the Philadelphia post-office, for some cause to us unknown. We shall endeavor to ascertain the cause, and have them forwarded as soon as possible.

TRIAL OF PLOWS.—The trial of plows under the direction of N. Y. State Ag. Society, as noticed in our April number, is to commence on the 4th inst. A piece of ground, which will afford a fair field for the contest, has been selected in Greenbush. We understand that a large number of entries have been made, and there is every prospect that the occasion will be one of interest.

CORRECTION.—In the notice of a sale of stock by Mr. VAIL, in our last number, a mistake occurred in regard to the name of the purchaser, which was stated to have been Mr. Humphrey. The purchase was made by Mr. EDWARD BELKNAP, of Henrietta, Jackson Co., Michigan; and consisted, as we learn, of the bull American Comet, 2½ years old, by Meteor, at \$300—the cow Esterville, (bred by Mr. Prentice, of Mount Hope, and by him sold to Mr. Vail,) at \$300—cow Victoria by Wellington, \$200—and two heifers at \$100 each.

PATENT OFFICE REPORT—PART II.—This comprises the agricultural portion of the report, which has been presented to Congress, and 150,000 copies ordered printed. It was drawn up by Dr. DANIEL LEE, who has submitted in connection with it, some "suggestions for the improvement of agriculture," arranged under the heads of Agricultural Education, the Ravages of Insects, Analysis of Soils and Fertilizers, Preservation of Provisions, Improvement of Domestic Animals, Distribution of Seeds, How cities exhaust the Fertility of Land, &c. Many of the suggestions, under these several heads are of an important character, and eminently worthy the attention of all who desire the promotion of this fundamental interest.

PORCELAIN WARE.—In our volume for 1848, we noticed the crockery ware manufactory of Messrs. LYMAN & Co., Bennington, Vermont. At the time of our visit to the establishment, they had just commenced experiments in the manufacture of fine porcelain, and also a new kind of ware, both of which have, we learn, been entirely successful. The *Philadelphia Ledger* notices some of the ware, which has been exhibited in that city, which is said to equal in beauty and quality, the best china or porcelain known. In addition to the qualities of strength, durability and beauty, it is said to be afforded at lower prices than similar articles of clay ware. Its uses are not confined to the usual crockery ware, but the inventors make from it door-knobs, daguerreotype frames, fancy brackets, letters for signboards, figures for numbering, and almost everything of the sort.

SALE OF MR. SHEAFE'S SHORT-HORNS.—By the advertisement of Mr. ALLEN, in this number, it will be seen that this herd will be sold at public auction on the 29th of August next. The occasion will furnish a good opportunity for the purchase of good stock of this breed. Several of the animals, which we have seen at Mr. SHEAFE'S farm, are of superior quality, especially for the dairy. The bull Exeter we have not seen, but are assured by competent judges, that he is an animal of rare excellence.

TRANSMUTATION.—We have another article from "A GLEANER," on this subject, which he particularly desires to have published. Could any good arise from its publication, we would cheerfully comply with his request, long as the article is. We are certain, however,—just as certain as we are that no one in these days can perform a miracle,—that our correspondent is deceived as to what he supposes to be a fact. He asserts that, in his boyhood, "a ten acre field was sown with wheat—that it came up, and looked extremely promising, both in the fall and spring," and that "*this entire field yielded chess-heads with wheat stalks.*" He saw this himself, and consequently thinks he cannot be mistaken; and yet, and we say it with all proper respect, we should just as soon have credited the statement if he had said that the wheat-stalks bore Indian corn, with potatoes at the roots. The one is just as likely, in our opinion, to have occurred, as the other.

GREAT PLOWING MATCH IN CANADA.—A plowing match for a prize of \$400, took place near Thornhill, C. W., on the third of May last. The competition was between the townships of Vaughan and Scarboro—twenty plowmen being selected on each side. The match created great interest, and four thousand persons are said to have attended the trial, among whom was the Governor General, Lord ELGIN. The contest was so close, that much difficulty attended the decision; but the prize was finally awarded to Scarboro.

SHORT-HORN BULL LOCOMOTIVE.—In reference to the inquiry in regard to this bull, published in our last, we have received a letter from Dr. MARTIN, of Kentucky, stating that he is dead.

THE CURASSOW.—We learn from the *Southern Cultivator* that JOHN W. BODDIE, of Oak Ridge, Ga., has procured from South America a pair of curassows, which are so well domesticated that he keeps them in his poultry yard. We are informed, also, that R. L. COLT, Esq., of Patterson, N. J., has specimens of some of the curassow family. It is a bird nearly equalling the turkey in size, and its flesh is said to be of excellent quality. It has been

domesticated in several instances in Europe, and we hope its introduction to our own country, may be the means of adding it permanently to our list of domestic birds.

CLOD CRUSHER.—**ROBERT CHISOLM, Esq.,** of Beaufort, S. C., writes—"Since I wrote you last I had one of the clod crushers I alluded to, made and tried on very stiff clay-swamp land, where in consequence of the roots and its roughness, I could not use any harrow; and was quite pleased with its working. It will require four oxen or horses to draw it, but I think it cheaply worked even at that, and a light harrow after it would put the land in excellent order for sowing any of the small grains."

A. W. P.—We notice your advice in regard to the publication of "foolish articles," but to us it appears as "foolish" to ask how to prevent hens from scratching, as to tell how to prevent them from sitting.

VEGETABLE CUTTER.—We have seen a machine for cutting vegetables, invented by **WILLIS AVERY**, of Salisbury Centre, N. Y. It is in some respects different from any which has before come to our notice. It is made of different sizes, according to the usses required. A small size is adapted to cutting potatoes into slices suitable for frying, &c. It is sold at \$5. It can be regulated to cut the pieces of any thickness, and does its work perfectly. A larger size is adapted to cutting all kinds of vegetables for stock, and is sold at \$8. This size, it is said, will cut a bushel in two minutes.

Answers to Correspondents.

CULTIVATION OF THE CRANBERRY.—**L. H. H.,** St. Lawrence county, N. Y. The best directions we have seen on this subject, were given in our volume for 1847, p. 34.

BONE-DUST AND LIME.—**S. P. R.,** Stephentown, We presume the application of bones, and perhaps lime, also, would benefit your land; but the actual profits arising from the use of either, in any particular case, can only be determined by an experiment in which they should be compared with other manures.

STONE AND WOODEN DRAINS.—**B. McS.,** Virginia. Covered drains of boards and scantling will answer a very good purpose, and in a clayey soil, will last many years. Drains of stone are often made, and will draw if well constructed, and well covered with turf, so that the earth cannot wash in. Stones broken to the size of a hen's egg are considered best; but those of two or three pounds weight are sometimes used. Tiles, are, however, considered more effectual than any other article for drains. See May No. of the current vol. *Cultivator*, pp. 163, 164, and vol. for 1849, pp. 174 to 176.

TO PREVENT THE SCRATCHING OF HENS.—**A. W. P.,** Rye, N. Y. If grain is soaked in a solution of copperas, or in urine, or is coated with tar, as is mentioned in regard to corn, in our April and May Nos., fowls will not eat it, and will soon get tired of scratching for it. Fowls may be prevented from scratching in various ways. They may be fettered by a string or strip of leather fastened to their legs so as to allow them to waddle about, but not permitting sufficient stretch of the legs to scratch much; or a piece of cloth, or thin pliable leather, may be tied over each foot and around the leg. We have seen the nail of the longest toe broken off with a hammer, which entirely prevents the fowl from scratching while it remains sore, and is, to some extent, a prevention afterwards; but it is too barbarous to be recommended.

Prices of Agricultural Products.

ALBANY, MAY 20, 1850.

[Review of the Market for the last month.]

FLOUR.—During the past month there has been a good demand for flour, with considerable fluctuation in quotations. The market, at the close of last month became gradually firmer, and prices continued to advance steadily until the 5th or 10th instant, (mainly induced by the difficulties in the navigation of the canal), when the price fell off and the large receipts caused a dull market. These receipts having been worked off, the market within a day or two has again advanced and quotations mark a higher figure than we have seen for several months, and the tendency of prices is to a still further improvement. The receipts by canal are now light, and the prospect of supplies from the Western States, as shown by the receipts at Buffalo, is in a measure cut off, the favorable time of the Southern Markets of Cincinnati, St. Louis, &c., drawing everything in that direction. The sales during the month have been 25,000 to 30,000 bbls., chiefly of the better grades of State and Western; the market at the close may be quoted at \$5a\$5.25 for ordinary to good State, \$5.25a\$5.37½ for favorite do., \$5.37½a\$5.62½ for mixed to straight Michigan and Ohio, \$5.62½ for Pennsylvania, \$5.62½a\$5.81½ for pure Genesee, \$5.81½a\$6 for fancy Genesee and Ohio, and \$6.12½a\$6.37½ for extras.

GRAIN.—There has been a good milling demand for prime wheat, but the receipts have checked operations; and the sales have only been of prime Genesee, which rateably commands higher figures than flour; the sales add 9,000 bushels at 131a134c., closing firm at the higher figure, with an upward tendency. The only sale of Canal Rye reported was a lot of 2,000 bushels at 56½c. 56lbs. In Barley, there has been a fair business done, though the greater portion of the receipts by canal had been sold to arrive; the sales reported were about 10,000 bushels, four-rowed chiefly, at 68a69c., closing at 65a 66c., and 18,000 do., two-rowed chiefly, at 68a70c., and closing at 64 a65c.; some lots which were held above the views of buyers, and shipped to N. Y., have been purchased there on Albany account, at low figures; the season is now over. Oats have been in active demand, exceeding the supply, which is very good, and prices have steadily advanced; the sales reported have been 54,000 to 55,000 bushels canal, at prices ranging from 42½a44c., closing fairly at the higher figure. Corn has been in brisk demand, and the market since the opening of the canal, has had a gradually improving tendency; an active demand both for the home trade and for shipment, is anticipated which the gradual advance of the article abroad supports; the sales reported, of all descriptions during the month, have been about 135,000 bushels, ranging from 58a60½c. for Northern Yellow, 58a60c. for flat Yellow and high mixed, and 57a60c. for western mixed, closing firm at our outside figures. In malt, we noticed sales 5000 bush. at 80a81½c.

WHISKEY.—The light receipts have restricted sales; the transactions for the month are 740 to 750 brls., closing at 23½c., 23½ for S. P., and including a small parcel Ohio brls. at 25c.

PROVISIONS.—The sales have been confined almost exclusively to cut meats; we notice one or two small parcels of Mess Pork, city packed, at \$12a\$12.50, and of Mess Beef, at \$10. In cut meats, sales 50,000 to 60,000 lbs. at 9c. for smoked hams, city cured, and 7 a7½ for western do.; 6c. for city cured shoulders, and 3c. for sour hams; we also notice a sale of 700 packages Chicago cut meats at 6c. for hams and 4c. for shoulders.

SALT.—The first cargo of salt was taken at 10c. for bags, and 106½c for barrels, to the extent of 7500 packages.

HOGS.—We notice sales of several hundred head live hogs, at 3 5-16a3½c.

SEED.—The business is closed; we have no sales of moment to report.

WOOL.—Until the new clip is received, business will be dull; the transactions during the month have been unimportant.

Prospects for the Clip of Wool of 1850.

We are indebted to a gentleman who has been for years familiar with the wool-trade, for the following article, for which we return our thanks. We are happy to inform our readers that we expect similar reports for each month.—Eds.

The depression in the wool manufacturing and wool-growing interests of the United States in 1848, caused something of gloom in regard to the market value of wool in the spring of 1849; and it was confidently anticipated in all quarters that prices would rule but little higher than in 1848, for the then approaching clip. After the shearing season was over, however, a new impulse was felt, and the prices of all grades, particularly for medium and low qualities, gradually advanced until February, 1850, when they had reached a point from 4 to 6 cents a pound higher than in February, 1849. The difference between prices in the latter year, as compared with 1848, was greater from August to January, than at the period above mentioned. This advance was caused partly by an active spirit of speculation, and partly by the brightening prospects of the manufacturing interests.

The stock of domestic wool now remaining on hand is very small, and consists chiefly of the fine Saxon grades, for which there is less demand than for the lower qualities; and prices have receded since February. The stock of woolen goods in the market, both foreign and domestic, is large, the spring sales having fallen short of the expectations of both manufacturers and Merchants. The rates at which recent sales have been made are about the same as in November last, excepting for some styles of the finer fabrics, which have declined; and it is believed that the manufacturers of this description of goods

are not so well remunerated for their labor, and the capital employed as those who make the medium and low qualities.

Judging from the present state of the cloth trade, and the small stock of wool remaining in market, it is supposed that the opening prices for the coming clip will be somewhat above those of last season; and that whatever advance, if any, which may follow, will not be so rapid as in 1849; and that should the supply of medium and low wools fall short of the demand, (which seems probable, should all the machinery be kept in motion,) the prices may rule nearly as high in the course of the year as they did last year. For the finest Saxon grades a similar result cannot be expected, as the supply somewhat exceeds the present demand. The prospect, however, in regard to these qualities may be changed for the better, by an advance in the prices of fine broadcloths and cassimeres, a result which is probable, though not certain.

It is believed that the clip of wool of 1850 will fully equal that of 1849—less in some sections and more in others; and that upon the whole this important branch of agricultural industry will be fairly rewarded.

Full Blood Durham Bull

FOR SALE. A white bull, 3 years old, well made. Bred by J. M. Sherwood. Price \$40. R. B. HOWLAND.
Union Springs, June 1, 1850—3t.

Full Blood Berkshire Pigs.

THE subscriber offers for sale a fine lot of young Boars and Sows, at prices from \$2 to \$4. The boar they were raised from took the first premium at the Buffalo Fair. R. B. HOWLAND.
Union Springs, Cayuga county, June 1—1t.

Importation and Sale of Stock.

MR. L. G. MORRIS, of Mount Fordham, Westchester County, N. Y., left New-York on the 17th April, for Europe. One of his main objects is to obtain agricultural information generally, and especially to purchase such domestic animals as are calculated to improve the stock of the United States. He purposes to attend the sale of the Short-horn cattle belonging to the estate of the late THOMAS BATES, Esq., of Kirkleavington, Yorkshire; but will not confine his purchases to that herd. He expects to return to America in September next, and the second annual sale of cattle from his own herd, will take place in October. Whatever stock he may import, will be at his place at the time of sale. Printed catalogues of the animals to be sold, will be issued in due time.
June 1. 1850—4t.

C. M. Saxton.

120 Fulton street, New-York, (up stairs.)

HAS just published *THE FAMILY KITCHEN GARDENER*, containing plain and accurate descriptions of all the different species and varieties of Culinary Vegetables, with their Botanical, English, French and German names, alphabetically arranged, and the best mode of cultivating them in the garden or under glass, with a description of implements and medicinal herbs in general use.

Also, descriptions and characters of the most select fruits, their management, propagation, &c., illustrated with twenty-five engravings. By Robert Buist, author of the American Flower Garden Directory, Rose Manual, &c. Price 75 cents, cloth; mail edition, 50 cents.
June 1—1t.

Kinderhook Wool Depot.

THIS enterprise will be continued upon the same principles as heretofore, viz:
The FLEECES will be thrown into sorts, according to style and quality.

A discrimination will be made between wool in good or bad condition.

All who desire it can have their clips kept separate.

Sales will invariably be made for cash.

The charges will be, for receiving, sorting and selling, one cent per pound, and the insurance, which will be 25 cents on \$100 for a term of three months.

Liberal advances in cash, made on the usual terms.

Reference can be had to

Dr. J. P. BEEKMAN, Kinderhook.

B. P. JOHNSON, Albany.

T. W. OLCOTT, "

R. H. KING, "

Messrs. FREELAND, STUART & Co., N. Y. City.

Messrs. M. D. WELLMAN & CO., Massillon, O.

R. CARTER, Chicago, Ill.

Messrs. OGDEN & JONES, Chicago, Ill.

JOHN F. GILKEY, Kalamazoo, Mich.

SAMUEL PATTERSON, Washington Co., Pa.

R. A. ALLEN, Liberty, Bedford Co., Va.

DIRECTIONS FOR SHIPPING.—Sacks should be marked, "H. BLANCHARD & Co., Kinderhook, N. Y." The connections between the various transportation lines are so regular, that in ordinary cases, contracts can be made for shipping to East Albany, (opposite Albany,) if sent by the Northern route; and T. L. Green, agent for the Railroad at that place, will forward to Kinderhook. If sent by the Southern route, contracts can be made to New-York, and J. H. REDFIELD & CO., corner of Broad and South Sts., agents of the Swiftsure line of Tow-Boats, will forward to East Albany. The initials of the owner's name should be upon each sack, and an invoice forwarded to us at the time of shipment, stating the number and weight of each bale; also contract prices for shipping, if any are agreed upon.
June 1—2t.

Books for the People.

THE AMERICAN FARM BOOK, or compendium of American Agriculture, containing a concise and plainly written Exposition of duties pertaining to the Cultivation of the Earth, the Management of the Farm, &c. &c., on practical scientific principles; by R. L. Allen. The cheapest and most valuable book for a farmer ever printed; being a complete guide, both practical and scientific, for the management of the Farm. Price \$1 in cloth, 75 cents paper.

BROWNE & ALLEN'S AMERICAN POULTRY YARD.—Price \$1 in cloth, gilt binding; 75 cents in paper covers. Comprising the Origin, History and Description of the Different Breeds of Domestic Poultry, with directions for their Breeding, Crossing, Rearing, Fattening and preparation for market; including specific directions for Caponising Poultry, and for the treatment of the principal Diseases to which they are subject. Drawn from authentic sources and personal observations. Illustrated by numerous engravings.

AMERICAN BIRD FANCIER—Considered with reference to the Breeding, Rearing, Feeding, Management and Peculiarities of Cage and House Birds. Illustrated with engravings, by D. J. Browne, author of the "Sylvia Americana," "The American Poultry Yard," &c. Price, in cloth, gilt, 50 cts.; cheap edition, 25 cts.

THE AMERICAN BEE-KEEPER'S MANUAL, Fourth edition. By T. B. Miner. Price \$1, in cloth.
"The most complete work on the Bee and Bee-Keeping we have yet seen."—N. Y. Tribune.

THE AMERICAN ARCHITECT—Complete in 24 numbers, at 25 cents each, or \$5 for 24 numbers. \$6, bound in 2 vols.

DANA'S PRIZE ESSAY ON MANURES—A new and enlarged edition. Price 25 cents.

ILLUSTRATED TREATISE ON THE DISEASES OF ANIMALS—Being a History and Description of the Horse, Mule, Cattle, Sheep, Swine, Poultry and Farm Dogs, by R. L. Allen. Price 75 cts. cloth, 50 cts. paper.

GUNN'S DOMESTIC MEDICINE, or Poor Man's Friend, in the hours of affliction, pain and sickness, a safe and reliable guide. Raymond's copy, price \$3.

Published by

C. M. SAXTON,
Agricultural Book Publisher,

June 1, 1850—1t.

120 Fulton st., New-York.

Webster's Quarto Dictionary.

WITHOUT reserve or qualification, the best extant.—*President Olin*. "Surpassed in fullness and accuracy by none in our language."—*President Wayland*. "It far excels all others in giving and defining scientific terms."—*Pres. Hitchcock*. "The standard wherever the English is spoken, it deserves to be, must be, is, and will be."—*Prof. Stone*. "An honor to the language."—*Pres. Humphrey*. "A copiousness, perspicuity, and accuracy, not found in any other."—*Pres. Day*. "A great improvement on all which have preceded."—*Pres. Bates*. "Worthy of general patronage."—*Pres. Woods*. "Most complete, accurate, and reliable of the language."—*Pres. Beecher*, *Pres. Larrabee*, *Pres. Keller*, *Pres. Woolsey*, *Pres. Blanchard*, *Pres. Smith*, *Pres. Knox*, and *Chancellor Frelinghuysen*.
Published by G. C. MERRIAM, Springfield, Mass., and for sale by Booksellers generally. June 1.—1t.

Good's Family Flora,

EMBRACING the three comprehensive and important departments which include all that is necessary or useful to be known respecting PLANTS, viz:

I. THE BOTANICAL ANALYSIS, extensive and thorough, effectually perfecting those in Botany who possess only the first principles of the science.

II. THE NATURAL HISTORY, more particularly adapted for the general reader, and embracing the cultivation and propagation of plants.

III. THE CHEMICAL AND MEDICAL PROPERTIES AND USES, showing in a popular form the importance and application of plants in the various diseases of the human family.

The whole embellished with colored plates painted by hand, from original drawings copied from nature.

These plates are excellent samples for young persons learning drawing or painting.

Vol. I. contains an extensive glossary of botanic terms—forty-eight plates of plants, No. 1 to 48 inclusive, each colored, separate and independent—with the usual letter press matter to each, and an uncommonly striking likeness of the late JOHN MASSON GOOD, M. D., F. R. S., &c. &c., with a notice of his life, writings, character, &c.

Over 300 pages, large octavo, bound, price \$4—colored.

PETER P. GOOD, Publisher,

Elizabethtown, Essex Co., New Jersey.

Apply as above, per mail, and the whole of the work for 2 years, may be forwarded through the Post Office to any address in pamphlet form, (postage 30 cents.) Thus individuals may obtain the first volume, as above, on remittance of \$3 (postage free), and bind it to suit their own tastes.

The Family Flora cannot be obtained on so good terms in any other way. June 1—1t.

The Norman Horse.

THIS Thoroughbred Stallion will stand for mares the present season, on Tuesdays, Wednesdays and Thursdays, at Union Springs, Cayuga County; on Fridays at Canoga, and Saturdays at Berrytown, in Seneca County. Pasture 3 shillings per week. Mares at the risk of the owner.
ROBERT B. HOWLAND
Union Springs, June 1, 1850.—2t.

WHEELER, MELICK & CO.'S AGRICULTURAL WORKS,



THE above cut represents one of Wheeler's Single Horse Powers and Threshers, operating on a common barn floor. Inside the cover of this number of The Cultivator, its readers will find a large cut, illustrating the operation of a Double Power and Thresher. For details respecting the qualities and character of these machines, and the names and location of some of our agents, the subscribers refer to their Advertisement in the May number of The Cultivator. The article which we give below from the "Valley Farmer," published at St. Louis, State of Missouri, is but one of a large number of notices equally favorable, which have appeared in different Agricultural Papers, showing the high esteem in which these machines are held in the different grain producing States of the Union.

These Powers and Threshers, with a variety of other agricultural machines and implements, are manufactured by Wheeler, Melick & Co., at their Agricultural Works, Albany, and sold at Wholesale & Retail by the manufacturers, and by their Agents in the different States of the Union. WHEELER, MELICK & CO.,

Hamilton Street, corner of Liberty and Union sts.,

June 1, 1850. Albany, N. Y.

Extract from an editorial article in the Valley Farmer, for April, 1850.

"WHEELER'S HORSE POWER AND THRESHER. This machine, manufactured in Albany, N. Y., has taken the precedence wherever used, of all others. Large numbers have been sold in the East, but until very recently it has not been introduced into the west. In the May number of the Farmer, we shall publish an extended notice accompanied by an engraving. The editor of the Prairie Farmer says that with this machine, 2 horses and 4 or 5 men have done as much work, day by day, as Threshers with 8 horses and 10 men, operating along side of them.

"For several years, we have been urging the want on the part of Farmers, of a small horse power which each one could own, keep, and use with his own help, without being obliged to call on his neighbors, to assist him in getting out his grain. This implement meets that want, so far as we can judge."

Circular.

THE subscribers are making and vending J. W. SHERMAN'S

New Seed Drill and Broadcast Sower,

Constructed upon a new principle; cheaper, simpler, and more durable and accurate, than any similar machine now in use.

We are building three different qualities of these machines. No. 1, is a superior Drill and Broadcast Sower, and will sow fine Manure (such as Plaster, Ashes, Guano, &c.) Broadcast, or in the drill rows, any desirable quantity per acre, at the same time of drilling in the grain. It is well finished, substantially made, of good material, and warranted—at the low price of \$65.

No. 2, is built for drilling all kinds of grain. It will also sow fine manure, broadcast, on crops. Price \$55.

No. 3, is a plain Wheat Drill; simple, accurate, substantial. Price \$45. None of our machines will clog in the runs; they cannot do so with the most difficult kind of seed; THE DISTRIBUTING PRINCIPLE BEING ENTIRELY NEW.

We are prepared to supply all orders. Those wishing to purchase drills, would do well to see ours before purchasing elsewhere. The sooner the order is given, the more sure you will be of getting your Drill in time.

N. B.—Persons wishing to make or sell our Drills, are offered a good chance.

A large descriptive bill will soon be issued with cuts. All communications or inquiries [post paid.] will receive prompt attention. Address Sherman, Foster & Co., Palmyra, Wayne county, N. Y. Those wishing it, can see the machines at Foster, Jessup & Co's Machine shop, Palmyra; where they will also find the best Thresher and Separator, Revolving Horse-rake, (spring teeth,) wheel Cultivators, and other agricultural implements; warranted superior. Call and see.

Mr. SHERMAN is agent for the sale of McCormick's Virginia Reaper. SHERMAN, FOSTER & CO.

Palmyra, June 1, 1850—2t.

Great Sale of Short Horn Cattle.

THE subscriber will offer for sale, without reserve, at public auction, on Thursday, the 29th day of August next, at 1 o'clock, P. M., on the farm of J. F. Sheafe, Esq., at New Hamburg, Dutchess Co., New York, about 35 head of Short horn cattle, including cows, heifers and calves.

This herd was mostly bred by Mr. Sheafe, and I do not hesitate to say, that I think it one of the very best in the United States; and I have seen and particularly examined nearly all of them. Great attention was paid in the commencement of this herd, to the milking properties of the animals forming it; and this, together with fine points and good growth and constitution, have been steadily kept in view in its breeding. There is but one cow in the herd which gives less than 20 quarts per day, in the best of the milking season, while one has given over 29 quarts per day, and made 15 pounds 3 ounces of butter per week, and two others have given respectively, 31 and 36 quarts per day. Their color is of the most fashionable and desirable kind—red, red-and-white and a rich strawberry roan—only one white cow in the lot. They are of good size and fine style, and all in calf to the superb imported bull Exeter, who will also be offered for sale at the same time.

Pedigree of Exeter.—Exeter is of the Princess tribe of Short horns—was calved in June, 1843, and bred by Mr. John Stephenson, of Wolviston, Durham, England. He was got by Napier, (6,238,) out of Jessamine, by Commodore, (3,452)—Flora, by Belvidere, (1,700)—Jessey, by Belvidere, (1,706)—Cherry by Waterloo, (2,816) &c. See English Herd Book, Vol. V., for full pedigree.

Exeter was selected for Mr. Sheafe, by a first rate judge of Short horn stock, and was considered one of the very best bulls in England. Quite a high price was paid for him; and it is believed that his superior, if even his equal, has never before been imported into this country. He carries an enormous brisket for his age, and his style, handling, and quality are of the finest kind. His color is mostly a beautiful yellow red, which is a bright red with a fine golden or saffron undertinge, arising from a rich yellow skin. He is the only bull of this peculiarly desirable red, ever imported into America. Calves got by him, out of this herd of cows, will fetch a high price the moment they are dropped.

Mr. Stephenson, the breeder of Exeter, now stands at the head of his class in England, and his stock is of the highest repute. It is entirely of the Princess tribe, and traces its pedigrees, without any alloy or Galloway blood, back to pure Shorthorns, for upwards of two hundred years; a matter of no small consideration to those who wish a superior fresh cross.

Catalogues of the above stock, with pedigrees in full, are now ready for distribution.


Southdown Sheep.—A choice flock of this superior breed of mutton sheep, will be sold on the same day as above.

Suffolk Swine.—One boar and several breeding sows and pigs, of this fine breed of swine.

Working Oxen.—A handsome pair of red working oxen. A. B. ALLEN, 159 Water st., New-York.


June 1, 1850—3t.

Dunn's Scythes.



GRASS, Grain, & other scythes from the celebrated Nor. Wayne Scythe Co., late R. B. Dunn's. Having sold these scythes for several

years with uniform good success—not one in a hundred having failed and been returned—he does not hesitate to recommend them as equal if not the best in use. For sale by H. L. EMERY, June 1, 1850. Nos. 369 & 371 Broadway, Albany, N. Y.



PATENT RAILROAD HORSE POWERS, AND OVERSHOT THRESHERS & SEPARATORS.
With recent important improvements. Manufactured at the AGRICULTURAL WORKS,
and sold, wholesale and retail, at the AGRICULTURAL WAREHOUSE
AND SEED STORE OF HORACE L. EMERY,
Nos. 369 & 371 Broadway, Alban , N. Y.

The Subscriber has at great expense of time and money done much to introduce these machines throughout the country generally, and with such success that he is fully satisfied of their superiority over every other kind of Threshing Machinery in use, with which he is acquainted.

Probably no other machines yet invented have met with so rapid an introduction, gone so extensively into use, or given such universal and uniform satisfaction.

The rapidly increasing demand has induced him to erect during the past years, (1848—1849,) a spacious manufactory in this city, to facilitate the manufacturing, and better supply the wants of the farming community.

These increased facilities, together with his extensive Ware rooms, and complete assortment of every desirable article of Implement or Seeds wanted by the farmer, enable him to offer great inducements to the public to purchase their supplies of and through him, whether for their own use or to sell again.

Particular attention is called to the RAILROAD HORSE POWER, & OVERSHOT THRESHING MACHINES & SEPARATORS, as recently improved, by which the application of power is applied from the Endless Platform to the shaft of the driving band wheel, in such a manner as to remove the liability of breaking of links and wearing of the small wheels, and the slipping and wearing of the links and pinions in consequence, is wholly avoided. Greater Strength, Durability, and Lighter Friction are secured. All of which being important points not before attained in these machines.

They are comparatively light and portable—the One Horse Power, complete, weighing about 1100 pounds: the Two Horse Power, complete, weighing about 1900 pounds. When they are to be often removed, an axle and wheels are attached, forming of itself a wagon. When in use, one pair of wheels are removed.

They are operated by the weight of the horse or horses, at an elevation of about one and a-half to two inches to the foot, or 16 to 22 inches, according to the weight of the horses.

Three men, with the one Horse Power and a change of horses twice a day can readily thresh from 75 to 100 bushels wheat or rye; or four men, with a Two Horse Power, with the same team, can thrash from 150 to 200 bushels wheat or rye, or double that quantity of oats or buckwheat per day.

All can be operated inside of barns, in stormy weather, when men and teams could do little else to advantage.

The Thresher is Overshot, and is driven without any crossing of bands. The feeder stands erect and is not annoyed with dust. There is no liability of accident from the spikes, &c.—as no hard substances can injure or break them. A Separator is attached to all the Threshers, and answers an admirable purpose for separating the straw from the grain, leaving it with the fine chaff, fit for the Fanning Mill.

They have been exhibited in operation by the subscriber during the past three years, at all the principal State and County Fairs of New-York, Massachusetts, Ohio and Canadas, and been extensively introduced and used among the farmers of those states, and Vermont, Rhode Island, Connecticut, Virginia, North Carolina, Tennessee, Indiana, Illinois, Missouri, Iowa, Wisconsin and Michigan.

The First Premiums of the Societies have been awarded them, and the highest ecomiums of committees and farmers have been bestowed upon them for their SIMPLICITY, EFFICIENCY, UTILITY, DURABILITY and CHEAPNESS.

They can be taken in pieces and packed very compactly, and forwarded to any part of the country, by railroad, canal or steamboats.

He has efficient agents for receiving and forwarding machines in all the principal towns and cities in the states of New-York, Michigan, Indiana, Illinois, Iowa, Wisconsin, Ohio, Kentucky, Missouri, Vermont, &c.; and all machines delivered on board boats, cars, &c., and freights always contracted for at the lowest rates, and shipping bills made out and forwarded, without extra charge for same, insuring speed, safety, and reasonable charges for transportation.

Terms CASH, or approved notes, or city acceptances, at thirty, sixty, or ninety days, with interest.


They are warranted to operate as represented, or may be returned to the subscriber or his agents, of whom they have been purchased, within three months, and purchase money refunded.

For further particulars, see Catalogue of Albany Agricultural Warehouse and Seed Store, Agricultural Papers, and Reports of Agricultural Societies, &c., &c., or by addressing the subscriber, postage paid.

A liberal discount allowed to those persons ordering and selling the machines in their vicinity, and agents wanted to sell and put them in operation, where not introduced.

Having had long experience in the manufacture and sale of agricultural machinery, he feels assured the public will hazard nothing in purchasing their Agricultural Implements and Machinery of and through him. For the satisfaction of those unacquainted with him, and his manner of doing business, he would refer them to the following gentlemen:

- LUTHER TUCKER, Ed. and Pub. Albany Cultivator, and Treasurer N. Y. State Ag. Society, Albany.
- SANFORD HOWARD, Associate Editor Albany Cultivator, Albany.
- E. P. PRENTICE, Esq., President N. Y. S. A. S., Albany, N. Y.
- GEORGE VAIL, Esq., Ex. Pres'd do do Troy, N. Y.
- A. VAN BERGEN, Esq. do do do Coxsackie, N. Y.
- J. M. SHERWOOD, Esq., do do do Auburn, N. Y.
- B. P. JOHNSON, Esq., do and present Secretary N. Y. S. A. S.
- J. McD. McINTYRE, Rec. Sec. N. Y. S. A. S., Albany, N. Y.
- D. D. T. MOORE, Esq., former Ed. and Pub. Gen. Far., and present Ed. and Pub. of Rural New-Yorker, Rochester.
- JAS. VICK, Esq., Ed. and Pub. Gen. Far., Rochester.
- J. A. WIGHT, Esq., Ed. of Prairie Farmer, Chicago, Ill.
- C. N. BEMENT, Esq., late Ed. and Pub. Am. Jour. of Ag., Albany.
- RUGGLES, NOURSE & MASON, Manufacturers and Dealers in Ag. Implements, Worcester and Boston, Mass.
- JOHN MAYHER & Co., Dealer in Ag. Implements, New York.



Horse Rakes.

WILCOX, Downers, and other approved Revolving Horse Rakes, light, strong and durable. Several hundreds were sold the past season, with fullest satisfaction to the purchasers. Dealers in the article can be supplied on liberal terms.

FENCE WIRE. All sizes and qualities, suitable for fences, for sale low.

CULTIVATORS, and Double Mould Board Plows, of various sizes, for cultivating and hilling Corn, Potatoes, &c.

Albany Agricultural Warehouse,
 Nos. 369 & 371 Broadway.
 June 1, 1850. H. L. EMERY.

JUST PUBLISHED,

BY DERBY, MILLER AND CO., AUBURN,
THE AMERICAN FRUIT CULTURIST,
 BY J. J. THOMAS,

CONTAINING directions for the Propagation and Culture of Fruit Trees, in the Nursery, Orchard, and Garden, with Descriptions of the principal American and Foreign Varieties cultivated in the United States. With 300 accurate illustrations. One volume of over 400 pages, 12 mo. Price \$1.

A cheaper, but equally valuable book with Downing's was wanted by the great mass. Just such a work has Mr. Thomas given us. We consider it an invaluable addition to our agricultural libraries. *Wool Grower.*

We predict for it a very rapid sale; it should be in the hands of every fruit grower, and especially every nurseryman. It is a very cheap book for its price.—*Ohio Cultivator.*

It is a most valuable work to all engaged in the culture of fruit trees.—*Utica Herald.*

It is a book of great value.—*Genesee Farmer.*

Among all the writers on fruits, we do not know of one who is Mr. Thomas' superior, if his equal, in condensing important matter. He gets right at the pith of the thing—he gives you that which you wish to know at once; stripped of all useless talk and triviale. No man has a keener eye for the best ways of doing things. Hence we always look into his writings with the assurance that we shall find something new, or some improvements on the old; and we are seldom disappointed. This book is no exception. It is full. There is no vacant space in it. It is like a fresh egg—all good, and packed to the shell full.—*Prairie Farmer.*

In the volume before us, we have the result of the author's experience and observations, continued with uniring perseverance for many years, in language at once concise and perspicuous.—*Albany Cult.*

For sale in New-York, by M. H. NEWMAN & CO., and C. M. SAXTON. Boston, B. B. MUSSEY & CO. Philadelphia, THOMAS, COWPERTHWAIT & CO.

* * * Copies in paper covers sent by mail free of expense on receipt of \$1, post paid. Direct to DERBY, MILLER & CO. Auburn, April 1, 1850.—3t.

10,000 Acres of Long Island Land for Sale,

At Lake Road Station, or Irvington.

THE undersigned is, and has been for several years, engaged in the improvement and cultivation of the wild lands of Long Island. The fact being now fully established, beyond any doubt, that the land in the middle parts of the Island, along the borders of the L. I. Railroad, is as good and productive, when cultivated in the same manner, as any other part of Long Island. 10,000 acres are now offered for sale, in parcels to suit purchasers, from 10 acres, to 100, or 1,000, at a very low price, and on favorable terms. This tract is near the geographical centre of the Island, being about equi distant from Long Island Sound, and the Great South Bay, (the Island being about 13 miles wide there,) and 48 miles from New-York.

There are many highly cultivated farms in the immediate vicinity, on the north and south side of this land,—having been settled and cultivated more than 150 years. It is well watered, being bounded on the north by the famous Ronkonkama Lake—has also a large and never failing stream running through it. The lake and stream are full of fish—perch in the lake, and trout, in great abundance and of large size, in the stream. The country abounds in game, deer, and wild fowl.

The climate is mild and perfectly healthy, the surface is smooth, gently undulating, with an inclination to the south of about 15 feet to the mile—the soil—free from stone, easy and pleasant to cultivate—is a loam, large portions of which may be called a heavy loam, or it is of sufficient tenacity to make sun-burnt brick, right out of the surface—is from 18 inches to 3 and 5 feet deep, and is susceptible of the highest degree of cultivation. The railroad passes through this tract, affording easy and constant communication with the Brooklyn and New-York markets, where the highest price in cash, can always be had for every article that the farmer and gardener can produce. To capitalists, an excellent opportunity is here presented to obtain a large tract of valuable land at a low price, possessing all the advantages for settlement of a new country, without any of the privations,—but with all the privileges and comforts of an old one. Apply to A. B. ALLEN, Esq., Editor of the *American Agriculturist*, 157 Water Street, New-York, or to

E. F. PECK,
 306 State Street, Brooklyn, L. I.

☞ Lake Road is an important and central depot on the Railroad—there are large buildings and a settlement there.
 May 1, 1850—3t.

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums, and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted.

Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c.
 Catalogues and other information can be had of the Nurseryman, Feb. 1—6ms. JOSEPH CALDWELL

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

May 1, 1850—4t.

JOHN MAYHER & CO.,

Wire for Fences.

IRON WIRE FOR FENCING, constantly for sale at New-York prices.
 Z. HOSMER,
 April 1, 1850—6t. 110 Milk St., Boston.

The American Live Stock Insurance Company,
 At Vincennes, Ind.

CHARTER unlimited. Granted January 2, 1850. ☞ Capital \$50,000! ☞ For the Insurance of HORSES, MULES, PRIZE BULLS, SHEEP AND CATTLE, of every description, against the combined risks of Fire, Water, Accidents and Disease.

Losses paid in 30 days after proof of death.

Directors.—Joseph G. Bowman, Hiram Decker, M. D., Isaac Mass, George D. Hay, John Wise, Alvin W. Tracy, Hon. Abner T. Ellis, Abm. Smith, Hon. Thomas Bishop, Joseph G. Bowman, President. B. S. Whitney, Secretary. Wm. Burch, Treasurer.
 ☞ Agents solicited for all parts of the Union. May 1—2t.

No Humbug.

THE undersigned, after 20 years' experience and much research, has discovered a cheap chemical compound, easily applied, which completely prevents the ravages of the Bee-moth, and which can be adapted to each and every kind of hive, whether patent or otherwise. This discovery he will impart to any individual on the receipt of one dollar. It being understood the purchaser shall hold himself honorably pledged, not to impart the information to others. The whole contained in a circular, to which is added several valuable suggestions in the construction of hives and management of bees, worth more than any patent hive in existence.

Address, post paid, SETH WHALEN,
 May 1, 1850—3t * Ballston Spa, N. Y.

Burbank or Morgan Chief.

THIS horse will stand the present season at the stable of the subscribers in Warren, Mondays and Thursdays: at Waitsfield, Tuesdays and Wednesdays; and at the village in Rochester, Fridays and Saturdays.

This horse was sired by the celebrated Old Woodbury Morgan, afterwards known by the name of Burbank Morgan. His dam was known by the name of Empress, and was sired by the original Justin Morgan Horse. It will therefore be seen that this horse possesses equally as much Morgan blood as either of the four Stallions sired by the Original Morgan, and more Morgan blood than any other stallion now living, except the Old Gifford, which was sired by the same horse. For further particulars, see our bills.

WRIGHT & ELDRIDGE.
 Warren, Washington county, Vt., May 1, 1850—2t.*

John A. Pitts,

Manufacturer of THRESHING MACHINES and DOUBLE PINION HORSE POWERS, 63 South St. Paul Street, Rochester, N. Y.

THE subscriber continues the manufacture of the celebrated "Pitt's Separator." It is the same machine that has stood, and now stands unrivalled by any machine for Threshing and Cleaning Grain, in existence. It has been exhibited at State and County Agricultural Fairs, in the United States and Canada,—always receiving the *First Premium*.

The Horse Power, for strength, ease, durability, and cheapness of repair, is unequalled. The driving wheel is six feet in diameter, driving two full pinions, each receiving equal power; 2 bevel wheels, driven by the full pinions, connect with two pinions, on the line shaft; thus it will be seen, this Horse Power is double the strength of any single geared Power. It may be driven with from two to ten horses, depending upon the power required.

The Machines have fully sustained all I claim for them; I therefore solicit orders from those who would secure the best Threshing Machine and Horse Power.

Please address as above. JOHN A. PITTS.
 Rochester, May 1, 1850—3t.

Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$3, for sale at the office of THE CULTIVATOR.

BENNETT'S AMERICAN POULTRY BOOK.

The Poultry Book
And Fowl Breeders' Guide.

BEING a Treatise on the Breeding, Raising, and General Management of DOMESTIC FOWLS, with numerous original descriptions, and Portraits from Life. By JOHN C. BENNETT, M. D.

This work will be found to contain a greater amount of original and other information, both practical and useful, in regard to Fowl Breeding, than is contained in all the other American works together. It will be illustrated with nearly FIFTY PORTRAITS of the most choice varieties of American and Foreign Fowls, some forty of which are from life, from drawings taken especially for this work, of the most important breeds, and several of them from Fowls very recently imported.


The publishers have spared no expense to bring out this work in a superior manner, both in regard to the engravings, the merits of the work, and the general execution of every part of the book. And it is believed that the work will be found to contain more Practical Information on Breeding and Managing Domestic Fowls, than any work issued in this country.

Price—in Muslin binding, 75 cts.; in Paper covers, 50 cts.

PHILLIPS, SAMPSON & CO., Publishers,

April 1—3t.

110 Washington St., Boston.




I. T. GRANT & CO.'S

PATENT FAN MILLS AND CRADLES. We continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New-York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Slocum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S.'s, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £18, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49).—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."



Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.

The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention.

I. T. GRANT & CO.

Junction P. O., Rens. Co., 8 miles north of Troy

May 1, 1850—1t.

Morgan Horse Black-Hawk.

THIS well-known stallion will stand for the present season at the stable of the subscribers; terms, \$20 the season. The superiority of this horse as a stock-getter, is becoming more and more highly estimated, as his progeny increase, and their powers as fast trotters and durable roadsters are demonstrated. For particulars, see large bills.

D. & D. E. HILL.

Bridport, Vt., April 1.—3t.

Sir Charles.

THIS fine young horse, owned by TITCOMB & WALDRON, of Watterford, N. Y., will be kept this season by PHILIP R. ARGOSINGER, one mile from Johnstown, Fulton county, N. Y. He was got by Morse's Grey, dam a Messenger mare.

May 1, 1850—2t.

The Old Gifford Morgan,

THE highest blooded Morgan Stallion now remaining, will stand the coming season at the stable of Benjamin Gates, in Walpole, N. H. Terms \$25, \$5 of which to be paid at the time of service, and the remaining \$20 if the mare prove in foal.

Pasturage furnished on reasonable terms. A. ARNOLD,
Walpole, May 1—5t.* Agent for the Proprietors.

The Thorough-bred Imported Horse Leopard,

BRED by the Duke of Bedford, is pronounced by the best judges in Canada and the States, as being superior to any blood horse ever imported from England. This horse will stand for mares at J. LAPHAM'S. For pedigree, &c., &c., see English Stud book, and the Racing Calendar for 1846—also, advertisement in *The Cultivator* for 1849.

Terms \$7 service, \$10 season, \$15 insurance
Peru, Clinton Co., May 1, 1850—2t. O. K. LAPHAM & CO.

The Imported Thorough-bred Horse

CONSTERNATION, will stand for mares the coming season, at the farm of the subscriber, near the city of Syracuse.

TERMS.—Five dollars in advance, and five dollars additional if the mare is got in foal. Mares left with the subscriber during the season, or until he consents that they shall return, will be insured for \$10. Pasture 3 shillings per week. No mare taken except at the risk of the owner.

J. B. BURNETT.

April 1, 1850.—3t.

The Morgan Horse

MAJOR GIFFORD, will stand the ensuing season on Mondays, Tuesdays and Wednesdays, at the stable of E. W. Sheldon, in Sennett. On Thursdays and Fridays, at the stable of S. B. Rowe, in Camillus, and on Saturdays, at the stable of John C. Munro, in Belisle.

Major Gifford is seven years old this spring, his color a beautiful chestnut—was sired by the Gifford Morgan, his dam a pure Morgan. Breeders of good horses are invited to call and see him.

TERMS.—Ten dollars to insure. Pasturage furnished. Accidents and escapes at risk of owners.

MASON & CO.

April 1, 1850.—3t.*

Morgan Horse General Gifford.

THIS justly celebrated horse will stand the coming season at Lodi Village, Seneca county, N. Y. He was got by Old Gifford Morgan, out of a pure Morgan mare. In his size, color, form and action, he closely resembles his distinguished sire, and is one of the very best specimens of this invaluable race of horses.

Terms of insurance, \$12.

Good pasture provided at the usual rates, and all necessary attention given to mares from a distance.

Accidents and escapes at the risk of the owners.

May 1, 1850—3t.

CHARLES W. INGERSOLL.

Morse's Grey.

THIS celebrated horse will stand the ensuing season at the stable of JAMES RICE, in Spiegletown, three miles north of the village of Lansingburgh. He is a beautiful dapple grey, 15½ hands high, strongly and finely proportioned; has trotted his mile in two minutes and fifty seconds; is a square trotter, and combines first-rate trotting qualities, and great powers of endurance, with unsurpassed gentleness and docility. His colts are justly celebrated for speed, bottom and good temper, are eagerly sought after in the market, and command prices varying from \$150 to \$500.

The very high reputation of his stock as road horses, and the extraordinary prices they command, render him by far the most profitable horse to breed from of any in the country.

Gentlemen sending mares from a distance, may rest assured that they will have such attendance and keeping as the owners desire, and upon the most reasonable terms. The horse will be under the charge of his former owner, Mr. CALVIN MORSE.

Terms, \$10. Insurance to be agreed upon.

Communications addressed I. T. GRANT, P. M., Junction, Rensselaer county, will receive prompt attention.

May 1, 1850—2t.

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by HENRY COLMAN of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos., \$5. For sale at the office of THE CULTIVATOR.

Contents of this Number.

Management of Sandy Lands.....	193
Discussion on the Culture of Wheat.....	195
Neglected Manures, No. 6, by Prof. J. P. NORTON.....	197
Composition of Hog and Cow Manures, by J. H. SALISBURY.....	198
On the Silk Culture of Austria, by C. L. FLEISCHMAN.....	199
Irrigation, by Hon. F. HOLBROOK.....	201
Pear-tree Blight, by E. C. GENET.....	204
Raising Seedling Peaches, by T. CRAIGHEAD, Jr.—The Peach Crop—Sweet and Sour Apple, by B. MACOMBER.....	205
Influence of Grafting on Varieties—To make Peach and other Trees bear Young—Soap Suds for Trees—Peaches and the Curculio, by D. T. MOSELY—The Tree Box, and Scions for Budding, by D. T.....	206
Leaf Blight in the Plum—Expedition Budding—The Peach Worm, &c.....	207
Rural Architecture—Design for a Villa.....	208
Poultry and Poultry Books, by OBSERVER.....	209
Inflammation of the Lungs in Horses.....	211
Cure for Ringbone, by S. G. CONE—Jersey or Alderney Cattle, by R. L. COLT.....	212
Mental Culture, by SYLVANUS—Shrinkage of Corn, by N. W. M'CORMICK—How is it? by W. L. EATON.....	213
Stump Machines—Great Industrial Exhibition at London.....	214
Culture of Millet.....	215
Notices of New Publications—Poetry.....	216
Monthly Notices—To Correspondents.....	217

ILLUSTRATIONS.

Fig. 163—Design for a Villa—Elevation.....	208
169—Ground Plan.....	
170—A Group of Poultry.....	209
171, 172—Stump Pullers.....	214

THE HORTICULTURIST,

AND

Journal of Rural Art & Rural Taste.

EDITED BY A. J. DOWNING,

Author of "Landscape Gardening," "Designs for Cottage Residences," "Fruits and Fruit Trees of America," &c., &c.

TO all persons alive to the improvement of their gardens, orchards or country seats,—to scientific and practical cultivators of the soil,—to nurserymen and commercial gardeners, this Journal, giving the latest discoveries and improvements, experiments and acquisitions in Horticulture, and those branches of knowledge connected with it, will be found invaluable. Its extended and valuable correspondence presents the experience of the most intelligent cultivators in America; and the instructive and agreeable articles from the pen of the Editor, make it equally sought after by even the general reader, interested in country life. The "FOREIGN NOTICES" present a summary from all the leading Horticultural Journals of Europe; the "DOMESTIC NOTICES," and ANSWERS TO CORRESPONDENTS, furnish copious hints to the novice in practical culture; and the numerous and beautiful Illustrations,—Plans for Cottages, Greenhouses, the Figures of New Fruits, Shrubs and Plants, combine to render this one of the cheapest and most valuable works on either side of the Atlantic.

THE FIFTH VOLUME OF THE HORTICULTURIST will be commenced on the 1st of July, 1850. All or either of the back vols. can be supplied. New subscribers will be furnished with the first four vols. for \$10.

TERMS—Three Dollars per year—Two copies for Five Dollars. All payments to be made in advance, and orders to be post paid.

All Agents for THE CULTIVATOR, and Post Masters generally, are invited to act as Agents for THE HORTICULTURIST.

LUTHER TUCKER,

Albany, June, 1850. Publisher, Cultivator Office, Albany, N. Y.

Harvest Tools.

A GREAT variety of Scythes and Snaths, Grain Cradles, Hand and Horse Rakes, Hayforks, &c.

A. B. ALLEN & CO.,

May 1—11. 189 & 191 Water Street, New-York

Peruvian Guano, Bone Dust, Plaster, Poudrette.

THREE hundred tons best Peruvian Guano, in lots to suit purchasers.

One thousand barrels Bone dust, both sawings and ground.

Five hundred barrels Poudrette.

Two hundred tons Plaster of Paris, ground fine and in barrels.

Agricultural Warehouse and Seed Store,

A. B. ALLEN & CO.,

June 1—11. 189 & 191 Water St., New-York.

Splendor.

THE Short Horn bull known as OLD SPLENDOR will be kept the present season on the farm of Jacob W. Page, Sennett Corners, Cayuga Co., N. Y. Splendor, (bred by Thomas Wedde,) has been owned several years in Avon and Lima, Livingston county; and the fact of his having served one hundred cows the past season on the farm of his late owner—Mr. Warner, of Lima—is sufficient evidence of his value as a getter. Terms \$5 a cow. Sennett, June 1, 1850—11.* JOHN R. PAGE.

Allen's Improved Portable

Railroad Horse Power, Thresher and Separator.

THE advantages of the above horse powers are—1. They occupy but little more space than a horse. 2. They can be moved by the weight of the horse only, by placing the machine at an angle of 10 or 15 degrees. 3. They are easily transported, simply constructed, not liable to get out of order, and move with little friction.

The Overshot threshers consist of a small spiked cylinder, with a concave top, and possess these advantages. 1. They have a level table for feeding, thus enabling the tenders to stand erect, and control the motions of the horse and machine by means of a brake, by which accidents are avoided. 2. In consequence of the spikes lifting the straw and doing the work on the top, stones, blocks, &c. drop at the end of the table, and are not carried between the spikes. 3. The overshot cylinder does not scatter the grain, but throws it within three feet of the machine. 4. This arrangement also admits of attaching a separator, high enough from the floor or ground to allow all the grain to fall through it, while the straw is deposited by itself in the best condition for binding. 5. Neither grain nor straw are broken by this machine. 6. The cylinder is long, which admits of faster and more advantageous feeding; it is smaller and with fewer teeth than ordinary threshers, thus admitting of more rapid motion and faster work with less power; and the diminution of teeth in the cylinder is fully made up by an increased number in the concave top, which is stationary. 7. The separator is a great advantage in diminishing the labor of raking out the straw, as it leaves the grain in the best condition for the fanning mill. Three men with a single power, can thresh 100 to 150 bushels of grain per day; and four men with a double power, twice that quantity. All the above are compact, and can be carried where wanted, complete, or they may be readily taken apart and packed for distant transportation by wagon or otherwise.

Price of single Power.....	\$50
" Thresher.....	\$28
" Separator and fixtures.....	\$7
" Bands for driving, &c.....	\$5
" Wood-sawing machine, complete and in running order.....	\$35

Price of Double Power.....	\$100
" with Thresher, Separator, &c.....	\$145 to \$150

All the above are sold singly or together, as desired, and are warranted to work well and give satisfaction.

Also, Taplin's 20 feet Circular, and the Cast Iron Sweep Powers. Enquire at the Agricultural Warehouse and Seed Store of

A. B. ALLEN & CO.,

June 1, 1850.—11.

189 & 191 Water St., New-York.

Constantly on Hand and for Sale

At the Albany Agricultural Warehouse,

PLOWS. The Albany, Peekskill, Worcester, Boston, Cast and Wrought Iron Beam Plows of all sizes and the most approved patterns and makers. All warranted to work to the satisfaction of purchasers, for the purposes they are designed, and to be of the best materials and workmanship.

GUANO. Peruvian, African and Patagonian Guano, by the ton or sack.


For sale at the Agricultural Warehouse of

H. L. EMERY,

June 1, 1850.

369 & 371 Broadway, Albany, N. Y.

Grain Cradles,



WITH Dunn's Scythes, the best known. These cradles are from the most celebrated makers known, and so constructed that they are readily packed in dozens, and if necessary, boxed up for transportation—6 dozen can be easily packed in the space usually required for a single cradle.

For dealers, or farmers at a distance, this is found a great convenience, as safety and cheap transportation are secured. They are offered to the trade on as liberal terms as by any other manufacturer or dealer. Albany Agricultural Warehouse of

H. L. EMERY,

June 1, 1850.

369 & 371 Broadway, Albany.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.

BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT,

7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, JULY, 1850.

VOL. VII.—No. 7.

THE HAY CROP.

THE hay crop is the most important of any produced in the Northern and New-England states; but a large proportion of our farmers fail to derive the full benefit of it, from the want of proper management. Too many evince a carelessness in reference to making hay, which they would not think of allowing with grain, or any other crop of equal value. The contrast in the condition of the stock of different farmers, through the winter and spring, is very striking. The stock of one man is seen to thrive and even fatten, during the time they are kept on hay, while that of another constantly pines from the time it leaves the pastures, and in spring is poor and feeble. It is not uncommon that this difference is seen where there were equal opportunities for having good hay, and sometimes when the greatest quantity has been fed out to the herd which is in the worst condition.

The difference alluded to, arises chiefly from the quality of the hay; and the quality of the hay depends on the herbage of which it is composed, on the stage in which it is cut, and on the process of making. The amount which would be actually gained by having hay made in the best manner, would be incalculable. It is practicable to have it of such a quality, that a given quantity will produce nearly as many pounds of meat, butter or cheese, as the grass itself would have produced, if it had been eaten in a green state.

We have spoken above, of animals being fattened on hay. This is an idea, which, if generally understood and practiced upon, would be of great benefit to farmers. A few are already aware of its importance, and their practice should constitute examples for others. Many do not seem to realize that hay can be made to serve any other purpose than barely to carry their animals through the winter—to keep them from starvation. Yet they rely on grass for the chief growth of their stock, for their beef and mutton, and dairy products; apparently overlooking the fact that hay is but dried grass, and that, if the drying was effected in the most perfect manner, there would be no loss of nutrient properties.

In deciding on the course to be pursued in curing hay, we should in the first place, understand what are the properties in grass which it is wished to secure, and which afford sustenance to animals. These may be said to be chiefly starch or sugar, gum, and wax, and oil. The following extracts from the report of Dr. THOMSON, in reference to researches and experiments on the food of animals, undertaken by order of the British government, show the importance of these substances in grass, and furnish useful ideas in regard to the general subject:

"When grass first springs above the surface of

the earth, the principal constituent of its blades is water, the amount of solid matter being comparatively trifling; as it rises higher into the day, the deposition of a more indurated form of carbon gradually becomes more considerable; the sugar and soluble matter at first increasing, then gradually diminishing, to give way to the deposition of woody substance.

"If, as we have endeavored to show, the sugar be an important element of the food of animals, then it should be an object with the farmer to cut grass for the purpose of haymaking at that period when the largest amount of this substance is contained in it. This is assuredly at an earlier period of its growth than when it has shot into seed, for it is then that woody matter predominates; a substance totally insoluble in water, and therefore less calculated to serve as food for animals than substances capable of assuming a soluble condition. This is the first point for consideration in the production of hay, since it ought to be the object of the farmer to preserve the hay for winter use, in the condition most resembling the grass in its highest state of perfection. The second consideration in haymaking is to dry the grass under such circumstances as to retain the soluble portion in perfect integrity.

"The great cause of the deterioration of hay, is the water which may be present, either from the incomplete removal of the natural amount of water in the grass by drying, or by the absorption of this fluid from the atmosphere. Water when existing in hay from either of these sources, will induce fermentation, a process by which one of the most important constituents of the grass, viz., the sugar, will be destroyed. The action necessary for decomposing the sugar, is induced by the presence of the albuminous matter of the grass; the elements of the sugar are made to re-act on each other in the moist state in which they exist, in consequence of the presence of the water and oil, and are converted into alcohol and carbonic acid.

"That alcohol is produced in a heated haystack, in many cases, may be detected by the similarity of the odor disengaged to that perceptible in a brewery. We use this comparison because it has been more than once suggested to us by agriculturists.

"The amount of soluble matter taken up by cold water is, according to actual trials, as much as five per cent., or a third of the whole soluble matter in hay. We may therefore form some notion of the injury liable to be produced by every shower of rain which drenches the fields during hay harvest. It is not only, however, the loss which it sustains in regard to the sugar and soluble salts, that renders hay so much less acceptable than grass to the appetite of cattle. The bleaching which it undergoes in the sun, deprives it of the only peculiarity which distinguishes the one form of fodder from the other; grass

deprived of its green coloring matter, presents exactly the appearance of straw, so that hay ought to be termed grass straw. It is obvious from the experiments made, that the operation of haymaking, as usually conducted, has a tendency to remove a great proportion of the wax in the grass. Thus it was found that rye-grass contained 2.01 per cent. of wax. Now as 387½ parts of rye-grass are equivalent to 100 parts of hay, and as 387½ parts of grass contain 7.78 parts of wax, it is obvious that 100 parts of hay should contain the same amount of wax; but by experiment it was found that 200 grains of hay contained 4 grains of wax, which is equivalent to 2 per cent. almost exactly the amount contained in grass. Hence it appears that no less than 5.78 grains of wax have disappeared during the haymaking process. The whitening process which the grass undergoes in drying renders it apparent that the green coloring matter has undergone change; but that it should have been actually removed to such an extent, or at least have become insoluble in ether, is a result which could scarcely have been anticipated without actual experiment."

The farmer may not be able to adopt in general practice, a system of curing hay which would entirely prevent the loss of some of its valuable qualities; but experience proves that a system which approximates to this, is perfectly feasible in this country. The practice of all who make the best of hay, agrees as to general principles. We have alluded to the fattening of stock on hay, and in establishing a criterion for the quality of hay, we think it would be fair to estimate it in proportion to its value for this purpose. It might be objected to this, perhaps, that the properties which would most promote the secretion of fat, might not impart the greatest degree of muscular strength; but it should be remembered that severe exercise is not required of the bulk of the farmer's stock, and in reference to work horses and oxen, the requisite strengthening principle may be supplied through other food.


The finer species of grasses, such as blue-grass, (*Poa pratensis*,) red-top (*Agrostis*,) and a little sprinkling of white and red clover, produce the best hay. Timothy (*Phleum pratense*,) is in considerable repute for hay in some sections, and it makes a profitable hay for exportation, on account of its large yield, but it is less relished by stock, (except horses,) than the above kinds. It seems to be admitted by all who have had experience with hay cut at different stages, that it should be cut before it is past bloom. Dr. Thomson has well said that "it ought to be the object of the farmer to preserve the hay in the condition most resembling grass in its highest perfection," and that its point of perfection "is at an earlier period of its growth than when it has shot into seed." If it does not fall down, it should be allowed to come into full flower; but if it lodges or cripples it will soon sour, and if the crop is very heavy will rot, and the fermentation which takes place, will, more or less, destroy the roots. Hence lodged grass should always be cut without delay, except where the lodging occurs only in trifling patches, and in parts of the field not easy of access. If the grass is cut at the stage mentioned, there will be a vigorous second growth, which on rich land will afford a good autumn crop, for mowing; or it may be fed off by stock, as best suits the wants of the farmer. The early cutting also favors the permanency of the sward; the vitality of the grass is not exhausted, as it would be by the formation of seed.

The practice of the best haymakers, is to mow the grass closely to the ground, to spread the swaths

evenly and lightly, as soon as the dew is fairly off, and the outside of the swath somewhat dried. Rake and cock the hay before sunset. If the weather has been fair and drying the first day, and is so the next, the curing may be so well completed in the two days that it will do to go into the barn or stack, unless there is a very large burden, or it is in a very green state. The cocks should be opened on the second day after the ground has become dried and warmed, and the hay should be thoroughly shaken and left so light and open that the air will immediately strike through it; and it will generally be necessary to turn it in the middle of the day to ensure its perfect dryness. Should the weather on the morning of the second day appear unfavorable, the hay may stand without injury till the third day; or if it should be spread out on the second day, and should fail of being sufficiently dried, it should again be put in cocks, and the drying completed the first favorable day. In putting it in the barn, an advantage may be derived by letting it remain on the wagons, when practicable, over night—especially such loads as are least dried. The partial heating which it will undergo in the load, will greatly aid its curing, and the tendency to fermentation will be broken up in unloading, by its exposure to the air, and it will afterwards remain in an unchangeable state, so long as kept dry.

Clover makes good hay if cut at the right time and rightly managed. The writer, after having tried various modes of making this kind of hay, gives the preference to making it chiefly in cocks. It can be made in this way with less expense of labor, and the hay is superior in quality to that produced by any other mode. The medium, or what is commonly called the southern clover, is the best for hay, as its stems are finer than the larger, or northern kind. It is best to cut it when the greatest number of heads are in full bloom, and as they do not all bloom at once, the first which come out will, of course, be turned before the majority will have reached that stage.

When the swaths are wilted, they may be pitched into cocks with forks, taking care to lay up the fork fulls in such a way that the hay will stand the wea-



Hay-Spreader.

ther, which is easily done with a little care. It may be put in such cocks as will make forty to fifty pounds each, after it is dried. If carefully put up, it may stand in this situation for several days without injury. It should be examined from day to day to see how the process of curing advances, and when its appearance and the prospect of fair weather indicate that the curing can be completed in one day, the cocks should be turned over so as to expose the bottom to the sun, and they should be lightened up a little, in order that all the dampness shall be driven off. It should be handled carefully in loading, lest the driest portion should be broken up, and the heads and leaves more or less wasted. Clover that is made in this way is not liable to heat in

the mow or stack, and from the leaves and heads being saved, and the whole being cured in the most perfect manner, it is much relished by all animals. When used, it is best to pass it through the cutting machine, as it can be fed with much less waste when cut up, than when distributed to stock in a long state.

The cut herewith given represents a machine for spreading hay—or what is called in England a hay-spreader. It has been used in that country for several years, and we presume would be highly useful in many sections here. It consists chiefly of a frame and wheels, resembling a low, one-horse cart; between the wheels, a set of horizontal *rakes* are made to revolve rapidly, their motion being in a direction opposite to that of the wheels. This motion is given from the wheels, through cog wheels, to the axle on which these rakes turn. It is obvious that the wheels must be attached to the frame, without any axle passing between them, as that would interfere with the motion of the rakes, the axle of which is nearly a foot higher than the hubs of the wheel. The teeth of these rakes, by their rapid motion, strike the hay in the swath, lift it upwards, and scatter it behind the machine.

The *rakes* consist of light pieces of timber, five and a-half feet long, (so as to spread two swaths at once,) to which are attached the iron teeth, which are spikes seven inches long, fastened loosely so as to swing freely, and to fall back when they strike stones or other obstructions. Centrifugal force keeps them straight at other times. In long hay, a very thin, broad cylinder, incasing the frame work which supports the rakes, is necessary to prevent clogging. As the hay frequently winds upon the hubs of the wheels, a covering upon them like the mud-protector of a carriage, would be of value.

The Reviewer.

Poultry and Poultry Books.

THE AMERICAN POULTRY-YARD; comprising the origin, history and description of the different Breeds of Poultry; with complete directions for their breeding, crossing, rearing, fattening, and preparation for market; including specific directions for Caponising Fowls, and for the treatment of the principal diseases to which they are subject; drawn from authentic sources and personal observation; illustrated with numerous engravings. By D. J. BROWNE. New-York: 1850.

THE above title informs us that the contents of the book are "drawn from authentic sources, and personal observation;" a statement which some persons may not dispute, though many readers would doubtless have been gratified if some marks or directions had been given, which should have indicated the particular parts to be credited to each of the sources named. True, Mr. Browne informs us, in his prefatory address, that—"In order that he may not be *accused of the reproach* [?] of 'strutting in borrowed plumes,' he has the candor to confess that he has made a free use of the labors of Pliny, Columella, Cuba, Aldrovandi, Mascall, Reatmur, Mowbray, Parmentier, Flourens, W. B. Dickson, J. J. Nolan, W. C. L. Martin, and Rev. E. S. Dixon, without giving them, in numerous instances, such credit as the punctilious critic would seem to demand."

From this imposing array of ancient and modern authors, the reader will doubtless be deeply impressed with the vastness of Mr. Browne's researches, and the immense labor he has incurred in thus embodying the knowledge of ages, on the subject of poultry. In the "free use" which he has made of the writings of these authors, he says he has some-

times had occasion to "change the language," in order to "*Americanize* the subject," &c., though he still claims as *original*, "much of the matter and several of the illustrations." If, under these circumstances, confusion has ensued in regard to the rightful ownership of "plumes," it has been owing to the difficulty of recognition—the heterogeneous mixture of feathers rendering it impracticable to say, in all cases, to what bird they belonged.

In his arrangement of varieties, Mr. Browne takes the serrated upright comb as the typical distinction of the genus, and as the Spanish fowl has this feature more developed than any other breed, he selects that as the general representative, placing it at the head of the list. Next to this he places the Dorking fowl. Let it be borne in mind that the *basis* of this arrangement, is the "*serrated upright comb*," and upon this basis, he ranks the Dorking fowl next to that taken as the type! The consistency of this can be judged of by those acquainted with the latter variety. Certainly, there are few breeds which have less affinity with the Spanish than the Dorking, in regard to the *comb*. Even Mr. Browne himself tells us that the Dorkings have "single, double, or *large, flat, rose-like combs*." The stock of Mr. L. F. Allen, which is referred to by Mr. Browne, has very large rose combs, in many instances, and so have many of the best Dorkings in this country, whether imported or bred here. Even the figures which Mr. Browne gives of the breed, show the double comb.

In Mr. Browne's account of the Dorking fowl, we have an example of what is probably meant by "change of language to *Americanize* the subject." In Mr. Martin's work, before referred to, is a description of this variety, as he had found it in a visit personally made to Dorking. The following extracts, placed in juxtaposition, show with how little "change of language" Mr. Browne was in this instance, enabled to "*Americanize* his subject."

Extract from Mr. Martin.

"During a recent visit of some weeks to Dorking, though we visited the market regularly, and explored the country round, on one or two occasions only did we meet with pure white birds. In all however, more or less white prevailed; but the cloudings and markings of the plumage were unlimited. Many were, as we observed, marked with bands or bars of ashy gray, running into each other at their paler margins. Some had the hackles of the neck white with a tinge of yellow, and the body of a darker or brownish red color, intermixed irregularly with white."

Extract from Mr. Browne.

"During all my rambles, in various parts of the country, only on one or two occasions did I meet with pure white birds. In all, however, as far as my knowledge extended, when pure-blooded, more or less white prevailed; but the cloudings and markings of the plumage were unlimited. Many were marked with bands or bars of ashy gray, running into each other at their paler margins. Some had the hackles of the neck white with a tinge of a darker or brownish red, intermixed irregularly with white."

The attempt to prove the great antiquity of the Dorking breed, whether white or "speckled," by reference to Pliny and Columella, will probably pass current with some, but the fallacy of the reasoning will be at once detected by those who have much acquaintance with the subject. The idea seems to be adhered to that the five-toed fowls described by those writers, must have been Dorkings, merely because they had five toes. Hence Mr. Browne calls the Dorkings a "*race*." He says—"This race has the peculiarity in having a supernumerary toe on each foot." But the extra toe is no distinction of "*race*," nor is it peculiar to the Dorkings. It is not unfrequently seen among some of the smallest Bantams, and is occasionally met with among the crested, or Polish varieties of fowls. E. S. Dixon, in the late edition of his work, states that it frequently appears in the Cochin-China, from which he infers the near affinity of the Dorking with that fowl. It is a freak which is not referable




Fig. 173—Javanese Jungle Fowl.

to any race, or to fowls of any special affinities. Its appearance among the fowls of Surrey and Sussex (England,) does not appear to be of remote date. I do not find it spoken of by any writer previous to Mowbray* whose work was first published about the close of the last century. Arthur Young, in his "*Survey of Sussex*," written soon after the commencement of this century, speaks of the Dorkings. He says—"The five-clawed breed have been considered the best; this, however, is a great mistake, and took its origin in some fowls with this peculiarity that happened to be very large and fine. It is a bastard breed."

I see no reason to doubt that it is an accidental variety of the fowls kept in Surrey and Sussex fifty years ago. In regard to the latter, Mr. Young adds to the remarks already quoted, the following—"The fowls of the Sussex breed, used at the table of Lord Egremont, have frequently astonished the company by their size." Richardson says "the Sussex is but an improved variety of the Dorking, similar in shape and general character, usually of a brown color, but possessing the advantage of wanting the *fifth toe*;" and in his article before referred to, written for the *Irish Agricultural and Industrial Journal*, he says—"The Sussex has latterly, to a great degree, superceded the Dorking in popular estimation," &c. Instead of saying that "the Sussex is a variety of the Dorking," would it not have been more in accordance with facts, to have said the Dorking is a variety of the Sussex?

But to return to Mr. Browne's classification. We have seen that he reckons the Dorking second to the Spanish, on the ground of the "serrated upright comb." Next to the Dorking, or the third remove from the Spanish, he places the Cochin China fowl, and this is represented by a figure, in which the comb is upright and *deeply serrated*—showing, on the basis of his arrangement, a much greater resemblance to the type than the Dorking, which takes precedence over it in the list.

Next to the Cochin-China, is placed the "Kulm, or Great Malay fowl," and in the figure accompanying the description, the comb is neither upright nor serrated; but is described as "*low, thick, destitute of serrations*," &c. Yet the Game fowl, which is placed the *sixth* remove from the type, has the "serrated upright comb," strikingly developed.

He copies (without credit) a part of Dixon's account of the "Pheasant Malay fowl," which it



Fig. 174—Sonnerat's Jungle Fowl.

is said "may claim the sad pre-eminence of having given rise to more disputes than any bird of its tribe, always excepting the game-cock." This "Pheasant-Malay," he asserts, has occasioned the idea that certain fowls are a cross of the pheasant. But whether the idea in regard to such a cross be sound or not, his own reasoning shows that this "Pheasant-Malay fowl" did not give rise to it. He takes his description, which he considers very "graphic," from "a late English writer;" and this writer says—"I have a strong suspicion, from various peculiarities, that they are of comparatively recent introduction into this country, [England.] Baker, of London and Chelsea, (one of the best fancy dealers,) told me they were a breed from Calcutta." But the idea of fowls being produced by a cross of the pheasant, is by no means "*recent*;" it has been held for a long time, and is mentioned by nearly all English writers on poultry. Upon the whole, it seems probable that this "Pheasant-Malay" fowl is a variety found in the East Indies, which bears a strong resemblance to the English game-fowl. Specimens of stock derived from Sumatra, corresponding, mainly, to Dixon's description of the Pheasant-Malay, were exhibited at the poultry-show at Boston, last fall, and are still bred in the vicinity of that city. I am unable to say, from what I have seen, whether they are an aboriginal breed.

But how is Mr. Browne to be understood? He tells us, in the first place, that those "Pheasant-Malays" *gave rise* to the idea that there were fowls derived from a cross with the pheasant, though they, (the "Pheasant Malays,") he says, have no more of the blood of the pheasant, "than the Cochin-China or ostrich fowl," has of the blood of the ostrich; and yet in the very next sentence, he tells us that "hybrid birds, produced between the pheasant and common fowl, are of frequent occurrence!" These hybrids, he continues, "are considered unproductive among themselves, but when paired with the true pheasant or the fowl, the case is different;" that is, they will breed with the fowl or with the pheasant.

Now to what does all this amount? First, we are told that the idea of fowls being part pheasant, is all a mistake—the idea has no foundation, but *took its rise* from fowls that have no affinity with the pheasant; second, it is admitted that half-bred pheasant fowls "*are of frequent occurrence*," and third, that they are *capable of breeding* when "paired with the true pheasant, or with the fowl!" Thus making a solecism, scarcely equalled by the plea of the Irish pcttifogger, who defended his cli-

* It is proper to remark, that the name of Mowbray is believed to be fictitious—the work referred to having been written, as some assert, by John Lawrence, author of several books on cattle and horses, published forty to fifty years ago. See prefaces to Dickson's and Boswell's works on poultry.




Fig. 175—Great Malay Fowl.

ent, first, on the ground that he never borrowed plaintiff's kettle; second, that it was broke when he borrowed it; and third, that it was not broke when he carried it home.

Suppose some of those half-bred pheasant fowls, which are of such "frequent occurrence," should be "paired with the pheasant or with the fowl," and an offspring should be produced—a result which Mr. Browne admits has been realised. The progeny from the second cross with the fowl, would be a fourth pheasant, and that from a cross with the other parent would be three-fourths pheasant. There are abundant means of showing that this *has been done*, to say nothing of Mr. B.'s tacit admission of the fact, and is it unreasonable that fowls so bred should be called pheasant fowls? On the contrary, is it not much more proper to apply the term pheasant to such fowls, than to those which it is acknowledged have no more blood of the pheasant, than the Cochinchina fowl has of the ostrich?

With another example of Mr. Browne's mode of "changing language," we will leave these Pheasant Malays. Dixon speaks of the avidity with which these fowls are purchased in England; Mr. Browne speaks on the same subject, and the language of the respective authors, is given in the following extracts:

Extract from Mr. Dixon.
 "— the buyer readily prys his money down, thinking he has got a nice fowl and a taste of pheasant into the bargain—something like the Frenchman, who was delighted at breakfast, on finding he was eating a little chicken, when he had only paid for an egg."

Extract from Mr. Browne.
 "— the buyer readily pays his money down, thinking that he has got a nice fowl, and a taste of pheasant into the bargain—something like the Paddy, who was delighted at breakfast, on finding he was 'ating a little hen,' when he had only paid for an egg."

We come now to the Game fowl, placed by Mr. Browne, ostensibly on the basis of the "serrated upright comb," the sixth variety from the type; yet in none of the varieties thus far named, except the Spanish, is the comb so uniformly single, serrated and upright, as in the Game.

In regard to the origin and affinities of the game-fowl, Mr. Browne adopts the singular language of Dixon, viz., that "it approaches nearer to the Malay and Pheasant-Malay, than to any other variety of fowl." That the game-fowl bears a resemblance to what is called the "Pheasant-Malay," is, as before intimated, not unlikely; but it is plain from Dixon's work—notwithstanding this strange compounding of terms—that the Malay and Pheasant-Malay do not resemble each other. Mr. Dixon




Fig. 175—Game Fowl.

gives a communication from Mr. A. Whitaker, whom he considers "accurate authority," in which it is said—"They [the Pheasant-Malays] have no resemblance to the Malay, except that the cocks are rather high on the leg, the hens being the reverse."* The absurdity of the idea of the near resemblance of the game-fowl with the breed known as the Malay, and which Mr. Browne figures as such, is obvious to those who are well acquainted with the different varieties of fowls, and may be apparent to all, by a comparison of the accompanying cuts.

Fig. 173, is the Javanese Jungle fowl, (*Gallus bankiva* of Temminck; fig 174, Sonnerat's Jungle fowl, (*G. sonneratii*, Temm.) fig 175 Great Malay fowl, (*G. giganteus*, Temm.,) (and is the same figure that Mr. Browne gives for the Malay; fig 176 Game fowl. The three first of these are given as representations of fowls still found wild in the southern part of the Asiatic continent, or in the islands of Sumatra, Java, &c. They are considered by naturalists distinct races, though capable of interbreeding and producing a mixed stock which may be perpetuated. There are some other wild stocks, which it is not important to notice here. But if the origin of the game fowl is to be referred to one of these, the question of course arises, with which has it the greatest affinity of characters? Without occupying space with particular descriptions, it will be seen, merely by reference to the figures, that it must have required a "fertile imagination" to discover that the game cock "approaches nearer to the Malay than to any other variety of fowl!" As well might it be said that the fiery and swift-footed Arabian courser, "approaches nearer" to the huge and slow-moving Flemish or English draught-horse, than to any other variety!"

The "free use" which Mr. Browne makes of the writings of others, is exemplified more or less, in all parts of the book, but in this chapter on the game fowl he has even saved himself the trouble of "changing the language"—having copied *verbatim* to a large extent, from the works of Martin and Dixon, with no mark of credit whatever; though he has condescended, in the same chapter, to attach quotation marks to extracts from *anonymous* writers.

As we proceed, we find Mr. Browne describes what is commonly known in this country as the Bol-

* Dixon's Ornamental and Domestic Poultry p. 312.

ton Grey or Creole, under the head of "Golden and Silver Hamburg fowl," although he afterwards describes two *top-knot* varieties under the names of "Golden Spangled Hamburg" and "Silver Spangled Hamburg"—making but a trifling variation in the names of very different fowls—the head of the one being surmounted by a large crown of feathers, and that of the other entirely destitute of this striking appendage.

The next is the Cuckoo fowl, the description of which is taken from Dixon. It appears to be nothing more than what is here known as the Dominique, though this is noticed separately in another part of Mr. Browne's book.

He makes seven varieties and sub-varieties of the crested fowl: viz., "the Lark-crested fowl," "the Golden Spangled Hamburg," "the Silver Spangled Hamburg," "the Black Polish," "the Black topped White Polish," (now supposed to be extinct,) "the Golden Polands," and "the Silver Polands."

The Bantams are separated into five divisions: viz., "the Yellow or Nankin Bantams," "the Sebright Bantams," "the Black Bantams," "the White Bantams," and "Creepers." It is impossible to see the propriety of some of these distinctions, inasmuch as a single pair of either the yellow, black or white, will produce all these (so-called) varieties. An instance is known to the writer, where a pair of brown colored birds, whose parents were imported from Java, produced a progeny the first season of breeding, which showed all these different colors, as well as the red and spangled.

Mr. Browne finishes his arrangement, with a chapter on "Mongrels and Barn-Door Fowls," in which he describes "the Jago," "the Shanghae Cochin-China," [?] "the Plymouth-Rock," "the Jersey Blue," "the Ostrich," "the Booby," "the Bucks county," "the Dominique or Dominica," and "the Blue-Dun" fowls.

In the remainder of the book, Mr. Browne has embodied much that is valuable, taken chiefly from the works of Martin, Dixon, and authors quoted by them—adhering generally to the rule adopted in the outset, of "changing the language" sufficiently to "Americanize the subject." OBSERVER.

IRRIGATION.

EDS. CULTIVATOR—I have long been aware of the importance of fertilizing land by means of water, and what can be more rational, when by chemical analysis we find that the water of many streams, contains a large quantity both in suspension and in solution of animal, vegetable and mineral substances, and also that it is a compound, even in its purest state, of hydrogen, oxygen, carbonic acid, &c.? By the same analysis, also, we find that the principal ingredients for the support of plants, are these identical substances. Here, then, the wonderful effect of irrigation upon the soil, is at once accounted for; and with regard to this wonderful effect, I will here refer the reader to Brewster's Edinburgh Encyclopædia, and especially to the articles under the heads of Irrigation—Agriculture—France. It has long been practiced to a greater or less extent, in every habitable country on the globe, between the 60th degrees of north and south latitude. The Hon. Daniel Webster, on witnessing in England, the great effects of irrigation, made particular inquiry as to the rules, results, &c., which, with his usual clearness, he communicates to his agricultural friends after his return home.

If in the cool and moist climate of England, three

crops of hay and grass are obtained in one season, and their irrigated lands rent for double the price of other lands, why may not the American farmer realize at least equal advantages in a more favorable climate? Indeed, the farmer who has the power of fertilizing a portion of his land with water, has a treasure in his possession, and he who neglects to avail himself of its benefits, is certainly slow in the comprehension of his interest. That water operates as a powerful fertilizer to the soil, when made to flow over it, is fully proved by the fact that on up-land which has been irrigated and used for pasture or meadow, the water being afterwards withheld, and the land subjected to the plow, an unusual heavy crop of grain is always the result—far exceeding the product of other parts of the same field not irrigated. Thus water, when applied to grass, on lands adapted to grain, performs the double office of increasing the growth of the former, and at the same time imparting a durable fertility to the soil for the benefit of the succeeding crop of grain. Rye, however, even when growing, is much benefited by slight irrigation after the appearance of the blossom, and Indian corn can scarcely be watered too much after the appearance of the silk and tassel, and a luxuriant growth will be the result. It is probably the hayfield, however, from which the farmer may derive the greatest advantage from irrigation. A meadow, for instance, which will produce 3 to 4 tons of first quality of hay per acre (which has been effected by this means, even as far north as Vermont,) for an unlimited term of years, without the expense of any other manure; but in case he consumes his hay on his farm, contributing largely towards his stock of manure for other fields—such a meadow may well be regarded by its owner as of great value. Indeed, let a comparison be made with regard to the net profit, with almost any other crops obtained from an equal quantity of land, for a term of years, and it will be found that the amount of labor and other items of cost required to put the crop into a marketable state, will throw a large balance in favor of the irrigated meadow. It therefore becomes a question to the farmer who possesses the means of irrigation, whether it would not promote his interest to set apart his irrigated lands, even if suitable for grain, as permanent meadow, and exempt them from regular rotation.

Objections have been made, by some, that the hay of irrigated meadows is less nutritive and less palatable to cattle than other hay. This objection will only apply where the water has been allowed to flow too profusely and too late in the season; and this may be entirely avoided by winter and spring irrigation, properly conducted. As increased fertility of the soil is an object with every farmer, I am decidedly of the opinion that from the first freezing of the earth in autumn, to the entire cessation of freezing in spring, is by far the most suitable and proper time for fertilizing all lands with water. An argument in favor of this, is, that several months of each year are added to the time for the water to impart its fertility; which is so much clear gain of time in addition to the common method; and the earth is kept through the whole winter considerably above the freezing point, and should a sheet of ice extend over the entire field, it will do no injury but protect the earth beneath from freezing.

Professor Davy ascertained that the temperature of the earth beneath a lid of ice, on a water meadow in England, was 14 degrees warmer than the air above, in a very mild wintry day. In this case, on the water being withheld, at the time above stated, the field will be several weeks in advance of

other lands, and an early crop may be put in, or if the field is designed for meadow or pasture, it is here that the first green mantle of spring is spread out, and it is here that the farmer's cattle find the first herbage of the season, and indeed linger latest in fall, for with a few judicious waterings in summer, it holds out later in autumn than other lands. I can point to a piece of tillage up-land, which a few years ago was a dry, barren spot, but is now like a rich garden, made so solely by water. A stream of what is called hard water, (rendered so probably by the sulphate of lime it contains,) has been diverted from its course, and spread over the surface for about six months of each year, and by filtering into and through the soil, has deposited an immense amount of fertilizing matter, as was clearly shown by a recent crop of Indian corn. The hills below the line of the ditch, yielding double the quantity of those above the line, and but a few feet apart. It was also noticeable, that while worms had seriously injured the corn above the ditch, not a hill was molested below, as far as the water had reached. And here I will remark that on all irrigated lands the grasshopper ceases to be "a burden" to the farmer, and the same may be said of all the various insects and worms that prey upon vegetation, whose combined depredations often deprive him of one-half of the product of the hay-field. Indeed, every description of vermin, which burrow beneath, or live on the surface, always to the annoyance of the farmer, find no resting place on irrigated land.

Time will not now permit me to go into a general detail of directions in relation to fertilizing land with water. I will observe, however, that all irrigation, after vegetation has commenced in the spring, should be, if practicable, applied only in the night, or between the setting and rising of the sun, and gradually discontinued as the season advances, and by the first of August entirely withheld, except to supply the deficiency which may be needed in the absence of rains. I am aware that but small portions of a country can be benefitted by irrigation, yet when we look at the extent it is practiced in the eastern hemisphere, where the surface is more flat and level than here, it certainly can be done to a still greater extent in many of these states. Indeed, there are methods adapted to both level and hilly districts, which can be as easily resorted to here as in foreign countries. When the least doubt exists with regard to the practicability of irrigation, the eye should not be trusted without the aid of a correct leveling instrument. All streams seek and flow through the lowest grounds and valleys in their vicinity; consequently by the laws of gravitation, aided by the spring freshets and rains, the soluble salts, the finely divided organic matters, and the richest parts of all soils, are gradually moving towards the place where waters flow, and are continually passing away with the current, and this forms one of the drawbacks upon the permanent fertility of soils. To arrest these matters from wholly passing away and being lost, is one of the important ends of irrigation. Even the smallest rills which flow but a few weeks in spring, may in most cases be diverted from their natural courses, and spread upon meadow or plow lands, in a few years rendering other and more expensive manures unnecessary as far as their waters reach; and it is certainly a great addition to the value of any farm, if the location admits of a portion of the same being fertilised by means of water, without going to an unreasonable expense. With this view, a careful examination of every stream which the farmer has at his command, should

be made, and this, in most cases, can easily be done. A. B.

On the Acclimation of Tropical Plants.

EDS. CULTIVATOR—By acclimation I mean, here, the capacity of vegetable productions to adapt themselves to a decidedly colder climate than that in which they originated; an adaptation accomplished usually, in a gradual manner. A plant may be said to be acclimated when, although its foliage may not have acquired that expansion, nor its fruit that flavor that it usually acquires in its native climate, yet both are of such a character as to render the plant available for the purposes of life, much as in its native climate.

The simple, and universally recognised fact, that nature has bestowed an appropriate vegetation upon each climate, a vegetation marked, in most cases, by well ascertained limits,—limits which spontaneous nature has, after no lapse of time, transcended; this fact, I say, would seem to answer the question of acclimation in the negative. What educated man thinks of meeting with apples, pears, cherries, wheat, oats and turneps growing at the equator; or who would look for coffee, oranges, or pine apples at Boston? All feel that here we are principally concerned in the cultivation of those vegetables that the hand of nature originated here, or somewhere near this parallel of latitude.

What then are the facts in regard to acclimation? Can tropical plants, by a progressive cultivation, or by a sudden but careful removal to the north, be brought at length to flourish, say at Boston or Buffalo, as in their native climate? The answer in general, is—no, not in a single instance. Not only will they not produce perennially, or through the whole year, or resist frost, but, during the short season of production, they will be exposed to liabilities unknown to them in their native climates.

There are about seventeen tropical and semi-tropical plants cultivated here, besides numerous other plants and flowers that are occasionally seen. They are the artichoke, bean, cucumber, corn, egg plant, watermelon, muskmelon, nasturtion, okra, pepper, potato, sweet potato, pumpkin, squash, sunflower, tobacco and tomato. Most, and perhaps all of these present also varieties, and some of them very numerous. Now in what sense can these seventeen plants, (more or less,) be considered acclimated, some of them, as corn, potatoes, beans, &c., having been cultivated at the north for more than two hundred years? I answer—

1st. The least degree of frost kills them according to the degree of its severity, now, just as it did the first year of the introduction of any variety of these plants. Not the least power to resist frost has been acquired. Indeed, plants produced by seed fresh from the tropics, resist frost just as well as old varieties of the same plants that have been cultivated here for a century. In 1849, I cultivated a potato whose ancestor was imported from Bogota the year before, and also seedlings of the same, the seed being grown here in 1849. During the same year, I also cultivated a muskmelon and a winter squash from St. Thomas, in the West Indies. And yet they resisted the autumnal frosts just as well, and no better, than our old varieties of the same vegetables.

2d. A cold summer, especially if it be wet, will sicken the most of these plants, so that they will die, or not fruit at all, or at least produce a fruit of little or no value. The potato, and probably the nasturtion, are exceptions to this rule, from

the fact that, though tropical, they are also mountain plants in their own country. Corn and beans also exhibit considerable hardiness, but yet are not unfrequently a failing crop. The other varieties must almost habitually be cultivated with extreme care to secure a good crop, and often, with every precaution, are a total failure, even when not cut off by frost.

3d. When started early, in favorable seasons, i. e., those that are long, warm and dry, they do well. They nearly all require from 15 to 20 weeks to mature their fruit, and these weeks must all be comprehended within warm weather; the potato and artichoke being, I believe, the only tropicals that will germinate in cool weather, and they, it will be seen, are tubers, and not seed, usually. If then any one season does not open early enough, and extend far enough into the autumn to afford at least fifteen weeks of warm weather, the most of tropicals, become a failing crop. Hence it is wise to start the more tender sorts in hot-beds in the spring.

4th. If we wish strong and sure seed of these plants, we must see that it ripens in warm weather, or, at the very least, the fruit must get its growth in such weather. Late planting, or a cold summer will be sure to produce seed that is thin and imperfect, and of feeble and uncertain vitality. The due elaboration of tropical seeds requires heat as an invariable law.

5th. These tropicals are nearly all susceptible of a *shortened period* of growth in northern climates. The first year or two, after tropical plants are brought from the south, they are ripened with difficulty. The three plants, noticed above in No. 1, evinced this. The muskmelon with much difficulty ripened but two fruits on thirty hills; the squash did not mature at all; and the potato, at the approach of late frost, was all in bloom. The seedling tubers of these potatoes did not acquire, usually, more than one-fourth the size of other seedlings, raised from seed obtained from old home varieties. If, with the utmost care, you can get seed fresh from the tropics, to ripen one crop of seed, there is always hope that in subsequent years, it will so much contract the period of its growth as to be capable of advantageous cultivation, at least after a few years.

6th. In the cultivation of tropical plants, little dependance should be placed on seed imported directly from tropical climates. Not only will its season of growth be probably too long, as already seen, but, from some perhaps inexplicable connection between plants, and the soil and climate in which they grow, they need to be produced from seed grown on the soil and in the climate where the plant is to be durably cultivated. Hence generally, our chief use of seed, brought directly from the tropics, should be as a basis of new and strong varieties to be gained often, in the first instance, with considerable difficulty,—varieties which, when grown from the first, second or third crop of home grown seed, will be likely to exhibit plants much better adapted to peculiarities of climate than the originally imported seed was. This fact is not confined to tropical plants, but it is a law somewhat general in vegetable physiology. Some of the finest apples and peaches of the United States, do not sustain their reputation in England, and some other parts of Europe,—and the reverse. So fine varieties of potatoes brought from Wales, England and Scotland, do not succeed well here, generally. In our own country, some varieties of fruit fail of their peculiar qualities, when removed a few miles from the spot on which they originated. The seedling potato noticed

above in No. 1, though eminently hardy in respect to *climate*, is yet liable to injury from a small black flea, as our native varieties are not, and showing the need of re-production, in this climate, so as to secure a firmness or other peculiarity of tissue which will resist this enemy.

The foregoing considerations are those that seem most important to be noticed on the question of the acclimation of tropical plants. And now, what is the result? It is this, and only this. Such plants as can ever be cultivated here at all, are capable, by successive re-production, of shortening their period of maturity, so as to come within the limits of our ordinary summers. This is especially true of corn, potatoes, beans and pumpkins. Almost all the others frequently fail unless forwarded in hot-beds. It is possible also, that the foliage of some tropicals may here acquire a greater power of resisting chills than they possess in their native country. But I am doubtful of even this, since, after having cultivated the most tender of these tropicals for many years, and often almost by the acre, I have not found any tendency to such increased hardiness.

Any hope then, of ever making these plants capable of bearing the frost, is as vain as that of converting a bulrush into a cedar of Lebanon; or that of accustoming the lion, the camel, and the elephant to a northern winter, in common with the deer, the wolf, and the fox.

Our climate presents very wide extremes of temperature, exhibiting at once the summer heats of Spain and Italy, and the wintry cold of Sweden. The heat of our summers, being thus nearly tropical, is found quite sufficient to mature such tropical plants as are accommodated to their length. Hence, although vegetation starts later in the spring, and closes earlier in the autumn, than in England, its progress in midsummer is so much more rapid, in consequence of its intense heat, that tropical plants mature here, and produce fruit, equal to that of southern climes,—fruit that will not grow at all in England, Holland, and the north of France.

It is most unfortunate for the science of agriculture, that we have, so far as my acquaintance extends, no well written treatise on the cultivation of tropical plants. So low is the state of society in all the states of tropical regions, that the people do not know the capabilities of the soil and climate which they possess, nor the susceptibility of improvement inherent in their fruits and vegetables. Hence, with soil and climate so much inferior, we yet cultivate melons, tomatoes, squashes, &c., in size and flavor, decidedly superior to the same fruits cultivated there. Many of these plants, as varieties of the bean, pepper, squash and nasturtion, are known to be there biennial, and some even perennial. There is some reason also to suspect that the tomato, and some sorts of melons, are more than annual, when cultivated in their native climes.

It will be seen that the preceding remarks are applicable especially to central New-York, but the leading principles of this article are applicable to all northern climes, whose summer heat compares at all with ours.

The preceding illustrations have been confined to herbaceous plants, and mostly to such as are technically called *vegetables*, but the principles apply equally well to *fruits* growing on wood stems, such as the peach, and the grape especially, which are semi-tropical in character;—and also remotely to the cultivation of the apple, pear, apricot and quince.

The above facts are hastily thrown out, in the hope that some one favorably situated will pursue

the subject, and give to the public a full exhibition of facts and principles in a department of horticulture which has heretofore been left in the dark. C. E. G. *Utica, March, 1850.*

Things Necessary to the Successful Pursuit of Agriculture.

EDS. CULTIVATOR—It would be impossible, within the precincts of a short article, to cover the ground occupied by this topic. All that can be done here is to throw out a few suggestions upon the subject.

It is often said of farming, "Oh! yes, it is a very fine thing to write about, and talk about, but when it comes to the labor of it, it is a great deal of hard work for a very little money." No doubt, as farming is generally conducted, this is a truth;—but are there not disadvantages connected with the pursuit of agriculture, as it has been followed in times past and at the present day, which would operate as strongly against the profits of any other occupation as it has done against agriculture?

Among the many, let us look at a few facts. Suppose a man, anxious to enter into business, should buy him a fine store, and fit it up with many conveniences for the reception of goods, and then should find out that in so doing he had expended all his capital, and had nothing left to buy goods with, would not this, even with all the facilities of the credit system, hamper his prospects for business so much as to render his success very doubtful? And does not this bear a strong analogy to many cases among farmers? We will suppose a man to come in possession of a farm of fifty acres of land, with the necessary buildings for farming purposes, and one thousand dollars in cash. Now do I not state a fact, when I say that instead of keeping the \$1,000 as a capital to conduct the business of the farm with profit and success, seven men out of nine would seek at once to buy more land, investing the \$1,000 in this way, and perhaps even buying so much more land as to run them in debt \$1,000, thereby laying them under an interest of \$60 or \$70 a year, besides depriving them of any capital wherewith to improve their newly acquired property. In this situation, then, no matter what a man sees which might be an improvement, and one of very great advantage too to his farm, he is obliged to let it go "to a more convenient season," for want of means to carry it through. Men require capital for the successful pursuit of trade, commerce and manufactures. Is it at all wonderful then, that capital should be required for the successful pursuit of agriculture? Nay, is it not more wonderful that men can start as they often do, with little or nothing, make a small payment upon a farm, and bringing bone and muscle in direct opposition to capital, after a long struggle, by the aid of perseverance and economy, finally gain the victory? It is always and ever a long and desperate struggle, this struggle of bone and sinew against 6 or 7 per cent. interest. Even sage experience often stands aghast, and sighs to think that what it knows would pay so well, must yet be left undone for want of means. But give a man who can win this battle, a farm, and a capital adapted to its size and situation, and my word for it, he can make agriculture a source of profit.

I will next name *experience*, as an essential to the successful pursuit of agriculture. Experience—ah, what a volume does that one word express. Experience in trade, in commerce, in manufactures,—who thinks of entering into and hopes for success in any of these branches of social life, without expe-

rience; and shall he hope for success in agriculture without it? Does the tyro in mechanics, seek to build a house before he learns to plane a board?—Does he not learn his art, step by step; and is not agriculture an art, and must it not be learned by practice, by study, by experience? Without experience, what is it? It is to the wise in other pursuits, a stumbling block. How many men have there been, who, tired of a life of toil amid papers and account books,—tired for a time of brick walls, of vain and empty pageantry,—have determined to spend the rest of their days amid green fields and shady groves? They become farmers—but, alas, few qualifications have they for this vocation. They bring with them habits of body and mind almost unknown to the agriculturist, and after spending a few years in what is to them a hermitage, with impaired fortunes, and disgusted with all that appertains to agriculture, they again seek the busy marts of trade. Had agriculture been to them a *profitable investment*, they might have liked it; but it was a *losing business*. Alas, experience was wanting to teach them how to invest their capital.

If a man has a taste for agricultural pursuits, and capital enough to see him safely through all the *rudiments* of the science, and to bear him through all the *hard knocks* that his purse will get from a want of experience—if, in short, he has capital enough to pay for his experience, and taste enough for agriculture to consider it well spent, it may do; but let no man of very limited means undertake to conduct the business of a farm without experience, unless he wishes to make shipwreck of his property. And what I say here, I say again is not peculiar to agriculture. No man can be a good lawyer, a good doctor, a good merchant, a good mechanic, without practice, study, experience; why then should he be a good farmer without them?

Order, System and Economy,—without these, no man can be successful in conducting the business of a farm; but as these subjects have recently been discussed at some length and with much ability, in the pages of *The Cultivator*, I shall only make a remark or two concerning them. If a man neglects these things, capital will be expended without a profitable return, and even experience will be of little avail. That man cannot expect to prosper, who leaves everything at odds and ends. If grain is sown, and cattle pastured in adjoining fields, with little or no fences around them, in all human probability the grain will be destroyed. If pigs are allowed to wander about a man's yard, and now and then to get into his garden, it is not very likely he will have many vegetables for his table—and so too of a hundred other things which might appear very simple to be mentioned in a book or paper, but which are nevertheless true. Such things certainly exhibit a want of order, a lack of system, and very poor economy.

I shall now mention *Book-farming*, as a very necessary thing for the successful pursuit of agriculture. Yes; book-farming—that terrible bug-bear to the so called practical farmer—for notwithstanding all the attempts which have been made to define book-farming, and to show that it is in the main but the gathering up of practical experience, still the practical man, as he calls himself, flies from it as the wild horse would from before the locomotive. I am sometimes ready to ask, were there ever men in the world, savage or civilized, so blind to their true interests as many of our farmers are?—Books have been written upon almost all subjects;—trade, commerce, manufactures, the sciences, the mechanic arts, navigation, have all come in for their share;

but does the merchant, the manufacturer, the mechanic find fault with them? Does the navigator, as he sails over the wide expanse of ocean, throw aside the chart that was to guide him on his way, and when he hears some perilous shore, some rocky coast, does he exclaim—"Charts are of no use to me—I heed them not—if there are hidden rocks here I will strike them, and then I will know where they are again for myself." Suppose for a moment that something too theoretical has been advanced,—something that practice will not bear out,—is it the right way to correct the error to turn one's back upon everything that has ever been written—to pronounce it all bad and dangerous, and to brand it with infamy? Have not wild theories been advanced at different times in philosophy and the sciences? How have they been corrected? Why simply by men reading them, reflecting upon them, and by the aid of their intellects, working out truth from amid the mass of rubbish beneath which it was buried. And so too must the truths of agriculture be worked out from the mass of rubbish beneath which they are buried.

Farmers, we are here in an age of improvement; inventions and discoveries are crowning every art and science. Shall we remain torpid, while every thing around us is teeming with the impress of intellect? Depend upon it, we are but in the infancy of our occupation so far as *mind* is concerned. Can any man of ordinary intelligence look upon the present system of agriculture without discovering in it some of the grossest errors? Men wonder that agriculture is not more profitable; but are too indifferent to seek for remedies. Let us awake from this indifference—let us seek and examine—let us bring hidden things to the broad daylight—summons chemistry, geology, philosophy, mathematics, to our aid, and press onward to develop new resources and principles. H. C. W. *Putnam Valley, N. Y., March, 1850.*

Neglected Manures—No. 7.

Liquid Manures, Tanks, &c.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., June, 1850. }

EDS. CULTIVATOR—Having now mentioned in succession, a variety of manures in a number of classes; having called attention to the fact of their being almost universally neglected, and to the leading characteristics which in the several cases constituted their chief value, I propose to leave this subject, lest your readers should find it becoming tedious. It is far from being exhausted, indeed it is but begun: still enough has been said to call into exercise on the part of attentive readers, a spirit of watchfulness that nothing worth saving shall escape them in future.

In the present letter, I shall notice the great waste of liquid manure, which occurs in many parts of the country, and the imperfect methods of attempting to preserve it, which are often adopted.

Chemical analysis shows the liquid manure, or urine, of animals, to contain many valuable fertilizing substances. It is always particularly rich in nitrogen, also in the alkalies, potash and soda, and in carbonic and sulphuric acids. The excrements of birds contain both the liquid and the solid part together, hence their great richness; this fact alone should convince the farmer, that in losing the liquid he greatly reduces the value of his solid manures.

The nitrogen in fresh urine exists there chiefly in the form of a substance called urea; this consists in

a large part of nitrogen, and if dry may be exposed to the air for a long time, before it undergoes any perceptible change. In the presence of water however, and the other substances with which it is associated in urine, a species of fermentation soon commences; it is then speedily changed into carbonate of ammonia, which readily escapes into the atmosphere. In warm weather, the smell of this ammonia escaping may be perceived after the lapse of a very few hours. If the fermentation be allowed to proceed, the whole of the nitrogen will be transformed into carbonate of ammonia, and the larger part of this will evaporate into the air. If this constituent can all be retained, and the liquid applied to the crops, it is found to be a powerful manure. Prof. Johnston states, that at Flanders the urine of each cow is valued at about \$10 per annum.

Scarcely less valuable are the drainings from the dung heaps, or from barn-yards. These contain large quantities of ammoniacal substances, and also of useful mineral ingredients, dissolved out from the solid parts of the manures. They undergo the same fermentation as urine, but more slowly, and the ammonia also escapes in this case. Where the manure, as is to be seen in many yards, is exposed to constant washing by rains, nearly every thing soluble in water is gradually dissolved out, and it is thus rendered quite inferior in quality.

The question now arises, how are these valuable liquids to be preserved? and how is the loss of their ammonia to be prevented? The method of accomplishing this, may vary with circumstances and situation.

Where it is practicable to build the barn upon a side hill, there is probably no better plan than to form a cellar beneath it, where all of the solid manure can be thrown from above, and the liquid conducted down upon it. A layer of peat or muck upon the floor, would prevent any thing from soaking through and escaping. In certain situations, manure kept in this way becomes too dry, and does not decompose properly; in all such cases the liquid manure would be doubly valuable. Some farmers turn in hogs to root over and compost the material in such cellars. Manure made in this way is neither exposed to evaporation, nor to washing, and one load is worth two or even more, of the bleached and washed straw and stalks, which we see being carted out from some yards. If it ferments too much, it is necessary to turn it over to check fermentation; mixing earth and sprinkling plaster over the top is also a good practice.

In cases where the formation of the ground does not admit of a convenient cellar under the barn, a *tank* is the most advantageous receptacle for the liquid drainage. This may be made by digging a square hole at the lowest part of the premises, and rendering it water-tight by a lining of planks, brick or stone. This is far better than an open hollow, such as may be seen in many yards. These are not only disagreeable to the eye, and a source of many inconveniences, but they expose the liquid to the full evaporating and decomposing influences of the sun, so that it decreases and deteriorates in a very rapid manner.

Many farmers think that a tank must necessarily be made of great size, or it will overflow. If all the water from the eaves of the farm buildings be allowed to flow into it, such a necessity exists, but if this water is carried away by separate drains, as it should be, then the quantity flowing into the tank cannot be excessive. During the summer, except where much stock is kept, or after showers, little liquid would be collected; especially if the yard were

spread with muck. Where there is much stock, a drain should be made to lead their urine directly into the tank.

The next question that arises, is relative to the disposition of this liquid from various sources, after we have got it into the tank. From what has been said, it will be seen that it is extremely liable to ferment and putrify, and to lose a large portion of its most valuable ingredients; this will not happen quite so soon in a covered tank as in the open air, under the influence of the sun, but still it cannot during warm weather be delayed long. There are several methods of treatment which have been found successful.

Some farmers mix two or three times its bulk of water, thus retarding the fermentation until they have leisure to distribute the liquid over their fields, with a common water cart. In most cases this would be a troublesome mode of management. A more convenient way, is to pump it up, and pour it upon the surface of manure and compost heaps, sprinkling them over with gypsum at the same time.

Where neither of these plans will answer, it is quite practicable to preserve the ammonia by sprinkling in occasionally a little sulphuric acid, say one or two pints; this converts the carbonate of ammonia into the sulphate of ammonia, a compound far less volatile than the carbonate. The same effect may be produced by adding gypsum or sulphate of lime; sulphate of ammonia is formed in this case also. The propensity that gypsum has to form this compound, when it is brought into contact with ammonia, explains its beneficial action in arresting the escape of that gas from fermenting manure heaps. Even when ammonia is rising so as to be visible in white fumes, and perceptible to the smell, a sprinkling of gypsum will arrest all further escape for a considerable length of time.

In situations where it is convenient to employ them, peat, peat ashes, wood or coal ashes, rich mould, &c., are good materials to throw into these tanks; they will absorb nearly all of the valuable parts of the manure. The tank soon fills up in this case, and must be cleaned out at comparatively short intervals.

These methods of using the liquids from the barnyard, and the stables, are all perfectly simple and practicable, while at the same time they involve little expense. The manure saved is of the most powerful character, and will upon trial be found to add very greatly to the resources of any farm.

The subject of water from the sewers of towns, has lately attracted much attention in England, and Prince Albert has quite recently made public a plan for extracting on a large scale, the valuable substances which it contains. He proposes a large upward filter,—that is, to bring the water into a receptacle under such a head, as to force it upward through a filter of sand and gravel. The clear water passes off above, and the solid matter remains below the filter, to be taken out and used for manure. I think that certain practical difficulties would attend the working of this plan, and the Prince seems to have overlooked the fact, that the clear water which runs away contains everything that is soluble in water, and of course much that it is important to preserve. In any case, the system would be too expensive for this country, but is worthy of mention as showing how much value is placed upon this species of refuse abroad. Wherever land lies so that it can be irrigated from the sewers of large towns, such irrigation will be found a most effectual and economical method of enriching it.

For my next communication I shall endeavor to select some more savory subject than has occupied

our attention in the preceding letters of this series. JOHN P. NORTON.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

NOTES ON GARDENS AND NURSERIES.

A few observations made of some of the gardens and nurseries in the vicinity of Boston, about the first of the sixth month (June,) may prove interesting to such of our readers as have not had opportunity for personal examination in that place, so eminent for horticultural improvement.

Graperies of J. F. Allen, Salem.

J. F. ALLEN, regarded as the most eminent grape culturist in America, has erected a number of grape houses, having in the aggregate, a running measure of about 500 feet, containing grapes, peaches, nectarines, and cherries, in the highest degree of culture. The forcing grape house had hundreds of bunches of large, fully grown, and ripe Black Hamburgs, hanging in rich clusters overhead, together with many other of the best foreign sorts, mostly ripe. Some of the bunches were nearly a foot long. The most rich and showy variety was Wilmot's New Black Hamburg, the clusters being heavy and compact, with the berries about an inch in diameter. The Cannon Hall Muscat, the largest grape noticed, had slightly oval berries more than an inch long. The house containing these specimens was the *second* forcing house, the earliest ripened grapes being all gone.

Another house is devoted to retarding, the fruit not ripening till winter. The forcing, cold, and retarding house, furnish ripe grapes the year round. The earliest grapes have sometimes ripened a month before the late ones had disappeared.

The peach house was lined with over a hundred feet of nectarine trees, loaded with partly grown fruit. One tree of Hunt's Tawny was full of rich, golden, ruddy-cheeked nectarines, fully matured. A part of the peaches, with fruit about two inches in diameter, were beginning to redden. It may be remarked however, to those not familiar with forcing fruit, that while early ripened grapes are usually of delicious flavor, forced peaches are comparatively insipid.

Another house presented an exhibition of ripe cherries. The Elton was particularly fine, the fruit being an inch or more in diameter. The Black Tartarian did not succeed so well. It will be observed that at this time, peaches, nectarines, and cherries, in open ground, were but a few days past the season of blossoms, and that the cold, damp weather had materially injured and retarded the house fruit.

Buckthorn Hedges.

Good specimens of buckthorn hedges were seen on the grounds of J. C. LEE, of Salem, forming a close thick growth about six feet high. The only defect was in their being sheared too broad at top, the sides being nearly perpendicular, and the growth being shaded at bottom, was not sufficiently vigorous and dense. The most perfect specimen was in the garden of OTIS JOHNSON, of Lynn, the hedge being over seven feet high, and four feet and a-half thick at bottom, tapering with sloped sides to a sharp edge at top. It presented a very close and smooth wall of verdure from bottom to summit. It was 9 years old. Although but little thorny, it

would doubtless prove a very safe and efficient farm fence, or form a good fruit-garden boundary.

Fruit Gardens and Nurseries.

The nursery of HOVEY & Co., at Cambridge, is decidedly the best in the vicinity of Boston, and one of the best in America. The broader alleys are lined with rows of specimen fruit trees, among which there are one thousand of the pear, consisting of about six hundred different varieties. They are mostly on pear stocks, and are trained as pyramids, and average about seven feet high. Nearly all are in bearing. They are the finest collection we have seen. The green-houses, hot-house, and conservatory, are in the aggregate about 400 feet long, and are densely filled with rich and rare plants. A lemon tree was loaded with fruit, many specimens measuring four inches long, and three in diameter. A beautiful drooping acacia about 15 feet high, and an *Agave americana*, (century plant,) expected soon to bloom, are among the interesting objects of the collection. Hovey & Co. occupy 36 acres of ground, and they have one of the most extensive collections in America, embracing fruit and ornamental trees, shrubs, &c., down to the most delicate green-house plants and annual flower seeds.

The great and celebrated collection of specimen fruit trees of the late ROBT. MANNING of Salem, now under the charge of his son, the present Robert Manning, is a place of great interest to the pomologist. Nearly 1000 kinds of the pear have borne fruit here. There are some pear trees growing on quince stocks, about 25 years old, still healthy and vigorous, although they have not received high cultivation.

The grounds and fruit garden of OTIS JOHNSON, of Lynn, are remarkable for the perfect neatness of their keeping, and the high state of vigor and thriftiness of the trees. Some hundreds of dwarf pear trees trained in the pyramidal form, exhibited the excellence of the culture they received. This garden has long been celebrated for the large number of premiums its specimens have taken at the exhibitions of the Massachusetts Horticultural Society.

The nursery of H. H. CRAFO of New-Bedford, is well filled with one of the finest collections of pears for sale that we have seen. He confines his attention mainly to this fruit. About 30,000 trees are of good size for transplanting. He states that the Deodar Cedar and the Scarlet currant both prove perfectly hardy on his grounds.

An excellent nursery for hardy trees only is that of S. H. COLTON of Worcester. It occupies 20 acres. In addition to the fruit trees with which it is mainly occupied, there are many thousand of the American *Arbor Vitæ* (or white cedar of New-York) for screens and hedges, for which purpose it is becoming much sought.

Fruit Garden of J. M. Earle.

J. M. EARLE, (President of the Worcester Horticultural Society,) furnished many interesting facts on fruit culture. Among all the new pears, he regards the *Paradise d'Automne* as decidedly the most promising of the autumn varieties, for that locality. Its growth is rapid, and so far as has been proved, it is quite productive. He is confident that the cracking and failure of the *White Doyenne* cannot arise from exhaustion of soil, the disease having within a few years, made its first appearance at Worcester, on young and old trees alike. In some instances, however, on trees standing closely side by side, of equal size, age and treatment, the branches being interwoven, one tree bore worthless fruit,

while the other was loaded with large, fair and perfect specimens.

He has fruited the *Diana* grape, but does not regard it so valuable, all its qualities considered, as some have represented. It is however, a very desirable sort, ripening about three weeks before the *Catawba*, and is of high flavor. But unless well cultivated, the fruit is small. The published figures give a fair representation of the finer bunches under high culture. With the best treatment (which it should always receive) its growth is nearly as vigorous as that of the *Isabella*.

Evergreen Screens.

The grounds of J. P. CUSHING, near Boston, furnish some very fine specimens of evergreen screens, bordering the carriage ways when the side view is to be concealed, or where they lead to the back buildings. The trees employed for this purpose are chiefly *Norway fir*, *American Arbor Vitæ*, *American White Pine*, and *Balsam fir*, and are 20 or 30 feet high, about 8 feet apart, not sheared, but forming a close and effectual screen. An *Arbor Vitæ* hedge, four and a-half feet high, presented the smoothest and most perfectly dense wall of verdure we have ever seen. It has stood fourteen years, and is kept well sheared.

Grounds of James Arnold, New Bedford.

These form one of the most perfect specimens of modern gardening on a limited scale in America. Only two or three acres are occupied, yet within this space there is more variety, in open lawns, winding walks, groups of shrubs and plants, dense screens of verdure, changing vistas, and rustic arbors, than is afforded by some other places of ten times the extent. All is in the most perfect finish and keeping. The fruit and kitchen garden is surrounded on three sides by a massive wall of granite twelve feet high, the inner face being wholly covered with fruit trees, trained upon the trellis. Under glass, were noticed fine ripe clusters of the *Black Hamburg* grape, and full grown peaches were reddening.

Cultivating Orchards.

For a few years past, about eighty thousand dollars' worth of fruit trees have been annually set out into orchards in the single state of New-York. If these were all treated in the best manner, in preparing the ground, in carefully transplanting, and in good care and cultivation afterwards, each year's planting would probably be worth to the owners in ten years, not less than three millions of dollars, so far as their value may be measured by a sum of money. The question arises, what proportion of this great number of trees are actually advancing with full promise of what they might attain? What portion will really become in ten years, by the best treatment, full-sized, healthy, and productive?

Several intelligent individuals have given it as their opinion that not one half of the trees that are set out, ever survive the third year. A very large number are certainly lost by careless removal, hasty transplanting into hard ground, and total subsequent neglect. But of those which survive, there are undoubtedly not one-tenth, that make half the growth they would attain under good management. We have seen whole orchards of young peach trees, smothered to death the first summer by the heavy growth of meadow grass which nearly enveloped them. A far larger number, however, are those which are not killed outright, but which linger year after year with a slow and feeble growth. Now, this

tardiness is altogether unnecessary. Peach trees as far north as forty-three degrees, have been made to yield the third summer from transplanting, three pecks of peaches, and apple trees the fifth summer one bushel, each. An eminent pomologist now living in western New-York, set out a large fruit garden after long years had silvered his head with whiteness; yet for the past twenty years he has annually enjoyed a profusion of fruit from this identical fruit garden. The secret consisted simply in treating his trees as well as every good farmer treats his corn and cabbages.

"But we cannot afford to give so much attention to our trees—the rich man only can do this," says the laboring farmer. What! not afford to be economical? The man of small means is the very person to save his trees after he has paid for them; he is the very man who should not spend his coin to have feeble and fruitless orchards. Let him buy half the number, and apply the other half of the purchase money in taking care of what he has, and he will soon become the gainer by the operation. It is however a great mistake to suppose that much expense is needed. Enriching the land is largely paid for by the heavy crops of potatoes, carrots and rutabagas which grow between the rows while the trees are small, and by the equally heavy and more valuable loads of ripe fruit profusely yielded afterwards. The expense of plowing once a year, and harrowing four times, is perhaps not half the first cost of the orchard, to say nothing of the annual crops afforded; while it soon renders it quadruple the value of the neglected plantation. Why do not farmers apply the same wit and wisdom to the management of their orchards that they do to their corn and clover crops? Why should they not, when many who fortunately have already full grown orchards, get more in monied value from them than from all their farms besides?

The difficulty is rendered greater in most cases by the very inconvenient machinery used for plowing near the rows. A plow drawn with a two-horse team, with double whiffle-trees, cannot safely approach nearer than three feet to a tree, and every plowman dreads a task which is commonly attended with mutilated bark on one hand, and wide grassy "balks," on the other. A great improvement is made by placing one horse ahead of the other, with short single whiffle trees, especially if the draught traces of the hinder horse are considerably lengthened to allow running to right or left.

A wide error is committed in cultivating orchards by those who forget that roots extend far beyond the circle measured by the branches. The whole surface of the ground is covered by the network of roots, where full-grown trees stand 20 or 30 feet apart. The larger and more obvious roots, it is true, are near the base of the trunk; but all the finer ones, which so largely contribute nourishment, are spread at great distances. Hence all orchards which have made some years of growth, should have the whole surface cultivated and kept mellow, and not narrow strips or small circles just at the foot of the trees.

Profits of Fruit Culture.

The following facts, exhibiting the large profits which may be derived from the skilful culture of fruits, are furnished by S. W. COLE, of Boston, who is a remarkable fact-gatherer, and who remarks, "we give some extreme cases, and others which common skill may compass. The cultivator will do well with medial success. Yet it is well to have a standard of extraordinary attainment, or the perfec-

tion of excellence, as a goal for those who inscribe on their banner '*excelsior*.'"

"Mr. Moses Jones, of Brookline, in this vicinity, a most skilful cultivator, set 112 apple trees 2 rods apart, and peach trees between, both ways. The eighth year he had 228 barrels of apples, and in a few years from setting the trees, \$400 worth of peaches in one year; and the best part of the story is, that large crops of vegetables were raised on the same land, nearly paying for the manure and labor. The tenth year from setting, many of the apple trees produced 4 or 5 barrels each, the land still yielding good crops of vegetables, the peach trees having mostly gone by old age. Mr. J. grafted a tolerably large pear tree to the Bartlett, and the third year it produced \$30 worth.

"Mr. S. Dudley, a very successful cultivator in Roxbury, an adjoining city, sold the crop of currants from one-eighth of an acre, for \$108, the next year for \$125, and he had good crops for several years. He picked 500 quart boxes from one-eighth of an acre the next season after setting the bushes in the fall. He had \$25 worth of cherries from one Mazzard tree.

"We saw, in Natick, Ms., on the banks of the 'classic Charles,' on the farm of M. Eames, Esq., an apple tree grafted to the Porter when 75 years old; it soon bore, and the seventh year it produced 15 barrels, which sold at \$30. The original Hurlbut apple tree produced 40 bushels in one year and 20 the next. The original Bars apple yielded 60 bushels in one year. N. Wyeth, Esq., Cambridge, in this region, had from a Harvard pear tree 9 barrels of fruit, which sold for \$45.

"A farmer would not plant an orchard, thinking he should not live to eat the fruit; his son had the same views; but the grandson planted for posterity, yet his predecessors shared in the fruit also, for the grandfather drank hogsheads of the cider.

"Hovey states that a Dix pear tree, in Cambridge, produced \$46 worth of fruit at one crop. We saw in Orange, N. Jersey, 100 bushels of apples on a Harrison tree, which would make ten barrels of cider, then selling at \$10 a barrel in N. York.

"Downing says that the original Dubois Early Golden Apricot, produced \$45 worth in 1844, \$50 in 1845, \$90 in 1846. A correspondent of the *Horticulturist* says that Mr. Hill Pennell, Darby, Pa., has a grape vine that has produced 75 bushels yearly which sell at \$1 a bushel. James Laws, Philadelphia, has a Washington plum that yields 6 bushels a year that would sell for \$60. Judge Linn, Carlisle, Pa., has 2 apricot trees that yielded 5 bushels each, worth \$120. Mr. Hugh Hatch, of Camden, N. J. has 4 apple trees that produced 140 bushels, 90 bushels of which sold at \$1 each. In 1844, a tree of the Lady Apple, at Fishkill Landing, N. Y., yielded 15 barrels that sold for \$45.

THE HORTICULTURIST.

This excellent periodical, which for the amount and value of its matter, and pre-eminently for its practical utility, stands without a rival, loses none of its interest with the appearance of each successive number. We cannot, probably, better acquaint such of our readers as do not see it, with the nature of its character and contents, than to give a few condensed extracts from the single number for the past month, (May,) at the same time they will obtain much valuable matter.

Raising New Pears.

An excellent article from the pen of SAMUEL WALKER, President of the Massachusetts Horticul-

tural Society, urges the importance of raising seeds for new varieties of the pear by crossing, regularly and systematically conducted; no country having probably produced so many good varieties of this fruit, in proportion to the number of seedlings fruited, as the United States. He proposes to have two good varieties, growing side by side of each other, distant from any other sorts. By way of illustration, he suggests that the following varieties be made use of for this purpose:—

No. 1, Bloodgood,	{ To be grown side by side to produce seed for <i>summer varieties</i> .
" 2, Williams' Bon Chretien,	{ To be grown side by side to produce seed for <i>autumn varieties</i> .
No. 3, Seckel,	{ To be grown side by side to produce seed for <i>winter varieties</i> .
" 4, Louise Bonne of Jersey,	{ To be grown side by side to produce seed for <i>summer varieties</i> .
No. 5, Dix,	{ To be grown side by side to produce seed for <i>autumn varieties</i> .
" 6, Beurre d'Arenberg,	{ To be grown side by side to produce seed for <i>winter varieties</i> .

"The trees to be grown at three different locations, at least one-fourth of a mile apart, and out of the influence of any other pear trees.

"The seeds of all the varieties should be taken from the fruit when fully ripe, kept separately, and labelled as follows, viz:—

" No. 1, Bloodgood, fertilized by Williams' Bon Chretien.
" No. 2, Williams' Bon Chretien, fertilized by Bloodgood.
" No. 3, Seckel, fertilized by Louise Bonne of Jersey.
" No. 4, Louise Bonne of Jersey, fertilized by Seckel.
" No. 5, Dix, fertilized by Beurre d'Arenberg.
" No. 6, Beurre d'Arenberg, fertilized by Dix.

Seeds thus raised and carefully labelled, I think, would command a good price. I would rather give five dollars for a paper of one hundred pear seeds fertilized as above, to raise pear seedlings from, than I would to pay one dollar for a bushel of seeds, collected indiscriminately."

Varieties of Fruit for the South.

M. W. PHILLIPS, of Edwards, Miss., after trying a great number of sorts, is satisfied that the best varieties now cultivated at the north, are at present the best that can be planted in the southern states. He says "if there be a single peach to excel Early Tillotson, or Early York (serrate,) or Crawford's Early, or some others, that are natives, I never saw them," although he has 150 varieties from all latitudes, in bearing.

He gives the following list, "ripening for 75 days, from the 20th of June to Sept. 1st," and remarks, "if there are indigenous peaches, from Mason & Dixon's Line to the Rio Grande, ripening in succession, superior to those, I will give 100 dollars for them, that is for a tree of each sort:—

Early Tillotson,	N. Y. White Cling,
Early York, (serrate,)	Buist's Yellow,
George IV,	Red Cheek Melocoton,
Hoffman's Favorite,	Brevort's Morris,
Crawford's Early,	Bergen's Yellow,
Poll's Melocoton,	Crawford's Late,
Early Red Rareripe,	Druid Hill,
Bellegarde,	Moustrous Pavia,
Oldmixon Cling,	Smock Late.

How to Cultivate the Apricot.

A sound practical article from the editor, recommends as the chief requisite for success, and to prevent the frequent loss of the trees from various causes, 1. To keep the trees low, and to head back the shoots in spring, avoiding the practice of trimming up to a naked stem, and thus exposing the bark to the action of the hot sun. 2. To provide a deep, well drained soil, well fertilized with wood ashes. 3. To plant in a cool aspect, to prevent the too early swelling of the buds, and their consequent danger from spring frosts. 4. To prevent the loss of the young crop by daily jarring down the curculio on spread sheets. "Where only half a dozen trees are cultivated, there is no mode of making war upon this insect so sure and reliable, jarring the trees daily during the month of May, with a pounder, (sheathed

at the end with india-rubber,) gathering the insects upon the sheets, and destroying them." The experience of a correspondent is added, that though previously unable to depend on his trees for a single apricot, after putting the jarring system into practice he actually obtained *three thousand most beautiful and luscious apricots* the first season of trial, from *five trees*.

Long Catalogues.

We are glad to perceive by an article copied from the *Gardener's Chronicle*, that Prof. LINDLEY has made a severe assault upon the long lists of many nurserymen, which have long led to such endless confusion. He remarks, "We have heard of one gentleman who numbered 1200 roses in his list, among which were about 350 wild briars, some of which had a little hair on their leaves, and some had none, some had double teeth, some had single, one sort had ovate hips and another oval, and so on. There exists we believe to this day a collection of Pæonies formed upon the same enlightened principle; and we have no doubt that similar collections of Daffodils, Michaelmas Daisies, or Catmints, may be found in some sequestered garden.

"This harmless folly, like many other erotehets, destitute of all elements of longevity, could scarcely exist, one would think, in this utilitarian age. We are therefore witnessing at the present day collections giving way to selection; 'hard pruning' applied in all directions to those old bushes of barren, half dead wood; and a few select plants, thoroughly well grown, replacing the empty pots and moribund sticks which invariably characterised the collections of our worthy forefathers and their ancient sons as long as they remained among us. It is therefore not a little curious to find a race of worthy men still unconsciously of the change in public feeling, and continuing to publish interminable lists of this and that, as if the rage for collections was as fresh as ever.

"Some recent lists of nurserymen and seedsmen afford amusing examples of this. One grower of roses offers 607 sorts of that flower; another, 850; a potato salesman's catalogue has 160 sorts; a Dahlia-grower's 3 or 400; a Geranium-grower's, as many; a seedsman invites attention to his 38 sorts of cabbage and 61 sorts of peas!"

Strawberries.

An Albany correspondent furnishes some excellent practical hints on the culture of this fruit, and strongly recommends a *moist soil*. He informs us that "a gentleman who is a good fruit-grower, informed the writer that the largest and finest strawberries he had ever seen were grown upon a terrace, from the slope above which issued a small spring, the water finding its way over the surface where the plants grew, and keeping it constantly wet."

Paint and Sand.

"WHEELER'S durable paint for outside work, is made as follows:—Take 50 pounds best white lead, 10 quarts linseed oil; $\frac{1}{2}$ lb. dryers; 50 lbs. finely sifted clean white sand; 2 lbs. raw amber. Thoroughly mix and dilute the whole with the oil, adding a very little (say half a pint) of turpentine. A wire brush is used, which does not cut through with the sand."

Destroying Plant Lice.

The following simple and safe remedy is given. "Pour one quart of boiling water upon one ounce of shag tobacco; let it stand until cold, and then strain and bottle it for use; it will keep good a year if not wanted. One sprinkling of this will destroy

the green fly upon any plant, without the least injury to the plant itself. The best method of applying it, is to take the plant in one hand, and holding it with its head downwards, with a feather or brush sprinkle the tobacco water on the under part of the leaves, or if the plants are not in flower, all over them.

Destroying Mice in Nurseries.

J. W. HOOKER, of Rochester, completely effects this object by boring inch and a-half holes into wooden blocks, ramming in a quantity of corn meal and arsenic, and distributing them, with the mouth inclined downwards, in the most exposed places. The holes need filling each autumn.

Native Flowers.

Phlox divaricata is one of our most showy plants at this season, presenting masses of pure white, white with a blue eye, or pale purple; and more rarely, light red, or deep purple. Unlike many other plants from the woods, it agrees well with garden culture, where it sends up many stems, sometimes more than fifty from one root; and though each stem is "few flowered," yet the aggregate is 12 or 15 inches in height, and tends greatly to beautify the border.

Its specific name (*divaricata*) is derived from its form, or the manner of its growth; but it is a curious circumstance that our best botanists differ widely in regard to the meaning of this term. The Encyclopædia of Plants defines it, "growing in a straggling manner," and S. F. Gray, (Nat. Arr. British Plants) "very open, and growing in many different directions;"—while Louis-Claude Richard has it, "spreading out from the stem so far as to form more than a right angle with it above"—Beck, "diverging so as to turn backwards"—Darlington, "spreading so as to form more than a right angle with the stem above"—and Webster "turning off so as to form an obtuse angle above, and an acute angle below." Now from these definitions, I should infer that Linnæus had the first meaning in view when he named this species, for I have seen nothing about it to warrant the application of the second definition. D. T. 6 mo. 5, 1850.

Layers.

I have found that "a forked stick" to hold down the branch or shoot, is attended with much inconvenience, and now employ a substitute that suits me exactly. The inconvenience is that the proper length of the stick, chiefly depends on the softness or firmness of the soil; for we cannot tell without trying, how far the stick can be pressed in. If the ground is very mellow, and the stick rather short, it will not hold its place against the spring of the layer; and if the earth is hard, and the stick rather long, it must be cut shorter, on the old principle of "cut and try." Besides it is often difficult to find forked sticks in a garden, just when we happen to want them.

Well, now for the substitute. Take slender sticks, 8 or 10 inches long—whether cut from rods, or split from boards and shingles—and sharpen them. Press the layer firmly in the bottom of the trench, and set one of the sticks on one side, touching it at an angle of 45°; and then another stick in the same manner on the opposite side, and it is done. The sticks may enter the ground 2 inches, or four inches—as far as a reasonable pressure can force them—it matters not which; and there they are, firmly fixed in their positions. D. T.

Fruits for Central Illinois.

Information is constantly and eagerly sought in relation to the sorts of fruit adapted to the new West. Fruit cultivators are constantly removing to those regions, and wish to know what to carry with them; and older settlers are becoming rapidly awakened to the importance of having orchards of fine fruit. The following list of apples for central Illinois, is given by F. K. PHOENIX, of Wisconsin, a very accurate and skilful cultivator, in the sketch of a trip through the former State,* and is the result of his deliberations, in connexion with those of E. HARKNESS, one of the best nurserymen of Illinois.

The following are "good, and worthy of cultivation, though varying in merit."

Yellow Bellflower,	English Golden Russet,
White Bellflower,	English or Winter Russet,
Red Romanite,	Rhode Island Greening,
Rawle's Jannet,	Esopus Spitzenburgh,
Michael Henry Pippin,	Seeknoferther,
Newtown Pippin,	Milam or Harrigan.
Limber Twig,	

E. HARKNESS regards the Vandevere as "valuable on many accounts," and he esteems highly the

Sweet June,	Fall Pippin,
Autumn Swaar,	Fall Wine,
Rambo,	Domine.
Early Harvest,	

The following are rejected:—

Yellow Ingestrie,	Roseau,
Pennock,	Pumpkin Sweet,
Monstrous Pippin,	Dutch Codlin,

With several other varieties, none of which appear to be of much value any where.

Another cultivator regards the Fameuse and Belmont as the best *fall apples*.

C. R. OVERMAN, of Canton, central Illinois furnishes the following list of 25 varieties:—

Summer.

Yellow June,	Sweet June,
Carolina Red June,	Early Red,
Early Harvest,	Trenton Early.

Autumn.

Maiden's Blush	Fameuse,
Fall Wine,	Fall Pippin.
Rambo,	


Winter.

Newtown Spitzenburgh,	White Winter Pearmain,
Bullock's Pippin,	Limber Twig,
White Bellflower,	Red Romanite,
Yellow Bellflower,	Northern Spy,
Rhode Island Greening,	Pryor's Red,
Esopus Spitzenburgh,	Rawle's Jannet,
Talman Sweet,	Green Newtown Pippin.

BEAN MEAL FOR MILCH COWS.—We have on former occasions alluded to some trials that have been made in feeding milch cows with bean meal, the results of which seemed to show that it was a highly valuable article. At a late meeting of an English Farmers' Club, it was stated by a member, that nothing was so good for cows in milk, either as regarded the produce of butter or cheese, as bean meal.

EQUINOCTIAL STORMS.—Dr. Ray of Woodward College, kept a record of observations for *fourteen years*; during this period, *ten* of the equinoctial days were either clear, or fair and pleasant days; *two* were partly clear, but more than half cloudy; while the remaining *two* were entirely cloudy and *partly* rainy. In addition to this, he found that by taking a period of *one whole month*, that is two weeks before, and two weeks after the equinox, there were *five* "bad spells" of weather; while in *nine* of the years there was no weather that could be called unpleasant.

* In the Prairie Farmer.



THIRD DUKE OF CAMBRIDGE.

JOHN ANDREWS, PITTSBURGH, PA.

FIELD, D.E.

New-York State Agricultural Society.

Trial of Plows.

AGRICULTURAL ROOMS.—Meeting Ex. Committee, June 4. Present—E. P. PRENTICE, President; A. VAN BERGEN, Vice President; J. McD. McINTYRE, H. WENDELL, M. D., LUTHER TUCKER, B. P. JOHNSON, and delegates from Ulster, Oneida, Wayne, Saratoga, Dutchess, Ontario, and Hartford, Conn.

The Judges appointed for the trial were present, as follows:—Hon. A. Van Bergen, Coxsackie; John S. Gould, Hudson; Sanford Howard, Albany; B. B. Kirtland, Greenbush. Absent—J. Delafield. Hon. Peter Crispell, Jr., of Ulster co., was substituted in the place of Mr. Delafield. (A letter was received from Mr. Delafield, expressing his great regret that his engagements in taking the survey of Seneca county, rendered it impracticable for him to be present as he had intended.)

The following competitors entered their plows for trial:—

E. J. BURRALL, Geneva—3 Plows—Shell-wheel Iron Beam, Stiff Soil, and Stubble Plow.

A. GILBERT, New-York—2 Plows—Mooer's patent for stiff soils. FRENCH & SMITH, Rome, Oneida co.—3 Plows—Michigan Sod and Subsoil, Michigan Joint Plow, Michigan Plow.

W. U. CHASE, Amsterdam—3 Plows.

A. FLECK, Montreal—Wilkie's Scotch Plow.

N. B. STARBUCK, Troy—5 Plows—Starbuck's Trojan, do. Iron Beam, do. No. 3, do. No. 4, do. Side-hill.

PETER AULD, New Hartford, Oneida co.—2 Plows.

MINER, HORTON & Co., Peekskill—4 Peekskill Plows.

H. L. EMERY, Albany—1 Plow.

BOSWORTH, RICH & Co., Troy—5 Plows—Cast Iron Beam and Sod Plow, Side-hill do., Subsoil do., Stubble do.

JOHN RANDERSON, Schodack—1 Plow.

PROUTY & MEARS, Boston—4 Centre Draft Plows, and Side-hill and Subsoil Plows.

EDDY & Co., Union Village, Washington co.—Washington Co. Plow, Side-hill do., Subsoil do., Grubber do., Stubble do.

R. R. FINCH & Co., Peekskill—2 Empire Plows.

Making upwards of 40 plows entered for the trial.

The trial commenced on Tuesday, June 4, on the farm of J. J. Lansing, Greenbush. The stubble, or old land, was first plowed. For this 14 plows were entered, viz:—Fleck's Wilkie Plow, French & Smith's Michigan Plow, Eddy's Washington Co., Randerson's Schodack Plow, Miner & Horton's Peekskill Plow, Starbuck's Trojan Plow, Auld's "improved" Scotch Plow, Prouty & Mear's Two Centre Draught Plows, Bosworth, Rich & Co.'s Iron Beam, Finch's Empire Plow, Emery's Albany Plow, Burrall's Shell-wheel Plow, Chase's Amsterdam Plow. The trial of these plows occupied the judges until Thursday. On Thursday, 3 Side-hill plows—Prouty's, Rich's and Eddy's, and also 2 Subsoil plows, Prouty's & Rich's, were tested. On Friday, 26 plows were entered for sod land—*Stiff soil*; viz., 3 by Prouty & Co., 3 by Miner, Horton & Co., 4 by Bosworth, Rich & Co., 3 by French & Smith, 1 by Emery, 2 by Chase, 1 by Burrall, 1 by Eddy & Co., 1 by Randerson, 3 by Starbuck & Co., 2 by Finch, 2 by Gilbert, 1 by Fleck, and 1 by Auld.

The trial of these plows was completed on Saturday afternoon.

On Tuesday, June 11th, the trial on *Sandy* soils commenced on the Island opposite the city, above the Boston Railroad Depot. For this trial 24 plows were entered, all of which were tested, and the trial completed on Wednesday afternoon.

All the plows were tested upon each of the lands with the dynamometer, the same team being used for each plow, so as to secure as near as possible, an equal draught, so far as the team was concerned—the plows being gauged to cut furrows as near as possible of an equal depth and width. Wherever there were variations, they were noted by the judg-

es, and will be taken into consideration in making up their final award.

In addition to testing the draft while plowing the different kinds of soil, the plows were also tested with the dynamometer, by hand power, operated by a windlass. This gave a steady and uniform motion, and secured a fair test of the power required to draw each plow—the soil and turf as nearly equal as it was possible to obtain it.

It has been the object of the Executive Committee to have this trial as full and complete as it was possible to make it, so that another trial could not be necessary, unless some new and important improvements should be developed. They are not aware that anything has been overlooked on their part or on the part of the judges, that would have made the trial more perfect, and it gives them great pleasure to be assured by the competitors, and other distinguished plow manufacturers in the country who were present, that their arrangements were in all respects satisfactory, and the best calculated to elicit the qualities of the various plows, of any that they had ever witnessed.

Every plow that was presented, has been tested, it is believed to the full satisfaction of the competitors. The exhibition of plows has probably never been equalled. Such has been the expression given by gentlemen, both manufacturers and others, who have examined the plows presented and tested, as well as the work performed by each. For durability, neatness of workmanship and material, the perfection of finish, the adaptation to perform the work of the farmer, it is confidently believed that so fine a display has not before been seen in an equal number of plows. The work performed by all of the plows has been such as to merit and receive the approbation of the great number of persons who have been in attendance upon the trial.

The awards of the judges will be made as soon practicable, consistent with a due and careful examination of every question that has a bearing upon the subject. The importance of their decisions is apparent, and the subject will receive at their hands, all that deliberate and careful consideration which it demands. When the awards are made, they will be announced to the successful competitors, and will be made known to the public, probably, at the Annual Fair of the Society in September, when it will be necessary for the plows to which the premiums have been awarded to be on the grounds, if not already deposited in the Museum of the Society.

B. P. JOHNSON, *Sec'y.*

The Farmer's Note-Book.

Short Horn bull 3d Duke of Cambridge.

THE engraving on the opposite page is designed to represent the Short-horn bull 3d Duke of Cambridge, at present the property of J. M. SHERWOOD, of Auburn, and A. STEVENS, of New-York by whom he was imported from England. His pedigree as given in the fourth volume of the Herd Book, page 614, is as follows: 3d Duke of Cambridge (5,941,) roan, calved September 14, 1841, bred by Thomas Bates; got by Duke of Northumberland (1,940,) dam Waterloo 2d, by Belvidere (1,706,) grand-dam by Waterloo (2,816,) great grand dam by Waterloo (2,816.)

This animal was imported in 1849, together with several heifers, and a notice of them was given in our last volume, page 130. He is a bull of rare excellence, both as regards shape and quality. He

received the first premium as the best Short-horn bull over three years old, at the show of the New-York State Agricultural Society at Syracuse. Two of the heifers imported with him, received the two highest prizes in their class.

A Sheep Question.

EDS. CULTIVATOR—In your March number, at the conclusion of your article on the "Varieties of the Merino," you say, "Now as regards the production of wool, what variety would yield the greatest profit under these circumstances? In answering this question, it is not sufficient to refer to the weight of the fleece, and to the price it would bring in market, or to the aggregate amount of money which each sheep annually affords. Nor can it be fully determined by a comparison of the net proceeds afforded by the wool of different kinds, in proportion to the weight of carcass—although it is admitted that this would be an approximation towards the result. But who has ever made a fair and reliable trial of this kind?"

On turning to Morrell's American Shepherd, I find some light on these questions, which, to me, is pretty conclusive. On pages 229 and 243, under the head of Winter Management of Sheep, will be found the following table and remarks:—

"Veit was Professor of Agriculture in the Royal Institute of Bavaria, and his work is full of experiments and calculations at that seat of Ag. Science. He makes the following observations:—The need of fodder is proportioned to the weight of the sheep, and two and a-half pounds of the *value of hay* is required daily for every 100 lbs. live weight, to keep the animal in a profitable state. Hence the following amount of fodder is required:

For a long wool German sheep, his weight	100 lbs.,	2.50 daily.
Infantado Merino,	do	88 " 2.20 "
Grade Saxons,	do	75 " 1.87 "
Electoral Saxons, (pure,)	do	62 " 1.55 "

In connection with this table, Mr. Morrell quotes from Spooner's English work on Sheep—"An ox requires 2 per cent. of his live weight in hay per day; if he works, he requires 2½ per cent.; a milch cow 3 per cent.; a fattening ox, 5 per cent. at first, 4½ per cent. when half fat, and only 4 per cent. when fat. Grown sheep take up 3½ per cent. of their weight in hay per day, to keep in store condition." It must be understood by the reader that, in this estimate as well as all others, good hay is the standard of nutriment, and that if any grain or other food is used as an equivalent, allowance must be made for the quantity of hay accordingly."

On page 243 are the following comments on the above:—"Now we will suppose, taking Veit's statement as the standard, that the average weight of a flock of sheep is 80lbs. per head, and the foddering 150 days; this will give 2 lbs. daily to each, and for 150 days 300 lbs., and consequently for that period 100 will eat 30,000 lbs., or 15 tons.

"This certainly seems a low estimate as to the quantity a sheep requires daily, it being 66-100ths less than the English standard, as rendered by Mr. Spooner. But different breeds and their subdivisions vary so materially in weight, that to form a correct estimate, the sheep master should weigh some of each of different ages of his flock, and by classifying them according to their relative size, he may feed with greater accuracy. He must remember, however, that sheep when growing, of any breed, require as much food as when they have arrived at maturity; and growing sheep should never be stinted.

"Another important consideration must not be lost sight of, namely, the *quality of the hay*. If it is coarse, much of it the sheep will reject; and consequently an allowance of from 10 to 25 per cent. must be made accordingly. It is for this reason, old meadows produce a better quality of hay than new; that from the former being finer, and more miscellaneous. Sheep are very fond of clover hay, and will increase more rapidly in flesh if it is provided for them, than by any other description; but the quantity in bulk, comparatively, they require of it, is enormous.

"From the above premises, we are enabled to deduce an exceedingly important fact, which, if always duly considered, will be the means of avoiding the serious blunders hitherto so frequently committed by American breeders, namely, *that it requires an equal amount of food to produce a pound of flesh, or a pound of wool, without regard to the size of the sheep, or the breed*. This is indeed a truism, and therefore self evident. But by way of illustrating the point, let us select one of each of the rival breeds of England—the South Down and Leicester; we will suppose the live weight of the former, when in store condition, to be 100 lbs., and that of the Leicester or Bakewell, 150 lbs., which is probably, in general, the relative disproportion. Now it is clear, taking the estimate of Mr. Spooner, the Down sheep will consume 3½ lbs. of hay daily, while the Leicester will need about 5 lbs. Is the latter, however, more or less profitable than the Down? Clearly there is no difference, for the offal is relatively the same, and so is the proportion of the valuable parts—the flesh and wool. The expenditure of food for the Leicester is greatly the largest, but only in proportion to the difference of value derived from the additional size of the carcass. Thus it is seen, the pound of everything costs alike, and all circumstances being equal, the profits are the same.*

"But we will go farther, and instance the Merino and Saxon, alike distinguished for wool-growing purposes. The Saxon, it will be remembered, is of the same race, being only a sub-variety of the Merino. Let a selection be made of one of each, which combines to the greatest extent, their perfections respectively. By taking the standard of Veit, as shown in his table, of the live weight of a pure Merino, say 88 lbs., and that of a pure Saxon, say 62 lbs., (which is nearly the comparative weight when pure,) the Merino, if fed at the rate of 2½ lbs. of hay per 100 lbs. of live weight, consumes 2.20 lbs. daily, and the Saxon 1.55 lbs., a difference, it will be noticed, of nearly 40 per cent. less than the Merino. Now, both being supplied with this pro rata of ration daily, the Merinos will produce 40 per cent. more of wool and flesh, at an expenditure, however, of 40 per cent. more of food. Thus it is clear that the pound of wool and flesh, in both cases, costs precisely the same. Hence it may be laid down as a rule by which the unwary may learn, that, after knowing the usual average weight of carcass and fleece of a given breed, if he hears of any very extraordinary individual instances of either, it may be ascribed to extra feeding, and a cost accordingly.


"Let not the reader, however, misapprehend the point in question. The breeds of sheep vary much in the quantity of wool they respectively produce, and individuals of a given breed will often outstrip

* Let it be understood by the reader that the point is *wool and flesh*, and not *fat*, which it will readily be conceded that several breeds of animals will gather more rapidly than others, arising either from improved conformation or more quietness of habit.

their fellows, although fed in the same fold, in the amount of wool they will yield. But if two are selected of the same breed and of equal weight, and fed precisely alike, and all other circumstances equal, if one shears a heavier fleece than the other, it will be found, on weighing, to lack an equal amount of flesh, which his comrade has acquired at the expense of his covering. This has arisen from the difference in the assimilation of food—in the one case, more for the formation of wool than the other."

If I understand, Messrs. Editors, anything of animal physiology, I think Mr. Morrell's ideas are about correct, and if you will have the goodness to publish them, it may at least serve to allay the jealousy and warfare between Saxon and Merino breeders. A SHEEP MAN. *Venice, N. Y.*

Folding Harrow.



This form of harrow was introduced by GEORGE GEDDES, Esq., of Onondaga county, in this state. The cut herewith given combines the general principles of Mr. G.'s harrow, but differs from his in the mode of fastening the teeth. He has the teeth driven through the timber from the upper side, and they hold by their wedge-like form. Those represented by the cut, are let

through the timber from the under side, with a washer below, and a nut and screw on the top; by which the teeth are firmly secured in their places, and the liability of their being loosened or lost, is obviated. This harrow will work well on any kind of ground, but is greatly superior to the common kind on rough land, as its joints enable it to fit the inequalities of the surface. The following table shows the number of teeth in the several sizes, and their prices. In answer to an inquiry, we state that they can be had of H. L. EMERY, Albany.

14 teeth, for one horse,.....	\$8 00
18 teeth, for one or two horses,.....	9 50
22 teeth, for two light horses,.....	11 00
26 teeth, for two heavy horses,.....	13 00
30 teeth, for two or three horses,.....	15 00

The Table-Land of Thibet.


An English traveller, Dr. J. D. HOOKER, who has been for some time engaged in making various observations in Thibet, describes many interesting things in reference to the country and its inhabitants. The Thibetans are a pastoral people, roaming with their flocks and herds during the summer season, from place to place. The animal from which they derive their principal support is a peculiar species of the bovine tribe, called the Yak or Grunting ox. The milk of the females is used by the people for various purposes. It is made into curd, which is eaten with herbs and milk. Butter is also made from the cream; but the mode of churning is, perhaps, as novel as some of the modes for which patents have been granted. Dr. H. describes it as follows:—"They have two kinds of churn; one is a goat-skin in which the cream is encased and beaten, stamped upon, and rolled; the other is an oblong box, a yard in length, full of rhododendron twigs, frosted with butter and—maggots."

The Thibetans have ponies, some of which Dr. H. and his party rode. He says they "never missed a foot," in the worst places. "Sharp rocks,

deep stony torrents, slippery paths, or pitch darkness, were all the same to them." They are described as "sorry looking beasts;" but it is stated that a Thibetan chief who weighed sixteen stone, (or 224 lbs.) rode one down a mountain slope of "thirty miles of rocks, stones and streams," and the animal showed no symptoms of fatigue.

A Mechanic's House.

This is a plan of a house built last year for a mechanic in an adjoining town. It is one story high, 24+28 feet, with an addition 14+16 feet, in which the chimney for the kitchen is built, containing an



oven and arch kettle. There is no fire-place in the house, stoves being preferred. A cellar stairs, B. chamber stairs, s. s. stoves. There is room in the chamber for 2 good sleeping apartments. The house is built with board walls clapboarded outside and plastered inside, making the walls solid, and of course there is no place for rats or mice. The windows are double, each sash containing four lights, each 9 by 14 inches. The cellar is 14 feet square, and 7 feet deep; the walls of split granite, pointed and plastered; the underpinning of split stone laid in the best manner. Whole cost about \$500.

It will be seen that, for a small family, this house is very convenient. There is room enough for all practical purposes, and what is equally important, no waste room. The old fashion of building a large two story house to look at, and putting up a one story addition to live in, is becoming obsolete, and smaller, more tasteful and convenient dwellings are being built instead. If any one has a house built after a better plan than this, I—am glad of it. W. L. EATON. *East Weare, N. H.*

Chicory or Succory.

Coffee, as prepared for sale in the several countries of Europe, is said to be greatly adulterated by an admixture of the ground root of a plant called chicory. The variety used for this purpose is call-

ed in France, *chicoree de cafe*. It is supposed to have been derived from Egypt, where, as well as in Arabia, it is much used as human food. The adulteration of coffee by this substance, is thought by some to rather improve than injure the flavor of the coffee, and even to render it more wholesome. The demand for the roots for this purpose, has rendered its cultivation very profitable in certain districts.

The plant is also cultivated for forage, the tender stems and leaves being much relished by cattle and sheep. The plant is perennial, and will, it is said, yield good crops year after year, on the same ground. The *North British Agriculturist* gives the following directions in regard to its cultivation:

"To do justice, it should be sown on clean land, in good condition, to insure a fair return. After the land has received a deep winter furrow, and been twice plowed in spring, and perfectly clear of root weeds, we would recommend it to be sown in drills, at from 11 to 16 inches broad, according to the richness of the soil. The drills may be formed by a neat slight paring plow; from 4 to 5 pounds may sow an acre, as the plants, when left for food, should stand from 4 to 8 inches apart in the row. Some advise not to sow till May, as some of the plants, if sown earlier, may be apt to run to seed the first year. Should the plants be intended to remain for years to yield forage, a few plants running to seed the first season can do little harm. If the stems be cut over before they are far advanced, the root will receive little damage. We have found it a safe practice to sow about the middle of April; but where the root for grinding is the object, as they, in that case, are all to be taken up for use in the autumn, it may be as well to defer sowing till the end of April, after which period few will be found to run to seed the first season."

The best time Cutting Timber.

A pamphlet has been published under the supervision of A. S. ROBERTS, Esq., Corr. Secretary of the Philadelphia Society for Promoting Agriculture, in reference to the best time for cutting timber for fencing and other agricultural purposes. It embraces the substance of letters received from various persons, who had been requested to communicate the results of their observation on this subject. The writers do not profess to found their opinions on experiments conducted in such a manner as to fully settle the question; on the contrary, so far as conclusions are given, they are drawn from such facts as have fallen in the way of the respective individuals. For this reason, it is not, perhaps, strange that they should present great diversity—some being in favor of the winter as the best time, others the spring, others midsummer, and others autumn. Several, perhaps a majority, of the writers are in favor of June, or that part of the season when the bark will most easily peel off. Such has been the conclusion to which our own observation has tended. It may be here suggested as probable, that the general durability of timber cut at this season of the year, is attributable to its being divested of its bark as soon as cut, and exposed at once to the drying influence of the atmosphere, which soon evaporates the moisture, causing so great a shrinkage as effectually to close the pores, rendering it thereafter almost impervious to the agents of decomposition.

Mr. Roberts suggests the propriety of soaking fresh-cut timber in a solution of lime. He thinks the sap might in this way be displaced by a deposit of lime, or that the lime might combine with the

acid of the sap, which would thus be neutralised and rendered inactive. The suggestion is reasonable, and is not unsupported by actual results. Mr. R. quotes from what he considers a "well-written article by an anonymous correspondent" of the *American Agriculturist*, vol. viii, p. 274, in reference to the causes of decay in timber. That article was certainly "well written," and attracted our attention when it appeared originally in the *London Gardeners' Chronicle*, by whose editor, the celebrated botanist, Dr. LINDLEY, it was probably written. It had the signature of "B.," in the *Agriculturist*.

Strength of Wire.

As the subject of wire fences is now receiving considerable attention, and as inquiry has been made in regard to the strength of different descriptions of wire, we give the following table from an essay which lately received a prize from the Highland and Agricultural Society of Scotland. It shows the number of pounds each of the sizes of various kinds sustained before breaking. The lengths tested were ten feet. The wire called "common" was the ordinary wire of commerce, and is said to be made mostly from the coarser sorts of iron. The "prepared" wire is made from a finer description of iron, is more carefully manufactured, and is superior in quality to the former. "Charcoal" wire is considered the best and strongest of any of the qualities made. It is drawn from iron which is worked chiefly by wood charcoal. The "annealed" wire is considered "the very worst that can be put into a fence. From its being soft, it is readily stretched by any weight or pressure that may be brought to bear against it; and as a consequence is thrown from one side to the other, as stock may happen to touch it." It is said also, to oxidise, or rust more easily than any other kinds.

Common Wire.

No. 8 broke with	590 lbs.	} Without perceptibly stretching.
No. 6 do. do.	844 do.	
No. 4 do. do.	1269 do.	

Annealed Wire.

No. 8 broke with	605 lbs.—stretched about 4½ inches.
No. 6 do. do.	832 do.— do do 3 do.
No. 4 do. do.	1282 do.— do do 2 do.

Prepared Wire.

No. 8 broke with	955 lbs.—stretched about 1 inch.
No. 6 do. do.	1380 do.— do do ¾ do.
No. 4 do. do.	2163 do.— do do ½ do.

Charcoal Wire.

No. 8 broke with	1274 lbs.	} Stretched about the same as prepared wire.
No. 6 do. do.	1762 do.	
No. 4 do. do.	2656 do.	

Good and Bad Management.

During a ride in our county not many weeks ago, I could but notice a noble looking orchard, of a hundred trees, planted more than twenty years ago, by the man who now lives upon it. Yet that orchard hardly produces good fruit enough to supply the family of the owner, and the sour dwarfed fruit is of no particular value for swine or cider. His neighbor not far off has an orchard some five years younger, of about half the size, and in a more unfavorable location; yet he supplies himself and many of his neighbors, and sells enough of his noble pippins and greenings to pay his hired men, and keep his bill for family groceries from accumulating. The secret of all the difference is, the latter man actually expended \$5 in grafting that orchard, and has occasionally expended an hour's labor in pruning and cultivating those grateful trees.

During that ride, I saw a man feeding ten long, lank, lean swine, which will hardly furnish his fami-

ly with pork, bacon and lard, for a twelve month. Before I had travelled five miles farther, I saw another man with seven, about the same age, and he will probably have nearly a ton of pork to sell.

Another man's fences, outbuildings and garden, were a disgrace to the man, a disgrace to the neighborhood, and to the county; while another as greatly honored himself in them all; thus making it apparent to my mind that a man can as signally honor or dishonor himself on a piece of ground only large enough for a garden, as on a farm of 100 or 500 acres.—*R. G. Pardee's Address.*

Dairying in St. Lawrence Co., N. Y.

EDS. CULTIVATOR—Perhaps it may not be uninteresting to many of your readers to hear something from us, especially those at the west, who regard us as almost in the frozen region. I am inclined to think that many of the accounts of products from different parts of the country, that appear in your pages, are among that class of farmers who are both able and willing to expend more in their business than a great majority of farmers are able to do.

I have had 100 acres of land previous to last year. I now have 130 acres; have frequently cut from 70 to 80 or 90 tons of hay, and raised my own grain, and some to spare. My best crop of spring wheat (for I raise no other) 30 bushels per acre—China wheat. Last season was uncommonly dry with us, no rain at all having fallen for many weeks. The hay crop was light, and the pastures were dried up. Meadows after haying, dried and sunburnt—there being no after feed at all. Grain was light. Hay was sold this spring at \$10 per ton, and then was drawn from 5 to 30 miles.

Bear these things in mind, as you read the amount of butter and cheese from my dairy last season. The cheese weighed from the press 8,343 pounds. Butter, twice thoroughly worked, 2,200 pounds. Number of cows in May, 25; bought in June and July, and sold in October. Average number about 23. Averaged nearly 300 pounds of cheese and 80 pounds of butter per cow. I reckon 3 pounds of cheese for each pound of butter, according to the estimate of some Ohio dairymen, which would equal about 534 pounds of cheese per cow.

I should like to hear from other dairymen in our county and in Vermont, through your columns. G. A. HANCHET. *Potsdam, May, 1850.*

On the Height of Corn.

EDS. CULTIVATOR—In the year 1842, I travelled through a portion of the state of Ohio. The season was a poor one for corn. I measured three different fields on the Raccoon creek, in Licking county, and found it thirteen feet high. I was told that on the same soil, it grew sixteen feet in good seasons. I saw a field of two hundred acres on the bank of the Muskingum, near Coshocton, where the height was said to be the same as above.

The largest corn that I saw in my own state, that year, was between Syracuse and Fayetteville. It was eight feet high. This I have found to be the usual height of our best yellow corn in some of our most favorable seasons. There is one remarkable difference between the northern corn and the gourd seed varieties, which are cultivated in Ohio and farther south. The ear of the southern corn unites with the stalk *above* the centre of it, while our northern corn unites with it *below* the centre. C. E. G. *Utica.*

Sale of the Bates Short-Horns.

The public sale of this noted herd of cattle took place on the 9th of May last, agreeably to previous notice. We have not received a detailed account of the sale, but the following extract from a letter received from L. G. MORRIS, Esq., who attended as a purchaser, will show that several of the animals are to come to this country. The letter is dated Kirkleavington, May 10.

"The great Bates sale took place yesterday. The attendance was from three to five thousand, from almost all parts of the world. The average price was about 63 guineas, the highest price 205, and the lowest priced sound animal was 30 guineas. Mr. Colling's sale reached higher prices, but it was when England was in a more prosperous state than it now is; and the terms of sale more liberal than these.* Mr. Bates' heirs and executors are in chancery, and all business done through a receiver, who made the terms half cash down, and balance on delivery of the animals, which was to take place five or six days at farthest from the date of sale. The risk of the animals *immediately* on being struck down was to be borne by the purchaser. I purchased three head, and Mr. Becar of Smithtown, Long Island, purchased four head. I did not make my purchases until I had examined all the herds of any note in the counties of Yorkshire and Durham, which are the finest Short-horned sections in the world; and even then I did make my final selection until I had *re-examined* Mr. Bates' herd several times. The only animals I bid on, I purchased."

Farming in Rhode Island.

Mr. S. B. HALLIDAY, of Cranston, R. I., gives an account in the *Providence Journal*, of the products of his farm for 1849, from which we take the following. The size of the farm is not stated, nor is the number of cows kept for the dairy, mentioned.

"Of potatoes, I have dug about 1200 bushels; turneps, 1200 bushels; carrots, 600 bushels; parsneps 200 bushels; table beet, 1000 bushels; mangel wurtzel, 500 bushels; spinnach, 300 bushels; tomatoes, 200 bushels; white cabbage, 20,000 heads; savoy cabbage, 25,000 heads; broccoli, 2000 heads; lettuce, 20,000 heads; egg plants, 400; salsify, (oyster plant,) 2000; rhubarb, (pie plant,) 3000 lbs.; asparagus, 1000 lbs.; pickles, 20,000; corn, 2000 bushels, ears; rye, 100 bushels; millet, 20 tons; green rye and clover, 40 tons; English hay, 10 tons; buckwheat, 3 tons; 250 lbs. spinnach seed; 200 lbs. beet seed; 40 lbs. of turnep seed. In addition to this, we raise nearly all our small seeds, such as celery, carrot, radish, &c. The dairy yields for the year, about 20,000 gallons milk."

The Cheese Trade.

HENRY KEMP & Co., of New-York, have issued a circular in which it is stated that the supply of cheese brought to the tide-waters of the Hudson for the year 1849, was 42,097, 818 pounds, against 43,278,526 pounds in 1848. The decrease the past year is attributed to the severe drouth of last summer in Western New-York and Ohio. The export of cheese to Great Britain from New-York, is said to have reached last year 12,000,000 pounds, against 15,386,836 in 1848, being a decrease of one-fifth.

* At the sale of Mr. Charles Colling's herd, in 1810, 47 animals brought £7115.17s. The highest price for bulls was 1000 guineas, for Comet; and the highest price for cows was 410 guineas, for Lily. Another bull, Petrarch, brought 365 guineas; and the cow Countess 400 guineas. EDS.

This decrease is attributed to the inferior quality of the cheese. Of good cheese probably double the amount exported last year would be taken by Great Britain. The receipts of cheese at New-York in 1834 were only about six million pounds, from which they have gone on in a regular gradation of increase to 1848, when 43,278,526 pounds were received. The exports to Great Britain commenced in 1840 with seven hundred thousand pounds, and have increased to fifteen million pounds in 1848.

Water Lime, &c.

EDS. CULTIVATOR—I should like to be informed how water lime, or the common cement used in laying stone to guard against water, will do on wood. Will it do to plaster a coat of it over the roofs of old buildings? If so, what is the mode of preparation? Do you prepare the mortar different from that used in laying stone? I should like advice also on the subject of laying water lime pipe, to conduct water for common watering purposes. What are the advantages and disadvantages of this kind of pipe, as compared with lead pipe? And, lastly, what can I do to prevent plum and cherry trees from blistering, or raising black bunches, and what is the remedy to restore them to soundness? J. A. CHENEY. *Cooperstown, May 19, 1850.*

Rotation of Crops.

EDMUND RUFFIN, Esq., of Marlbourne, Va., a successful farmer and well-known writer on the subject of agriculture, gives the following as a rotation which he has practiced with advantage:

1st year—Corn, (on grass land, grazed the preceding year until July or August only.)—and secondary crop of peas, planted or sown among the growing corn.

2d year—Peas, sown broad-cast, and plowed under in September, for

3d year—Wheat on pea-fallow—clover sown.

4th year—Clover—(which receives all the stable and barn-yard manure)—first growth mown, where fit, and second plowed under in August and September, for

5th year—Wheat on clover fallow.

6th year—Pasture, from spring until the wheat fields are cleared to admit the grazing stock.

To Plow in Clover, Weeds, &c.

Those who have undertaken to plow in green crops, know the difficulty frequently attending the operation, on account of the liability of the plow to be clogged, and the vegetable matter being left uncovered. A correspondent of the *American Farmer* gives the following description of a contrivance he has adopted, which is stated to answer the purpose completely: Saw off a block from some hard, durable, and heavy wood; say about ten inches long, and three and a half or four inches in diameter; then take a piece of trace chain, about three feet long, confine one end to the block, by driving a small staple in the end, having first passed the staple through an end link of the chain. Point the other end of the block, and attach a larger chain in the same manner to that. Tie the short chain (attached to the square end of the block,) to the rod which passes through the mould-board and beam of the plow, by wrapping it around the beam at that place; drop the block in the bottom of a furrow which has been already opened, (of course on the mould-board side,) draw up the long chain, and attach that to the clevis pin or

clevis;—be sure that you have both chains just tight enough to permit the block to lie in the furrow; allow no slack. The short chain gathers the clover, weeds, &c., and bends them down; the weight of the block prevents the chain from rising, and the plow laps the dirt over the weeds, whilst they are in a recumbent position. I am this day turning under weeds as high as the heads of the plowmen, who are almost wholly concealed.

Saving Clover Seed.

EDS. CULTIVATOR—In the January number of the *Cultivator* is an inquiry from C. W. Cathcart, respecting the saving of clover seed at the East. I will give you our mode in Litchfield county, Conn. At the proper time for securing the crop, we go with our scythes and mow when the dew is on, being careful to stop as soon as the dew is off. In cloudy or foggy weather we mow all day. We let it remain in the swath until it is cured, then rake it into winnows, and roll it into small heaps while it is damp with dew. In the after part of the day, thrash or tread it off from the straw, either on the barn floor or on a bed made in the field for the purpose. If it is threshed in the field, it will be necessary to take up the chaff every night, as it gathers moisture from the ground, which greatly retards the cleaning. We consider it best, when we can, to use the barn floor, and let the seed remain until we finish the field. By keeping the chaff level on the floor, we can work to advantage until the chaff accumulates to the depth of three feet or more.

The greatest difficulty, in treading it from the straw with cattle or horses, is the time required to shake the chaff from the straw, so that it will not be thrown out with the straw; but in my opinion it is decidedly best to use oxen in thrashing. In this way a load the size of a ton of hay can be thrashed at three or four floorings, and three turnings to each flooring will make it entirely clean. We then carry the chaff to the mill, where it is cleaned in good order for market, for one dollar per bushel. The machine is manufactured by Harmon Baldwin, Esq., of Washington, Litchfield county, Conn., and was put up and set running in this vicinity, for (I think) \$120. The machine requires but a small power to carry it, probably not an eighth of that required for a run of provinder stores. A SUBSCRIBER.

Harvesting Grain.

EDS. CULTIVATOR.—Grain Harvesting is an important business of the farmer, and when the season for performing it arrives, every other business should give place to it. From observation, I am satisfied that farmers generally let their grain stand too long before cutting. When left to get ripe, a great deal shells out and wastes in the harvesting; but if cut when the straw is green, this waste is saved, and the flour is of better quality, and the grain is heavier, as has been proved by experiment. In good weather, wheat and rye may be taken up in one day from the cradle or sickle, bound in convenient bundles, and set up in shocks of four, ten, or twelve bundles each. With wheat or oats two bundles may be laid, crossing each other on the top of the shock, which will serve to shed off the rain. With rye, a shock of bundles set up with the butts well braced, and no cap sheaf set on, is found to cure better, and in case of a long storm, is less liable to sprout than when shocked in the old way

with a cap-sheaf. Grain shocks will generally cure in from eight to ten days of ordinary hay weather; and as soon as cured, let them be secured. I have known persons to let their grain stand from four to six weeks in the shock, and whenever I see such management, I am always inclined to think that such persons think or care but little for improved farming. L. DURAND. *Derby, Ct., June 4.*

Domestic Economy, Recipes, &c.

Preserves and Jellies.*

GENERAL DIRECTIONS.—Gather fruit when it is dry.

Long boiling hardens the fruit.

Pour boiling water over the sieves used, and wring out jelly bags in hot water the moment you are to use them.

Do not squeeze while straining through jelly bags.

Let the pots and jars containing sweetmeats just made, remain uncovered three days.

Lay brandy papers over the top, cover them tight and seal them, or, what is best of all, soak a split bladder and tie it tight over them. In drying, it will shrink so as to be perfectly air-tight.

Keep them in a dry, but not warm place.

A thick leathery mould helps to preserve fruit, but when mould appears in specks, the preserves must be scalded in a warm oven, or be set into hot water, which then must boil till the preserves are scalded.

Always keep watch of preserves which are not sealed, especially in warm and damp weather. The only sure way to keep them without risk or care, is to make them with enough sugar and seal them, or tie bladder covers over.

STRAWBERRIES.—Look them over with care. Weigh a pound of sugar to each pound of fruit. Put a layer of fruit on the bottom of the preserving kettle, then a layer of sugar, and so on till all is in the pan. Boil them about fifteen minutes. Put them in bottles, hot, and seal them. Then put them in a box, and fill it in with dry sand. The flavor of the fruit is preserved more perfectly, by simply packing the fruit and sugar in alternate layers, and sealing the jar, without cooking, but the preserves do not look so well.

CURRENTS.—Strip them from the stems. Allow a pound of sugar to a pound of currants. Boil them together ten minutes. Take them from the syrup, and let the syrup boil twenty minutes, and pour it on the fruit. Put them in small jars or tumblers, and let them stand in the sun a few days.

TO PRESERVE CURRENTS TO EAT WITH MEAT.—Strip them from the stem. Boil them an hour, and then to a pound of the fruit, add a pound of brown sugar. Boil all together fifteen or twenty minutes.

CURRENT JELLY.—Pick over the currants with care. Put them in a stone jar, and set it into a kettle of boiling water. Let it boil till the fruit is very soft. Strain it through a sieve. Then run the juice through a jelly-bag. Put a pound of sugar to a pint of juice, and boil it together five minutes. Set it in the sun a few days.

CHERRIES.—Take out the stones. To a pound of fruit, allow a pound of sugar. Put a layer of fruit on the bottom of the preserving kettle, then a layer of sugar, and continue thus till all are put in. Boil till clear. Put them in bottles, hot, and seal them. Keep them in dry sand.

RASPBERRY JAM—No. 1.—Allow a pound of su-

gar to a pound of fruit. Press them with a spoon, in an earthen dish. Add the sugar, and boil all together fifteen minutes.

RASPBERRY JAM—No. 2.—Allow a pound of sugar to a pound of fruit. Boil the fruit half an hour, or till the seeds are soft. Strain one quarter of the fruit, and throw away the seeds. Add the sugar, and boil the whole ten minutes. A little currant juice gives it a pleasant flavor, and when that is used, an equal quantity of sugar must be added.

Answers to Correspondents.

BARK LICE.—A. B. P., Boone Grove, Ind. The insects you send are a species of bark louse—*Coccide*. They are very common on apple trees in most parts of the country, and are supposed to have been introduced here from Europe. The best description we have seen of the insect, is given by Dr. HARRIS, in his "*Insects Injurious to Vegetation*." He says—"The limbs and smooth parts of the trunks of apple trees are sometimes completely covered with these insects, and present a very singularly wrinkled and rough appearance from the bodies which are crowded closely together. In winter these insects are torpid, and apparently dead. They measure about one-tenth of an inch in length, and are of an oblong, oval shape, gradually decreasing to a point at one end, and are of a brownish color, very near to that of the bark of the tree. . . . In spring, the eggs are readily to be seen on raising the little muscle-shaped scales, beneath which they are concealed. These eggs are of a white color, and in shape very nearly like those of snakes. Every shell contains from thirty to forty of them, embedded in a small quantity of whitish friable down. The young on their first appearance are nearly white, very minute, and nearly oval in form. In about ten days they become stationary, and early in June throw out a quantity of bluish-white down, soon after which their transformations are completed, and the females become fertile and deposit their eggs. These, it seems, are hatched in the course of the summer, and the young come to their growth and provide for a new brood before the ensuing winter."

The time when these insects hatch depends, of course, on the climate or location. Some of the insects sent us from Indiana, were hatched when they arrived here, 20th of April.

As to remedies, Dr. HARRIS observes: "The best application for the destruction of the lice, is a wash made of two parts of soft soap and eight of water, with which is to be mixed lime enough to bring it to the consistence of thick white-wash. This is to be put on the trunks and limbs of the trees with a brush, and so high as practicable, so as to cover the whole surface, and fill all the cracks in the bark. The proper time for washing over the trees is early in June, when the insects are young and tender. The insects may also be killed by using in the same way a solution of two pounds of potash in seven quarts of water, or a pickle consisting of a quart of common salt in two gallons of water."

CULTIVATION OF TOBACCO.—"A SUBSCRIBER," Great Barrington, Mass. You will find much information in regard to the culture of tobacco in the valley of Connecticut river, in our volume, for 1844, p. 89; and in that for 1847, pp. 361, 362.

KINDS OF GRASS FOR MICHIGAN.—"EXPERIENCED FARMER." If the soil of the "oak openings" is pretty rich, the Kentucky blue-grass (*Poa*

*From Miss Beecher's Domestic Receipt Book.

pratense) will probably grow well. If sown by itself, one bushel of seed will be required. Try red-top (*Agrostis*) with white clover (*Trifolium repens*) a bushel of the former with three quarts of the latter. Red-top will also do well to mix with clover for hay. Sow the medium or southern clover, ten pounds to the acre, with half a bushel of red-top seed. Timothy, as you say, is inclined to die out on very dry land, and none of the grasses will last as long here as in soil that is more moist. For shady or wood-land pastures, sow Kentucky blue-grass, and orchard-grass (*Dactylis glomerata*.) If mixed together, use half a bushel of the former with a bushel of the latter.

Facts and Opinions.

(Condensed from Books and Papers.)

SUBSOIL PLOWING.—A correspondent of the *Agricultural Gazette* says he formerly made a point of plowing at least ten inches deep when preparing for turneps; but he is more successful in growing them by keeping the manured soil near the surface, and loosening the substratum with the subsoil plow, going about seven inches deep with the first plow.

FOUR CALVES AT A BIRTH.—B. GATES, of Merewether county, Georgia, writes to the *Columbus Inquirer*, that on the 9th of February a cow of his brought forth four female calves, all alive and well. Two calves at a birth are not uncommon, three are very rare, but four are so far out of the usual course, that the occurrence deserves to be recorded.

A VALUABLE COW.—HENRY JENNISON, of West Newton, Mass., gives the *Plowman* an account of the product of his cow for one year, or from April 2d, 1848, to the same period in 1849. First, he sold her calf at four weeks old for six dollars, then thirty gallons of milk at ten cents per gallon; made three hundred and sixty-eight pounds of butter, which sold on an average at twenty-four and a-half cents per pound; during winter sold twenty-four gallons of milk at fourteen cents per gallon. No estimate was made of milk used in a family of three persons. The cow had one acre of pasturage, and was fed with one quart of meal per day for two months, with green corn in the driest of the season; and after haying, was turned into "full feed." The income may be stated thus:

Calf,	\$6 00
30 gallons milk,	3 00
368 lbs. butter,	90 06
24 gallons milk,	3 36

\$102 42

NEW JERSEY MARLS.—It is well known that certain sections of New Jersey have been greatly improved in regard to the productiveness of the soil, by the application of marl. In Monmouth county, according to Professor MAPES, in the *Working Farmer*, "lands which ten years ago were worth but ten dollars per acre, are now producing large crops, simply by coating them with a few bushels of marl, taken from within a few feet of the surface." This marl we understand to be what is called *green sand*. Professor M. states that some of it contains 13 per cent of potash, and that the quantity required to fertilize an acre, does not exceed one hundred bushels. Some of the marls, however, are said to contain an excess of sulphate of iron, and when they are applied in large quantities, injure vegetation. Professor M. observes "that the continued

use of marl, while it supplies many of the inorganic constituents of plants, must eventually cause the disappearance from the soil of all its inorganic matter, and hence the necessity of its renewal from time to time by the additions of decomposed peat, turf, river mud, and other organic matters."

SOUND ADVICE.—Rev. MORRILL ALLEN, in resigning his post as president of the Plymouth, Mass., Agricultural Society, says—"My strong desire that your future labors may be attended with distinguished success, prompts a caution against concentrating efforts in a few specific and favorite objects; let every branch of the farmer's interest attract attention, and in the just measure be taken under your patronage. Endeavor to walk in the light of science, but prize cheaply theories not reducible to practice. In the numerous speculations on various agricultural topics, which abound at the present time, we are in danger, without great caution, of being led into errors. Speculative minds in the ardor of inquiry, often forget that in practical life facts should always take precedence of theories. Use with vigilant care the varied means of scientific improvement now enjoyed, and practical improvement will be proportionably accelerated."

FIRST COUNTY AGRICULTURAL SOCIETY IN THE STATE OF NEW YORK.—By the following paragraph from a "Historical sketch of the Village of Watertown," given in the *Business Directory* for that place, published by N. L. BURDICK, it appears that Jefferson county was the first in the State to establish an Agricultural Society. It has been kept up with great spirit, and has been an important instrument in advancing the prosperity of that enterprising county:—"The agricultural interest of Jefferson embarked early in measures to elevate the important labors of that branch of industry to a higher scale of efficiency and usefulness. In 1818, in Watertown, in a building on the site of the American, was organized the first County Agricultural Society ever established in this State. JAMES DE LE RAY CHAUMONT delivered the address. That distinguished statesman and patron of learning, public improvement, and agriculture, DE WITT CLINTON, was also present, and spoke in support of the views and objects of the Society. Guided and sustained by the sagacity and public spirit of the farmers of this county, the society has continued to flourish, and its annual fairs will not suffer by comparison with similar exhibitions throughout the State."

EXPLOSION OF AIR-TIGHT STOVES.—Prof. HORSFORD, in a paper lately read before the "American Academy of Arts and Sciences," thus explained the phenomenon of the explosion of the so-called air-tight stoves. It is proper to remark that these accidents are latterly of rare occurrence, and with the self-regulating valve, which is now attached to the best of these stoves, it is believed such accidents would never happen. "After the wood has been fired, and the supply of air for some time shut off, on re-opening the draft, and sometimes without, occasional explosions of great violence have occurred, attended with the blowing out of the stove door, and in some instances producing still greater injury to the stove. The probable explanation is this. After firing the wood and shutting off the draft, destructive distillation commences. Inflammable gases issue from the wood, which, mingling with air derived from the pipe or remaining still unconsumed, furnish an explosive mixture, which the first jet of flame, or perhaps the incandescent coal, causes to explode."

Notes for the Month.

COMMUNICATIONS have come to hand, during the past month as follows: J. A. Cheney, A Subscriber, J. W. G., An Experienced Farmer, D. T., James Tufts, W. L. Chambers, H. Wetherwax, G. A. Hanchett, An Old Farmer, A Subscriber, L. Durand.

BOOKS, PAMPHLETS, &c., have been received as follows:

The Philosophy of Electrical Psychology, by JOHN B. DODS—from the publishers, FOWLERS & WELLS, New-York.

Analysis of the Apple, by J. H. SALISBURY, M. D.—and Analysis of the Rhubarb, by the same—16 pages 8vo.—from the Author.

First Report of the Geology of Alabama, by Prof. M. M. TUOMEY, Geologist to the State, &c., from Gov. COLLIER.

Report of the Maryland State Agricultural Chemist, JAMES HIGGINS, M. D., for the past year.

Fourth Report of the Board of Agriculture of Ohio, from J. L. COX, Esq., Zanesville.

A. B.—We shall be glad to have you continue the subject, as you propose.

THE AMERICAN FRUIT CULTURIST.—This work has been mailed to every agent entitled to it by our terms. The postmaster at Philadelphia stopped those which should have passed through his office, on the ground that books had no right to go by mail. He, however, informs us that he has, at our request, forwarded the copies which were detained at his office. But if any person entitled to the work, has failed to receive it, we will forward a second copy on being apprised of the failure.

CORRECTION.—In our last, the price of Professor NORTON'S "Elements of Scientific Agriculture," was stated at 75 cents. It should have been 50 cents.

THE PLOW, LOOM, AND ANVIL.—The third volume of this periodical commences with August. The well-known industry and energy of its editor, J. S. SKINNER, Esq., continue unrelaxed, and its pages are well filled with useful matter. It is published monthly, at \$2 a year, in advance. J. S. SKINNER, Philadelphia, Editor and Publisher. See advertisement.

THE DIFFERENCE.—Mr. J. S. CRAIG, of Madison, Ind., speaking of the failure of the wheat crop in his neighborhood, last year, says—"One man told me he had sown six bushels, and did not gather the amount of the seed. I replied, 'I have done better than that, my crop having averaged 15 bushels per acre; to which he said—'O, a poor man, with a large family, can't afford to put his land in such nice order as you had yours;' 'but,' said I, 'the chief difference between us is, I feed my corn fodder in the stables and yards, you feed your's in the roads and lanes.' Would you believe it! I have three adjoining neighbors, who feed their cattle in the road and lanes, if it happens to be in the most convenient place, and don't seem to care about the loss of manure. Yet their rotation is corn, oats, wheat, without allowing the land any rest in clover or grass, and giving it but very little manure, till it has almost refused to produce wheat. I find, now, the opinion is almost universal, that it is useless to sow wheat, without manuring the land in some way."

BREED OF SWINE.—Mr. O. F. MARSHALL, of Wheeler, Steuben co., N. Y., writes: "We have a peculiar kind of hogs in this section, which have been bred here over 50 years. They became nearly extinct about the time the Berkshires were so popular; but we have, with a good deal of exertion, restored them about as pure as formerly. They are similar

in shape to the Berkshires, but their color is red or sandy, and they have very fine hair. When pure-blooded, the tails of the pigs come off, when about three or four weeks old. They were introduced here by the late judge Hammond, father of S. H. Hammond, Esq., district attorney for Albany county."

AGRICULTURAL SCHOOL IN MASSACHUSETTS.—The following gentlemen have been appointed by the Governor of Massachusetts commissioners on the subject of an agricultural school, viz: Hon. M. P. WILDER, Dorchester; Rev. Dr. EDWARD HITCHCOCK, President of Amherst College; SAMUEL A. ELIOT, of Boston; ELI WARREN, of Upton; and THOMAS E. PAYSON, of Rowley.

TRANSPLANTING LOCUST TREES.—A correspondent informs us that the sprouts of locust trees, if taken up in the spring, and set in open places in the woods, will grow well, and become valuable for timber. We have heard it said that locust trees planted in this way are not likely to be attacked by the borer.

The figure of "Third Duke of Cambridge," given in our present number, was engraved for the forthcoming volume of the Transactions of the New York Agricultural Society. We are authorized to say that this volume, the publication of which has been unavoidably delayed, will shortly make its appearance.

ROYAL AGRICULTURAL SOCIETY.—The Council of this Society have made arrangements to hold their annual show of cattle for 1851, in Hyde Park, in connection with the Exhibition of the Works of Industry of all Nations. The usual show of implements by the Society will be omitted on that occasion, as the Exhibition will comprise a similar department. The show of the Royal Society for the present year will be held at Exeter in July, commencing on the 15th. This Society at the present time comprises 5,261 members: namely, 90 life governors, 169 annual governors, 267 life members, 4,356 annual members, and 19 honorary members.

CORRECTION.—In the communication of "A. S. F." in our May number (pp. 181, 182,) it was stated that chloride of lime was used for seed corn, in the proportion of half of the former to a bushel of the latter. It should have been *half a pound* to a bushel of seed; and the distance between the corn-rows should have been *three* instead of three and a half feet.

TAX ON DOGS.—It is well known that the keeping of sheep in Ohio has been attended with heavy losses in many instances, on account of their destruction by dogs. After several ineffectual attempts to procure the passage of a law by the legislature, authorizing a tax on dogs, an act was passed at the last session, authorizing seventeen counties to collect the sum of fifty cents a year from every person who owns or keeps one dog, and one dollar for each additional dog kept by the same person. One-half of the money raised by this tax is to go to the common school fund, and the remainder is to be set apart to compensate persons sustaining losses by having sheep killed by dogs.

THIBET SHEEP.—PRINCE ALBERT has sent a communication to the Council of the Royal Agricultural Society, giving the results of an attempt to naturalize a hardy and prolific race of sheep from Thibet, at her Majesty's farm at Osborne.

"LIONIZING."—THOS. D. BURRALL, Esq., in his address before the Ontario county Agricultural Society, observes—"The whole system of lionizing,

and *running after sights* is a national vice which has too often made us ridiculous, and which should especially be avoided at our *Fairs*, lest they eventually become so mixed up with new additions as to have nothing left to the farmer but the name. They should look to this in time, and never forget to respect themselves and protect their interests. Ever bearing in mind that as a class they form an important part of the great conservative power of the State, and that they are bound to make that power felt and respected."

NEW WORK.—Messrs. DERBY & MILLER, book-sellers, Auburn, will issue soon a new work on rural affairs, entitled "The Farmer's Every Day Book; or, Sketches of Social Life in the Country, with the Popular Elements of Practical and Theoretic Agriculture, and 1,200 Laconic and Apothegms relating to Ethics, Religion, and General Literature; also 500 receipts on Hygeian, Domestic and Rural Economy.

"Would you be strong? Go follow up the plough;
Would you be thoughtful? Study fields and flowers;
Would you be wise? Take on yourself a vow,
To go to school in Nature's sunny bowers.
Fly from the city, nothing there can charm—
Seek wisdom, strength and virtue on a farm."

We intended to have given a chapter from it this month, on "The Commercial Importance of Agriculture," but are under the necessity of deferring it. From the high character of the author, as well as from the few pages we have seen of the work, we have no doubt it will have an extensive sale.

THE ONEIDA COUNTY AGRICULTURAL SOCIETY will hold its next fair at Rome, on the 17th, 18th, and 19th days of September. This, we believe, is the first instance of one of our county fairs continuing three days, and we are glad to see that the farmers of this rich and fertile county take sufficient interest in the subject to warrant a three-day fair. BENJ. N. HUNTINGTON, Rome, President. L. T. MARSHALL, Vernon Center, Secretary.

LONG ISLAND LANDS.—The attention of farmers intending to change their location, is particularly invited to the advertisement of Dr. PECK, setting forth the inducements offered by the lands on Long Island.

PRICE OF MUSTARD SEED.—The editor of the *Ohio Cultivator* states that 6½ cents per pound is the price at which manufacturers in Ohio are willing to contract for good seed, next fall. A letter is published from Messrs. FELL, of Philadelphia, stating that owing to the fluctuations in the market, and generally low prices, they do not recommend the cultivation of mustard on a large scale, to the western farmers, especially, "as long as the foreign seed is admitted at the present rate of duty."

HEAVY PIGS.—BENJ. LYMAN, of Columbia, Ct., gives the *Mass. Plowman* an account of the weight of several pigs killed in that town since the first of December last, as follows:

Hubbard Barstow killed a pig 8 months old, weight	360 lbs.
Jonathan Clark " " 9 " "	387 "
John Davenport " " 8½ " "	390 "
John Ticknor killed an old hog,	610 "

ANIMALCULES ON HUMAN TEETH.—Dr. H. J. BOWDITCH, of Cambridge, Mass., states as the result of many microscopic examinations of the accumulations on the teeth of healthy persons, that of forty-nine individuals, most of whom were very particular in the care of their teeth, animal and vegetable products were found in every instance except two. In those cases the brush was used three times a day, and a thread was passed between the teeth daily. Windsor soap was also used by one of these

two persons, with the brush. Dr. Bowditch tried the effect of various substances, in destroying the animalcules, and especially tobacco, by which they seemed to be in no way incommoded. Soapsuds and chlorine toothwash invariably destroyed them.

INDUSTRIAL EXHIBITION OF 1851.—Preparations are already in progress for the transmission of the productions of American genius and ingenuity to the approaching great Industrial Exhibition which takes place in 1851 in London. A meeting of the Central Committee for the United States convened at the National Institute, in the Patent Office, Washington, on Thursday, the 13th ult., Hon. Millard Fillmore presiding, and Prof. W. R. Johnson acting as secretary. Among the various communications read at the meeting, was one from the secretary of a former meeting, held on the 27th of last month, containing the names of those appointed on the Central Committee, among which are the following: Hon. Millard Fillmore, Hon. Levi Woodbury, Professors Joseph Henry and Alex. D. Bache, Com. C. Wilkes, Lieut. M. F. Maury, Col. J. J. Abert, and Thos. Ewbank, and others. 21 in number.—*N. Y. Evening Post*.

RED CEDAR POSTS.—All kinds of Cedar are known to be very durable, but the heart of red cedar is perhaps, preferable on this account, to any other kind, and those parts of the tree which are most knotty, will probably last longest. E. BOURNE, in the *Mass. Plowman*, states that on examining some red cedar posts set by his father 48 years since, he found those which were taken from the butt-end of the tree, a little decayed on the outside; but those from the second and third cuts of the tree, were perfectly sound.

PROFITS OF FOWLS.—BRADFORD PACKARD, of West Bridgewater, Mass., states in the *Plowman* that he kept an accurate account with twenty fowls, (eighteen hens and two cocks,) for one year, from January 1st, 1849. He obtained 2434 eggs, the average price of which was fourteen cents per dozen, making \$28.90; he raised twelve chickens, valued at 25 cents each, giving an aggregate of \$31.89. The food the fowls ate during this time was 15 bushels of corn, which cost \$10.89, leaving a net profit of \$21.01.

TO DECOY RATS.—Mix a shilling's worth of Spanish flies in a pint of the best French brandy, cork it well, and after shaking, let it stand six weeks, and it will be fit for use. A few drops of this liquid is said to entice the rats from their holes into any kind of trap.

Wool Market—June 19, 1850.

The shearing has actively progressed for the two past weeks, and is now nearly completed, excepting in the northern portion of this and some of the Eastern States. The appearance of a much dreaded epidemic in the spring of 1849, caused a general paralysis in the business of the country, and greatly aided in depressing the prices of wool, more particularly in the Western States. The absence of cholera, general prosperity of most business pursuits, and abundance of money facilities in the large northern and eastern cities, have produced a very different feeling in regard to the clip of 1850, and especially in the Western States, as contrasted with 1849, although the prices of cloths are about the same now as one year ago. The advance of wools in the Northern and Eastern States, compared with 1849, is from 2 to 3c.; while in Ohio, Michigan, and other Western States, it is from 4 to 6c. per lb. The excitement in the Western market has been and still is very great, growing out of the competition amongst buyers, in combination with the causes above-mentioned; and purchases have been made on speculation at so high rates, as to leave no margin for profits; and it will be fortunate if, in many instances, actual losses are not sustained. No reliable estimate can be made of the quantity of wool shorn, until near the close of the year. The opening prices, so far as they can now be ascertained, are as follows:

Common to ½ blood Merino,	25a27c.
½ to ¾ do.	25a30c.
¾ to full do.	31a35c.
Full blood Saxon,	36a40c.

Prices of Agricultural Products.

[Review of the Market for the last month.]

ALBANY, JUNE 20, 1850.

FLOUR.—Since our last report there has been a good steady trade, and Eastern demand for flour, but with little or no speculative movement. The upper tendency of quotations noticed in our May report, continued till the early part of the present month, when for a day or two the market became weaker, but subsequently rallied again. This fluctuation which has been regulated solely by the tone of the N. Y. Market, is ascribed on the one hand mainly to the uncertain character of the reports of probable receipts from the West, which hitherto have proved larger than was anticipated, and on the other to the active demand at that market for the Eastern trade, for New Orleans, and for Canadian, and low grade State flour for British Provinces. The market here may be quoted at \$5.44a\$5.56½ for ordinary to good state, \$5.62½ for mixed western, \$5.69a\$5.75 for straight do., \$5.57½a\$5.94 for fancy do. and state from good Western Wheat, \$6a\$6.12½ for Genesee, \$6.12½a\$6.25 for fancy Genesee and Ohio, \$6.37½a\$6.75 for extra Genesee. These quotations show a considerable advance upon those given in our May report. The stock of flour here is good, consisting principally of the better brands of State and Western flour.

GRAIN.—The supplies of prime Genesee wheat during the month, although larger than those of the previous month, have been small; the milling demand for these descriptions has been good, taking all offering at an advance of 16a18c. on the closing quotations in our May report; the sales are 13,000 bushels principally Genesee, at 15c. for Wisconsin to arrive, 132a135c. for Mediterranean, and including some 10,000 bushels Genesee at 137a150½c., the market today being very firm at 150c. for prime Genesee, and 148c. for a prime lot of Lancaster Co., Penn., both to arrive within a day or so, with a good demand, buyers offering 147c. for Genesee. In corn there has been a good demand which has been checked by the light receipts. The supplies which have been kept back several days by the break at Bushnell's Basin, are now coming in, and a more active market is anticipated. The improving tendency noticed in this article in our May report, continued to the 1st inst., when Northern round Yellow sold at 69c. and Western mixed at a trifle off that figure; the market retained its firmness for some days, but for want of supplies nothing was done; and after the receipt of the unfavorable advices from Europe, by the Atlantic on the 9th, and the Canada on the 13th inst., prices gradually fell off, the market closing yesterday at 60a60½ for Western low and high mixed, and 60½ for flat yellow. Northern Yellow round unless in prime condition is not taken, and may be quoted at 62a62½c. numerally. The sales since our last are 200,000 bush. including 25,000 bush. Western mixed, reported sold yesterday for delivery in all August at 56c., and 20,000 do. in two lots on the 28th ult. to arrive, at 60½c. The tendency of the market at the close, was to a further decline. Rye has been more active, and prices have varied with the quotations of other grains. The market has ranged from 62½a65c. which latter point it reached on the 31st ult., and subsequently declined to 60½c., at which figure it sold on the 18th inst. The sales of canal are 25,000 bush. In barley we notice sales of about 6,000 bush., two rowed at 65c. Oats have been active, with a good speculative demand; the sales here and to arrive, since our last, have reached 120,000 bush., including 40,000 bush. to arrive on private terms. The balance taken in lots as they arrived, closing at 47c. with a steady demand. The highest figure obtained since our last report, was on the 1st and 2d inst., when 52c. was paid.

FEED.—The high price of the coarse grains has produced a demand for feed; the inquiry is good, but the high figures asked restrict sales. The transactions are about 30,000 bush.; 13a14c. for bran, 15c. for shorts, 17½c. for Port Byron shorts, 19a25c. for second quality fine feed, and 103c. for middlings.

SALT.—The sales of bag salt embrace 22,000 bags at 11c.; barrels are lower, and sell to some extent at 100a103c.; we also notice sales of 300 to 400 sacks, Liverpool at 130c. per sack.

WHISKEY.—The limited quantity offering restricts sales. The transactions reported are about 900 brls. The market is now dull at 25c., at which figure the last sales were made. Buyers offer only 24c. for S. P. The highest quotation reached this month was 26½c.

WOOL.—The sales since our last report have been very limited; some 10,000 lbs. were taken at 34c. for super., and 31c. for No. 1 pulled. The lots of the new clip offering in the street are taken at 26a24c., according to grade.

PROVISIONS.—The sales of Mess Pork during the month have been about 500 brls. State Mess, principally on private terms, and part at \$12.25a12.50 for State Mess, and \$11 for Western. Beef Hams \$15.50, with sales 106 brls. The sales of cut meats have been to a fair extent; the transactions add up some 80,000 lbs. at 8c. for smoked hams; and 4½a5½c. for do. shoulders. There have been further sales of live hogs at 3½a3¾c.

Morgan Horse General Gifford.

THIS justly celebrated horse will stand the coming season at Lodi Village, Seneca County, N. Y. He was got by Old Gifford Morgan, out of a pure Morgan mare. In his size, color, form and action, he closely resembles his distinguished sire, and is one of the very best specimens of this invaluable race of horses.

Terms of insurance, \$12.

Good pasture provided at the usual rates, and all necessary attention given to mares from a distance.

Accidents and escapes at the risk of the owners.

May 1, 1850—3t.

CHARLES W. INGERSOLL.

The Plough, the Loom and the Anvil

IS a Monthly Journal of never less than 64 pages, beautifully printed, on the best paper, and conducted by J. S. SKINNER, founder of the first agricultural journal published in the United States.

The object of this journal is to teach the Farmer and the Planter, not only what is transpiring to improve practical agriculture, but to prove to them, by argument and illustration, how the prosperity of American Agriculture is blended with, and promoted by, the prosperity of all other Industrial pursuits in our own country.

The following are taken from hundreds of the like; to show the bearing and merits of the work.

The July (1850) number will be the first of the next (third) volume, and will be a good time for subscribers to commence. Back volumes to be had.

P. S.—Particular attention is paid to the woolen and iron interests as connected with Agriculture.

Hillsborough, Ohio, 6th February, 1850.

* * * I will only add that the zeal and ability with which "the Plough, the Loom, and the Anvil," has been conducted thus far, and the promise it affords for the triumph of the principles it advocates, demand of its patrons, and the friends of protection and national prosperity and independence, everywhere, renewed and more persevering efforts to extend its circulation, and, as I would not recommend others to do what I would not do myself, I engage and hereby pledge myself to be one of 1000, or 100, to procure five new subscribers to "The Plough, the Loom, and the Anvil," and in default, take that number myself, for gratuitous distribution.

I have the honor to be, Very respectfully,

ALLEN TRIMBLE.

NOTE.—The words in italics emphasised by the writer.

Mr. Plimney, writer of the following, is well known as one of the most accomplished and practical farmers in New England:

Lexington, Mass.

As for my opinion of your new work, "The Plough, the Loom, and the Anvil." In the first place, I have been actually astonished that one hand and head could do so much. I want more time than is allowed me in the day and night hurry of court business to express my views of a work so broad in its range, and so eminently calculated to be of great utility to the interests of the whole country. I most sincerely believe it will do more to promote the cause of agriculture, to give a healthy tone to the great body politic, and to reconcile conflicting parties than all the noisy declamations of hot-headed politicians. In short, it is just what the country wants, and must convince every owner of land, that if he would thrive by the plough, it must be by bringing it into proximity with the loom and anvil.

I had not seen a single number of the work till I received the seven numbers forwarded by you, and regret that I have so long been deprived of the pleasure of perusing its interesting pages.

Every New England man, woman and child, owes you a debt of gratitude that should at all times secure to you open doors and open hearts.

With kindest wishes, that you may for a long time to come be enabled to pursue your useful labors, I am, very sincerely, your friend,

E. PHINNEY.

Senae U. S., Washington.

I was much gratified at the perusal of your speech (at Middletown, Connecticut), which exposed the fallacies of our free trade politicians. The true cause of the depression of agriculture in our country is to be found in the fact that we purchase and pay for immense quantities of foreign bread, meat and vegetables, when we pay for the articles manufactured abroad which we consume. I trust your labors may open the minds of our farmers to this truth. Let them see that when they wear a coat made of British broadcloth, they must pay for the food the manufacturer consumed while engaged in making the cloth. With great respect, your obedient servant,

J. R. UNDERWOOD,

Of Kentucky.

To the Editor of the Plough, the Loom, and the Anvil.

EXTRACT FROM HOLLIDAYSBURGH, PA., }
9th March, 1850. }

I wish your "Plough, Loom, and Anvil" was read by every farmer in our country; it would be a perfect panacea for many of the evils with which we are oppressed. It would produce as great a sensation as fire in a barn among rats. But there is a good time coming, there is every now and then a star appearing in the horizon that did not previously exist. I hope to be able to do something to advance the interests of your journal, but can't promise to enter Governor Trimble's list, as too many of our farmers would rather read political squibs, than anything that concerned their calling.

Yours respectfully,

JOSEPH DYSART.

Nashville, Dec. 30, 1849.

Every man in the United States ought to read "The Plough, the Loom and the Anvil."

MAK R. COCKRILL.

The terms of subscription to The Plough, the Loom, and the Anvil, are—in advance for two subscribers, or for two years, \$5; for one subscriber \$3 a year; or \$10 will pay for six years, or for five subscribers for one year. The next July number will be the first of the next volume. Address J. S. SKINNER,

July 1—1t. 70 Walnut street, at his cost and risk.

Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR.

A Brief Account of the Uncultivated Lands on Long Island, in 1850.

IN answer to numerous inquiries relative to the uncultivated lands on Long Island, and for information concerning them, the attention of the public is directed to the following brief account of their position, natural capabilities, and the facilities they offer the city mechanic, the market gardener, the fruit-grower, the dairyman, and all others who are in quest of a new home.

These lands are mostly in the interior or middle parts of the Island, and probably were at first neglected more from their remote situation, than anything else, being inland, as it is commonly expressed by the inhabitants.

In fact, there does not appear to be any other cause for the *origin* of the discredit in which this portion of the island has long been held, than that it was a few miles from the shores, and therefore not so desirable to the early settlers as the lands bordering on the beautiful bays and harbors that surround them.

Indeed, all the first settlements were made near the shores; for the waters afford great privileges, added to the pleasures and comforts of life, as they abounded with fish and wild fowls in great variety; and which were a means of subsistence to the inhabitants then, as now. There is no other way to account for the strange and singular neglect of the middle regions of this Island. The eastern parts of it are highly cultivated, with a soil by nature no better than that now under consideration; the northern and southern shores, nearly its whole length, have been settled and cultivated, as long as the western part of it; more than two hundred years.

By reference to the old maps of Long Island, it will be seen that the settlements are as above described, and that the middle portion, for about forty miles long, and from six to eight miles broad, are entirely a blank. The Long Island Railroad passes through nearly the centre, from east to west, of this unimproved tract, which commences at Farmingdale, distant thirty-one miles from the city, and extends to Riverhead, about forty miles.

The "Great Hempstead Plains" are nearer the city, being only about sixteen miles distant. There are in this tract about 17,000 acres of the most beautiful land, capable, in every respect, of the highest cultivation, and belongs to the town of Hempstead, in common. It cannot be sold without a popular vote of the inhabitants, a majority of whom have always opposed the sale of it; and it is probably for this reason, alone, that it is at present unimproved; for the soil is equal to any other part of the Island of like extent. It is, in truth, a prairie, and the only one east of the Alleghanies, and was, in the early history of the country, considered as a great curiosity, and as such, was visited by great numbers of people from the different colonies, and by the early European travelers, but was not then regarded as barren.

It was more than one hundred years ago that Long Island obtained its distinctive appellation of the "Garden of America," and was then considered as highly fertile and productive, and described as such by all those who wrote anything about it previous to the Revolutionary War. Had the middle parts of the Island, along the borders of the railroad, been cultivated as the other parts, the lands there would now present the same appearance that those under cultivation now do.

Long Island was, in the early history of the country, regarded as highly fertile, as will appear by the following extract from the Annual Report of the American Institute, to the Legislature of the State of New York, for the year 1847, from page 688. "A work of 1670, proves this a rare and curious book, Denton's History; or a Brief Description of New York, formerly called New Netherlands (this has been called one of the gems of American History, being the first printed description, in the English language, of what is now the great, wealthy, and populous State of New York.) Long Island is not spoken of in this, nor any subsequent work for a great many years, as being of poor soil * * * it is everywhere spoken of as being exceedingly fruitful, with a pleasant and healthful climate, and beautiful streams and bays, abounding in all kinds of fish and water fowl." The Island was then (1670) settled on the eastern parts of the towns of East and South Hampton, and all the north shore, including the towns of Huntington and Smithtown, and the settlements in the north part of Brookhaven, so that the whole island was at the time of this author well known; for he says, "The Island is most of it very good soyle, and very natural for all sorts of English grain, which they sow, and have very good increase of, besides all other fruits and herbs common in England.

"The fruits natural to the Island, are mulberries, posimons, grapes, huckleberries, cranberries, great and small plums of several sorts, raspberries and strawberries; of which last is such abundance, in June, that the fields are died red; which the country people perceiving, instantly arm themselves with bottles of wine, cream and sugar, and instead of a coat of mail, every one takes a female upon his horse, behind him, and so rushing violently into the fields, and never leave till they have disorbed them of their red colours, and turned them into the old habit. The greatest part of the Island is very full of timber, as oaks, white and red, walnut trees, chestnut trees, which yield stores of mast for swine; also maples, cedars, saxifrage, beach, birch, holly, hazel, with many sorts more."

Then follows the enumeration of a variety of herbs and flowers which the country naturally affords, "Yea, in May you shall see the woods and fields so curiously bedecked with roses and an innumerable multitude of delightful flowers, not only pleasing to the eye, but to the smell, that you may behold Nature contending with Art, and striving to equal, if not excel, many gardens in England." Such is the description given of this Island by all the early writers.

The Hon. Gabriel Furman, in a very able and interesting address, delivered at Jamaica, October 10th, 1844, before the Queens County Agricultural Society, says the first printed history of New Netherlands, published by Vanderdonck, at Antwerp, in 1650, gives a similar description of the fertility of Long Island.

The streams of the Island are numerous and of remarkable clear-

ness and purity. The old author above (Denton,) says of the "Rivers and Riverets which empty themselves into the Sea; yea, you shall scarce travel a mile, but you shall meet with one of them whose Chrystal streams run so swift, that they purge themselves of such stinking mud and filth, which the standing or low-paced streams of most brooks and rivers westward of this colony leave lying, and are by the Sun's exhalation dissipated, the air corrupted, and many fevers and other distempers occasioned, not incident to this Island."

All this part of the Island is covered with a rank and vigorous growth of vegetation, and has probably produced a crop of wood, pine, and oak, fit for the New York market, every 18 or 20 years, for the last 100 or 150 years, besides having been burnt over a great number of times during the above-named periods. From this fact alone, may be seen its productive power; for any land that will produce wood, and the various kinds of vegetation that this land produces, must be capable of cultivation to the highest degree; and there can be facts enough adduced to prove beyond a doubt that this is true of almost all that part of Long Island now uncultivated and wild, along the borders of the railroad. There never has been an attempt made to cultivate any portion of it that has failed; in every instance where it has been fairly tried, it has succeeded. There are now many farms and gardens, highly productive and fertile, that were a few years since reclaimed from the same kind of land.

It is the opinion of the best agriculturists of the state of New York, and other men of high intelligence and practical skill and knowledge of agriculture, who have examined these lands, that there is no reason why they cannot be cultivated by ordinary means, and rendered as productive and as valuable as any other lands on the Island.

Among those who have seen these lands, and expressed opinions favorable to their cultivation, is Judge Meigs, of the American Institute. He says that "Long Island contains all those materials, calcareous and others, necessary for high and profitable cultivation, and that these lands, for the various productions of the garden, field, and orchard, are very highly adapted, and also for the vine and silk mulberry."

Dr. Underhill, celebrated for his cultivation of the grape, at Croton Point, has examined this portion of Long Island, and says, "there can be no doubt that all these lands can be rendered highly productive and fertile without any difficulty, and by the same means that will cultivate and enrich any other land." He further says, he is "willing to stake what reputation he has as an agriculturist, that these lands are susceptible of most profitable cultivation for the vine, the peach, the apple, and other orchard fruits, and the usual productions of the garden and field."

Professor Renwick, of Columbia College, says, "those portions of the soil from Hempstead Plains, have been analyzed in his laboratory (in Columbia College,) and "were found to partake of all the constituents of a fertile soil, in large proportions, and only require the application of quicklime and other decomposing substances to render them fit for the process of cultivation;" and says of the scrub-oak lands, "that it is a fact, that in many parts of the country those lands called 'oak barrens,' and neglected for a time, have been found to be the best wheat lands, and these lands of Long Island may prove of the same character."

Professor Mapes is also of opinion that these lands may be easily cultivated.

The late T. B. Wakeman, Esq., and General Chandler of the American Institute, have given opinions, after having examined these lands, favorable to their successful and profitable cultivation.

Charles Henry Hall, Esq., whose skill and judgment are undoubted, in all matters relating to agriculture, expresses his entire belief in the feasibility of rendering these lands eminently productive; that the climate and soil of Long Island are favorable to a high degree of perfection to all kinds of fruits and plants that grow or can be raised in this latitude.

A. B. Allen, Esq., editor of the American Agriculturist, says there is no doubt that these lands can be successfully cultivated, and Mr. Allen's opinion on the subject of clearing it of roots, or of breaking it up and rendering it fit for the plow and hoe, is deserving of very great consideration.

One great objection urged by the people of the Island against any attempt to clear and cultivate the part of it under consideration, is the great difficulty and expense in clearing the land of the growth of bushes, which, as commonly done by hand, by means of a large hoe, or mattock, and costs too much. Mr. Allen thinks that it can be broken up by the plow for about three or four dollars per acre, and he has had great experience in all matters pertaining to the clearing of new land. It is now found by experience that crops can be put in these lands by the harrow, and thus cleared at even less than by plowing.

Evidence of this kind can be adduced to almost any extent, and there are no facts that can be brought against it, and all the opinions to the contrary are founded upon ignorance and prejudice.

Samuel A. Smith, Esq., of Smithtown, in an address before the Suffolk County Agricultural Society, at Commack, in the fall of 1846, said of these lands, "that they had always considered them only fit for deer to roam over, and foxes to dig holes in, and they knew no other reason for such opinions than that their fathers had told them so"—that they never had made any attempts to cultivate these lands, and therefore did not know from any fact that they were unfit for cultivation.

The situation of these lands is extremely favorable, and even desirable. The Long Island Railroad passes directly through the uncultivated parts of the Island—thereby affording easy and certain access during the whole year, having, in this respect, a great advantage over even those places on the coast or bays that are esteemed the most valuable—for, by the railroad, the market can be reached at all seasons and at all times, without reference to wind and tide, and unobstructed by ice, as the bays and harbors are for three months in a year.

The surface of this part of the island is varied, or gently undula

ting, with a southern aspect, having a descent of from twelve to twenty feet to the mile, from the ridge of hills about one mile north of the railroad, to the shores of the great South Bay, a distance of five or six miles.

The summit level of the railroad, at Hicksville, is 142 feet above tide water, and at Lake-Road Station, 48 miles from the South Ferry of New York, it is 90 feet—it will therefore be seen that the surface is not a "dead level—a great dreary plain," but sufficiently varied.

In passing through on the railroad, the appearance from the cars is altogether unfavorable, and the impression left on the mind, to an ordinary observer, is erroneous. The excavations for the road are, in most cases, so deep as to go below the upper stratum of the earth, or the proper covering of the Island, and into the sand and gravel, of which it is everywhere composed below the surface. Hence the appearance of sand and coarse gravel, that is seen on the borders of the railroad.

This fact can be easily ascertained by any one who doubts it, by digging through the surface stratum anywhere in the vicinity of the village of Jamaica, or in those finely cultivated fields along the railroad, either east or west of that place, a very few feet, say from one and a half to two and a half feet deep, will turn up the same kind of sand and gravel as seen along the road to the east of Hicksville and Farmingdale.

The whole prospect from the road after leaving the last above-mentioned place, is barren and desolate, and without a careful examination and knowledge of the facts herein stated, the conclusion would be that the land was in itself necessarily sterile and barren; for, in addition to the sandy and gravelly appearance, the absence of the trees, and in much of the distance, a stunted vegetation, or in some places none at all, on the immediate borders of the railroad, seem to confirm the opinion that it is as sandy and barren as it has ever been represented.

The explanation of this may be found, first in the fact that the uneven and irregular growth of wood or trees being of different heights or sizes, some very small and scattered, whilst others are larger, and which is in consequence of the time or period that has elapsed since the land was cut over. On some places the growth is one year old, on others two, five, seven, ten, &c. Besides having been cut over, it often happens that it is burnt over, which always has a tendency to kill the timber and wood, and destroy vegetation. Nearly all the great region of wood and wild land through which the railroad passes, has been burnt over two or three times in five years. The first fire after the opening of the road was tremendous—terrific. At one time it lasted nearly two weeks, and seemed as though it would consume the whole Island. There was a great amount of combustible matter on the ground and in the woods, and the earth was exceedingly dry, and the effect of the fire was in the highest degree scathing—consuming almost every particle of vegetable matter on the surface of the earth. For miles in extent, nothing could be seen but the smooth and blackened surface, and the charred bodies of such trees as had escaped destruction. The fire happened in the month of April, and the land over which it had passed looked like a furnace that had suddenly been extinguished, as black and desolate as fire could make it.

Yet as soon as the sun and showers of spring and summer came, the whole was again clothed with verdure—vegetation could be seen there, literally "bursting into life." It was truly astonishing to see with what vigor, power, and rapidity the leaves and plants, and flowers sprung forth to deck the earth again in green.

The writer of this well remembers with what interest he watched the returning signs of life in the vegetable kingdom there, and the great impression that its return so speedily, so luxuriantly and so powerfully made on his mind—how soon the restoring energies of nature were brought into action to repair the injury that had been done to the earth's surface.

There is on each side of the railroad, distant about twenty rods, and running parallel with it, what is termed a *fire road*. It is a cleared path, about twenty feet wide, which has been cleared of all the bushes and roots, by grubbing. The object of this "fire road," or path, is to prevent the fire from crossing over it, and passing into the woods, in case of the combustible materials along the road taking fire from the sparks from the engine. The space between the railroad and these fire roads is burnt over every spring and fall, with a view to kill and destroy all vegetation, and all vegetable matter on it, in order to prevent the recurrence of fires; and this fully accounts for the extreme barren appearance along the borders of the road.

The forest productions of this part of the Island are such as to convince the most skeptical that the soil is capable of yielding, when cultivated like other parts of the Island, in the same abundance. Immediately on the plains along the borders of the railroad the trees are chiefly pine, with a thick and vigorous growth of underwood or bushes, such as scrub oak, whortleberry, vines and grasses.

A little to the north, are found the chestnut, hickories, the varieties of the oak, as white, black, or yellow oak, black walnut and locusts—all of which exhibit the most vigorous and thrifty growth. Indeed, so rapidly do trees grow on this part of Long Island, that about 18 years are considered sufficient to produce a crop of wood suitable to cut into cord wood for the New-York market, and there is no part of this state, (New-York,) where timber will grow so fast as on Long Island. If the soil were barren and destitute of the supporters of vegetation this certainly would not be the case. It may be here remarked that the locust, now so abundant in many parts of the Island, and so valuable as timber, is not a native, but was brought from Virginia, or from further south, by one of the Sands family, who settled near Sands' Point in about the year 1660. Mr. Sands was a seafaring man, and traded between the West Indies, the southern colonies, and New-York.

The whole region of the Island, now in waste and wild, might be very easily transformed into a beautiful forest of locust, hickory or oak, to great advantage and profit compared with its present

condition. This growth of forest trees is evidence that fruit trees can be successfully cultivated; and this opinion is sustained by the facts of the case; for whenever any attempts have been made, and proper care and attention bestowed, the most complete success has followed. The nurseries of Flushing have long been celebrated for their extensive and choice varieties of fruits. Peaches have been successfully raised on almost every part of Long Island, notwithstanding opinions have been advanced to the contrary. There were peaches of the largest size and finest flavor raised at Huntington, and exhibited at the agricultural Fair at Commack, in the fall of 1846.

The Rev. J. Pillsbury, (now of Illinois,) cultivated successfully, a fine variety of fruit, including peaches, at a midtown, Long Island, a few years since.

The peach orchard of Mr. John J. Stoolhoff, at Jamaica, is such as to encourage others on the Island to cultivate this delicious fruit. For a particular account of this beautiful and flourishing peach orchard, and its productions, see the American Agriculturist, Feb. No., 1848. It will be sufficient to say, the year being the second of bearing, the orchard, containing about 2,500 trees, yielded about 2,637 baskets, worth \$2,600. The whole product from 27 acres of land was 3,646. Peas and potatoes were cultivated between the rows of peach trees, and asparagus in some parts of the land. The soil upon which this orchard is planted is as much like the soil of these uncultivated lands, as it can be; it is impossible to discover any difference in viewing it, and it is not probable, that a careful analysis would show any difference.

A few remarks on some of the privileges which the surrounding bays and waters afford, may not be uninteresting. They are not more than three, four or five miles distant from almost any part of these lands; and in these waters are found various kinds of fish and wild fowl for the sportsman. In the streams that flow from the Island, the waters are remarkable for their purity, and for being but little affected with drouth. These streams are full of trout of large size and fine flavor.

The Long Island Railroad is to be the great means of changing this great wilderness from its present wild and waste condition to the habitation of man, to convert it into gardens and cultivated fields. The railroad now brings this part of the Island almost within the sound of the city bells, and affords constant and regular means of access at all seasons of the year, thereby enabling those who will now take up and settle these lands, to have the benefits of the New-York and Brooklyn markets, with as much ease and economy as the inhabitants of the western part of Queens county have formerly had. It is to the interest and welfare of the whole Island to have these lands settled and cultivated—it will add greatly to its wealth and population. To the railroad, it will be of essential service and benefit; it is a plain matter of fact, that every settlement made on the borders of the railroad must necessarily furnish a certain amount of business and travel for the road.

Lake Road, or Irvington, is one of the most beautiful sites of the inland parts of the Island. The soil there is of superior depth and quality, well adapted to the cultivation of all kinds of fruit, such as pears, peaches, grapes, and apples; and grain, as wheat, corn, rye, oats, buckwheat, as well as for every variety of vegetables raised on any part of the Island.

The whole glebe, or tract of land to the south of Ronkonkoma Lake, and to the east of Cometquot River, is the very best of all the uncultivated land on Long Island, and when cultivated, will be equal in quality and value to any land, and the situation is extremely desirable for settlement and residence. The wood or timber on this tract is oak, hickory, chestnut, locust and pine; and it may be here stated that similar land a little to the north or south of this tract is valued at and sold for \$50 to \$100 per acre, whilst this tract is offered at the very low price of \$10 per acre—or from \$10 to \$20, according to location—a large part of the purchase money of which may remain at 6 per cent. interest for a term of years, if desired by the purchaser. The title is as good as can be to any land in the State of New-York.

Lake-Road Station is the Half-Way House, between Brooklyn and Greenport, and the most central and important depot on the Long Island Railroad, for freight and passengers, being the terminus of a morning and evening train of cars, for the accommodation of the morning and evening travel between Lake Road Depot and New-York.

EDGAR F. PECK,


July 1—11. 306 State st., Brooklyn. N. Y.

The Norman Horse.

THIS Thoroughbred Stallion will stand for mares the present season, on Tuesdays, Wednesdays and Thursdays, at Union Springs, Cayuga County; on Fridays at Canoga, and Saturdays at Bearytown, in Seneca County. Pasture 3 shillings per week. Mares at the risk of the owner. ROBERT B. HOWLAND.

Union Springs, June 1, 1850.—21.

Dunn's Scythes.



GRASS & other scythes from the celebrated Nor. Wayne Scythe Co., late R. B. Dunn's. Having sold these scythes for several

years with uniform good success—not one in a hundred having failed and been returned—he does not hesitate to recommend them as equal if not the best in use. For sale by H. L. EMERY,

Importation and Sale of Stock.

MR. L. G. MORRIS, of Mount Fordham, Westchester County, N. Y., left New-York on the 17th April, for Europe. One of his main objects is to obtain agricultural information generally, and especially to purchase such domestic animals as are calculated to improve the stock of the United States. He purposes to attend the sale of the short-horn cattle belonging to the estate of the late **THOMAS BATES**, Esq., of Kirkleavington, Yorkshire; but will not confine his purchases to that herd. He expects to return to America in September next, and the second annual sale of cattle from his own herd, will take place in October. Whatever stock he may import, will be at his place at the time of sale. Printed catalogues of the animals to be sold, will be issued in due time.

June 1, 1850—4t.

No Humbug.

THE undersigned, after 20 years' experience and much research, has discovered a cheap chemical compound, easily applied, which completely prevents the ravages of the Bee-moth, and which can be adapted to each and every kind of hive, whether patent or otherwise. This discovery he will impart to any individual on the receipt of one dollar. If being understood the purchaser shall hold himself honorably pledged, not to impart the information to others. The whole contained in a circular, to which is added several valuable suggestions in the construction of hives and management of bees, worth more than any patent hive in existence.

Address, post paid, **SETH WHALEN**,
Ballston Spa, N. Y.
May 1, 1850—3t.*

Kinderhook Wool Depot.

THIS enterprise will be continued upon the same principles as heretofore, viz:

The **FLEECES** will be thrown into *sorts*, according to *style and quality*.

A discrimination will be made between wool in good or bad condition.

All who desire it can have their clips kept separate.

Sales will invariably be made for cash.

The charges will be, for receiving, sorting and selling, one cent per pound, and the insurance, which will be 25 cents on \$100 for a term of three months.

Liberal advances in cash, made on the usual terms.

Reference can be had to

Dr. J. P. BEEKMAN, Kinderhook.
B. P. JOHNSON, Albany.
T. W. OLCOTT, "
R. H. KING, "
Messrs. FREELAND, STUART & Co., N. Y. City.
Messrs. M. D. WELLMAN & CO., Massillon, O.
R. CARTER, Chicago, Ill.
Messrs. OGDEN & JONES, Chicago, Ill.
JOHN F. GILKEY, Kalamazoo, Mich.
SAMUEL PATTERSON, Washington Co., Pa.
R. A. ALLEN, Liberty, Bedford Co., Va.

DIRECTIONS FOR SHIPPING.—Sacks should be marked, "H. BLANCHARD & Co., Kinderhook, N. Y." The connections between the various transportation lines are so regular, that in ordinary cases, contracts can be made for shipping to East Albany, (opposite Albany,) if sent by the Northern route; and T. L. Green, agent for the Railroad at that place, will forward to Kinderhook. If sent by the Southern route, contracts can be made to New-York, and J. H. REDFIELD & CO., corner of Broad and South Sts., agents of the Swiftsure line of Tow-Boats, will forward to East Albany. The initials of the owner's name should be upon each sack, and an invoice forwarded to us at the time of shipment, stating the number and weight of each bale; also contract prices for shipping, if any are agreed upon.

June 1—2t.

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums, and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted.

Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c.

Catalogues and other information can be had of the Nurseryman,
Feb. 1—6ms. **JOSEPH CALDWELL**

The Old Gifford Morgan,

THE highest blooded Morgan Stallion now remaining, will stand the coming season at the stable of Benjamin Gates, in Walpole, N. H. Terms \$25. \$5 of which to be paid at the time of service, and the remaining \$20 if the mare prove in foal.

Pasturage furnished on reasonable terms. **A. ARNOLD**,
Walpole, May 1—5t.* Agent for the Proprietors.

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by **HENRY COLMAN** of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos., \$5. For sale at the office of **THE CULTIVATOR**.

Circular.

THE subscribers are making and vending **J. W. SHERMAN'S**

New Seed Drill and Broadcast Sower,

Constructed upon a new principle; cheaper, simpler, and more durable and accurate, than any similar machine now in use.

We are building three different qualities of these machines. No. 1, is a superior Drill and Broadcast Sower, and will sow fine Manure (such as Plaster, Ashes, Guano, &c.) Broadcast, or in the drill rows, any desirable quantity per acre, at the same time of drilling in the grain. It is well finished, substantially made, of good material, and warranted—at the low price of \$65.

No. 2, is built for drilling all kinds of grain. It will also sow fine manure, broadcast, on crops. Price \$55.

No. 3, is a plain Wheat Drill; simple, accurate, substantial. Price \$45. *None of our machines will clog in the runs;* they cannot do so with the most difficult kind of seed; **THE DISTRIBUTING PRINCIPLE BEING ENTIRELY NEW.**

We are prepared to supply all orders. Those wishing to purchase drills, would do well to see ours before purchasing elsewhere. The sooner the order is given, the more sure you will be of getting your Drill in time.

N. B.—Persons wishing to make or sell our Drills, are offered a good chance.

A large descriptive bill will soon be issued with cuts. All communications or inquiries [post paid.] will receive prompt attention. Address **Sherman, Foster & Co., Palmyra, Wayne county, N. Y.** Those wishing it, can see the machines at Foster, Jessup & Co's Machine shop, Palmyra; where they will also find the best Thresher and Separator, Revolving Horse-rake, (spring teeth,) wheel Cultivators, and other agricultural implements; warranted superior. *Call and see.*

Mr. SHERMAN is agent for the sale of McCormick's Virginia Reaper.

Palmyra, June 1, 1850—2t.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field

tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

May 1, 1850—1f.

JOHN MAYHER & CO.,

Grain Cradles,

WITH Dunn's Scythes, the best known. These cradles are from the most celebrated makers known, and so constructed that they are readily packed in dozens, and if necessary, boxed up for transportation—6 dozen


can be easily packed in the space usually required for a single cradle. For dealers, or farmers at a distance, this is found a great convenience, as safety and cheap transportation are secured. They are offered to the trade on as liberal terms as by any other manufacturer or dealer.

Albany Agricultural Warehouse of

H. L. EMERY,

June 1, 1850.

369 & 371 Broadway, Albany.

**Horse Rakes.**

WILCOX, Downers, and other approved Revolving Horse Rakes, light, strong and durable. Several hundreds were sold the past season, with fullest satisfaction to the purchasers. Dealers in the article can be supplied on liberal terms.

FENCE WIRE. All sizes and qualities, suitable for fences, for sale low.

CULTIVATORS, and Double Mould Board Plows, of various sizes, for cultivating and hilling Corn, Potatoes, &c.

Albany Agricultural Warehouse,

Nos. 369 & 371 Broadway.

June 1, 1850.

H. L. EMERY.

John A. Pitts,

Manufacturer of **THRESHING MACHINES** and **DOUBLE PINION HORSE POWERS**, 68 South St. Paul Street, Rochester, N. Y.

The subscriber continues the manufacture of the celebrated "Pitt's Separator." It is the same machine that has stood, and now stands unrivalled by any machine for Threshing and Cleaning Grain, in existence. It has been exhibited at State and County Agricultural Fairs, in the United States and Canada,—always receiving the *First Premium*.


The Horse Power, for strength, ease, durability, and cheapness of repair, is unequalled. The driving wheel is six feet in diameter, driving two full pinions, each receiving equal power; 2 bevel wheels, driven by the full pinions, connect with two pinions, on the line shaft; thus it will be seen, this Horse Power is double the strength of any single geared Power. It may be driven with from two to ten horses, depending upon the power required.

The Machines have fully sustained all I claim for them; I therefore solicit orders from those who would secure the best Threshing Machine and Horse Power.

Please address as above.

JOHN A. PITTS.

Rochester, May 1, 1850—3t.




I. T. GRANT & CO.'S

PATENT FAN MILLS AND CRADLES. We continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New-York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Sloeum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S.'s, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £13, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49.)—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."



Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.

The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention.

I. T. GRANT & CO.
Junction P. O., Rens. Co., 8 miles north of Troy
May 1, 1850—4t

10,000 Acres of Long Island Land for Sale,

At Lake Road Station, or Irvington.

THE undersigned is, and has been for several years, engaged in the improvement and cultivation of the wild lands of Long Island. The fact being now fully established, beyond any doubt, that the land in the middle parts of the Island, along the borders of the L. I. Railroad, is as good and productive, when cultivated in the same manner, as any other part of Long Island. 10,000 acres are now offered for sale, in parcels to suit purchasers, from 10 acres, to 100, or 1,000, at a very low price, and on favorable terms. This tract is near the geographical centre of the Island, being about equi distant from Long Island Sound, and the Great South Bay, (the Island being about 13 miles wide there,) and 45 miles from New-York.

There are many highly cultivated farms in the immediate vicinity, on the north and south side of this land,—having been settled and cultivated more than 150 years. It is well watered, being bounded on the north by the famous Ronkonkama Lake—has also a large and never failing stream running through it. The lake and stream are full of fish—perch in the lake, and trout, in great abundance and of large size, in the stream. The country abounds in game, deer, and wild fowl.

The climate is mild and perfectly healthy, the surface is smooth, gently undulating, with an inclination to the south of about 15 feet to the mile—the soil—free from stone, easy and pleasant to cultivate—is a loam, large portions of which may be called a heavy loam, or it is of sufficient tenacity to make sun-burnt brick, right out of the surface—is from 18 inches to 3 and 5 feet deep, and is susceptible of the highest degree of cultivation. The railroad passes through this tract, affording easy and constant communication with the Brooklyn and New-York markets, where the highest price in cash, can always be had for every article that the farmer and gardener can produce. To capitalists, an excellent opportunity is here presented to obtain a large tract of valuable land at a low price, possessing all the advantages for settlement of a new country, without any of the privations—but with all the privileges and comforts of an old one. Apply to A. B. ALLEN, Esq., Editor of the *American Agriculturist*, 157 Water Street, New-York, or to

T. F. PECK,

306 State Street, Brooklyn, L. I.

☞ Lake Road is an important and central depot on the Railroad—there are large buildings and a settlement there.
May 1, 1850—3t.

Great Sale of Short Horn Cattle.

THE subscriber will offer for sale, without reserve, at public auction, on Thursday, the 20th day of August next, at 1 o'clock, P. M., on the farm of J. F. Sheafe, Esq., at New Hamburg, Dutchess Co., New York, about 35 head of Short horn cattle, including cows, heifers and calves.

This herd was mostly bred by Mr. Sheafe, and I do not hesitate to say, that I think it *one of the very best* in the United States; and I have seen and particularly examined nearly all of them. Great attention was paid in the commencement of this herd, to the milking properties of the animals forming it; and this, together with fine points and good growth and constitution, have been steadily kept in view in its breeding. There is but one cow in the herd which gives less than 20 quarts per day, in the best of the milking season, while one has given over 29 quarts per day, and made 15 pounds 3 ounces of butter per week, and two others have given respectively, 31 and 36 quarts per day. Their color is of the most fashionable and desirable kind—red, red-and-white and a rich strawberry roan—only one white cow in the lot. They are of good size and fine style, and all in calf to the superb imported bull Exeter, who will also be offered for sale at the same time.

Pedigree of Exeter.—Exeter is of the Princess tribe of Short horns—was calved in June, 1848, and bred by Mr. John Stephenson, of Wolviston, Durham, England. He was got by Napier, (6,238,) out of Jessamine, by Commodore, (3,452)—Flora, by Belvidere, (1,706)—Jessey, by Belvidere, (1,706)—Cherry by Waterloo, (2,816) &c. See English Herd Book, Vol. V., for full pedigree.

Exeter was selected for Mr. Sheafe, by a first rate judge of Short horn stock, and was considered one of the *very best bulls* in England. Quite a high price was paid for him; and it is believed that his superior, if even his equal, has never before been imported into this country. He carries an enormous brisket for his age, and his style, handling, and quality are of the finest kind. His color is mostly a beautiful yellow red, which is a bright red with a fine golden or saffron undertinge, arising from a rich yellow skin. He is the *only bull of this peculiarly desirable red*, ever imported into America. Calves got by him, out of this herd of cows, will fetch a high price the moment they are dropped.

Mr. Stephenson, the breeder of Exeter, now stands at the head of his class in England, and his stock is of the highest repute. It is entirely of the Princess tribe, and traces its pedigrees, without any alloy or Galloway blood, back to pure Shorthorns, for upwards of *two hundred years*; a matter of no small consideration to those who wish a *superior fresh cross*.

Catalogues of the above stock, with pedigrees in full, are now ready for distribution.

Southdown Sheep.—A choice flock of this superior breed of muton sheep, will be sold on the same day as above.

Suffolk Swine.—One boar and several breeding sows and pigs, of this fine breed of swine.

Working Oxen.—A handsome pair of red working oxen.

A. B. ALLEN, 189 Water st., New-York.

June 1, 1850—3t.

Wire for Fences.

IRON WIRE FOR FENCING, constantly for sale at New-York prices.

April 1, 1850—6t

Z. HOSMER,

110 Milk St., Boston.

Contents of this Number.

On the Management of the Hay Crop, 225
 Poultry and Poultry Books, by OBSERVER, 227
 Advantages of Irrigation, by A. B., 230
 On the Acclimation of Tropical Plants, by C. E. G., 231
 Things Necessary to the Successful Pursuit of Agriculture, by }
 H. C. W., 233
 Neglected Manures, &c., by Professor J. P. NORTON, 234
 Notes on Gardens and Nurseries in the Vicinity of Boston, .. 235
 On the Management of Orchards, 236
 Profits of Fruit Culture—Notes from "The Horticulturist," .. 237
 Native Flowers and Layers, by D. T.—Fruits of Central }
 Illinois, &c. 239
 Trial of Plows at Albany—Mr. Sherwood's 3d Duke of }
 Cambridge, 241
 Profits of Different Breeds of Sheep, by A SHEEP MAN, 242
 Geddes' Harrow—The Table Land of Thibet—A Mechanic's }
 House, by W. L. EATON—Cliccory or Succory, 243
 The Best Time for Cutting Timber—Strength of Wire—Good }
 and Bad Management, 244
 Dairying in St. Lawrence County, by G. A. HANCHETT— }
 Height of Corn, by C. E. G.—Sale of the Bates Short- }
 horns—Farming in Rhode Island—The Cheese Trade, 245
 Water-Lime, &c., by J. A. CHENEY—Rotation of Crops— }
 To Plow in Clover, Weeds, &c.—Saving Clover Seed, by }
 A SUBSCRIBER—Harvesting Grain, by L. DURAND, 246
 To make Preserves and Jellies—Answers to Correspondents, }
 Facts and Opinions on Various Subjects, 248
 Acknowledgments—Monthly Notices, &c., 249

ILLUSTRATIONS.

Fig. 173—Hay-spreader, 226
 174, 175—Jungle Fowls, 228
 76—Great Malay Fowl, 229
 177—Game Fowl, 229
 178—Portrait of 3d Duke of Cambridge, 240
 179—Geddes' Folding Harrow, 243
 180—Plan of a Mechanic's House, 243

For Sale.

TWO Bone Mills, Bone Manure, three Building Sites, one Steam Bone Mill, capable of grinding from 800 to 1200 bushels per day; one Horse Power Bone Mill, capable of grinding from 150 to 200 bushels per day; both mills are in complete order. 3 Building Sites—100 acres, 49½ acres, and 14 acres, from 3 to 5½ miles from Vanderbilt Landing, Staten Island, elevated and having good rural qualities; ocean views that cannot be surpassed. Apply to ALEX. HORNBY, July 1—1t.* 26th Street, 9th Avenue, New-York.

Morgan Horse Young Black Hawk.

YOUNG Black Hawk will stand at the stable of the subscriber. Terms—\$10 the season, \$15 to insure. Young Black Hawk is five years old; his color a beautiful black, and for beauty, speed and action, with age, cannot be beat. Breeders of good horses are invited to call and see him. Owned by FRANKLIN FELTON, Ticonderoga, N. Y., July 1—1t.*

Nurserymen's Agency,

187 Water Street, New-York.

THE business connected with this Agency, having increased beyond the expectations of the subscriber, he has taken the above more convenient and eligible store, and aided by experience, has prepared to meet the increasing demand upon his services.

He will import the coming season, a full supply of the following Stocks, Seeds, Trees, &c., &c., and solicits all his friends to send their orders before the close of July, to prevent disappointment.

He also tenders his services for the purchase or sale of anything in the business, and will give prompt attention to the receiving and forwarding any goods consigned to his care. Importations passed at the Custom House, the goods properly taken care of, and re-packed when necessary.

Imported 1st quality Stocks

Quince,
 Pear,
 Mahaleb Cherry,
 Paradisc Apple,
 Plum.

American Stocks.

Apple,
 Pear,
 Plum,
 Cherry.

Imported specimen Fruit Trees, of any kinds required, from the best nurseries. Also,

Norway Spruce,
 Silver Fir,
 Scotch Fir,
 European Larch,
 Juniper,
 Mountain Ash,
 English Elm,
 Wytch Elm,
 Chinese Arbor Vitæ,
 Siberian Arbor Vitæ,
 Irish Yew,
 Hollys,

Minetta Rose Stocks,
 Staudard Roses,
 Prize Gooseberries,
 And Seeds of any kinds if ordered in good season. Also for sale.
 2,500 Dwarf Cherries, Budded on the Imported Mahaleb Stock.
 30,000 2 yr. Osage Plants.
 Osage, Apple, and Pear seed,
 Plum, Cherry and Peach pits.

Pruning and Budding Knives, Labels, Flower Pots, Propagating Glasses, Russia Mats, Twine, &c., &c., with any thing required in the business. GEO. G. SHEPPARD,

July 1—1t

187 Water St., New-York.

Full Blood Berkshire Pigs.

THE subscriber offers for sale a fine lot of young Boars and Sows, at prices from \$2 to \$4. The boar they were raised from took the first premium at the Buffalo Fair. R. B. HOWLAND. Union Springs, July 1, 1850—2t.

Drain Tile Works,

63 Jay Street, North of Salamander Works, Albany.

THE subscriber is now manufacturing and prepared to fill orders for Horse Shoe, Sole, Round and Collar Drain Tile, of various sizes, from one to four inches in width and rise. The tile is cut sixteen inches in length, and will be of a superior quality. The price will vary according to the size and shape, from \$10 to \$16 per thousand. Specimens of the article with the prices will soon be distributed to all the agricultural stores in the State. Presidents of county societies adjoining the river and canals, will please send their address with directions to whom a box containing the different sizes of Tile will be forwarded free of charge. July 1, 1850—4t. A. S. BABCOCK.

The Farmers' Encyclopedia,

BY C. W. JOHNSON. Adapted to the United States, by G. EMERSON, Philadelphia, 1850. In one large octavo volume, 1173 pages, containing the latest discoveries and improvements, in Agriculture, with numerous plates of Live Stock, Farming Implements, &c.

"We are fully convinced that such an amount of valuable knowledge for farmers can be found in no other work in so cheap and convenient a form. In fact, no farmer who pretends to be well informed in his profession should be without this book."—*New Genesee Farmer.*

"An excellent work, fit to be distributed in premiums by Agricultural Societies. How much better, and in better taste, than the amount of its cost in money?"—*J. S. Skinner.*

Sold by L. TUCKER, Albany; A. HART, Philadelphia; DEREY & Co., Buffalo; W. D. TICKNOR & Co., Boston; and the principal booksellers in the Union. Price \$4. (Cost of the imported work in 1 vol. without any plates, \$14.) July 1—1t.

THE HORTICULTURIST,

AND

Journal of Rural Art & Rural Taste.

EDITED BY A. J. DOWNING,

Author of "Landscape Gardening," "Designs for Cottage Residences," "Fruits and Fruit Trees of America," &c., &c.

TO all persons alive to the improvement of their gardens, orchards or country seats,—to scientific and practical cultivators of the soil,—to nurserymen and commercial gardeners, this Journal, giving the latest discoveries and improvements, experiments and acquisitions in Horticulture, and those branches of knowledge connected with it, will be found invaluable. Its extended and valuable correspondence presents the experience of the most intelligent cultivators in America; and the instructive and agreeable articles from the pen of the Editor, make it equally sought after by even the general reader, interested in country life. The "FOREIGN NOTICES" present a summary from all the leading Horticultural Journals of Europe; the "DOMESTIC NOTICES," and ANSWERS TO CORRESPONDENTS, furnish copious hints to the novice in practical culture; and the numerous and beautiful Illustrations,—Plans for Cottages, Greenhouses, the Figures of New Fruits, Shrubs and Plants, combine to render this one of the cheapest and most valuable works on either side of the Atlantic.

THE FIFTH VOLUME OF THE HORTICULTURIST will be commenced on the 1st of July, 1850. All or either of the back vols. can be supplied. New subscribers will be furnished with the first four vols. for \$10.

TERMS—Three Dollars per year—Two copies for Five Dollars. All payments to be made in advance, and orders to be post paid.

All Agents for THE CULTIVATOR, and Post Masters generally, are invited to act as Agents for THE HORTICULTURIST.

LUTHER TUCKER,

Albany, June, 1850. Publisher, Cultivator Office, Albany, N. Y.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
 BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT,
 7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms.



THE CULTIVATOR.

“TO IMPROVE THE SOIL AND THE MIND.”

NEW SERIES.

ALBANY, AUGUST, 1850.

VOL. VII.—No. 8.

Improvements on the Farm.

THE latter part of August and the fore part of September may be considered the most favorable part of the year for making improvements on the farm. At this season, the earlier crops have been secured, the cultivation of the later ones has been finished, and the farmer is only waiting for their maturity. In addition to the comparative leisure which is thus afforded, there are other circumstances which render this a suitable period for such operations. The ground is generally drier than at any other time during the year, which permits the labor of men and teams on places which at other times are inaccessible from wetness. This is particularly favorable to the drainage of bogs, and to the excavation of peat or muck for manure. The growth of bushes and shrubs has also reached that particular crisis in which they may be more easily killed by cutting or bruising.

One of the first objects to which attention should be directed in the improvement of the farm, is the eradication of bushes and pernicious plants in fields, along lines of fences, roadsides, &c. These are not only great drawbacks on the beauty of the farm, being unsightly to the eye, and conveying an unpleasant idea of careless and slovenly habits; but they are very detrimental to the pecuniary interest of the farmer. They draw nourishment from the ground which should go to the support of valuable plants, and by propagating themselves, are constantly increasing and spreading the injury. Thistles, docks, briars and thorns, are often allowed to flourish unmolested in the situations mentioned. On the borders of fields they occupy the richest of the soil, and annually extend their encroachments. They are not unfrequently seen in good lands, that are devoted to various crops, and in pastures are quite common—many farmers being apparently regardless of their presence and effects. The great extent of ground that is occupied by these worthless pests, is a dead loss; but besides this, grass and other crops are robbed of moisture by them during drouth, and at other times are soured and diminished in growth by their shade and roots.

It should be an invariable rule with the farmer, to prevent all injurious plants from seeding. This will at all events keep them from spreading—except such as increase by the root. Annual or biennial thistles are easily destroyed by being cut while in blossom and before any seed is matured; and even Canada thistles may be destroyed by following up this course for several seasons in succession. They should be cut *close to the ground*, and just at that juncture when they are in fullest bloom. A few will start, which if untouched will produce seed in autumn; but this second crop should be cut without fail, when in the same stage as the first. The rea-

diest and most effectual mode of destroying Canada thistles, where they occupy ground that will admit of cultivation, is by frequently working the soil with the plow, or some implement that will entirely prevent the growth of the top. No plant can bear to be deprived of its leaves for a long time, and if thistle patches are worked over so often as to prevent the plant from appearing above ground, they will be mostly killed in one season.

Docks and mullens may be pulled up any time before they make seed, though it will be most convenient to pull them after they have shot into stalk. Those which break off may be dug up with a mattock. If cut off two or three inches below the surface, they will not start. The eyes or buds from which shoots proceed, are situated near the crown of the plant. If not cut below these, they will grow. The yellow dock is an exceedingly troublesome plant in grain fields and meadows, and should be exterminated as soon as it makes its appearance, as it spreads very rapidly from seed. The burdock only grows in rich soil, but is frequently allowed to monopolize some of the best portions of the farm. When sheep are allowed to run among them in the fall of the year, the burs adhere to the wool, and occasion much injury by matting it.

Briars and other bushes should be cut the latter part of August. They have then finished their new growth, and the sap is about to “turn,” as the expression is—that is, a new set of buds is to be prepared for another year, and the new wood is to be ripened and perfected. If cut at this period, but few sprouts are sent up, and those few are easily bruised to death with a stout stick, while tender, or at the time when frost checks their growth. If sheep are kept on the ground, they will, if the feed is rather short, crop the sprouts as soon as they appear, and if permitted to keep them down for two seasons, the roots will be principally killed. It is an advantage to sow on some grass seed—blue-grass, or red-top—as soon as the bushes have been cut and burned. The seed will take root with the first shower, and the growth of the grass will tend greatly to smother down the sprouts of the bushes. As with thistles, it is important that the bushes should be cut close to the ground.

The reclamation of waste lands generally, but especially those of a wet and swampy nature, may be prosecuted with advantage at this season. With these, drainage is the first object. The water which appears in the form of springs should be first cut off by deep channels along their sources, and these channels should convey the water to such points as will best insure its discharge from the land. As the water is taken away, the soil will settle, more or less, and this settling will facilitate further operations in several ways. The solidity acquired will admit of taking on teams for getting

out stones, stumps and bushes, and all such objects are left by the settling of the earth, mostly on the surface, from which they may be readily removed.

The "swamp holes," which, like plague spots, disfigure the surface of farms, forming the breeding places of worthless plants and disgusting reptiles, and filling the atmosphere with the seeds of human disease, may often be brought into the most profitable cultivation. They frequently comprise the richest parts of the farm, as is proved by the large crops they produce, when redeemed from the effects of stagnant water and wild plants. They are particularly natural to grass, and when properly prepared by drainage, the wild growth exterminated, and the surface properly smoothed, may be brought into valuable meadows by sowing the grass seed about the first of September. Timothy, and the large red-top are the best grasses for such situations; a peck of the seed of the former, with half a bushel to a bushel of the latter, (according to its cleanness,) is the proper quantity for an acre. It may be scratched in with rakes, or by a bush-harrow.

Peat bogs, drained, may be made to produce good crops of many kinds; but grain crops and grass are very liable to lodge down on peaty soils. This is owing in a great degree to the want of silex (flint) in the soil, and in some degree also to the soil being too loose to give the plants a firm standing on their roots. The application of sand or gravel remedies both defects, and when the mineral substance is well incorporated with the vegetable matter, the straw becomes stiff, and the crops stand and mature well. The quantity of sand which it is expedient to apply, varies with the composition of the peat soil, some containing much more mineral earth than other deposits. A coating of an inch to two inches in depth, will, however, be found sufficient in most cases. It may be carted on in winter when most farming operations are suspended.

Peat to be used in the barn-yard, for mixing with animal manure, should be dug out at this season, and piled on dry land, where it may be obtained as wanted. In this situation, the air and rains gradually dissipate the acid which the peat contains when in its natural bed, and which must be dispelled or neutralized before the peat can afford nourishment to plants.

Digging rocks (boulders) from grounds encumbered by them, may now be done advantageously. Stone walls are generally the best and most economical fences in such situations. They have the important recommendation, that when once made in a proper manner, they are perpetual. A trench, two feet deep, and somewhat wider than the base of the wall, should be dug for the foundation, which should be filled with the smaller stones that are not suitable for wall. A skillful and practical wall-layer, will know how to select and place the stones so as to make the most substantial and permanent fence.

Boulders that are not wanted for walls, may be sunk by digging holes under or beside them, so deep that they may fall below the depth to which the plow reaches. Those who have adopted this mode of disposing of boulders, state that it is much less expensive than to get them out by blasting with powder, employing men and teams to take them away.

It is an erroneous idea, though entertained by many farmers, that improvement will not pay. We believe this is in many instances, urged merely as an excuse for carelessness and negligence. It is a safe maxim that, what is worth doing, is worth doing well. We could refer to hundreds of instances

where such improvements as we have spoken of have been made, with a greater profit on the money so expended, than is realized in the ordinary routine of farming. The lands operated on are frequently of little or no value; but by an outlay of fifteen to twenty-five dollars, are made to pay an annual interest of from fifty to a hundred, and sometimes two hundred dollars an acre.

Agriculture of Ohio.

ANNUAL REPORT OF THE OHIO STATE BOARD OF AGRICULTURE.—This document comprehends the information brought out by the operations of the Board of Agriculture for the state of Ohio for the year 1849. The introductory remarks by the President of the Board, M. L. SULLIVANT, Esq., present a comprehensive view of the general progress of agriculture in the state, accompanied with useful suggestions in regard to its further advancement. It is stated that agricultural societies have been organized in more than fifty counties within the state. Township Farmer's Clubs, have likewise been formed in several instances, and weekly or monthly meetings are held by the members for the discussion of agricultural subjects. A spirit of improvement is said to be rapidly diffusing itself among the farming population, the good results of which are beginning to appear.

CROPS.—The crops of the past year, except wheat and fruits, are considered good; but the wheat crop, which ordinarily reaches twenty millions of bushels in the state, it is stated did not exceed one-third that amount. The chief cause of the failure is attributed to the "red rust," in connexion with which the wheat midge (*Cecidomyia tritici*), and the "sun-blight" are mentioned as having increased the injury in some instances. From all causes combined, the total loss to the farmers of the state is put down at thirteen millions of bushels, estimated as equivalent to eight millions of dollars.

The Mediterranean wheat is mentioned as having escaped the rust, in some parts of the state, better than other varieties—(probably from its earliness)—and that the quality of the grain is improving—the millers purchasing it readily with but little or no discount as to price.

Among means for the improvement of wheat culture, the use of the subsoil plow is recommended as follows:—"By its use, two very important points may be gained, less liability to winter killing, by allowing the water to settle down into the soil, and pass off, which also gives the roots of the plant more room to range in search of the requisite quantity of food."

The crop of Indian corn for 1849, is estimated at seventy millions of bushels for the state. The expense attending the transportation of this grain from the interior of the state, is so great that but little of it finds a market, except by its conversion into beef and pork. The improved mode of drying Indian corn by steam is alluded to, and the hope expressed that the process will soon make the exportation of steam-dried meal an article of importance.

The rot in potatoes is stated to have been less prevalent last year, than for several previous years.

Grass is spoken of as "the third if not the second crop in importance" in the state. It is said—"The profits of the grazing interest have been for several years in advance of the grain growing interest, if we take into consideration the relative amount of labor and capital required to carry on these branches of industry, and the uniformity and

certainty of the markets for cattle and beef, giving a fair remuneration upon the investment."

DAIRY PRODUCTS.—The manufacture of butter and cheese in the Western Reserve, is spoken of as being practiced with success; and the new plan of making cheese in large establishments, which take the curd from the dairymen in a fresh state, is thought an improvement as regards the profits of all.

RAISING MULES.—This branch of farming is thought profitable. It is spoken of as follows:—"The raising of mules is becoming an important branch of the stock business, and is decidedly the most profitable of any that the farmer can engage in. They may properly be called a staple stock; for, from an intimate acquaintance with the business, we can state that they afford the most uniform compensation, and they have been less subject to injurious fluctuations, and are fit for earlier sales than any other stock. Their average cost, at six months old, may be put down at twenty dollars per head, and this is a remunerating price to the breeder up to that age; and then with common keep on grain, hay and pasture, (if you have it) for the first winter, and with grain and rough feed through the next winter, entirely dispensing with grain afterwards, the grazer may calculate, with certainty, to advance his animals in price at least twenty dollars a year. Should he feed on grain all the time, it will pay him twenty cents a bushel for the corn in addition, up to the age of two and a-half to three years, at which time they are put to work or sent to market. The stock of mares in our country is well calculated for producing a superior quality of mules; and with the advantage of a large breed of Jacks, we need not fear competition with any part of the world. These animals are hardy and remarkably healthy, the deaths seldom exceed three per cent.; the care necessarily bestowed upon them is but trifling. The breaking and handling, or quieting, is of no advantage to the seller, the purchasers making that rather an objection than admitting it to be a benefit. Color and slight blemishes do not materially depreciate the price, and the farmer can calculate, with certainty, upon a market whenever he wishes to sell."

WOOL-GROWING.—There are large portions of Ohio well adapted to sheep husbandry. It is remarked—"The grassy plains of the central portion, and the broken lands of the eastern and southern borders of our state, embrace a large territory of but little value for ordinary cultivation, but well adapted to the habits and constitutions of the different breeds of sheep and to the growing of fine wool."

But a great drawback to the successful keeping of sheep is their destruction by dogs, and the Legislature is appealed to for the adoption of some measure to prevent this evil. It is said—"The wolf has become extinct, or nearly so, but his place has been supplied by hordes of ravenous dogs, which have committed more injury within the last five years than all the wolves ever congregated within our borders, and this injury, which annually amounts to a heavy tax, our farmers have been obliged to submit to without redress or remuneration. This liability to injury from the depredations of dogs, undoubtedly retards, in a great degree, the improvement in our breeds of sheep, for but few enterprising men will be at the risk, trouble and expense of importing new and improved breeds of these animals, when they are thus liable to be torn to pieces and destroyed."

[By the way, did not the Legislature of Ohio, at its last session, pass an act in reference to this matter? Eds.]

REARING AND FATTENING HOGS—PACKING PORK.—This is a great business in the state of Ohio. "The number of hogs annually fattened, packed and exported from the state, probably exceeds one million. The average price being about two dollars and a-half per hundred pounds, and the average weight about two hundred pounds, would make the hog crop amount to five millions of dollars. The number of hogs slaughtered and packed in Cincinnati the present season, as we learn from an accurate statement made by the Chamber of Commerce in that city, is a little less than *four hundred thousand*. Within a few years, the business of packing hogs has extended to nearly all the interior towns of the state of any considerable size, and lying near the public thoroughfares, and still the number slaughtered and packed in Cincinnati has not diminished, but has steadily increased, in consequence of the supply of hogs driven to the city from Indiana and Kentucky. The breed of hogs throughout the state consists of a compound mixture; Berkshires, Bedfords, Irish Graziers, and, perhaps, a dozen other varieties, but pure stock of those named are such as to leave but little improvement desirable, except that they should supply the place, or root out the many specimens of "*woods hog*" and "*land pike*," that yet remain in many parts of the state."

NEW ARTICLES OF CULTURE.—Several of these are noticed as worthy of trial; as *broom corn*, which has already been introduced in some of the rich vales; and has produced in favorable situations, about one-third of a ton of cleaned *brush* ready for market, per acre, worth from \$33 to \$42. *Mustard seed* has been profitably grown in some sections. *Flax and hemp* are favorably noticed; the greatest obstacle to their profitable culture being the want of suitable machinery for breaking and cleaning the lint. The *planting of trees* for the production of timber for fences—such as catalpa, chestnut, black locust, &c.—is recommended, the trees to be set in rows around the outside of fields. The osage orange as a hedge plant is noticed, but its value for a permanent and convenient fence is considered not yet fully ascertained.

IMPLEMENTS.—The introduction of a *steel mould board plow* is recommended, as being better adapted for the rich alluvial lands, on account of its scouring more readily, and keeping cleaner than any other.

A **SCIENTIFIC AGRICULTURAL SURVEY** of the state is advocated, which it is thought should be commenced as soon as practicable.

A **STATE FAIR**, under the supervision of the Board, is to be held at Cincinnati on the 11th, 12th and 13th of September next.

READING BOOKS FOR SCHOOLS.—The *Massachusetts Plowman* suggests that an "important improvement in our common schools would be to introduce better matter for reading. Instead of putting young scholars to read of the celebrated men of old—warriors mostly, who acquired their renown by shedding human blood—let a part of their reading lessons consist in compositions relating to Agriculture."

KILLING SORREL.—According to the *Michigan Farmer*, plowing sorrel, with a shallow furrow, late in the fall, leaving the roots exposed to the action of the frost through the winter, has been found effectual in destroying that pernicious plant.

Letters from Prof. Norton—No. 8.

On the Nutritive Value of Oat Hay.

ANALYTICAL LABORATORY, YALE COLLEGE,
New-Haven, Conn., July, 1850. }

EDS. CULTIVATOR—In the January No. of the Journal of Agriculture, published by the Highland and Ag. Soc. of Scotland, I notice an article "on Oat Hay, and the relative nutritive value of oats cut green and cut fully ripe," by Dr. A. Voelcker, Prof. of Chemistry in the Royal Ag. College at Cirencester. The subject is one which has long interested me, and I call attention the more readily to the statements made here, inasmuch as Dr Voelcker is an old friend, in whose results I have much confidence. We have worked together in the Laboratory of Mulder, where he was first assistant, and I am sure that he will benefit the cause of agricultural science, now that his whole energies are devoted to it.

The idea of cutting grain while yet quite green, and of making it into hay in the same manner as grass, is not by any means entirely novel. Experiments of an imperfect nature have been made before the present ones, with this same end in view. Some of these have perfectly succeeded, while others have, if not unsuccessful, been at least less striking in their success. We have needed in the occurrence of these unsatisfactory experiments, some general principles upon which to reconcile them if possible, or at least discover the source of error, or by means of which we might more fully attain our object of inquiry. We need also the union of scientific with practical knowledge. Upon this subject, in order to the certain determination of many points, I will copy two or three sentences from Dr. Voelcker's paper.

"On the other hand, I am convinced that practical men will remain in the dark on many of the most important points of agriculture so long as they despise the aid of chemistry, and persist in solving inquiries connected with agriculture by mere blind experimenting; by experiments I mean made without plan, or anything clearly defined and distinctly understood. If those engaged in such *random trials* would bear in mind that nature does not give a precise answer to an indistinct question; and if they would be candid enough to believe, in all cases in which an experiment has failed to answer their expectations, that the experiment itself, or the anticipated result, must be false in principle, and that consequently the fault is their own, and not on the part of nature—a great deal of good would be effected. Unfortunately, however, most men are as quick in condemning the value of the materials used in a bungling experiment, as they are eager to praise and enthusiastic in recommending every result when the experiment proves favorable to their views; and when such an experimenter has some kind of theoretical notion in his head with which the experiment can be *made* to tally, the case is still worse. In this way a great deal of harm has been done, and the progress of scientific agriculture retarded instead of advanced."

There is much of sound practical sense in the above remarks, and every person who has studied over the numerous unprofitable and wearisome discussions, which fill up many of our agricultural papers, will fully appreciate it. It is for want of knowledge as to what they are about, that the contradictory results of most experimenters are to be ascribed.

In the present case, Dr. Voelcker seems to have happily united science with sound practical views, and we consequently have intelligible and reliable statements from him.

The first point to which attention was directed, regarded the proportion of water contained in the straw and grain of the ripe and unripe oat respectively; both samples being of the same variety and taken from the same field. As might have been expected, the green oats contained most water; this is shown by the following table:

Per centage of Water.		Proportion of Straw to Grain.	
Straw.	Grain.	Dry Straw.	Grain.
38.48	20.65	57.56	46.44
<i>Oats fully ripe.</i>			
53.30	28.66	65.43	34.56
<i>Oats cut green.</i>			

I have taken the mean of the various results given, as some discrepancy appears in the single determinations. By this table, several general conclusions are indicated—

1. That the proportion of water in the unripe plant is greatest.
2. That the proportion of the *dry* straw in the unripe plant is greatest.
3. That when the plant is dry, the grain bears a larger proportion to the straw than would have been imagined; being, even in the green plant, more than one-third of the whole weight, and in the dry plant nearly one half.

The next step taken by Dr. Voelcker, was to determine the nutritive value of his several samples. In this case regard was had only to the amount of nitrogen contained in them, that being considered the most important ingredient, in estimating any particular variety of nutritious food. He calls the body in oats which contains nitrogen, by the general name of protein; this name applying to a class of bodies that contain about as much nitrogen, and that are about as nutritious, as lean meat when it is dry.

The proportions, or per centages of protein obtained by Dr. Voelcker were as follows:

I. *Oats fully ripe*—Mean results.

Grain, 15.39 pr ct. of protein compounds.
Straw, 8.46 " " " "

II. *Oats cut Green.*

Grain, 17.87 pr ct. of protein compounds.
Straw, 11.01 " " " "

No. II. was cut when the stalk and leaf were yet quite green, and the grain milky, but fully formed. They were cut at the same time, the green oats having been sown about one month later than the others.

The conclusions to be drawn from the above results are not only extremely interesting in a scientific point of view, but are of much practical importance.

1. We see in comparing the numbers in the ripe and unripe straw, that the latter contains $3\frac{1}{2}$ pr ct. more nitrogen than the former.

2. That the unripe grain also contains more nitrogen; this may seem a very strange result, but may be explained when we consider the fact, that the unripe oats, although they had not attained their full bulk, had received most of their nitrogenous compounds, and that the after increase while ripening, must have consisted mainly in an accumulation of starch, and other non-nitrogenous bodies.

In addition to the facts established by these analyses, it is to be borne in mind, that the unripe straw is also much richer in starch, gum, sugar and other compounds of the same nature, all of them both nutritious and easily digestible, but which are for the most part in ripening, gradually converted into woody fibre.

Here too the larger quantity of water, which has been already shown to exist in the unripe straw, is to be brought into account. This water helps to render the food more soluble, and more easily digestible by the animal. We find then that an equal weight of the unripe straw and grain, contains more nitrogen, more sugar and gum, and also more water; so that while it is more nutritious, it is also at the same time more easily assimilated and digested by the animal. This last is a point of more importance than is usually imagined. Of two kinds of food containing equal quantities of nitrogen, one may be vastly superior in its effects when fed, and this simply because it can be readily digested; a large portion of the other may even pass through the body unaltered.

Dr. Voelcker gives, in addition to his theoretical results, two letters from farmers who have seen oat hay tried. One of them says, "that when cut fine, oat hay goes one-fourth farther than if the oats and straw had been allowed to ripen."

In many parts of the country, it is very difficult to produce good grass for cutting, but easy to grow quite tolerable oats, at least so far as bulk of straw and appearance of head is concerned. The grain may not fill out well if allowed to stand, but still would serve a good purpose as fodder when cut green and made into hay. There is no loss of the grain by shelling when cut in this way, and the hay would be highly relished by stock.

I have no doubt but the same system would do well in the case of rye, or other grains; hay made from them would also be exceedingly nutritive. The facts given in the report of Dr. Voelcker, are quite sufficient to warrant my calling attention to this subject, and recommending experiments in such districts as feel the need of good winter fodder, and this of a variety that can be obtained without great expense. JOHN P. NORTON.

Action of Soils on Manures.

Professor WAY, consulting chemist to the Royal Agricultural Society, has lately made known the results of some important experiments made by him for the purpose of ascertaining the action of soils on the constituents of manures. Some of these experiments were repeated before the Council of the Society, and the following is the substance of the account reported in regard to them.

On the table were glass filter-jars, containing a red soil from Mr. Pusey's estate in Berkshire. The soil, as the gentlemen present would see, occupied the jars to the depth of five or six inches. Upon one of these Mr. Way poured water obtained from one of the sewers of London. To another filtering jar he added a quantity of the fetid liquid produced in the steeping of flax. Both of these liquids were turbid, highly colored, and exceedingly offensive to the smell; but when passed through the soil, they were no longer the same. The resulting liquid had an earthy smell it is true—a smell always accompanying soils—but was no longer offensive to the nose. Now to what ingredient of the soil was this metamorphosis due? Was it due to the sand acting as a filter? It was easily proved that such was not the cause; and that there might be no doubt on this subject, Mr. Way would pass through a filtering-jar, containing more than nine inches depth of fine white sand, a quantity of cow's urine taken from a tank in the country. The liquid was so far altered by the filtration, that the turbidity was removed, as it would be by filtration through paper; but the co-

lor and disgusting smell remained in all their intensity. Sand, therefore, obviously was not the active ingredient in soils in respect to the power under discussion. The same must be said of the different forms of gravel, which were only coarse sand. The other great ingredient of soil was clay, and to this Mr. Way attributed the power in question. As an experiment comparative with the last, he would pass the same tank water through sand, mixed with one-fourth of its weight of white clay in powder, and they would observe the result was very striking. The liquid coming through was clear and free from smell; indeed it was hardly to be distinguished by its external characteristics, from ordinary water. There could be no doubt then, that the property of soils to remove coloring matters, and organic matters yielding smell from solution, was due to the clay contained in them. Filtration was only a method of exposing the liquid in the most perfect form to the action of the clay, but it was not necessary to the success of the process. In proof of which, Mr. Way stirred up a quantity of soil with putrid human urine, the smell of which was entirely destroyed by the admixture, and upon the subsidence of the earth, the liquid was left clear and colorless. It appeared, therefore, that the clay of soils had the power of separating certain animal and vegetable ingredients from solution; but was this property the only one exhibited? Mr. Way had found that soils had the power of stopping also, the alkalies, ammonia, potash, soda, magnesia, &c. If a quantity of ammonia, highly pungent to the smell, was thrown upon a filter of clay or soil, made permeable by sand, the water first coming away was absolutely free from ammonia. Such was the case also with the caustic or carbonated alkalies, potash, or soda. This was a very wonderful property of soils and appeared to him as an express provision of nature. A power, he remarked, is here found to reside in soils, by virtue of which not only is rain unable to wash out of them those soluble ingredients forming a necessary condition of vegetation, but even those compounds, when introduced artificially by manure, are laid hold of and fixed in the soil, to the absolute preclusion of any loss either by rain or evaporation.

But Mr. Way had found that this property of clay did not apply only to the alkalies and their carbonates, but to all the salts of these bases, with whatever acid they were combined. Here again was a beautiful provision; sulphate of ammonia, when filtered through a soil, left its ammonia behind, but the sulphuric acid was found in the filtered liquid—not, however, in the free state, but combined with lime; thus sulphate of lime was produced, and brought away in the water. In the same way muriate of ammonia left its ammonia with the soil, its acid coming through in combination with lime, as muriate of that base. The same was true of all the salts of the different alkalies, so far as he had yet tried them. Thus lime in the economy of nature was destined to one other great office besides those which had already been found for it—it was the means by which the salts ministering to vegetation became localised and distributed through the soil, and retained there until they were required for vegetation. Quicklime, when dissolved in water, is removed by passing the water through clay or through most soils containing clay; and carbonate of lime in solution is so effectually removed, that hard water may be softened by the same process.

With regard to the extent to which these actions were capable of being carried. It was not to be supposed that we could go on filtering indefinitely with the separation of the salts contained in the li-

quid. On the contrary, the limit was soon reached; but although small in per centage quality, the power was, in reference to the bulk of the soil, enormously great. He had found that a pure clay would absorb, perhaps, two-tenths per cent. of its weight of ammonia—that is to say, 1,000 grains would separate two grains of ammonia; and from reasons which need not then be noticed, a loam or a well-cultivated clay soil would absorb nearly twice as much. Now every inch in depth of soil over an acre of ground weighed about 100 tons. Consequently, ten inches of depth of such soil, would weigh 1,000 tons, and would be adequate to combine with and retain two tons of ammonia, a quantity which would be furnished by about twelve tons of guano. Now, one-sixtieth of this power would suffice for the preservation of the ammonia of an outside dose of guano; consequently, he was justified in saying that the property was practically of immense activity. Mr. Way stated that he had ascertained the extent of the power in different soils and for the different alkalies. The property was decidedly a chemical one; and although he intended only to state the facts, without entering upon their explanation, he might say that he had every reason to believe that he should be able to develop that satisfactorily at the proper time.

At a subsequent lecture Prof. Way stated that he was first led into this train of investigation by having been informed by one or two persons that urine, by being passed through certain filtering substances, might be entirely deprived of its coloring matter and odor. Prof. W. said he was not only deeply interested in these statements, but totally unable to account on chemical principles for the effects thus simply produced; and of so high a degree of importance did he consider them, as fertile in a series of new facts, which would lead not only to new views of chemical combination, under peculiar mechanical conditions, but also to a modification of the theory of the mode by which manure is reserved in the soil until required as food for plants, and to immediate application in practical agriculture, and he lost no time in verifying these results, and endeavoring to account for their occurrence. As he proceeded in this path of inquiry, the new facts, as they rapidly succeeded each other, were such as would have been totally unexpected on the ordinary principles of combination; and which would eventually, he had no doubt, lead to new modes of regarding chemical action when taking place under certain conditions. Prof. W. then proceeded to show experimentally the power of finely divided clay soils to abstract the coloring matter and smell from log-wood water, London porter, putrid urine, infusion of flax, and tank water; and to explain the probable manner in which such soils decomposed the salts of ammonia, arresting that alkali and replacing it by lime; and also by what a beautiful provision of nature the substances valuable as food for plants were retained in the soil, while other results of such decomposition were allowed to pass through it, one of those provisions in the operation of natural laws, which strikingly arrest the attention of the most inconsiderate, and mark the beneficence and wisdom of the Creator, of whose work only perfection is the unvarying attribute.

The committee have resolved that the following subjects be adopted for investigation during the ensuing year:

1. The continuation of the investigation into the absorptive properties of soils, including clays.
2. The nutritive properties of the grasses.

3. The agricultural properties of the chalks and marls.

4. The chemical properties of water, with a view to its effects on irrigation, and on the health of animals.

The Life of the Farmer Favorable to the Pursuit of Knowledge.

EDS. CULTIVATOR—I was highly gratified in reading the article from your correspondent, Hon. F. HOLBROOK, on the question "Should the Farmer be a man of knowledge?" I think he has shown plainly enough, that the farmer should be a man of knowledge, not only as a farmer, but as a rational being, and as a member of society.

But notwithstanding the obvious advantages of knowledge to the farmer, there is a prevailing impression, especially among intelligent young men, that the pursuit of agriculture is unfavorable to the pursuit of knowledge, and the general cultivation of the mind,—that the life of a farmer is a life of drudgery and toil, without any stimulus or opportunity for intellectual improvement,—and that if a farmer is intelligent, he is so in spite of the earthly degrading tendency of his occupation. The celebrated John Foster, of England, in a letter to his mother, speaks of the people in the agricultural parts of the land as "extremely ignorant and dull of apprehension," and then remarks, "Field occupations, with their attendant and consequent habits, notoriously tend to stupify the mental faculties;" that is, those who till the soil are, as a matter of fact, not only ignorant, but this occupation has a tendency to stupify the mind, and keep them ignorant! Now, although Foster might have found, in this country, that the farmers are very far from being "ignorant, and dull of apprehension," he would have found a great reluctance among young men to engage in agriculture, as though it were in fact degrading and stupifying to the mental faculties.

We maintain just the opposite view,—that the occupation of the farmer is favorable to the pursuit of knowledge,—favorable to intellectual health, activity, and vigor of mind, so that if a young man has a taste for knowledge, he should for this very reason, be a farmer, because he can thus gratify this taste for knowledge better than in any other calling.

1. The life of the farmer is favorable to the pursuit of knowledge, because it is favorable for health. It is admitted that agriculture is a healthy occupation—healthy for boys and for men. Many men, of broken down constitutions have renewed their age by leaving the shop or the counting-room, and following the plow. The farmer, who breathes the fresh air, and listens to the songs of birds, and sees so much in nature to interest him, is seldom troubled with hypochondria, dyspepsia, and indigestion, which are as injurious to the pursuit of knowledge as to happiness and health. The man who has been confined in his shop all day, if he has a little leisure, wishes to go out and breathe the fresh air, *as he should do*, to recover his elasticity of mind and body. The shoemaker and tailor cannot take up a book with the same zest at noon or at night, as the man who has been breathing the fresh air. Who does not envy the health, strength, and cheer of the wood chopper, the reaper, the mower or the plowman, not only as a means of happiness but as favorable to intellectual vigor and the pursuit of knowledge?

"Hark! where the sweeping scythe now slips along,
 Each sturdy mower, emulous and strong,
 Whose writhing form meridian heat defies,
 Bends o'er his work and every sinew tries;
 Prostrates the waving treasure at his feet,
 But spares the rising clover short and sweet.
 Come health! come jollity! light-footed, come;
 Here hold your revels and make this your home.
 Each heart awaits and hails you as its own;
 Each moistened brow that scorcs to wear a frown."

Can there be any doubt that the occupation which gives such health and cheer to the farmer, is favorable to the development of the mind, and the pursuit of knowledge, especially when we consider the intimate connection between health of body and health of mind, and how many minds are necessarily feeble, stunted, and *sickly*, because dwelling in a feeble and sickly body?

2. The farmer has *leisure* for the pursuit of knowledge. Aside from the leisure which winter evenings, rainy days, and intervals between hurrying seasons of labor afford; he can, almost every day, snatch a few moments, or an hour for reading, *if he has a desire for improvement*. If the farmer chooses to spend his leisure at the stores and taverns, or in idle vacancy, dreaming and dozing away his life, working like his ox, and like his ox only eating and sleeping, he can do so,—but let him not blame his occupation, for if he only has a thirst for knowledge he can gratify it. No laborer has more leisure for improvement than the farmer.

And, besides, the leisure of a farmer is worth more to him, in the pursuit of knowledge, than that of other laborers, not only because, from his good health and spirits, he is better prepared to improve this leisure, but because it will furnish him with food for thought, reflection and inquiry, during the day; his work, much of it, being of such a nature as to afford opportunity for digesting what he has read, especially if it relates to agriculture. The reason many farmers are no more intelligent is, *not because they have no leisure*, but because they *do not improve their leisure*. The most ignorant farmers are by no means the most industrious. Some of the most industrious, efficient farmers of my acquaintance, are the most intelligent also. Nor does their intelligence make them lazy, but rather stimulates them to labor. They take hold of labor, too, with more zeal and interest, and feel less tired at the close of the day, than the mere *drudge*, whose vacant mind is uninterested in what he sees and does. The man who is to work on a compost heap will not do less, but more work, if he spends a few moments in reading an essay or lecture on manures, so that he may labor *intelligently*.

3. Agricultural pursuits have a healthy influence on the mind, and thus favor the pursuit of knowledge. The farmer is free, on the one hand, from the tormenting excitement, anxiety, and perplexity of the merchant and trader, and on the other hand, from the dullness and monotony of the day laborer, or the mechanic, who does one thing the year round. Too much excitement or too much dullness and uniformity are alike unfavorable to mental vigor and improvement. The constant variety of objects which occupy the attention of the farmer, the interest he feels in his crops, and his growing stock, keep the mind active and healthy, contributing not only to his happiness, but to his mental improvement, giving the mind an appetite for knowledge, as well as the body for food. The influences that surround the farmer are as favorable to health of mind as health of body; hence, if a man has a taste for knowledge, he may choose the life of a farmer, as being well adapted to gratify this taste. His labor will not unfit the mind for improvement.

4. The occupation of the farmer affords him an

opportunity to cultivate an acquaintance with the natural sciences, and is thus favorable to the pursuit of knowledge. The shoemaker, or the blacksmith may be interested in the study of meteorology, but his daily occupation does not, like that of the farmer, give him an opportunity to observe the weather, the wind, clouds and storms, and their influence on vegetable and animal life. The mechanic must have his shop, and the lawyer his office to make observations on nature, but the farmer must shut his eyes not to make these observations. He need not leave his work to observe the different kinds of rocks and soils he meets with, and the nature of these soils. If he has a taste for natural history, he need not waste an hour or two in the morning, to listen to the sweet music of various birds, and learn their habits, for his daily occupation gives him the best chance in the world to notice the habits of birds, animals and insects. The book of nature is constantly open before him, inviting him to read her laws. The investigation of the laws of nature affords a pure and exalted source of happiness; but who is so favorably situated to investigate these laws,—*while pursuing his appointed labor*—as the farmer? Who can so well learn the laws of vegetable life, as he who is constantly experimenting on those laws? Who can so well observe flowers, grasses, plants grains and trees, and their habits, as the farmer, whose business it is to cultivate them, and bring them to perfection?

It seems to be a wise provision of our Heavenly Father that the great book of nature, so interesting and full of instruction, should be constantly open to the *tillers of the soil*, who are the largest part of the human family. Farmers are just beginning to see how interesting this book is, and that they may find both pleasure and profit in reading this book—a pleasure that lightens toil, and dignifies labor, making the occupation of the farmer suitable, not only to a *physical*, but to an *intellectual* being.

5. The practical advantage to be derived by the farmer from an acquaintance with science, renders his occupation favorable to the pursuit of knowledge. The natural sciences, Botany, Geology, Chemistry, and many others, are not only interesting in themselves, but intimately connected with the cultivation of the farm. It is by the aid of these sciences that the great improvements in agriculture have been made the past few years, and that we may expect improvements hereafter. If the farmer will not study science because it is interesting, he must study it because it is *useful*,—because it is necessary to the successful cultivation of his land. However interesting science may be, the great mass of laborers, having little leisure, and no particular taste for science, do not pursue it. Even professional men do not. They have no stimulus to pursue it, as the farmer has. For the same reason that a lawyer is favorably situated to obtain a knowledge of law, or a clergymen to obtain a knowledge of theology, a farmer is favorably situated to obtain a knowledge of the sciences. As a lawyer who has a case to try on insurance, on assault and battery, or trespass, will take more interest in examining the law on those subjects than a farmer, or a physician; so will the farmer who is constantly working the soil, mixing manures, and raising crops, take more interest in essays on these subjects than a lawyer, a shoemaker or a mechanic. The farmer will consult Johnston and other authors, for the same reason that a lawyer will consult Blackstone and Kent.

A merchant or mechanic may read an analysis of the different kinds of grain, of the different soils and manures, but he has no such motive to remem-

ber this analysis, and be *interested* in it, as the farmer has, who is constantly raising grain, mixing soils and manures. The man who is applying ashes, lime, or plaster of Paris to his soil, will be more interested in an explanation of the mysterious and diversified agency of these substances, and of the adaptation of each to particular crops, than a man who is writing sermons, or pleading law, or making shoes, or selling goods.

The farmer, therefore, has extraordinary facilities and motives to become acquainted with science, for almost every science aids him in his work, gives him skill and power, as well as pleasure and profit. He can read the theory, and then test the theory by his observation and experiments. Science comes not only to please but to profit; not only to enrich his mind with knowledge but to enrich his farm,—to improve his fruit and stock—to fill his barns and granaries. Formerly, it was thought a farmer had no use for knowledge. Now it is found that no laborer has more use for knowledge. Even the professional man has less use for science than the farmer.

It is not true, then, that field occupations “*tend to stupify the mind*,” as Foster remarks. But they have the opposite tendency, to awaken intellect, and stimulate curiosity in the pursuit of knowledge. Nature is constantly before the farmer, proposing problems for him to solve; questions for him to answer; tempting and provoking him to read her laws; by making knowledge contribute to his health, as well as to his happiness. He need not travel out of his way, or leave his work, to find the book of nature, and observe her lessons and laws. No other laborer has so many facilities, or so many inducements to pursue knowledge and read nature, as the farmer, who is constantly experimenting upon the laws of nature.

6. I observe in conclusion that the pursuit of agriculture is favorable to the general development and cultivation of the mind. It furnishes a home for the farmer and his family, a pleasant, *rural home*—one of the most essential means of moral, social, and intellectual improvement. The farmer and his children are free from many temptations to vice, intemperance, idleness and extravagance, which are the bane of intellectual improvement. His life is adapted to develop self-reliance, energy, manly independence, as well as habits of observation, comparison and reasoning. In the rotation of crops, the application of manures, the cultivation of fruit and raising stock, and in planning the work of a farm, as well as in buying and selling, there is abundant exercise for the judgment of the farmer. The business of the merchant is said to be favorable to developing the judgment, but we submit whether the occupation of the farmer does not afford a more enlarged and healthy sphere for the exercise of the judgment, than that of the merchant or mechanic.

I noticed, recently, a paragraph from Elihu Burritt, the import of which was, that the mechanic was more favorably situated than any other class of people, to obtain knowledge and cultivate his mind. But is not the occupation of the farmer quite as favorable to health, and elasticity of both mind and body? Does it not afford as much or more leisure for improvement? Does not his occupation, which is a series of experiments on the laws of nature, give him a far better opportunity to observe these laws, and become acquainted with and interested in them, than that of the mechanic? Do not the numerous successful applications of science to agriculture, afford a greater stimulus to pursue these sciences, as well as a better opportunity for the cultivation of the mind, and the exercise of the judg-

ment, than can be found in the more monotonous employment of the mechanic?

If the farmer, therefore, remains ignorant and stupid, it cannot be for want of opportunity for improvement. He is a workman, an experimenter in the great Laboratory of Nature, where all he sees and hears invites him to observe, and inquire, and learn; where he can employ in his daily labor, whatever knowledge he may possess, and find motives to obtain more knowledge. The means of knowledge, too, are within his reach, so that his life need not be a life of drudgery and toil, unless he chooses to make it so. To be sure, the farmer must *work*, and work hard, and therefore he needs the stimulus of knowledge; for knowledge will stimulate and encourage him to work, so that he can, not only do more work, but do it also to better advantage. *Intelligent labor is the most successful labor.* Many men who find no stimulus to labor, when it is a mere exercise of physical strength, will labor with zeal and enthusiasm, if the *mind* is only interested, at it may be in almost all the work of the farmer.

The occupation of the farmer, then, should be chosen, not merely as favorable to competence, contentment, independence, health, morality, and the social virtues, but also as favorable to the pursuit of knowledge and the cultivation of the mind. JAMES TUFTS. *Wardsboro, Vt., June, 1850.*

The Reviewer.

Poultry and Poultry Books.

THE POULTRY BOOK: a treatise on feeding and general management of fowls; with numerous original descriptions and portraits from life. By JOHN C. BENNETT, M. D.

THE publishers of this work state, that “to the author, is due the credit of having originated the interest now felt in respect to poultry.” The author himself states that he was frequently requested to publish the book, by poultry breeders and fanciers; and in proof of its important character, he tells us that in preparing it, “all accessible authorities have been consulted,” though he deems it unnecessary to mention the books which have been laid under contribution, as it would only make a “pedantic display.” In addition to this, we are told there has been “a vast mass of correspondence” which has brought out much important matter, “not elsewhere to be found.” He also congratulates himself on one or two other points. “Special attention,” he says, “has been given to the description of the varieties of fowls, and it will appear on examination that great labor has been expended on this department; and the author flatters himself that a remarkable degree of accuracy has been attained.” The “original portraits” of fowls which are given in the book, are deemed by the author to possess “great importance and value,” and he thinks they “will add to the fame of the eminent artists” by whom they have been executed. Finally, the author prides himself especially on the character of the department of the book relating to the breeding and management of poultry—a department which, we are told, “is designed to be a *vade mecum*,” and he complacently concludes, that “in no other work, can similar information be found.”

These are certainly high claims; how well they are supported, we shall see, as we proceed with our examination of the work.

The chapter on the “origin of the Domestic Fowl,” comprising seven pages, is, almost every word, copied from Richardson, with no intimation of credit, except in a few of the latter paragraphs.

The public will judge whether this omission to give the "requisite credit," is in accordance with the principles which should govern authors.

The primary object of the author seems to have been to multiply varieties or breeds of the domestic fowl, or to describe those already known under such names, and in such terms as would lead to the belief that they are rare and desirable. Hence of the Malay tribe of fowls, he has the Chittagong, the Shanghae, the White Shanghae, the Cochin China, the Royal Cochin China. (Burnham's importation,) Cochin China, (Baylies' importation,) Great Malay, the Shakebag, Common Malay, the Great Java, and the Guilderland fowl. Persons acquainted with the fowls described under these names, will readily recognize affinities which prove them to belong to the same stock. They are not arranged precisely in the order here given, but are mixed up, in several instances, with other varieties.

The Chittagong is represented by cuts which purport to be portraits of fowls from Mr. Rugg, who it is declared "is beyond dispute, one of the best fowl breeders in America," and whose fowls, it is said, "excite astonishment and admiration, in all fowl fanciers." A quotation is made from a letter of Mr. Rugg, in which he complains that this breed has heretofore been confounded with the great Malay, whereas he thinks they have "points of difference which will be found to be important." Dr. Bennett attempts to justify this notion by reference to Richardson, whose cuts and description of the Malay he copies, giving the customary credit and marks of quotation, but with an interpolation of two words which entirely change the sense and purport of the language. Richardson says of the Malay,— "This fowl is also frequently called the Chittagong,"—evidently intending to say, as almost every English writer on poultry has said, that the terms Malay and Chittagong refer to the same fowl; and to prevent this being said, Dr. Bennett inserts the words "but erroneously," making Richardson say "this fowl [the Malay] is frequently, but erroneously, called the Chittagong!" It is proper to notice that there is nothing to show that the words alluded to were added, or that they were not in the original. Without stopping to comment on the honesty of this act, I will simply offer one quotation, though many similar passages by various authors might be adduced, to show that the Malay and Chittagong fowl are the same. In the work entitled "*Farming for Ladies*," by the "Author of British Husbandry," page 75, it is said—"The Malay or Chittagong, are natives of the isles of Java and Sumatra, from whence they have been introduced into this country [England,] where they are now common, and are the largest known breed of fowls."

Dr. Bennett makes three breeds of Cochin China fowls. The first of which is simply called "Cochin China," and the cuts accompanying are copied from Richardson, together with that writer's description of the Queen's fowls. One would naturally suppose that these were royal fowls, if any could be called such; yet the next chapter has the caption "Royal Cochin-China Fowl—Burnham's importation." Here we have what are called "original portraits" of Mr. Burnham's fowls, and Dr. Bennett triumphantly declares that this representation "is believed to be the only correct delineation of the species extant," and he "flatters" himself that it "will henceforth be deemed the standard of comparison!" In the same style of vulgar boasting, it is added that "Mr. Burnham's importation is the best of the Cochin-China race which have been brought to this country;" and to crown their lofty pretensions, it is

stated that Mr. Nolan's stock, from which Mr. Burnham's came, "took the premium at one of the agricultural fairs in England, while standing at the side of Her Majesty's fowls." It is not stated that Her Majesty's fowls were in competition for premium with Mr. Nolan's, and yet, notwithstanding the ridiculousness of such an idea, it is obviously intended to make the credulous and ignorant believe it, by saying that Mr. Nolan's fowls were "standing beside" Her Majesty's.

Dr. Bennett pretends to know the precise origin of the Cochin-China fowls, and dogmatically asserts that they "are derived from a mixture of the Chittagongs and Shanghaes; yet he says, "those imported into England, undoubtedly participate in the blood of the Wild Indian game." He thinks this idea is "corroborated by the fact that English writers pronounce them to be game, when speaking of their habits and progress;" and he concludes that these "facts" (?) prove "the Queen's and Mr. Burnham's fowls to be different from what are commonly called Cochin-Chinas, which are the mere cross of the Chittagongs and Shanghaes." [pp. 46, 47.]

But the "fact" in regard to the Queen's fowls being "game," which was supposed to prove them to be "different from what are commonly called Cochin-Chinas," turns out, by Dr. Bennett's own showing, to be no fact at all; for at the conclusion of the chapter, (page 50) he says, "It may be well to add, that the *London Illustrated News* has fallen into another serious error in respect to the Royal fowls, in saying that 'the cock is game, to the last degree, capable of killing the most powerful game cock in a few minutes.' This is impossible, on account of their size and shape."

Thus what is given as "fact" on page 46, is condemned as "serious error" on page 50!

But there are other strange inconsistencies connected with Dr. B.'s description of the Cochin-China fowl. It will be noticed that he calls them a "species" and a "race," and yet, strangely enough, on the same page he asserts that they are "derived from a mixture" of what he calls distinct stocks! Such palpable contradictions can only be accounted for on the supposition that the author is grossly ignorant of the terms he employs.*

The cuts representing what Dr. B. calls the "Common Malay fowl," are copies of those which Mr. Bement gives for the "Bucks County fowl." We are told—"the best varieties of this breed in this country, are the Jersey Blues, the Bucks County and the Boobies." The Jersey Blues are said to have "all the characteristics of the East India fowls," but "have diminished in size by neglect and careless breeding." Yet notwithstanding this "neglect" and diminution of size, Dr. B. gives the statement of Mr. Rugg, that the "he has known in a single instance, caponised fowls of this variety weigh twenty-five pounds a pair," and it is added that the farmers of New Jersey "set a value upon the stock equivalent to that which the Dorking bears in England." Rather singular evidence of "neglect and careless breeding."

The Bucks County and Booby fowls are summarily disposed of as "unprofitable," being, "with what

* Dr. Prichard, in his "Natural History of Man," gives the following definition of species: "Species are simply tribes of plants or animals, which are certainly known or may be inferred on satisfactory grounds, to have descended from the same stocks, or from parentages precisely similar, and in no way distinguished from each other." The same author defines varieties as follows: "Varieties differ from species in this circumstance, that the peculiarities in question are not coeval with the tribe, but sprang up in it since the commencement of its existence, and constitute a deviation from its original character."

are called Malay fowls in the vicinity of New York, degenerate varieties." But the reader will perhaps be surprised to find that notwithstanding the degeneracy of what are called Malay fowls about New York, Dr. Bennett, in describing the "Great Java fowl," refers to specimens in the possession of two persons which he deems "among the most valuable fowls in the country"—the cock weighing at one year old ten pounds, and the pullet nine pounds and a quarter—which were, he says, "purchased in New York as Malays." Thus the Malay fowls about New York degenerate into "Great Javas"!

In regard to the color of these fowls, we are told by Dr. Bennett, in his usual dogmatical style, that "like all other pure Java fowls, they are of a black or dark auburn color!" But who does not know that fowls from Java comprise almost all varieties of color?

But as we proceed in the examination of Dr. Bennett's book, we are more and more impressed with his extraordinary genius. His skill extends even to the restoration of varieties of fowls which have been long extinct; such as the Shakebag, and the crested fowl with white plumage on the body, and a large black top-knot.

The Shakebag fowl was brought into notice in England about eighty years ago, but according to Martin, Dixon, and all late English writers, has not been seen for many years. But Dr. Bennett has borrowed a couple of figures, which he pretends are original delineations of Shakebag fowls imported by Mr. Tucker of the Tremont House, Boston! His description of this resuscitated Shakebag, with some of the circumstances connected with it may amuse the reader. He begins by saying—"This fowl has so many points of affinity with the Malay tribe that there can be no impropriety in associating it with them. It is more beautiful than most of the variety—[what "variety"—the Malay, which he has just called a "tribe?"] the plumage of the cock being extremely brilliant and gaudy."

He then goes on thus—"The fowls delineated here, were imported by Mr. John L. Tucker, of the Tremont House, Boston, and were drawn from the birds [now] in possession of Mr. James S. Parker, of the Samoset House, Plymouth. A glance at the portraits will show that they are magnificent birds. They are exceedingly rare in this country, this being the only importation of which I have knowledge."

The description of the plumage, &c., of these pretended Shakebags is added; but before inserting this, it is necessary, in order to render the subject fully intelligible, to introduce some collateral illustrations. It will be shown that the pair of fowls above alluded to, described by Dr. Bennett in his book, pp. 54 to 56, as Shakebags, were described by him in the Boston Cultivator of August —, 1849, as "Great Malays," accompanied by a cut of the Malay Fowl, copied from Mr. Bennett's work! In the latter article he complains that the Malay fowl in this country, has "degenerated by 'close breeding,' until a vestige of the pure Malay can scarcely be traced." (It is rather queer that "close breeding" should destroy the "purity" of the breed, whatever its disadvantages in other respects.) But he continues—"Some of those [Malays] of the purest blood were imported by Mr. Tucker of the Tremont House, Boston, under the name of 'Dorkings,' and were presented by him to Mr. Parker, of the Samoset House, Plymouth." It will be observed that the "habitations and names" of persons agree with those given by Dr. Bennett when speaking of the Shakebag. The particular description, given in one

case as that of the Shakebag, and in the other as that of the Great Malay, will doubtless be read with interest. It is as follows:

Dr. Bennett's description of the Dr. Bennett's description of the Shakebag, "Poultry Book" page Great Malay, in the Boston Cultivator.

The plumage of the male is "The plumage of the male is brilliant in the extreme, being of brilliant in the extreme, being of a bright red and glossy yellow, a bright red and glossy yellow beautifully blended, and shaded beautifully blended, and shaded with black, so as to present a most with black, so as to present a beautiful and captivating appearance. The hackles of the rump are long and drooping, and of a golden-reddish color. The comb of a golden reddish color. The and wattles are large and single; comb and wattles are large and legs large, yellow, and destitute of single; legs large, yellow, and feathers; tail long and drooping, destitute of feathers; tail long and with rich glossy plumage. The drooping, with rich glossy pluggait is lively and majestic; in a mage. The gait is lively and word, it is the handsomest of any majestic; in a word, it is the of the large breeds, and should be handsomest of any of the large classed with the best varieties. breeds, and should be classed with The hens are of a bright yellow the best varieties. The hens are and glossy brown, good layers, of a bright yellow and glossy good nurses, and very domestic. brown, good layers, good nurses. The eggs are rather large, well- and very domestic. The eggs flavored, and of a pale-reddish are rather large, well-flavored, color. Their flesh is very fine, for and of a pale reddish color. Their flesh is very fine, for so large a fowl.

Of game fowls, Dr. B. claims to have produced a new and superior breed, which he denominates the "Yankee game fowl." He gives of this "breed" what he calls a "portrait taken from life." He says, "this fowl was originally produced between the Plymouth Rock and Indian Game hen." As some may inquire—what is the Plymouth Rock fowl? I give Dr. B.'s account of its origin. "The Plymouth Rock fowl is in reality, one half Cochin-China, one-fourth Fawn-colored Dorking, one-eighth Great Malay, and one-eighth Wild Indian; having five primitive bloods, Shanghae, Malay, Game, Turkish, and Indian." [page 77.] Will he tell us the proportion of these "primitive bloods," and other blood in the "Yankee Game breed?"

But does Dr. Bennett mean that the fowls to which he applies the term "primitive" are really an original, distinct, and pure stock? This certainly would be a legitimate inference from the term. But if we turn to the chapter on "Breeding Fowls," page 194, we find it stated, point-blank, that—"All the breeds in this country are crosses produced by accident or design."

A variety of fowls is described by Dr. Bennett, accompanied by a cut, as the "English Raven fowl." I have never before seen or heard of any variety of fowls under this name. Like the fabulous Shakebags, the white fowl with a black top-knot, and all the new-fangled imaginary varieties, "the pure bloods" we are told "are very rare."

In regard to the Dorking fowl, Dr. Bennett has formerly talked of there being several breeds; thus in his "Essay on the Domestic Fowl, written exclusively for the Boston Cultivator"—and which constituted the chief ground-work of his "Poultry Book," he spoke of the "Pearl-white Dorking," the "Fawn colored Dorking," "Dappled Dorking," &c; but in his book, though he gives a cut and description of the "Fawn-colored Dorking," he comes to the conclusion that "it is really a misnomer," and that the "white and speckled are the only pure varieties"—all others being "hybrids." He gives us the authority of L. F. Allen, that the Dorkings have "both double and single combs," but a few pages further along says for himself, "it should be remembered that all pure Dorkings have rose combs," &c.

Passing over Dr. B.'s description of several varieties, without stopping to comment on many of his vague and undefineable ideas, we come to the Po-

lish, or Top-Knot fowls, of which we are presented with some striking original illustrations. The skill of the "artist," prompted by the ingenuity of Dr. Bennett, has brought out a cut of the white fowl with a black top-knot, which, if it ever existed, is considered by most late writers as having been long extinct. Dr. B. says—"This variety of Polish fowl is the most pure and unmixed of the three; it is indeed, the uncontaminated descendant of the great fowl of St. Jago. Its color is a brilliant white with a jet black top-knot." He states that various applications have been made to persons in Germany and Poland to procure specimens of this breed at any cost, but that the answers were, "they were no longer to be had." He remarks—"I have never myself seen a specimen of the breed, and have every reason to suppose it to be extinct or nearly so." And yet, as if to confound his own language, he says in the next paragraph—"Of this variety there are some beautiful specimens in this country!"

Dr. B. speaks of the "Dominique fowl" as a "very perfect breed," adding that he has "never seen the least variation in their appearance for the last thirty years. * * * Why it is that no perfect bloods should have escaped description by poulterers, I am unable to divine."

But suppose the question is asked—what constitutes a Dominique fowl? It may not be easy to give a definite answer; but it will probably be said that the term Dominique applies to fowls of a particular color. It is a fact, however, that the markings of plumage which have given rise to the application of this term, are not confined to one breed, but are found among several breeds. They are very frequently seen among the common fowls, usually called "Dunghills," and have been met with in fowls imported as Dorkings, as well as in the Jersey Blues, &c; so that Dominiques may be said to occur in many breeds, but of themselves are no breed at all.

Dr. B. closes his descriptive list of *thirty-three* varieties of fowls, with the "African Bantam," of which he says—"They are the best of all the Bantam race, yet I have never seen them described in the books on ornithology." No! and he never will, till men who know nothing of "ornithology" make "the books!"

From the space which this article has already occupied, I am induced to pass without notice, Dr. Bennett's vagaries in regard to turkeys, geese, ducks, &c., together with those parts of his work relating to the management of poultry, and proceed to an examination of his remarks on "Breeding Fowls," though I shall not attempt a detailed criticism of the chapter.

Dr. B. observes, in the outset, that in the treatment of this subject generally, "there is a loose and indefinite use of terms, which serves only to distract and confuse the inquirer." If I am not mistaken, the readers of Dr. Bennett's book, may with propriety complain of the "loose and indefinite use of terms"—not less in this chapter than in the parts of the work already noticed. For example, he pretends to lay down certain "physiological principles," which, he thinks, if "well understood and faithfully applied, will prove of great value." The first of these principles is as follows:

"When animals differing in order, genus, and species cohabit, no offspring results."

Now what a strange compounding of terms does this proposition comprise! And the sense is so obscure that it is doubtful what idea it was intended to convey. If the meaning is that animals of

different orders are incapable of producing an intermediate offspring, it will be admitted; but of what use are the terms genus and species in this connexion? Animals of different orders, must of course be of different genera and species. The effect of this "loose use of terms" therefore, can only be to "distract and confuse the inquirer."

Again, though the proposition be admitted as correct, so far as it relates to orders, it is incorrect in its relation to genera and species; for offspring is sometimes produced between animals of different genera, and not unfrequently between those of different species. Thus Dr. Morton says—"Hybridity occurs not only among different species, but among different genera; and the cross-breeds have been prolific in both cases."* For instance, the Guinea-fowl, which belongs to the genus *Numida*, and the common fowl, genus *Gallus*, have been known to breed together. I have myself seen hybrids which were the result of this union; and Dr. Morton mentions two which he had seen, and refers to three others of which he had heard.†

Dr. Bennett's second proposition is, that with "animals of the same order, differing in genus and species, the progeny is sterile in the first generation, as with the mule, the mongrel-geese," &c.

By "mule," it is supposed he means the joint offspring of the horse and ass; but what naturalist regards those animals as "differing in genus?" Or is this only to be received as part of a new classification which the learned Doctor intends to introduce?

Again, Dr. Bennett cites the "mongrel goose" (as if there was only *one* mongrel goose,) as an example of sterility. What is a mongrel? Webster's definition (which is within reach of all) is "an animal of mixed breed." But are all geese which are of "mixed breed," or all "mongrels" sterile? "Looseness of terms," indeed! The Canadian wild goose and the common domestic goose, are of distinct species, and their joint offspring are properly *mules*. They do not breed.

Dr. Bennett's third proposition is, that with "animals of the same order and genus, differing in species or variety, only, the progeny becomes barren, in the second generation, as with the mulattoes."

Well, if the "natives" are not astonished at this, the Doctor may give up! The progeny of animals "differing in species or variety only, becomes barren in the second generation!" What gloomy philosophy! How soon must vanish from earth those *transcendent* fowls, the "Yankee Games," the "Plymouth Rocks," the "Pride of Indias," &c.,—all crosses of different varieties.

Yet Dr. Bennett, in another part of this chapter, tells us—"The best breeding is to cross or mix the races. This process improves the breeds in every respect. The *best* mixture is the Yankee Game with the Cochinchina fowls. This produces a *race* [?] of equal proportions of Wild Indian Game, Spanish Game, Chittagong, and Shanghae. Such a mixture gives great size, fine flesh and brilliant plumage; and at the same time the *breed*, [not "race" as above] will be very *prolific*!" [p. 202.]

Whether Dr. B. regards whites and negroes as of different species, or only different varieties, does not appear, and I have no occasion to enter on the discussion of the question. His conclusion in respect to mulattoes, I leave to the observation of others without comment.

Dr. B.'s fourth and last proposition has no special connexion with the main subject, and if it had it is

* Sillman's Journal, vol. III, p. 212.

† Ibid. p. 204.

of a character which would prevent its insertion here. As before remarked, it is impracticable to notice all the strange things in this boasted "*vade mecum*," and many are passed over. I shall merely call attention to one or two more passages.

Dr. Bennett attempts to show that in certain cases in-and-in breeding may be practiced "with perfect impunity." These cases are where the breed is pure. Thus, he says,—“if the breed is pure, *as with the rabbit*, you can breed close,” &c. Are all rabbits of one breed? Or if not, are all rabbits of pure breed?

Under the head of "Preserving the Distinctive Breeds," Dr. Bennett presents us with the following paradox:

"When a fowl exhibits any special marks indicative of all the races or breeds from which the cross originated, it is a sure evidence of extraordinary purity of blood, and of the superior excellence of the race." [p. 201.]

Now, if this "loose and indefinite use of terms," does not "distract and confuse the inquirer," it must, at least, excite in his mind both astonishment and disgust! "Special marks indicative of" a mixture of "races or breeds," are "sure evidence of extraordinary purity of blood!" If the above paragraph had appeared in the "*Asylum Journal*," among specimens of the composition of insane persons, who would have regarded it as out of place? Or who can say that it is appropriate to any other place?

The work closes with an appendix, which seems chiefly designed to show that some *new light* had been obtained in regard to fowls after the matter had been principally prepared. Thus the Chittagongs, with a description of which the book is commenced, have become the "*Imperial*" Chittagongs in the appendix. The closing paragraph indicates that we have not yet reached the end of this humbuggery and imposition. The credulous public is enjoined to hold fast, like the old woman who fired off the musket containing seven charges, as "there are more to come yet."

"Subsequent editions of this work will be embellished with portraits from life, by the same distinguished artist, F. A. Durivage, Esq., of my *Pride of India* fowl, from my own stock; my *South American Eagle* fowl, (a very rare and singular bird,) from the stock of J. Jacob Bower, Esq., of Baltimore, and now in the possession of Mr. William Nickerson, of Plymouth; the *Java Game Fowl*, from the stock of Mr. George C. Pierce, of Danvers; and numerous other rare and choice breeds, (a full history of *sixty different breeds and varieties* being promised by Mr. Bower alone;) and will contain an additional fund of practical matter from some of the best breeders in this and foreign countries, with whom the author is in correspondence."

With this I leave Dr. Bennett's "Poultry Book," though not because all its ridiculous absurdities and palpable contradictions have been pointed out. The book abounds with those of similar character. If any apology is necessary for the space I have devoted to this extraordinary production, it is to be found in the fact, that people who have no opportunity of knowing, beforehand, the character of the work, are induced to purchase it. If my remarks shall tend to prevent the outlay of money for that which is, in many respects, worse than useless, they will, at least, do the public some service. OBSERVER.

☞ Beware of little expenses, a small leak will sink a great ship.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

French Names of Fruits.

The name "*Fondante d'Automne*" is pronounced at least one hundred thousand times annually in this country, of which at least ninety thousand are bad French, hybrid French, or awkward anglicisms. Very few of our fruit raisers understand French pronunciation; and when they meet with foreign names, they encounter them quite as awkwardly as a Moor would manage a printing press, or a Burman one of McCormick's reapers. The evil of these names, it is true, is not very serious, but they are rendered exceedingly inconvenient by their constant occurrence in use. All, except the few who wish to be modish, desire some way of escaping this continual annoyance.

These names should be modified or altered. Some of them, such as Belle Lucrative, Passe Colmar, Forrelle, Crassane and others, the sound of which is somewhat similar in both tongues, will assume a modified English pronunciation, like Jargonelle and Bonchretien. But there are others, not quite so easily passed, such as *Beurre Gris d'Hiver Nouveau*, *Sucree d'Hoyerswerda*, *Delices d'Hardenpont*, and *Jalousie d'Fontenay Vendee*. Some of these sorts are likely to become generally cultivated—but the names are really terrific, and cannot possibly be retained. Who shall alter them? No single individual should ever think of setting about coining new names for old fruits. But the case is quite different with a large body of intelligent men. Who would be more competent than the American Pomological Congress? Ought not this body to take up the subject, and propose a revised list at their next session? To make this suggestion a little more distinct, let us take up a few names, and propose how they might be altered, or translated into English, or abridged, leaving for others to amend and enlarge these suggestions:—

For <i>Fondante d'Automne</i> ,	we might say,	<i>Autumn Melting.</i>
" <i>Paradise d'Automne</i> ,	"	<i>Autumn Paradise.</i>
" <i>Beurre Gris d'Hiver Nouveau</i> ,	"	<i>Grey Winter Beurree.</i>
" <i>Beurre d'Arenberg</i> ,	"	<i>Arenberg.</i>
" <i>Bonchretien Fondante</i> ,	"	<i>Melting Bonchretien.</i>
" <i>Duchesse d'Angouleme</i> ,	"	<i>Angouleme.</i>
" <i>Beurre Diel</i> ,	"	<i>Diel.</i>
" <i>Glout Moreeau</i> ,	"	<i>Moreeau.</i>

We shall leave the name *Louise Bonne of Jersey*, for some one of greater ingenuity to re-model.

In many instances, the simple translation of the foreign name might be at once adopted, as for


<i>Doyenne d'Ete</i> ,	say	<i>Summer Doyenne</i>
<i>Rambour d'Ete</i> ,	"	<i>Summer Rambou.</i>
<i>Muscet Petit</i> ,	"	<i>Little Musk.</i>
<i>Roussellet Hatif</i> ,	"	<i>Early Roussellet.</i>
<i>Franc Real d'Ete</i> ,	"	<i>Summer Franc Real.</i>
<i>Bergamotte Suisse</i> ,	"	<i>Swiss Bergamot.</i>
<i>Pourpree Hative</i> ,	"	<i>Early Purple.</i>
<i>Violette Hative</i> ,	"	<i>Early Violet.</i>

Labels—Timely Hint.

"A nurseryman," says S. W. COLE, "lost \$500 by budding from a falsely marked tree before it bore." Another nurseryman sold several hundred trees of the Black Mazzard for the Napoleon Bigarreau, by a similar mistake in marking one for the other. Thousands of trees were set out last spring, by purchasers all over the country, and the labels are neglected and are becoming lost. Now a great deal of the present confusion in the nomenclature of fruits originated in this way. Nothing was thought of the names till the trees began to bear. Curiosity was then excited, conjecture was substi-


tuted for knowledge, and innumerable mistakes were made and multiplied.

Where trees have been set out in rows, it is very easy to register the names one by one in each successive row, in a book kept for that purpose, which



may be referred to at any moment for fifty years to come. This, therefore, is the first thing to be done, and should not be neglected another day by any one who abhors confusion.

To indicate the number of each tree, and save the trouble of counting the row, wood labels may be suspended to a side branch by means of a strong copper




wire, made in a large loop so as not soon to cut the bark. The numbers may be cut into the labels with a knife, by following the above marks, last-

ing a great number of years, or as long as the wood remains. (Fig. a.) When these numbers are cut into the label (Fig. b.) they are always read from the suspended end, by which no mistake is made. The name may be written with a pencil on white paint, on the reverse side of this label, and when in the course of years it becomes obliterated, it may be at once restored by referring to the permanently cut numbers.

A very simple and original label for numbering trees, which will last a life time, is made of large copper wire, with the numbers marked with a




three-cornered file, as shown by fig. c. The wire



is twisted round a side limb as in Fig. d. These labels are made and marked with great rapidity.

Durable labels, containing the full name, are conveniently made by cutting strips of sheet lead about 8 inches long, 3-4ths of an inch wide at one end, and tapering

to a point at the other. A hole is punched through at the middle, and the smaller end is brought round the branch, and secured by drawing it through the hole and giving it a twist. Fig. e. f. The letters are to be previously stamped into the lead by printer's type. Sheet tin may be used instead of lead, using a sharp awl to write the name by cutting through the tin coating, oxidation soon rendering the letters distinct.



Early Notices of the Curculio.

The Curculio is a native of the United States, and I believe not known on the Eastern Continent. I have turned to the great "NATURAL HISTORY OF NEW-YORK," but find nothing on Entomology, and presume that this important field has not been explored under the patronage of the State. How far this destructive insect has been found to the east, west, north, and south,—would be an interesting inquiry; and I would feel thankful to any of your correspondents for contributing such information *in regard to its limits*, as they may happen to possess.

In Darlington's "Memorial of John Bartram," lately published, I find the following notice from Peter Collinson of London, dated "March 14, 1736-7," in which he refers to J. B.'s "very particular account how your plums are destroyed by an insect. Pray change the stock, and graft plums and nectarines on peach stocks, which being a vigorous, free stock, and not liable to these insects, may succeed better. Pray try; I have a great opinion of its succeeding."

A project evidently so ineffective, led me at first to doubt whether the Curculio was the insect referred to; but letters of a later date, clearly settle this question.

J. Bartram ("April 16, 1746,") speaks of the sloe, "which we have had in the country these fifty years. I plant them about my hedges, where it grows to a large size. The blossoms are prodigious full, but never one ripe fruit. They were bit with the insect, as all our stone fruit is, but the peaches; and some kinds of cherries overgrow them."

It would appear from what follows that the proposed remedy was not very cordially received by the American Botanist,—for in reply to some remarks which are now probably lost, P. Collinson says, (April 24, 1746,")

"Though thou canst not see, yet I have told thee what inoculating on a peach stock may do. If I am not out in my conjecture—as it is a free stock, and sends up its sap plentifully, it may assist the nectarine and apricot at a season when supplies are wanting. As thou has tried the north side of buildings, and sides of water courses, &c., to no purpose with plums, pray give the other fruits as fair a chance.

"To prevent the depredations of the Beetle, I confess, is not so easy as some other bad effects; yet as we know the duration of this insect is but short, if while he is so noxious, some contrivance could be found out to disturb or destroy him, you then might hope to taste a nectarine,—one of the most delicious fruits in the universe, and much exceeds a peach, in a rich vinous-flavored juice. And an apricot is also one of the fine fruits. Last year, our standards were overloaded, which were allowed to excel the wall fruit.

"Suppose as soon as this beetle is discovered, if the trees were to be smoked, with burning straw under them, or at some distance, so as to fumigate their branches at a time the beetles are most liable to attack the fruit; or if the trees were to be squirted on by a hand engine, with water in which tobacco leaves were soaked; either of these two methods, I should think, if they did not totally prevent, yet at least would secure so much of these fine fruits as would be worth the labor of people of circumstances, who are curious to taste these delicious fruits in perfection.

"I take it, the reason the plum succeeds so well, is the frequent shaking the trees, by being planted in a frequented place. The beetles are tumbled off,

or else are disturbed, and frightened from settling on the trees."

In a paper read before the Philadelphia Society for Promoting Agriculture, in the summer of 1789, WILLIAM BARTRAM particularly and scientifically described the curculio; and adds "Many methods have been thought of and practiced to remedy the evil, but none have as yet been attended with success."

"During my travels southward (from Pennsylvania to Florida) I had sufficient opportunities to observe that the fruit trees on the sea coast and brackish water, were free from the ravages of this destructive insect; this suggested to me an idea that the saline vapors were pernicious to them, and hence I imagined that if we were to go to the trifling expense of showering our choicest fruit trees with a weak solution of common sea salt, once or twice a week, it might answer the same end of preserving the fruit. But this is only a conjecture, having never made the experiment."

In 1808, W. Bartram furnished the following: "The spring following, I put the experiment of showering a plum tree on trial, with a weak solution of sea salt dissolved in water; but being too strong of salt, most of the leaves and fruit fell off in consequence of it, otherwise the experiment might have produced the desired effect, as what fruit remained were not touched by the insect, though small and disfigured by the strength of the brine; yet a few arrived to their natural size and ripened, so that I am induced to believe that with care in tempering the solution, it will be found to be the best and cheapest remedy against the ravages and increase of those pernicious insects yet discovered. It should be so weak as just to taste of salt."

Dr. TILTON, who wrote about the beginning of this century, says—"There is no surer protection against the Curculio than a pavement. This however is only applicable to a few trees."

It was believed both by William Bartram and Dr. Tilton that the Curculio infested the pear and apple, as well as stone fruit; and that it continued its work through the summer into autumn. It appears however that this notion is unfounded. In 1831, the late Judge Darling of New Haven, Ct., stated in the New-York Farmer, that this insect ceased from its labors early in the 7th month; and that the worm which infests the apple becomes a moth or miller. On reading this statement, I repeated his experiment without delay, by putting these worms with a part of the apple, among moist earth in a tumbler, and covered it with a piece of window glass. In due time, the perfect insect came forth, very different indeed from the Curculio, and fully confirming Judge Darling's statement. D. THOMAS. *Greatfield, Cayuga co.*, 6 mo. 29, 1850.

Notes on New Cherries.

BOYER'S EARLY HEART.—This has been supposed by some to be identical with the Early White Heart. But from careful and repeated examination the present year, there are evidently several points of difference. Boyer's Early Heart is earlier, but it may not prove always so; it is larger, superior in flavor, and its stone is smaller.


SWEDISH.—This variety, from Dr. Kirtland of Cleveland, has fruited for several successive years. It is regarded by F. R. Elliott (in the Proceedings of the Syracuse Fruit Convention,) as identical with the Early White Heart. There is evidently a great similarity in flavor, and the period of ripening is about the same; but the strikingly rugose or wrinkled surface of the Swedish, distinguishes it from all other sorts of its season.

The **EARLY PURPLE GUIGNE**, so far, maintains its position as the best of the earliest cherries. It ripens with the May Bigarreau, two weeks earlier than the Black Tartarian. It is about the size of the Black Heart, or one half larger than the May Bigarreau, and is far superior to the latter in flavor.

DR. KIRTLAND'S NEW SEEDLING.—Several of these have borne in Western New-York, and most of them maintain the high character given to them by F. R. Elliott of Cleveland, who introduced them. After another year's trial, we may safely speak of them more particularly.

Red Antwerp Raspberry.

This variety of the Raspberry, (the genuine, large fruited,) in common with most other sorts, succeeds to perfection on strong, deep, and rich soils. On light gravelly or sandy soils, we have rarely obtained good crops.



Red Antwerp.

Under the most favorable circumstances, it becomes a profuse bearer. It has been cultivated with great success at Milton, in Ulster county, N. Y. S. A. Barratt, of that place, made the following statement before the American Pomological Congress, which was corroborated by others present:—

"In productiveness, it was unsurpassed by any. It bore long in succession, and in ordinary seasons could be gathered for five weeks. As a market fruit, it was better than any other variety, bearing carriage very well, and not being exceeded by any in flavor. It sold in New-York for about twenty-two cents a quart, and from three-quarters of an acre he had realised \$330, at an average of ten cents per basket. There was a cultivator in his neighborhood who obtained \$1500 worth from three acres, and that, in a very unfavorable season of only three weeks instead of five. To insure a crop, it required to be protected during the winter by drawing down the ends, and covering them with earth. About three acres would afford as many raspberries as could well be cared for. He had known the ends to live in severe winters, although uncovered, but that was in very favorable situations."

Strawberries.


In answer to an inquiry, "Can strawberries be profitably set out after the present period of the year, and what are the best varieties for market as well as home use," we may briefly state that the spring of the year is decidedly the best time for transplanting, and next, soon after midsummer, or about the time that the second growth commences, when the crop has been gathered. Strict care must, however, be taken at the latter period, to prevent perishing by drouth. Watering, merely, will not answer. The best way is to immerse the roots in thick mud, set them out, water them freely to settle the earth compactly, and then to cover the soil about them two or three inches thick with old manure. This keeps the soil open and moist. A free watering once or twice afterwards upon this manure, as the soil on examination appears to need it, will benefit the plants, and not harden or crack the surface. This method has succeeded perfectly in the driest part of midsummer without the loss of a single plant. Strawberries set

out after the first of autumn, are liable to be thrown out by winter frost.

South and west, the best variety perhaps, for market, is the Cincinnati Hudson. It flourishes and bears profusely with very moderate care. In N. England it does not flourish quite so well. Hovey's Seedling makes the finest show after it has been picked, but is not sufficiently productive under ordinary treatment. The sort most generally preferred for its delicious quality, and not even excepting Swainstone's Seedling, is Burr's New Pine. It is rather large, quite productive, but too delicate in texture to carry to market. The Large Early Scarlet is the best very early sort, and the Dundee a fine late variety. Boston Pine *if kept in hills*, is large, fine in quality, and very productive. Black Prince is a fine, mild flavored sort, large and tolerably productive.

Disagreement of Doctors.

There are some fruits whose qualities meet with almost universal approval, while there are others about which there is a most singular diversity of opinion. One of the most striking instances of the latter, is furnished by the discussions on the *Black Prince* strawberry, as reported in the Proceedings of the Second Congress of Fruit Growers:



Black Prince.

He had known it for ten years, and esteemed it the highest flavored of all. It was a very good bearer, remarkably hardy and endured the the winter much better than most other varieties. It had as many desirable qualities as any he knew of.

"Mr. Downing had great pleasure in bearing testimony to the good qualities of this strawberry. He preferred its flavor to that of any other variety. It was, as Mr. Saul had said, a hardy and an excellent bearer, and the berries were large and handsome. He could safely recommend it.

"Mr. Lines had procured it on Mr. Downing's recommendation, and, like him, had found it an abundant bearer, with a handsome berry; but it was the most insipid fruit he ever tasted. He was surprised that so handsome a berry should be so tasteless. The fruit would hardly bear gathering, it melted so easily in the fingers.

"Col. Hodge had fruited it for three or four years. Its flavor was not so good and the crop not so abundant with him as other gentlemen seemed to have found them.

"Mr. Hamilton said that with him it was one of the very best, and certainly had the highest flavor of any.

"Mr. Manice had it from Mr. Downing, and found it the poorest strawberry he had ever cultivated.

"Mr. Miller considered it at the head of all in point of flavor.

"Mr. Batty, of Keeseville, N. Y., had been much disappointed in the quality of this fruit. It was worthless, dry and insipid, and with him the plant was a poor bearer.

"Mr. S. B. Parsons last year thought it first rate, but this year it was poor with him.

"Mr. Barry said it was a beautiful colored berry, and one of the highest flavor, but it was a small bearer. For amateurs it was an indispensable variety, but it would not do as a market fruit.

"Mr. C. Downing regarded it as the highest flavored strawberry he ever tasted, and one of the best varieties. He grew it on a light, sandy loam.

Mr. Hancock had tried it four or five years, but it had never succeeded with him."

The truth appears to be that this variety is liable to be more affected by soil and treatment than many other sorts; and the flavor, being very mild, and the fruit exceedingly delicate, unless these qualities are well developed, the fruit becomes by a single step, at once insipid. Besides this, many persons greatly prefer a rich acid to a mild delicate fruit, and hence under any circumstances, would not admire the *Black Prince*.

Unfavorable Localities of Fruits.

S. W. COLE, of the *N. E. Farmer*, makes the following objections to a part of the select list of fruits adopted by the American Pomological Congress, so far as they have been tried in parts of New England.

Early Harvest—Slow grower, poor bearer, fruit liable to crack and blast.

American Summer Pearmain—Very liable to blast.

Early Strawberry—Too small for market—sometimes affected with blight.

Fall Pippin—Very liable to blast—far less profitable than some others.

Fameuse—Does not succeed well in warm locations—not of high quality—beauty its greatest excellence.

Winesap—Too small for market—better for cider and cooking than for the table.

Lady Apple—Very small, very beautiful, tolerably good, often imperfect.

Wine Apple of Cox—Tolerably good, but others better for the same season.

Vandevere—Hardly known in New-England—believed to be liable to blast and bitter rot.


Swaar—Fine in New-York, but in N. England light and corky at core.

St. Ghislain Pear.

The editor of the *N. E. Farmer*, states that the "finest looking" fruit he ever saw of this variety, was grown on a stock of English White thorn, and trained on a building. This pear, usually quite small, was thus grown large enough to sell well in market. It is well known to be a sort greatly affected in size and quality by the culture it gets, and this mode of doubling its magnitude is doubtless worthy of trial.

Peeling the bark of the Cherry.

GEORGE JACQUES, of Worcester, Mass., in a letter dated June 10, 1850, gives the following results of experiments on cherry trees. "Some experiments in peeling the *outer* bark of the cherry have succeeded with me admirably. The change from smooth bark to rough bark, is a crisis in the life of a tree seemingly almost as perilous as that through which some of the animated creation are compelled to pass—in their change from youth to adult age. This disbarking process suits the wants of the cherry, and also of the pear, *so far* as I have extended my experiments; but I am not yet prepared to speak positively, till further experiments are matured."



NEW RAILROAD HORSE POWER AND FEED MILL.

THE above cut represents a new Horse Power, recently brought into notice by Messrs. EMERY & Co., of the Albany Agricultural Works. It is on the general plan of the approved endless chain powers sold by them for several years past. The principal difference is in the manner of obtaining and applying the power and motion from the revolving platform to the shaft of the driving pulley.


This Power, as will be readily seen in the cut, has the revolving plank platform, traversing upon its own friction wheels and iron Railroad Track. At the forward end, this platform is supported by its small shafts upon an iron reel, about sixteen inches in diameter—the shaft of this reel extending beyond the sides of the frame work sufficiently to receive a strong converge or internal gear, about twenty-four inches in diameter, as seen in the cut.

The shaft of the driving pulley, (which pulley is three feet in diameter,) is hung in like manner, with the small gear upon one end, operating inside the converge gear before described, and consequently receives an increased motion in the same direction, and carries the driving pulley on the opposite side of the power for driving the Overshot Thresher, without crossing of bands or intermediate gearing. The converge wheel is so arranged as to work on either side of the power, as may be desirable.

This arrangement entirely removes all liability of breakage and wear of links and pinions (heretofore unavoidable,) as the direct stress upon the links working over small pinions is wholly avoided; and they are acknowledged by those using them to run with lighter friction, which it is said enables the power to be operated at a less elevation than by the former mode. The arrangement for tightening the endless platform by means of a joint bolt connecting with the bearings of the reel shaft, is new, and is a very simple and effectual mode of effecting this object, as it may be instantly done by a common wrench without stopping the machine. The platform is considerably longer than usual, avoiding the liability of large or unsteady horses stepping over or off at either end.

The above cut also represents a valuable mill, capable of being driven with this power to good ad-


vantage, for grinding food for stock. A considerable number have been sold for several years past, and answer a good purpose. They are cheap, costing but \$35, with one extra set of grinding plates, —(new plates costing \$2 per set.) and are capable of grinding 600 to 800 bushels per sett, according to the fineness to which it is ground. These are also made and sold by EMERY & Co. *



Kendall's Cheese-Press.

Patented July 15, 1843.

The above cut represents an approved cheese press for which the New-York State Ag. Society awarded the first premium in 1848, and is, we learn, generally used in the counties of Herkimer, Oneida, &c., in this state. Its construction is a combination of levers working together, and so arranged as to give any desired amount of pressure. A suspended weight of twenty pounds, being sufficient to give a pressure of ten tons. They can be had of EMERY & Co., of the Albany Agricultural Warehouse. Price \$15.



SEYMOUR'S GRAIN DRILL.

THIS machine is manufactured by P. SEYMOUR, of East Bloomfield, Ontario county, N. Y. It received a premium at the State Fair at Syracuse, as the best grain drill capable of depositing fine manures with the seed. It sows wheat, oats, barley, corn, beans, peas, &c., and is also capable of sowing with the seed plaster, lime and ashes. It can be changed in a few minutes from a drill to a broadcast sower. We have heard this machine recommended by persons who have used it. The price, with nine teeth, is \$80; with seven teeth, \$70; garden drill \$50. For further particulars, see advertisement.



Wheat sown Broadcast.

The accompanying cuts represent the appearance of wheat sown both by the drill and broadcast, at the time of ripening. It will be noticed that the height of that sown broadcast is very uneven, while the upright position of many of the heads, indicates that they are light, not being well filled. We have before expressed the opinion that the introduction of the drill system would be an important desideratum.



Wheat sown with a Drill.



Grain Binders' Wheel Rake.

The above cut represents a labor and time saving implement, used extensively in several states where it has been introduced. It is light, weighing about fifteen pounds. As represented in the engraving, the binder takes the handles and pushes it before

him, with the points of the teeth or fingers close upon the ground, and when he has gathered on the fingers a sufficient quantity for binding into a sheaf, he places his foot upon the foot piece, (a.) and by a slight pressure, and by letting go the handles, the fingers and grain are raised above the stubble, when it is readily bound, the binder being required to stoop much less than in the old way of reaching to the ground. When the sheaf is bound and thrown aside, the foot is removed from the foot-piece, (a.) the teeth drop down, and the handles rise ready for the next operation. The wheels are about eighteen inches high, and it is easily pushed before the binder. The width between the wheels is sufficient for the longest grain. It is for sale at Emery & Co.'s Warehouse. Price from 3 to 4 dollars.

NUMBER OF GRAINS IN A BUSHEL OF WHEAT.—A writer in the *North British Agriculturist* states that the number of grains in a bushel of wheat weighing 62 lbs. is upwards of 630,000.

SOWING WHEAT IN DRILLS.—A Scotch farmer estimates the increase of crop from sowing wheat in drills, instead of broad-cast, at an average of one-fourth to one-third.

☞ He who falls in love with himself will find no rivals.

New-York State Agricultural Society.

New-York State Fair.

The grounds belonging to the Bull's Head tavern, on the Albany and Troy road, have been selected for the next fair. The necessary fixtures and arrangements, which are on a convenient and extensive scale, will be completed in due season, and we have every reason to anticipate an exhibition which will in all respects vie with any previously made by the society. It will commence on Tuesday the 3d of September, and close on Friday the 6th. All exhibitors are required to have their articles or animals entered on the Secretary's books, on or before the first day mentioned, and all articles and animals, except horses, must be brought within the enclosure as early as 12 o'clock on that day. Hay, litter and water for stock will be furnished on the ground without charge. Exhibitors must become members of the society, for which a fee of one dollar will be required. The *second day* will be devoted to examinations by the awarding committees, but the grounds will not be opened, except to members of the society, till the *third day*, September 5th, at which time tickets admitting one person will be sold at the Treasurer's office, on the grounds, at 12½ cts. each.

Particulars in regard to all the regulations, may be learned from the pamphlets comprising the premium list, &c., which may be had gratis on application to the Secretary, B. P. JOHNSON, Esq. Albany.

Liberal premiums are offered for horses, cattle and sheep from without the state, and the premiums for agricultural implements, machinery, experiments, essays, &c., are open to unlimited competition.

The annual address will be delivered under the Society's tent on the grounds on Friday afternoon. Evening meetings will be held during the fair, for the discussion of agricultural subjects.

At the meeting of the Executive Committee, July 11th, it was on motion of Judge VAN BERGEN, *Resolved*, That an invitation be extended to the Members of Congress, to attend the Fair of the Society to be held in Sept. next.

On motion of Mr. TUCKER,

Resolved, That hereafter, the name of the person entering stock or articles for exhibition, as well as the No. of the entry, be inserted on the cards to be placed upon the animals or articles offered for competition

The following correspondence between the President of the Society, and the late President of the United States, was read. At the time these letters were written, hopes were entertained that our late Chief Magistrate would be present at the coming exhibition; but these hopes have been destroyed by the afflictive dispensation which has clad the nation in mourning.

MOUNT HOPE, ALBANY, May 18, 1850.

His Excellency, Z. TAYLOR, *President U. S.*

SIR—The New-York State Agricultural Society was greatly disappointed that the state of your Excellency's health did not allow you to become its guest at Syracuse last autumn. The Society and Farmers of New-York, however, flattering themselves that their disappointment was attributable only to temporary indisposition, had hoped that the welcome they had prepared for their Chief Magistrate was only postponed—not lost.

Acting as their organ, as the presiding officer of the State Society, and in accordance with an unanimous vote passed at the last meeting of its Ex. Board, I have now the honor of repeating the invitation for their show, to be held during the first week in September next.

You sir, have taken too deep an interest in the great objects to which the Society is devoted, to make it necessary for me to say more than to assure your Excellency, that no part of this great Republic could give you a more cordial reception, than will await you at this Great Farmer's Festival.

I am, sir, with great respect, &c.

E. P. PRENTICE, *Pres't. St. Ag. Soc.*

WASHINGTON, July 5, 1850.

E. P. PRENTICE, Esq. Albany, N. Y.:

SIR—I have duly received your favors of May 18th and June 25th, the former wishing me to attend the Annual Fair of the N. Y. State Agricultural Society in September next, the latter kindly asking my company at your house on that occasion.

In the extreme uncertainty attending the adjournment of Congress, until which event I cannot leave the seat of Government, I find it quite impossible to give any assurances in regard to my presence at the State Fair. I was greatly disappointed when circumstances prevented my attendance at the Fair of last year, and it is my hope this season to have the gratification of witnessing a similar exhibition. Unless prevented by an extraordinary prolongation of the session of Congress, or by other circumstances, not now foreseen, I shall certainly comply with the invitation which you have extended me, as President of the Agricultural Society.

I fear, however, that I shall be obliged to decline your very kind request, that I should make your house my home during my attendance at the Fair. It will hardly be in my power to accept any private invitations, but should I do so, that of Gov. FISH, which I some time since received, would have the strongest claim upon my attention.

With many thanks for your hospitable offer, I remain, very truly, yours.

Z. TAYLOR.

Subsequently to the receipt of the above letter from Gen. TAYLOR, the melancholy tidings of his death, have been announced, and in reference to this event, the Executive Committee adopted the following resolutions:

Resolved, That we have heard with sincere regret of the decease of his Excellency, Zachary Taylor, President of the United States, and that we participate with our fellow citizens in the grief which is felt at the sudden loss of one who was distinguished in the various stations to which he had been called by a firm self-sacrificing devotion to the interests of his country, and whose attachment to the cause of agriculture is so warmly expressed in the foregoing letter, the last we understand, he ever wrote.

Resolved, That, on behalf of the society we represent, we tender to his afflicted family, our most heartfelt sympathies at this melancholy bereavement, trusting that He who has afflicted, will sustain and support them under this most severe trial.

Resolved, That a copy of the above proceedings, signed by the President and Secretary, be forwarded to the widow and family of President Taylor.

MUSICAL EXHIBITION DURING THE FAIR.—We learn that the Harmonia Society of this city propose to perform, during several days of the State Fair, HAYDN's celebrated 'Oratorio of the Seasons.' The best musical talent in the country has already been engaged for the occasion.

The Farmer's Note-Book.

Seed Wheat that will not "turn to Chess."

EDS. CULTIVATOR—As the time for sowing wheat is at hand, and *perfectly clean seed* is admitted by all to be very desirable, I deem it seasonable to state some facts and observations, and on them to predicate some advice for the attainment of that desideratum. I must premise, however, that early in life I embraced as a Scriptural truth, the notion that "what a man soweth that shall he also reap." My father was an old-fashioned orthodox farmer, who believed and taught that this parable was based on an ordinance of Heaven, and was a *real fact*, and literally true with respect to grain, and his works were in accordance with *his faith*. He therefore took uncommon pains to obtain pure seed. In consequence, he was never troubled with chess, while his neighbors who believed that "wheat will turn to chess," and therefore "it is of no use of being so particular," about the seed, acted in accordance with *their faith*, and were, (unavoidably, as they supposed,) much annoyed with chess.

In the fall of 1841, I was compelled to plow a field of oat stubble that had been seeded down, but had failed in consequence of severe drouth. I sowed it with rye, except about an acre near the barn, which I concluded to try wheat. I was told a neighbor was threshing all his wheat for seed, on account of its being perfectly clean. Two bushels of it was obtained at a price much above the market, on account of its being, (as he, in all sincerity expressed it,) "*perfectly clean—nothing but wheat.*" On examination, however, smut, cockle, and chess were discovered to such an amount as to warrant an attempt at purification before sowing. Over five quarts of smut, cockle and chess was first picked and sifted out; a large wash tub full of strong brine was then made, and the wheat, (about a peck at a time,) stirred in, which brought to the surface the rest of the smut and chess, which were skimmed off; but a few grains of cockle and rye remained inseparable in the wheat. The wheat was then scooped out on a floor to drain off, and about a peck of slacked lime mixed with it, by repeatedly scooping it over, so as to coat the surface of the grains with the lime. I omitted to state that on measuring the wheat *after* the purifying process, it had lost by that operation, in *smut, chess, cockle, shrunk wheat*, and other extraneous matters, nearly a peck, or one-eighth, a fair sample, I presume, of most of the "clean wheat" that is sowed and turns to chess.

It was sowed on the 8th of September, and with favorable weather attained such a growth that I turned several calves on it to eat it down. An old friend, a farmer of great experience, visited me at the time the calves were on it, and gave a lecture on "wheat turning to chess," declaring that there was nothing so certain to produce that result, as calves feeding on it; "never knew it to fail," and seeing my apparent indifference to his admonitions, he expressed, with much sympathy, his regret for the loss he was sure I would sustain, as the penalty for my rashness in having such a "beautiful piece of wheat all turned into chess."

The wheat wintered well, excepting a patch near the barn, from which the snow had been drifted, and where it had been fed down by the fowls so close that nothing was to be seen of it, but with warm weather, it too became green, but it was doubtful whether it was wheat or grass. When the wheat

headed out, it looked so promising that I had the vanity to think of competition at the County Fair. To this end I requested a surveyor, who is also one of our best farmers, to call and measure the ground. He observed the part fed off by the fowls, had not yet headed out, and inquired into the cause, and when told, he too remarked, "*it will probably be all chess,*" and proposed to leave it out of the measurement on that account. Here was another *almost certain* cause of transmutation, and moreover another—the alternate freezing and thawing during its exposure through the winter and spring. At last the heads appeared, and although thrice doomed to be chess, it turned out to be all wheat, but too late to mature the grain. The crop was harvested while the grain was soft. The yield was about 28 bushels, weighing 62½ lbs. to the bushel—and took the first premium at the Rensselaer County Fair in 1842. The rye and cockle were pulled before ripening, and it was so free from chess and smut that the whole was sold for seed at 25 cents above the market price—except six bushels which I sowed myself, and the product of which was about 35 bushels to the acre, equally good and clean, and took the second premium in 1843. The whole of this, too, was sold for seed at 18¾ cents above the market price, and warranted not to "*turn to chess*" if sown on clean land, and I never heard any complaint of its doing so.

Another neighbor who had a naked fallow in 1841, on virgin soil, prepared with uncommon care, having dug out all the stumps at great expense, also sowed 12 bushels of the "perfectly clean, nothing but wheat" seed, without any preparation, and although it grew very stout and ripened well, it was so fowl as to be scarcely merchantable.

It is also a fact of very general observation, that in this region wheat grown for a succession of years on the same soil diminishes in product and becomes more foul, or as it is usually expressed, becomes more and more liable to "turn to chess." The rationale is this; the soil becomes after every wheat crop less genial to the growth of the same grain, and in proportion as it does so, it favours the growth of chess—so that the latter will, in a succession of years, supplant the wheat.

From the foregoing facts and observations, the conclusion is,

1st—That what is *generally* called perfectly clean seed, does, in fact, contain chess and other fowl seed.

2nd—That any condition of the soil or season which is unfavorable to the wheat crop, favours the growth and productiveness of chess, and therefore it supplants the wheat.

3d—That in proportion as the soil contains the elements which constitute a "wheat soil," and it is free from chess and other fowl seed, as well as the wheat that is sown, in that same proportion will the crop be free from chess and other fowl seeds.

4th—That *perfectly clean seed* is a desideratum, to be obtained *only* by the following method:

Glean a wheat field by hand, picking up each ear separately. Thresh the gleanings upon a floor where no other grain is threshed, or still better rub them out by hand; sow the grain on a clean fallow or clean sod, without manure, unless it be lime or ashes, and the product will be *pure wheat*. If this process is thought to be "too particular," the *sifting, picking, brining and liming* process above described may be substituted with considerable hope of success, if it be faithfully executed. But the gleaning is the most certain; a man or a boy will easily glean a peck in half a day, which if sown on

good wheat soil will produce 5 bushels, which again sown will, two years hence, produce 100 bushels; a quantity sufficient to sow 50 acres; and no farmer having a good wheat soil and 100 bushels perfectly clean wheat, could be in better business than to propagate it exclusively for seed. All that is essential to success, is to sow clean seed on a clean wheat soil. The preparation of the soil is generally well understood in the wheat-growing districts of our country, but it may perhaps not be known or not thought to be necessary, that to keep wheat intended for seed *free* from all foreign admixture, a separate barn and granary should be appropriated exclusively to its reception, in which it should be threshed with the flail and stored till sold.

For the encouragement of such an enterprise I will state the results of my experience in dollars and cents.

Sifting, picking, brining and liming 2 bush. wheat, ½ day at 8s.	50
Salt and lime, say	10
	60
Extra price of 28 bushels wheat, at 2s. per bushel	\$7,00
Deduct	60
	6,40

For half a days work merely in the improvement of the quality of the grain, aside from the probable increase in quantity, to say nothing of the premium of \$6. But this is not all. From the six bushels of this crop sown in 1842, 92 bushels equally good was produced and sold for seed at an advance of 18¾ cents per pushel, at wholesale, to a seedsman.

Thus 92 bushels at 1s6d. per bushel is	\$17,25
No sifting or picking being necessary, but only brining and liming, ½ day	25
Salt and Lime say.....	25
	50

Leaving a balance of \$16,75, in favor of improved quality to say nothing of increased quantity and premium. I will add that the wheat was the bearded, red chaff, and that of several kinds that I have grown, I give it the preference. A. D. S. *Troy, July 16th, 1850.*

Mr. Sheafe's Sale of Short-Horns.

This will positively take place at New Hamburg, on Thursday, the 29th day of August, as advertised at page 288. The stock will be arranged according to their number in the Catalogue the day before the sale, and on sales day. Thus every one will be able to examine them to entire satisfaction. When the sale commences an ample ring will be staked out and roped. Into this circle each animal will be brought when it is put up for sale, and walked around for inspection. As all persons will be kept outside of the ropes, this again will give every one present an opportunity of close examination. If there be any unsoundness or vice in any animal on sales day, the public will be informed of it. It is my intention that every thing be conducted in the most honorable manner; and in doing this, I am happy to add, I shall only be carrying out the express wishes of the owner of the herd.

New Hamburg is on the east side of the Hudson river, eight miles above Newburg, and about the same distance below Poughkeepsie. It can be reached by rail road from opposite the former place, or directly from the latter in fifteen minutes. It is only two to three hours distant from New York by rail road, and four to five hours from Albany by steamboat and rail road. Several trips per day are made to each place, at the low rates of eighty-five cents, to one dollar.

CONDITIONS.—In order to save time in bidding, and ensure despatch, the cows and heifers will be put up

at a price varying from \$25 to \$100 each, dependent upon the animal. If bid off at the price named when put up, or any thing above, it will then be the property of the person bidding, otherwise it will be considered still the property of Mr. Sheafe. The bull calves will be put up at \$25 each, and Exeter at \$300. The sheep and lambs will be put up at \$5, \$6, and \$7 per head, as above. The swine at \$5 to \$10 per head, according to age. The working oxen at \$100.

After an animal is bid off, it will then be considered at the risk of the owner; but it can remain on the farm free of expense, one week.

TERMS.—For all sums amounting to one hundred dollars and upwards, approved endorsed notes will be taken at six months, or a discount of five per cent. for cash.

Catalogues with full description and pedigree of each animal, can be had on application to A. B. ALLEN, 189 Water street, New York.

Repairing Sythe-Snaths.

EDS. CULTIVATOR—In preparing for haying I was reminded of what I intended to do some time ago—and if this is published in your August number it may not be too late to benefit some of your numerous subscribers.

I refer to repairing sythe-snaths in a way which I have practiced for many years. When the craw-hole (socket to receive the sythe) fails, which is very common, I flat the end of the snath about six inches from the end, and get a blacksmith to fit an iron to it about one-eighth of an inch thick, with a hole punched in it suitable for the craw of the sythe, which plate is firmly secured or riveted on, so as not to alter the hanging of the sythe, which makes the snath far more durable than when new. I find on examining my snaths, that I have none but what have been repaired in this way, and that I have saved the expense of buying any for several years. DANIEL S. CURTIS. *Canaan Centre, July 11th, 1850.*

Mode of Unloading Hay.

EDS. CULTIVATOR—I send you an account of the manner in which I unload my hay, thinking that a slight description might be of benefit to some of your numerous readers; as it saves nearly all the expense and fatigue of pitching off in the usual way, and the apparatus costs only fifteen dollars—a sum which is more than saved in unloading forty tons of hay.

The improvement over the old method consists in removing one half of the load at a time, in one entire body, from the wagon to the mow, by means of a windlass; thereby saving all the labor and exertion which is at present spent in separating the forkfulls from the load. On commencing the load a net, or piece of net-work, made of small rope and resembling in appearance the cording of a bedstead, is spread over the bottom of the wagon, it being of sufficient size to cover it; the hay is then pitched on above this, until the load is about half on, when another net, similar to the first, is spread over the top of it, and the load completed. On arriving at the barn, a rope which passes through a pully, fastened to the ridge directly over the mow and from thence to the windlass, is hitched by means of a slight tackle, to the outer edges of the uppermost net, when, by means of the windlass, the man that came to the barn with the load can elevate that half of it above this net over the beam, and drop it into the mow, in the short space of two minutes; when the remaining half is elevated in the same manner. By lowering the hay down after it has passed over the beam, it

can be swung to any part of the mow, and there dropped, thus saving entirely the mowing away. The apparatus, windlass, &c., can be removed from one barn to another in a few moments, and thus be made to answer for any number of barns desired. Farmers wishing to build or buy the apparatus, can obtain it, or drawings representing it, by applying to me at Rochester, N. Y. J. A. H. ELLIS. Rochester, May 6th, 1850.

Preparing Land for a Crop.

A farmer has a field of clayey loam, which requires a weeks work at least to prepare it for corn, oats, or barley. Now how ought he to proceed?

It is not uncommon to see such lots turned over, and the furrow-slice left day after day, to dry and bake in the sun, without the least attention till the plowing of the whole field is completed.

Weil, what better could he do?

Reduce what he has plowed to a fine tilth while it is moist and easily crumbles,—not leaving it to lie one day before he puts on the harrow or the drag-roller. A small share of labor at this time will do twice as much to pulverize the soil, as when it has hardened like an unburnt brick.

What! stop the plow before finishing the field! Farmers that drive a-head don't do so.

That is, they drive one day a-head, and leave their work two days behind. But let me ask what is the use of plowing land?

The use? why to put the ground in order—you could not expect a crop without it.

Neither ought we to expect more than half a crop when it is only half pulverized. If we plow 8 inches deep, and one half of this soil is in hard clods, how much better is it than to plow 4 inches deep, and have it thoroughly pulverized? How much better is a *clod* on the field than a *stone*? AN OLD FARMER.

Experiments in Dissolving Bones.

EDS. CULTIVATOR—After reading Prof. Norton's interesting letter on the value of bones as a manure; I procured a load of bones (mostly the skulls of sheep) from a slaughter-house, and commenced the operation as detailed below.

Having procured a large flat granite rock, I placed it beside the pile of bones. I crushed 130 lbs. of them with a sledge hammer, and put them in a large barrel, pounding them down as they were put in. A carboy of sulphuric acid was then obtained from a druggist in Boston. The bill for the same ran thus:

1 Carboy oil of vitriol, 125 lbs.,.....	\$3 75
Carting,	25
Carboy,	1 50
Freight,	67
	<hr/>
	\$6 17

This acid did not run *thick*, as Prof. Norton said, but rather thin. It would not burn *wood* nor *char bones*, but it would burn straw. This leads me to suspect that it had been diluted with water.

I took an old pail which held 10 quarts up to a certain mark. I poured into the pail five qts. of water and an equal quantity of acid, which ought to weigh 20 lbs., if good. Five qts. more of cold water was now added, and in about three hours the liquid was turned into the pail, and then turned on the bones again. This was repeated frequently on the two succeeding days, adding as much more acid and water on each day.

I practiced turning off the liquid and pouring it on the bones as a substitute for stirring, as that was impossible in this case. I cannot see how *crushed*

bones can be *stirred* and *turned over* in a barrel or hogshead. I hope some of your correspondents will enlighten us on this point. This experiment commenced on the 16th of May, and I expected to have the bones fit for use by the 21st, but they were not wholly dissolved till the 1st of June, so that I cannot use any of them on my corn without it is put on top of the ground.

I have just dissolved 90 lbs. more of bones in the same barrel, in about ten days, with about 11 qts. of acid, using *boiling* water, and proportionally a less quantity than before. The first barrel did not dissolve very rapidly, till the weather grew warm, near the first of June.

My object in writing this article, is to elicit remarks from those who have had practical experience in this method of manufacturing manure. I wish to know what to do with these bones? Will it be profitable to sow them on the ground this fall, with fall rye, where the ground is to be stocked down? What test have we to ascertain the quality of sulphuric acid? Will dissolved bones pay for this expense, in Vermont? I have 2000 lbs. of large bones. Will it be profitable for me to *burn* them for use? WARREN HUTCHINS. Bethel, Vt., July 1, 1850.

Wisconsin as a Farming Section.

EDS. CULTIVATOR—Noticing in a back number, a request that some one from Wisconsin would give you an article on the usual method of farming in this state, and the best sections of it for that business, I herewith submit a brief account derived from six years residence in the state.

First, as regards the best section of the state for farming. This is a hard question to decide, where all is good, and where it is claimed that each section is best. But, from a pretty extensive acquaintance with the whole state, I think the counties of Fond du Lac, Winnebago, Marquette, and Dodge, possess greater advantages for successful and profitable farming than any others. These counties are agreeably diversified with prairies, oak openings, and timber land. They are generally well watered with springs, and spring-brooks, while larger streams afford a greater quantity of water-power than is often met with in the west or even at the east. The natural meadows, or low prairies afford a sufficient quantity of good hay to supply the wants of the inhabitants. The Fox river, and lake Winnebago afford a good natural communication with the east. They have running on them steam and other boats connecting with the boats running to Buffalo.

For grazing, the country is admirably adapted; and sweeter or better butter cannot be made in any other part of the United States than is here made. Having formerly lived in Orange County, N. Y., I speak advisedly on this subject.

Sheep do well, and from the pure bracing air, can be kept in larger flocks than usual; while from the boundless pasturage that lies common, there is no necessity for close stocking.

In wheat raising, the great staple, the country is not surpassed, perhaps, in the world. Here, fields yield this crop year after year, and with most slovenly cultivation.

Secondly, as to the course of cultivation pursued on the prairies and openings. The land is enclosed with a rail, board or ditch fence. It is then broken up with from two to six yoke of cattle. The width of the furrow turned over varies from 12 to 30 inches, and is from 1½ to three inches thick. The larger the team is, the more economical, as a heavy team will break so much more with the same force of men, as to more than pay for the difference in the number of oxen. The

price of breaking is from \$1.75 to \$2 an acre. The season for breaking is from the 10th of May till the 10th of July. It is not advisable to break earlier or later than these periods. If it is done, the sod is a very long time in rotting and does not produce so well. Corn is sometimes planted on the sod—planted when the breaking is being done, at the edges of the furrows. No after culture is given until the corn is cut up at harvest. Half a crop is realized in this manner. But the best crop, and the one most generally put upon the sod, is wheat which is sown from the middle of August to the 20th of September—the earlier time being the best. The first crop is always a certain one, both in quality and quantity—averaging 25 bushels to the acre, and sometimes yielding 40 and 45 bushels an acre. The land is generally cross plowed immediately after harvest, and sown again to wheat. This requires one good team and is pretty hard work for it. The succeeding plowings are all easy for one team. A horse team will plow with ease two acres a day, six inches deep, which is the most common depth, though I have found that deeper plowing answers a better purpose.

There is no general system of rotation yet adopted, except to take indiscriminately crop after crop of grain, and this without any manure or seeding to grass; and the land is so fertile that it will well reward the farmer for his labor. I do not say this is good husbandry, but it is the most common.

We have some better farmers among us, who instead of burning up their straw to get rid of it, draw it to their cattle-yard, and after it has become rotted by the trampling of the cattle and the soaking of the urine, spread it upon their land. There are many among us who are cultivating the tame grasses clover and timothy, and this is necessary with us, if for no other purpose than to clean our lands which by constant croppings will become foul.

To sum up the advantages which this state possesses; it is of great fertility, easily brought into a state of cultivation, and well adapted to the different branches of agriculture. It is well watered, and well-timbered, while the prairies and openings afford a boundless supply of the best of pasturage, and the low prairies afford quantities of good hay. It possesses great water power which is fast becoming improved. It is studded with thriving villages, and is settled with an intelligent, enterprising people, and lastly, it is healthy—not being surpassed in this respect by any portion of America. T. GREEN. *Waupun, Fon du Lac Co.*

Cutting Wheat Early.

EDS. CULTIVATOR—The subject of the early cutting of wheat has received attention for several years; but I am convinced that it is not understood and practiced to the greatest profit. It has been the common method to put the wheat up in stooks—two rows of bundles, the tops resting against each other. In this way the heads are exposed to the full force of a harvest sun, which soon dries them and the straw, so effectually as to prevent all nutriment passing from the straw to the grain.

My method, at beginning of harvest for several years past has been this: We begin our harvest early, bind at first in quite small bundles, stook them by putting eight or nine in a stook, with a larger one for a cap. In this way the grain is secured from being suddenly dried, the nutriment from the straw continues to pass to and nourish the grain, as long or longer than if the wheat were standing, and if well put up it is secure from almost any weather; so that our first cut is frequently last carted to the barn or stack. I have taken heads from stooks thus put up, which, with the straw were green, and the grains when shelled were dry, fit

for grinding, but were plump, thin skimmed, and almost transparent, whilst wheat which stood and ripened in the sun, was thick skinned and looked shrivelled, and this in seasons when no rust or casualty attended the crop. We can begin harvest earlier by this method, and our straw will be more valuable for fodder, as well as the wheat for flour. If the crop cannot be cut till nearly or quite ripe, we can then put it in stouts as the stooking is a trifle, and but a trifle more work to an experienced hand. R. WATKINS. *Napoleon, Michigan, June 22, 1850.*

Wire Fence---Red Cedar Hedges.

EDS. CULTIVATOR—Some two months ago I wrote you, making inquiries about the expense of wire and wire fence, which you were kind enough to answer. Since that time I have put up about one hundred rods of wire fence, five strands high. I made it after the plan of A. B., described in your April No. I set chestnut posts at the ends or corners of the lines, and braced them. Having a lot of chestnut rails on hand I cut them in two, each making two stakes, which I set apart the distance of a rail's length. I put my bottom wire 12 inches from the ground, and each wire about 9 inches from the one below it, which makes the fence 4 feet high. I used about half No. 10 and half No. 9 wire annealed. The fence all set and completed, cost me about 37½ cts. per rod.

Were I to set more, I should use no wire finer than No. 9, of good quality. I feel quite confident in regard to my No. 9 wire, but of the No. 10 I am not so confident. It needs to be proved. After setting it, my men drove some cows against it, but it brought them up, and no damage to the wire. Our mode of straining the wire was as follows: Take a hickory stick, say 2½ inches in diameter and two feet long. With an inch and a half auger bore a hole, say two inches from the end; through this put a stick, say two feet long, for a lever. Between this hole and the end of the hickory stick, at right angles with the 1½ inch hole, put through a large wood screw, to prevent splitting. About 6 inches from the other end, put through a hole ¼ of an inch or less in diameter, and your *strainer* is done. Insert your wire through the lever and post at each end, fasten it at one end, and draw it as tight as convenient with your hands at the other. Slip the wire through the small hole in the strainer, and turn until you have taken out the kinks and made the wire as tight as you please.

I think this strainer preferable to A. B.'s, as it is easily made, and you can strain each wire separately as tight as you please, and one strainer answers for all the fence you may ever wish to make. And should a wire ever break, that alone can be mended without interfering with the others. At first, to hold the wires at the ends, we drove in pins, and then brought them half way round the post to the main wire and twisted a few times around this. But should you wish to alter the wire, or should it break, it is not easy to get it out where the pin holds it. There is no need of a pin, as the wire can be brought back and fastened as above mentioned without, as well as with it; and if you wish to slip it afterwards, you can without trouble. I obtained my wire of Burbank, Chase & Co., in Lowell. They had about 200 lbs. No. 10 on hand, which they sold me at 5 cts.; they ordered me 109 lbs. No. 9; for which I paid 6½ cts. The No. 10 seemed to be a wire of inferior quality such as I would advise no one to use. Although at first cheap, I think in the end it may

prove dear. The No. 9 was soft and strong, and I have no doubt will meet expectation.

Instead of the Three-thorned Acacia, as I last wrote you, I have been advised by a gentleman from Long Island to set Red Cedar, by the side of my wire for a hedge. He recommends to set them, say 4 feet apart, and when they get 4 or 5 feet high, cut them half off and bend them down, when the sprouts will grow upwards and downwards and onwards until a complete mat of hedge is formed, so that, to use his own language, "the devils can't get through it." I told him if it was so, I would be under great obligations to him, for we have quite a number of that kind about here, and that it was just the fence we wanted. It of course must be pruned upon the sides and on top like other hedges. I would like to inquire, through the Cultivator, if you please, about red cedar hedge. I wish it to turn such characters as above alluded to, rather than for beauty or ornament. GEORGE MANSFIELD. *Lowell, Mass., June 26th, 1850.*

Morgan Horses.

EDS. CULTIVATOR—As I am frequently called upon by letter to give the pedigree of the original Morgan horse and of his immediate descendants, I now ask leave, through your columns, to refer those who may not be aware where the information may be found, to the volume of the *Cultivator* for 1846, in the number for January, page 19, and in that for April, page 106.

The very extensive and well-deserved reputation which the Morgan horses have obtained, has furnished quite a strong inducement for the unscrupulous to pass off as such, upon the public, horses of different breeds and inferior qualities; as well as to overstate the pedigree of those which really have a small part of the genuine blood.

Those who become the subjects of these impositions, will of course, be greatly disappointed in their expectations of raising valuable horses. And it is evident that but little reliance can be placed on the results, where the blood of the parents is strained down so low as an eighth or a sixteenth.

From what I have learnt, I am convinced beyond doubt, that these frauds have already been practiced to a considerable extent, not only in your own, but also in other states, and that further acts of the same kind are in contemplation. Indeed I know of several instances where horses are advertised as being of the Sherman, Bulrush, Woodbury, and Gifford stock, which have not a particle of the blood of either running in their veins.

The number of breeding mares possessing a high strain of Morgan blood, whose descent can be satisfactorily traced, is at this time, and for many years past has been, very limited indeed; and there are but few cases where pedigree, on the side of the mare, can be fairly established by convincing evidence.

It is apparent therefore that such persons as desire to obtain Morgan horses of the true blood, must scrutinize, with particular care, the statements of those who offer them either for purposes of breeding or for sale,—and that a neglect of this necessary precaution will not only defeat their own hopes and wishes, but also tend to bring undeserved discredit upon the race itself. FREDERICK A. WIER. *Walpole, N. H., July 16, 1850.*

Maryland Agriculture.

Mr. JOHN R. HOWARD, who lately spent some time in Virginia and Maryland, furnishes the following from his notes on the condition and resources of agriculture in those sections.—EDS.

R. N. Milburn, Esq., of Baltimore, who owns a

farm near the mouth of St. Mary's river, and has lived at that place many years, says, although there have been no surveys with a view to ascertain the *location* and *quantity* of marl, it is certain the beds are very numerous. They are three, six, and sometimes ten or fifteen feet thick, and of an unknown extent. Wherever the marl has been used, it has produced increased crops to an *astonishing degree*. It sometimes lies near the surface, and sometimes six or eight feet below. Most of the beds that have been discovered are in ravines, where the water has washed off the surface and exposed to view the pearly substance. In that part of the country there are many beds of oyster shells, but slightly decomposed. A question arose, how could they have been deposited there? He says by the Indians. They are one to six feet thick, and lie considerably above tide water. Bones of racoons and other animals are found there also. These beds (some of them at least) are found to exist within 3 or 4 miles of where there has been Indian towns. These shells are burnt, converted into lime and used as manure, and large crops of clover, &c., are made to grow where little or none grew before. Then follow crops of corn, wheat, &c., that are large in proportion.

SHEEP HUSBANDRY.—Mr. M. says he bought, in the fall of 1848, of Mr. Reybold, of Delaware, three ewe lambs of the Cotswold breed, for which he paid \$80. Since then, he has raised from them three others, and lost one. He could now sell the six for \$160. His flock of native sheep usually consists of about 60 head. He reserves his clover fields till the clover is in bloom; then puts in the sheep, and some of the crop remains till winter, affording sufficient sustenance for the sheep through the winter, except when there is snow on the ground, at which times he gives them corn fodder.

He says sheep are his most profitable stock, and his land, treated in this way, becomes very *highly improved*; much *more so* than by plowing in the clover, or leaving it on the ground. He has made experiments in these three different methods. He says beans are more valuable than corn for feeding to sheep—they keep the sheep healthy and promote the growth of the wool, more than any other food.

Peat as Manure.

In the Report of the York County (New Brunswick) Agricultural Society, we find some useful observations on the value of peat as manure, by Prof. ROBB, of Fredericton, a gentleman of high standing as a geologist and chemist. He gives three modes by which this substance may be advantageously used for the improvement of soil, as follows:

1st. It may be carted to the barn-yard and spread all around, so as to absorb all the liquid manure, which it will do like a sponge; not only will it thus soak up and fix liquid and gaseous matters, which would otherwise be lost, but it will thereby take on a state of fermentation itself, which will result in its becoming soluble and proper for the food of crops. When one layer is soaked and fermented, more or less, it must be renewed, or replaced by fresh stuff from the bog, which will thus become a permanent benefit to the farm.

2d. The peaty substance may be very advantageously composted and brought to a soluble form thereby. If three loads of half-dried peat earth be mixed with one of stable manure (green,) there will be formed four loads of manure equal in value to cow dung itself, for the ordinary root and grain crops. A layer of dry peat should form the base of the compost heap, then a layer of green manure then alternate layers of peat

and manure, ending with a *thick* layer of peat. If ashes be added, or if the heap be occasionally watered with urine, decomposition will be more rapid, and the compost be more fertilizing. In six weeks, more or less, according to the season, the heap may be shovelled over and then carried on to the field, where its effects are equal, if not superior, to the same quantity of common dung. It may be applied to any soil deficient in vegetable matter, and in any way, exactly as if it were so much well rotted yard manure. By ashes alone, the peaty earth may likewise be converted into the food of plants; but I believe it is best to use them as above directed.

3d. The peat may be burnt in the fields for its ashes, which are applied with very good effect as a top dressing to meadows, at the rate of 40 or 50 bushels per acre.

Agricultural and Horticultural Fairs.

STATE SOCIETIES.—*New-York*, at Albany, Sept. 3, 4, 5, 6.

Ohio, at Cincinnati, Sept. 11, 12, 13. The annual session of the *American Pomological Congress* will be held at the same time and place.

Maryland, at Baltimore, October 23, 24, 25.

Michigan, at Ann-Arbor, Sept. 25, 26, 27.

Rhode Island, at Providence, Sept. 18, 19, 20.

New-Hampshire, at Concord, first week in Oct.

Canada West, at Niagara, Sept. 18, 19, 20.

American Institute, *New-York*.—The exhibition will open on the first of October, and continue for three weeks. Plowing and Spading Matches at Tarrytown, Oct. 11. Cattle Show, corner 5th avenue and 23d streets, Oct. 16, 17, 18.

Georgia, at Atlanta, Aug. 15.

N. Y. COUNTY SHOWS.—Cayuga, at Auburn, Sept. 24, 25—Saratoga, at Mechanicsville, Sept. 17, 18—Seneca, at Ovid, Sept. 26, 27—Monroe, at Rochester, Sept. 25, 26, 27—Sullivan, Sept. 18, 19—Otsego, Sept. 24, 25—Madison, Sept. 26, 27—Oswego, Sept. 25, 26—Wayne, at Clyde, Sept. 18, 19, and at Palmyra, on the 25th, 26th—Livingston, Sept. 24, 25—Ontario, Oct. 1, 2—Suffolk, Sept. 24—Washington, at Argyle, Sept. 18, 19—Oneida, at Rome, Sept. 18, 19—Clinton, at Keeseville, Sept. 24, 25.

CONN.—*New-Haven Hort. and Agricultural*, at *New-Haven*, Sept. 24, 25, 26.

VERMONT.—Addison, at Vergennes, Sept. 25.

Science as Applicable to Agriculture.

The following remarks from the *Farmer's Guide*, a work which we have noticed on several occasions, we recommend to the attention of our readers. EDs.

"Agriculture may perhaps be considered one of the experimental sciences, as its principles are no doubt demonstrable by the test of experiment, although farmers have not yet attempted to deduce principles from practice. The necessity for such a deduction is, no doubt, the less urgent, that husbandry is usually pursued as a purely practical art; and the facility of thus pursuing it successfully, of course renders practical men indifferent to science, as they consider it unnecessary to burden their minds with scientific results, whilst practice is sufficient for their purpose. Could the man of practice, however, supply the man of science with a series of accurate observations on the leading operations of the farm, the principles of these might be truly evolved; but the greatest obstacle to the advancement of scientific agriculture is to be sought for in the unacquaintance of men of science with practical agriculture. Would the man of science become acquainted with practice, much greater advancement in scientific agriculture might be expected than if the prac-

tical man were to become a man of science; because men of science are best capable of conducting scientific research, and, being so qualified, could best understand the relation which their investigations bear to practice; and, until the relation betwixt principles and practice is well understood, scientific investigation, though important in itself, and interesting in its results, would tend to no practical utility in agriculture. In short, until the facts of husbandry are acquired by men of science, these will in vain endeavour to construct a satisfactory theory of agriculture on the principles of inductive philosophy."

Chess will Grow.

Last fall I selected a dozen grains of chess and sowed them; they came up and wintered well. In the spring, I transplanted them, and they are now just heading out, fine chess.

I had some seed wheat last fall which contained a large quantity of chess. I poured it into a strong brine, and then decanted it, so as to turn off most of the chess. It was then sown, and it has but a very few spires of chess in it. W. H. Bethel, Vt.

It is strange that the idea that chess will not grow, should have ever been entertained. It grows as readily, and produces "seed after its kind" with as much certainty as any other plant. This has been repeatedly proved by experiments. EDs.

Leaves as Manure.

Leaves, buds, and tender branches are peculiarly rich in the vegetable alkali; besides which they contain other organic elements derived from the soil, and which, by being returned to the soil, enrich its surface, tending to prevent its exhaustion, or when newly applied,—that is to other ground,—to enrich it more than superficially.

Leaves—and the remark is applicable to the tender branches also—seem destined by nature for the manure of forest land, and indeed, of ground generally wherever trees grow. The roots collect the inorganic elements essential to vegetation from the soil, penetrating deeply and widely; the leaves detain and store up a certain portion of them, with other elements derived from the atmosphere, such as are required for their growth; and these returned to the soil with the fall of the leaf, and there undergoing decomposition, are ready to be appropriated again, and re-administer to the process of vegetable growth. *Farmer's Herald*.

Waste of Manure.

Little or no pains is taken usually to save the liquid manure of animals; no earth or saw dust is placed in or beneath the stable to absorb it; and the barn-yard is often so situated, that all the liquids that would collect in it, run off into the street, or are conducted to the adjoining field, where they are so little spread about, as to injure the crop by producing an immoderate luxuriance. Liquid manure is exceedingly valuable, and the yards and stables of the farmer should be so constructed, that it may all be saved. There should be no outlet to the barn-yard, where the fluids collected in it can run off. They should either be taken away, and applied directly to the land, or poured upon the compost heaps in and around the barn-yard. The turf about his fences and stone walls, or the mud and muck from his swamps, should be collected in heaps or spread around his yard in order to absorb the fertilizing liquids collected there.—*Address of S. HART, Esq.*, before the *Hartford County, Ct., Ag. Society*.

Notes for the Month.

COMMUNICATIONS have been received, since our last, as follows: Prof. Norton, E. G., (written in German,) A. L. Bingham, Sylvanus, Warren Hutchins, R. Watkins, T. Green, D. S. Curtis, D. Thomas, D. T., F. A. Wier, John W. Bailey, A. D. S., W. L. Eaton, A Constant Reader.

BOOKS, PAMPHLETS, &c., have been received, as follows:

The Architecture of Country Houses; including Designs for Cottages, Farm Houses and Villas, with Remarks on Interiors, Furniture, and the best modes of Warming and Ventilating. With Three Hundred and Twenty Illustrations. By A. J. Downing, Author of Designs for "Cottage Residences," &c. &c. New-York, D. Appleton & Co. Price \$4. From the Author.

Speech of Hon. J. A. KING, in the H. of R., June 4, on the admission of California. From the Author.

Transactions of the Michigan State Ag. Society, with Reports of County Societies for 1849. From J. C. HOLMES, Sec'y.

TRANSACTIONS OF THE N. Y. STATE AG. SOCIETY.—This volume, comprising the doings of the Society for 1849, is just issued. It contains 944 pages, and is superior in the quality of its matter to any volume which the Society has previously published. It contains the highly valuable and interesting lectures delivered in this city last winter, by Prof. JOHNSTON, the prize essay by Prof. NORTON, entitled "Elements of Scientific Agriculture," (which has also been published in a separate volume,) and which ought to be in the possession of every farmer in the country. The volume also contains the conclusion of the agricultural survey of Washington county, by Dr. FITCH, with several valuable papers communicated to the Society. Several engravings of prize animals, and choice fruits, and representations of the show grounds at Syracuse, are given, which are generally executed in a superior style.

IMPORTATION OF SHORT-HORN CATTLE.—Col. J. M. SHERWOOD, of Auburn, has imported a very fine heifer, now about two years old, and a bull calf eight months old, from the noted herd of Mr. STEPHENSON, of Durham, England. The animals arrived here about the first of July. They had evidently suffered from their long voyage, though they appeared in good health, and will probably recruit rapidly. We shall expect to see them, with some of Col. S.'s other fine animals, several of which were also from Mr. STEPHENSON'S herd, at the coming show of the State Ag. Society, at which time we presume they will be prepared to appear in their accustomed plight.

FRENCH MERINO SHEEP.—Mr. A. L. BINGHAM, of Cornwall, Vermont, gives the weight of wool, unwashed, obtained the present season from 83 Merino sheep, of the "Taintor Stock," together with the aggregate live weight of carcass of the same sheep, obtained after they were shorn. Twenty-seven of these are stated to have been only ten months old when shorn. The aggregate of eighty-three sheep, was 10,458 lbs., being an average of 126 lbs. each. Aggregate weight of wool obtained from the eighty-three sheep, was 1,494 lbs., or an average of 18 lbs. each fleece, and two and two-sevenths ounces of wool for each pound of carcass. The growth of the fleeces is stated to have been just one year, with the exception of the lambs which were but ten months old. The ewes, it is stated, produce "three crops of lambs in two years."

ETRURIAN WHEAT.—E. CORNELL, Esq., of Ithaca, informs us that he has raised this variety of wheat for the last five years, having obtained the first sample of it from Mr. ELLSWORTH, late Commissioner of Patents. He considers it a very valu-

able variety, being hardy, yielding well, and affording a superior quality of flour. At one of the agricultural discussions in this city the past winter, Mr. BREWER, of Tompkins county, spoke favorably of this kind of wheat, stating that it weighed 64 pounds to the bushel.

THE SEASON AND CROPS.—The month of April was remarkable for its coldness, and May was equally remarkable for its wetness, both circumstances conspiring to render crops generally backward. Planting, except in favorable locations, was much delayed, and in some instances the seed perished without vegetating. In this section there has been a liberal supply of moisture, but in the western part of the state, and in Ohio and Michigan, a severe drouth was experienced through the month of June. The growth of grass has been very luxuriant, except in situations where drouth prevailed, as just mentioned. Corn looks well, considering the lateness of planting.

HEAVY RAINS.—We have had several copious rains in this vicinity, which have considerably interfered with the process of hay-making; and on the 5th of July a storm occurred which occasioned considerable damage by flooding crops on the banks of streams, carrying away bridges, &c. Nearly three inches of water fell at this place, in the space of four hours. This storm was, however, comparatively limited in extent, especially from north to south, in which direction its force was principally confined to a width of less than thirty miles. From west to east it extended two hundred miles.

On the night of the 18th of July, and the forenoon 19th, we were visited with a rain storm of great extent. We hear of its effects as far south as Chesapeake Bay and northward as far as lake Champlain. Its extent from west to east, we have not yet learned; though it was very severe in Central and Western New York, and reached eastward as far as Boston. Over all this territory the rain was very heavy, and to the southward, from New York to Baltimore, it was accompanied with very severe wind, which occasioned considerable damage to shipping, and to buildings in cities, and in many instances, great injury to fruit and other trees. A letter from Mr. THOMAS HANCOCK, of Burlington, N. J., dated July 19th says—"We have had an awful storm of wind and rain. It commenced during yesterday afternoon, with the wind south, and soon changed to the north-east, and the rain fell in torrents through the night. The damage done to fruit-trees, and fruit is very great. Much of the green fruits shaken off, and many of the trees are blown down. I have eight large apple trees, and three large pear trees prostrated, besides many more being injured by being blown partly down. The damage to oats is great—they being beaten down as though a roller had passed over them."

A letter, dated July 20th, from Mr. JOHN JOHNSTON, near Geneva, N. Y. says—"It has rained almost incessantly since the 18th, with high wind the greater part of the time. I have never seen such a rain-storm at this season of the year, in the twenty-nine years I have lived here. Crops of all kinds are prostrated and the damage will be immense."

The water in the Hudson at this place, rose to a greater height than it had been for two years previously—completely submerging the islands and alluvial banks in the vicinity, and doing incalculable damage to crops of vegetables cultivated for market, and ruining the hay crops on all low lands. We understand the damage to grass, broomcorn, and crops, along the Mohawk flats, and other large streams, is beyond estimation. Such a flood in the month of July, has seldom, if ever, happened before in this region.

PRICES OF POULTRY AND PHEASANTS IN ENGLAND.—A letter lately received from Messrs. BAKER, of London, gives the following as the prices of birds from their celebrated "pheasantry."

Malay cocks, \$6.25 to \$8.75 each; hens, \$2.50 to \$3.75 each.

Cochin-China cocks, \$10; hens, \$5 to \$7.50.

Speckled Dorking cocks, \$5; hens, \$1.75 to \$2.

Spanish cocks, \$6.25 to \$7.50; hens, \$2.50 to \$3.

Sussex cocks, \$5; hens, \$1.75.

PHEASANTS—Golden, \$17.50 per pair.

" Silver, \$17.50 "

" English, \$6.70 "

Messrs. BAKER are large breeders of ornamental poultry and water-fowl of every description. It may be interesting to some of our fanciers to know where they can obtain choice birds.

CATTLE FOR NOVA SCOTIA.—JAMES IRONS, Esq., as agent for the Provincial Agricultural Society of Nova Scotia, purchased, in June last, several fine animals in this vicinity, viz, *Ayrshires*, purchased of E. P. PRENTICE, Esq., one two-year-old heifer, two yearling do., one yearling bull calf; of *Herefords*, purchased of E. CORNING, Esq., one yearling bull and one yearling heifer. All these were very fine animals, and will, we trust, well reward the praiseworthy enterprise of our brother farmers of Nova Scotia.

SALE OF MR. SHEAFE'S STOCK.—Our readers, who wish to purchase short horn cattle or South Down sheep, will bear in mind that the sale of Mr. Sheafe's stock, is to come off at New-Hamburgh on the 29th inst. See advertisement on last page of this paper.

LIVE-STOCK AT AUCTION.—We invite attention to the advertisement of Mr. STICKNEY, in this number. He has taken great pains in procuring the best Devon cattle, South Down sheep, Suffolk and other breeds of pigs, and has excellent specimens of all these stocks. His swine are much esteemed for their fattening tendency, and when slaughtered, bring an extra price in market, on account of the superior quality of the pork and the great weight in proportion to offal. A better opportunity for obtaining stock of these kinds, can hardly be expected to occur.

COUNTRY SEATS.—The Rensselaer County Ag. Society has offered a premium for the best designed "country seat." Competitors are requested to send drawings and descriptions, showing the plans of their dwellings, gardens and grounds; and the name of the successful competitor is to be reported to the State Society.

WHEAT AND CHESSE.—P. GREGORY, a correspondent of the *Canadian Agriculturist*, states that several years ago he found wheat and chesse on the same stalk; and supposing at the time that both had grown from the same seed or germ, he drew the inference "that wheat must produce chesse, or chesse wheat." He therefore set himself to experimenting on wheat and chesse; but after all his experiments, he says—"like produces like, in spite of all the ill treatment I can give them." He asks for an explanation of the mystery. The editor of the paper referred to very sensibly observes that "oats as well as chesse, have been found adhering to a head of wheat," but their growth from the same stem was only "apparent"—the oats or chesse was only entangled with the wheat.

WESTERN BUTTER.—Cobb & Co., of Buffalo, in a letter to the *Ohio Cultivator*, state that the receipts of butter at that port for 1849, amounted to 9,714,170 lbs., more than two thirds of which was from Ohio. A very small proportion only of this ranked as prime—

far the greater portion having been received as *grease* butter. It is stated that the great bulk of Ohio butter did not net the shipper more than six to seven cents per pound. The bad quality of the butter is charged to several causes; as impure salt which it is said converts the butter into a "discoloured pasty substance resembling soap"—the salt imperfectly incorporated with the butter, the butter-milk imperfectly separated, exposure of the butter to the air, both before and after it is packed, &c. The improvements suggested, are the use of solar evaporated sea salt, greater care in packing—"smooth, clean, well made, oak kegs, capable of holding about 100 lbs," being recommended, and the kegs to be protected as much as possible from the air. Placing the kegs of butter in larger casks and filling the space with oats, is thought to be a good mode of sending to market. The oats, it is said, "will pay cost and transportation."

LONG-WOOLED SHEEP.—A writer in the *American Farmer* states that he was present at the shearing of several long-wooled sheep owned by JAMES N. GOLDSBOROUGH, of Talbot county, and the following is given as the weights of the carcasses and fleeces:

A three year old Oxfordshire ram weighed.. 235lbs

His fleece, washed wool, weighed..... 7½lbs

A yearling grade Lincoln ram, weighed.... 171½lbs

His fleece washed wool weighed..... 8½lbs

A three year old New Leicester ewe..... 212½lbs

Her fleece washed..... 7½lbs

A three year old New Leicester Ewe..... 194½lbs

Her fleece washed..... 7½lbs

USE OF CARBON IN THE SOIL.—It has been ascertained by experiment that carbonic acid is essential to the growth of plants; but it has been a question whether the plant could obtain through its leaves a sufficiency of this food from the atmosphere, or whether it is necessary that it should be present in the soil. Liebig and his followers have held that it was not necessary in the soil—the only use of vegetable or organic matter being, as they argued, to impart the requisite "physical texture" to the soil. A paper lately published in France on the food of plants, gives the results of some experiments on this subject, which are important. The experimenter took two boxes, in one of which was placed a quantity of soil which had been burned so as to destroy all organic matter; in the other a like quantity of the same kind of soil in its natural state was deposited. Peas were planted in both boxes, and the growth of the plants in the box carefully compared. Those in the natural soil flourished much the best, and no reason could be assigned for the difference, except the greater quantity of carbon in the natural soil.

THE WOOL CLIP OF 1850.—The shipments of wool this season to the 1st July, from Cincinnati, amount to 1784 bales and 14,366 lbs., against 913 bales and 569 lbs. to same date last season. One steamer from St. Louis, a few days since, discharged 101 bales (13,432 lbs.) of wool, shipped from Booneville. At Pontiac, Michigan, to the 20th ult. over 200,000 lbs. had been purchased of the clip of 1850. The fleeces have been unusually heavy this spring—one merino buck in Monroe county, New York, yielded, it is said, 18 lbs.! It is estimated that 65,000,000 lbs. will be wanted the present year for domestic consumption. In Macomb, Michigan, about 10,000 lbs. of wool have been already purchased this season, which is double the product of that county in any previous year. *Providence Journal*.

CHEAP ICE.—MR. NAHUM HARDY, in a communication to the *Mass. Plowman*, recommends that every neighborhood should have an ice-house, which should be of sufficient capacity for holding all the ice that may be wanted in the vicinity. The house should be near

where the ice is made. If there is no natural pond, it is an easy matter to make one. His mode of keeping ice for daily use, is worthy of notice. 'The box which I have used for the last six years, is made of common inch and a quarter pine boards, and cost two and a half dollars; is about four and a half feet long, and three and a half wide, and about three deep: this stands, through the hot season, as near the cellar stairs as it can be conveniently set; into this, about once in sixteen days, I put as much ice as can be conveniently stowed, and have room at top to set such things as we wish to keep as cold as ice. A firkin of corned meat in one corner, a box of butter, fresh meat, fish, anything we think proper. The expense of all this is only from three to four dollars a year.'

INFRINGEMENT OF PATENTS.—The late Commissioner of Patents, in his Report, makes the following just observations on this subject:

"The experience of every day, and the prolific crop of litigation which has recently sprung up from the unscrupulous and remorseless invasion of the rights of patentees, by persons who have no claim nor pretension to the name of inventor, nor of the fruits of inventive genius, point with impressive force to the necessity of some reform in the existing laws which shall give greater security to the rights vested in patentees. The facilities of evading punishment or retribution for a wilful infringement of the property of patentees is now so great, that the whole term during which a patent runs is not sufficient, if it be for a very valuable invention, to vindicate and establish the just claims of the inventor. This evil could be remedied by a few simple amendments to the existing law of patents."

BANTAMS—*Sport in the Drawing Room.*—On Saturday, the 1st of December, Beacon Lodge, the residence of the Hon. Mr. and Mrs. Berkeley, was opened for the reception of visitors to witness a show of beautiful bantams, the property of the Marchioness of Hastings and the Hon. Mrs. Berkeley, for a prize. The smallest bird to be adjudged the winner. Three two years old hens to be shown by each lady. A diminutive hen, weighing only nine ounces and three quarters, the property of the Hon. Mrs. Berkeley, was adjudged the winner. Among the guests who partook of the hospitalities of the table, were the Marchioness of Hastings and Captain Yelverton, Col. and Mrs. Clinton, Mrs. and the Miss Raynardson, of Hinton, Admiral, Major, and Miss York, Mr. and Mrs. Lock, Mrs. Howell, Mr. Edward Stratton Berkeley, and Mrs. Roebeck, &c. *Eng. paper.*

GREAT YIELD OF HAY.—The *Greenfield (Mass.) Gazette* states that a field containing 7 acres and 100 rods belonging to H. W. CLAPP, Esq., of that town, has yielded the present season 29 tons 497 pounds of hay, by actual weight; or over four tons to the acre.

ADVANTAGE OF RAISING GOOD STOCK—Let us look for a moment at the raising of stock for market. Does it cost any more to rear for sale a good colt, than it does a poor one? Probably not five dollars more. The poor animal is a drug in the market at from \$60 to \$75, while the other will command readily from \$100 to \$200. Good horses are and will ever be, in demand—are and will ever be sources of profit to the farmer, in a grazing district. But good horses will not come from poor stock and neglect. Constitutional peculiarities, family traits of health, strength, endurance, docility, &c., follow physiological laws as surely here as in the human race. If then the farmer would get profit from his horses in the market, he must make them enough an object of attention, that he shall raise, only from good stock and with due regard to the laws of animal physiology. *Granite Farmer.*

Prices of Agricultural Products.

[Review of the Market for the last month.]

ALBANY, JULY 20, 1850.

The market for most descriptions of produce since our last report, has been comparatively dull, and will probably continue so for a month to come. An extensive and profitable fall business is very generally anticipated.

FLOUR. The sales during the month have been about 20,000 bbls. chiefly in retail lots for the trade or on Eastern orders; the range between brands of common State flour, liable to sour, and brands of fancy and extra Genesee has become wider, and while the former have declined 25 to 37c. per bbl., the latter have been firmly maintained. Quotations may be given at \$5a\$5.25 for common to straight State, \$5.50a\$5.62½ for Western, \$5.75a\$5.87½ for fancy do., \$6a\$6.12½ for pure Genesee, \$6.12½a\$6.25 for fancy do., and \$6.25a\$7 for extra do.

The first lot of new Genesee wheat flour was received here on Wednesday, and sold in half bbls. at \$7.50 the pair.

GRAIN. For prime Genesee wheat there has been a fair milling demand, but quotations, in view of a bountiful harvest, rule lower; the sales are 12,800 bush. pure Genesee, at prices ranging from 14½ to 137c., at which rate a sale of 1700 bush. was effected yesterday. Rye is in moderate demand; we report sales of 5,800 bush. at 59c 61c; the market is firm at the higher quotation. Oats are in good demand, and quotations have been maintained throughout the month with uniformity, ranging at 46a48c. for Canal, and 49a50c. for heavy Canadian; with sales of 95,000 bush. The demand for Corn has taken all offering, and still continues in excess of the supply; the sales have been principally of Western mixed, and quotations which at the close of last month were 59c60c. declined to 57½a59c., and then rallied again to 61½a62c., at which rate sales were made yesterday; round yellow is 59½a61c., and damaged 55a59c.; the aggregate sales since our last report have been about 185,000. bush.

FEED has been in good supply and the market easier; the transactions are about 75,000 bush. at a slight reduction upon our last quotations.

SALT. The market closes rather firm for bbls., which may be quoted at 98a100c. Bags 11c.

WHISKEY is still in limited supply; the sales are about 1200 bbls Ohio and S. P.; the market is 25½c. for the former and 26c. for the latter.

WOOL. The only sale of moment of the new clip was made yesterday at 37½c. for 5,000 lbs. medium mixed; in the street lots are taken at 25a37½ according to grade.

PROVISIONS.—The trade is confined almost exclusively to a retail demand. We notice sales 15 hds. Western smoked shoulders at 4c. In Pork, a lot of 42 bbls. clear sold at \$12.50, and in Beef, 200 tierces City Mess at \$16.

Wool Market—July 24, 1850.

Before the shearing was fully completed, much excitement was observed in the market, caused mainly by the strife between the purchasing agents of manufacturers and dealers; and nearly the entire clip of the country was bought up with unusual expedition. Prices in the Western States advanced 5 to 7c., and in the Northern, Eastern and Middle States 3 to 5c. above those of last season. The prices of woolen goods continue lower than in January and February last; but notwithstanding this, there is a strong probability that the ruling prices of wool will be fully maintained; and if the manufacturers work up their wools with but little profit, they may censure themselves quite as severely as they do the speculators—as as their movements to obtain the wool direct from the growers, quite as much as any other cause, produced the excitement. We hear of sales of very superior clips to manufacturers' agents, in Duchess Co., and in Washington Co., Pa., at 50 to 55c. The law of demand and supply will materially assist in keeping prices up. The latest intelligence from Europe shows great activity in the market, at advanced rates. We quote,

American Saxony Fleece,	44a50c.
Full blood Merino,	40a42c.
½ and ¾ do.	36a38c.
Native " ¼ do.	31a34c.

Hay, Straw, and Corn Stalk Cutters.

THE Celebrated Patent Adjustable, Spiral Knife Hay Cutter. Premium Straight Knife Hay Cutter. All sizes, for Hand or Horse Power. Warranted.

Mediterranean Seed Wheat, of a choice quality and pure. This wheat is coming into very general use, and is much approved of. Also, other varieties of Winter Wheat and Rye.

For sale at the Albany Agricultural Warehouse and Seed Store, 369 & 371 Broadway, Albany. August 1, 1850. EMERY & CO.

Taintor Buck for Sale.

THE subscriber has for sale a Full Blood Merino Buck, purchased of J. A. TAINTOR in the fall of 1847. Bred by him from his importation of 1846.

This Buck is now 3 years old, and surpassed by none for beauty of form with weight of carcass and fleece.

Those wishing a cross from this Buck with Pauler ewes, will please notice advertisement in May No. of Cultivator, page 188. Galway, Saratoga Co., Aug. 1—1t.* ALFRED H. AVERY.

The Cottage in the Glen.

BY SYLVANUS.

A little cottage lieth,
Embowered in the glen,
Secluded from the bustle
And crowded haunts of men.
A mountain riseth o'er it,
A rill flows by the door,
An oak tree stands before it—
Beside the cottage door.
Upon its walls are creeping,
Fresh vines of living green,
While from their dark leaves peeping
Bright golden flowers are seen.
And many birds are singing,
Upon the old oak tree,
And lightly they are winging
Their courses o'er the lea.
A group of merry children
With cheeks of ruddy hue,
Are sporting by the streamlet
So beautiful to view.
Around the cottage spreading,
On every hill and vale,
The golden grain is bending,
Before the rising gale.
The cot, the hill, the river,
The oak tree by the door,
The many birds that revel
The cottage front before,
Seem like some fairy picture
Engraven on the eye,
The pencillings of fancy,
Which vapor-like will fly.
But no! to fairy regions,
'Tis vain for us to go,
To find more glowing pictures
Than industry can show.
For beauty ever throweth
O'er rustic life a charm;
Here peace will hover smiling,
Secure from strife's alarm.
Where'er the farmer dwelleth,
Neath thatch or lordly dome,
There peace, and joy, and beauty,
Will ever find a home.
Then let us crown with honor
The hardy sons of toil;
May Heaven bless with plenty
The tillers of the soil!

East Weare, N. H.

The American Live Stock Insurance Company,

At Vincennes, Ind.

CHARTER unlimited. Granted January 2, 1850. [Capital \$50,000.] For the Insurance of HORSES, MULES, PRIZE BULLS, SHEEP AND CATTLE, of every description, against the combined risks of Fire, Water, Accidents and Disease.

Losses paid in 30 days after proof of death.
Directors.—Joseph G. Bowman, Hiram Decker, M. D., Isaac Mass, George D. Hay, John Wise, Alvin W. Tracy, Hon. Abner T. Ellis, Abm. Smith, Hon. Thomas Bishop. Joseph G. Bowman, President. B. S. Whitney, Secretary. Wm. Burch, Treasurer.
Aug. 1, 1850—1yr. B. P. JOHNSON, Agent, Albany.

Farm and Stock for Sale.

THE subscriber will sell at auction, on the 10th of September next, (if not previously disposed of at private sale,) his farm, situated in Westminister, Vt., containing upwards of 200 acres, nearly 100 acres of which is alluvial land of the most productive kind, lying on the bank of the Connecticut river. He will also sell at the same time, the live-stock of said farm, consisting of about sixty head of superior neat cattle, mostly Devons, thirty South Down sheep, and fifty swine of Suffolk, Middlesex and Essex breeds.

Among the Devon cattle, are one very fine bull, two years old, imported from England; another, seven years old, purchased of Geo. Patterson, Esq., of Maryland; another, one year old, bred on the farm. Several of the cows are pure Devons of the very best blood and quality, and the whole lot were either selected, or bred by the subscriber with great care. Of the South Down Sheep, six were imported—others were purchased of Hon. Daniel Webster and Col. J. M. Sherwood; and these, with their descendants, constitute the flock. The older swine were mostly imported, and comprise the best specimens of their respective breeds which could be obtained in England. Their stock has now become well known in this part of the country, and is so much esteemed as to need no praise here.
Boston, Mass., August 1—2t. WILLIAM STICKNEY.

Transactions of the N. Y. State Ag. Society.


TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$8, for sale at the office of THE CULTIVATOR.

Wire for Fences,

ALSO Staples ready made, by the pound, at price of wire and 4 cents per hundred staples for making, (machine made.) Our Wire is of the best quality of iron, used by our Telegraph Companies, &c., which needs no annealing whatever, in being worked.

It is a fact acknowledged by all wire manufacturers, that the process of annealing iron wire opens its pores to the effect of the atmosphere, lessens its weight 12 to 15 per cent., lessens its tenacity for tension 33 per cent., and destroys its elasticity. Fence makers will find it much cheaper to use tough, bright wire, in all cases, even at one to three cents per pound extra, than the cheaper qualities of iron at their value, which require annealing to be used.

Nos. 7, 8 and 9, for 5½ cents; Nos. 10 and 11, for 6 cts per lb. August 1, 1850. For sale by EMERY & CO., Albany.



Hydraulic Water Rams.

THIS simple apparatus for elevating water from a spring or brook, has now been very extensively and favorably introduced, and enables the persons having a good spring of water below their buildings, to have a constant, never failing stream of water at any place desired, and so long as water will, of its own gravity, run down hill, so long it may, by this simple machine, be made to run up hill to any desired elevation. Full directions accompany each machine, enabling the purchaser to put them in operation himself, and all are warranted to operate satisfactorily. Price from \$8 to \$25. For sale, wholesale and retail, at the

Albany Agricultural Warehouse of

EMERY & CO,

Aug. 1, 1850. 369 & 371 Broadway, Albany, N. Y.

Nurserymen's Agency,

187 Water Street, New-York.

THE business connected with this Agency, having increased beyond the expectations of the subscriber, he has taken the above more convenient and eligible store, and aided by experience, has prepared to meet the increasing demand upon his services.

He will import the coming season, a full supply of the following Stocks, Seeds, Trees, &c., &c., and solicits all his friends to send their orders before the 20th of August, to prevent disappointment.

He also tenders his services for the purchase or sale of anything in the business, and will give prompt attention to the receiving and forwarding any goods consigned to his care. Importations passed at the Custom House, the goods properly taken care of, and re-packed when necessary.

Imported 1st quality Stocks.

- Quince,
- Pear,
- Mahaleb Cherry,
- Paradise Apple,
- Plum.

American Stocks.

- Apple,
- Pear,
- Plum,
- Cherry.

Imported specimen Fruit Trees, of any kinds required, from the best nurseries. Also,

- Norway Spruce,
- Silver Fir,
- Scotch Fir,
- European Larch,
- Juniper,
- Mountain Ash,
- English Elm,
- Wych Elm,
- Chinese Arbor Vitæ,
- Siberian Arbor Vitæ,
- Irish Yew,
- Hollies,
- 100,000 two year old Buckthorn Plants,
- 100,000 Black Mazzard Cherry Stocks.


- Minetta Rose Stocks,
- Standard Roses,
- Prize Gooseberries,
- And Seeds of any kinds if ordered in good season. Also for sale,
- 2,500 Dwarf Cherries, Budded on the Imported Mahaleb Stock.
- 30,000 2 yr. Osage Plants.
- Osage, Apple, and Pear seed.
- Plum, Cherry and Peach pits.
- Plants, for hedges, very fine.

Pruning and Budding Knives, Labels, Flower Pots, Propagating Glasses, Russia Mats, Twine, &c., &c., with any thing required in the business.

GEO. G. SHEPPARD,

Aug. 1—1t.

187 Water St., New-York.



Compressing and Thermometer Churn Combined.

THIS combination and arrangement forms the best hand churn now before the public.

It has the Double Zinc Cylinders for facilitating the process of obtaining the proper temperature by means of hot or cold water, without mingling it with the milk and cream. A Thermometer is neatly set in one end to enable the operator to know the proper degree of temperature at which to commence churning. The bevel floats which have been before described, are used without any shaft through the churn, by having a dowel at one end, and a square socket at the other, which receives the end of the short crank when it is suspended and propelled. The crank has a groove turned in its round part to receive a pin, which pin drops into the groove when the crank is in its place. To wash and take out the butter, all that is necessary is to raise the pin and withdraw the crank far enough to relieve the dasher, when it is readily taken out.

They are manufactured and sold, wholesale and retail, at the lowest prices, (the cost being but trifling above Kendall's, of corresponding sizes,) by

At the Agricultural Works, Warehouse, &c.
EMERY & CO.,
Nos. 369 & 371 Broadway, Albany, N. Y.

Aug. 1, 1850.

To Farmers and Gardeners.

SEYMOUR'S GRAIN DRILL.—This DRILL, which was patented in September, 1849, is one of the latest improvements in Drilling Machines, and better adapted to the wants of the farmer than any now before the public. It sows or plants all kinds of grain and seeds, from peas, beans, corn and cotton, to the smallest seeds—and combines the advantages of sowing either broadcast or in drills. It is an excellent Broadcast Sowing Machine, when the drill teeth and conducting tubes, (which are very easily detached,) are taken off.

Many farmers soak their wheat in brine or other liquid, (in which the good seed sinks while the foul floats off,) for the double purpose of separating it from foul seed and rolling it in lime, plaster, or other fertilizing substances. This has the advantage over other drills, inasmuch as it performs well in sowing grain thus prepared, while they utterly fail in the attempt. Wet wheat, oats or white caps, which so readily clog other machines, are not serious obstacles in this. Those who wish to soak their seed for any purpose whatever, or mix with it any fine fertilizers, such as lime, plaster, bone dust, &c., and also those who prefer threshing with a flail, to avoid the injury done to the seed by threshing with a machine, will find this the Drill for them.

When drilling with this machine, the grain falls from the grain-box to the tubes, (a space of six inches,) in full view of the person attending it—so that, in passing over the field, he may be constantly assured that the seed is deposited as he designs. The teeth are all raised from the ground at once, with one lever, and the seed all stopped at once; or one may be raised at a time, and the seed it discharges stopped. The convenience and simplicity with which this machine is managed, is unparalleled. No necessary expense or pains have been spared in making it as desirable, in all respects, as possible; and after many, and the most satisfactory experiments—not in the winter on the floor of the machine shop merely, but in seeding time, with the farmer, under various circumstances, on rough and smooth, hilly and level, stony and clear land—the inventor (who was bred a practical farmer, and ought to know something of the farmer's wants,) feels assured that the machine is not only established on correct principles, but is got up in that simple and permanent style and good taste which cannot fail to suit all.

☞ The first premium for a Grain Drill capable of depositing fine manures with the grain, was awarded to this machine as the Fair of the New-York State Agricultural Society, held at Syracuse, in September, 1849. It also received the first premium at the Michigan State Fair, in 1849, and the first premium of the Ontario County Society.

The following facts will be duly appreciated by the intelligent farmer: 1st. A good drill deposits the grain nearly at a uniform depth. 2d. The seed is all covered. 3d. It is left to come up in a small, shallow trench, with a ridge of earth on each side. 4th. One man and a team, with a good Drill, will put in as many acres of grain in a day, as three men and two teams, in the usual way of harrowing or plowing in after broadcast sowing. 5th. The ridges each side of

the wheat protect it from the severity of the cold winter winds; and frequently the snow lodges on the wheat in these trenches, which would otherwise be left bare, and thereby greatly exposed to injury. "Last, yet not least," in that trying time for wheat—in the spring of the year—when alternately freezing and thawing once in twenty four hours, for days and sometimes weeks, frequently destroys the crop—these small ridges of earth are settling down and covering the roots of the wheat, and thus they save the crop from the destroying influences of the frost. From these facts, as well as from many experiments, we come to the following conclusions: 1st. That the sowing in seed, should be a sufficient reason to induce every person to sow his grain with a Drill. 2d. That the sowing in labor is also a good and sufficient reason for thus sowing it; and, 3d. That the protection from "wind and weather," derived from this mode of sowing, should be quite a sufficient reason why every grower of winter wheat should sow it with a Drill.

SEYMOUR'S GARDEN DRILL

Is a small Machine, of suitable size to be drawn by a man. It is got up on the principles of the Grain Drill, and will plant peas, beans, beets and even carrots, or any kind of garden seeds, mixed with plaster, &c. It is very convenient for large gardeners, as it will sow five rows at once, as readily as the Garden Drills in common use will sow one, and is much less liable to clog. ☞ SEYMOUR'S BROADCAST SOWING MACHINE supplied to order.

RECOMMENDATIONS.

A few certificates, from the most reliable sources, are subjoined: Mr. Seymour—Sir: With the Grain Drill which I purchased of you this season, my son, a lad 16 years of age, has put in about 50 acres of wheat for me, and with some of it about a bushel and a half per acre of ashes and hen dung was mixed, and all to my entire satisfaction. He has also drilled in about one hundred acres for others, and I believe all are well pleased with the machine; and I must say I prefer it to any I have seen. IRA R. PECK.

East Bloomfield, Sept. 17, 1849.

Mr. P. Seymour—Dear Sir: You ask for my opinion with regard to the Wheat Drill I purchased of you this fall. Without specifying particulars, I would express my unqualified approbation of it over that of any other which I have seen in use. I am somewhat enthusiastic on the subject of drilling, believing it will soon be universally adopted by farmers. I would not willingly disparage the patents of other individuals. In haste, with great respect, yours, &c. CALVIN SPERRY.

Gates, Sept. 10, 1849.

This may certify that I have used Mr. Pierpont Seymour's Wheat Drill, and I consider it just the thing for putting in wheat. Rochester, September 7, 1849. WM. OTIS.

Lancaster County, Pa.—We, the undersigned, have seen and examined the Seed Drill of Pierpont Seymour, of New-York State, in all its operations, and verily believe it to be the best we have ever seen, and will, we have no doubt, supersede all others now in use.

EDWARD LAMMEY,

FREDERICK ZARRACHE,

JOHN HUDDERS,

DAVIS ATKINS,

ROBT. W. HUDDERS, Mach.,

ELI ROBERTS,

WM. H. MILHOUSE,

JAMES H. NOBLE.

Chester County.—We have also seen the operation of the above machine, and fully concur in the utility of the machine, and will, we have no doubt, when it becomes generally known and appreciated, supersede all other machines now before the public.

HENRY A. JOHNSON,

REUBEN CHALFANT,

ENOCH L. TAYLOR,

JOHN S. CARLILE,

CLOUD CHALFANT,

EUCLIDES P. SHELTON

JOHN M. KELTON,

Mr. Seymour—Sir: I have used the Grain Drill I purchased of you to drill spring wheat. A part of the field I sowed broadcast. The appearance of the crop is now in favor of the part put in with the Drill. I have also used the Drill to sow field beets, and am satisfied that the seed can be distributed as evenly and expeditiously as any grain, which is at the rate of about ten acres a day. The Machine, by taking off the drill teeth, makes a good Broadcast Sowing Machine, which is valuable for sowing plaster, clover seed, and any grain a person wishes to sow broadcast. I believe the Drill and Broadcast Sowing Machine will soon come into general use.

East Bloomfield, June 1st, 1849.

HARLOW MUNSON.

I have examined certain certificates in the hands of Mr. Seymour, in favor of his Grain Drill, one of them from Ira R. Peck. I am personally acquainted with Mr. Peck. His statements can be fully relied on. The other certificates, I have no doubt, are from equally reliable sources. I have myself heard the Drill spoken of in high terms of commendation, by farmers who have used it; and have also seen it in operation, and believe it to be at least one of the very best in use. I was present at the State Fair in September last, where the first premium was awarded to Mr. Seymour for his Drill. I have the confidence that any statement which Mr. Seymour would be likely to make in regard to the Drill, would be strictly true.

East Bloomfield, Feb. 5, 1850.

ISAAC W. MITCHELL,
Justice of the Peace.


☞ Many other certificates of the same import have been received from many persons in this and other States, which are not deemed necessary to specify.

The subscriber tenders his thanks to his former friends and customers, and invites them, and all others desiring anything of the kind, to examine the above described Machines. ☞ The right of either of the above machines can be had on such terms as to make it an object for manufacturers or dealers to purchase.

PRICES.—Price of Drill with 9 Teeth, \$80; with 7 Teeth, \$70. Garden Drill, \$50. Broadcast Sowing Machine, \$45.

PIERPONT SEYMOUR.

East Bloomfield, Ontario County, N. Y., Aug. 1, 1850—t.



**EMERY & CO'S
LATEST IMPROVED RAILROAD HORSE POWER, AND OVERSHOT THRESHING
MACHINE AND SEPARATOR.**

THE above cut represents this most useful machine, with the LATEST IMPROVEMENTS, [For which Patent is secured, embracing some of great value and importance—which have suggested themselves from time to time as the various kinds made and sold by us have become worn, used and failed.

The most important of these consists principally in the mode of applying the power and motion from the endless platform to the shaft of the main Driving Pulley, and obtaining the necessary motion for the OVERSHOT THRESHING MACHINE, without crossing bands or intermediate gearings, and at the same time dispensing with the small pinions and cogs on the links of the endless platform,—thereby combining GREATER STRENGTH and DURABILITY with LIGHTER FRICTION, without the liability of breakage of links, or the wearing of links and pinions,—(no small item in the expense of repairs in most other kinds of powers in use.) The farmer or mechanic is enabled to perform a greater amount of work, or to operate with less power or elevation, as best suits his wishes.

Having been long engaged in the Manufacture, Introduction, Sale, &c., of the various kinds of Horse Powers, for different purposes, and at all times adopted such improvements as from observation and experiment have seemed necessary and desirable, we feel confident that in this Power, as now manufactured, all that can be desirable, is found to a greater extent than any heretofore sold by us, or with which we are acquainted. They were introduced to some considerable extent last season, and wherever used side by side with the most approved Powers of other kinds, have given unqualified satisfaction, and been preferred.

The Overshot Threshers and Vibrating Separators, with improvements, have been sold with like success as the Powers. They admit of a level feeding table, thus avoiding accidents, (which often occur with the inclined feeding board,) by preventing hard substances, Sticks and Stones from getting into the Machine and breaking Spikes, endangering those engaged with them. The Cylinder Shaft, (of Cast Steel,) runs in Bronze Boxes, which are so made of two parts as easily to be adjusted when worn loose, and can with little

trouble, always be kept tight. The speed of the Power is such that a larger pulley is used on the Thresher than on most others—driving stronger, with less liability of slipping of Bands, which last are made of Vulcanized India Rubber. The Separator makes a complete separation of Grain from the Straw, leaving it in the best condition for the Fan Mill; thus saving the labor of several men, and doing the work better.

Fan Mills of various sizes, for Hand, or fitted to be driven by the Power, at same time of threshing. Also, Saw Mills in complete order.

The Double Horse Power is capable, with 3 or 4 men, of threshing from 125 to 200 bushels of Wheat or Rye, and the Single one from 75 to 100 bushels, or double that quantity of Oats per day. They are warranted to perform as above, or may be returned to us or our Agents, of whom they were purchased within 3 months, and the purchase money refunded.

They may be had in Rochester, Buffalo, or any of the principal ports on the lower or upper lakes, by adding transportation.

Good agents will attend to the sale of them in those places. The prices will be, for Single Powers,..... \$35 00
 " Thresher and Separator,..... 35 00
 " Bands, Wrench, Oil Can, extra pieces, 5 00—\$125 00
 Best Double Machines, Complete, (\$25 more on.) 150 00
 Fan Mills, from \$22 to \$28
 Saw Mill, complete,..... \$35

Also "Wheeler's" Machines, improved this season,
 Single Sets, complete,.....\$120 00
 Double do. do. 145 00

Terms Cash, or approved Notes or Acceptances, with Interest. To good Agents in new locations liberal terms will be given.

For further particulars, see new issue of Catalogue, or apply personally or by letter at the

Albany Agricultural Works, Warehouse and Seed Store, of
 EMERY & CO.
 August 1, 1850. 369 & 371 Broadway, Albany, N. Y.

The Farmers' Encyclopedia,

BY C. W. JOHNSON. Adapted to the United States, by G. EMERSON, Philadelphia, 1850. In one large octavo volume, 1173 pages, containing the latest discoveries and improvements, in Agriculture, with numerous plates of Live Stock, Farming Implements, &c.

"We are fully convinced that such an amount of valuable knowledge for farmers can be found in no other work in so cheap and convenient a form. In fact, no farmer who pretends to be well informed in his profession should be without this book."—*New Genesee Farmer.*

"An excellent work, fit to be distributed in premiums by Agricultural Societies. How much better, and in better taste, than the amount of its cost in money."—*J. S. Skinner.*

Sold by L. TUCKER, Albany; A. HART, Philadelphia; DERBY & Co., Buffalo; W. D. TUCKER & Co., Boston; and the principal booksellers in the Union. Price \$4. (Cost of the imported work in 1 vol. without any plates, \$14.) July 1—1f.

Full Blood Berkshire Pigs.

THE subscriber offers for sale a fine lot of young Boars and Sows, at prices from \$2 to \$4. The boar they were raised from took the first premium at the Buffalo Fair. R. B. HOWLAND. Union Springs, July 1, 1850—2f.

Drain Tile Works,

63 Jay Street, North of Salamander Works, Albany.

THE subscriber is now manufacturing and prepared to fill orders for Horse Shoe, Sole, Round and Collar Drain Tile, of various sizes, from one to four inches in width and rise. The tile is cut sixteen inches in length, and will be of a superior quality. The price will vary according to the size and shape, from \$10 to \$16 per thousand. Specimens of the article with the prices will soon be distributed to all the agricultural stores in the State. Presidents of county societies adjoining the river and canals, will please send their address with directions to whom a box containing the different sizes of Tile will be forwarded free of charge. July 1, 1850—1f. A. S. BABCOCK.

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by HENRY COLMAN of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos., \$5. For sale at the office of THE CULTIVATOR.

Wire for Fences.

IRON WIRE FOR FENCING, constantly for sale at New-York prices. Z. HOSMER, April 1, 1850—6f. 110 Milk St., Boston.

Circular.

THE subscribers are making and vending J. W. SHERMAN'S

New Seed Drill and Broadcast Sower,

Constructed upon a new principle; cheaper, simpler, and more durable and accurate, than any similar machine now in use.

We are building three different qualities of these machines. No. 1, is a superior Drill and Broadcast Sower, and will sow fine Manure (such as Plaster, Ashes, Guano, &c.,) Broadcast, or in the drill rows, any desirable quantity per acre, at the same time of drilling in the grain. It is well finished, substantially made, of good material, and warranted—at the low price of \$65.

No. 2. is built for drilling all kinds of grain. It will also sow fine manure, broadcast, on crops. Price \$55.

No. 3, is a plain Wheat Drill; simple, accurate, substantial. Price \$45. None of our machines will clog in the runs; they cannot go so with the most difficult kind of seed; THE DISTRIBUTING PRINCIPLE BEING ENTIRELY NEW.

We are prepared to supply all orders. Those wishing to purchase drills, would do well to see ours before purchasing elsewhere. The sooner the order is given, the more sure you will be of getting your Drill in time.

N. B.—Persons wishing to make or sell our Drills, are offered a good chance.

A large descriptive bill will soon be issued with cuts. All communications or inquiries [post paid,] will receive prompt attention. Address Sherman, Foster & Co., Palmyra, Wayne county, N. Y. Those wishing it, can see the machines at Foster, Jessup & Co's Machine shop, Palmyra; where they will also find the best Thresher and Separator, Revolving Horse-rake, (spring teeth,) wheel Cultivators, and other agricultural implements; warranted superior. Call and see.

Mr. SHERMAN is agent for the sale of McCormick's Virginia Reaper. SHERMAN, FOSTER & CO.

Palmyra, June 1, 1850—2t.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field

tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

May 1, 1850—tf.

JOHN MAYHER & CO.,

THE HORTICULTURIST,

AND

Journal of Rural Art & Rural Taste.

EDITED BY A. J. DOWNING,

Author of "Landscape Gardening," "Designs for Cottage Residences," "Fruits and Fruit Trees of America," &c., &c.

TO all persons alive to the improvement of their gardens, orchards or country seats,—to scientific and practical cultivators of the soil,—to nurserymen and commercial gardeners, this Journal, giving the latest discoveries and improvements, experiments and acquisitions in Horticulture, and those branches of knowledge connected with it, will be found invaluable. Its extended and valuable correspondence presents the experience of the most intelligent cultivators in America; and the instructive and agreeable articles from the pen of the Editor, make it equally sought after by even the general reader, interested in country life. The "FOREIGN NOTICES" present a summary from all the leading Horticultural Journals of Europe; the "DOMESTIC NOTICES," and ANSWERS TO CORRESPONDENTS, furnish copious hints to the novice in practical culture; and the numerous and beautiful Illustrations,—Plans for Cottages, Greenhouses, the Figures of New Fruits, Shrubs and Plants, combine to render this one of the cheapest and most valuable works on either side of the Atlantic.

THE FIFTH VOLUME OF THE HORTICULTURIST will be commenced on the 1st of July, 1850. All or either of the back vols. can be supplied. New subscribers will be furnished with the first four vols. for \$10.

TERMS—Three Dollars per year—Two copies for Five Dollars. All payments to be made in advance, and orders to be post paid.

All Agents for THE CULTIVATOR, and Post Masters generally, are invited to act as Agents for THE HORTICULTURIST.

LUTHER TUCKER,

Albany, June, 1850. Publisher Cultivator Office, Albany, N. Y.

Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR.

Importation and Sale of Stock.


MR. L. G. MORRIS, of Mount Fordham, Westchester County, N. Y., left New-York on the 17th April, for Europe. One of his main objects is to obtain agricultural information generally, and especially to purchase such domestic animals as are calculated to improve the stock of the United States. He purposes to attend the sale of the Short-horn cattle belonging to the estate of the late THOMAS BATES, Esq., of Kirkleavington, Yorkshire; but will not confine his purchases to that herd. He expects to return to America in September next, and the second annual sale of cattle from his own herd, will take place in October. Whatever stock he may import, will be at his place at the time of sale. Printed catalogues of the animals to be sold, will be issued in due time.

June 1. 1850—4t.

The Old Gifford Morgan,

THE highest blooded Morgan Stallion now remaining, will stand the coming season at the stable of Benjamin Gates, in Walpole, N. H. Terms \$25. \$5 of which to be paid at the time of service, and the remaining \$20 if the mare prove in foal.

Pasturage furnished on reasonable terms. A. ARNOLD, Walpole, May 1—5t.* Agent for the Proprietors.




I. T. GRANT & CO.'S

PATENT FAN MILLS AND CRADLES. We continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New-York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Slocum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S.'s, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £18, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49).—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."



Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.

The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention. I. T. GRANT & CO.

Junction P. O., Rens. Co., 8 miles north of Troy May 1, 1850—4t.

Contents of this Number.

Improvements on the Farm,.....	257
The Agriculture of Ohio,.....	258
Nutritive Value of Oat-hay, by Prof. NORTON,.....	260
Action of Soils on Manures,.....	261
The Life of the Farmer favorable to the Pursuit of Know- ledge, by JAMES TUFFS,.....	262
Poultry and Poultry Books, by OBSERVER,.....	264
French Names of Fruit—Labels, &c.,.....	263
Early Notices of the Curculio, by D. THOMAS,.....	269
Notes on New Cherries—Red Antwerp Raspberry—Straw- berries,.....	270
Black Prince Strawberry—Unfavorable Localities for Fruits —St. Ghislain Pear—Peeling the Bark of the Cherry,.....	271
New Railroad Horse Power and Feed Mill—Kendall's Cheese Press,.....	272
Seymour's Grain Drill—Grain Binder's Wheel Rake, &c., ..	273
New-York State Agricultural Society,.....	274
Seed Wheat that will not turn to Chess, by A. D. S.,.....	275
Mr. Sheafe's Sale of Short-Horns—Repairing Scythe Snaths, by D. S. CURTIS—Mode of Unloading Hay, by J. A. H. ELLIS,.....	276
Preparing Land for a Crop, by AN OLD FARMER—Experi- ments in Dissolving Bones, by WARREN HUTCHINS—Wis- consin as a Farming Section, by T. GREEN,.....	277
Cutting Wheat Early, by R. WARKINS—Wire Fence and Red Cedar Hedges, by GEO. MANSFIELD,.....	278
Morgan Horses, by F. A. WIER—Maryland Agriculture— Peat as Manure,.....	279
Agricultural and Horticultural Fairs—Science as Applicable to Agriculture—Chess will Grow, by H. W.—Leaves as Manure—Waste of Manure,.....	280
Acknowledgments—Monthly Notices, &c.,.....	280

ILLUSTRATIONS.

Figs. 180—186—Marks for Fruit Trees,.....	269
187—Red Antwerp Raspberry,.....	270
188—Black Prince Strawberry,.....	271
189—Horse Power and Feed Mill,.....	272
190—Kendall's Cheese Press,.....	272
191—Seymour's Grain Drill,.....	273
192, 3—Wheat, sown broadcast and in drills,.....	273
194—Grain Binder's Wheel Rake,.....	273

Agricultural and Horticultural Implements, and Field and Garden Seeds.

UPWARDS of one hundred different kinds of Plows, and a corresponding variety of all other Implements for the Farmer, Planter and Gardener; embracing the largest and most complete assortment to be found in the United States. Also, Field and Garden Seeds, a large and varied assortment. A. B. ALLEN & CO., August 1, 1850.—tf. 189 & 191 Water St., New-York.

Allen's Improved Portable

Railroad Horse Power, Thresher and Separator.

THE advantages of the above horse powers are—1. They occupy but little more space than a horse. 2. They can be moved by the weight of the horse only, by placing the machine at an angle of 10 or 15 degrees. 3. They are easily transported, simply constructed, not liable to get out of order, and move with little friction.

The *Overshot Threshers* consist of a small spiked cylinder with a concave top, and possess these advantages. 1. They have a level table for feeding, thus enabling the tenders to stand erect, and control the motion of the horse and machine by means of a brake, by which accidents are avoided. In consequence of the spikes lifting the straw and doing the work on the top, stones, blocks, &c. drop at the end of the table, and are not carried between the spikes. 3. The overshot cylinder does not scatter the grain, but throws it within three feet of the machine. 4. This arrangement also admits of attaching a separator, high enough from the floor or ground to allow all the grain to fall through it, while the straw is deposited by itself in the best condition for binding. 5. Neither grain nor straw are broken by this machine. 6. The cylinder is long, which admits of faster and more advantageous feeding; it is smaller and with fewer teeth than ordinary threshers, thus admitting of more rapid motion and faster work with less power; and the diminution of teeth in the cylinder is fully made up by an increased number in the concave top, which is stationary. 7. The separator is a great advantage in diminishing the labor of raking out the straw, as it leaves the grain in the best condition for the fanning mill. Three men with a single power, can thresh 100 to 150 bushels of wheat or rye per day; and four men with a double power, twice that quantity. All the above are compact, and can be carried where wanted, complete, or they may be readily taken apart and packed for distant transportation by wagon or otherwise.

Price of single Power,.....	\$30
“ “ Thresher,.....	\$28
“ Separator and fixtures,.....	\$7
“ Bands for driving, etc.,.....	\$5
“ Wood-sawing machine, complete, and in running order,.....	\$35
Price of double Power,.....	\$100
“ with Thresher, Separator, &c.,.....	\$145 to \$150

All the above are sold singly or together, as desired, and are warranted to work well and give satisfaction. A. B. ALLEN & CO., Aug. 1—2t. 189 & 191 Water Street, New-York.

Choice Sheep for Sale.

THE subscriber having determined to quit the farming business, offers his entire flock of Sheep for sale. They have been bred with great care for over 20 years, with a view to make them heavy and fine. They now shear three and a-half pounds per head, and the wool sold last year, at the Kinderhook Depot, for 47 cents per pound. Specimens of them will be at the State Fair. Also, one Imported Ayrshire Cow, with her last two calves, both heifers. DANIEL S. CURTIS. Canaan Center, N. Y., Aug. 1—2t.

Albany Burr Mill Stone Factory.

A. DAM R. SMITH, (late of Troy,) having located at the Corner of Broadway and Quackenbush streets, (three blocks above the Delavan House,) ALBANY, N. Y., invites the attention of Mill-wrights and others to the stock on hand, which, with his facilities for manufacturing, must render it advantageous for them to call upon him before purchasing elsewhere. He keeps also, a large supply of Bolting Cloth, Screen Wire, Plaster of Paris, and other articles used in Milling, which will be disposed of on liberal terms. August 1—3t.*

Great Sale of Short Horn Cattle.

THE subscriber will offer for sale, without reserve, at public auction, on Thursday, the 29th day of August next, at 1 o'clock, P. M., on the farm of J. F. Sheafe, Esq., at New Hamburg, Dutchess Co., New York, about 35 head of Short horn cattle, including cows, heifers and calves.

This herd was mostly bred by Mr. Sheafe, and I do not hesitate to say, that I think it *one of the very best* in the United States; and I have seen and particularly examined nearly all of them. Great attention was paid in the commencement of this herd, to the milking properties of the animals forming it; and this, together with fine points and good growth and constitution, have been steadily kept in view in its breeding. There is but one cow in the herd which gives less than 20 quarts per day, in the best of the milking season, while one has given over 29 quarts per day, and made 15 pounds 3 ounces of butter per week; and two others have given respectively, 31 and 36 quarts per day. Their color is of the most fashionable and desirable kind—red, red-and-white and a rich strawberry roan—only one white cow in the lot. They are of good size and fine style, and all in calf to the superb imported bull Exeter, who will also be offered for sale at the same time.

Pedigree of Exeter.—Exeter is of the Princess tribe of Short horns—was calved in June, 1848, and bred by Mr. John Stephenson, of Wolviston, Durham, England. He was got by Napier, (6,238,) out of Jessamine, by Commodore, (3,452)—Flora, by Belvidere, (1,706)—Jessey, by Belvidere, (1,706)—Cherry by Waterloo, (2,816) &c. See English Herd Book, Vol. V., for full pedigree.

Exeter was selected for Mr. Sheafe, by a first rate judge of Shorthorn stock, and was considered one of the *very best bulls* in England; quite a high price was paid for him; and it is believed that his superior, if even his equal, has never before been imported into this country. He carries an enormous brisket for his age, and his style, handling, and quality are of the finest kind. His color is mostly a beautiful yellow red, which is a bright red with a fine golden or saffron undertinge, arising from a rich yellow skin. He is the *only bull of this peculiarly desirable red*, ever imported into America. Calves got by him, out of this herd of cows, will fetch a high price the moment they are dropped.

Mr. Stephenson, the breeder of Exeter, now stands at the head of his class in England, and his stock is of the highest repute. It is entirely of the Princess tribe, and traces its pedigrees, without any alloy or Galloway blood, back to pure Shorthorns, for upwards of two hundred years; a matter of no small consideration to those who wish a superior fresh cross.

Catalogues of the above stock, with pedigrees in full, are now ready for distribution.

Southdown Sheep.—A choice flock of this superior breed of mutton sheep, will be sold on the same day as above.

Suffolk Swine.—One boar and several breeding sows and pigs, of this fine breed of swine.

Working Oxen.—A handsome pair of red working oxen. A. B. ALLEN, 189 Water st., New-York June 1, 1850—3t.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT, 7 Congress-st
PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1. for 12 lines, for each insertion. No variation made from these terms.



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, SEPTEMBER, 1850.

VOL. VII.—No. 9.

Nutritive Properties of the Apple.

THAT apples are valuable as food for animals, is now generally acknowledged, and their use for this purpose has, within a few years, been greatly extended, though it is probable that their relative value compared with other articles is but little understood. Few exact or reliable experiments have been made in feeding apples to animals, and we are not aware that much light has been thrown upon the subject by chemical investigation, till the late analyses of Dr. J. H. SALISBURY.

The late PAYNE WINGATE, of Hallowell, Maine, made some experiments in feeding pigs with apples compared with potatoes. Both the apples and potatoes were boiled, or rather stewed, separately, and about four quarts of oat and pea meal mixed with each bushel, at the time the cooking was finished—the meal being intimately incorporated with the potatoes and apples while they were hot, and the mass left to ferment, slightly, before it was fed to the pigs.

Two pigs of the same litter, and as near as practicable of the same weight, were taken; one was fed for a week on a given quantity of the cooked potatoes per day, and the other on the same quantity of apples. At the end of each week the pigs were weighed, and the food was reversed—the pig to which potatoes had been given, was fed with apples, and the one which had received apples was fed for the next week on potatoes. This course was continued through several weeks—the food of each pig being changed every week. The result was, that the apples proved to be fully equal, or somewhat superior to the potatoes. In this instance the apples were mostly sweet, and they, as well as the potatoes, were nearly in a ripe state.

On another occasion, Mr. W. experimented with sweet, compared with sour apples, in various ways. He found that when they were fed *raw* to swine the sweet apples were preferable—the animals ate them better, as the sour apples seemed to make their teeth sore;—but when both were cooked and mixed with meal in the way above described, there was no difference in the gain produced by an equal quantity of each. It should be stated, however, that all the apples used were of palatable kinds, nearly ripe; and that unripe, and ill-flavored apples are known to be less relished by stock, as well as less nutritive. It is probable, also, that when sour apples are eaten raw, and in considerable quantities, the animal may take into the stomach too large an amount of acid, which may tend to derange the digestive organs. This objection would be chiefly obviated by cooking, and the saccharine fermentation, by which the pulp loses much of its acid and becomes nearly sweet. It does not appear from analysis, that the amount of

actual nourishment is much greater in sweet than in sour apples. (See comparison of the analyses of the Roxbury Russet and Tolman Sweeting.)

Mr. Wingate practiced fattening swine for several years, on food composed principally of apples. The animals attained good weights, and the pork was solid and of excellent quality. In other instances, we have known apples fed raw to horses, cows, and other stock through the winter, with much advantage. For using in this way sweet apples would probably be best, and they should be such as will keep till spring. They may be stored in a cellar under the barn, or in the bottom of the hay-mow,—a proper place having been left for that purpose when the hay was put in. They will be more likely to be injured by heating, than by freezing. They will seldom freeze in such a situation as is mentioned; and if they should be touched by frost, their nutritive properties will not be much lessened, if they remain in a dark place, and where they will thaw slowly.

A peck of apples a day, fed to a cow, has been found to add more than a quart to the daily quantity of milk, besides greatly increasing its richness, as well as improving the condition of the cow. The effect of apples is equally favorable to other stock. Horses fatten on them, and their coats assume a brilliancy which hardly any other food will give them. For all stock they answer a similar purpose as vegetables, in preventing costiveness, which is likely to ensue from the exclusive use of dry food; and in this way, and by the nutriment they contain, they contribute much to the animal's thrift.

An impression prevails that apples will dry up the milk of a cow. This idea has been imbibed either from the effect produced on a cow by eating a very large quantity of apples at once, by which surfeit and fever were brought on, or from the trial not being properly conducted till the animal had become habituated to the food. The ill effects attributed to apples would have occurred with any other rich food, as any kind of grain, potatoes, or other vegetables.

A fair average product of an acre of orcharding, in good bearing condition, may be estimated at two hundred to three hundred bushels a year; and at this rate, we doubt whether so great an amount of animal nourishment can be obtained from the same extent of land, in proportion to the expense, by any other crop. We should not hesitate, therefore, to recommend the cultivation of the apple as food for stock.

It will be interesting to compare the result, obtained by Mr. Wingate in feeding swine with apples, with the results of the analyses made by Dr. Salisbury, and in doing this, we shall find a more general correspondence than would, perhaps, have been anticipated. The fat producing properties of

the apple, according to the analyses, do not essentially differ from those of the potato, though the apple has the advantage of containing a greater proportion of nitrogenous matter.

Dr. S. gives the inorganic and organic analyses of six different kinds of apples, viz : Tolman Sweeting, Swaar, Roxbury Russet, R. I. Greening, Kildham Hill. We extract the table showing the mean of those analyses, as follows :

Inorganic or ash analysis.

	With carbonic acid.	Without carbonic acid.
Carbonic acid.....	15.210
Silica.....	1.362	1.637
Phosphate of Iron.....	1.336	1.593
Phosphoric acid.....	11.252	13.267
Lime.....	3.442	4.199
Magnesia.....	1.400	1.669
Potash.....	31.810	37.610
Soda.....	20.810	24.799
Chlorine.....	1.822	2.169
Sulphuric acid.....	6.062	7.229
Organic matter thrown down by nitrate of silver.....	4.890	5.828
	99.396	100.000

Proximate, or organic analysis of the same varieties.

	1000 parts of fresh apple.	1000 parts of dry apple.
Cellular fibre.....	52.03	190.879
Glutinous matter with a little fat and wax.....	1.94	11.463
Dextrine.....	31.44	186.805
Sugar and extract.....	83.25	497.627
Malic acid.....	3.17	19.555
Albumen.....	13.79	83.720
Cascin.....	1.64	9.921
Dry matter.....	167.26	1000.000
Water.....	826.64
Loss.....	6.10
	1000.000

Dr. S. observes, that the analyses were calculated both with and without the carbonic acid. It was necessary that they should be calculated without it, in order to show the real composition of the organic matter of the fruit. "The carbonic acid is formed during the combustion of the organic matter, and hence cannot be regarded as a constituent part of the apple, except in very minute quantity."

An interesting comparison of the properties of a sweet and sour apple, is given in the following table, showing the results of the organic analyses of the Tolman Sweeting and Roxbury Russet :

	TOLMAN SWEETING.		ROXBURY RUSSET.	
	1000 parts of fresh apples.	1000 parts of dry apples.	1000 parts of fresh apples.	1000 parts of dry apples.
Cellular fibre.....	33.90	190.620	31.20	173.623
Glutinous matter with a little fat and wax.....	3.52	19.793	1.70	9.460
Dextrine.....	28.96	162.890	36.22	201.555
Sugar and Extract.....	99.05	557.178	90.27	502.337
Malic Acid.....	2.50	14.061	3.23	17.975
Albumen.....	8.97	50.452	15.03	83.639
Cascin.....	0.89	5.006	2.05	11.408
Dry Matter.....	177.79	1000.000	179.70	1000.000
Water.....	815.20	813.45
Loss.....	7.01	6.85
	1000.00	1000.00

These analyses were made in the months of March and April, and excepting the Tolman Sweeting, which was rather shriveled, the varieties were in good eating condition. Dr. S. observes that besides the substances above mentioned, the apple contains a small quantity of tannic and gallic acids; the proportion being greater in the russets than in any other varieties examined, and that to those acids is owing the astringency so striking in some kinds,

and which is easily detected by the black color given to a knife or any iron substance when thrust into them. In conclusion he offers the following useful observations :

The ripe apple is rich in sugar and a body analogous to gum, called *dextrine*, which has the same composition as starch; but differs from it in being soluble in cold water, and not colored blue with iodine. It derives its name from the action of its solution on polarized light, it causing the plane of polarization to deviate to the right; hence its name — *dextrine*.

Dextrine and gum should not be confounded with each other. They differ very materially in many respects. The former possesses the property of being converted into grape sugar by sulphuric acid, and by diastase, while the latter does not. Dextrine belongs to the class of bodies which are susceptible of nourishing the animal body. All the starch taken as food is converted into dextrine before it is assimilated by the system. The acids of the stomach possess the property of converting starch into this body.

In the fresh apple, 100 lbs. contain about 3.2 lbs. of fibre; 0.2 of a lb. of gluten, fat and wax; 3.1 lbs. of dextrine; 8.3 lbs of sugar and extract; 0.3 of a lb. of malic acid; 1.4 lbs. of albumen; 0.16 of a lb. of casein and 82.66 lbs. of water.

In the dry apple, 100 lbs. contain about 19 lbs. of fibre; 1.1 lbs. of gluten, fat and wax; 18.7 lbs. of dextrine; 49.8 lbs. of sugar and extract; 2 lbs. of malic acid; 8.4 lbs. of albumen, and 1 lb. of casein.

In the fresh potato, 100 lbs. contain about 9.7 lbs. of starch; 5.8 lbs. of fibre; 0.2 of a lb. of gluten; 0.08 of a lb. of fatty matter; $\frac{1}{4}$ of a lb. of albumen; 0.45 of a lb. of casein; 1.27 lbs. of dextrine; 2.64 lbs. of sugar and extract, and 79.7 lbs. of water. In the dry potato, 100 lbs. contain about 48.5 lbs. of starch; 29 lbs. of fibre; 1 lb. of gluten; 0.4 of a pound of fatty matter; 1.25 lbs. of albumen; 2.25 lbs. of casein; 6.32 lbs. of dextrine; and 13.2 lbs. of sugar and extract.

By comparing the composition of the apple with that of the potato, it will be noticed : First, That the former contains, according to the above analyses, about three per cent more of water than the latter. Second, That dextrine and sugar in the apple take the place of starch, dextrine and sugar in the potato. Of the former, 100 lbs. of good fruit contain of dextrine, sugar and extract 11.4 lbs; the latter has, in the same amount of fresh tubers, 13.61 lbs. starch; dextrine, sugar and extract, 68.5 lbs; in the same quantity of dry potato, there is of starch, dextrine, sugar and extract, 68.02 lbs. The above proximate principles are the main bodies in the apple and potato which go to form fat. In the aggregate amount then of fat producing products, it will be seen that the apple and potato do not materially differ. It would be natural, however, to infer that 50 lbs. of dextrine and sugar would, if taken into the system, be more likely to make a greater quantity of fat in a given time, or at least to make the same amount in a shorter period, than an equal weight of starch, for this reason, that the two former bodies, although nearly the same in composition with the latter, yet are physically farther advanced in organization, and hence probably approximate nearer the constitution of fat. If this view be taken, then the apple, if of good quality, may be regarded equally if not more rich in fat producing products than the potato. Thirdly, that the apple is richer in nitrogen compounds than the potato; 100 lbs. of fresh apple contain of albumen 1.38 lbs.; the same

amount of fresh potato has $\frac{1}{4}$ of a lb.; 100 lbs. of dry apple contain 8.37 lbs. of albumen and an equal weight of dry tubers has $1\frac{1}{4}$ lbs.; 100 lbs. of fresh fruit contain of casein 0.16 of a lb., and an equal weight of fresh tubers, 0.45 of a lb.; 100 lbs. of dry apples have 1 lb. of casein, and the same amount of dry potato contains $2\frac{1}{4}$ lbs. Hence it will be observed that 100 lbs. of fresh apple contain of albumen and casein, 1.54 lbs.; and the same quantity of fresh potato 0.7 of a lb.; 100 lbs. of dry fruit have of albumen and casein 9.37 lbs., and an equal amount of dry tubers, 3.50 lbs.

From the above it will readily be seen that in albumen the apple is richer than the potato, while in casein the reverse is the case. That the aggregate amount of albumen, casein and gluten in good varieties of the apple is more than double that of the same bodies in the potato; hence the former may be regarded richer than the latter in those bodies which strictly go to nourish the system, or in other words, to form muscle, brain, nerve, and in short assist in building up and sustaining the organic part of all the tissues of the animal body.

Foreign and Domestic Wool.

EDS. CULTIVATOR—This article, on the subject of foreign and domestic wool, may not be without its use, at a time when all engaged in the most prominent departments of business, appear to be zealously engaged in devising ways and means to advance their own prosperity, and when, also, every journal that meets the eye, with the exception of those devoted "*exclusively*" to the cause of religion and letters, by its able and studied articles, shows the energy, talent and capital employed to accomplish this worthy end. Certainly it cannot be considered a departure from their excellent example, if the wool grower, aroused by these circumstances to activity and vigilance, presumes to say a word in his own behalf, and to notice some of the obstacles in the way of his prosperity.

In 1841-2, I had the honor to address to the public a number of articles on this subject, which, from the importance and novelty of the facts disclosed, found their way into the public journals, and are said to have had something to do with destroying free trade in wool—practiced by an ingenious application of the maximum principle, which in 1841, admitted out of an importation of 15,000,000 pounds of foreign wool, 14,500,000 duty free.

This effort will, at least, appear pardonable, if we but for a moment glance at the vast pecuniary importance of the wool growing interest in the United States, in connection with the fact, that fine wool is now imported, subject to, upon an average, a duty of two cents per lb only—which I will hereafter explain.

The manufacturers of Boston and its vicinity, stated, (in their memorial to Congress prior to 1843,) the amount invested by wool growers of the U. States, to be \$240,000,000, and Ex-Gov. Slade, of Vermont, in Congress in 1842, said the whole amount invested in sheep husbandry in the United States, exceeded \$200,000,000. This is more than three times as much as the whole investment in cotton and woolen manufactures. Let us look into details a little, to see where we stand. By the census of 1840, there were about *twenty millions* of sheep in the United States, (I take it at this for convenience, though the return falls a fraction short.) Now, if we suppose our flocks to have increased 10 per cent per annum, since 1840, the number of

sheep in the United States, in 1850, must be 40,000,000 at least, worth \$80,000,000, and our last annual clip worth from \$30 to 35,000,000, it being from ninety to one hundred million pounds. Three or four sheep will certainly require, for summer and winter keep, one acre of land, upon an average—so thirteen million acres of land are required for the support of all the flocks in this country, and at the moderate estimate of \$15 -per acre, including buildings, fences and fixtures, worth \$195,000,000, saying nothing about labor expended in the care of sheep. We have the aggregate amount now invested in this department of industry:

In sheep.....	\$80,000,000
" land.....	195,000,000

Total\$275,000,000

Good judges say the lands, &c., should be estimated as high as \$20 per acre, and the sheep higher than I have above estimated them; and 10 cents a head per year, added to the above total amount, for the investment in labor for tending, feeding, shearing, &c.

It should be remembered that a cent a pound on our annual clip of wool, makes the odds to our wool growers of \$900,000, and I have no doubt that our own wool is depressed in the market 10 cents per lb., by too free importation of rival wools.

Wool growing has been more profitable under the Tariff of 1846 than it would have been, had that of 1842 continued, yet it has not been sufficiently so to prevent farmers in some sections killing off their flocks of fine woolled sheep—in some sections substituting the dairy, in others, the long woolled breeds, in the expectation (mutton and lambs being in demand) of finding their reward.

This has been occasioned by the immense importation of foreign fine wool, principally from South America, east of the Andes, where *nature does every thing, and man comparatively nothing*, in the production of wool. The whole amount of wool imported in 1844, was 23,800,000 lbs., and in 1845, 28,800,000. (I take this as stated in an article in the Jan. No. of the Plough, Loom and Anvil.) A large proportion of all this wool comes from Buenos Ayres, or the Argentine Republic, and the adjoining States; the finest wool-growing region in the world, where flocks of thousands and tens of thousands, belonging in many instances to enterprising foreigners, graze the year round, roaming over vast and almost interminable plains of the richest pasturage, yet of little value compared with our pasture lands, in a climate the most favorable, where the sheep is less subject to disease than with us, and sustained at an expense of land and labor vastly below that of any portion of the United States.

I will here annex a description of such foreign wools as are generally imported into the United States, their cost abroad, and such facts in relation to each as may be important to those interested, making a distinction between the *fine and native wools*, which supplant our domestic wools in the market, and the *coarse hairy wools* which do not, but can only be used in connection with our own coarse long wool, or foreign, the hairy being used for filling in the coarsest and cheapest fabrics. The latter, (the hairy wool,) is not so much imported as it would be, because, as it appears from the official reports, it costs as much abroad as the fine and native wools, which rival our own. A dollars worth of fine wool will produce a fabric of about three times the value of that made from a dollars worth of hairy wool, therefore, practically, the duty

on the hairy wools, is three times as high as the duty on the fine wools, which rival our own; three times as much coarse being required to make a square yard of carpets, as of fine to make a square yard of a fine plaid shawl, in the manufacture of which the fine wools of South America, east of the Andes, are used to the exclusion of domestic wool of all grades, such as cloths, cassimeres, &c.

1st. Buenos Ayres' native Mestizo, or grade wools and Merino.

These wools bear the general character of the wools east of the Andes. I have fair samples before me, which successfully compete with every grade of wool grown in the United States, some of which I send you with this article.

The Buenos Ayres wools are generally imported unwashed, very dirty and burry. The fine, wastes from 60 to 70 lbs. to the 100 lbs. in washing and burring, and comes to the cards 15 cents per lb. *cheaper than our own wools of the same grade.* The expense of burring is about three mills per lb. *I have these facts from a most reliable and intelligent source.* From Buenos Ayres, (or the Argentine Republic,) we imported in 1848, 4,307,428 pounds of wool, which cost there \$267,419, or about 6½ cents per lb. This was over one-third of our whole importation that year. As long ago as 1835, great efforts were made to improve the native sheep in this region. In 1837-8, 1,100 Merino rams and ewes were imported into Buenos Ayres alone, (saying nothing of the adjoining States, where similar improvements were in progress,) under the direction of enterprising foreigners. The natives, stimulated by their example, and encouraged by resident agents of foreign and domestic manufacturers, commenced the improvements of their flocks by crossing them with the Merino, and have now made such progress in the production of fine wool, as to render it impossible for our wool growers to compete with them, under the present tariff of 30 per cent on their wool, which amounts to two cents per lb., and about 15 per cent on its value here, (all expenses being paid,) compared with that of our own domestic wool.

Indeed, one of the largest woolen manufactories in the country, which uses near two million pounds of wool per annum, a few years ago used almost exclusively domestic Merino and grade wools, now uses *as exclusively* the fine wools of the eastern part of South America. But a few years ago, this establishment alone paid about \$300,000 in one year for wool in the western part of Pennsylvania, and now it buys little, if any, domestic wool, but has since bought cargoes of Mestizo wool from this section of South America, and within twelve months, I was informed by one of its agents, that they were not using a pound of domestic wool.

By examining, carefully, the official reports of the importations of wool from different countries, the fact will be fully established, that the wools grown in South America, east of the Andes, being all rival wools, cost not more abroad than the coarse hairy wools of Crimea, Smyrna, Syria, Africa, Chili, or Valparaiso.

The native wool of Buenos Ayres is much like, in the fibre, our common wool, perhaps not quite so soft; the fibre has a spiral curl about it, which distinguishes it from hairy wool; it takes color well; is generally dirty and burry when imported, wastes from 40 to 50 per cent in washing, and from 10 to 15 per cent in burring. It is used generally for all purposes where our common and coarse wool would be used, and comes to the cards, relatively, as much cheaper as the Mestizo. Our own river washed

wool wastes before coming to the cards, about 20 to 25 per cent.

Entre Rios, Rio Grande, Monte Video, wools are about the same quality, generally imported burry and washed. They waste in rewashing and burring from 30 to 35 per cent. Cordova wool is grown about 700 miles back from Buenos Ayres, in a mountainous country, and it is free from burrs. It is generally imported unwashed—wastes about 50 per cent in coming to the cards, and is probably the best long wool imported from South America. It is longer in the fibre than my sample of Leicester or Bakewell wool from Ohio; not so long as my Lincolnshire, or as soft as either, but would be used generally for similar purposes, principally for worsted goods.

The Chilian or Valparaiso, is a long, coarse, hairy wool, imported free from burrs and dirty, wastes about 50 per cent before it comes to the cards, and is manufactured into the coarsest and cheapest goods, such as could not be made exclusively out of any grade of our wool, on account of the expense. The coarser part of the fleece, is often from 14 to 18 inches long, and very different from the wool grown on the opposite side of the Andes, and the vast pampas between them and the Atlantic.

The coarser part of the fleece, resembles more the hair on the extremity of cattle's tails, than any wool grown in the U. S. From the nature of the country and the character of the people, there is little ground to hope that such improvement will ever be made in the flocks as on the east side of the mountains, where single individuals often own from 40 to 100,000 sheep, roaming the year round over vast and fertile plains, the richest grazing region in the world, with little trouble or expense to their owners, except to shear and properly crop them. The shearing is often omitted, the wool not being worth the trouble when labor is scarce and high.

The Peruvian wool is long, coarse and hairy. It is imported unwashed, and wastes about 50 per cent in coming to the cards. The samples I have are shorter in the staple than the Chilian, free from burrs but dirty. This wool is used for the same purposes as the Chilian. Both the last named wools cost abroad, in 1846, according to official reports, made up from invoices filed at the custom houses under the oaths of the importers, the same as the Buenos Ayres and the adjoining States, from 6 to 7 cts. per lb.

The African and Syrian wools have a general resemblance. They have a reddish color, occasioned by the sands of the deserts being blown into them. They are coarse, harsh and hairy—about as long in the staple as our Bakewell, and are brittle. They are used principally for filling to negro cloths and carpets. They are spoken of in price currents, as Syrian, Bengazi, Mogadore and Barbary wool.

The Scotch black faced laid wool, is imported in small quantities. An immense quantity of it is grown on the Highlands. The sheep upon which it grows is hardy and thrives where the more delicate races would die, and makes the best of mutton when well fattened. Upon this wool the English carpet manufacturers draw for a large portion of their supply at about 7 cents per lb., free of duty, and thus they are enabled to hold in check and defeat the prosperity of our domestic carpet manufacturers.

The sheep are not housed on the Highlands, and for protecting them from the effects of the weather and storms, they are covered with a preparation of tar and grease, well rubbed on the fleece. The unlaid wool is from the same kind of sheep, on the south side of the Highlands. This sheep is housed

in cold weather. The laid wastes about 40 and the unlaid about 15 per cent on coming to the cards.

The nearer wool approaches hair, if it will take colors, the better it is for carpets, because it is more elastic, retains the dirt less, and sweeps better. The coarse hairy wools of a brittle staple, are generally used for filling the carpets and negro cloths. With this cheap material for filling, carpet manufacturers could afford to buy our own coarse long wool for warps, but inasmuch as by official returns, (the importation from Crimea and Buenos Ayres, for example,) this pays three times as much duty as the fine, according to what it will produce in money when manufactured; the carpet business is retrograde, and the demand for our coarse long wool of strong staple, very much curtailed, for it is a fact worthy of the greatest consideration, that in proportion as the coarse, brittle, hairy wool is imported for filling, (if foreign long wool is not imported for warps) a demand is at once created for our domestic long wool.

Smyrna, Salonica, and Adrianople wools, are coarse and hairy, rather harsh; staple of medium length. They are imported, washed and unwashed, and waste, in cleaning for the cards, from 40 to 50 per cent, and cost abroad about the same as the best wool east of the mountains in South America.

Crimea wool, grown in the south of Russia, and imported limed and unlimed from Crimea and the Black Sea, is free from burs, and wastes from forty to sixty per cent. Calcutta wool is much the same thing, both resembling dog's hair, more than any wool grown in this country. It is used for filling to carpets, &c.

Cape of Good Hope wool is mostly imported on the skins, called hair skins, which are valuable to, and eagerly sought by morocco dressers. The wool or hair, on nine-tenths of them, is of no value, except to masons. It will not dye or take colors. The native sheep is very large.

In taking this general survey of foreign wools, with their bearing upon the sheep husbandry of the United States, the conclusion to which I have arrived is, that all wools grown in the United States are depressed in the market from six to ten cents per lb., by the present importation of foreign *rival* wools, principally grown in eastern South America. Considering the fact that a cent a lb. on our annual clip, makes the odds to our wool growers of \$900,000, this is a matter for grave consideration; and that if Congress remodels the present tariff, they should put a duty high enough on foreign *rival* wools to give our domestic wool an equal chance with them in our own markets. The immense amount invested in sheep husbandry, the little attention Congress has ever given to the agriculture of the country, and the little aid they can ever render it, under any tariff, justify the farmer in demanding of Congress, in tones not to be mistaken, substantial relief from this ruinous competition with foreign wool. A duty on any of his products, except wool, (say butter, cheese, beef and pork or grain) is as useless as a duty on ice; but that on wool is a *vital matter*. Will it be overlooked, if the tariff be re-modified? *Nous verrons*. H. C. MERIAM. *North Tewksbury, Mass. June 25, 1850.*

P. S.—Since I wrote the above article, I have received from Washington the report of the commerce and navigation of the U. S. for the last fiscal year, from which I take the following:

The importation of foreign wool, the last fiscal year, amounted to 17,869,022 pounds, and cost abroad, as invoiced, \$1,177,347, that is at an average price of less than 7 cents per lb. Over two-

thirds of this whole importation, 12,603,094 lbs. came from Buenos Ayres, invoiced at 769,106 dollars, that is but a fraction over 6 cents per lb.

Sheep Husbandry.

DR. FITCH in his survey of Washington county, N. Y., made under the direction of the State Agricultural Society, furnishes a valuable chapter on the sheep husbandry of that section, from which we take the following, believing that our readers who are engaged in that branch of farming, will be interested and benefitted by his remarks. EDS.

ADAPTEDNESS OF THIS COUNTY TO FINE WOOLED SHEEP.—No section of our country can be better adapted for the convenient and profitable keeping of fine woolled sheep than the eastern half of Washington county. From the Bald mountain range of hills on the west, to the State line on the east, almost every farm contains a portion of interval or permanent meadow, from which hay for winter consumption is gathered; and the remainder consists of hilly upland, yielding a short, sweet, nutritious grass for summer pasturage. To the west of this tract, the level lands towards the Hudson river furnish no such pasturage; and to the east of it in Vermont, the lands become more broken and mountainous, with no intervening valleys supplying the requisite amount of meadow lands.

Most of our hills it is true are susceptible of cultivation to their summits, and at the present period, would be more profitable if given up to tillage. But although the prices of wool render its production little lucrative, it can here be grown to such advantage, that these hills now are covered with flocks, and it is probable they will so continue in all coming time.

After various intermediate remarks in regard to the statistics of sheep and wool for the county, Dr. F. observes:

THIS WILL CONTINUE TO BE A WOOL-GROWING DISTRICT.—This section of country, including this county and the adjoining parts of Vermont, is currently, and so far as we are able to determine, correctly regarded as being by its climate, its inland location, and the inequalities of its surface, more closely assimilated to the kingdom of Saxony than is any other part of the American continent. Its character as a wool-growing district has been amply tested. And all things considered, it must be admitted that it has every prospect of remaining conspicuous as it now is for the number and fineness of its flocks. Naturally adapted as it is for the keeping of fine-wooled sheep, extensively introduced and acclimated among us, as this species of stock now is, and experienced in its management as our population has become, there is every probability that this will continue to be a wool-growing district, second to no other in our land.

But of this county it may confidently be affirmed, it will never be occupied exclusively in the production of wool. Agriculture will always form a large part of its business. Susceptible of easy cultivation as nearly all the lands of this county are, the relative prices of grain and of wool, will at most times, it is probable, pay better for the production of the former than of the latter. It may hence be expected that so much of his land as the farmer can till within himself, that is, with his own personal labor and that of his household, will always be under cultivation; and at the same time, a flock of sheep, requiring as it does, but little time and attention during the busy period of the year, will oc-

copy that portion of the farm which is least convenient for tillage, and thus add an important item to the proprietor's income. This is their great recommendation. Without increasing in any sensible degree its expenses, and without interfering with and hindering its other operations, a limited number of sheep can be supported, mainly upon such portions of the farm as would otherwise be neglected and for the time valueless. And this has saved our flocks from extermination during the low prices of wool for the past few years. Having withstood this disastrous period so well, it may confidently be expected that no depression in the wool market can ever occur which will have the effect of expelling them from this district. When the price of wool is low, their numbers will be diminished and more ground devoted to agricultural operations; and whenever the production of wool is *per se* profitable, their numbers will be increased, and then also, lands valuable for cultivation will be appropriated to their maintenance. Thus, wool will always be grown here in large quantities, but its amount will be augmented or diminished according to the condition and prospects of the market.

Immediately to the east of us, the condition of things is different. Here is a large tract of hilly and mountainous land, little of which is capable of being profitably cultivated, but which is admirably adapted for the pasturage of sheep. These will here be kept in large numbers, irrespective of the fluctuations of the wool market—it being the only thing to which these extensive mountain ranges can be advantageously devoted. And the flocks there summered, will be brought down for their winter keeping, to the plains of this county, particularly the low lands towards the Hudson. This is the established management of some flocks at the present time—tracts of land in the town of Fort Edward, and other tracts twenty or thirty miles distant in Vermont, being owned by the same proprietors, the latter their pasture, the former their meadow, their flocks being annually drove in the autumn to the former, and in the spring returned to the latter. To no other business can the mountain ranges of Vermont probably ever be more profitably appropriated, and they will hence settle down into this mode of management to a much greater degree than at present prevails.

Hence our anticipations are, that the hilly district forming the eastern part of Washington county, will ever abound in sheep, deriving their summer and winter keeping from the same farm, and that the level lands of the west part of the county will be devoted largely to the growing of hay, for wintering the flocks that will be summered upon the Vermont mountains—thus keeping up the same distinction which exists in Spain, a portion of the flocks being *Estantes* or stationary, and the others *trankumantes* or migratory.

INFLUENCE OF KEEPING ON THE FINENESS OF WOOL.—On this point it is remarked, that—what the fleece gains in weight by high keeping, it partially loses in quality. This is the current opinion; though to demonstrate it, requires such a discrimination of the nice shades of difference that exist in fineness as no one among us has the requisite facilities for making. The opinion, however, is so rational as scarcely to need the evidence of an actual demonstration. High keeping cannot add to the skin of the sheep an additional number of bulbs or glands for secreting woolly fibres; it can only increase the activity of those already existing there, thus causing them to elaborate the matter of wool more rapidly; like a sieve or strainer overloaded

with material, a greater quantity and of a grosser quality passes through. Hence, on the best established physiological principles, with the fact ascertained that high keeping increases the quantity of wool, it will follow that it does so by increasing both the diameter and the length of the fibers, but not the number of them. If high keeping increased only the diameter of the fibers, nothing would be gained by it, as the additional weight would then be wholly at the expense of the fineness. But it adds to their length also, we must believe, in the same ratio that it adds to their diameter. High keeping, therefore, cannot be regarded as either vain or pernicious. The only valid objection to it is on the score of economy.

EXPENSE OF KEEPING SHEEP.—As we have already seen, the annual income from sheep, of the kind of which most of our flocks are composed, has of late years, been less than one dollar and twenty-five cents each. Nay, it is known to be a fact, that many of our common flocks in some of these years, have brought their owners a return of only seventy and eighty cents to each sheep. How this compares with the expense of their keeping, we come next to examine.

The current charge for pasturage is from one and a half to two cents per week. The first of these sums is the lowest for which pasturage is ever hired and it is only upon the mountain lands adjoining us in Vermont that it can be obtained for that price. And the time required in driving and occasionally repairing hither to see to the welfare of the flock is more than equivalent to an additional half cent. Sheep are pastured somewhat more than half the year; say thirty weeks. This at two cents per week amounts to sixty cents. When pasturage is hired by the season, however, as it sometimes can be, the current charge is fifty cents. About the same result will be arrived at in another mode of estimating it. Twenty-five acres of good pasture land is regarded as the least that is adequate to sustain a hundred sheep. Such land is sometimes bought for twenty-five dollars per acre, though it is currently valued at five or ten dollars higher than this. Six hundred and twenty-five dollars may, then, purchase the requisite amount of pasture land for maintaining one hundred sheep. Thus, without taking into the account the cost of keeping up fences, &c., the mere interest on the value of the land will be forty-three dollars and seventy-five cents, or forty-three and three-fourth cents for each sheep. On the whole, therefore, fifty cents must be regarded as the lowest sum for which a sheep can be kept through the summer.

With respect to wintering. Fourteen tons of good hay is the least quantity that any one supposes the strictest care can carry a flock of one hundred sheep through the winter upon, and more than this is usually fed. The established price of hay with us, in ordinary seasons, is six dollars per ton. This amounts, therefore, to eighty-four dollars for the flock, or eighty-four cents for each sheep.

Such, from all the information I can gather, appears to be a fair estimate of the expense of keeping this species of stock. The estimate is made as low as the facts will warrant. In addition to this we have a number of minor items very variable in amount, according to circumstances, and hence impossible to reckon up with any degree of precision, such as the time spent in foddering and other necessary attentions, the cost of washing and shearing, the value of salt, tobacco, tar, spirits of turpentine and other six-penny-etceteras that are yearly required. It is commonly estimated that the in-

crease of the flock, under ordinary circumstances, more than makes good its own losses and balances these items, thus leaving the sole article of food to be paid for from the wool. The summering then being fifty cents and the wintering eighty-four, unless the sale of the wool amounts to one dollar and thirty-four cents to each sheep, the grower is parting with it for a less sum than it costs him to produce it.

Our farmers have been aware, that the prices of wool of late years, have not paid the cost of its production, and that if devoted to dairying or the raising of grain, their lands would yield a much greater income, than to be stocked with sheep. But being already skilled in sheep-husbandry, with portions of their farms better adapted for this than any other use, with flocks already on their hands, and all the facilities provided for their management, rather than incur the expense of a change, they have clung to their sheep year after year, with the expectation that a turn in the market would certainly take place, which would render the business more lucrative. A slight revival in the price of wool at this present time, is hailed as the harbinger of better times, and excites strong hopes that a brighter day for their interests is about dawning.

Short-horned Cattle.

The tribe of cattle called short-horns, has been known in some of the eastern districts of England for many years, but by most British authorities is not regarded as indigenous to the island. It was probably introduced from the continent of Europe. Thus Sir William Jardine, in the *Naturalist's Library*, says—"The short-horned breed were originally from a Dutch stock." Culley says—"It is pretty evident that our forefathers have imported these [the short-horns] from the continent: first, because they are still in many places called the Dutch breed: second, because we find these cattle nowhere in this island except along the east coast, facing those parts of the continent where the same kind of cattle are still bred." (*Observations on Live Stock*," written in 1785, p. 18.) Youatt, in relation to the original stock of British cattle, observes that "the battle has been stoutly fought between the advocates of the middle-horns and the long-horns," but that the short-horns can have no claim to be considered aboriginal, being "evidently of foreign extraction." (*Treatise on Cattle*, p. 9.) Martin says—"with respect to the short-horned breed, or the Durham and Holderness stock, often called the Dutch or Holstein, we have already expressed our opinion that it is not of ancient British origin, but that it is from a race spread over the northwestern portion of the continent, and prevalent in Guilderland, Utrecht, Holland, &c." (*The Ox*," p. 56.

These remarks refer to what are now called the "old" short-horns, in contradistinction to the improved variety of that breed—a variety which within the last forty years has been extensively disseminated, and is now well known in this country. The origin of this improved variety, has formerly been the subject of much controversy in England, though for several years it has been but little agitated there. On this side of the water, however, some late attempts have been made to enlighten the public mind on this subject.

In the *Transactions of the N. Y. State Ag. Society* for 1849, Mr. AMBROSE STEVENS gives what he calls a "history" of certain short-horn

cattle. This history is given as *his own*, no reference being made to any authority, except in a brief note, in which we are told where the histories of the Aislabie and other families, (not the history of the cattle,) may be found. Mr. Stevens begins thus:

"The ancient family of the Aislabies which came into England from Normandy with William the Conqueror, established themselves, prior to 1300, at Aislabie, on the river Tees, in the county of Durham, and the manor, their estate, was called after the family. As early as 1600 the family was known to possess a most extraordinary tribe of cattle."

He then labors to show that from the cattle possessed by this Aislabie family, are descended some of the short-horns now belonging to several individuals; though he does not distinctly assert that any animals now living are *wholly* of this ancient blood.

Admitting the main points of the above quotation, the first inquiry which arises is, where did the cattle alluded to come from, and of what breed were they? The Aislabie family, it is said, came from Normandy with William the Conqueror, (in the year 1066,) and "as early as 1600," or *five hundred and thirty-four years after they came into England*, they possessed an "extraordinary tribe of cattle." Did they take this stock of cattle with them from Normandy, or when and where did they obtain it? Were they long-horns, middle-horns, short-horns, or no-horns? On these points Mr. Stevens is silent. The most natural inference from the tenor of the language would be, that they were Norman cattle brought into England by the Aislabies.

But as we follow Mr. Stevens' "history," we find that "the Pennimans of Ormsby, in Yorkshire," are said to have become possessed of the *same stock*. Here, then, we have a key by which we may ascertain what this Aislabie stock was. In mentioning "the Pennimans," allusion is probably made to Sir James Penniman, who, according to various authorities, was many years ago in possession of a valuable stock of cattle. In the pedigrees of some of the first short-horns recorded in the *Herd Book*, the stock of Sir James Penniman is frequently spoken of, and it is stated that it was derived from Sir William St. Quintin, of Scampston. Rev. Henry Berry mentions the same facts, and states that St. Quintin was one of the early improvers of the short-horns. This Penniman stock, therefore, (which by Mr. Stevens' "history," was the same as the Aislabie stock,) was derived from St. Quintin, and to show what was St. Quintin's stock, we will refer to authorities.

The late Major Rudd, of Marton-Lodge, near Stockton-on-Tees, writing to the *Farmers' Journal*, under date of June 23th, 1821, says: "The sire of Hubback was descended from the stock of Sir James Penniman, who obtained the breed from Sir William St. Quintin. I was intimately acquainted with Sir James Penniman's steward, who has repeatedly assured me that Sir James told him this breed was a cross between the old short-horns and the Alderney [or Normandy.] Sometime ago, I happened to read the *New Farmers' Calendar*, fourth edition, published in 1802, in which at page 393, is the following passage:*

"Yorkshire is famous for the Holderness or short-horn cows. This large breed came originally from Holstein and the low countries, and was, until o.

* The same passage occurs in the fifth edition, page 493.—F

late years, too coarse and Dutch built; they have been much improved in symmetry and fineness of bone and flesh, by a judicious cross with the Norman cattle. For this improvement I understand the country is indebted to the exertions of the late Sir William St. Quintin. They are now very excellent and beautiful stock, and many of them are made fat at three years old."

It is proper to remark, in passing, that Major Rudd was for many years one of the most distinguished breeders of improved short-horns in England, having purchased at Charles Colling's sale, in 1810, the very best, and with the exception of Comet, the highest priced animals of that celebrated herd, viz: Petrarch, at 365 guineas; Lily, at 410; Countess, at 400; and Peeress, at 170 guineas.

Lawrence, in his *Treatise on Cattle*, published in 1809, says, at page 57,—“The extreme coarseness and size of the Northern short-horns, led to the introduction of Norman or Alderney bulls, at some period of the eighteenth century, with the precise date of which we are unacquainted. Never was there a more fortunate cross.”

But it appears that St. Quintin made other importations. Rev. Henry Berry, in his pamphlet entitled “*Improved Short Horns and their Pretensions*,” written in 1824, says, at pages 16, 17—“Sir William St. Quintin imported cows and bulls from Holland; and it may be added that from him Sir James Penniman, who possessed estates in the counties of Durham and Northumberland, and was desirous to extend the breed further north, obtained the cattle necessary for his purpose. From these he presented six cows and a bull to Mr. George Snowden, of Hurworth, his tenant.” It should be remembered that “Snowden's bull,” so called, was the sire of Hubback.

The same importation is probably alluded to by Culley in his “*Observations on Live Stock*,” published in 1785. He says—“About 70 or 80 years ago, one of the St. Quintin family introduced a bull and some cows from Holstein.” The same writer notices other importations, as follows:—“I remember a gentleman of the county of Durham, a Mr. Michael Dobison, who went in the early part of his life into Holland, in order to buy bulls; and those he brought over, I have been told, did much service in improving the breed; and this Mr. Dobison and his neighbors, even in my day, were noted for having the best breeds of short-horn cattle, and sold their bulls and heifers for very great prices. But afterwards, some other people of less knowledge going over, brought home some bulls that in all probability introduced into that coast the disagreeable kind of cattle well known to the breeders upon the river Tees, and called lyery, or double-lyered, that is, black-fleshed, for one of these creatures, notwithstanding it will feed to a vast weight, and though you feed it ever so long, yet will not have one pound of fat about it, neither within nor without.”

The animals of these various importations were undoubtedly crossed with the stock previously in the country, and (with the exception of the last named,) probably aided in producing the variety to which the term “improved short-horns,” has been properly applied.

We did not commence this article with a view of giving a full account of the short-horns—improved or unimproved; but there is one important fact to which the testimony here quoted tends, that should be borne in mind, viz: that the improved short-horns are a *mixed breed, produced by crossing*. Much other evidence of a like nature might be adduced, and even Mr. Stevens' “history,” so far as it means anything, tends to the same end.

Letters from Prof. Norton—No. 9.

On the Importance of Extended Chemical Investigations.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., August 5th, 1850. }

MESSRS. EDITORS—It may seem to many that the time has long passed, when it was necessary to write for such a paper as the *Cultivator*, on such a topic as I have selected for the theme of my present letter. I think, however, that a little reflection will convince any impartial and observing mind that we have as yet only begun to impress the great mass of the farming community, with a due sense of the importance of this subject.

It is common to say, that there has been a change within a few years in this respect; that farmers are now rapidly becoming convinced that there is something to be learned from scientific investigation; this is all true to a very great extent, and I will even acknowledge that in many districts, direct encouragement to such investigations has been given. Our numerous and flourishing agricultural societies, and ably conducted agricultural journals, are all so many evidences of advance, and of an awakened spirit of inquiry.

The farmers that one encounters at the shows of these societies, and those who take these journals, are as a class, ready to admit that there remains much to be done before they can be said to fully understand even the practice of their profession; and also that they are prepared to believe in the possibility of deriving great advantage from the labors of scientific men.

If all these things are so, it may be said, why complain of the farmers? why say that they hold back in the cause of improvement? This objection would have much force, were it not for the fact that after all, the class of which I have spoken, constitutes but a comparatively small part among the great agricultural population. Even the admirable shows of the State of New-York, fail to collect more than a small proportion of her farmers, although the actual concourse is immense. How many thousands there are in that State who scarcely know that such a show is ever held, excepting perhaps when it chances to come into their immediate vicinity. Many other States have no State show of any description. In a county with a population of a hundred thousand, it would be considered a successful agricultural show, which should draw together a thousand or two of people; and a gathering of more than two or three hundred of these to hear an address, on some scientific or practical topic, would be thought quite creditable. There are of course exceptions to this state of things, but I now speak of the country in general.

These facts no one can controvert; it seems then, that after all, but a comparatively limited portion of the farmers are aroused, even to the necessity and advantage of these simple steps towards improvement. Again, in going through our villages, how many people do we find, who never read any of the agricultural newspapers or periodicals, and who are ready to declaim against them all as useless. How limited is the sale of even the largest and most ably conducted of these periodicals, compared with what it ought to be, if all appreciated its value.

But I desire to go a step farther, and to leave out of the question all those who may be considered entirely uninterested and incredulous on the subject of improvement; and to ask, how far can we depend on those who attend fairs and shows with

much interest, who read papers and hear addresses, with some degree of attention. Surely here we may look for the fullest approval in every scientific movement, and in any educational movement; here at last, in place of ridicule and contempt, we shall find warm encouragement and assistance. How far these anticipations are realized, those who have had occasion to present such subjects, can testify. With the farmers constituting a majority in most of our legislatures, projects for educational establishments having their interest in view, are suffered to lie neglected, or even despised, year after year, while money is at the same time voted away by thousands through the votes of these same farmers, for comparatively trifling objects with which they have little or nothing to do. This evil is gradually lessening, but yet strong manifestations of it may be seen in almost every capital of state, during each legislative session. Can any one doubt, that the farmers when once convinced that money can be appropriated with benefit to the cause of agriculture, will hesitate to appropriate it so far as is necessary? Can any one doubt, but that if they were fully and really convinced, they would do it now, freely and not grudgingly? So far is this from true that even in three States where appropriations have been made, it has been amid doubts, fears and opposition.

The conclusion forced upon the mind by such reasoning, and such facts, as the foregoing, is, that the majority of the farmers in our States are not yet prepared to advance very rapidly, and are not sufficiently imbued with a spirit of improvement. Many of them are, as I have said, disposed to the vague belief that some improvement is needed, but they are inclined to rest in the expression of this belief. They are not ready to *take active measures* to bring this knowledge into practical forms, and within their reach, or to aid in its increase. They shrink from actual innovations, although *theoretically* they may be brought to acknowledge them possibly advisable. In short, what the mass of farmers call a *conviction*, as to the merits of scientific agriculture, is merely a somewhat favorable prepossession; if they were really convinced that there was much to be learned from it, they would not be so foolish as to neglect decisive and prompt measures for bringing a knowledge of it within their reach. In such a case men of science would not be, as it were, compelled to produce the results of their labors and to apply them to practice, in a sort of apologetic way, as if for meddling with what they did not understand; but they would be sought after and encouraged, and urged forward in every possible way.

It is strange that, after all which has been already done, such a spirit does not show itself more strongly; while, too, the advantages from the application of chemistry, or of the other sciences, to practice is so extremely capable of proof.

Suppose, for instance, a farmer entering upon a new soil, of which he knows nothing, either in respect to its composition, or its physical properties. He wishes to grow wheat upon it, that being perhaps the best crop he can raise, if it will do well. His only way of deciding this question is by actual experiment; for there are some soils that look perfectly well to the eye, and yet will not grow good wheat. If the crop fails, his labor is all lost, and a year of his life has gone also. To this it may be answered, that manure is all that is needed, and that any farmer knows it already, without thanks to the chemist. This is true to a certain extent, but in many cases experience has shown

that common manure will not produce good wheat, even when heavily applied to the land. Here then occurs the necessity for chemical analysis; by its means we are enabled to ascertain what are the substances, what are the proportions of the substances, that are contained in this grain; so much being done, it then remains to examine the soil also, and to ascertain of what this too is composed. If there are several substances present in the wheat, which are not present, or only present in small quantity in the soil, the whole subject becomes clear at once, and the great principles are established, by means of which such immense advances have been made in modern times; the principles of special manuring, that is, of supplying special deficiencies by additions of particular substances, which common manures cannot furnish in sufficient quantities.

We may also suppose a case, where the farmer cannot obtain enough of common yard manure for the extent of ground which he wishes to crop with wheat. Knowing the composition of the grain, he can look about for something which will answer for its food; though here again he is helpless to a considerable extent without the labors of the chemist, to tell him whether manures or substances that he has never seen before, are really what he wants. Can any reasonable man deny that chemistry is valuable in each of these cases; cannot all, on the contrary, see that if the researches of the chemist had been much more extended, had been carried so far as to explain every change which takes place from germination to entire ripeness, and all of the differences in the varieties of this grain, that a fund of knowledge would have been collected of the very greatest importance to every practical man.

In my next letter I propose to write somewhat more at length relative to the necessity of such extended investigations as the one alluded to above, and as to the way in which they can be encouraged. Yours truly, JOHN P. NORTON.

Of Plows and Plowing.

EDITORS OF THE CULTIVATOR—In the Cultivator for March last, there are some ideas of mine upon "Plows and Plowing." I there mentioned that, with such plows as I had used, I had not been able to turn stubble land in a manner that seemed to me to be the most desirable, nor to plow so deep a furrow in green-sward land as I wished; that I had stated my difficulties to Messrs. RUGGLES, NOURSE, MASON & Co., and that they were getting up some new patterns of plows with the intention of obviating my difficulties. These gentlemen have now completed three sizes of a new plow for green-sward, and two sizes for stubble land, one of the largest of each sizes of which I have tested thoroughly, and I am now happy to be able to say that they meet my wants entirely.

The mould-board of the stubble plow is of a considerably shorter construction, and is wider at the heel in proportion to its length, than that of any good sod plow; and this gives it great turning power, enabling it to take up its loose furrow-slice, throw it *all* over to the desired place, completely inverting as well as pulverising it, and leaving a clean channel behind for the reception of the next furrow. The castings, both of the mould-board and land-side, are considerably higher than is usual in plows, which prevents stones and clods of earth from falling over and down between them, and thus aiding to fill up the furrow channel. The beam, immediately forward of the standard-bolt of the cast-

ings, is high and arching, giving a clear space of eighteen inches between the beam and the sole of the castings. When the plow is at work in the furrow, the extra space left between the surface of the ground and the plow-beam, in consequence of the increased height of the latter, effectually prevents the wadding up of stubble, coarse manure, or other impediments, immediately forward of the standard; and thus are avoided those vexations so frequently experienced when plows of the common construction are used.

In June last, for the express purpose of testing this plow in regard to its ability to keep itself clear from clogging, I spread a dressing of the coarsest kind of long manure over an acre of corn-stubble land, and set the plow at work in furrows 8 inches deep. The acre was plowed, and the manure all covered, without once stopping the plow to clear it, and without any effort on


my part to prevent its clogging. With this implement, the plowman may choose any furrow he pleases from five to twelve inches deep. The small size of the stubble plow is intended to meet the wants of those farmers who work their stubble lands with light teams. The largest size is easily drawn in sandy or gravelly loams by a pair of stout horses or oxen, if the furrow is not more than eight inches deep.

The green-sward plow is of quite different construction from that of the stubble plow. Its point is long, rising very gradually toward the standard, with a share gradually widening to its full breadth and cut.—The plow enters the ground in the form, so to speak, of a long tapering wedge, lifting the furrow-slice

in a gentle and easy manner, laying it smoothly over into its proper place, with an easy draught by the team, and with little assistance from the plowman. It has also a space of eighteen inches between the beam and the sole of the castings, which prevents all clogging. The roller is attached to the side of the beam, instead of being placed under it, and consequently, it can be made ten to twelve inches in diameter, thus avoiding that constant groaning and laboring upon the axis which is liable to occur where small rollers are used. The dial-clevis and draft-rod, by which the team is attached to the plow, is an improvement, I think, upon the common clevis. Besides being a stronger and more durable attachment, it enables one to set his plow with entire accuracy in any desired furrow, from the shallowest and narrowest to the deepest and widest, that it is capable of taking.

The largest size of the green-sward plow is intended for the draught of four cattle. I have used

it, and it works well in furrows all the way from six to twelve inches deep, but it delights especially in deep furrows. When set for plowing a foot deep, the most proper width for it to take is sixteen to seventeen inches; and the width of course lessens with the lessening of the depth. The next size is a three cattle plow, to be used in furrows not exceeding nine or ten inches in depth. The smallest size is a two cattle plow, designed for furrows not exceeding seven or eight inches in depth. The




Ruggles, Nourse, Mason & Co's New Stubble Plow

height of beam is the same in all the sizes, and the general form and principles of working are the same; the variations being in the amount of work done, and the force of team necessary to do it.

The accompanying cuts show the general form of these plows.

F. HOLBROOK.

Brattleboro', Aug. 12, 1850



Ruggles, Nourse, Mason & Co's New Sward Plow.


DRILLING WHEAT.—The Michigan Farmer states that the two portions of a wheat field were sown at the same time, one with a drill, and the other broadcast; the drilled portion presented a far more vigorous and luxuriant appearance, and although the wheat had not been cut, the difference was estimated at one-third increase. The broadcast portion consumed a bushel and a half per acre; the drilled, but half a bushel.

ETHERIZATION OF BEES.—Prof. DEPAVS, of the veterinary school at Brussels, has successfully applied the vapor of ether to bees, in order to deprive them of their honey without taking their lives. The vapor was blown into the hive through a glass tube, and the bees were soon made entirely torpid, in which condition they remained for some time, but subsequently revived, and were as lively and healthy as ever.

CHAPIN'S PORTABLE CIDER-MILL AND PRESS.

This machine, invented by Mr. NATHAN CHAPIN, of Syracuse, is arranged in one compact body upon a sett of common wagon wheels, and is drawn from one orchard to another, by a pair of horses or oxen. It operates while standing upon its wheels, and it is said it will make from 12 to 20 barrels of cider per day, with the help of two men and one horse.

They are also made in small form, about the size of a Fanning Mill, and conveyed and operated by hand, in a barn or cellar, at pleasure. [See advertisement of Mr. Chapin, of Syracuse, the patentee, in another part of this paper.]



BROWN'S COUPLING FOR PIPES AND HOSE.

The annexed engraving represents two perspective views of an apparatus for "coupling hose and pipes," for conducting fluids, recently invented by A. HEYER BROWN of this city, for which he has received letters patent. The obvious advantage of this mode of connecting pipes or hose, consists in the celerity with which the operation may be performed by a single motion of the hands, instead of the method at present in use, which requires a number of turns to be given to the coupling boxes, corresponding with the number of threads or turns in the thread of the screw; and in all operations of the kind when the time required to form or sever a connection is of consequence, as in the case of fire engines, locomotive tenders, &c., it will readily be perceived that this mode possesses a decided advantage. The patentee has a number of specimens of the article of the size used by the Albany Fire Department, which he will be pleased to exhibit to such as may call on him for the purpose, at his room No. 17 Commercial Buildings, corner of Broadway and Hudson streets, Albany.

The coupling A, consists of a hollow metal ferule, *a*, attached to the hose by the method now in use. This ferule is enlarged at its other end to form a cylindrical shaped cup or hollow box, *b*; the edge of which *c*, is of sufficient thickness to form a firm bearing against the flat, corresponding part of the coupling, B.

The coupling B is a hollow metal ferule, *g*, attached to the hose, and is of equal bore to the ferule, *a*. At its extremity it is enlarged to form a flange, *h*, equal in diameter to the coupling A. The edge of the face of this flange at *s*, towards A, is turned at right angles to its axis, so as to bear truly against the edge *c*, when the couplings are united.




Fig. 1.—A view of the couplings when separated and the end of each part turned toward the spectator.




Fig. 2.—A view of the same when connected.

The *i* in figure B and *g* in figure A represent the position of a hexagonal rim, or surface, immediately behind the flanges *b* and *h*, designed for the application of wrenches, when necessary to connect the couplings firmly, or to disconnect the same.

A drone should be as rare in society as in a hive of bees, and almost deserves to be treated the same.

The Potato Disease.

EDS. CULTIVATOR—Disease has once more fallen upon the Potato crop. A few words upon its *signs and progress* may not be uninteresting though they cannot be new, as they will be mainly, though not entirely, a repetition of the experience of former years.

The potato crop in Central New-York, came up late this season in consequence of a cold and wet May. It grew rapidly during the month of June, but was not fully in flower until nearly the middle of July, in consequence of the general lateness of the season.

The first intimations of disease upon it were noticed after a pretty heavy rain, on the 23d and 24th of June, followed by cool weather on the 25th, on which day I noticed that the small and half formed rosettes of flowers were paralyzed and falling off unopened.

The next, and much more severe check which this crop received, was from the heavy rains of the 2d, 3d and 5th of July, followed by cool nights on the 5th and 6th, the thermometer sinking on the following mornings to 50°. There was not, however, in connection with these cool nights, the same coolness and chafing wind during the day, that I have noticed, in former years, in connection with the origination of the potato disease. Immediately after these rains, i. e. on the 6th, I observed a most marked pallid look in the potato crop, attended with the withering of the top of the leading shoots, more especially at first a single leaf, and the falling of all the flowers whether expanded or not. Here let it be asked what would be the consequence of any considerable check in the growth of this or any other plant? Would it not probably show itself at the tenderest points, i. e. upon the last formed leaves, and the flowers? Can there be then a more convincing proof that *potato disease, which always commences with this pallid aspect of the foliage, attended with the withered leaf and falling flowers, all in connection with sudden and severe changes of the weather, is legitimately the result of such unsteady weather?*

These heavy rains filled the plant with weak juices and saturated and chilled the soil so as to shut out the influence of both sun and air, and thus prevent all healthful elaboration in the plant. Meanwhile chemical tendencies would become more powerful than vital energies in the plant; and the result would naturally be morbid elaboration, and eventual disease, in the foliage in the first instance, and remotely in the tubers. Where this withered leaf is seen, the end of the shoot, in nearly every instance, either dies or hopelessly dwarfs; and its place is taken, if the plant should recover its energies, by the development of the bud in the axil of the next leaf below. After the effect of these rains and chills of the first week of July passed off, the verdure of the potato crop gradually recovered. Much of the succeeding portions of the month, however, was wet and hot; the atmosphere was like a hot vapor bath, a state of weather undoubtedly unfavorable to the health of an enfeebled plant, such as I consider the potato now to be.

July 16th, two days after a heavy and warm rain, I noticed the first *blue edgings* on the leaves of the potato seen this season. This is a fearful indication, as it almost always spreads rapidly, and is always speedily followed by death to all the leaves so marked.

After this there was a slight recovery of the healthful verdure of the crop, which continued until the 25th, when a slight shower, followed by a

chill on the 26th and 27th, reducing the morning temperature down to 52° and 49°, and once more brought pallid looks and increased the withered leaves and falling flowers.

August opened with a continuance of all the preceding morbid indications, especially with a very rapid increase of blue tips upon the upper and outer leaves of the plant, and iron-rust spots upon the lower and inner leaves.

Whole fields of early planted potatoes now look as though lately invaded by a scorching flame. During the present week, I and my neighbors have frequently found tubers marked with tender, reddish spots on the cuticle, beneath which the flesh begins to be a little soft.

What the result will be, no one can tell. It may be hoped that some very late crops will find cooler and more even weather, and so mature a fair crop of healthful tubers, just as was the case last year; although, as a general rule, it is undoubtedly true that early planted potatoes do best.

It is yet too early to know how fatally the tubers of early planted crops of potatoes will be diseased, but I anticipate painful results.

It is a melancholy work to watch the progress of disease on this valuable plant from year to year, and to feel how imbecile are the most of our efforts to avert it or arrest its progress.

In harmony with the suggestions of my published essays on this topic, I am laboring to renovate the potato—*first*, by successive reproduction from seed balls, gathered from our strongest existing varieties, and *secondly*, by importations from South America, whence I have tubers brought both from *Bogota*, in *New Grenada*, and also from *Chili*. These last I appreciate not as a race of tubers to be made the basis of cultivation, but as a supposed pure and hardy source of new seed balls.

Should it be asked how the morbid indications of the present harmonises with those of former years, I answer most exactly. There is one difference in circumstances however. They are more obviously connected with hot and wet weather, and less with that which is cold and windy, than in former years. The relation of disease to different soils, aspects, modes of culture, varieties, &c., I have hardly had time to examine, nor is it quite time to fully know.

An argument, derived from the culture of other tropical plants, has been adduced to show that the potato, in common with most other tropicals, suffers from sudden alternations of weather. It is yet too early fully to illustrate this argument from the culture of the present year. It may be observed, however, that tropical plants have grown less vigorously than in some former years, but that, as there has been an absence of severe and sudden chills, so the *foliage* of these plants has not been diseased as much as in former years. The fruit of these plants also has suffered less than in former years. I now refer especially to cucumbers, melons of all sorts, summer squashes and beans. Tomatoes show a strong tendency to the wet rot. The dry black induration upon this fruit, noticed in former years, in connection with the potato disease, has not yet been seen this year. The time has not yet come for some tropical plants to show all the morbid indications to which they are liable, as their fruits are not yet matured.

It has been advised to mow off potato vines, when first struck with disease, in the hope thus of preventing its communication to the tubers. The only case where this would be applicable is that in which the tubers are large enough to be worth saving. In such a case, and where the approach of disease was

sudden, as in 1846, I certainly would do it. There is, however, usually this practical difficulty about it: the disease is often permitted to make too much progress before it is attempted, and then it can do no good. There is also always a hope that it will be light, and that the vegetation of the potato will, after suffering awhile, recover and mature its tubers in a tolerably healthful condition.

In conclusion, so uniform are the morbid indications of the potato, taking sorts, soils, modes of culture, and time of planting, into consideration, and connecting all with changing states of weather, that I have almost ceased to feel any curious interest in them. A melancholy interest all, however, must feel. I have no hope of a permanently better state of things while our old varieties continue to be cultivated.

The alternative to which we are fast being driven is, I think, regeneration or ruin. C. E. G. *Utica*, Aug. 10, 1850.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Irrigation of Gardens.

From repeated experiments, we are induced to draw the conclusion, that next to manure, the great prime mover in successful culture, there is nothing more important to vegetable growth in many cases, than irrigation. Practical gardeners in countries far more moist than our own, regard it as indispensable, and a large share of their success depends on copious waterings.

Some interesting instances which have recently occurred may be worth stating. Two rows of raspberries stand on ground in every respect alike, except that one receives the drippings from a wood-house, and the other does not. The watered row is fully four times as large in growth as the other. Again,—the berries on the bushes of the Fastoff and Franconia raspberries were at least twice as large when the soil was kept well moistened, as afterwards when allowed to become dry; a repetition of the watering again doubled their size. Again,—a near neighbor who cultivates strawberries for market, and who uses a water-cart for irrigating the rows, raised at the rate of one hundred and twenty bushels to the acre on common good soil by this means—and he noticed that where the cart was left standing over night so that the water gradually dripped from it for some hours upon a portion of the plants, the fruit had grown to double the size of the rest, in twenty-four hours.

It should be observed that these advantages of a copious supply of water pertain chiefly to small or annual plants. The roots of fruit trees being larger and deeper, are to be supplied with moisture in a different way; that is, by a deep, rich, mellow soil, kept moist by cultivation, or by covering thickly with litter. Water applied to the surface, rarely descends so low as the roots, and only hardens the soil to a crust.

Striped Bugs.

John W. Bailey, an enterprising fruit raiser of Plattsburgh, N. Y., gives the following method in the *Horticulturist*, which he has found the only one effectual under all circumstances: "Take 4 pieces of boards about 2 feet long and 7 to 10 in width, [we presume he means 7 to 10 inches and not feet, *Eds. Cul.*] nail the ends together, and put around

the hill vines, and no striped bug will ever be found inside (if not there when the box is put on.) Three or four short boards put around the hill and kept there with wooden pins will answer the purpose equally well. This season the bugs had destroyed more than half my vines before I put my boxes on. I then planted the vacant hills inside the boxes; not a bug came on the vines after that, until I supposed the young vines last planted, were strong enough to defy the bug, when I removed the boxes, and they were immediately attacked again, and I was obliged to replace the boxes. I have tried this for several years."

American Pomological Congress.

An invitation is given by the officers of this institution, which holds its next meeting at Cincinnati, on the 11th, 12th and 13th days of this month to all agricultural, horticultural, pomological, and kindred societies in the United States and Canadas, to send such number of delegates as they may deem expedient. Specimens of fruits are also solicited, "with lists of the same, and also papers descriptive of their art of cultivation, of diseases and insects injurious to vegetation, of remedies for the same, and whatever will add to the interest and utility of the convention."

Packages of fruit not accompanied by the exhibitor, to be sent to JOHN F. DAIR & Co. Lower Market street, Cincinnati, O., very distinctly marked, "*For the Am. Pomological Congress.*"

Delegates are to forward their certificates to J. B. RUSSEL, corresponding secretary of the Cincinnati Horticultural Society, and to report themselves on the 11th at the *Burnet House*.

The Michigan or Prairie* Rose.

(*Rosa rubifolium*.)

None can be better adapted for pillars than the Prairie Rose. It is more hardy than the Ayrshire in some localities, and more vigorous in its growth than the Boursault. Its colors are fine, though there is room for improvement,—for if we could give to its flowers the brightness of *Coccinea superba*, the dark richness of *Miralba*, or the pure white of *Madame Hardy*,—their beauty and splendor would be much increased.

It is now scarcely ten years since much was known of its double varieties. It is true that in the spring of 1836, Professor Russel published a notice of a semi-double prairie rose found on an island of the Ohio river; but he had not seen the flower. R. Buist, in his *Rose Manual* says: "It was in 1837 that we first saw a double variety of this rose, although such had been cultivated in Ohio and Kentucky for many years." He has not mentioned, however, the name of the variety.

In the spring of 1840, James Wilson, in the *Albany Cultivator*, described a double variety "with flowers similar to the cabbage rose." This I presume was the *Queen of the Prairies*.

In the *Rose Manual* (1844) six kinds were named, which had been originated by Samuel Feast of Bal-

* This rose is not found in the open prairies, but in the oak openings or barrens where the timber is sparse, and of stunted growth. It is not a trailer like the Ayrshire rose, but shoots directly upward, and sometimes occupies the tops of other shrubs. In 1816 I saw one a few miles east of Vincennes, Ind., and made the following memorandum at the time: "Observing a plum tree with large red flowers twelve feet high, I turned from the road to take a fairer view, and with surprise beheld a rose bush resting its vine-like stem on the branches to that height. The blossoms are in clusters, and as the color varies with age, the appearance is beautiful. I have seen this rose almost every day since we crossed the Scioto, and believe it might be trained to the height of twenty feet." *Travels in the West*, page 142.

timore; but the author adds, "I have now a few hundred plants obtained [by hybridizing] which exhibit in their growth great diversity of character, but have not yet bloomed."

Within the last year, C. M. Hovey of Boston, told me they had 18 double kinds of this rose; and W. R. Prince, before his departure for California, had spoken to me of 27 double sorts in his nursery. Doubtless we shall soon have many others.

As the native land of this rose is also the land of the mounds, it must have grown in ancient times amongst a dense and civilized population. Had they not a taste for flowers? and did it not enter their gardens? Did it spread into double varieties (generally the result of high culture)? It was then as capable of doing so, as it is at this day. Was the period in which that people passed away, so remote from the present, that all their varieties have had full time to perish, and their seedlings to return to their wild and single state? D. T. *Greatfield*, 7 mo. 25.

Belle Magnifique Cherry.

We are delighted with this fine large variety. A seedling had sprung up in the garden, into which I inserted a bud, and the tree is now six feet high, hung with cherries from the highest point where the branches are old enough, down to within one foot of the ground. It is truly an ornamental plant.

While our light-colored cherries were decaying in abundance on the trees, the Belle Magnifique was too small and green to be affected by the wet weather; and now (7 mo. 20,) when nearly all our other (60) kinds are gone, this comes in as a prelude to the feast of apricots. Though belonging to the class of Duke cherries, it loses most of its acidity in ripening, and ranges very high on our list of favorites. D. T.

The Cherry Bird.

"For the past three years, I have lost nearly all my cherry crop by the cherry or cedar bird—the present year I should have had at least fifteen bushels of the finest sorts, but have scarcely obtained six quarts, on account of their ravages." B. *Ontario Co.*, N. Y.

Our correspondent is not alone in his disappointment from the depredations of the cedar bird. A near neighbor lost forty bushels by estimate in the same way. Two years since, the writer lost a large and valuable crop of very early pears, in three hours time, by the cedar birds which descended in clouds upon them.

All the rest of the feathered race do not occasion a fiftieth part of the damage to this crop, caused by the cedar bird alone. We know of but one remedy that has proved effectual, out of some eight or ten that have been proposed. Cultivators will take their choice whether to adopt it or lose their cherries. This is to shoot a few of them. It is remarkable how soon the remainder become alarmed, and disappear entirely. An old fruit cultivator says that he is never troubled with them after the first week, where this remedy is applied. The present year they commenced in such numbers and with so much boldness, that the man who was gathering the crop, found it impossible to drive them away, even when he had ascended the tree with a ladder. A few hours time spent for two or three successive days, served completely to disperse them, and for weeks afterwards not one was to be seen. In applying this remedy, humanity will dictate that the charge

and the aim be so sure as not to wound without killing. This is the only species of the feathered race against which we should have any controversy—the crow, the owl, the hawk, and the blackbird, as well as all other birds, we regard as friends, the mischief they commit being so small, or the benefit they occasion so great, that we should feel bound to protect them.

Native Flowers.

Lilium canadense, (common meadow lily,) is remarkable for two very distinct varieties, besides some of inferior note. The first kind I have only observed on, or below, the Allegany range of mountains; and this is the variety from which some botanists have drawn their character of the species. The flowers are bronze-yellow, segments more attenuate, and but slightly revolute. Dr. Torrey calls it the "Wild yellow Lily."

The second kind is indigenous in Western New-York, and might properly be termed the *Red Meadow Lily*. This is probably *v. rubrum* of the Encyclopedia of Plants, and perhaps *v. coccineum* of Pursh. The flowers more resemble those of *Lilium superbum*, in color, in the purplish dots on the inside, in the segments which are very revolute, and in number. I once saw twenty-eight growing in a pyramid on one stalk, though a third or a fourth of this number, without culture, is rather unusual. Yet in its leaves and their verticillate arrangement, it fully agrees with the former variety.

The characters of those two species, solely considered in reference to each other, may be given as follows:

Lilium canadense: Leaves, lanceolate; nerves and edges of the leaves, hirsute.

Lilium superbum: Leaves, linear lanceolate, scattered above; nerves and edges of the leaves smooth.

Some years ago I introduced the Bronze Meadow Lily into my garden; but the soil seemed ungenial, as it grew less thriftily than the Red variety; and after a fair trial, I set it in the same border of selected earth which agrees so well with the Laurel (*Kalmia latifolia*.) Now, instead of two or three flowers on a stem, it has eight, beautifully arranged on a strong stalk, not less than five feet high. D. T. *Greatfield*, 7 mo. 15, 1850.

To winter Bourbon Roses.

The Editor of the *Prairie Farmer* announces that he has succeeded after several years of trial, in wintering with perfect security the Bourbon and other equally tender roses,* so that not an inch of twig or even of leaf was blackened or injured. It will be recollected that they have very sharp weather at Chicago, where these experiments were tried.

The process is this:—"First, to keep their feet dry; this is essential, for in wet soil, they are sure to be spoiled. The next thing is a proper covering for the tops. The best thing we have ever yet tried is *tan bark*. Indeed, this leaves nothing to desire. It is one of the best non-conductors extant, and unless soaked in water, will keep sufficiently dry for all needed purposes.

"Let the twigs be bent down in the fall before the ground is much frozen, and fastened, and then covered to the depth of six inches; place on the whole a piece of board laid so as to turn off the water, and the plant is safe till spring. Care should then be exercised in removing the covering, a part being

* The Bourbon roses include the *Souvenir Malmaison*, *Princess Clementine*, *Gloire de Rosamene*, &c.

taken at a time, and a part being left till the weather is tolerably well settled."

"Tea and China roses may also be kept in tan; though a portion of them will fail."

Cutting off the Leaves.

Last summer I mentioned the case of a rose shoot which had withered in the hot sunshine, and which was preserved by removing all the leaves. A few weeks ago, a case somewhat similar also occurred. The gardener's spade had disturbed a layer of the *painted damask*, and it was much withered before I observed it; but immediately I cut away all the leaves, and part of the stems, at the same time screening it from the sun. It is now recovering its foliage. The questions may arise, however, would it not have recovered without this excision, and would not the leaves, as soon as they were dead, have ceased to *pump out the moisture*, and thus by a provision of nature, recover without any care of ours? I think not. The leaves would act as long as any moisture was left; and when none was left, the branch or shoot would perish with them. D. T. *Greatfield*, 6 mo., 20.

Virgilia lutea—Yellow Flowering Virgilia.

So it is called in the Encyclopædia of Plants, and the flowers are marked as yellow, agreeing with Nuttall in this particular. The only tree of this sort that I have ever seen stands in my garden, with *white flowers*. It has stood there about twenty years—8 inches in diameter, and 18 or 20 feet high, with a fine spreading top. It has never been in *full bloom* till the present time. The racemes are compound or shouldered like a bunch of grapes, about a foot in length, pendulous; and having a darker foliage than the locust, it is greatly admired. There is a constant buzz from the bees that frequent it.

Although it comes from the south,—Nuttall says hitherto only found in the mountains of Tennessee,—it is perfectly hardy at this place. D. T. 6 mo. 21.

Corrections of last Number.

In the last number of the *Cultivator*, on page 268, the printer has erroneously converted *Rambour* into *Rambo*, these being names of quite distinct varieties. On page 270, *Bowyer's* Early Heart is changed to *Boyer's*, the former being the correct name. The figure of the wire-loop label, on page 269, should have been drawn so that the notches designating the numbers should be near the twist in the wire, and reading from it, to prevent mistake by reading the wrong way. In the figure immediately above, the notch designating O, should be deeper or more distinct, so as to be about four times as large as the others.

ROSE CUTTINGS.—One of the best methods of securing the success of these, is to stick the cutting about an inch deep into *clean* river sand—with properly prepared soil about an inch below to receive the roots as soon as they strike. The clean sand prevents the wood from rotting. A correspondent of the *Horticulturist* succeeded with this when every other mode failed, and says he does not lose one in twenty.

The little and short sayings of wise and excellent men are of great value, like the dust of gold, or the least sparks of diamonds.

Domestic Economy, Recipes, &c.

To Cook the Egg-Plant.

This is a delicious and highly nutritious vegetable, which would be more extensively used, if the proper mode of cooking it was understood. The following mode has given satisfaction so far as we have known it tried. Cut the purple egg-plant into slices a third of an inch thick. Put the slices on a plate, one over the other, with a sprinkling of fine salt between each layer, and lay a weight of three or four pounds on the top; leave them in this situation for four or five hours or over night. The salt will form a liquid with the juice of the egg-plant, which will take out the bitter quality. The liquid should be drained off. Fry them brown in lard or butter.

The following mode of *stewing* the egg-plant is given by Miss Beecher: Take the purple kind, stew till soft, take off the skin, mash it with butter and sweet herbs, grate bread over the top, and bake it till brown.

Preserving Tomatoes for Table use.

Tomatoes may be so prepared as to be kept a long time, and when cooked are almost as good as the fresh fruit. The following is a receipt sent us a few years since by a subscriber in South Carolina.

Prepare the tomatoes as for cooking, (without seasoning,) boil them one hour; then put them in small stone jars; cork and boil the jars for two hours, then take them out and seal them *air-tight*. When opened, season, &c., and cook for half an hour.

Tomato Figs.

The small pear-shaped tomatoes, may be preserved as follows. They are very fine and their resemblance to figs is not wholly in name and appearance. A chemist at our elbow, who has analysed both figs and tomatoes, tells us that the composition of the fruits is quite similar.


Scald and peel the tomatoes, and then boil them in one-third their weight of sugar, till they are penetrated by it. Then flatten and dry them in the sun, occasionally turning them and sprinkling with sugar. When dry pack them in layers, with sugar sprinkled between.

Tomato Ketchup.


Pour boiling water on tomatoes, let them stand until you can rub off the skin; then cover them with salt, let them stand twenty-four hours. Then strain them, and to two quarts put three ounces of cloves, two ounces of pepper and two nutmegs. Boil half an hour, then add a pint of wine. *Miss Beecher*.

To make Cucumber Pickles.

Soak the cucumbers three or four days in old, sour cider, or two parts water and one of vinegar; then place them in the pickle-jar; heat good cider vinegar scalding hot, with an ounce of alum to a gallon of vinegar, with any kind of spices, and in such quantities as suits the taste; pour it over the cucumbers while boiling hot; cover them tight, set them in a cool place and if the vinegar is right they will keep till June, when the old vinegar should be discarded and new substituted. Pickles made in this way are always crisp; the alum hardens the skin of the cucumber, so that it never turns soft. Those made in this way a year ago are in excellent condition now.



INTERIOR VIEW OF "FLORAL HALL."—State Fair at Syracuse, 1849.



A BRACKETED FARM-HOUSE, OF WOOD.

Rural Architecture.

Downing's Country Houses.

THE ARCHITECTURE OF COUNTRY HOUSES: including Designs for Cottages, Farm Houses, and Villas; with remarks on Interiors, Furniture, and the best modes of warming and ventilating; with 320 illustrations. By A. J. DOWNING. 8vo. pp. 484. Appleton & Co.

THE distinction between a civilized and a brutal people, is not only indicated, but, in a great measure, caused by the influence of their homes. The domestic habits of all nations may be cited as proof. The rude log hut or the brush-covered hovel on the one hand, and the embellished cottage and farm-house on the other, afford a living index, pointing to the character of the people within. We must not however suppose that the ultimatum has been reached by the present architecture of civilized nations. It most evidently has not. For example, the best portions of our own country afford, we are compelled to say, too many violations of the rules of taste, of adaptedness, and of economy, in the houses of the inhabitants. Take a single defect, out of fifty, in a farm-house. The housewife is compelled to walk three needless yards, fifty times a day, in passing from the kitchen to the living-room. To save these three yards, by improved arrangement, would save thirty miles of walking in the year.

The book before us is *exactly* the one now wanted by the country at large. We think it decidedly the most widely useful work yet from the pen of its popular author. Every man who lives in a house should examine its contents. No person, possessing the least shade of taste, or love for convenience and economy, can fail at any time to pass an agreeable half hour in turning over its pages. But interesting as it is to the superficial reader, it will also bear thorough study. It is full of the most valuable suggestions, no matter into what part the reader may open, which will many times repay all the time spent in its examination.

This work consists of four main portions. The first (after the introductory remarks,) is occupied with *twelve* designs for *cottages*, with their various minutæ, with prices from \$300 to \$2,500. The second contains *seven* designs for *farm houses*, costing from \$1000 to \$5000. The third furnishes *fourteen* designs for *villas* or *country residences*,

from \$2500 to \$15000. The fourth comprises a great deal of valuable matter relative to the treatment of interiors, and with the description of furniture, all largely illustrated with engravings. There are, besides, many practical directions relative to economy in erection, materials, construction of chimneys, ventilation, paints and cements, eave gutters, &c., besides a chapter on the tasteful and convenient arrangement of stables.

Some may think a few of the designs approach the awkward or grotesque, simply because they have not been accustomed to see houses so constructed. One object of the author, it must not be forgotten, was to give a great variety in style, adapted to the varying localities of the country, and it is very easy to adopt the more simple and regular forms, by those who prefer them.

Others may object to the distinct line drawn between cottages, farm-houses and villas. But this distinction need not exist in fact; a cottage design may be adopted for a small farm-house, and a villa for that of a decidedly wealthy farmer. The man of moderate means may have a strong predilection for literary or scientific studies, and hence a small room as a library and cabinet may be more appropriate than for the larger house of his richer, but less cultivated neighbor. There is no difficulty in varying the designs given to suit circumstances.

We have noticed perhaps one or two defects. No provision is made in any of the villas, (with one exception,) by a nursery or large bed-room on the common floor, for the children, a most important portion of every complete family. There are also too many basement kitchens; a thing which should not occur, it strikes us, where land is less than one thousand dollars per acre—because it is easier to walk twenty yards on a level, than to ascend three yards in height. But these defects are not difficult of remedy, and are but as a speck on the column, when compared with the great value of the work. Indeed, when viewing the innumerable errors in building, all over the country, we cannot but wish that a hundred thousand copies might be speedily circulated. We give it as our opinion, that independently of the increase in good taste, every person of ordinary sense who may be about to build, may save, as a general average, from fifty to a

hundred dollars on every thousand expended, by studying this book.

We had marked a number of passages for copying into our columns, but want of space will exclude all but a few. The following rules to be observed in designing *farm-houses*, contain much in little. The first four refer to the production of beauty:—

“That the form of the building should express a local fitness, and an intimate relation with the soil it stands upon—by showing breadth, and extension upon the ground, rather than height.

That its proportions should aim at amplexness, solidity, comfort, and a simple domestic feeling, rather than elegance, grace, and polished symmetry.

That its details should be simple and bold, and its ornaments, so far as they are used, should rather be rustic, strong, or picturesque, than delicate or highly finished.

That in raising the character of the farm-house, the first step above the really useful, is to add the porch, the veranda, and the bay-window, since they are not only significant of real, but of refined utility.

So far as the *useful* is concerned in the farm-house, its principles are better understood, but we shall do no harm in recapitulating the most important:—

The farm-house should be built of strong and enduring materials, whether of timber or stone, so that it may need repairs very seldom.

The pitch of the roof should always be high, not only to keep the chamber-floor cooler, and to shed the snows in a northern climate, but to give sufficient garret room for storing and drying many of the smaller products of the farm.

The *living-room* of the family should be a large, and usually the largest and most comfortable apartment; it should be so placed as to be convenient to the other apartments used in the every-day occupations of the family, and its size should never be sacrificed to that of the parlor.

Every farm-house should contain a room for milk (even when the dairy is a separate building, as in most American farm-houses,) as well as a room or back building for wood or other fuel.

When the means of the farmer allow him to extend his accommodation, they should first be applied to multiplying and rendering as complete as possible, all apartments, on the first floor, calculated in any way to facilitate the domestic labors of the family or farm, before he increases the size or number of his parlors.


In addition to the rules laid down in SECTION II. for the production of fitness and tasteful effect in cottages, we may also add, that though a farm-house should always be built of solid materials when economy will permit, yet there is a mental satisfaction in finding at all times, that it is constructed of materials most abundant on the farm, or at least in the district where the house is placed.

Wherever good building materials abound, their use in building the house of the owner of the land, not only enables us to understand that the abundance and cheapness of those materials have made it easy to build a large house there, but it also affords us an index of the natural products of the earth, and has therefore a local meaning, much more valuable than any novelty that we may gain by bringing our bricks from Holland, like the original settlers of New-York, or importing portions of a French chateau, like some of our modern architectural virtuosi.”

We copy a single design, that of a bracketed farm-house of wood:—

“The proportions of this farm-house are good, the form is a simple and pleasing one, and the impression it produces upon the judgment is that of a roomy,

substantial, comfortable, and sensible house. It looks essentially like a country house, and while it has rather more dignity than most farm-houses, there is neither ambition nor ostentation visible in its exterior. On the contrary, the rather low and broad chimney stacks and the truncated gables show that there is a desire to avoid any especial affectation of elegance. It is in short a design which might be built in any part of the Union, and would be recognised as a country house of some importance—while it has no feature out of keeping with the position and life of a farmer in independent circumstances.




Principal Floor.

ACCOMMODATION. The exterior of this design is our own, but the arrangement of the first floor we borrow from one of Mr. Loudon's farm-houses. It is spacious and comfortable, without sacrificing too much to the parlor and living-room. The back door opens, it will be seen, into the *scullery*—which may be a wash-room or back kitchen. The passage which runs from the kitchen to the dairy should be lighted by a small sash of ground glass, placed in the partition of the scullery, exactly opposite the back door.

In many cases in this country, the dairy room being in a separate building, persons adopting this design would prefer to turn the room devoted to this use, on this floor, into a bed-room—making the pantry a milk-room, and diminishing the size of the scullery sufficient to take a pantry out of the space occupied by it.

Indeed, the ease with which this kind of parallelogram plan may be varied to suit different wants will occur to every one of the least ingenuity—and we therefore offer the exterior, as the most needful portion, as a guide to the mode of building to be adopted.



Second Floor.

The second story of this design, shows six bed-rooms.

The roof of this dwelling being large and hipped, gives a spacious and convenient garret, which is of great value in any country house, and especially to the farmer. Three good bed-rooms for workmen can be finished off in this attic, or four—if a gable like that in front is formed on the rear roof.

The porch, as will be seen by trying the scale, is 9 by 20 feet.

A cellar is intended to be built under the whole house—and there should be a back porch, which may be large enough to contain a *wood-house* (in which this plan is deficient,) or, at least, to communicate with one.

CONSTRUCTION. This house may be built, with good effect, either of stone, brick, rough-cast, or wood. We suppose it, in the elevation, for the sake of economy, to be built of wood, in the vertical boarding manner.

The first story is eleven feet in the clear, the second story nine feet. The house is to be finished with brown walls for whitewashing, the windows to have rising sashes, and both these and the doors to be finished with plain architraves with simple back mouldings; the doors in the first and second story to have four panels each; the hand-rail and balusters to be of oak or black walnut, and the whole to be executed in a very simple and plain, but substantial manner.

Estimate. To build this house here in the manner we have indicated, with planed and matched weather-boarding, and the whole filled-in with brick, would cost about \$2000. At Rochester, where lumber may be taken at the average price, it is placed as low as \$1477, but this estimate is without filling-in of any kind, and without outside blinds or shutters."

We close our extracts with a few scraps, pointing out some errors, often fallen into, though to a less glaring extent than here exhibited:—

"It may appear singular to one not accustomed to dwell on this subject, that it should be necessary to insist on the value of so obvious a truth as that a dwelling-house should look like a dwelling-house. But, strange to say, men who are blinded by fashion or false taste are as likely to commit this violation of Architectural truth as any other. We recall a villa on the banks of the Hudson, built in the form of a Doric temple, all the chimneys of which are studiously collected together in the centre of the roof, and are hidden from even a suspicion of their existence, by a sort of mask that resembles nothing unless it be a classic well-urb set on the top of the house. Now, as chimneys, in a northern climate, are particularly expressive of human habitation and domestic life, any concealment of them is a violation of general truth, and one might well be puzzled to know what sort of edifice was intended, in the villa in question. So, too, in the neighborhood of some of our cities, we still occasionally see houses which are pretty close imitations of Greek temples; and which, as they have sometimes as much space devoted to porticoes and colonnades as to rooms, one may well be pardoned for doubting exactly for what purpose they were designed.

Local truth in Architecture is one which can never be neglected without greatly injuring the effect of country-houses. And yet, such is the influence of fashion and false taste, and so little do the majority of citizens trouble themselves to think on this subject, that nothing is more common in some parts of the country, than to see the cockneyism of three story town-houses violating the beauty and simplicity of country life. In our own neighborhood, there is a brick house standing in the midst

of gardens and orchard, which has a front and rear pierced with windows, but only blank wall at the sides; looking, in fact, precisely as if lifted out of a three story row in a well-packed city street, and suddenly dropped in the midst of a green field in the country, full of wonder and contempt, like a true cockney, at the strangeness and dullness of all around it. During a drive on Long Island, last autumn, we saw with pain and mortification, the suburban villa of a wealthy citizen, a narrow, unmistakable "six story brick," which seemed, in its forlornness and utter want of harmony with all about it, as if it had strayed out of town, in a fit of insanity, and had lost the power of getting back again."

A too frequent defect in cottages is strongly shown:—

"The cottage is not made to express, as much as possible, the simplicity of cottage life, joined with the greatest comfort, intelligence and taste of which that life is capable, but to imitate as closely as cheap and flimsy materials and a few hundred dollars will permit, the style and elaborate ornament of the villa, with its expenditure of thousands.

There are two striking illustrations of this false taste to be found in various parts of the country at the present moment—what may be called the *temple cottage* and the *cocked-hat cottage*.

The *temple cottage* is an imitation of the Temples of Theseus or Minerva, in thin pine boards, with a wonderfully fine and classical portico of wooden columns in front. The dimensions of the whole building may be 20 by 30 feet. The grand portico covers, perhaps, a third of the space and the means consumed by the whole dwelling. It is not of the least utility, because it is too high for shade, nor is it in the least satisfactory, for it is entirely destitute of truthfulness—it is only a caricature of a temple—not a beautiful cottage.

The *cocked-hat cottage* is, perhaps, a little better, for it is an imitative exaggeration, not a downright caricature. This species of cottage has grown out of an admiration for the real and intrinsic beauty of the rural-Gothic cottage, of which *gables* are strongly characteristic features. But some uneducated builders, imagining that the whole secret of designing a cottage in the Gothic style, lies in providing gables, have so overdone the matter, that, turn to which side of their houses we will, nothing but gables salute our eyes. A great many gables in the front of a Gothic villa of large size, may have a good effect; but to stick them in the front of a cottage of 25 feet front, and, not content with this, to repeat them everywhere else upon the roof where a gable can possibly be perched, is only to give the cottage the appearance, as the familiar saying goes, of having been "knocked into a cocked hat." A journey among the attic sleeping rooms of such a cottage is like that geographical exploration of the peaks of all the highest mountains, made by beginners, in the corner of a map of the world.

All ornaments which are not simple, and cannot be executed in a substantial and appropriate manner, should be at once rejected; all flimsy and meagre decorations which have a pasteboard effect, are as unworthy of, and unbecoming for the house of him who understands the true beauty of a cottage life, as glass breastpins or gilt-pewter spoons would be for his personal ornaments or family service of plate.

The most worthless of all family treasures are indolent females. If a wife knows nothing of domestic duties, she is not a help-mate, but an incumbrance.

The Farmer's Note-Book.

Notes on Farming in Ohio.

EDS. CULTIVATOR—I came into this place two days since, and have taken a little excursion among the farmers in the neighborhood. I had before expected to see a great wheat country and large crops, but both far exceeded my expectations.

I called on Judge Kelly at his farm. He has recently sold one-half his land, and now only farms 200 acres—50 in wheat. I called on Messrs. Everhart, (five brothers from New York State,) who farm about 400 acres—160 in wheat. On these two farms are used McCormick's Reapers. Messrs. Everhart had about seven acres yet to cut, and I went to witness the operation of the Reapers. The wheat being *dead ripe*, they had for some days only worked at it while the dew was on. They had their own, and the reaper belonging to Judge Kelly, both at work with four horses to each—although two horses is ample force—but the leaders keep the tongue of the machine straight on the line of draft, and thus tend to steady the machine. Two men ride on the machine, one to drive, the other to rake off the grain and leave it in heaps ready for the binders. Mr. E. informs me they have, during the present harvest, with one machine, cut from 16 to 18 acres in a day, and by its use have got their crop in good time, which could not have been done if they had depended on hand labor, of which it is impossible to get a *supply*, even at \$1,50 or \$2 a day.

I could not but admire the perfect manner in which the wheat is cut and laid,—it being all cut *very even*, and about six inches from the ground. There was but very little that was not cut, and this little had fallen down and laid either on or very near to the ground.

I also called on D. Jarvis, Esq., K. Jarvis, Esq., and others, who farm extensively, and all agree in opinion that the present crop of wheat is large—more than an average, and the wheat of *superior quality*. They think it will weigh 63 to 65 lbs. to the bushel. They generally estimate their crops at 20 to 25 bushels to the acre,—some more. I learn that Mr. Hildebrand, of this neighborhood, has 200 acres of wheat, and that he is quite confident it will average 30 bushels to the acre.*

I learn that Mr. Rutter, near Bolivar, 16 miles south of this, had, four years ago, 54½ bushels from one acre—land and grain carefully measured—and that he has this season measured off an acre from the same field, which he thinks will exceed the quantity he then had.

The wheat is generally thrashed and cleaned by the use of Pitts' thrasher and separator, operated by 6 horses; and it gets out, ready for market, 300 bushels and upwards, in a day. This is done by men who make it a business, and go from farm to farm, having the assistance of two men at each place, and charge the owner three cts. per bushel. It is supposed it will be very profitable this season, as the amount of straw will be small in proportion to the wheat. The straw being 4 or 5 inches shorter than it usually is. At the warehouse and manufactory of C. M. Russell & Co., there have been for the last two or three weeks, eight to fifteen waggons in waiting, besides others coming and going, for

* Since writing the above, I have seen Mr. Hildebrand, who says he has 240 acres in wheat, and estimates the crop at 25 bushels to the acre. One farmer near here had a lot of 12 acres, which he has cleaned, and the yield was 33 bushels to the acre. I hear of others 35 to the acre.

these machines. They have already sent off 225 this season, and there are many more, made by Mr. Partridge of this place, and also at Fulton, nine miles north of this place. There are three manufactories in this town, which make and sell annually about 1400 plows, and other farm implements and castings to a large amount.

It is said that the clay loams yield this season rather the best crop of wheat, in consequence of the severe drouth of May and early part of June. In wet seasons, the sandy loams do the best. The oat crop looks well. It is now beginning to turn. On the 14th June, corn had not come up, or if up, a large proportion was not more than 4 inches high. The farmers say that it has since then grown more than corn was ever before known to grow in the same length of time, and is now as forward as it usually is at this time in the season. Much of it is now in the ear and silk, and looks well, everywhere, and bids fair to make a large crop. We have had continued hot weather and moderate rains since the 10th June. The hay crop will probably be a little below an average. The new meadows came on late and have done well. The old meadows in some places suffered with the drouth beyond recovery, though they have done better than it was thought they could do.

The frequent showers and very warm weather for the last few days have hurt the wheat some; but I think not to much extent. In this and the adjoining counties, there was more ground to wheat this season, than usual; they will therefore have a much larger amount than was ever before harvested in one season. It is a heavy job for them to cut and secure it—not more than one half has yet been got in.

August 1st. We had yesterday a bright good day and considerable wheat was taken in; but last night we again had a very heavy rain, and to-day the weather is unfavorable. The wheat out will be much injured if the weather does not come good very soon. They are here grinding new wheat. There has been many small parcels got out. I hear of none that weighs less than 63 and most of it 64 or 65 and one lot 67 lbs to the measured bushel.

I hear of many crops of 30 bushels and upwards to the acre; and I am told by gentlemen that are likely to possess correct information, that the amount of ground to wheat this year in several counties around here, (the greatest wheat counties in the state,) is nearly or quite one-fourth more than usual.

CULTURE OF FLAX.—The farmers near Cuyahoga Falls, in Summit county, are in the practice of growing flax to considerable extent. When the seed is ripe, they go into the grounds that have been well and smoothly laid down, and cradle the flax. When it is sufficiently dried, they run it through a threshing machine which takes off the seed. The stalks or stems are then carried to a piece of grass-ground and spread out as hay is spread to dry. It there lies till it gets sufficiently rotten. They then get out their horses, colts and light wagons, and the boys drive over it; and it being turned once or twice, the sheaves are broken up and shook out—all of which requires but a few hours work. It is then loaded and carried to the paper mill, and there sold at twelve dollars per ton, which with the seed makes it a profitable crop. J. R. HOWARD. *Massillon, July 24th, 1850.*

Crops in Seneca County, N. Y.

EDS. CULTIVATOR—Our hay crop is one of the best I have seen, and our wheat crop, I think, will

be better than last year. There will be some loss by wheat midge, yet I think not more than last year, and on some farms much less. Oats and Barley are a heavy crop—indeed too heavy to be profitable, being beaten down by the heavy rains. Corn was kept back for a long time by cold rains; it now, however, looks well; but much of our stiff soil was plowed when it was too wet to make a good crop. I believe that stiff soils cannot be plowed too dry for corn or any other crop; but more so for corn than any other.

A great many cattle were fed last winter in this part of the State—more than ever before; but I am sorry to say a great many did not pay for their keep. Many farmers went into it that never fed before, and bought cattle that were not the right kind to feed, and could not have made them profitable almost any season; but cattle were bought too high last fall, and could not be expected to pay much. I was fortunate in buying two year olds, and by growth and by fat, I got about what might be considered reasonable pay for what they consumed, besides a great quantity of manure.

In 1840, I thought I had made a great discovery, in that I could winter my sheep better on straw, with from 40 to 50 cents worth of oil meal to each sheep, during the winter; but after following that practice for a number of years, I found that by making my sheep pass a large quantity of the straw through them, I greatly lessened the quantity of barn-yard manure. Still I considered it would be so much richer that it would amount to the same thing in the end; but I found after some years, that my diminished quantity of manure, made a diminished quantity of straw to make manure, and for the last three years I have gone back to the old practice—that is to let the whole of the straw be trodden under foot by the stock, and by that means I can raise double the quantity of hay per acre that I otherwise could do, and therefore can afford to feed hay; and should my land get too rich for wheat, I must go to feeding straw again.

I this year sold 77 fleeces of Merino wool, which, at the price sold for, (38 cts. per lb., cash,) brought one hundred and forty-eight dollars ninety-six cents. Who has a better flock? JOHN JOHNSTON. *Near Geneva, 18th July, 1850.*

The Power of Steam.

Steam!—mighty steam! The term suggests a thousand pleasing and profitable reflections. That marvellous and almost invisible power which brooks no opposition, which never tires—scouring the plains, piercing the hills, threading the valleys, and plowing the wide ocean, mastering with indignant ease time and space, wind, water and seasons. The varieties of its power may well amaze us—here 'tis wielding the ponderous hammer that gives shape to gigantic metallic masses—there it weaves the gossamer web, or twists the slender fibre. It plunges the hardy miner deep into the bowels of the earth, and raises from her lap her mineral and metallic treasures. These glow and flow with liquid meltings at its powerful blast; here 'tis printing bank notes, there coining golden sovereigns. To-day 'tis preparing food and clothing for the body; to-morrow it feasts the mind, spreading far and wide, in countless numbers, the broad sheets of intelligence. Instruments of death and of preservation, alike acknowledge its power. What a comprehensive word is STEAM! It means peace, progression, civilization, education, abundance and cheapness; it is the death-blow to monopoly and

privation. Ignorance and prejudice shrink away at its approach; the iron barrier of separation is broken down by steam. The interposition of time, of distance, or of poverty, no longer wounds the tender affections. It increases alike our political power as a nation, and our morality; for the increase of physical comfort must, in a Christian community, predispose to moral good. *Mechi's Lecture on Steam.*

The Food of Plants.

Plants, even when grown in the same soil, do not draw up a sap exactly identical. Saussure has proved in the most positive manner that the roots have the power of selection, though his experiments on the unequal absorption of different salts are not quite satisfactory: for instance, sulphate of copper, though soon causing the death of the plant, is absorbed in as large quantities as any of those compounds which are beneficial to vegetation. Saussure explains this anomaly by showing that in the case of sulphate of copper, the roots were decomposed, and consequently except at the commencement of the experiment, only acted mechanically. It was well ascertained that the substances present in any solution were absorbed in very different proportions where their substances were not, like the sulphate of copper, positively injurious—for instance *Bidens* (bur-marygold?) and *Polygonum* (buckwheat?) absorbed the salts in the following proportions:—

	Bidens.	Polygonum.
Chloride potassium,.....	16	14.7
Chloride sodium,.....	15	13.0
Nitrate of lime,.....	8	4.0
Sulphate of soda,.....	10	14.4
Muriate of ammonia,.....	17	12.0
Acetate of lime,.....	8	8.0
Sulphate of copper,.....	48	47.0
Gum,	32	9.0
Sugar,.....	8	29.0
Humus (<i>extrait de terreau</i>)....	6	5.0

These experiments were repeated with the greatest care, and it was proved—1st, That plants absorbed all mineral substances when dissolved in water: 2nd, That they were absorbed in very different proportions, according to the plant experimented on; this absorption was also quite irrespective of the fluidity of the solution; and 3rd, That organic matter, when dissolved in water, is not in that shape absorbed by the roots, but decomposed by their influence, and then partially absorbed.

1. Without entering into the minute details of the experiments, the absorption of the following substances was proved—prussiate of potash, chloride of sodium, sulphate of copper, acetate of lead, chloride of barium, ioduret of potassium, and many others. The absorption of nitrate of silver, corrosive sublimate, and gallic acid, did not take place until after the death of that portion of the plant plunged into their solution.

2. When the plants were placed in a solution containing two salts in equal proportions, it was satisfactorily ascertained that they were absorbed in different proportions. Even, when the salts were present in different proportions, this elective absorption was not deranged. In a solution containing three times as much common salt as nitre, a plant of *Chenopodium viride* (Goosefoot) absorbed much more nitre than common salt; whilst the contrary took place with *Solanum lycopersicum* (Nightshade.) Other plants selected also common

salt, and the *Tamarix* choose only sulphate of magnesia.

3. It was also ascertained that, when a plant was placed in a solution of fermenting manure, the disagreeable smell, which had been previously emitted, gradually disappeared.

If these experiments have not quite settled the question, they have at least strengthened the opinion that plants appropriate to themselves soluble substances in very different proportions. Chemical analysis of different plants grown on the same soil, also completely establishes this proposition. With regard to the oxygen, carbon, hydrogen, and nitrogen, chemical analysis has also proved that they are present in plants in proportions varying with the species, but agreeing very closely in the same plant. Analysis has also most clearly established the great diversity of the proportions in which different plants assimilate the alkalis and earths. For example, some plants will be found to contain common salt in large quantities, whilst wheat grown on the same soil will contain none. Other plants again, as the wall pellitory, the nettle, and borage, will be found to contain nitrates in large quantities, though they may be grown alongside of plants containing none at all. It seems therefore impossible to avoid the conclusion that plants possess the property of choosing, or at least of retaining, certain substances in preference to others, and, consequently, that different plants require different food.

But this opinion does not rest on the authority of chemical analysis alone; it is confirmed by the experience of agriculturists. For instance, it is known that certain manures seem especially to favor the growth of certain plants—as gypsum for clover—that certain plants only thrive on soils where they can obtain an abundant supply of a special ingredient, as the fern and the chestnut, on soils rich in potash, or such as are derived from slate rocks, and those of volcanic origin; that a mixed husbandry is the most productive; that a plantation containing a variety of trees produces more wood than if one species alone had been planted. These multiplied facts prove that it is not a certain quantity of a nutritive principle, but a choice amongst several that is necessary to vegetation. *Translated from the French for the Farmers' Mag.*

Water for Irrigation.

We have frequently heard it said that hard water was preferable to soft for the purpose of irrigation. But from a discussion of the subject at a late meeting of the Council of the Royal Agricultural Society, it appears that the question is not fully settled.

Mr. PUSEY said he doubted whether, in the present state of our knowledge, it could be admitted as a general axiom that hard water was good for irrigation, and soft water, on the contrary prejudicial. In Devonshire, the criterion by which practical workers in water meadows were guided in their judgment of the quality of the water most suitable for their operations, was that of a certain warm, soft, and oily sensation it communicated to the touch, when a portion of it was held and examined in the palm of the hand; the absence of such a quality indicating, in their opinion, a water unsuitable for irrigation. He knew, as a fact, that when lime existed in any water in such excess as to give it petrifying properties, such was considered by practical men as decidedly unfit for irrigating purposes. He accordingly much doubted whether hard water was the only water fit for irrigation. He thought water meadows would not be confined to

limestone districts; for in those geological districts in the west of England, where irrigation had long been successfully practiced, lime was absent; the water being consequently soft. He considered that water in general became softened by remaining sometime in ponds. In the hilly districts of Devonshire, the water of the small streams running down the declivities, was found to improve its irrigating qualities.

Mr. ALMACK considered snow as the best exemplification of the beneficial action of water containing ammonia, and possessing chemical qualities from other impregnation. Mr. FISHER HOBBS said he could fully confirm the views of Mr. Pusey.

Prof. WAX said, in regard to the questions affecting the action of water in irrigation, he had only to repeat his diffidence on the subject, although he thought the criterion by which the Devonshire workers of water meadows were guided, might be fallacious. He had himself formed the opinion that the effects resulting from irrigation were due more to the chemical qualities of the water, than to the circumstance of its higher or lower temperature; but he was sensible how ignorant we were on these difficult questions, and he should be most open to conviction, and glad to learn all he could on these interesting subjects.

Cultivating Stiff Soil.

The importance of pulverization, for stiff soils, can hardly be overrated; yet it is a matter which receives too little attention from farmers in most sections of our country, where this description of soil prevails. Considerable improvement has been made in the implements used in cultivating stiff soils; as regards their pulverization, though the best implements for this purpose are by no means common. Much depends on the plow, as to the effect produced on the soil—some producing much more pulverization than others. The first effort towards producing this effect, should be to plow the land *fine*, or in narrow furrows. But in addition to this, some implement is needed which will, under any circumstances, reduce the hard soil to the requisite degree of friability. In England, an implement called the "clod crusher" is used for this purpose. It consists of series of iron plates, placed round a cylinder, with notches like deep cut saw-teeth at the outer edges. The machine operates like a roller, and being drawn over the ground, breaks down and pulverizes the lumps at once. We can see no good reason why such an implement should not have been brought into use in this country.

A writer in the *Farmers' Magazine* makes some interesting observations in regard to the improvements which have been made in the cultivation of stiff soils. He says—

"We need only reflect a moment on the principles which have to guide the strong-land cultivator, in preparing his soil for the seed, and compare the means he had of overcoming his difficulties, say twenty years ago, with what he has now, and we shall see how very different is his position rendered by the application of mechanical science. We speak not of his profit, abstract or comparative; but we cannot help being struck with the vast difference in his resources of meeting the difficulties of his position. Once he had to plow with three or four horses, and to cross plow with great labor and difficulty, and then to harrow with an implement which produced scarcely any impression on the stubborn clods—to plow and harrow, and plow and harrow, whenever he could, until perhaps he

found it necessary to set his work-people, in some seasons, to complete his operations with the mallet and the stone-hammer, to break the unruly clods. He had to *pulverize* and to *clean*—the one could not be done without the other, and the former had to be effected somewhat in this manner: First the unctuous clay was cut in long longitudinal parallel pieces by the plow, and left on edge to dry, being divided by a double wedge called a plow. This mass being sufficiently dry to admit the treading of horses' feet with impunity, is cross-cut into large cubes, and these are subjected to the action of natural processes. The sun and air dry out all the moisture, owing to the large surface exposed to their action. The moisture abstracted, the clods begin to crack, and show here and there symptoms of fissures by the evaporation of the moisture, forming receptacles for the next rains, which one by one again swell out the particles, and slowly the whole is broken down into a friable soil."

He observes that the practice now is, to follow the plow as soon as the soil is suitably dried, "with the clod crusher, or some similar powerful separator of clods, and by once or twice going over the field, the soil is reduced to as fine a tilth as if it had undergone a whole summer's exposure."

Pipes for Water.

EDS. CULTIVATOR—I noticed in the July number of the Cultivator the inquiries of a correspondent, desiring information on the subject of laying water-lime pipe to conduct water for common watering purposes, and asking what were the advantages and disadvantages of this kind of pipe as compared with lead pipe. As it regards the utility of lead pipe, I could say nothing from personal experience, never having used any; but should suppose from observation that water-lime pipe was superior to lead for all ordinary purposes, where it is practicable to make it,—having the advantage of cheapness in construction and durability, if nothing else.

I have had some experience in making water-lime pipes, and can recommend them to any one who wishes to lay them, as being both cheap and durable. I will give my plan for making this kind of pipe, which I think is as good as any, or at least I know of no better. The tools necessary for this purpose are a common brick trowel, a mould, the size you want the bore of the pipe. This should be turned in a lathe perfectly smooth and round, and of equal diameter at each end. Its length should be about two feet and a half, with a handle turned on one end, smaller than the rest, to draw by. The materials necessary in making the pipe, are good water-lime and coarse sand—the coarser the better, if sifted from the coarser pebbles. Have your drain dug to the required depth with a smooth bottom, and about eighteen inches wide at the bottom so that there may be room to work with ease. In the middle of this drain dig a trench about four inches deep and from three to five inches wide, according to the size of the bore of the pipe, with a rounding bottom, if you choose, to save mortar. The advantage this trench has over the ordinary way of laying the pipe on the level with the bottom of the main drain will be seen at once. By using the trench you save considerable mortar, and the necessity of waiting for the mortar to dry before drawing the mould. If it were laid on the level, it would be necessary to wait for it to stiffen before you drew the mould, or it would flatten out. Mix your mortar, one part lime and three parts sand; make it as stiff as you can and have it spread well.

When you are ready to lay your pipe, commence by spreading a layer of mortar an inch or an inch and a half thick, in the bottom of the trench. This should be spread only the length of the mould at a time. Lay the mould on this spreading of mortar, and then spread the mortar on the top and sides of the mould; press it down tightly, so as to fit the mould, on all sides; smooth it off with the trowel on top, and lay down another spreading of mortar; then take hold of the handle of the mould and roll it around so as to start it loose, and draw it out to within three inches of the end,—spread on another layer of mortar, and smooth it as before. So keep doing, until you have your pipe the length required. Be careful that you don't press with your trowel on the pipe above the end of the mould, or it may cause it to cave in, especially if the bore of the pipe be large. Let the pipe remain three or four days, until it gets hard and dry; then cover it up with earth. Be careful and not let any large stones fall on the pipe,—they will be apt to crack it. A pipe properly made in this way, will remain perfect as long as it is kept from the frost. R. A. HUTCHINSON. *Geneva, July 29, 1850.*

Preserving Corn from Worms.

In the spring of 1847, we plowed up one acre in a corner of a six acre meadow, which had been several years in grass, and the whole of which was much infested with cut-worms, and the yellow wire worm. The acre was planted with corn, and totally destroyed by the worms. Late the ensuing fall, the whole field was manured and turned over, smoothly: the spring of 1848 the whole was sown with barley, which was very much injured by the worms—in many places entirely destroyed. In September it was sown with wheat with the same result as with the barley. In the spring of 1850, we manured it well with fresh barn-yard manure, turned under; harrowed and marked $3\frac{1}{2}$ feet apart by $2\frac{1}{2}$ and planted corn, four grains in a hill, the first of June. It came up in five to seven days, and is now a very promising piece, as forward as any planted the middle of May.

The seed was soaked in a decoction of a pound of tobacco in four gallons of water. There were plenty of worms in the ground, as I found in planting and hoeing; but they would not touch the tobacco scented corn, while there was not a single weed to be found; and indeed they did no small benefit in destroying the grass and weeds. The field was kept as clean of everything but corn, as it well could be. At the first hoeing I observed a large mullen plant, the leaves of which were eaten through like a riddle, and upon digging around it I found over twenty cut worms. NOAH AGARD. *Havana, Chemung Co., N. Y.*

Breeding Animals.

The principles of breeding animals have rather been illustrated than discovered by animal physiology—the very principles of that science having been taught before a single scientific axiom had been applied.


The watching of physiological tendencies, and availing themselves of these judiciously in practice, was long anterior to scientific research. Emulating the skill of the wily progenitor of the Jewish race, and intelligently perceiving what was required, a Culley and a Bakewell attempted and attained the production of sheep, and of cattle, "ring-streaked, spotted and speckled," at pleasure. See-

ing the necessity of economising food, they set about producing those animals which came to maturity early, and so produced vastly more food from the same amount of vegetation. Knowing that fat was an element of favor in a northern clime, they endeavored to obtain animals with a tendency to secrete it in large quantities. In order to this, they

observed the qualities indicative of those propensities; and knowing that it is as true in physiology as in mathematics, that like produces like, they selected and bred from these until they stamped their qualities permanently and invariably and indelibly on the race. With these they managed to combine symmetry of form.—*M. M. M., in Far. Mag.*

EMERY'S NEW THRESHER AND CLEANER.

The annexed cut represents a thresher with an apparatus attached to it for cleaning or winowing the grain. It was got up by Messrs. EMERY AND CO., of this city. They have tested its operation thoroughly during and since the late harvest, and we learn that it gives entire satisfaction. It cleans the grain ready for market, without waste, as fast as it is threshed. The cost of the cleaning apparatus is about \$30 making the cost of the thresher and cleaner, \$75.



Remarks on Wheat Culture.

All lands with a subsoil impervious to water, will heave out wheat on the breaking up of winter. It is caused by the surface soil being surcharged with water, which the night frost congeals, forming an infinity of icy pillars raised two or three inches above the surface, with the wheat plants embodied in them, and torn up by the roots; the succeeding day thaws the ice, and leaves the wheat on the surface to perish. Whenever wheat is much heaved out, it rarely escapes the rust, and the crop is either destroyed or greatly injured. The first object of the agriculturist, in such soils especially, should be to draw off the surplus water. He will so plow the fields in lands, that the last furrow on being opened by the plow, after harrowing, will drain off the water. No water should stand on a wheat-field. The spade and shovel should both be freely used. But after all this is done, he will find it only a partial preventive. Sub-soil plowing would be highly beneficial in such cases; as that would give a greater depth for the water to sink from the surface. The sub-soil plow is an important implement of the age. But the most effectual, though it is the most expensive preventive, is under-draining. All the superabundance of water can be readily discharged by under-drains.

Early sowed wheat is less liable to freeze out, than late, but is more subject generally to the attacks of the fly. The Rochester wheat, called in this county, the white chaff bearded, requires to be sowed early—from the first of September till the 20th. The red chaff may be sowed much later on an inferior soil, and succeed well; but the fly is more destructive to it than any other. The Mediterranean wheat so far as it is known to me resists

the fly better, than any other kind, and being about 10 days earlier is not liable to rust; but it is much endangered by late frosts in the spring, and it would be advisable, if it be rank in the early part of March, to feed it off with sheep or calves. I greatly prefer the Rochester wheat to the Mediterranean, on a wheat soil that is in good order. But it should never be sowed on fields, which heave out wheat much; or, late in the season. It is highly important to sow wheat in good season, that it may have time to take deep root to resist heaving out and I recommend it to be done if your ground should be considerably too wet. The succeeding winter will prevent its baking. But the same practice would be very deleterious in the spring.—*Mr. Pow's address before the Mahoning county, O. Agr. Society.*

Viewing Farms.

Perhaps the operations of agricultural societies, are in no way productive of more real improvement, than by offering premiums for the best managed farms, especially where the farms are examined by judicious men, appointed for that purpose. J. W. PROCTOR, Esq., writing for the *N. E. Puritan*, remarks, that in reviewing the improvements of the county of Essex, Mass., "no plan appears to have been so successful as that of viewing farms entire, and requiring a statement of their management and produce for several years in succession. This was first introduced under the direction of the late Col. Pickering, and was the means of eliciting many valuable suggestions. This mode of examining farms entire, combines all the benefits accruing from the exhibition of particular subjects, avoiding most of the objections supposed to be incident to such exhibitions. Instances have come to our knowledge

of the application of a large portion of the manure of a farm to a small parcel of land, with a view to ensure an extraordinary crop, which, when grown, would not be worth the value of the manure applied. Accounts of such crops may excite admiration, but they never can be worthy of commendation or premiums. That kind of cultivation which sustains itself and gradually advances the condition of the soil, is the one to be encouraged by our societies."

New-York State Agricultural Society.

New-York State Fair.

The annual exhibition of this Society is to be held the first week of this month. The following is the order for the week:

Monday, Sept. 2.—Entries to be made at the business office on the show grounds at the Bull's Head, between Albany and Troy, and articles arranged.

Tuesday, 3.—Stock, implements and articles received at the show grounds from 8 o'clock until 5 P. M.

Wednesday, 4th.—The grounds to be open to the Judges, Exhibitors, and Members only, from 9 o'clock until 5 P. M.; admission fee \$1. The Judges will be called at the Society's Tent at 12, and proceed immediately to the discharge of their duties.

Thursday, 5th.—The grounds will be open to the public from 8 o'clock until 5 P. M. Single admissions one shilling—Members' tickets, \$1, which allows the member, his wife and family under 21 years of age, admission during the show. The Judges will deliver their reports to the Secretary at the business office by 12 o'clock this day.

Friday, 6th.—Grounds open to the public from 8 o'clock until 5 P. M. The address will be delivered on the grounds at 2 o'clock, P. M., by Prof. AMOS DEAN, of Albany. The awards will be immediately announced after the address, and premiums paid at the business office as far as practicable, and on Saturday, at the Agricultural Rooms in the city.

The Rooms of the Executive Committee will be at the Delevan House, where guests of the Society, and visitors and delegates, are requested to call.

At the last meeting of the Executive Committee, the following gentlemen were elected Honorary Members of the Society:

Hon. Abbott Lawrence, American Minister, London.
Col. T. Le Couteur, Bellevue, Jersey, England.
Hon. M. P. Wilder, Pres't Norfolk Ag. Society, Mass.
J. S. Skinner, Esq., Editor Plow, Loom, and Anvil, Philadelphia.
Edmund Ruffin, Esq., Marlborough, Virginia.
John P. Norton, Prof. Scientific Agriculture, Yale College.

The following letter has been received by the President of the State Agricultural Society, from Mr. FILLMORE, in reference to his attendance at the Fair. We understand that a letter has also been received from Ex-President VAN BUREN, signifying his intention to be present on that occasion:—

WASHINGTON, August 9, 1850.

E. P. PRENTICE, Esq.—Sir:—Yours of the 6th instant, inviting me in behalf of the "New-York State Agricultural Society" to attend the Annual Fair and Show, to be held near the city of Albany during the first week in September next, was duly received, and I desire to express my grateful acknowledgments to the Society for their kind invitation, and also to you for the flattering terms in which you were pleased to convey it.

Be assured, that nothing would afford me more pleasure than to be present at the Fair, and witness the fine specimens of the mechanic arts and agricultural productions which will be there displayed. And if the adjournment of Congress and my official duties here will permit my absence from the city sufficiently long to enable me to attend it, I shall with pleasure avail myself of the invitation which has been so kindly extended to me; but I cannot but apprehend that this gratification may be denied me. Very respectfully and truly, your ob't serv't,
MILLARD FILLMORE.

Answers to Correspondents.

SEED OF THE LOCUST TREE.—L. A. B. The seed of the locust ripens in the fall. It may be sown in October or November, and will come up the following spring. It requires about the same covering as Indian corn. The seed is enveloped in a very thick covering, from which cause it requires a long time for the moisture to penetrate so as to produce germination; but if planted in the fall, the action of frost will soften the covering so that it will start well in the spring. If the seed is not planted till spring, it is best to pour scalding water on it, letting the seed lie immersed till the water is nearly cool. It will then come up as soon after planting as beans ordinarily do. We do not know a variety by the name of the "white locust."

LICE ON FOWLS.—N. S. K., Chickopee-Falls, Mass. Any kind of oil or grease will kill lice on fowls; but that which is thin, is most readily applied, and most readily spreads over the body. Dipping the chicks in tobacco-water will kill the vermin, but is likely to make the fowls sick and drooping for a while. Snuff scattered among the feathers, will thin off the lice. As preventives, the apartments where fowls are kept, should be as clean as possible. Wood ashes should be provided for the fowls to dust themselves in, and if flour sulphur is mixed with the ashes, it will be usefull. Sulphur scattered in the nests of setting hens will tend to prevent them from getting lousy.

"SNAP-DRAGON."—H. W., Sandlake. We are aware that the plant known by this name is rapidly increasing in many sections, and that it is very difficult to eradicate; indeed we have as yet heard of no successful mode of assailing it. If any of our correspondents can tell us of an effectual mode of destroying the pest, they will confer a favor.

WATER CEMENT.—S. E. J., Middlebury, O. The article most in use here is called the Kingston or Rosendale cement. It is sold by W. R. BARRETT, of this city, at \$1,50 per bbl. The manner of making Roman and several other kinds of mineral cements, is described in the Cultivator for 1849—pp. 239, 240.

NAME OF PLANT.—W. L. C., Chambersburgh, Pa. We do not know the name of the plant you send. We shall make further inquiries in regard to it, and will transmit any information we may obtain.

WIRE FOR FENCES.—M. M., Fort Leavenworth, Mo. The best information we can give you on this subject, you will find in our current volume, pp. 144, 145, 244, 278.

DISEASE IN APPLE TREES.—J. T. C., Greenville, South Carolina. From the appearance of the leaves you send, we are inclined to think that the malady which has attacked your trees, is similar to that which has appeared in different sections, and commonly called "fire blight." It sometimes attacks the quince, thorn, &c., and is especially destructive to the pear. We believe the best remedy is to cut off the affected branches, and burn them as soon as they show the disease.

REAPING MACHINES.—The Prairie Farmer says that the immense amount of machinery introduced into the harvest field at the west, will entirely obviate all inconvenience from any apprehended scarcity of help—and that probably not less than 3,500 new reaping machines will be put in use in the north-west the present season—equal to the labor of 17,500 men.

Notes for the Month.

COMMUNICATIONS have been received, since our last, from G. H. Burgess, S. E. Johnston, M. S. Kellogg, J. R. Howard, A. Subscriber, D. T., B. A. Hutchinson, N. Agard, C. E. G., H. C. W., Charles Robinson, S. Worden, F. Holbrook.

BOOKS, PAMPHLETS, &c., have been received, since our last, as follows:—

THE FARMER'S EVERY-DAY BOOK, or Sketches of Social Life in the Country, with the Popular Elements of Practical and Theoretical Agriculture, and 1200 Laconics and Apothegms—also 500 Receipts on Hygein, Domestic and Rural Economy, by Rev. JOHN L. BLAKE. Auburn: Derby & Miller. From the author.

THE ILLUSTRATED DOMESTIC BIBLE; by Rev. Ingram Cobbin. Part III. From E. H. PEASE & Co., Albany. This is a beautifully illustrated and admirably arranged edition of the Bible, with brief notes and reflections for family use. To be completed in 25 parts, at 25 cents.

Fourth Annual Report of the Mahoning Co., Ohio, Ag. Society. From J. M. EDWARDS, Esq., Secretary.

D. D., Geneva.—Your communication on Grafting, was omitted till too late for the past season. It is filed for insertion in time for next year.

HAYDN'S GREAT ORATORIO.—"THE SEASONS."—We are pleased to learn that the Harmonia Society of this city, propose to perform, during the evenings of the coming State Fair, the celebrated oratorio of HAYDN, entitled "The Seasons." Nothing could be more appropriate to such a time, when

"— Nature, ever kind, rewards
The pains of virtuous toil."

than this admirable composition, which has long been considered the master-piece of its world-renowned author. We understand that the officers of the Harmonia, have made arrangements to bring out this oratorio in its perfection. The Society itself numbers over one hundred members, comprising the best musical talent, and they have been for several months engaged in preparing for this performance. They have also engaged for the occasion, thirty picked musicians, mostly from the Philharmonic Society of New York, at the head of which is the eminent composer, Mr. BRISTOW. Other distinguished performers will assist in the different departments; and we have no doubt that the exhibition will afford the highest gratification. It is to be repeated during the evenings of the Fair, (3d, 4th, 5th and 6th,) at Dr. Huntington's Church, Clinton Park.

PRICES OF JERSEY CATTLE.—The Secretary of the New-York State Ag. Society has received a letter from Col. LE COUTEUR, of the island of Jersey, in which it is stated that the cost of a yearling bull of the pure Jersey breed would be from £10 to £12 sterling, (\$43 to \$58) delivered at Southampton, and that a yearling prize heifer would be furnished at from £10 to £15.

SAMPLES OF WOOL.—We are indebted to H. C. MERIAM, Esq. of Tewkesbury, Mass., for various samples of imported wool. They comprise specimens of most of the kinds to which he refers in his communication which we give in this number. We have deposited them at the rooms of the State Agricultural Society, where they may be compared with the different varieties produced in our own country.

HUNGARIAN CATTLE.—R. L. COLT, Esq., of Paterson, N. J., has imported a bull and heifer from Hungary. They are said to be of the breed so highly recommended by Mr. FLEISCHMAN, in the Patent Office Report for 1847. (See *Cultivator* 1849, p. 59.) Their color is a light dun. They are said to have cost in Hungary \$112, which added to the expenses of importation, made them cost at New York upwards of \$400. We hope the enterprising importer will be liberally rewarded by the improvement which these animals will be the means of producing.

WORLD'S EXHIBITION, (LONDON,) 1851.—The local committee for the State of New-York, as appointed by Gov. FISH, consists of the following gentlemen:

Hon. Luther Bradish, New-York; E. P. Prentice, B. P. Johnson, Albany; Hon. Jas. Tallmadge, A. Chandler, Charles Henry Hall, New-York; A. Van Bergen, Coxsackie; Wm. Buel, Rochester.

MONTGOMERY COUNTY, PA.—We learn by a letter from S. P. KNOX, Esq., that there is a very flourishing Ag. Society in this county, consisting of about 200 members, and that they are preparing to hold an exhibition this fall. A large portion of the members, Mr. K. informs us, are subscribers to the *Cultivator*.

"ACCLIMATION OF TROPICAL PLANTS."—Dr. LEE, in the *Southern Cultivator*, complains that some of the remarks on this subject, by our correspondent "C. E. G.," in our July number, are unjust. He quotes the following paragraph:

"So low is the state of society in all the States of tropical regions, that the people do not know the capabilities of the soil and climate which they possess, nor the susceptibilities of the improvement inherent in their fruits and vegetables. Hence, with a soil and climate so much inferior, we yet cultivate melons, tomatoes, squashes, &c., in size and flavor decidedly superior to the same fruits cultivated there."

Dr. L. proceeds to comment on the above, by saying that the "statements in regard to melons, tomatoes and squashes, are not true; and what is said about 'the low state of society in all the States of tropical regions' is not only untrue, but it is a gratuitous detraction. In reference to soil, taken as a whole, the Southern Atlantic and Gulf States have no superiority over the Northern States, out of New England. In point of climate, they are more favored than any equal area in North America, if not in the world." These remarks of Dr. L. indicate that he had, strangely enough, imbibed the idea that the observations of "C. E. G." were intended to apply to the Southern States of our Union! A simple and self-evident refutation of this unfounded charge, is the fact that none of our States lie within, or even border on the "tropical regions," and consequently could not have been alluded to by "C. E. G." The term "States," as used by him, simply signifies countries. A gentleman who edits two papers at the North, and one at the South, and also fills a clerkship at Washington—and, especially one who seeks to preside over a Bureau at the seat of government, ought to be able to define the extent of the tropical regions.

THE RAM'S HEAD IN "THE WOOL-GROWER."—Mr. PETERS states that the vignette at the head of his paper "is the head of an improved Leicester Ram, and a very good one too." Pray, how long is it since the improved Leicester sheep have borne horns? Or how does the cut in the *Wool-Grower* differ from that of a Scotch black-faced ram, which

forms the frontispiece to the work on sheep by W. C. L. Martin?

☞ We understand that L. G. MORRIS, Esq. has purchased in England, of Jonas Webb, a lot of South Down sheep, and that he also purchased at the show of the Royal Society at Exeter, several fine Devon cattle, all destined for his farm at Morisania, Westchester county, N. Y.

☞ We are indebted to B. B. KIRTLAND Esq., of the Catonment Farm, Greenbush, for beautiful specimens of the Red Astrachan apple and Smith's Orleans plum.

THE YELLOW-BIRD.—We think our New Hampshire correspondent is mistaken in regard to the object of the yellow-bird, which he has seen on his fields of winter wheat. We think the bird was seeking the insect called weevil, or wheat midge. It is not singular that the bird should be seen more frequently on bald than on bearded wheat, as it could more readily come at the worm in the former. We have never heard the bird charged with doing injury to wheat, except in districts where the insect prevailed; yet if its object was to feed on the wheat we cannot see why it should not attack the crops of all sections, and also attack spring wheat as well as winter wheat. But the reason why the bird has been seen on the winter wheat more than on spring wheat, in the New England states, is that the former has usually been more subject to the midge—the spring wheat coming in after the period of the attack of the insect had more or less passed.

SEED OF THE CANE.—(*Arundo ragmites?*)—An article has been going the rounds, stating that a remarkable phenomenon had been exhibited the present season by the "cane-brake" of the south-western States. It was said to have produced seed resembling wheat, and the circumstance was represented as being unaccountable, by any known laws relating to the plant. The seed alluded to was undoubtedly the natural seed of the cane, and that it should resemble wheat need not excite wonder, when it is known that both plants belong to the same natural order—*graminaceae*. The following description of the cane, from Flint's *Geography and History of the Mississippi Valley*, will sufficiently explain what to some may have appeared a mystery.

"This beautiful vegetable is generally asserted to have a life of five years, at the end of which period, if it has grown undisturbed, it produces an abundant crop of seed, with heads very much like those of broom-corn. The seeds are farinaceous, and said not to be much inferior to wheat, for which the Indians, and occasionally the first settlers, have substituted it. No prospect so impressively shows the exuberant prodigality of nature, as a thick cane-break. Nothing affords such a rich and perennial range for cattle, sheep and horses. The butter that is made from the cane pastures of this region, is of the finest kind. The seed easily vegetates in any rich soil. It rises from the ground like the richest asparagus, with a large succulent stem, and it grows six feet high, before this succulency and tenderness hardens into wood. No other vegetable furnishes a fodder so rich and abundant; nor, in our view, does any other agricultural project so strongly call for a trial, as the annual sowing of cane in regions too far north for it to survive the winter. We suppose this would be latitude 39°."

GREAT PRODUCT OF RASPBERRIES.—It is stated that NATHANIEL HALLOCK, of Milton, Ulster county, N. Y., has sent to New York, the present season, ten thousand baskets of Antwerp Raspberries, each basket holding one pint. He gathered seven

thousand baskets from one acre, and three thousand from a lot of two acres, which had just began to bear. The prices obtained were from eighteen and three-fourths cents to twenty-five cents a basket.

CHEESE MANUFACTURE.—We have given frequent notices of the "cheese factories" so called in the northern part of Ohio. Mr. GEO. HEZLEP, of Gustavus, Trumbull county, is one of the pioneers in this business, and pursues it on a large scale. We understand he is this season using the curd from the milk of *one thousand cows*. He takes the curd from the doors of the dairymen in the neighborhood, every day, and pays from 3¼ to 3½ cts. per lb. for it. He makes from 100 to 120 cheeses daily. Mr. H.'s cheese has a high reputation for quality. He has sometimes sent specimens to our State Shows, which have been much commended. We understand that he intends to send his cheese to California, this year.

HAY CAPS.—We have frequently spoken of the advantages of hay caps for protecting hay against rain during the process of curing. E. EMERSON states in the *Mass. Plowman* that he has used them several years, and has found them of much use in case of storms. He has had hay stand, covered by these caps, four or five days, during which there was a heavy rain, and on opening it, found it sweet and not more colored than it would have been from a heavy dew. He estimated that each covek of hay was enough better to pay the cost of the cap. He makes his cap of sheeting, a yard and a quarter or a yard and a half wide, tears it into squares, and with a tape needle puts a loop in each corner, and they are done. He applies these caps as follows: "Make four sticks about 18 inches long for each cap, let two hands at opposite corners draw the cap down tight over the covek—pass the stick through the loop and *up* (not down) into the covek of hay, and it will stand both wind and rain a month if you wish."

PROPOSED SCHOOL OF AGRICULTURE.—We learn from a circular received through Mr. B. H. STREET-ER, of Clyde, N. Y., that JOSEPH WATSON, Esq., President of the Wayne County Agricultural Society, offers his farm, for which he has received the first premium of that society, for the purpose of establishing an institution for education. The course of instruction to be pursued, is to "embrace all the branches of education usually pursued in academics and higher seminaries of learning, with Practical and Scientific Agriculture and Domestic Economy as the leading features of the Institution." The conditions of Mr. WATSON's proposition are, that there shall be erected on the farm "suitable buildings and fixtures of the value of \$5000, with proper arrangements for the future support of the school, and that the Association shall pay to him or his assigns, during the natural lives of himself and wife, the sum of \$300 annually, and after the death of either, the sum of \$150, and upon the death of both, the premises to become the property of the Association."

The farm consists of about fifty acres and is estimated to be worth \$100 per acre. It is proposed to raise the sum of \$5000 in shares of \$100 each. We hope these praiseworthy exertions for the promotion of sound education, may be successful.

THE WHEAT MIDGE.—The *Rural New-Yorker* observes that "there can hardly be a doubt that this destructive plague has overrun Vermont and the eastern part of this State." The writer observes that he had "indulged the hope that there was some incompatibility in our climate and the nature and habits of this great plague, as its prevalence in

the great wheat growing region of the west would be almost equal to war, pestilence and famine." He also expresses the hope that it is "but local and transitory," in the western part of this state, as he has heard of but one instance of its appearance, and has not discovered it in any crops he has examined.

This insect was noticed in some of the eastern States, and in Lower Canada, nearly thirty years ago, and for many years its ravages were such that it occasioned almost an entire suspension of wheat culture in those sections. It has been gradually working its way westwardly; and four or five years since was so numerous in Onondaga and Cayuga counties, as to do much injury to the wheat. It has appeared within a few years in the more western districts of this state and in Ohio,—doing considerable damage in that state the last season. Its prevalence in the eastern section of the country, has been gradually diminishing for several years; and the notice of this fact has encouraged the farmers to revive the culture of wheat, which in most instances has latterly, and especially the present season, been quite successful.

Prices of Agricultural Products.

[Review of the Market for the last month.]

ALBANY, AUGUST 19, 1850.

We have had another month of dull business, to be followed as is confidently anticipated by all, by an active demand for all kinds of produce from now to the close of the season.

FLOUR. There has been a moderate trade and Eastern demand for flour during the month, and prices of all descriptions have materially declined. This has been hastened by approach of the proceeds of the recent harvest, which in almost every part of the country has been bountiful beyond all former precedent. The sales during the month have been 20,000 bbls at \$41.25 for common State, \$43 3/4 for fancy ground State and mixed to straight Western, \$45.00 \$46 1/2 for fancy western, \$48 1/2 for fresh State from prime Canadian wheat, \$48 1/2 to \$5 for new Western, \$5.25 to \$5.37 1/2 for old pure Genesee, \$5.50 for new do., \$5.75 to \$5.87 1/2 for fancy Genesee and \$6 to \$6.50 for extra do. Quotations are very irregular and show a decline of 50c to \$1.00 on all descriptions, and the tendency is still to a further decline.

GRAIN. The receipts of new Genesee wheat have been free and the demand for the East and for New-York, is good; the samples received have been good, and those from Onondaga county from which section of the State but little is ordinarily received, are not only of prime qualities but the crop is reported as very large. Of new Western wheat we have no sales to report. The sales of all descriptions are 29,000 bush, at 80c for red Canadian, 92a95 for old Ohio, 125c for old Mediterranean, 140 1/2 to 125c for old Genesee, 106 1/2 for new Mediterranean, and 130a126c new Genesee, the last sale having been made at the lower figure. In Rye we have no sales to report. Oats have been in fair demand and the market during the month has gradually declined; the sales are 78,000 bush, from store and Canal, closing at 40a41c for good lots, 37 1/2 to 28c for damaged do, and 38c for Canadian. The demand for corn has been very steady and prices have been uniformly maintained; the sales are 150,000 bush, at 50c for damaged round, 61 1/2 to 63 for Western mixed and 62a63 for yellow round, closing firm at the inside figures with an upward tendency.

FEED. The demand from the East for all descriptions of feed has been good; the sales have been 80,000 bush, at 10c for Bran, 11a14c for shorts, 14a16 1/2 for second quality and 90a98 for middlings.

SALT. A fair trade demand at 10 1/2 a 11c for bags and 100c for bbls.

WHISKEY. The demand is in excess of the supply, the sales have been 1120 bbls at prices ranging from 24 1/2 to 26 1/2 c for Ohio and S. P. closing firm at the higher figure.

HOPS. We notice light sales of the crop of 1849 at 16c.

WOOL. The sales during the month have been about 100,000 lbs, at 32c for lambs, 35c for mixed and 35 1/2 to 36c for mixed Ohio and Western New-York. The trade has not opened yet. The receipts by Canal are already 1,300,000 lbs, ahead of last year.

PROVISIONS. The trade is exclusively of a retail character and very dull. Quotations are nominal.

South Down Sheep.

THE subscriber offers for sale, this season, several pure bred South Down Rams, varying in age from lambs to 4 years old. Also several Ewes, from one year to four years old.

The Lambs and Yearlings of this flock, are from an imported Ram from the Duke of Richmond's celebrated flock.

Applications for the above Sheep may be addressed to the subscriber in this city. JNO. McD. MCINTYRE.

Albany, August 12, 1850—31

Greenhouse Plants, Vines and Roses.

PARSONS & CO. offer for sale every desirable variety of Greenhouse Plants, and many valuable novelties recently introduced from Europe.

Growers of Grapes are invited to examine their vineries, now in full fruit, from which they can furnish good vines, of about forty varieties, at

50 cents for those one year old,
75 " " two "
100 " " of extra size.

Their stock of saleable Roses includes some thousand on their own roots, of the Remontants, Bourbon, China, and Garden Roses, in their various sub-classes.

Catalogues furnished on application by mail to Flushing, near New York. Sept. 1—2t.

Fruit and Ornamental Trees, &c.

THE subscriber cultivates at his Nurseries, and has for sale at his residence, *Eustis-street*, Roxbury, Mass., all the choice varieties of the Pear, Apple, Plum, Cherry, Peach, and other Fruit Trees, Raspberries, Gooseberries, Currants, Grape Vines, Strawberries, Asparagus Roots, etc., etc.

Also several thousand Pear Trees on the Quince—one, two, three, four and five years from the bud.

Particular attention paid to the cultivation of the Pear.

Persons wishing extra sized trees, or trees on Quince stock in a bearing state, will please call at the Nurseries and make their own selection.

30,000 Buckthorn Plants.

ORNAMENTAL TREES, Shrubs and Roses, Herbaceous Plants, Peonies, &c.

The whole for sale at the lowest market price. Catalogues gratis to post-paid applicants. SAMUEL WALKER, Roxbury, Sept. 1—3t.

Seneca Lake Highland Nurseries,

Catharine, Chemung Co., N. Y.

E. C. FROST, Proprietor.

FRUIT TREES of all kinds, ornamental Trees and Shrubs, Grape Vines, Hedge Plants, Box for edging, Strawberries, Dahlias, Green House Plants, &c., &c. in large or small quantities.

The Nursery and Standard Trees cover 40 acres.

The following varieties of Apples can be furnished:

THE WAGENER—For this new variety, the N. Y. State Ag. Society awarded to Charles Lee, Esq., of Yates Co., the place of its origin, the highest premium in 1847, and again in 1848—also procured a colored plate for a frontispiece to its published Transactions and gave it a full description, in part as follows: "TEXTURE—Fine grained, crisp and juicy. FLAVOR—Rich, sprightly, vinous, sub-acid and delicious. SEASON—From October to May, and a prolific bearer." By referring to Vol. 7th, page 60th of the Albany Cultivator, it will be seen that I have had the exclusive privilege of Mr. Lee's trees, and have taken scions from his—the original seedling tree—and also from others worked from it in the neighborhood, so that those ordering will be sure of the genuine variety. Price of this variety, 50 cents each, and Scions furnished only in small quantities.

THE HAWLEY or DOUSE.—For flavor, size and productiveness, this is believed to be the best Fall Apple known, either for dessert or market purposes. A description and outline can be seen in the Cultivator of April, 1847, from which we quote—"Of all the varieties of Apples which have lately been brought to notice, probably none is destined to become more and deservedly popular than the Hawley or Douse." Also in the Horticulturist of July, 1847, Hovey's Magazine of Dec. 1847, and the Genesee Farmer of May, 1848. The latter, in describing it, adds—"The first time we saw it was at the State Fair at Auburn in 1846, when it was exhibited by E. C. Frost, of Chemung Co., as the Douse. His specimens were monstrous, and we well remember the commotion it created among the pomologists present, to all of whom it seemed unknown." Trees 4 years from the graft, 50 cents each. Scions by the doz. or 100.

THE WINTER KING, is a very showy and productive apple, cultivated in this and Tompkins County, where it sells one shilling per bushel higher than that fine and well known variety, the Swaar—25 cts. per tree.

TOMPKINS APPLE.—Origin, Tompkins Co. An outline and description is given in the Horticulturist of Feb'y, 1848. Mr. Downing says—"A large, handsome and productive autumn fruit, superior in flavor to the Porter. We commend it with confidence to the notice of amateurs and collectors of good fruit." Season—October and November—25 cts each.

In addition to the above four new varieties, among other standard sorts, are the following: Early Harvest, Large Sweet Bough, Summer Queen, Fall Pippin, Early Joe, Norton's Melon, Swaar, Baldwin, Northern Spy, Roxbury Russett, Ladies' Sweeting and Newtown Pippin.

Scions.—One or two dozen can be sent by mail with safety to any part of the Union, and larger quantities by public conveyance. Pears and Plums are not affected with the blight.

Eastern fruit growers can procure Peach trees here, perfectly free from the YELLOWS, a disease to us unknown.

Trees carefully packed, and sent by public conveyance to any section of the U. States and Canadas.

Being on the Chemung Railroad, which connects the New-York and Erie, with the Buffalo and Albany route at Elmira and Geneva, this location for railroad facilities is surpassed by none.

Price Catalogues furnished gratis to all post-paid applicants, containing an engraving and full description of Wagener and Hawley or Douse apples. Sept. 1, 1850—1t.

To Fruit Growers and Nurserymen.

ELLWANGER & BARRY solicit the attention of all Tree Planters, Nurserymen and Dealers to their present stock, which is much larger and better than they have ever before had the pleasure of offering. It embraces among other things in large quantities—Standard Fruit Trees, of all sorts. Dwarf and Pyramidal Fruit Trees, for gardens. Gooscherries, Strawberries, Raspberries, Currants, &c., all the newest and best kinds. Ornamental Trees, Shrubs, Roses, &c., including all new, rare and desirable articles. Buckthorn, Osage Orange and other Hedge Plants. Stocks of all sorts for nurseries. Green House, Border and Bedding Plants. Double Dahlias, &c., in immense quantities. Wholesale prices furnished when desired. A new edition of the general descriptive Catalogue is now ready and will be sent gratis to those who apply *post-paid*. Mount Hope Garden and Nurseries, Rochester, New York, Sept. 1st, 1850—11.

Apple Trees for Orchards.

MANY thousand fine Trees, mostly 7 to 8 feet high, propagated in all cases from thoroughly proved or bearing trees, for sale at the nursery of J. J. THOMAS, Macedon, Wayne Co., N. Y. They embrace the best standard varieties, with nearly all the valuable new sorts; among them are Early Harvest, Sine Qua Non, Sweet Bough, Early Joe, Summer Sweet Paradise, Autumn Strawberry, Gravenstein, Dutch Mignonne, Rambo, Fall Pippin, Yellow Bellflower, Rhode Island Greening, Esopus Spitzenburgh, Northern Spy, Swaar, &c., &c. Price, varying with selections, from sixteen to eighteen dollars per hundred—a first rate selection of summer, autumn, and winter fruit, of fifteen to thirty varieties, if made by the proprietor, furnished at sixteen dollars per hundred, or seventeen if well packed in matted bundles, and delivered at canal or railway. All orders to be accompanied with remittances. Sept. 1—31.


Prince's

Linnæan Botanic Gardens and Nurseries, Flushing, N. Y.

WM. R. PRINCE & CO., successors of Wm. Prince, and sole proprietors of his great collection, offer the largest and choicest assortment of Fruit and Ornamental Trees and Plants to be found in America, and will transmit Descriptive Catalogues to all post-paid applicants desirous to purchase. The choicest varieties of Fruits, which are scarce elsewhere, are here extensively cultivated, and applicants will not be disappointed. Every desirable fruit enumerated by Downing, Manning, Kenrick, Hovey, and in the Catalogues of Europe, can be supplied. Of the finest varieties of Pears, 50,000 trees can be supplied, of which 15,000 are of bearing age on both the Pear and the Quince. Purchasers are solicited to visit the establishment and judge for themselves, but the same attention will be paid to the selection for all distant correspondents. The prices are as low and mostly lower than trees of equal quality can be elsewhere obtained. And above five hundred varieties of Fruit Trees, and a much larger number of Ornamental Trees, can be supplied, that cannot be obtained elsewhere in the Union, except in a few casual instances. Every premium for Roses and Strawberries was awarded to us by the Long Island Horticultural Society. A wholesale Catalogue will be sent to all vendors. The transportation expense to the west is now moderate, and the Agent's Receipt will be sent to each purchaser, which will prevent the possibility of loss. Cash or a reference can be sent with the order, by those who are strangers to us. Sept. 1, 1850—11.

Brown's Patent Coupling for Hose and Pipes.

THIS valuable invention, (illustrated and described in this number of the Cultivator,) is offered for sale upon reasonable terms, in either Town, County or State rights. For further information address, (post-paid.) **A. HEYER BROWN,** Commercial Buildings, Albany. September 1, 1850—11.*



Prices Reduced.

WHEELER'S PATENT Rail Way Chain Horse Powers and Threshing machines, constantly on hand and for sale by the subscribers. Price of one Horse Power and thresher,..... \$110 Price of two Horse Power and thresher,..... 135 Also EMERY & Co's LATEST IMPROVED POWERS and THRESHERS and CLEANERS at Manufacturers prices. **JOHN MAYHER & Co.** 197 Water St. New-York. Sept. 1—11

Buffalo Nursery and Horticultural Garden.

THE Proprietor of this old established nursery solicits the attention of Fruit Growers, Nurserymen and others, to the unusually large stock of **FRUIT AND ORNAMENTAL TREES, FLOWERING SHRUBS, &c.**, now offered for sale.

APPLE TREES—The assortment embraces nearly all of the most choice and truly valuable sorts worthy of a place in the orchard. [A very large number of varieties have been rejected.] **PYRAMIDAL DWARF PEAR TREES**.—The stock on hand is very fine, of from one to three years growth; trees strong and vigorous—among them are the following: Bartlet, Louise Bonne d' Jersey, White Doyenne, Bloodgood, Golden Beurre de Billboa, Buerre de Arembergh, Flemish Beauty, Seckel, Van Moins' Leon le Clerc, Passe Colmar, Beurre Diel, Fondante de Antoinne, Onondaga, Beurre Langelier, Duchesse d'Angouleme, Napoleon, Glout Moreceau &c. Also a fine assortment of standard Pear Trees of the most select old sorts, together with most of the new varieties. **PEACHES**.—Some 5,000 trees, of the best market varieties—among them are the following: Early York, Early Tiltonson, Walter's Early, Royal George, George the Fourth, Crawford's Early, Crawford's Late Melocoton, Grosse Mignonne, Walter's Early, Morris Red and White Rareripec, Noblesse, and many other sorts. **CHERRIES**.—A fine assortment, mostly trained with low heads, some 50 varieties in all—among them are Black Tartarian, Elton, Downton, Coe's Transparent, Napoleon Bigarreau, Groffan Bigarreau, Knight's Early Black, Beauman's May, Early Purple Guigne, Downer's Late Red, May Duke, Butler's Yellow, &c. &c. **PLUMS**.—A very fair stock of the most choice and valuable sorts.

APRICOTS.—Dubois' Early Golden, Moorpark, Breda, Musch Musch, &c., **NECTARINES**.—Boston or Perkins' Seedling, Golden Red, Roman, &c. **ALMONDS**.—Ladies' thin shell, and others. **QUINCES**.—Large Orange, Portugal, Pear-Shaped, &c. **GRAPES**.—The best for the Grapery, and also the best for out door culture.

GOOSEBERRIES.—White Amber, Mammoth and others. **CURRANTS**.—Large Red and White Dutch, White Grape, Naples, Victoria, Knight's Sweet Red and others. **STRAWBERRIES**.—Some 30 varieties, Burr's New Pine, Boston Pine, Large Early Scarlet, Hovey's Seedling, and some others are truly fine and prolific. **RHUBARB**.—Early Tobolsk, Victoria, Wisconsin, Mammoth and others.

ORNAMENTAL TREES AND FLOWERING SHRUBS.—A large stock, Mountain Ash, Horse Chestnut, Silver Maples, &c., by the 100 or 1000 at very low prices.

EVERGREEN TREES.—A large collection of most beautiful trees, grown in the nursery. By the quantity, at low prices.

ROSES.—A very good assortment of Hardy Garden, Hybrid, Perpetual, Bourbon, Noisette, Moss and others.

HERBACEOUS PLANTS.—Many choice sorts—some beautiful new Phloxes, Tulips, Hyacinths, Dahlias, Peonies, &c., &c.

STOCKS.—Apple, Cherry, Plum and Quince stocks, and Nurserymen and others will be supplied with trees of large or small size at reduced prices.

Orders by mail or otherwise will receive prompt attention. Every article carefully labelled, securely packed and forwarded agreeable to order, and with the least possible delay.

Descriptive Catalogue (a pamphlet of 60 pages) gratis to all who apply, (postage paid.)

B. HODGE.

Buffalo, N. Y., Sept. 1st, 1850—11.

Chapin's Portable Cider-Mill and Press.

THE advantages of this machine have already been realized in this State, and heretofore laid before the public, certified by a large number of reliable sources. It received, at the State Agricultural Fair at Syracuse in 1849, all the rewards and tokens destined by the Society for that class of implements, besides the constant applause of the crowd. Its utility is beyond a question, and can be warranted a source of positive profit to any one having sufficient employment for such a machine.

It was patented on the 21st of Nov. 1848, and well tried during the same season. It was again tested in the fall of 1849, on several occasions.

The small sized mills, which are designed to be conveyed and operated by hand, are capable of making from 3 to 6 barrels of cider per day, by the help of a man and boy.

The large size, which are drawn by a pair of horses, are capable of making from 12 to 20 barrels per day, with the help of two men and one horse.

The price of a large Mill and Press, and the right of a whole town for making, using and vending, does not exceed the cost of one of the ordinary old fashioned mills. As it is a traveling machine, no sales will be made without designating its limits by the lines of either states, counties or towns. Applications are solicited immediately, and a crowd of references will be furnished.

JACOB M. SWART, of Quaker Street Village, Schenectady Co., N. Y., Agent for Albany, Schoharie and Schenectady counties. They are principally manufactured by the Patentee,

NATHAN CHAPIN,


Sept. 1, 1850—11* West end of Warren St., Syracuse, N. Y.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$3, for sale at the office of **THE CULTIVATOR.**

**Agricultural and Horticultural Implements, and
Field and Garden Seeds.**

UPWARDS of one hundred different kinds of Plows, and a corresponding variety of all other Implements for the Farmer, Planter and Gardener; embracing the largest and most complete assortment to be found in the United States. Also, Field and Garden Seeds, a large and varied assortment. A. B. ALLEN & CO.,
August 1, 1850.—if. 189 & 191 Water St., New-York.



Emery & Co.'s

Latest Improved Railroad Horse Power, and Over-shot Threshing Machine and Separator.

THE above cut represents this most useful machine, with the LATEST IMPROVEMENTS, For which Patent is secured, embracing some of great value and importance—which have suggested themselves from time to time as the various kinds made and sold by us have become worn, used and failed.

The most important of these consists principally in the mode of applying the power and motion from the endless platform to the shaft of the main Driving Pulley, and obtaining the necessary motion for the OVERSHOT THRESHING MACHINE, without crossing bands or intermediate gearings, and at the same time dispensing with the small pinions and cogs on the links of the endless platform,—thereby combining GREATER STRENGTH and DURABILITY with LIGHTER FRICTION, without the liability of breakage of links, or the wearing of links and pinions,—(no small item in the expense of repairs in most other kinds of powers in use.) The farmer or mechanic is enabled to perform a greater amount of work, or to operate with less power or elevation, as best suits his wishes.

Having been long engaged in the Manufacture, Introduction, Sale, &c., of the various kinds of Horse Powers, for different purposes, and at all times adopted such improvements as from observation and experiment have seemed necessary and desirable, we feel confident that in this Power, as now manufactured, all that can be desirable, is found to a greater extent than any heretofore sold by us, or with which we are acquainted. They were introduced to some considerable extent last season, and wherever used side by side with the most approved Powers of other kinds, have given unqualified satisfaction, and been preferred.

The Overshot Threshers and Vibrating Separators, with improvements, have been sold with like success as the Powers. They admit of a level feeding table, thus avoiding accidents, (which often occur with the inclined feeding board,) by preventing hard substances, sticks and stones from getting into the Machine and breaking Spikes, endangering those engaged with them. The Cylinder Shaft, (of Cast Steel,) runs in Bronze Boxes, which are so made of two parts as easily to be adjusted when worn loose, and can with little trouble, always be kept tight. The speed of the Power is such that a larger pulley is used on the Thresher than on most others—driving stronger, with less liability of slipping of Bands, which last are made of Vulcanized India Rubber. The Separator makes a complete separation of Grain from the Straw, leaving it in the best condition for the Fan Mill; thus saving the labor of several men, and doing the work better.

Fan Mills of various sizes, for Hand, or fitted to be driven by the Power, at same time of threshing. Also, Saw Mills in complete order.

The Double Horse Power is capable, with 3 or 4 men, of threshing from 125 to 200 bushels of Wheat or Rye, and the Single one from 75 to 100 bushels, or double that quantity of Oats per day. They are warranted to perform as above, or may be returned to us or our Agents, of whom they were purchased within 3 months, and the purchase money refunded.

They may be had in Rochester, Buffalo, or any of the principal ports on the lower or upper lakes, by adding transportation.

Good agents will attend to the sale of them in those places.
The prices will be, for Single Powers,..... \$85 00
" Thresher and Separator,..... 35 00
" Bands, Wrench, Oil Can, extra pieces, 5 00—\$125 00
Best Double Machines. Complete, (\$25 more on,) 150 00
Fan Mills, from..... \$22 to \$28
Saw Mill, complete,..... \$35

Also "Wheeler's" Machines, improved this season,
Single Sets, complete,..... \$120 00
Double do. do. 145 00

Terms Cash, or approved Notes or Acceptances, with Interest.
To good Agents in new locations liberal terms will be given.

For further particulars, see new issue of Catalogue, or apply personally or by letter at the

Albany Agricultural Works, Warehouse and Seed Store, of
EMERY & CO.

September 1, 1850. 369 & 371 Broadway, Albany, N. Y.

Choice Sheep for Sale.

THE subscriber having determined to quit the farming business, offers his entire flock of Sheep for sale. They have been bred with great care for over 20 years, with a view to make them heavy and fine.

They now shear three and a-half pounds per head, and the wool sold last year, at the Kinderhook Depot, for 47 cents per pound. Specimens of them will be at the State Fair.

Also, one Imported Ayrshire Cow, with her last two calves, both heifers.
DANIEL S. CURTIS.
Canaan Center, N. Y., Aug. 1—2t.

Albany Burr Mill Stone Factory.

A. D. SMITH, (late of Troy,) having located at the Corner of Broadway and Quackenbush streets, (three blocks above the Delavan House,) ALBANY, N. Y., invites the attention of Millwrights and others to the stock on hand, which, with his facilities for manufacturing, must render it advantageous for them to call upon him before purchasing elsewhere.

He keeps also, a large supply of Bolting Cloth, Screen Wire, Plaster of Paris, and other articles used in Milling, which will be disposed of on liberal terms.
August 1—3t.*

The American Live Stock Insurance Company,

At Vincennes, Ind.

CHARTER unlimited. Granted January 2, 1850. Capital \$50,000. For the Insurance of HORSES, MULES, PRIZE BULLS, SHEEP AND CATTLE, of every description, against the combined risks of Fire, Water, Accidents and Disease.
Losses paid in 30 days after proof of death.

Directors.—Joseph G. Bowman, Hiram Decker, M. D., Isaac Mass, George D. Hay, John Wise, Alvin W. Tracy, Hon. Abner T. Ellis, Abm. Smith, Hon. Thomas Bishop. Joseph G. Bowman, President. B. S. Whitney, Secretary. Wm. Burtch, Treasurer.
Aug. 1, 1850—1yr. B. P. JOHNSON, Agent, Albany.

Farm and Stock for Sale.

THE subscriber will sell at auction, on the September next, (if not previously disposed of at private sale,) his farm, situated in Westminster, Vt., containing upwards of 200 acres, nearly 100 acres of which is alluvial land of the most productive kind, lying on the bank of the Connecticut river. He will also sell at the same time, the live-stock of said farm, consisting of about sixty head of superior neat cattle, mostly Devons, thirty South Down sheep, and fifty swine of Suffolk, Middlesex and Essex breeds.

Among the Devon cattle, are one very fine bull, two years old, imported from England; another, seven years old, purchased of Geo. Patterson, Esq., of Maryland; another, one year old, bred on the farm. Several of the cows are pure Devons of the very best blood and quality, and the whole lot were either selected, or bred by the subscriber with great care. Of the South Down Sheep, six were imported—others were purchased of Hon. Daniel Webster and Col. J. M. Sherwood; and these, with their descendants, constitute the flock. The older swine were mostly imported, and comprise the best specimens of their respective breeds which could be obtained in England. Their stock has now become well known in this part of the country, and is so much esteemed as to need no praise here.
Boston, Mass., August 1—2t. WILLIAM STICKNEY.

Drain Tile Works,

63 Jay Street, North of Salamander Works, Albany.

THE subscriber is now manufacturing and prepared to fill orders for Horse Shoe, Sole, Round and Collar Drain Tile, of various sizes, from one to four inches in width and rise. The tile is cut sixteen inches in length, and will be of a superior quality. The price will vary according to the size and shape, from \$10 to \$16 per thousand. Specimens of the article with the prices will soon be distributed to all the agricultural stores in the State. Presidents of county societies adjoining the river and canals, will please send their address with directions to whom a box containing the different sizes of Tile will be forwarded free of charge.
July 1, 1850—if. A. S. BABCOCK.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.
May 1, 1850—if. JOHN MAYHER & CO.,

Poultry Books.

THE American Poulterer's Companion, by C. N. BEMENT—price \$1.

The American Poultry Yard, by D. J. BROWNE and SAMUEL ALLEN—price \$1.

The American Fowl Breeder, by an Association of Practical Breeders—price 25 cents.

For sale at the office of THE CULTIVATOR.

Hay, Straw, and Corn Stalk Cutters.

THE Celebrated Patent Adjustable, Spiral Knife Hay Cutter. Premium Straight Knife Hay Cutter. All sizes, for Hand or Horse Power. Warranted.

Mediterranean Seed Wheat, of a choice quality and pure. This wheat is coming into very general use, and is much approved of. Also, other varieties of Winter Wheat and Rye.

For sale at the Albany Agricultural Warehouse and Seed Store, 369 & 371 Broadway, Albany. **EMERY & CO.**

August 1, 1850.


Wire for Fences,

ALSO Staples ready made, by the pound, at price of wire and 4 cents per hundred staples for making, (machine made.)

Our Wire is of the best quality of iron, used by our Telegraph Companies, &c., which needs no annealing whatever, in being worked.

It is a fact acknowledged by all wire manufacturers, that the process of annealing iron wire opens its pores to the effect of the atmosphere, lessens its weight 12 to 15 per cent., lessens its tenacity for tension 33 per cent., and destroys its elasticity. Fence makers will find it much cheaper to use tough, bright wire, in all cases, even at one to three cents per pound extra, than the cheaper qualities of iron at their value, which require annealing to be used.

Nos. 7, 8 and 9, for 5½ cents; Nos. 10 and 11, for 6 cts per lb. August 1, 1850. For sale by **EMERY & CO.**, Albany.



Hydraulic Water Rams.

THIS simple apparatus for elevating water from a spring or brook, has now been very extensively and favorably introduced, and enables the persons having a good spring of water below their buildings, to have a constant, never failing stream of water at any place desired, and so long as water will, of its own gravity, run down hill, so long it may, by this simple machine, be made to run up hill to any desired elevation. Full directions accompany each machine, enabling the purchaser to put them in operation himself, and all are warranted to operate satisfactorily. Price from \$8 to \$25. For sale, wholesale and retail, at the Albany Agricultural Warehouse of **EMERY & CO.**, 369 & 371 Broadway, Albany, N. Y.

Aug. 1, 1850.

Colman's European Agriculture.

EUROPEAN AGRICULTURE, from personal observation, by **HENRY COLMAN** of Massachusetts. Two large octavo vols.—price, neatly bound, the same as published in Nos., \$5. For sale at the office of **THE CULTIVATOR.**

Wire for Fences.

IRON WIRE FOR FENCING, constantly for sale at New-York prices. **Z. HOSMER**, 110 Milk St., Boston. April 1, 1850—6t.

The Farmers' Encyclopedia,

BY C. W. JOHNSON. Adapted to the United States, by **G. EMERSON**, Philadelphia, 1850. In one large octavo volume, 1173 pages, containing the latest discoveries and improvements, in Agriculture, with numerous plates of Live Stock, Farming Implements, &c.

"We are fully convinced that such an amount of valuable knowledge for farmers can be found in no other work in so cheap and convenient a form. In fact, no farmer who pretends to be well informed in his profession should be without this book."—*New Genesee Farmer.*

"An excellent work, fit to be distributed in premiums by Agricultural Societies. How much better, and in better taste, than the amount of its cost in money."—*J. S. Skinner.*


Sold by **L. TRCKER**, Albany; **A. HART**, Philadelphia; **DERBY & Co.**, Buffalo; **W. D. TRICKNER & Co.**, Boston; and the principal booksellers in the Union. Price \$4. (Cost of the imported work in 1 vol. without any plates, \$14.) July 1—tf.

Importation and Sale of Stock.

MR. L. G. MORRIS, of Mount Fordham, Westchester County, N. Y., left New-York on the 17th April, for Europe. One of his main objects is to obtain agricultural information generally, and especially to purchase such domestic animals as are calculated to improve the stock of the United States. He purposes to attend the sale of the Short-horn cattle belonging to the estate of the late **THOMAS BATES**, Esq., of Kirkclevington, Yorkshire; but will not confine his purchases to that herd. He expects to return to America in September next, and the second annual sale of cattle from his own herd, will take place in October. Whatever stock he may import, will be at his place at the time of sale. Printed catalogues of the animals to be sold, will be issued in due time. June 1, 1850—4t.

The Old Gifford Morgan,

THE highest blooded Morgan Stallion now remaining, will stand the coming season at the stable of Benjamin Gates, in Walpole, N. H. Terms \$25, \$5 of which to be paid at the time of service, and the remaining \$20 if the mare prove in foal. Pasturage furnished on reasonable terms. **A. ARNOLD**, Walpole, May 1—5t.* Agent for the Proprietors.




I. T. GRANT & CO.'S

PATENT FAN MILLS AND CRADLES. We continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New-York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Slocum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S.'s, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £18, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49.)—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."



Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.

The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention. **I. T. GRANT & CO.** Junction P. O., Rens. Co., 8 miles north of Troy May 1, 1850—tf.

Contents of this Number.

Nutritive Properties of the Apple,..... 289
 Foreign and Domestic Wool, by H. C. MERIAM,..... 291
 Sheep Husbandry of Washington county, N. Y.,..... 293
 History of Short Horned Cattle,..... 295
 On the Importance of extended Chemical Investigations by }
 Prof. J. P. NORRON, 296
 On Plows and Plowing, by F. HOLBROOK,..... 297
 Chapin's Portable Cider Mill and Press—Brown's Coupling }
 for Pipes and Hose,..... 299
 The Potatoe Disease, by C. E. G.,..... 300
 Irrigation of Gardens—Striped Bugs—American Pomological }
 Congress—The Michigan or Prairie Rose, by D. T.,..... 301
 Belle Magnifique Cherry, and Native Flowers, by D. T.—The }
 Cherry Bird—To Winter Bourbon Roses,..... 302
 Cutting off Leaves of Plants and *Virgilia lutea*, by D. T.—Cor- }
 rections of last Number—Rose Cuttings—Domestic }
 Economy, Recipes, &c.,..... 303
 Review of Downing's Country Houses,..... 305
 Notes on Farming in Ohio, by J. R. HOWARD—Crops in Seneca }
 Co. &c., by J. JOHNSTON,..... 308
 The Power of Steam—The Food of Plants,..... 309
 Water for Irrigation—Cultivating Stiff Soil,..... 310
 Pipes for Water, by R. A. HUTCHINSON—Preserving Corn }
 from Worms, by N. AGARD—Bleeding Animals,..... 311
 Emery's New Thresher and Cleaner—Culture of Wheat— }
 Viewing Farms,..... 312
 New-York State Fair—Answers to Correspondents,..... 313
 Monthly Notices—To Correspondents, &c.,..... 314

ILLUSTRATIONS.

Fig. 195, 196—Ruggles, Nourse, Mason & Co.'s New Stubble }
 and Sward Plows,..... 298
 197—Chapin's Portable Cider Mill and Press,..... 299
 198 199—Brown's Coupling for Pipes and Hose,..... 299
 200—View of Floral Hall at Syracuse,..... 304
 201—A Bracketed Farm House,..... 305
 202 203—First and Second Floors of same,..... 306
 204—Emery's New Thresher and Cleaner,..... 312

Commercial Garden and Nursery of

PARSONS & CO.,

Flushing, near New-York.

THE proprietors of this establishment offer for sale their usual assortment of Fruit and Ornamental Trees, Shrubs, Vines, Roses, &c.

Their stock of Apples and Pears is finer than they have before offered. Also Pears on Quince, of their own growing.

The Ornamental department contains the usual well known varieties, and all the best new Trees and Shrubs, for lawns and arboretums, including the new Pines, *Araucaria Imbricata*, *Cryptomeria Japonica*, with Cedar of Lebanon, at one to two dollars each; and *Cedrus Deodara*, of various sizes, at one dollar per foot.

Catalogues furnished gratis on application by mail. Sept. 1—2t.

Great Sale of Fruits at Auction.

The Whole Stock of a Nursery to be Sold at Auction, Sept. 20th, 1850.

THE Proprietors of the LAKE ERIE NURSERY, Cleveland, Ohio, being about to make a change in their business, will sell their entire stock of Fruit and Ornamental Trees, Shrubs, Roses, &c. &c., at Public Auction, and without reserve, on the 9th and 10th days of October.

The collection embraces all the choice leading, and new varieties of Fruits, rare Ornamental Trees, Shrubs, &c., and in extent of variety and correctness to name, is probably surpassed by no Nursery at the West.

The stock of Pears on free stocks, and dwarfed on Quince, is very good, and also Cherries, Apples, Peaches, Plums, Grapes, Quinces, Currants, Raspberries, &c., &c.

Among the Ornamental Trees and Shrubs, there are plants from one year's growth to an extra size, and the stocks of Mountain Ash, Scotch Larch, Deciduous Cypress, Norway and Silver Maples, European Lindens, Horse Chestnuts, Kentucky Coffee Trees, Garland Deutzia, *Daphne Mezereum*, Monthly Chinese Evergreens, and Tree Honeysuckles, &c., &c., are especially good.

The stock of Evergreens is large, and most of them having been twice transplanted, they are in an excellent condition to be removed.

The sale will be made in lots of from 10 to 100 trees or plants in each lot. The correctness of varieties may be relied upon, and purchasers can have the privilege of removing their trees at any time previous to the 20th of May, 1851.

The purchaser can dig and remove his trees himself, or the proprietors will do it for him, charging him the usual price of packing, &c.

The terms of sale, unless otherwise agreed upon with individuals will be as follows—

- For all sums under Twenty Dollars, cash.
 - Over Twenty and under Fifty, 30 days.
 - Over Fifty and under One Hundred, 4 months.
 - Over One Hundred, six months, approved Notes payable at Bank.
- Catalogues will be issued about the 15th of August, which we shall take pleasure in forwarding to any persons who may desire. All communications of enquiry, &c., addressed to the subscribers will meet prompt attention.
- ELLIOTT & CO.,
 Sept. 1—1t Lake Erie Nursery, Cleveland, O.

Fruit and Ornamental Trees,

at the Nursery of J. J. THOMAS, Macedon, N. Y.

MOST of the Trees are of large, handsome, and thrifty growth, and they embrace careful selections of the best sorts of Apples, Peaches, Pears, Cherries, Apricots, &c., with the smaller fruits.

When purchasers desire, selections will be made by the proprietor, so as to afford a regular succession of the best varieties throughout the season; and all may be relied on as strictly true to their names, the proprietor having for the past fifteen years invariably adhered to the rule of selling none but THOROUGHLY PROVED sorts.

A carefully assorted collection of hardy Ornamental Trees, Shrubs, and Herbaceous Perennial Plants, furnished at moderate prices.

Trees for canal and railroad well packed in bundles, enclosed in strong mats, with roots mudded and encased in wet moss, so as to preclude all danger of injury.

All communications, *post-paid*, to be directed Macedon, Wayne Co., N. Y. Sept. 1—3t.

To Nurserymen, Dealers, and others.

THE subscriber offers for sale at the *American Botanic Garden and Nursery*, Waterloo, Seneca Co., N. Y., (4½ miles northwest of Waterloo, on the Vienna road) — 20,000 American Balsam Fir, 10,000 Spruce, Red, White, &c.

Also various other Native and Foreign Trees, Shrubs and Herbaceous Plants, together with a choice selection of Fruit Trees, Native Trees and Plants to order.

Orders promptly executed, and Trees and Plants packed for safe transportation to any part of the United States, Canada and Europe. Sept. 1—2t. W. S. DELL

Allen's Improved Portable

Railroad Horse Power, Thresher and Separator.

THE advantages of the above horse powers are—1. They occupy but little more space than a horse. 2. They can be moved by the weight of the horse only, by placing the machine at an angle of 10 or 15 degrees. 3. They are easily transported, simply constructed, not liable to get out of order, and move with little friction.

The *Overshot Threshers* consist of a small spiked cylinder with a concave top, and possess these advantages. 1. They have a level table for feeding, thus enabling the tenders to stand erect, and control the motion of the horse and machine by means of a brake, by which accidents are avoided. In consequence of the spikes lifting the straw and doing the work on the top, stones, blocks, &c. drop at the end of the table, and are not carried between the spikes. 3. The overshot cylinder does not scatter the grain, but throws it within three feet of the machine. 4. This arrangement also admits of attaching a separator, high enough from the floor or ground to allow all the grain to fall through it, while the straw is deposited by itself in the best condition for binding. 5. Neither grain nor straw are broken by this machine. 6. The cylinder is long, which admits of faster and more advantageous feeding; it is smaller and with fewer teeth than ordinary threshers, thus admitting of more rapid motion and faster work with less power; and the diminution of teeth in the cylinder is fully made up by an increased number in the concave top, which is stationary. 7. The separator is a great advantage in diminishing the labor of raking out the straw, as it leaves the grain in the best condition for the fanning mill. Three men with single power, can thresh 100 to 150 bushels of wheat or rye per day; and four men with a double power, twice that quantity. All the above are compact, and can be carried where wanted, complete, or they may be readily taken apart and packed for distant transportation by wagon or otherwise.

- Price of single Power,..... \$80
 - “ Thresher,..... \$23
 - “ Separator and fixtures,..... \$7
 - “ Bands for driving, etc.,..... \$5
 - “ Wood-sawing machine, complete, and in running order,..... \$35
 - Price of double Power,..... \$100
 - “ with Thresher, Separator, &c.,..... \$145 to \$150
- All the above are sold singly or together, as desired, and are warranted to work well and give satisfaction.

A. B. ALLEN & CO.,

Aug. 1—2t. 189 & 191 Water Street, New-York.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

[] All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

[] All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

[] The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:
 NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
 BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT,
 7 Congress-st
 PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms.



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, OCTOBER, 1850.

VOL. VII.—No. 10.

Fattening Animals.

THERE is a great advantage in commencing the fattening of animals early in the fall. There are many articles on a farm which may be profitably used at this season, but which, from their perishable nature, would be lost, or greatly depreciated in value, by long keeping. Early apples, squashes, pumpkins, unmerchantable potatoes, and unsound corn, should be used first. But besides the advantage in saving these kinds of food, there is another important argument in favor of early fattening; the same amount and quality of food will go farther, or will produce a greater amount of meat, in mild weather, than in cold—less food being required to supply the waste of the animal system under a mild temperature, than under a low one.

Experiments have established the fact that for *swine* there is a great advantage in cooking food. This advantage results in two ways; first, from the aid which the cooking process affords to the organs of digestion, by bringing the nutritive properties of the food into a condition in which they may be more easily assimilated; second, by rendering food more palatable, so that some articles, which would be rejected in a raw state, are, when cooked, eaten with avidity.

The actual saving or gain by cooking, depends on many circumstances, and perhaps has never been ascertained with mathematical accuracy. Indian corn may be fed liberally to hogs, in a raw state, before it becomes fully hardened, and they will extract the nutriment from it pretty thoroughly; but after it is seasoned and dried, it cannot be used to advantage (except when fed in very small quantities) without being ground, or softened by soaking or cooking. The grinding is doubtless best; and if swine are to be *full-fed*, there would then be considerable saving in cooking the meal, over feeding it raw. Some observing and careful persons have estimated this saving at one-fifth the value of the food, and others at more. The remarks in regard to Indian corn, will apply to other kinds of grain that may be used as food for swine. In fact the *general* advantages of cooking food for these animals, is admitted by most authorities. The *Book of the Farm* observes—"By direct experiment, it has been ascertained that pigs fatten much better on cooked than on raw food. This being the case, it is only a waste of time and material, as also loss of flesh, to attempt to *fatten* pigs on raw food of whatever kind; for although some sorts of food fatten better than others in the same state, yet the same sort, when cooked, fattens much faster and better than in a raw state. The question, therefore, simply is—what is the best sort of food to *cook* for the purpose of fattening pigs? Roots and grains of all kinds, when cooked, will

fatten pigs. Potatoes, turnips, carrots, parsnips, mangel-wurtzel, as roots; and barley, oats, peas, beans, rice, Indian corn, as grain, will all fatten them when prepared."

Swine are benefitted by being fed with different kinds of food. They, like most animals, when left to themselves, feed on various plants and substances. This variety is doubtless promotive of their health and thrift; it excites the appetite, and their food is consumed with less waste. We believe, also, that the quality of pork is improved by a mixture of food—that swine fed with food composed of vegetables, fruits, and grain or meal, with dairy slops, will make better pork than those which are fed entirely on Indian corn. The cooking of food probably tends further to the improvement of the quality of the pork. Indian corn contains a large proportion of oil, and when swine are fed with a large quantity of this grain in a raw state, it is not improbable that the oil is assimilated in a greater proportion, comparatively, than the other constituents; and this may partly account for the fact that "western pork," which is produced almost entirely from corn, is generally more oily than eastern.


The feeding of swine with fermented food has been frequently recommended, and some who have practiced it have spoken favorably of its advantages. We apprehend, however, that erroneous ideas on this point are often entertained—especially in regard to the degree to which fermentation should be carried in food. Chemistry teaches that fat may be derived from sugar, and hence the presence of sugar in the food of animals, is important. Now the result of the first fermentation of vegetable substances—the saccharine—is the production of sugar; it is obvious, therefore, that the development of this property in the food may tend to the accumulation of fat in the animal.

The remarks of Dr. THOMSON, in regard to the formation of fat may be properly introduced here. He says—"There is another constituent of the animal body, namely, fat, the production of which deserves notice. It is not an organised tissue, but is formed and collected in the cellular tissue under certain circumstances. These are rest and confinement,—that is, a deficiency of oxygen, and abundance of food containing a considerable proportion of non-azotised matter, such as starch, sugar, &c. Now the chief source of fat is sugar, the composition of which is such that when deprived of oxygen fat remains."

From this reasoning it is evident that the fermentative process, in substances designed for food, should not be carried too far; it should not be allowed to run into the *acetous* stage, as that would convert the sugar into vinegar, a substance which can afford

no fat. It is well to prepare the food beforehand, and in such quantities that it may be brought into the proper state at the time it is given to the animals.

As to the manner of cooking, and apparatus for the same, perhaps there is nothing preferable to Mott's Portable Furnace, a cut of which is herewith given. It will answer either for boiling or steaming. "It is formed of cast iron, and is of itself both stove and boiler. The boiler is shown in the cut as detached from the stove; its form is such that the fire passes completely round the kettle or boiler, the space being some two to three inches between the outside or stove and the boiler. This causes the water to boil very quickly, and with very little fuel, saves all the expense of masonry and brickwork, as a funnel or stove pipe is all that is necessary to give it a draft for all purposes."



Mott's Furnace.

As a general rule, we think boiling is quite as convenient and economical as steaming, and where meal is to be mixed with vegetables or fruits, the former is preferable, as the meal can be added when the mass is sufficiently cooked to admit of a ready mixture. The water will be taken up by the meal, which, being thoroughly stirred in, will become cooked with the rest. In moderate weather, the food may be transferred from the boiler to wooden vats, as soon as it is cooked. A considerable quantity may be thus prepared at a time, and it may be allowed to pass into that stage of fermentation which is proper for developing its nutrient properties.

Articles which are of the most perishable nature should be used first. Squashes and pumpkins, when well ripened, constitute a nourishing food, for cattle or swine. For the latter, it is best to cook them. They should be boiled in as little water as will answer, and when soft, they should be mashed fine, and about one-fourth of their bulk of meal intimately mixed in. This kind of food, with a little skimmed milk or whey, will fatten swine very fast; and for two months, or from the middle of September to the middle of October, we scarcely know a better article for feeding stock, taking cost of production and value into consideration.

It has been before observed that a variety of food is useful for fattening animals; and in fattening hogs, we prefer mixing the different articles at the time of cooking. The writer has formerly used the following mixtures with good success:—1. Two parts potatoes and two parts pumpkins; boil together till they can be easily mashed fine—then add one part meal, stirring and mixing intimately together. 2. Two parts potatoes, and two of ripe palatable apples—either sweet or sour; boil till they can be mashed fine; then add one part meal—(either that from Indian corn, barley, or oats and peas, allowing the same weights)—mix the whole together while the potatoes and apples are hot. Whatever dairy slops are to be used, may be mixed with the other cooked food when it is taken from the boiler, and the whole may be fed together.

The above remarks on feeding with cooked food, refer to swine; for fattening cattle, it is not certain that the use of cooked food would be attended with results sufficiently advantageous to defray the extra expense. Except when fed with whole grain, it is believed that cattle extract the nutriment from their food, more perfectly than swine. We may not be

able to assign the direct cause of this, though it results, doubtless, from the different organization of the animal. The intestines of the ox tribe, are much longer than those of swine, which probably increases the absorption of nutriment; and the process of rumination may afford still further advantages in this respect.

There is, however, one kind of cooked food for cattle, which seems to have been used with advantage in England. It is commonly known as "Warnes' Compound." It is prepared, with little variation, both for sheep and cattle, as follows:

For *sheep*, a quantity of flax-seed is first reduced by a mill or a machine. Put 168 lbs. of water into an iron boiler, and as soon as it boils, stir in 21 lbs. of linseed meal; continue to stir it for about five minutes, then let 63 lbs. of crushed barley or Indian corn meal be sprinkled by the hand of one person upon the boiling mucilage, while another rapidly stirs and crams it in. After the whole has been carefully incorporated, which will not occupy more than five or ten minutes, cover it down and throw the furnace-door open. Should there be much fire, put it out.

For *cattle*, the same process is to be observed, but the quantity of water is reduced to about 150 lbs. It is stated, also, that the seed and grain should be more finely reduced for cattle than for sheep, as sheep chew their food better, and more thoroughly digest it. The compound is put while hot into shapes like brick moulds. Several of the boxes are made together, in one frame—the frame being about 28 inches long, and ten wide, with neither top nor bottom. When used, it is placed on a board, which should be a little longer and wider than the frame. The "compound" is pressed into these moulds, and afterwards left to dry. Potatoes, carrots, turnips, or mangel-wurtzel, boiled and incorporated with the linseed meal, form a compound upon which cattle fatten with great rapidity.

The compound is given in small quantities at first. During the first week five to seven pounds per day are allowed to each bullock, and after that time, the quantity may be increased to fourteen, and finally to twenty-five pounds per day.

Mr. COLMAN, who, while in England, saw the "compound" prepared, and had some opportunity to learn its value, observes—"I place the fullest confidence in the statements of Mr. Warnes. From my own experience and observation, I am convinced that no more nutritious or fattening food can be given to animals, swine excepted, (as it gives an unpleasant taste to the pork,) than cooked linseed or flax-seed jelly, in certain proportions; and it may be mixed with cut hay, or with various other articles of food, with equal success."

We have known some trials made with flax-seed prepared in a manner similar to the above, in fattening cattle, and the results have been very favorable. But the article commonly used in stall-feeding, in this country, is Indian corn meal. In the western states the corn is usually fed with the stalk—being cut up and placed in shocks for that purpose, soon after the grain begins to harden. Raw Indian meal is, however, a very *heartly* food, and when an animal is fed with a large quantity, day after day, it is very apt to cloy. This is owing in a great degree to its lying in too solid a mass in the stomach, and to its not affording sufficient distension to the intestines, to produce a proper action of the absorbent vessels. To remedy this, it has been found useful to mix the meal with some light substance, which permits the juices of the stomach to penetrate

it; and which will at the same time give the requisite bulk to produce a healthy action of the viscera. This insures the thorough extraction of the nutriment of the food, and the greatest thrift and gain of the animal.

The grinding of the cob with the grain answers, in a good degree, the purpose above mentioned. It has been ascertained, also, that the cob of itself is capable of affording considerable nourishment to the animal. Dr. SALISBURY in his *Prize Essay on Indian Corn*, observes:—"By rejecting the cobs of 1,000 lbs. of dry ears, about 200 lbs. of organic matter is lost, which consists of 13½ lbs. of sugar and extract, 127¼ lbs. of fibre, 45½ lbs. of matter separated from fibre by a weak solution of potash, 1½ lbs. of albumen, .288 of a pound of casein, 2.31 lbs. of gum or dextrine, 1.8 lbs. of resin, and 7.4 lbs. of glutinous matter. Hence the cob, although not rich in nutritive matter, can by no means be said to be destitute of those proximate principles which go to support respiration, and sustain animal heat, and those which are capable of being transformed into nerve, muscle, &c., and the phosphates which contribute so largely to the formation of bone."

By the mixture of the cob with the meal, therefore, we obtain the two-fold advantage of having the meal more thoroughly digested, and of saving the nutrient qualities of the cob. Mixing meal with cut hay, straw, or chaff answers a good purpose. It is necessary that the fodder should be dampened with water, so that the meal will adhere to it, and it may be easily mixed together with a fork. A full-grown ox will eat from eight to ten quarts of meal per day, which is usually divided into two equal parts, one given in the morning and the other in the evening. If the meal has the cob mixed with it, or is mixed with cut hay, the quantity may be somewhat increased. The feeder should, however, carefully watch the appetite of each animal, and be sure to give no more than is eaten.

The feeding of vegetables to cattle in connection with meal, is beneficial. Potatoes, turneps, beets, or apples, tend to prevent the heating effect of the meal—they sharpen the appetite, assist digestion, and promote the general health of the animal. It is the opinion of some observing feeders, that half a bushel per day of either of these articles, given in addition to the usual quantity of meal, will increase the gain thirty per cent.

To obtain the greatest benefit from the food eaten, the utmost regularity should be observed in feeding. The quantity given at a time should be just what the animal will eat with a good appetite and no more and the meals should be at regular intervals. It is believed that cattle kept constantly in the stall and in a temperature of about 70° F., will fatten faster than those which run in yards with sheds for shelter. At all events, the animals should be kept easy and quiet, as quietude conduces much to the secretion of fat.

APPLES.—The *Berkshire Culturist*, in copying our remarks on the "nutritive properties of apples," observes—"We have taken from the *Cultivator* an article on the value of apples, which, it appears to us, will be read with much interest at this time. We hold apples in high estimation as food for stock of all kinds. The negro at the South is no surer to fat in the sugar-making season than the farmer's boy in the season of apples. Of those who talk about half an apple after dinner, we have nothing to say. They know nothing about eating apples. But he who eats them in the good old fashioned way is sure to grow fat, unless his stomach has been vitiated by sickness or change."

Letters from Prof. Norton—No. 10.

On the Importance of Extended Chemical Investigations, continued.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., August 27th, 1850. }

MESSRS. EDITORS—In the latter part of my last letter, I commenced some remarks on the importance of extending Chemical Researches, which I now design to explain and illustrate more fully. The examination of wheat was mentioned, and the advantage shown of having numerous analyses made upon different specimens. Let us suppose for a moment, in continuation of this reasoning, that but one variety had been examined, and that variety grown upon always the same soil; this wheat would have invariably about the same composition of ash. If there were much soda and very little potash in the soil, it is probable that the proportion of soda in the ash would be largest; perhaps the potash might be but a mere trace. Hence it would be natural to conclude, that manures rich in soda should be employed for this crop, in preference to those containing chiefly potash. Examinations of other samples from other localities, however, would show in most cases a reversal of this supposed rule, and a preponderance of potash in the ash.

This is comparatively but a trifling instance, yet it is sufficient to illustrate my meaning. One or two cases in succession of finding most soda, might seem conclusive evidence, but twenty examinations might prove just the reverse to be true. I heard at the meeting of the Scientific Association, in this place last week, a few words from Prof. A. D. Bache, which occur to me as particularly applicable here. A discussion had arisen relative to the comparative liability of different trees to be struck by lightning, and had been spun out to a great length, eliciting various contradictory opinions, all founded on actual observation. Prof. Bache then said, that some years ago, being on an exploring and surveying expedition, he spent a long time in the woods, and directed much attention to this point; noting as he passed along, the kind of each tree that had been struck. At the end of two or three days, on looking over his list, he supposed that he had established a law, but at the end of a *month*, he was perfectly convinced that he knew nothing about it. So the chemist, as he gains experience, often finds himself really in the dark upon points that appeared perfectly clear when he first commenced studying; as our knowledge increases, so does our consciousness of the comparatively limited sphere of its extent.

The accumulation of materials already made in the departments of chemistry, and of vegetable physiology, although in themselves great, are, in comparison with what is to be done, almost trifling. Wherever the intelligent, practical man turns his attention, he is met by difficulties for which there are as yet no remedy; and in all directions his inquiries are sooner or later brought to an end, by the assurance that such and such points have not yet been investigated. If he thus perceives that there is still so much to be done, how much more must this be apparent to the scientific laborer, who sees in every direction subjects of the most interesting and important character, all seeming to demand his attention at once, and who throws open, by each new research, fresh fields for exploration.

I have made chemistry more particularly the subject of this letter, because it, in my opinion, is decidedly the leading feature of scientific agriculture.

The other departments of natural history, all to a greater or less extent depend on the illustrations and explanations of chemistry, for their practical applications to agriculture. Geology, for instance, is of very great importance; a knowledge of the different rock strata, gives great facilities in improved cultivation, explaining away difficulties, and suggesting economical methods of improvement. But when we come to examine more closely, we find that the aid of chemistry has been called in. It is said, for example, that the soil formed from a particular rock, may be brought into good condition by the use of lime, while that of the rock immediately below or above, is not benefitted at all by its use. How is this information obtained? The answer is, only by the aid of chemical analyses.

So also in botany: the knowledge which we desire from a classification of plants, and from studying the nature of their growth, derives its practical value from the calling in of chemistry to analyze the various species, and the various parts, to determine their precise properties. I might go on thus through other branches of science; even meteorology is connected closely with chemistry, inasmuch as the changes of temperature, dryness or moisture, rain and snow, and even electricity, all influence plants chiefly as they bring about certain chemical changes, which bear more or less directly on their nutrition and growth.

Thus the range of the agricultural chemist is almost co-extensive with the whole field of natural science; his vocation does not alone consist in analyzing soils, seeds and manures, as most persons seem to suppose; he has to study nearly all the phenomena of nature.

It is then obvious, that men who are to benefit the practical agriculturist in his methods and his ordinary pursuits, must not only be industrious and persevering, but highly educated. It seems a very simple thing to say that sulphuric acid is an excellent manure for some plants, but the labor and the attainment of scientific experience among different classes of crops, necessary to fully establish this fact, may have occupied many months. All purely chemical investigations are extremely slow in their progress. A single *thorough* analysis, of an ash for instance, cannot be well done in much less than a fortnight; and then the result obtained ought never to be relied upon absolutely, until fully confirmed by a second analysis. It is true that two analysis may be carried on at once, but even with this advantage, he is a most successful analyst who produces two or three really first rate, verified ash analyses, in the course of a month. I speak of analyses in which every constituent is separated.

It has seemed to me necessary to explain these matters at some length, in order, if possible, to turn the public mind in the right direction before any large institutions are established, having the improvement of agriculture for their main or sole object. Each State *ought* to have such an institution, planned and endowed on a liberal scale. I am not to be understood as wishing to interfere with smaller schools; those can be founded by private enterprise, and have their proper field. A State institution should be of a higher class, just as a college is higher than academies, and one of its leading objects should be to train up well qualified teachers, to fit them thoroughly for taking charge of the lesser seminaries.

If the State of New-York were to found to-morrow, an agricultural school in each county, or in every two counties, the men could not be found in the whole United States entirely competent to take charge of

them. There are good farmers enough to undertake the practical departments; but there are *very few* well instructed scientific men trained in this branch of study, who would be able to satisfy the wants of the farmers. Such men are greatly needed, and the demand is increasing far faster than the supply. All of those who have studied at this laboratory, and who desired employment, found it readily in most cases, sometimes even before their studies were completed.

As I hinted before, it is my desire to urge, that in State institutions there should be attention given to the higher departments of scientific investigation. In all of the schemes that have fallen under my notice, there has been a high place given to a professor of chemistry; in most cases he has been named as the head of the establishment. This professor of chemistry, besides having a general supervision of students, laboratory, farm, business matters, &c., would be called upon to lecture in every part of his own State at least, and to answer numberless inquiries upon every conceivable topic that could be connected, even remotely, with agriculture.

How much time would such a person have for pursuing extended and difficult researches?—obviously none at all, unless possessed of energy and force of character almost superhuman. I would suggest, therefore, the appointment of a chemist, whose sole business it should be to pursue investigations calculated directly or indirectly to benefit practice. Get the right man, and let him devote one, two, or more years, to a subject if necessary; furnish him with every necessary, and pay liberally enough to secure undoubted skill and talent. There are many print works and woolen mills in this country, that pay readily two and three thousand dollars a year to a chemist, who is engaged inventing new processes, analyzing their materials, &c.; ought not the farmers of a State, in consideration of the interests involved, to afford as fair a remuneration as a single corporation? I propose this addition as one worthy of consideration by all who are interested in the various State movements now commencing. Yours truly, JOHN P. NORTON.

Report on the Trial of Plows,

By the New-York State Agricultural Society at Albany, June, 1850.

The Committee on the Trial of Plows, for the New-York State Agricultural Society, report:

That in pursuance of the directions of the Society, they assembled in the city of Albany, on Monday the 3d day of June, 1850, and immediately proceeded to perform such preliminary duties as would be necessary for the success of the ensuing trials.

On Tuesday, the 4th, the trial of the Plows commenced, in competition for the following premiums offered by the Society, viz:

Best sod plow for stiff soils, furrow not less than seven inches in depth, nor over ten inches in width, Diploma and.....	\$15 00
Second best do,.....	10 00
Best sod plow for light soils, furrows not less than 6 inches deep and 12 inches wide, Diploma and.....	15 00
Second best do,.....	10 00
Best plow for "fallows" or old land, Diploma and.....	10 00
Second do,.....	8 00
Best sub-soil plow, Diploma and.....	8 00
Best side-hill plow, Diploma and.....	8 00

The first trials were on fallows or old land, on the farm of J. Lansing, at Greenbush. The field selected was hilly; the soil was a stiff loam, inclining

to clay, mingled with stones of various sizes. There had been almost continuous rains for three weeks previous, and the ground was, for the most part, thoroughly saturated with water, and the greater portion of it had been recently covered with a coating of long manure.

In consequence of the inequalities of the surface of the field, there was necessarily a diversity in the various lands and sections,—some being more stony, wet, or adhesive, than others. This source of fallacy was guarded against by your committee as far as they could, by taking copious notes of the physical condition of the different lands, and making due allowances when determining the awards. The vegetable matter on the ground was not sufficiently thick to prove any serious impediment to the operation of the implements. After the competitors had drawn for the number of their lots, the following rules for regulating the awards were announced in the hearing of each competitor:

RULES REGULATING THE TRIAL.—In deciding the general question—What are the best plows? the committee will be governed by the following principles: 1st, the character of the work performed; 2d, the power required in draught; 3d, quality of materials, durability and cost of the implements.

For *stiff soil*, excellence of work shall consist, first, in leaving the furrow slice light and friable; second, in so disposing the sod and all vegetable matter as to ensure its ready decomposition.

For *sandy soil*, or that which is already too light, the points in regard to work will be, first, thoroughly burying the vegetable matter; and second, leaving the ground generally level.

For *fallows*, or old land, the principle in reference to the quality of the work will be, the thorough pulverization and friability of the soil.

In determining the power required in draught, the most perfect instrument will be used, and the trial will be conducted in the most careful and thoro' manner.

The same implement for testing draught, and the same team will be used for all plows in the same class.

The plows may be held by the competitors, or persons appointed by them, as may be preferred.

The trial being open to competitors from any part of the world, fourteen plows were entered for premiums.

OLD LAND TRIALS.—Before commencing the work the committee passed the following resolution, viz:

Resolved, That the Plow which effects the most thorough pulverization and inversion of the soil, with a depth of furrow of seven inches, shall be deemed to make the best work.

The lands were marked out 162 feet long and 23 feet wide. The preceding table exhibits, 1st, the name of the proprietor of the plow; 2d, the name of the plow, 3d, the name of the plowman; 4th, the draft of the plow; 5th, the weight of the plow; and 6th, the price.

While the plows were in action, they were carefully watched by the committee, and every circumstance which they deemed essential was noted. The appearance of the land after plowing, its friability, the comparative time of drying, the amount of vegetable matter left uncovered, were then carefully examined. The result of their observations is summed up in the following remarks:

A. FLECK'S Wilkie's Scotch Plow.—Performed work in a handsome manner; the furrows were high set, and their form was well adapted to cover the seed with a friable soil after it had passed under the action of the harrow. The materials of the implement were of the best quality, being wholly of iron, and all the portions of it, except those exposed to the abrasion of the furrow-slice, appeared almost indestructible. In our opinion it is liable to the following objections: 1st. Its draft is heavy. 2d. Its weight makes it too laborious for the plowman to handle, particularly where the furrows are short, and the turnings are consequently frequent. 3d. Its price is too great for the means of ordinary farmers. 4th. It requires a more thorough training on the part of the plowman than is ordinarily attained by the farmers of this country. 5th. The bottom of the furrow is left uneven, that portion of the bottom contiguous to the land-side, being deeper than the portion nearest the furrow side. It is evident that this cut gives less friable earth adapted to the exigencies of the crop than if it were level at the bottom.

FRENCH & SMITH'S Michigan Sod and Sub-soil.—We shall not notice this plow minutely in this connexion, reserving our remarks for a subsequent part of this report.

EDDY & CO.'S Washington Co. Iron beam D.—This is a strong and well made plow; the beam is of wrought iron, and we should suppose from its construction, that it was well adapted for very rough and stony land. Its draft is heavy, and the mould-board presses heavily on the upper and lower edges of the furrow, so as to leave the surface exposed after plowing, curved, from the effect of the pressure. This peculiar action not only expends power wastefully, but packs the earth which ought to be pulverized.

RANDERSON'S Schodac Plow.—The good qualities of this plow were brought out in the fullest relief by Mr. Randerson, whose expertness as a plowman was particularly observed. The lightness of draft of this plow is very remarkable; this was seen as distinctly in the action of the team as from the indications of the dynamometer. It also possesses another quality which will recommend it to many farmers; it can be used by an inexperienced plowman with better effect than most of the plows exhibited; it runs easily without turning towards the land or from it, and when once gauged, it keeps the required depth with great steadiness. Since good plowmen are procured with so much difficulty in many places, this quality of the plow will prove of great value. With these qualities, it fails in its pulverizing action; the furrow-slice is simply turned, with scarcely any comminution of its particles, and it does not bury the grass and other vegetable matters on the surface, with that thoroughness which good husbandry requires.

Name of Competitors.	Name of Plow.	Name of Plowman.	Dft.	Wt. Plow.	Price Plow.
A. Fleck	Wilkie's Scotch,	M. Hutchinson	487	175	\$23.00
French & Smith	Michigan Sod & Sub-soil,	J. Brydon	406	174	13.00
Eddy & Co.	Washington co. Iron Beam D,	S. R. Mott	439	112	10.00
— Randerson	Schodac,	— Randerson	342	109	8.00
Minor & Horton	Peekskill No. 21,	J. Mooney	363	107	7.50
Starbuck & Co.	Trojan No. 5,	— Smith	379	109	9.00
P. Auld	Improved Scotch,	T. Williams	373	116	9.50
Prouty & Mears	Centre draft No. 5½,	J. Mooney	383	119	12.00
Bosworth, Rich & Co.	Iron Beam D,	T. Leonard	425	102½	8.50
— Finch	Empire A 3,	M. M. Webster	456	99½	10.00
H. L. Emery	Albany,	H. L. Emery	427	133	10.50
W. U Chase	Amsterdam No. 6,	J. Mooney	343	129½	
E. J. Burrall	Shell-wheel,	E. Smith	350	126	11.00
Prouty & Mears	Connecticut Valley,	J. Mooney	525	99½	10.50

MINER & HORTON'S Peekskill Plow, No. 21.—Those of your committee who have watched the operation of plows for several years in succession, which have been exhibited at our annual fairs, are no strangers to the excellence of this implement. It is constructed throughout by a rule, which was exhibited to some of the members of your committee several years ago. At each successive exhibition, competitors have approximated more and more closely to this plow, and the great excellence of many of the plows manufactured in this State, is due to the skill and ingenuity of Messrs. Miner & Horton. No. 21 turns an excellent furrow, surpasses most in pulverization, buries the vegetable matter well, is strong in its construction, durable in its materials, moderate in price, and light in its draft. But in our opinion would be improved, by an apparatus by which the breadth and depth of its furrow could be more readily and accurately adjusted.

STARBUCK & Co.'s Trojan No. 5.—The proprietors of this plow were unfortunate in drawing their lot, as it was undoubtedly the worst on the ground. It was situated at the base of a side hill, receiving its drainage. At the time of the trial it was very wet, excessively stoney, and covered with a ranker herbage than any other lot on the field. The confidence of the proprietors in the excellence of the implement was very strikingly exhibited by their submission to its being tested without the slightest remonstrance under circumstances so decidedly unfavorable. It is undoubtedly difficult for any judges to make a proper allowance for these inequalities in the physical condition of different lots, and it is possible that injustice may be done in spite of the greatest care and impartiality; but your committee in making their award, endeavored, individually, to be "fully persuaded in their own minds." *Trojan No. 5* is undoubtedly an excellent plow, and in its capacity for turning under weeds and stubble, without choking, is probably unsurpassed by any plow at the exhibition.

P. AULD'S Improved Scotch Plow, made good work. It seems well adapted to adhesive soils, as from its form and the quality of the metal used, it will scour well. It lacks the apparatus for proper adjustment, which renders it somewhat difficult of management.

PROUTY & MEARS, Centre Draft, No. 5½.—This plow possesses an extraordinary combination of excellencies. The point or share presents a gradual, easy rise of the furrow to the mould-board, which is on a gentle spiral curve, in its transverse and diagonal sections, and of such length as to insure a free and easy delivery of the furrow at its after end, and not requiring the foot of the plowman to prevent its falling back from whence it came, and having the cohesion of its particles so far disturbed as to admit of the genial influences of the sun and rain, those powerful agents of decomposition. It is of that peculiar structure which is so well adapted to the form which the under side of the furrow naturally assumes, in the process of being inverted, that after a few hours service, not an inch will be found which is not polished by the passing furrow.

The *centre draft* principle, seems almost universally misapprehended by most farmers and plow makers, although it has been the characteristic feature of Messrs. Prouty & Mears' plows for many years. Most persons suppose that this appellation refers to the draft-rod, which dispenses with the application of the power at the extremity of the beam; but this is not so. Its takes its name from the ap-

proximation of the beam to the central section of the implement, most other plows having the beam placed directly over the perpendicular land-side. The land-side makes an acute angle with a perpendicular, from the sole of the plow, and hence the furrow-slice, instead of being rectangular, is rhomboidal. The combined action of the coulter and plow, loosens the earth composing the acute angle, so that when the furrow-slice laps on the preceding one, the loose earth falls into the channel made by the lapping of the furrows and completely buries the protruding vegetation. This feature of the plow is looked upon by your committee with great favor, as it is almost impossible for a rectangular furrow-slice to be so laid as to shut in the grass so as to insure its decomposition, and to repress its growth.

The inclination of the land-side also brings the *standard* on which the beam is placed within the body of the plow, the front edge of which is thrown forwards in a curve under the beam, so as to prevent the vegetable matters on the surface from lodging on, and choking the plow. The after part of the head of the standard, is extended in such manner as to secure the beam and land-side more perfectly, and being within the body of the plow it admits of the position of the beam being in a line parallel with the land-side, and also causes the line of draft of the latter, and the line of motion of the plow to be parallel one to the other.

As the draft rod and other apparatus of adjustment attached to this plow, are in some respects peculiar, we subjoin Messrs. Prouty and Mears, description thereof.

"THE DRAFT ROD.—The under side of the fore end of the beam of common length, is elevated from two to five inches above the level of the standard at its junction with the beam. At the fore end of the beam is secured a metallic graduating arc, having a slot of about six inches lateral extent, and through which is passed, vertically, an eye-bolt of about ten inches in length—about eight inches forming a male screw, the female consisting of a nut on the under, and a powerful thumb nut, or knob nut, on the upper side of the graduating arc. By means of this arc, nuts and screw, the eye of the bolt may be elevated or depressed, and also passed to the right or left of the centre, and thus secured in its position—thus adjusting the line of draft with great accuracy. In front of the standard, under the beam, embracing its sides and extending up back of the standard-bolt, is a clevis, having its ends secured by a strong bolt through the beam. This clevis has three notches to admit the hook on the end of the draft rod. One central, and one extending out on either side of the beam. The draft rod is a bar of round iron—having at one end an eye to draw by, and at the other is formed a suitable hook or eye by which it is attached to the clevis after having been passed through the eye of the adjusting screw bolt.

"This apparatus, when applied to the Prouty & Mears plow, (the land-side and standard of which are inclined, and the beam on a line parallel with the land-side,) admits of the plow carrying its proper width of furrow when drawn by two or more horses walking in the furrow, when the draft rod is hitched into the right hand notch of the clevis and full to the right in the graduating arc. Hitch central in the clevis, and set central in the arc and it follows equally well, a yoke of oxen or a pair of horses. Let the rod be hooked into the notch on the left of the beam, and moved to the left of the arc, and it follows the team of three horses abreast as perfectly as before, in each instance holding its

width and depth of furrow, turning over and completely covering the sod and all vegetable matter.

To sum up the merits of this plow, it appears to us that it combines in a very remarkable degree the somewhat opposite qualities of ease of draft with pulverizing power; it buries the vegetable matter very thoroughly; it is made of very excellent materials; it is not expensive; the workmanship is of the best quality; it can be easily repaired, and facility in its use is easily acquired by the plowman. It is steady and equable in its motion, requiring little labor on the part of the plowman, and is susceptible of most accurate adjustment. The commendation which we have bestowed on the durability of the materials, strength of construction, neatness of finish, and general excellence of workmanship exhibited in this plow, applies with equal force to all the plows exhibited by the same proprietors.

BOSWORTH, RICH & Co.'s Iron beam D.—This plow has the merit of being the cheapest of any exhibited. Its construction gives it some advantages in plowing in stumpy land, and from its facility in turning, it is convenient where the furrows are very short. But your committee are constrained to say that the work performed by this plow, does not meet their approbation, as it requires too much aid from the foot of the plowman to place the furrow-slice in a proper position. It packs and solidifies the furrow-slice in consequence of the pressure of the hinder part of the mould board; the draft is heavy, and its action is vibratory and unsteady.

FINCH'S Empire A 3.—The same objections apply to this plow as to Randerson's, but it presses the furrow harder and requires more power.

H. L. EMERY'S Albany Plow, does good work, except that it fails to bury the stubble well.

W. U. CHASE'S Amsterdam Plow No. 6.—This implement was not properly adjusted for showing its peculiar properties, and therefore your committee hazard no remarks on its action.

E. J. BURRALL'S Shell-wheel Plow.—Much ingenuity is displayed in the construction of this plow, and from inspection, and from theoretical considerations, we should have been inclined to attribute to it valuable qualities; but it failed to effect a thorough pulverization of the soil, and to cover under the vegetable matter, without assistance from the foot of the plowman.

PROUTY & MEARS' Connecticut Valley Plow.—We cannot entertain a doubt of the excellence of the execution of this implement in soils adapted to its use; but it was not adapted to the soil where it was tried in our presence.

Your committee have thus passed in review all the plows offered for competition in this particular kind of land, and have given their opinions so far as they know their own hearts, with entire impartiality. They would have praised with far greater pleasure than they have blamed; but their duty to the society, and to the farmers of the State, seemed imperiously to require that they should honestly state the facts as they presented themselves to their view, with their conclusions, without fear, favor or affection.

STIFF SOIL TRIALS.—Having thus finished the trial of plows on "Old Ground," they proceeded to test those entered for plowing stiff sod.

The field selected was of a stiff clay soil, with a smooth and almost level surface, generally free from stones, in a very wet condition from recent rains, and covered with a sod which had been unplowed

for many years. The size of furrow-slice prescribed by the rules was 7 inches by 10 inches. The lands were 150 feet long by 23 feet wide. Twenty two plows were entered for competition, and the annexed table shows, 1st, the name of the competitor; 2d, the name of the plow; 3d, the draft; 4th, size of furrow; 5th, the price of the plow, and 6th, the weight of the plow.

Names of Competitors.	Name of Plow.	Dft.	Size of Furrow.	Price of Plow.	Wt. of Plow.
French & Smith,	Michigan sod and sub-soil,	500 8	by 10	\$13.00	174
Miner & Horton,	No. 21,	425 7	by 10	7.50	107
French & Smith,	Michigan Joint plow,	510 7½	by 12	10.00	
Eddy & Co.,	Washington Co. D,	450 7	by 12	10.00	112½
Miner & Horton,	No. 22,	550 7	by 12		
Prouty & Co.,	Centre draft, No. 25,	490 7	by 11	11.50	108
H. L. Emery,	Albany,	580 7	by 11	10.50	133
Bosworth & Rich,	Right and Left,	550 7	by 10	7.00	122
Finch,	Empire A 3,	525 7	by 12	8.75	99½
Gilbert,	New Jersey,	560 7	by 12	6.00	93
Starbuck & Co.,	Trojan No. 5,	425 7	by 12	9.00	109
Scott,	Ohio,	650			
Prouty & Co.,	Centre draft, 5½	470 7½	by 11½	12.00	119
Prouty & Co.,	Centre draft, No. 30,	450 7	by 10½	10.50	93½
Bosworth, Rich & Co.,	Iron Beam, E D,	380 7	by 10	8.50	102½
W. U. Chase,	Amsterdam, No. 2,	500 7	by 11		114
Randerson,	Schodac,	390 6½	by 10½	8.00	109
Starbuck & Co.,	Iron Beam,	410 7	by 12	8.50	
A. Fleck,	Wilkie's Scotchswing,	475 7	by 10	28.00	175
Starbuck & Co.,	Trojan No. 3,	460 7½	by 12		
P. Auld,	Improved Scotch,	475 7	by 11	9.50	116½
E. J. Burrall,	Shell Wheel,	410 7	by 11	11.00	126

FRENCH & SMITH'S Michigan Sod and Sub-soil.—We reserve our remarks on this plow for another place.

MINOR & HORTON'S Peekskill Plow No. 21.—This plow does excellent work, though intended for a wider furrow, and working disadvantageously in this. It yet made good work, pulverizing the soil in a satisfactory manner. This plow, as well as No. 22, hereinafter mentioned, was held by a person unaccustomed to the implement, and for that reason all the excellencies of the plows were not developed. It runs with great steadiness, and requires very little interference on the part of the holder.

FRENCH & SMITH'S Michigan Joint Plow.—This implement has merits, but is inferior to the "Sod and Subsoil Plow" of the same proprietors.

EDDY & Co.'s Washington Co. D.—This plow is not calculated for so deep a furrow as seven inches. When working at this depth, much power is expended upon the furrow slice which is hardened and polished by the pressure. It cleans out the bottom of the furrow well, and runs very steadily.

MINER & HORTON'S Peekskill No. 22.—This plow does not leave the land as light as No. 21, nor is it as well adapted for the work required by the rules.

PROUTY & MEARS' Centre Draft No. 25.—Leaves the furrow too flat and heavy for stiff soils, but buries the grass satisfactorily.

H. L. EMERY'S Albany Plow.—The furrows were smoothly cut, but the grass was not well covered, and the soil not sufficiently pulverized.

BOSWORTH, RICH & Co.'s Right and Left Hand Plow.—This plow performed its work admirably, with a single exception of the great power which was required to operate it. It pulverized the soil well, and buried the grass very thoroughly

FINCH'S Empire A 3.—This plow has but little pulverizing action, and leaves the furrow slice heavy; but runs squarely and steadily.

GILBERT'S New Jersey Plow.—Was worked without a wheel, and was deficient in apparatus for accurate adjustment, and its furrows were cut unequally as to depth and width. It requires too much power, when running seven inches deep, to become a favorite with our farmers.

STARBUCK & Co.'s Trojan No. 5.—This is a valuable plow, and will undoubtedly be a favorite with many farmers; it lays its furrows smoothly and evenly, but does not pulverize the soil or bury the grass as well as the standard of good plowing requires. This plow, like many others which were exhibited, took too wide a furrow in proportion to its depth. We deem the growing tendency amongst plow makers to adapt their implements to a wide furrow-slice, as an evil sign of the times, fraught with the worst results to the cause of agriculture. No fault is attributable to the makers for this; they only comply with the demands of their customers, but we think it high time that an earnest effort was made to disabuse the minds of Farmers of this error, as it is one which must necessarily diminish the returns of their labor. Like all the plows made by these gentlemen, it is of easy draft. Messrs. Starbuck's plows were all held by Mr. Smith, who exhibited admirable skill as a plowman, and brought out their good qualities in the amplest manner.

SCOTT'S Ohio Plow.—The proprietor of this plow stated that it was not prepared for working, and requested no remarks in regard to it.

PROUTY & MEARS' Centre Draft No. 5½.—Made good work, but takes too wide a furrow to do the required work on this soil in the best manner.

PROUTY & MEARS' Centre Draft No. 30.—The general form of this plow is similar to that of the "5½," except that it is calculated to do deeper work in proportion to the width, which is a great advantage for stiff soils. Lightness and friability are the main objects to be attained on such soils. They should be plowed *fine* and well pulverized, not only for the purpose of making a suitable seed-bed, but in order that the action of the air may develop and render soluble the latent vegetable food which they contain. The operation of this plow was highly satisfactory in these respects. The furrow-slice was cut with great uniformity, (as per table,) and it was left beautifully open and light, while the grass was so completely covered as to prevent its growth. This was particularly observed by the judges, who visited the field five days after the work had been done, (during which interval there had been a fall of rain,) in order to compare the condition of the land plowed by the different implements. The lot plowed by this plow, lay considerably on what had formerly been the track of a road, which made that part of the soil, especially towards the bottom of the furrow, very hard, and increased the draft; yet the implement held its depth well throughout. The attachment of the draft-rod to that part of the beam nearest the centre of the plow's weight, is thought to have a favorable effect in keeping it to its depth and giving steadiness of motion.

BOSWORTH, RICH & Co.'s Iron Beam E D.—This plow required less power than any other on the ground, but it was deficient in pulverizing action, and covered the grass imperfectly; and the sod required the foot of the plowman to assist in its inversion.

W. U. CHASE'S Amsterdam Plow, No. 2.—A good, substantial, and cheap implement. Sufficient pains had not been taken in its adjustment before

trial, and the plowman not being accustomed to its use, all its good qualities were not made apparent.

RANDERSON'S Schodac Plow.—The remarks on this plow, under "old land" plowing, will apply in this connection. It is proper to state, also, that it did not, generally, work to the depth required. In this instance, twelve furrows were plowed before the dynamometer was put on, the average depth of which was not over six inches; and when the implement was put down to seven inches, for the purpose of testing the draft by the dynamometer, the furrows plowed showed very conspicuously above the rest of the land. The great difference in the power required to plow six inches, and that required for seven inches, will account, in a considerable degree, for the ease and expedition with which Mr. Rander-son's horses moved.

STARBUCK & Co.'s Iron Beam.—Similar to the "Trojan" No. 5, but does not work quite as evenly and smoothly as that.

A. FLECK'S Wilkie's Scotch Plow.—This plow operated with great regularity, cutting its furrows seven inches by ten, with uniformity and precision, leaving the edges or corners high, and exposing to the air a large proportion of the slice. At the time of the examination of the field by the committee, the lot plowed with this plow was found to be in a much drier and lighter condition than most of the lots, and at a subsequent examination it was noticed that but little grass had grown between the furrows,—a result which was owing to the furrow-slice having been left in so friable a state that the ridges had crumbled down and closed the interstices. The bottom of the furrows, though out more squarely here than on old land, (a different share having been used) was still liable to the same objection as mentioned in that case. The plowman, Mathew Hutchinson, is a very superior workman, possessing all the qualities which make the true plowman, and we should neglect a most pleasing duty, were we to fail in unanimately awarding him the praise which his work so richly merits.

STARBUCK'S Trojan, No. 3.—Makes good work, and buries the vegetable matter better than any other plow by these makers.

E. J. BURRALL'S Shell Wheel Plow.—Is substantially made, but is deficient in pulverization and in burying sod. The committee examined the various lands with great care on the completion of the trials. Five days afterwards they examined them again, and three weeks subsequently a part of the committee examined the work, and the opinions above given are the result of their combined inspections.

SANDY SOD SOILS.—Our next trials were in a sandy sod soil, situated on the Island, north of the rail road depot. The soil was an alluvial sand, with a very tough sward, which had not been disturbed for twenty years, and which had been used for pasturage during that period. The lands were of the same length and breadth as those on the "stiff sod" trials. The following table indicates the draft of each plow:

Names of Competitors.	Name of Plow.	Draft.
Finch,	Small Empire,	490
Miner & Horton,	Peekskill, No. 21,	350
Miner & Horton,	Peekskill, No. 20,	370
W. U. Chase,	Amsterdam, No. 2,	350
French & Smith,	Michigan Joint,	440
French & Smith,	Michigan sod and sub-soil,	450
Starbuck & Co.,	Iron beam,	390
Wm. U. Chase,	Amsterdam, No. 6,	395
Bosworth, Rich & Co.,	D,	410
Starbuck & Co.,	Trojan, No. 5,	350
Finch,	Large Empire,	430
Randerson,	Schodac,	340
H. L. Emery,	Albany,	420

Names of Competitors.	Name of Plow.	Draft.
Bosworth & Rich,	Right and Left,	510
Bosworth & Rich,	E D,	400
P. Auld,	Improved Scotch,	410
Prouty & Mears,	Centre draft, No. 25,	400
Prouty & Mears,	Centre draft, No. 5½,	425
Wm. U. Chase,	Amsterdam, No. 7,	375
A. Fleck,	Wilkie's Scotch,	450
Gilbert,	New Jersey,	575

Our remarks on the special qualities of the several plows have been given with so much detail under the trials on "old land" and on "stiff sod," that we deem it unnecessary to say more in relation to them in the present connexion, except the general remark, that the greatest deficiency noticed in most of the plows which were submitted for this trial, was one which would have entitled them to commendation in stiff and tenacious soils, and that is, they lapped the furrows too much, which increased the friability of a soil already too loose. They were also deficient in burying the grass. In most of the lands it could be seen protruding through the interstices, and a shower having occurred soon after the trials were finished, it grew in a few days so as to cover the field with a very undesirable verdure. These defects, however, were admirably obviated by the plows to which the premiums are awarded. All the plows were gauged to work six inches by twelve.

TRIAL OF SIDE-HILL PLOWS.—These plows were tried on a steep side hill in the same field where the trials on "old land" were made. There were three plows entered for the premium, viz:

Bosworth, Rich & Co.'s,	price \$7.00,	wt. 123 lbs.
Prouty & Mears',	9.00,	" 110 lbs.
Eddy & Co.'s,	9.00,	" 111 lbs.

They all performed well, and are well worthy of their makers' reputations, and of the confidence of the public; but all things considered they esteem the plow of Bosworth, Rich & Co. the best. It is truly an excellent implement, and they recommend it with great confidence to those requiring such an implement, as one which will give them entire satisfaction.

TRIAL OF SUB-SOIL PLOWS.—Three plows were entered for this trial, viz:

PROUTY & MEARS' B Sub-soil Plow.—Price \$10, weight 103 lbs., draft 750; in a very stiff hard-pan, filled with stones; sub-soil depth 11½ inches. The draft of this plow in a similar soil, but much more free from stones, was 650 lbs.

PROUTY & MEARS' C Sub-soil Plow, price \$8, weight 89½ lbs., draft 650 lbs.; in a sub-soil similar to that in which B was tried, less stony than the first trial, but much more so than the second one; depth 10¼ inches.

BOSWORTH, RICH & Co.'s Sub-soil Plow, price \$7, draft 650 lbs.; in a sub-soil similar in texture and stones to that in the second trial of Prouty & Mears' B plow, depth 10¾ inches, weight 88½ lbs. On a second trial, its draft was 700 lbs., with a depth of 10½ inches. The adjustment attached to Prouty & Mears' C plow, by which the amount of pulverization may be increased or diminished, according to circumstances, gives it a preference over others, and entitles it to a premium. It is proper, however, to add, that the plow exhibited by Bosworth, Rich & Co. was an excellent implement, and will, in most respects, give good satisfaction to purchasers.

MEASUREMENTS OF VARIOUS PLOWS.—Notwithstanding the acknowledged importance of the plow as bearing on the quantity, quality and cheapness of vegetable, and, to a considerable extent, of animal food, little is yet known with respect to its theory. One obstacle to its investigation has hitherto been

the want of reliable data. As one contribution to the removal of this obstacle, we subjoin the following measurements of various plows which have been exhibited at the trials:




Fig. 2.

Fig. 1.

Fig.	Line	Distance from the extreme end of the point to the intersection of the standard and beam.	Distance from the corner of the share to the intersection of the standard and beam.	Distance across the sole from the land side to the heel of the corner of the mould board.	Distance across the sole from the land side to the heel of the corner of the share.	Length of the sole measured on the land side.	Breadth of the land side at the heel.	Plow Name
Fig. 1	a b	3 ft 5 in	3 ft 4 in	2 ft 1 in	2 ft 1 in	3 ft 1 in	1 in	Fleck's Scotch Swing Plow.
"	c d	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	French & Smith's Sod and Sub-soil.
"	e f	1 ft 1 in	1 ft 1 in	0 in	0 in	1 ft 1 in	1 in	Randerson's Schodac Plow.
Fig. 2	e f	4 in	10 in	8 in	8 in	2 ft 4 in	2 in	Miner & Horton's Peekskill No. 1.
"	f h	5 in	10 in	8 in	8 in	2 ft 4 in	2 in	Starbuck & Co.'s Trojan No. 6.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	P. Auld's Improved Scotch.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Prouty & Mears' Centre Draft No 5½
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Bosworth & Rich's Iron Beam D.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	R. R. Finch's Empire A 3.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	H. L. Emery's Albany.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Wm. Chase's Amsterdam No. 2.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Ransom's Plow which took the prem. at the trial at Southampton, Eng.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Gilbert's New Jersey.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Starbuck & Co.'s Trojan No. 5.
"	e j	2 ft 1 in	2 ft 1 in	1 ft 1 in	1 ft 1 in	2 ft 1 in	1 in	Starbuck & Co.'s Iron Beam.

MICHIGAN SOD AND SUB-SOIL PLOW.—We have refrained in the remarks hitherto offered from making any comments on the plow offered by Messrs. French & Smith, and called by them the Michigan

Sod and Sub-soil Plow, because in our opinion, it could not be brought into competition with other plows, without great injustice to the proprietors of the latter. In the first place, it is properly a *three-horse plow*, while all the others are two horse plows. Secondly, its *double* character distinguishes it from all others.

We regard this implement as a most useful present from the mechanic to the farmer, and in our opinion its introduction will effect a great improvement in the tillage of some kinds of soil. It pulverizes the soil in an excellent manner, which to be fully appreciated, must be seen; and it accomplishes this pulverization with an amount of power which, in reference to the work performed, is certainly not large. It buries the sod *completely* and covers it with a coating of loose earth which makes a seed bed almost as perfectly as a spade.

In other plows tried, there was *one* size of furrow-slice which the plow turned better than any other; if a broader or narrower furrow was taken, the plow would act less perfectly. This was not the case with the "sod and sub-soil" plow; it seemed to perform equally well whatever was the breadth of the furrow, and this quality we deem a great advantage. We do not wish, however, to be understood as recommending this, as a plow adapted to "all work." Where, from peculiar circumstances, it is not desirable to plow deeper than six inches, we cannot recommend this implement; its peculiar pulverizing powers are not fully developed with a furrow shallower than seven inches. Its properties may be given in substance as follows:—

1st. It is particularly useful where *trench* plowing is required; that is, where it is wished to bring the sub-soil or a portion of it to the surface. This is a useful operation where the sub-soil abounds with vegetable food in a greater proportion than the surface soil; as on alluvial and other very deep soils, where the upper stratum has been exhausted by cultivation. 2d. It is also exceedingly valuable for ordinary *stiff* adhesive soils, the greatest defect of which is their tendency to pack too closely. This defect is in a great degree obviated by the manner in which this plow performs its work. It cuts its furrow-slice in two parts, horizontally, by which operation it makes twice as much division of the soil as is effected by an ordinary plow when going at the same depth and width, and from the fact that each part is turned over by itself, it falls lightly, and remains in a pulverized state.

In consideration of all the circumstances we recommend that a premium equal to the first, in amount and in honor, be awarded to this plow for "old land" and "stiff sod" plowing. In view of the results of the trials instituted by us, and detailed above, we recommend the following

AWARD OF PREMIUMS.

To FRENCH & SMITH, for their *Michigan Sod and Sub-soil Plow*, for plowing on "Old land" and "Stiff sod", Diploma and \$15.00

OLD LAND.

- 1st Premium to PROUTY & MEARS, for their *Centre Draft No. 5*, Diploma and 10.00
- 2d Premium to MINER & HORTON, for their *Peekskill, No. 21*, 8.00

STIFF SOD SOIL.

- 1st Premium to PROUTY & MEARS, for their *Centre Draft No. 30*, Diploma and 15.00
- 2d Premium, to MINER & HORTON, for their *Peekskill, No. 21*, 10.00

LIGHT SOD SOIL.

- 1st Premium, to PROUTY & MEARS, for their *Centre Draft No. 25*, Diploma and 15.00
- 2d Premium, Wm. U. CHASE, for his *Amsterdam No. 7*, 10.00

SIDE HILL PLOW.

- To BOSWORTH, RICH & Co., for their *Side Hill Plow*, Diploma and 8.00

SUB-SOIL PLOW.

- To PROUTY & MEARS, for their *Sub-Soil Plow C*, Diploma and \$8 00

The committee, in making the above awards, would not be understood as claiming *entire perfection* for any of the implements; on the contrary they believe there is room for improvement in all; their decisions are intended to show, that, of the plows which came under their examination, those on which the premiums were bestowed, were the best for the purposes designated. We would earnestly invite the attention of manufacturers of plows to the necessity of adapting their implements to *special purposes*. It is a great mistake to suppose that the construction of a plow "of all work," as it is called, is possible. The different circumstances under which plows must be used, and the different objects to be attained, render a difference of construction absolutely necessary. For instance, clayey and tenacious soils ought to be thoroughly pulverized, and to effect this, they must be plowed with a deep and narrow furrow, and left as light as practicable. Sandy soils, on the other hand, should be merely turned over, to expose a fresh surface to the atmosphere, and to bury the surface vegetable matter, without pulverizing or making the soil more loose—its lightness being already too great to prevent the escape of the æriform and liquid matters which constitute the food of plants. It may be observed, too, that plows of somewhat different construction are required for rough and smooth land—a shorter implement, especially, being required for the former situation, in order to adapt itself to the inequalities of the surface. It is obviously impossible that the same plow can fulfill such antagonistic conditions; and it therefore becomes necessary to ascertain what are the best plows—not for general purposes—but for the various special purposes to which they must be applied.

The committee would do injustice to their own feelings were they to fail to acknowledge their obligations to Ezra P. Prentice, Esq., the President of the Society, for his earnest efforts to promote the success of their experiments, by valuable advice and intelligent co-operation. They also desire to express their cordial acknowledgments to B. P. Johnson, Esq., the Secretary of the Society, for his assiduity in anticipating and providing for all their wants during the trials of the plows. Much of the success which has attended their labors, is due to his untiring watchfulness and intelligent zeal.

They also desire to express their thanks to all the competitors, without exception, for their kindness, and for the liberal confidence which they displayed towards the committee during the protracted trials of their implements. To H. L. Emery, of Albany, and Wm. U. Chase, of Amsterdam, their thanks are especially due for active and willing assistance rendered by them on the field.

- ANTHONY VAN BERGEN, } Committee.
- JOHN STANTON GOULD, }
- SANFORD HOWARD, }
- B. B. KIRTLAND, }
- PETER CRISPELL, JR. }

NOTE.—Suggestions by the Committee in regard to points connected with the construction of plows, which require investigation, and also hints in regard to conducting trials of plows, will be attached to the report in a supplementary form, when it is published in the *Transactions*.—Eds.

LARGE FIELD OF WHEAT.—We learn that Mr. William Cook, of Lima, harvested this season 466 bushels of fine wheat from ten acres of land. The wheat was of the Soule's variety and was drilled in with one of Spencer & Co.'s drills.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Selecting Fruit for a continued Supply.

THERE are two reasons why home-raised fruit is better than that purchased in market. First, fully ripe fruit, plump with melting richness, may be taken fresh from the tree for immediate use, instead of being plucked while yet hard for two or three days of carriage and exposure in market. Secondly, where fruit is raised in one's own garden, the tenderest and most delicious may be selected; while that which is to be offered in market is usually of such sorts as have a showy exterior, or yield the largest crops. Every man, therefore, who possesses a rood of land, should endeavor, as far as possible, to furnish his own table. There can scarcely be conceived a better combination of the elements of comfort, independence and economy, than in a succession of the very best home grown fresh fruit for the use of a family for the twelve months of the year.

The time for autumn transplanting is now at hand. In selecting the varieties, there are several considerations to be borne in mind. 1. As a general rule, it is safest to adhere to those sorts which have proved best with the best cultivators in each particular region. New and unproved sorts, no matter how highly they may be recommended, should be introduced sparingly. 2. A supply may be relied on at all times and through all seasons with greater certainty, by a rather extensive than meagre list. Some fruits succeed best in one season, and others in other seasons. For example, in one year nearly all the early cherries rotted but the *Kentish*, which in other years was passed as second rate. We had the present summer three fine sorts of early peaches ripening at about the same period, namely, *Fay's Early Ann*, the *Tillotson* and *Serrate Early York*. The two latter bore but few specimens; the former by a profuse crop supplied the deficiency. One year may be noted for its abundant crop of strawberries, another for its bountiful supply of raspberries, a third for its grapes, and a fourth for its pears. Hence a wide selection, provided the very best are taken, will prove most satisfactory.

We have repeatedly given select lists of fruits in former numbers of the *Cultivator*. It may perhaps be interesting here to mention only a few of the best or most noted for particular purposes. The season of fruit begins in the northern States by the first of summer, with cherries and strawberries. The earliest strawberries, really worth raising, are *Large Early Scarlet*, *Burr's New Pine*, and *Boston Pine*; the later sorts are *Old Hudson*, *Hovey's Seedling*, and *Dundee*. The earliest cherries are *Early Purple Guigne* and the *Doctor*; the later are *Elton*, *Downton* and *Downer's late*. *Holland Bigarreau* and *Black Tartarian* are fine cherries, and also productive for market. *Belle Magnifique* and *Plumstone Morello* are excellent late cherries. These two sorts coming in this year, after the rotting season, were beautiful, sound and perfect. Apricots, ripening by midsummer, immediately follow cherries. Unless they are planted on a soil with a naturally dry or well drained sub-soil, they are liable to perish long before reaching old age. Low heads are thought best, but are not proof against this disaster. The hardest apricot, not of the highest quality, but well worth raising, and as hardy as a sugar maple, is the *Black*. Of the others, the *Golden* or *Fishkill* and the *Breda* are the most reliable. The *Large Early* and the

Moorpark are less certain and productive, although of fine quality and large size.

The *Primordian* plum, a rather tender and slowly growing variety, but profusely productive, ripens with the earliest apricots, and is for this reason very valuable. *Early Royal* and *Imperial Ottoman* succeed the *Primordian*, the *Green Gage* and *Lawrence Favorite*; these are followed by *Washington* and *Jefferson*; *Purple Gage* is rather late, and the *Frost Gage* quite late, and a profuse bearing market variety. The *Lombard* or *Bleecker's Red*, and the *Imperial Gage* are well adapted to light soils. *Coe's Golden Drop* is a fine large late sort, not always ripening at the north.

The three best very early peaches we have already mentioned. They are followed successively by *Cole's Early Red*, *Coolidge's Favorite*, *Large Early York*, *George IV*, *Crawford's Early*, *Morris White*, *Nivette*, *Oldmixon Free* and *Crawford's Late*.

The best early pear is the *Madeleine*. Afterwards we have those delicious summer varieties, the *Ros-tiezer* and *Tyson*; then the *Barlett* and *Washington*, both free growers, and great and early bearers; these are succeeded by the *Seckel*, unequalled for high flavor, by *Louise Bonne of Jersey*, unsurpassed for productiveness, and by the *Flemish Beauty* for its free growth, large size and fine quality. The *White* and *Gray Doyenne*, on soils adapted to them, are scarcely equalled among late autumn pears. Among late autumn and early winter sorts, the *Aremberg*, *Winkfield* and *Winter Nelis* are regarded generally as the best. The *Easter Beurre* if fully ripened and well kept, is a very desirable late winter and spring pear. The new variety, the *Autumn Paradise*, is likely to prove a pear of great value for mid-autumn. *Onondaga* or *Swan's Orange* and *Beure Diel*, as well as *Bartlett*, *Flemish Beauty* and *Winkfield*, are desirable for market from their size and beauty, to which may be added the *Golden Bilboa*, although but little above medium in size.

It is scarcely necessary to point out those varieties of the apple which will give us fresh fruit through autumn and winter, and till the early summer fruits appear the succeeding year, the best sorts being so well known.

Materials for Potting Plants.

According to the *Gardener's Chronicle*, the best materials for the cultivation of plants in pots, are the following:—

Loam—the best is procured from very old pastures or commons—the surface to be pared off not more than two inches—to be laid in a heap to decompose for 8 or 10 months. A heavier and a lighter will be found of great convenience, for plants of different habits.

Peat—in choosing this, it should be procured from a dry rather than wet locality. If coarse from fern roots, it should decompose in a heap. Peat is of great value in keeping composts open, and assisting drainage. In this country, where it cannot always be easily had, leaf-mould, from the woods, is a good substitute.

Manure—stable dung, quite rotted, is perhaps as good as any thing. It should never undergo fermentation. For some kinds of plants, cow-dung three or four years old, will prove very useful.

Sand, of a pure white kind, is the most desirable—the nearer it approaches pounded silica, the better.

To attempt any thing beyond mediocrity, without being possessed of the above materials, will be found a waste of labor. These materials should be always kept within reach of the potting bench, in a

condition fit for immediate use. It is this foresight that has rendered the course easy to many a successful aspirant, and the want of it the ruin of half the plants propagated. For plants will not generally thrive in any compost, however carefully attended to, unless some attention is paid to their natural wants and habits. Plants in pots are in an artificial position, and require a proportionate amount of care in cultivation.

The Curculio—the opinions of Doctors.

Where any evil is extensive, and its remedy difficult, we are always sure to have plenty of prescriptions. Nothing exemplifies this truth more strikingly than the efforts to get rid of the Curculio. We have at least a dozen remedies on record, nearly all of which have proved in a greater or less degree effectual, as for example jarring them down on sheets; paving beneath the trees; syringing the forming fruit with lime wash; pounding the earth beneath the trees and sweeping up the fallen fruit; confining pigs and geese; repelling by fermenting manure and other offensive odors; saturating the ground with salt; squirting over the trees tobacco-water or brine; decoying into wide mouthed vials; throwing them up to the frost, &c. Our object at present, is not to go into a discussion of the merits of the various modes, but to give the opinions of a few men of extensive experience, now that the season for these depredators has past, and before the commencement of another.

C. M. HOVEY, of Boston, for 15 years past editor of the Magazine of Horticulture, says, "It cannot be denied, that thus far, of all the plans suggested for limiting their ravages, not one can claim so much merit as that of *shaking them from the trees daily*, during the whole period, when they make their attacks upon the fruit. All the barbarous plans for disfiguring a garden, by paving it with bricks or stone,—making it a pig pen or henery—saturating the soil with guano or salt and numberless other modes, too numerous to mention, suggested by those who are novices in horticulture, are of little or no value, compared with that of shaking the trees and catching the 'rascals.'"

F. R. ELLIOTT, secretary of the Ohio fruit conventions, of the N. American Pomological conventions, &c. says, "Of the many receipts that have been chronicled as certain cures, none with us other than the mesmeric manipulation of that veteran Pomologist, David Thomas, '*stays put*,' that is catching them on a spread sheet. Paving, salt, sulphur, &c. are of no avail. Last season I paid a penny for every specimen;* this year I can well pay in plums."

A. J. DOWNING, in his Horticulturist, known as the best magazine on gardening in America, says, "We still think that pigs and poultry are the cheapest and most serviceable preventives to the Curculio, when the trees can be planted in yards which are thoroughly *investigated* by them. There are doubtless cases where, from incomplete arrangements, this mode may have failed; but in all instances, where thoroughly carried out and preserved in, it will be found an efficient and cheap mode. Meanwhile, paving is nicely adapted to the amateur's garden."

There can scarcely be a question that a combination of the preceding remedies, thoroughly applied, would be effectual in all cases.

The Transactions of the Essex Agricultural Society, Mass., furnish the following from a contribu-

tor,* which we have found the best mode of preserving from the curculio new or rare varieties, in small quantities for testing:—

"Last year I made two bags of old thin muslin, and drew them over two limbs about the time the fruit set. Within each of these bags I saved a few beautiful plums, and not a plum did I save on any other part of the tree. Last spring I bought a few yards of bonnet lining, and covered the limbs of several trees, some when the plums had set and others when they were in blossom; for I found the enemy had made their appearance while the trees were in bloom. Under each of these, I saved plums, apricots and nectarines, upon limbs of twelve different trees; and these were the only ones I saved. * * One small branch, covered by a bag, measuring six and a half by nine inches, contained twenty-one beautiful plums, hanging in one solid cluster. Upon another tree, I saved eight Moorpark apricots. I am training apricot trees in the form of a fan, to make them more convenient to be covered with muslin."

Market Gardens and Rail Roads.

Rail roads have had a wonderful influence on the production and sale of such articles as are quickly perishable. And on nothing has the influence been greater, perhaps, than on the market gardens about London. Covent Garden market has been famed for its remunerative prices of fine things. According to the Gardener's Chronicle, \$300 have been obtained from an acre of cabbages, \$500 for an acre of rhubarb, \$700 for an acre of asparagus, and of strawberries. Single forced cucumbers have sold for \$2, melons for \$5, forced strawberries at half a dollar an ounce, and grapes \$6 per pound. These prices are high, but the expenses are enormous. Fitch, of Fulham, (who has sold nine cart loads of vegetables in one day by nine o'clock in the morning) has paid out for the use of 100 acres of land, manure and all expenses, *nearly twenty thousand dollars a year.*

But fresh market gardens have sprung up all along the lines of railways, and made a fearful change upon the old gardeners. Land in the country is not a sixth part of the price it is near the city, and railway conveyance is cheap. Many families in London now receive the produce of their own country gardens. Railroads and steamboats have effected still another change. French vegetables and fruits are brought into London before the usual time for the English markets, having an earlier climate in their favor. The London gardeners possess a decided advantage in climate over the northern counties, and large quantities are consequently sent north. In short, the old and limited bounds of trade are broken up, and a general distribution both of profits and consumption made throughout the kingdom.

A similar result is taking place in this country. If our territory is wider, the greater difference in latitude will give the north the benefit of southern productions all the earlier. The Early Tillotson peach ripens in southern Virginia more than a month sooner than in New-York. A more general cultivation of this variety there would supply New-York city with an abundance of excellent peaches before mid-summer. This peach ripens at Vicksburg and Natchez within a fortnight of the first day of summer, and the more central portions of the Union might be supplied much earlier than from their own raising. Increased facilities for transportation, the growth of cities, and a greatly extended culture of

* The actual cost is not a fifth of this.

*As copied by Hovey's Mag.

early varieties of fruits and vegetables of different kinds, must ultimately render the domestic trade in these articles of the greatest importance to producer and consumer, and tend to equalize the price of land by giving the gardeners and fruit raisers living 25 or 50 miles from large cities nearly the same advantages as those formerly within close proximity.

Lime for the Curculio.

Much attention has been excited the present year by a new remedy for the curculio. It was first tried by Lawrence Young, of Louisville, Ky., and has been repeated by others. It consists simply in covering the young fruit, as early as danger is apprehended, with a coating of thin lime wash, considerably more diluted than the mixture usually employed in whitewashing. It proves quite effectual; but it must be repeated after ever shower, and even after heavy dews, which wash off the lime. For this reason, it has proved, in the past wet season, more laborious than catching the insects on sheets. A dry season would be more favorable for the remedy with lime. It is applied by means of a large syringe.

The Stanwick Nectarine.

No new fruit has excited so much attention in England of late years, as this new variety of the nectarine. It was introduced from Syria, and although it has born fruit on the grounds of a single individual, the Duke of Northumberland, the specimens disseminated among judges have received the highest praise for excellence and delicious flavor. It is about the size of the Elruge, but much paler in color. According to Lindley, it is "exceedingly tender, juicy, rich, and sugary, without the slightest trace of the flavor of Prussic acid."

A great sale of 24 small trees of this variety took place at London, near the close of last spring, the only trees then in market. They were purchased chiefly by some twenty individuals, mostly nurserymen, for an aggregate sum of over \$800, averaging more than \$30 a tree, and some sold for more than \$50. Time will determine whether, after a wider and longer cultivation, its high character will be sustained, and whether it will prove of much value in this country. Fine nectarines, it will be remembered, are quite an uncertain result among us, unless they have received extraordinary attention. Doubtless they who pay a high price for this will endeavor to persuade themselves that it is quite as fine as its merits will warrant. At the same time that enterprise is to be commended, we must not forget that nineteen-twentieths of all newly introduced wonders among fruits, have ultimately sunk greatly in public estimation after rigid trial, or been wholly forgotten. This should render us cautious, but not cause us blindly to reject every thing without a fair trial.

Horticultural Miscellanies.

BLACK KNOT ON THE PLUM.—Benjamin Hodge, of Buffalo, N. Y., who has raised and sold trees for the past thirty years, says he has never had this malady among his plum trees till the present season, and that in the instances cited, it was introduced from the East. One case was with two trees which came from Boston; in another instance, twenty trees out of some hundreds received from the eastern part of the State were affected; and a few trees grown from scions received from Massachusetts were attacked in the same way.

THE VICTORIA REGIA.—According to Spruce's Voyage up the Amazon, this remarkable plant, growing in water, has leaves four feet in diameter,

which increase to eight feet during the rainy season. It is even asserted that some have attained twelve feet in diameter. So great is their size and so perfect their symmetry, that when turned up they suggest some strange fabric of cast iron just taken from the furnace; its color and the enormous ribs with which it is strengthened, increasing the similarity. At the exhibition of the London Horticultural Society last summer, a flower with two leaves of this plant were exhibited, the latter measuring each *five feet ten inches in diameter*.

EARLY SECOND CROP OF GRAPES.—The Gardener's Chronicle states that at last summer's exhibition of the London Horticultural Society, which closed the 13th of 7 mo. (July,) "there was a bunch of black Hamburg grapes, *perfectly colored*, from Mr. Wilmot, of Isleworth, which formed part of a crop ripe upon vines that were loaded with ripe fruit last February!"

OLD FOREST TREES.—We once counted the rings of a large tulip tree at the newly cut stump, in Western New-York, which we made out ninety years old at the discovery of America by Columbus. This tree was 124 feet high. The pines at the west on the Pacific coast, which attain such enormous dimensions, have in some instances numbered nine hundred rings. Such a tree, consequently, would have served as a bean-pole in the time of Gengis Khan, and was a tall towering forest tree of two hundred years during the conquest of Tamerlane.

LARGE ORCHARDS.—Dr. Kennicott states in the Horticulturist, that eighteen miles above Peoria, Ill., Isaac Underhill has five hundred acres in orchard. He has in the last two years planted out 12,000 grafted apple trees, and 7,000 peach trees.

PRUNING.—It is said that the donkey first taught the art of pruning the vine; man being merely an imitator, on seeing the effect of cropping the points of the young shoots. It is not always the greatest wisdom to originate, but to turn to good account whatever by thoughtful observation comes within our reach.

LUCK WITH TREES.—We have noticed that certain men always have much finer peaches, and pears, and plums, than most of their neighbors, and are called *lucky*. Their luck consisted, in the first place, in doing everything well—taking what their neighbors called foolish pains—leaving nothing unfinished; and in the second place, in taking good care of what they had; that is, giving their trees wide, deep and mellow cultivation, applying manure where necessary, and especially the liquid manure from the chamber and wash tub. Great pains taken, whether with fruit trees or with children, scarcely ever fail to produce good results.

STIR THE SOIL.—The greatest horticulturist, almost, of the present day, says, "If I had *'a call'* to preach a sermon on gardening, I should take this for my text: **STIR THE SOIL.**"

HARD TO SUIT ALL.—At the American Congress of Fruit Growers, in 1848, a fruit committee of nine persons prepared a select list of fruits worthy of general cultivation. Although many hundred sorts of the pear have borne fruit in this country, all perhaps pronounced "*excellent*" by the nurserymen who sold them, yet there were only *two* that the fruit committee could *unanimously* agree upon to recommend, namely, the SECKEL and BARTLETT.

DEEP SOIL AND DEEP ROOTS.—A. J. Downing says, "I have seen the roots of strawberries extend *five feet* down into a rich deep soil; and those plants bore a crop of fruit five times, and twice as handsome and good, as the common product of the soil only one foot deep."

List of Premiums
Awarded at the State Fair at Albany.

CATTLE—SHORT HORNS.

BULLS—Over three years old—1 and 2. No award—3. J. D. Thorpe, Albany, \$5.—Two years old—1. Sherwood & Stevens, Auburn, \$20—2. S. P. Chapman, Clockville, \$10—3. Geo. Vail, Troy, \$5.—Yearlings—1 and 3. No award—2. Lorillard Spencer, Westchester county, \$10.—Calves—1. J. M. Sherwood, \$10—2. F. M. Rotch, Butternuts, Trans. and \$3.—*Extra Stock*—Certificate to Sherwood & Stevens, for "3d Duke of Cambridge," which received first premium in 1949.

Cows—Over three years old—1. Geo. Vail, \$25—2. D. D. Campbell, Schenectady, \$15—3. Thomas Hillhouse, Watervliet, \$5.—**HEIFERS**—Two years old—1. Ambrose Stevens, New York, \$20—2 and 3. Geo. Vail, \$10 and \$5.—Yearlings—1. Geo. Vail, \$15—2. S. P. Chapman, \$10—3. F. M. Rotch, \$5.—Calves—1. Geo. Vail, \$10—2. J. M. Sherwood, \$3 and Trans.—*Extra Stock*—Certificate to S. P. Chapman, for "Charlotte," which received the first premium in 1949.

DEVONS.

BULLS—Over three years old—1. R. H. Van Rensselaer, Butternuts, \$25—2. John Muir, sen., Hamilton, \$15—3. Arden Woodruff, Wyoming, \$5.—Two years old—1. John Freemeyer, Schoharie co., \$20—2. No award—3. H. N. Washbon, Butternuts, \$5.—Yearlings—1. H. N. Washbon, \$15—2. Leroy Mowry, Washington co., \$10—3. Lewis G. Collins, Dutchess county, \$5.—Calves—1. Lewis G. Collins, \$10—2. H. N. Washbon, \$3 and Trans.

Cows—Over three years old—1. H. N. Washbon, \$25—2. L. G. Collins, \$15—3. E. P. Beck, Sheldon, \$5.—**HEIFERS**—Two years old—1. E. P. Beck, \$20—2. H. N. Washbon, \$10—3. M. C. Remington, Cayuga county, \$5.—Yearlings—1. Leroy Mowry, \$15—2. L. G. Collins, \$10—3. H. N. Washbon, \$5.—Calves—1 and 2. E. P. Beck, \$10 and \$3 and Trans.

HEREFORDS.

BULLS—Over three years old—1. Wm. A. Keese, Peru, \$25—2. E. Corning, jr., Albany, \$15.—Two years old—None exhibited.—Yearlings—1. No award—2. Wm. A. Keese, \$10.—Calves—1. E. Corning, jr., \$10.

Cows—Over three years old—1 and 2. E. Corning, jr., \$25 and \$15—3. W. A. Keese, \$5.—**HEIFERS**—Two years old—1. No award—2. W. A. Keese, \$10.—Calves—1. No award—2. W. A. Keese, \$3 and Trans.

AYRSHIRES.

BULLS—Over three years old—1. E. P. Prentice, Albany, \$25—2 and 3. No award.—Two years old, and yearlings—None exhibited.—Calves—1. E. P. Prentice, \$10.

Cows—Over three years old—1 and 2. E. P. Prentice, \$25 and \$15.—**HEIFERS**—Two years old—1. J. McD. McIntyre, Albany, \$20—2. E. P. Prentice, \$10.—Calves—1 and 2. E. P. Prentice, \$10 and \$3 and Trans.

NATIVE AND CROSS-BREEDS.

Cows—Over three years old—1. D. H. Albertson, Lima, \$20—2. Thomas Bell, Morrisania, \$12—3. Isaac Sheldon, Sennett, \$4.—**HEIFERS**—Two years old—1. Thos. Bell, \$15—2. Isaac Sheldon, \$10—3. Joseph Haswell, \$3.—Yearlings—1. F. B. Leonard, Rensselaer county, \$10—2. Joseph Haswell, \$3—3. Thos. Bell, \$3.—Calves—1. John Lossing, Albany, \$3—2. Milton Knickerbacker, Schodac, Trans.—*Commended*—Three heifers three years old, and one two years old, offered by John Townsend, Albany, one three years old by Thos. Bell, one by Joseph Haswell, and one two years old by John M. Mott, Lansingburgh.

WORKING OXEN.

OXEN—Over four years old—Best team from any town, W. Streever, Kinderhook, \$25—best single yoke, Jas. S. Wadsworth, Geneseo, \$20—2. Elon Sheldon, Sennett, \$15—3. John P. Beekman, Kinderhook, \$5.—*Special awards for single yokes*—R. Mesick, Kinderhook, \$5—J. B. H. Church, Vernon, \$5—Arden Woodruff, \$5—J. H. Sherrill, New Hartford, \$5—John Brydon, Westmoreland, \$5—H. B. Bartlett, Paris, \$5—Jos. Haswell, \$5.

STEERS—Three years old—Single yoke—1. John Muir, sen., \$10—2. B. H. Streeter, Clyde, \$3—3. Jas. S. Wadsworth, \$3 and Trans.—Special premium to Elon Sheldon, \$5.

STEERS—Two years old—1. S. A. Gilbert, Hamilton, \$10—2. B. Benedict, Geneseo, \$3—3. Jas. H. Sherrill, \$3 and Trans.

To boys under sixteen, for training steers—1. John N. Benedict, Alexander, silver medal—2. Henry Comstock, Clinton, \$3 and Trans.—*Special awards*—To S. A. Gilbert, for training steers, \$2—Jas. S. Wadsworth, for a pair of steers, (unbroken) \$5.

STEERS—One year old—Single yoke—1. J. H. Sherrill, \$3—2. S. A. Gilbert, \$5—3. Jas. D. Van Vechten, Schodac, \$3 and Trans.—*Special awards*—Lewis E. Smith, Half-Moon, vol. Trans.

To boys under sixteen, for training steers—1. S. A. Gilbert—2. J. H. Sherrill, \$3 and Trans.

MILCH COWS.

S. P. Chapman, \$20.

FAT CATTLE—STALL FED.

OXEN—Best pair over four years old—1. Edward Munson, Sennett, (weight 5,267 lbs.) \$25—2. A. Ross, Preston, (weight 4,112½ lbs.), \$15—3. John H. Boyd, (weight 4,017½ lbs.) \$10.

SINGLE OX—Over four years old—1 and 2. Jas. S. Wadsworth, (weights 2,247, and 2,197½ lbs.) \$15 and \$10.—*Commended*—A. Osborn, Watervliet.

Cows—Over four years old—1. J. M. Sherwood, (weight 1,765 lbs.) \$15—2. Aaron Taylor, Alden, (weight 1,655 lbs.) \$10.

FAT STEERS—1. Elon Sheldon, \$10—2. Milton Knickerbacker, \$6.

FAT CATTLE—GRASS FED.

OXEN—Over four years old—1. Elon Sheldon, \$20—2. J. H. Sherrill, \$12—3. Hiram Sheldon, Sennett, \$3.

FAT STEERS—1. Jas. S. Wadsworth, \$12.

Cows—Over four years old—1. Luke Putnam, Warsaw, \$10—2. Geo. Vail, \$6—3. G. Lee, Cambridge, \$4.
HEIFERS—Three years old—1. Joseph Haswell, \$9—2. Elon Sheldon, \$3.

FAT SHEEP.

LONG-WOOLED—Over two years old—1. No award—2. Richard Gypson, Oneida county, \$3.—**MIDDLE WOOLED**—Over two years old—1. J. M. Sherwood, \$5—2. Z. B. Wakeman, Herkimer, \$3—3. J. McD. McIntyre, Morrell's "Shepherd."—*Special awards*—For middle-wooled lambs, Richard Gypson, Trans.—for fat sheep, E. R. Dix, Vernon, Trans.

FOREIGN STOCK.

SHORT-HORNS—BULLS—1. George Miller, Markham, C. W., \$25 and Dip.—Paoli Lathrop, South Hadley, Mass., \$15.—Calves—Geo. Miller, Dip.

Cows—1. No award—2. Geo. Miller, Canada West, \$15.
DEVONS—BULLS—1. Lemuel Hurlbut, Winchester, Ct., \$25 and Dip.—2. W. R. Sanford, Orwell, Vt., \$15—3. Wm. L. Cowles, Farmington, Ct., \$5.—Yearlings—Wm. L. Cowles, \$15.—Calves—Wm. R. Sandford, \$10.

Cows—1. Wm. L. Cowles, \$25 and Dip.—2. Lemuel Hurlbut, \$15—3. Wm. L. Cowles, \$5.—Yearling Heifers—1. Wm. L. Cowles, \$15.—Calves—1. L. Hurlbut, \$10—2. Wm. L. Cowles, Trans.

AYRSHIRES—BULLS—1. R. L. Colt, Patterson, N. J., \$25 and Dip.—2. No award—3. E. W. Woodford, Avon, Ct., \$5 and Trans.

Cows—1. R. L. Colt, \$25 and Dip.—**HEIFERS**—R. L. Colt, Dip.
ALDERNEYS—BULLS—1. R. L. Colt, \$25 and Dip.
Cows—1. R. L. Colt, \$25 and Dip.

HUNGARIAN CATTLE—BULL AND HEIFER—R. L. Colt, Dip.
SHORT-HORN AND DEVON BULL—Jonathan Baldwin, Berkshire, Vt., Dip.

WORKING OXEN—Wm. L. Cowles, \$20—Lemuel Hurlbut, \$15.

HORSES.

ALL WORK—STALLIONS—Over four years old—1. I. T. Grant, Schaghticoke, \$20—2. John L. Beimet, Montgomery county, \$12—3. C. Canfield, Poughkeepsie, \$3—4. Foster Breed, Crown Point, Youatt—Wm. Streever, whose horse has heretofore received a premium, Dip.

MARES—1. E. Corning, jr., \$20—2. G. Van Olinda, Watervliet, \$12—3. P. F. Mesick, Columbia county, \$5.

DRAUGHT HORSES—STALLIONS—1. Joel Young, New Scotland, \$20—2. W. A. Keese, \$12—**MARES**—Wm. Bullock, Bethlehem, \$20.

THOROUGH-BRED HORSES—STALLIONS—1. Mortimer De Mot, New York, \$20—2. O. K. Lapham, Keeseville, \$12—*Commended*—Horse "Consternation," owned by J. B. Burnet, Syracuse, which received the first premium in 1849, recommended a special premium, and horse "Lance," owned by W. Huff, Buffalo, which received the first premium in 1849, recommended a Diploma.

HORSES—THREE YEARS OLD.

STALLIONS—1. Philip Hornbeck, Rochester, Ulster county, \$15—2. A. H. Jaquith, Fonda, \$10—3. Harvey Kimberly, Columbia county, Youatt—4. William Hunter, Watervliet, Trans.

MARES—1. J. D. Kingsland, Clinton county, \$15—2. Peleg Cross, jr., Columbia county, \$10—3. John M. Taylor, Otsego county, Youatt—4. John McCormick, Bethlehem, Trans.

TWO YEAR OLDS—STALLIONS—Garret Wm. Olinda, Watervliet, \$10—2. John Muir, sen., Hamilton, Youatt—3. Isaac Brink, Greenbush, Trans.

MARES—J. I. T. Grant, \$10—2. S. A. Gilbert, Youatt—3. Daniel J. Day, Granville, Trans.

YEARLING COLTS—1. Wm. Streever, Kinderhook, \$5—2. Isaac Hoag, Easton, Youatt—3. Abraham Oliver, New Scotland, Trans.

MATCHED HORSES—FOR CARRIAGES.

1. J. B. Plumb, Albany, \$15 and Dip.—2. W. C. Durant, Albany, \$10—3. T. S. Faxton, Utica, \$8—4. John B. Borst, Mont'y co., \$5.

MATCHED HORSES—FOR DRAUGHT.

1. John Butterfield, Utica, \$10—2. Jagger, Treadwell & Perry, Albany, \$9—3. — Truax, Albany, \$5—silver medal recommended to Reynolds & Wort, New York, for a pair of mules.

SINGLE HORSES—GELDINGS.

1. Lewis E. Smith, Mechanicsville, \$10 and Dip.—2. Theodore S. Faxton, \$8—3. Nathan Morgan, Victor, \$6—4. Silas W. Tobey, Hudson, \$4.

FOREIGN HORSES.

STALLIONS—Thorough-bred—Thos. Leach, Canada West, \$20 and Dip.—*All work*—1. Wm. Walker, Hartland, Vt., \$20 and Dip.—2. Amos Bigelow, Bridport, \$10.—*Draught*—1. Elisha Norton, Chelsea, Vt., \$20 and Dip.—2. David Laurent, Canada, \$10.

MARES—Wm. L. Cowles, Farmington, Ct., \$20 and Dip.

MATCHED HORSES—Andrew Holmes, Addison, Vt., \$10—2. B. B. Foss, Chelsea, Vt., \$10—Certificate to L. D. Harlow, Hartland, Vt., whose horse "Grey Hawk" received the first premium in this class in 1849.

SHEEP.

LONG WOOLED—RAMS—Over two years old—1. Winant Younghans, Sandlake, \$10—2. John A. Rathbun, Otsego co., \$8—3. John C. Collins, \$5.—*Under two years old*—1. B. J. Hays, Montgomery county, \$10—2. Richard Gypson, Oneida co., \$9—3. B. J. Hays, \$5.

EWES—Over two years old—1. John A. Rathbun, \$10—2. Winant Younghans, \$8—Wm. Rathbun, \$5.—*Under two years old*—1. John A. Rathbun, \$10—2. J. C. Rathbun, \$9—3. E. Seace, Watervliet, \$5.

LAMBS—Rams—Winant Younghans, \$8—2. Wm. Rathbun, \$3 and Morrell's "Shepherd."—*Ewes*—1. Winant Younghans, \$8—2. John A. Rathbun, \$3 and Morrell's "Shepherd."

MIDDLE WOOLED—RAMS—Over two years old—1. J. M. Sherwood, \$10—2 and 3. (\$13) equally divided between F. M. Rotch and J. McD. McIntyre.—*Under two years old*—1. Z. B. Wakeman, Herkimer, \$10.
EWES—Over two years old—1. J. M. Sherwood, \$10—2. F. M.

Rotch, \$8—3. Z. B. Wakeman, \$5.—Under two years old—1. Z. B. Wakeman, \$10—2. J. McD. McIntyre, \$3.

LAMBS—Rams—1. Z. B. Wakeman, \$3—2. J. McD. McIntyre, \$3 and M.'s Shepherd.—Ewes—1. Z. B. Wakeman, \$3—2. J. McD. McIntyre, \$3 and M.'s "Shepherd."

MERINOS—Rams—Over two years old—1. N. M. Dart, Harpersfield, \$10—2. Orrin Lathrop, Darien, \$8—3. Joseph Haswell, \$5.—Under two years old—1. L. H. Yates, Darien, \$10—2. L. G. Collins, \$8—3. J. M. Sherwood, \$5.

EWEs—Over two years old—1. R. E. Keese, Ausable, \$10—2. L. H. Yates, \$8—3. F. M. Rotch, \$5.—Under two years old—1. L. G. Collins, \$10—2. R. E. Keese, \$8—3. N. M. Dart, \$5.

LAMBS—Rams—1. L. G. Collins, \$8—2. R. E. Keese, \$3 and M.'s "Shepherd."—Ewes—R. E. Keese, \$8—2. L. G. Collins, \$3 and M.'s "Shepherd."

SAXONS—Rams—Over two years old—1. S. H. Church, Vernon, \$10—2. Ransom & Baker, Hoosick, \$9—3. Joseph Haswell, \$5.—Under two years old—1. S. H. Church, \$10—2. Ransom & Baker, \$5.

EWEs—Over two years old—1. S. H. Church, \$10—2. Joseph Haswell, \$8.—Under two years old—1. S. H. Church, \$10—2. Ransom & Baker, \$8—3. Frederick Phelps, Schodac, \$5.

LAMBS—Rams—1. Ransom & Baker, \$9—2. Joseph Haswell, \$3 and M.'s "Shepherd."—Ewes—1. Jos. Haswell, \$8—2. Ransom & Baker, \$3 and M.'s "Shepherd."

SAMPLE OF WOOL—Ten fleeces—John P. Beekman, Kinderhook, Silver medal.

SHEPHERD'S DOG—1. J. Campbell, Middlebury, Vt., \$5—2. Robt. Middemist, West-Meredith, Morrell's "Shepherd."

NATIVE AND GRADES—Rams—Over two years old—1. No award—2. D. S. Curtis, Canaan, \$8.—Under two years old—1. D. S. Curtis, \$10—2. R. C. Derrick, \$3.

EWEs—Over two years old—1. D. S. Curtis, \$10—2. E. R. Dix, Vernon, \$8.—Under two years old—1. No award—2. D. S. Curtis, \$3 and M.'s "Shepherd."

LAMBS—Rams—1. No award—2. D. S. Curtis, \$3 and M.'s "Shepherd."—Ewes—1. Richard Gypson, \$8—2. D. S. Curtis, \$3 and M.'s "Shepherd."

FOREIGN SHEEP.

LONG WOOLED—Rams—1. Wm. Miller, Markham, C. W., \$10.—Ewes—Wm. Miller, \$10.

MIDDLE WOOLED—Rams—Wm. Miller, \$10.—Ewes—Wm. Miller, \$10.—Lamb—Wm. Miller, \$5.

MERINOS—Rams—John Campbell, \$10.—Ewes—Jesse Hinds, Brandon, Vt., \$10.—Ram Lamb—Geo. Campbell, Westminster, Vt., \$5.—Ewe Lamb—Geo. Campbell, \$5.

SAXONS—Rams—C. B. Smith, Wolcottville, Ct., \$10.—Ewes—C. B. Smith, \$10.—Ram Lamb—Geo. Campbell, \$5.

SWINE.

BOARS—Over one year old—1. Winant Younghans, \$10—2. Jns P. Noxon, White Creek, \$5.—Over six months and under one year old—1. Wm. Webb, Darien, \$8—2. Wm. Comstock, Laurens, \$3.

Sows—Over two years old—1. Wm. Comstock, \$10—2. Wm. Hurst, Albany, \$5.—Over six months and under one year—Wm. Hurst, \$5.

PIGS—Under ten months old—R. C. Derrick, \$10.—Special premium to Samuel Morgan, Watervliet, \$3.

POULTRY.

BEST LOT—John Chadwick, New Hartford, \$10.

DORKINGS—F. M. Rotch, \$3.

POLANDS—M. D. Wands, Lansingburgh, \$3.

MALAYS OR CHITTAGONGS—E. E. Platt, Albany, \$3.

SHANGHAES—R. L. Colt, Patterson, N. J., \$3.

BANTAMS—E. E. Platt, \$3.

SPECIAL AWARDS—SILVER TOP-KNOTS—E. E. Platt, \$3.

SHANGHAES—B. B. Birtland, Greenbush, \$3.

BLACK JAVAS—Dudley Walsh, Bethlehem, \$3.

CHINAS, AND CROSS-BRED DORKINGS AND MALAYS—J. M. Lovett, Albany, \$3.

CURRASOW—E. E. Platt, \$3.

TURKIES—R. L. Colt, \$3.

MUSCOVY DUCKS—R. L. Colt, \$3.

COMMON DUCKS—Wm. Robson, \$3.

LARGE GEES—L. F. Allen, Buffalo, \$3.

WILD GEES—Edward Van Alstyne, Greenbush, \$3.

BREMEN GEES—Wm. Robson, \$3.

CHINA GEES—R. L. Colt, \$3.

RABITS—R. H. Van Rensselaer, \$3.

FAWNS—Aaron Sturges, Hamilton county, \$3.

PLOWS.

SOD FLOW FOR STIFF SOIL—1. Prouty & Mears, Boston, "Centre Draft No. 30," \$15 and Dip.—2. Miner & Horton, Peekskill, "No. 21," \$10.

SOD FLOW FOR LIGHT SOIL—1. Prouty & Mears, "Centre Draft No. 25," \$15 and Dip.—2. W. U. Chase, Amsterdam, "No. 7," \$10.

FLOW FOR FALLOWS, OR OLD LAND—1. Prouty & Mears, "Centre Draft No. 5," \$10 and Dip.—2. Miner & Horton, "Peekskill No. 21," \$3.

SUB-SOIL FLOW—Prouty & Mears, \$9 and Dip. SIDE-HILL FLOW—Bosworth, Rich & Co., Troy, \$9 and Dip.

SPECIAL AWARD—Newell French, Rome, "Michigan Sod and Sub-soil," \$15 and Dip.

PLOWING MATCH.

1. S. S. Smith, Stillwater, \$10—2. John Randerson, Schodac, \$8—3. Newell French, Rome, \$5—4. Eddy & Co., Union Village, Trans.

FARM IMPLEMENTS, No. 1.

FARM WAGON—Christopher Snyder, West Sandlake, \$5.

HARROW—J. & R. Downer, Castleton, \$3.

CULTIVATOR for corn—Emery & Co. Albany, \$3.

FANNING MILL—1. T. Grant & Co., Schaghticoke, \$5.

CORN-STALK CUTTER—Reuben Daniels, Woodstock, Vt., \$5.

STRAW CUTTER—Wm. Hovey, Worcester, Mass., \$3.

COB-CRUSHER by horse power—Emery & Co., \$5.

HORSE CART—M. O'Brien, Albany, \$3.

Ox-YOKK—Emery & Co., \$2.

SPECIAL AWARDS—"Oscillating Roller Azle"—S. H. Mix, Schoharie, small Silver medal and Dip.—Road Wagon—Gardner Mix, Schoharie, small Silver medal.—One or two-seated Wagon—Long & Silsby, Albany, Silver medal.—Barouche and Buggy—Lown & Barker, Troy, Silver medal.—Lawrence Coach, Covered Sleigh, Open two-seated Sleigh, and One Horse Sleigh—James Gould & Co., Albany, Silver medal and Dip.—Omnibus—Eaton & Gilbert, Troy, small Silver medal.—Roller—Emery & Co., \$5.—Articles for General and Gardening Purposes—Emery & Co., Silver medal.

FARM IMPLEMENTS, No. 2.

CARRIAGE HARNESS—Lyman J. Lloyd, Albany, Sil. medal.

CHURN—Emery & Co., "Thermometer Churn with Compressing Dash," \$2.

CHEESE PRESS—Hez. Rogers, Clifton Park, \$2.

GRAIN CRADLE—Nichols & Baley, Van Buren Centre, \$2.

HAND RAKES—David Ray, Chatham, \$2.

GARDEN RAKES—S. C. Blair, Farmington, Ct., Dip.

HAY FORKS, MANURE FORKS, STRAW FORKS, GRASS SCYTHES, CRADLE SCYTHES, \$2 each—D. J. Millard, Paris, Oneida county.

HAY RIGGING—W. P. Coonrad, Brunswick, \$2.

SPECIAL AWARDS—Lady's Saddle—L. J. Lloyd, Dip.—Saddle—E. B. Slason, Albany, Dip.—Grass Scythes and Snathes—Draper, Brown & Chadsey, Troy, \$2.—Butter Ladles and Prints—Paul Seeley, Morris, Otsego county, \$2.—Shovels and Spades—Emery & Co., \$2.—Potato Diggers—H. Partridge & Son, Medford, Mass., \$2.—Cast-Steel Hoes—S. P. Reynolds, Unadilla Forks, \$2.—Drawing Knives, worthy particular notice—Emery & Co.

FARM IMPLEMENTS, No. 3.

HORSE POWER, on sweep or level principle—Eddy & Co., Union Village, for Taplin's, \$5 and Dip.

HORSE POWER, on endless-chain principle—Emery & Co., \$5 and Dip.

THRESHER, to be used with horse or steam power—Eddy & Co., \$5 and Dip.

SEED PLANTER, for hand or horse power—J. P. Groshon, Yonkers, \$3 and Dip.

GRAIN DRILL—P. Seymour, East Bloomfield, Dip.

BROADCAST SOWER—P. Seymour, Dip.

CULTIVATOR, for wheat—Enoch Sweet, Brockport, Dip.

PORTABLE SAW-MILL—Emery & Co., Dip.

CORN SHELLER, for hand power—Emery & Co., Dip.

VEGETABLE CUTTER—V. H. & N. Hallock, Milton, Dip.

BEST AND MOST NUMEROUS COLLECTION OF IMPLEMENTS MADE IN THE STATE—Emery & Co., \$20 and Dip.

MACHINERY AND IMPLEMENTS, No. 4.

STEAM ENGINE FOR AGRICULTURAL PURPOSES—Hoard & Bradford, Watertown, \$25 and Silver medal.

VALVE FOR ENGINE—S. P. Winne, Albany, Silver medal.

ROTARY SEWING MACHINE—Lerow & Blodgett, N. Y., Sil. medal.

BRICK-MOULDING MACHINE—Baker & Gifford, Troy, Dip.

DAIRY STEAMER—Harvey Bushnell, Utica, Dip.

CORN-STALK AND STRAW CUTTERS—E. J. Burrall, Geneva, Ontario county, Silver medal.

KNIVES FOR STRAW CUTTERS, of different construction—Wm. Hovey, Worcester, Mass., Silver medal.

WASHING MACHINES—Van Tuyle & Coons, Lansingburgh, for King's, Dip.

SEED SOWER, with Plow attached—Sam. Davidson, Greece, Dip.

SPRING-TOOTH HARROW, attached to Broadcast Sower—S. S. Sage, Windsor, Broome county, Dip.

MOWING MACHINE—G. W. Allen & Co., Buffalo, for Ketchum's, Dip.

WINNOWER MACHINE—Albert Bates, Shanesville, Ohio, for Sanders', Silver medal.

RAKE for couch, or quack grass roots—S. Cheever, Bemis Heights, small Silver medal.

SEED DRILL—Wm. H. Carr, Philadelphia, Pa., for Crossdale's, small Silver medal and Dip.

WATER FILTERER—Gideon Myers, Little Falls, Dip.

DOG POWER for Churn—Bosworth, Rich & Co., Troy, small Silver medal.

APPARATUS FOR CONNECTING WHEEL-HUBS—Billings & Ambrose, Claremont, N. H., Silver medal.

BUTTER.

25 lbs. made in June—1. D. H. Cary, Albany, \$10—2. Dow Fonda, Perth, Fulton county, \$5—3. Joseph Cary, Albany, Trans.

50 lbs. made at any time—1. Jos. Cary, \$15—2. Philip Lasher, Saratoga county, \$10—3. Jonas Lasher, Saratoga county, \$5—4. Jas. P. Noxon, White-Creek, Trans.

Made by Girls under twenty-one years of age—1. Catherine Lasher, Saratoga county, Silver Milk-Cup—2. Henrietta Coons, Brunswick, pair of Silver Butter-Knives—3. A. E. Hall, New-Lebanon, set Silver Tea-Spoons.

Coarse Salt—E. Clarke, Syracuse, Syracuse.

Ground Solar Salt—J. P. Haskell, Syracuse, Dip.

CHEESE.

100 lbs. over one year old—D. C. Beard, Buffalo, \$10.


Less than one year old—1. Hildreth & Brother, Herkimer, \$15—2. Sylvester Burchard, Hamilton, Mad. county, \$10—3. Fox & Colton, Warsaw, Herk. county, \$5—4. Robt. Bells, Clinton, Trans.

Imitation English Cheese—James Linealoe, Princeton, Schen. co., Trans.—Pine-Apple Cheese—John A. Clark, Albany, Trans.


SUGAR.

1. I. Burr, Meredith, Del. co., \$10—2. S. McGraw, McGrawville, \$5—3. H. F. Shepard, Lawrenceville, \$3—4. E. R. Dix, Vernon, Trans.—Commended—Specimen offered by J. Hinds, Brandon, Vt.


NEW YORK STATE PREMIUM PLOWS.




Prouty & Mears' Centre Draft, No. 5 1/2:
Which received the first premium for fallows and old land.



Miner & Horton's Peekskill, No. 21:
Which received the second premium for both fallows and stiff soils.



French & Smith's Michigan Sod and Sub-soil:
Which received a special premium for fallows and stiff soils.



Bosworth, Rich & Co.'s Side-Hill:
Which received the first premium for side-hill plowing.

Cuts of the other Premium Plows will be given in our next.

The Farmer's Note-Book.

New-York State Fair at Albany.

THE Tenth Annual Show and Fair of the New-York State Agricultural Society, was held near this city, according to appointment, during the 3d, 4th, 5th and 6th days of last month. It was another grand gathering of the leading farmers, or perhaps we might with more propriety say, the leading *citizens* of the Empire State, with multitudes of our brethren from other States and the adjoining British Provinces. The number of visitors was greater than at any previous exhibition. This is sufficiently proved by the receipts for admission, which reached \$10,465.61. The greatest amount received in any previous year, was \$8,144.55, taken at Syracuse in 1849. A heavy rain occurred on the day and night preceding the opening of the exhibition, and another on Thursday night following, which doubtless prevented the attendance of some who would otherwise have been present. The rains completely saturated the ground with water, which occasioned some inconvenience; but as an offset to this, they prevented the rising of dust, which, if continued dry weather had prevailed, would have been a great annoyance.

Much credit is due the various railroad companies in this State, for the facilities they afforded the public in attending the fair. They all gave half-price tickets during the week, and carried stock and articles intended for competition, gratis. This is a liberal plan, which we believe gave entire satisfaction, and it has, also, well rewarded the owners of the roads. We are sorry to say that the directors of the road between this city and Boston, but partially adopted this plan. Had they pursued the same course as the New-York roads, the number of visitors from the East would have been greatly increased, and the road would have made, in the aggregate, a much greater amount of money. We presume this latter fact will not in future be overlooked by men who have the general reputation of shrewdness.

Considered in reference to itself, and as a whole, this exhibition may be said to have fully equalled any former one. If, in some of the departments, a deficiency existed, it was amply made up by the fullness and richness of others. The whole number of entries was greater than on any former occasion. The number for horses was 286, cattle 475, sheep 567. The horses and most of the cattle were stationed in sheds provided for them. This shelter was necessary to protect them from the hot sun, to which they must have been otherwise exposed. But in regard to the appearance of the show, it had an unfavorable effect, as it completely withdrew from observation most of the animals which usually constitute so prominent and attractive a feature in displays of this kind.

The occasion has been, generally, one of high gratification; it has afforded the means of obtaining much valuable information, not attainable in any other way, in regard to the various objects brought together; and the vast assemblage collected and dispersed without the occurrence of any accident to lessen their enjoyment.

The people are beginning to look upon these exhibitions in their proper light. On the part of competitors, the principal benefit is not the taking of prizes; it is the opportunity of bringing their animals or articles prominently to the notice of thousands of persons to whom they would otherwise

never be known. The objects are not only seen, but they are *compared*, and by comparison, their relative defects or excellencies are made apparent. It is in this way, only, that correct knowledge can be obtained. A farmer, who breeds any kind of live stock, can form no safe opinion of its actual value, without comparing it with other stock of the same breed. So, too, of the mechanic, in reference to his various productions; and in every branch of industry, improvement can only be estimated by comparison.

Nor is the advantage of comparison of less consequence to purchasers than producers. In procuring a horse, a cow, a yoke of oxen, or a plow or other implement or article, it is, of course, desired that it should possess the properties which would fit it most perfectly for the purpose to which it is to be applied; and by having side by side the various descriptions, a discriminating eye is able to select the best, with almost infallible certainty. These advantages are distinct and independent of the awards of premiums. The people, so far as they have the opportunity of seeing for themselves, generally form their own opinions, and are but little influenced by the decisions of others.

HORSES.—The display of horses was hardly equal in respect to *quality*, to the shows of the two preceding years; yet there were noble specimens in the different classes. In blood horses there was but little competition. Among those on the ground, we noticed the celebrated "Trustee," the sire of the famous running mare "Fashion." Though bearing evident marks of age, he still shows some excellent points. His head and eye have the striking lineaments and expression so justly admired in the Arabian horse; his limbs are clean and sinewy; the fore leg, in particular, is remarkable for the length of arm, and for the width and shortness of the shank. "Leopard," an imported horse, owned by O. K. Lapham, of Keeseville, is an animal of much nerve and fire; rather tall, and somewhat light in the forehand for hard work and endurance, but not too much so for a racer. "Consternation," now owned by Mr. Burnet, of Syracuse, has heretofore received the first premium in this class, and is a horse of well-deserved reputation. "Young Alexander," owned by Mr. Ireland, has also received the first premium as a blood-horse, and attracted here, as on former occasions, much attention.

In the class of "all work," we noticed the well-known "Morse's Gray." Several of his progeny were also on the ground, which did credit to the sire. The young horses by the celebrated Vermont Black-Hawk, shown by Messrs. Felton, of Ticonderoga, Breed, of Crown Point, and Bigelow, of Bridport, Vt., were animals of fine appearance, and good action.

Among "draught horses" was a stallion owned by Joel Young, of New Scotland, got by the imported horse "Sampson" and another owned by Wm. A. Keese, of Keeseville, by the same sire, both of which were good specimens of this class of horses, as was also a five-year-old mare of the same stock, weighing 1400 lbs, exhibited by E. Corning, Jr., of Albany.

There were several pair of handsome matched horses. Those of Mr. Plumb, of this city, and Mr. Faxton, of Utica, were much admired.

Among the young horse stock deserving particular notice, was a pair of yearling geldings, owned by Wm. B. Seymour, of Clinton, Oneida county.

CATTLE.—There was a greater number of cattle exhibited, than for several previous years. The fat cattle were not as numerous as at Syracuse, and the

Devons were not out in so great numbers. There was more competition in Short-horns, and they were in general of better quality than they have been for several previous years. The most extensive exhibitors of Short-horns, were Messrs. Vail of Troy, Sherwood of Auburn, Rotch of Butternuts, Hillhouse of Watervliet, and Chapman of Clockville. There were other competitors who showed in less numbers. Col. Sherwood's "3d Duke of Cambridge," and several other animals shown by him, imported during the past and present season, are very superior specimens of Short-horns. The bulls of Mr. Thorpe of Albany, Mr. Vail of Troy, Mr. Chapman of Clockville, Mr. Lathrop of Massachusetts, Mr. Miller of Canada, were animals of much merit, each of which had their respective advocates. Two young bulls, lately imported, shown by Lorillard Spencer, Esq., of Westchester county, were among the best animals in this class. They were of good size and form, and evidently of thrifty habit. There were many excellent cows. Among several, it must have been difficult for the committee to apportion the awards. The red cow of Mr. F. M. Rotch, two of Mr. Hillhouse's cows, Mr. Vail's "Esterville 2d," Col. Campbell's, and one or two of Col. Sherwood's, were all fine cows.

The display of Herefords was smaller than last year—there being but fifteen of this breed on the ground. There were among them some first-rate animals. The four-year-old bull shown by W. A. Keese, of Peru, was in all points a beautiful and good animal. Mr. E. Corning, Jr., of Albany, also exhibited a good bull and several cows, and some young stock. His cow, "Victoria," will compare favorably with almost any cow we have ever seen, and without intending any invidiousness, we think she was not excelled by any on the ground, in respect to a combination of useful qualities. Mr. Keese's "Matilda" is also a very valuable cow. In this class, we missed the usual display by Mr. Sotham, of Black Rock.

The Devons were not equal in numbers to the show of last year, but as to quality, were not inferior to any former show. Among the bulls, we noticed "Major," purchased at the Syracuse fair of Mr. Gapper, of Canada, by R. H. Van Rensselaer, of Butternuts. This animal still maintains the appearance and qualities for which he has heretofore received much merited commendation. "Bloomfield," shown by Mr. Hurlbut, Winchester, Ct., is a beautiful and valuable bull; and the bulls shown by Mr. Sanford, of Orwell, Vt., and Mr. Cowles, of Farmington, Ct., were fine. Very fine cows and young stock were shown by E. P. Beck, of Sheldon, Wyoming county, H. N. Washon, Butternuts, L. C. Collins, of Dutchess county, Mr. Hurlbut and Mr. Cowles, of Connecticut. Mr. Beck's display was less in extent than usual, from his having lately sold a lot of fine animals to the Governor of Wisconsin.

The Ayrshires shown were chiefly from Mr. Prentice, of Albany, and Mr. R. L. Colt, of Paterson, N. J. Among them were excellent stock for the dairy. A bull of a fine dairy tribe, was shown by Mr. Woodford, of Avon, Ct.

Mr. Colt exhibited a heifer and bull lately imported from Hungary. They are of good size for their age, and their skins possess good handling quality. Their form has nothing in particular to commend, though their limbs are good, and they are said to be fast walkers. Their color is iron-grey, and their general characteristics indicate that they are a very distinct and pure breed.

Mr. Colt also exhibited an Alderney or Jersey cow, a most delicately formed and deer-like animal

—just such a cow as with constant care as to shelter and feeding, would afford a large amount of cream and butter.

The number of cattle shown as "grades," was much greater than we have seen at any former exhibition. They were chiefly cows and heifers, and among them were many of excellent quality. Deserving special notice, was a cow, four years old, the produce of a "Connecticut cow," by the imported short-horn bull "Marius." She was owned by Thomas Bell, of Morrisania, Westchester county. She appeared to combine, with the most faultless symmetry, nearly every point indicative of perfection in a dairy cow. Several fine heifers of the same stock were shown by Mr. Bell. The cows and heifers of John Townsend, of Albany, and those shown by Isaac Sheldon, of Auburn, were evidently valuable stock.

The fat cattle comprised several fine animals. The four-year-olds shown by Mr. Wadsworth, were decidedly the best of their age that we have ever seen. Indeed we heard it remarked by experienced judges, that they exceeded in symmetry and lightness of offal, any cattle which had ever come to their notice. A four-year-old shown by Mr. Sheldon, of Sennett, was of fine form, and with the advantage of another year, will be well developed. A fat Durham cow, owned by Ambrose Stevens, of New-York, was remarkable for lightness of offal and weight in the most valuable parts.

The working oxen made a good appearance. We saw none of them tried at a load, and cannot say whether or not they were subjected to a trial of this kind. Five yoke of fine cattle were shown by J. S. Wadsworth, and a team of ten yoke, several of which were fine, from Kinderhook, by J. P. Beekman. There were many fine steers, of one, two, and three years old. We noticed, as very superior, both the two-year olds and yearlings shown by S. A. Gilbert, of East Hamilton, and admirably broken and trained by S. A. Gilbert, 2d, a lad fifteen years old. The yearlings were calved the 5th of April, 1849, and weighed at the time of the show, 2200 lbs. They are of almost unexceptionable form.* They were a cross of the Short-Horn and Devon,—the color being that of the latter. A very fine pair of two-year-old steers, a cross of Short-Horn and Devon, were shown by B. Benedict, of Alexander, Genesee county. They were broken and trained, in the most perfect manner, by Jervis P. Benedict, fourteen years old.

SHEEP.—The show of sheep may be said to have been quite superior. The large Merinos, commonly known as the "Taintor stock," were shown by Messrs. Bingham, of Vermont, F. M. Rotch, of Butternuts, and L. C. Collins, of Dutchess county. Other Merinos were shown by Col. Sherwood, H. M. Dart, Harpersfield, R. E. Keese, Ausable, J. Hinds, J. S. Pettibone, John Campbell and George Campbell, all of Vermont.

Of Saxons, very superior specimens were shown by C. B. Smith, Woolcottville, Ct., of the stock imported by Smith & Catlin, from Germany. We have on a former occasion expressed a favorable opinion of these sheep. This opinion is fully supported, so far, and we think will continue to be, by the success of the stock in this country. S. H. Church, of Vernon, showed Saxons from his well known flock.

Of Long-Wooled Sheep, the number of really well-bred ones was not large. Mr. Rathbun, of Otsego county, showed some good sheep. But the Leices-

* These and the two-year-olds shown by Mr. Gilbert, and the three-year-olds of Mr. Muir, which received the first premium, were sold to Hon. B. V. French, Braintree, Mass.

ters, shown by Messrs. Geo. & Wm. Miller, of Markham, C. W., were the principal attractions in this department. Some of the ewes shown by Wm. Miller, were in form almost perfect models of what a mutton sheep should be; and it is to be hoped that our breeders of this class of sheep, have derived some useful hints from the fine specimens which have been thus brought before them.

The South Downs made a very good show. They were chiefly from the flocks of Messrs. Sherwood, Rotch, McIntyre and Wakeman. There were good animals in each of these lots. The fat wethers of Col. Sherwood, and several cross-bred South Down and Cotswold wethers shown by Mr. McIntyre, were capital specimens, and did not fail to attract the attention of those who know good mutton.

SWINE.—This department was not well filled. In numbers, it was less extensive than at any former show for several years, and we saw no animals of remarkable appearance. Some good pigs were shown by Wm. Hurst, of this city, and by Winant Youngmans, and Wm. Webb, of Darien.

POULTRY.—There was a much better display of poultry than at Syracuse, though it was hardly equal to the show at Buffalo. Much of the good appearance of this department, was due to R. L. Colt, Esq., of Paterson, N. J., who exhibited specimens of four kinds of geese, and several varieties of fowls. E. E. Platt, of this city, showed a collection of fowls, embracing several valuable breeds. Mr. P. had also a fine specimen of the cur-rassow. Fine specimens of the Dorkings were shown by F. M. Rotch, Butternuts, and very handsome specimens of the Spangled Hamburg or Bolton Grey fowl, by John Chadwick, New-Hartford.

Some beautiful rabbits, very large, with pendent ears, were shown by R. H. Van Rensselaer, and F. M. Rotch.

DAIRY PRODUCTS.—There was a respectable show of these; but we were unable to take particular notes in this department, on account of the derangement occasioned by the tent in which the articles were placed having been blown down.

The show of **FARM IMPLEMENTS** was large and attractive; but we think there was less competition, and for this reason less variety, than at Syracuse. Emery & Co., of Albany, filled a building of their own, 100 by 40 feet, besides occupying a much larger area in the open field. In front of their building was a fountain, which constantly sported its beautiful jets of water, and added much to the ornament and interest of the general exhibition. There were other extensive exhibitors of implements, as Messrs. Starbuck & Co., and Bosworth, Rich & Co., Troy, Wheeler & Co., Albany, and Eddy & Co., Union Village. But we must reserve our notices of particular articles in this department till our next number.

The "**MECHANICS' HALL**" contained a great number of useful articles, under the head of machinery, of various kinds, stoves and other contrivances for housewarming and culinary purposes. Considerable of the machinery was kept in operation, the power being derived from a steam engine put up for the purpose by Messrs. Low & Co., of Albany. A power printing press was worked during the exhibition, which explained the art of printing to thousands, by whom it was before a mystery. The process of printing on stone, (lithography) was also here exemplified.

The "**MANUFACTURERS' AND DOMESTIC HALL**," presented a display which in variety, richness and beauty, exceeded anything of the kind we have before seen; but for want of room, we must defer particular notices till a future occasion.

The **FRUIT AND FLORAL DEPARTMENT** was well filled. In regard to fruits, we believe the display was, with the exception of peaches, equal to that of any previous year. It was the general expression that this department was better filled than at any exhibition since that at Poughkeepsie in 1844. Among the principal exhibitors were Henry Vail, Troy; Elwanger & Barry, Rochester; R. L. Colt, Paterson, N. J.; Jonathan Battey, Keeseville; E. P. Prentice; Dr. H. Wendell; Isaac Denniston; Elisha Dorr; James Wilson; Dr. March of Albany; L. Menand, Watervliet, and Norman Briggs, Schaghticoke. Among the most attractive objects, was a basket of fruits from Mr. Vail, tastefully ornamented and placed in a conspicuous position, containing 34 varieties of apples, 31 of pears, 10 of plums, 8 of peaches, 9 of grapes, and one Christiana melon. Mr. V. had also a box containing a grape vine, on which were eight well ripened and handsome bunches of grapes. The splendid bunches of black Hamburg and other foreign grapes from Mr. Colt received much praise. The show of plums from Mr. Denniston and others was very fine.

Of **VEGETABLES** there was about the usual display. C. F. Crossman, Rochester, made a large contribution to this department. Specimens of blood beets showed by him, were unusually fine.

The **ADDRESS** by Prof. AMOS DEAN, was received with well deserved approbation. His main subject was "**AGRICULTURAL EDUCATION**, the training up of the young mind with special reference to the pursuits of Agriculture." This subject was ably and thoroughly discussed, and was shown to lie at the very foundation of improvement in this branch of industry. In our next, we shall endeavor to give a more comprehensive view of Prof. D.'s highly valuable remarks.

Several distinguished gentlemen visited the show grounds, among which were Ex-President VAN BUREN, Gov. FISH, Gen. WOOD, Com. THOS. AP C. JONES, Hon. Mr. FERGUSON of Canada, G. P. R. JAMES, Esq., (the celebrated English literary writer,) and a grandson of Gen. LA FAYETTE, from France. Delegates were in attendance from the Massachusetts Horticultural Society, the Agricultural Societies of Ohio, New Hampshire, Pennsylvania and various county societies in other states.

Steeping Seeds.

My father brought me up strong in the faith that it was essential to success in raising Indian corn, that the seed should be steeped before planting. He was an extensive, carefully observant and successful cultivator, and the first person who made use of plaster of Paris as a fertilizer in that part of our country. An anecdote connected with its first use will illustrate its effects, and show his reputation as a cultivator as well as the sly humour of one of his parishioners.

A neighbor cultivated one of my father's fields in corn on shares, but declined to put on plaster although proffered to him without charge. A division of the corn was therefore made in alternate two rows. On his part (that is, on every other two rows,) thus set out to him, my father had a spoonful of plaster put to the hill.

The effect was truly wonderful. A party of gentlemen in passing, being struck with the luxuriance of the rows thus plastered, inquired of a parishioner the cause of the difference. "Oh," said he, "there is nothing strange about it; the large rows belong to our priest, and the small ones to one of his people."

My own practice, like that of my father, as long as I can remember, has been to steep the seed some twelve hours in warm water, and then roll it in plaster. I have, also, for many years, carefully experimented with the various steeps recommended in our horticultural and agricultural publications. This spring I used a solution of carbonate of ammonia and chloride of soda in my garden, and my seeds came up finely; far better than usual, although there has been a very general complaint with us, especially in the early part of the season, of seed perishing in the ground.

For my beet seed I used the carbonate of ammonia with the most gratifying results. Indeed there was not a single plant missing on my two beds. I therefore tried the same upon my second planting of corn. It came up a week or more, before a few hills which I planted dry along side, and for some time continued far in advance. This, I then considered, a convincing illustration of the benefits of judicious steeping.

After a while, however, I found that which was planted *dry* becoming more stout and vigorous, and of a deeper green. It gained fast upon the other, and has now far surpassed it in size, strength, and in general vigor.

On the 15th of June, I planted a square of my garden for late corn, using *dry* seed of the shriveled sweet variety. On the morning of the 6th day from planting, it was up two inches, and perfectly even, and on the 10th day, it was eleven inches high. The same rapidity of growth has continued to the present time, notwithstanding the recent dry weather. To-day, July 13th, just four weeks from planting, it is four feet four inches (4 feet 4 inches) high, and of uniform size and strength. (July 18. It is now six feet two inches (6 ft. 2 in.) high, a growth of more than $2\frac{1}{2}$ inches per day from the time of planting.)

If, therefore, the soil is rich, and in proper tilth, why should it be necessary to steep the seed at all. Plants will not flourish in water or in medicated water merely. They need for their sustenance and growth the peculiar nourishment which is to be obtained only from the soil. May we not reasonably infer that the moisture contained in the soil when in proper condition possesses some nutritive properties which are not to be found in water alone. If so, then the water absorbed by the seed in steeping must be prejudicial, since it takes the place of, and excludes from the seed and the germ, the fertilized moisture of the soil. There is danger, too, of injuring and enfeebling the germ itself in steeping, all which will be avoided by using *dry* seed.

I am disposed to think that this matter deserves consideration. The principal advantage of steeping, is to hasten the germination of the seed, and thus to get the plants up as soon as possible. Earlier planting, however, will, of course, bring the plant out of the ground at the same time, and if the crop proves equally vigorous afterwards, will answer the same purpose, and probably with less risk. CHARLES ROBINSON. *New Haven, July 13, 1850.*

Agricultural Capacities of Wisconsin.

EDS. CULTIVATOR—In pursuance to a call in one of your late numbers, asking for information in regard to Wisconsin as a farming section, this is submitted.

The country is bounded on the Lake shore by a belt of heavy timber, varying in width from five to forty miles, running its whole length. All of extreme north-eastern Wisconsin, is covered with tim-

ber, consisting of pine, oak, bass-wood, hickory and beach; and bordering all the streams, timber grows to a great height and thickness. The balance of the country is generally distinguished by oak openings and prairies. From the center of the State south, prairies prevail, with considerable low wet prairie, and a scarcity of timber. Going from the center of the State north, the country is found higher, drier and more rolling. Here the prairies are smaller, being, generally, from one to ten miles in length by two to five or six in width. Timber is abundant for all the wants of the country; the streams are very numerous, affording an abundance of water power, and in point of health the country is not surpassed by any in the world—the climate is decidedly dry, and is considered good for pulmonary complaints. The Wisconsin river rises in the north-west part of the State, and runs south-west to the Mississippi; the Fox river rises near the same source, (see map,) and runs south and east to Green Bay. Both these rivers are navigable for steamboats, and at the Portage, or Fort Winnebago, approach within $\frac{3}{4}$ of a mile of each other. The General Government appropriated 500,000 acres of land to improve these rivers—to cut a canal at the portage, (which is about completed,) and deepen and clear out the channel, &c. This improvement is being prosecuted with great vigor, and will be completed during the ensuing year. Then a southern or eastern market is offered the choice of the farmers of Northern Wisconsin. A charter has been obtained for a Railroad from Fond-du-Lac, on Lake Winnebago, to Beloit, in the southern part of the State. The money to build the road will be procured on most favorable terms from England—negotiations to that effect having already taken place. This road will open the center of the State south and north, to the markets of the east.

Our school fund will be the best of any State in the Union, estimated at over three millions—common schools will be free to all. There is also a university fund, consisting of 500,000 acres of selected lands.

The inhabitants are mostly Yankees, principally from New York, Vermont, Maine and Ohio, and will compare favorably in morals, general intelligence, and active enterprise, with any people in the world.

It will thus be seen that in point of position, Wisconsin, having the Mississippi river on its west, Lake Michigan on the east, with the Wisconsin and Fox rivers and Green Bay running through the center of the northern part, is unsurpassed in facilities of getting to market by any of the western States.

The Wolf river is a large and deep stream that empties into Fox, near Lake Winnebago. This river is now navigable for steam-boats 150 miles, and penetrates one of the best "pineries" in the world, where now is manufactured, annually, many million feet of lumber. Pine lumber is worth from \$6 to \$12 per 1000 feet. The soil is excellent, resting on lime-stone; it shows at first a black vegetable mould from 10 to 40 inches thick, next a yellow mould mixed with lime-stone pebbles; then coarser lime-stone, gravel and boulders, and then the rock. The soil varies in depth from 8 to 20 or 30 feet. The sun does not shine upon a better or a more beautiful or bountiful country for farmers. Winter and spring wheat, rye, barley, oats, corn, buckwheat, potatoes, turneps, and vines of all kinds, grow to great luxuriance and profit. I have nowhere seen finer garden vegetables produced. The prairie land, owing to its fertility, and the ease with which it is subdued, has the most admirers. On a prairie farm, one man

can till 3 acres as easily and well as the same labor on one acre in New-York. Average crop of wheat is 25 bushels, though 40 is not uncommon—corn 50, oats 40, rye 30, &c. A most profitable business would be dairying—this having received least attention, and butter being worth 1s. to 1s. 3d. per lb., and cheese 8 to 10 cts. Any amount of good hay, (red top and blue joint) can be had for the cutting. Sheep also are most profitable. It would be impossible to find finer ranges for sheep than on the Wisconsin prairies. Sheep brought from Vermont are found to increase one-third in carcass, while the wool increases equally in weight and quality. Wool can be delivered in Boston for 2 cts. per lb. There being no under-brush or dirt, the wool is remarkably clean and straight. Sheep can be kept the year for 20 cts. a head. Fruit, also, would be very profitable, having as yet received scarce any attention. All the best portions of the country are now in second hands, although many thousand acres are still subject to entry at government prices—\$1.25 per acre.

I have given you a rapid sketch of the country, and will feel well repaid if it meets the wishes of your inquirers. I will be happy to give any further information if addressed, post paid; and will say, in this connection, that I have the sale of 400 acres of land in this town, 20 miles from Fond-du-lac, where is daily steam communication with Green Bay—200 acres is prairie, balance timber, oak openings and meadow land, with fine stream of pure water running through it—100 tons of the best grass can be cut. There is two good houses, barn, stables and out-houses, and 200 acres under fence and cultivation. This land was selected seven years ago—price \$10 per acre, will be sold whole or in part. Respectfully, &c., C. H. GREEN. *Waupun, Fond-du-lac co., Wis., August 23, 1850.*

Treatment of Birds.

In looking over a bundle of old letters, &c., the other day, I found the following sketch, written about ten years ago, to a correspondent. Of course, it was not intended for publication. At this time, however, when some very ultra notions on the subject of birds are taking the rounds of the newspapers, perhaps your readers would be willing to hear something on the other side. D. T. 7 mo. 30.

I am fond of ornithology, but not of all its subjects. There are great villains that *fly* as well as *walk*. For practical purposes, birds should be divided into three classes; and we ought to regulate our enmity or favor accordingly.

1. Such as live on the products of our labor, and render no benefits in return.
2. Such as prey on those products in part, and in part on destructive insects, &c.
3. Such as assist us without committing any trespass.

Of the *first class*, perhaps there are very few, but the cedar bird certainly ranks among them; and I should name in the same indictment the larger hawks, and the larger owls.

The *second* is a very large *class*, and contains the smaller hawks and the smaller owls, both useful to some extent in catching mice, besides the crow which eats grubs. In selecting from this class, such as should be fostered or repelled, however, much discrimination is necessary. Many birds that are useful, claim high wages; and we must judge whether we can afford to employ them, or not. Of this kind are the robin, the cat-bird, and the woodpecker, who work some and plunder some.

My rule is, if but few come, I bear with them; if

many, I thin them—I have no notion of giving the whole crop to pay for destroying a few insects; and it is but few insects that we care much about, that they do destroy. The worst kinds they generally leave untouched.

I know some people say, "you should not kill the birds." "Doctor," said a lady in my presence, to an M. D., "I have never thought so well of you since I heard of your throwing stones at the birds that came to eat your cherries." Yet I am confident that lady herself would throw a stone at a hawk that came to eat her chickens, or broomstick a rat from her meal-tub or pantry.

"O, that is a different affair!"

Is it? Now let us be consistent, and carry out our principles fairly. Rats are useful—they eat worms, and even one another, when they are very hungry; and why should they be punished when birds equally predatory are allowed to escape?

"Rats are nasty things."

Then they are killed for being nasty! and birds are saved for being pretty! It appears, then, that *partiality* or *prejudice*, and not *principle*, rules. Do as you like, but ascribe the action to its proper motive, and try to be charitable towards others who differ from you.

The *third class* is worthy of all our care and protection. This includes all our sparrows, all our swallows, all our fly-catchers, (for the king-bird only eats the drones) and many others. In regard to such, I should say most emphatically, "Fowler, spare that bird!"

"All work and no play makes Jack a dull boy."

EDS. CULTIVATOR—Perhaps there is more truth in the above line than is generally imagined. I, for one, believe that there is more truth expressed in this simple phrase, than in many a gilded volume, whose decorations poorly compensate the reader for the nonsense found within.

Farmers, in New England especially, labor too hard. The sole object, with too many of them, is to get money—to increase their possessions. They seem to think that a man's happiness depends upon the number of dollars he has—that enjoyment rises or falls in proportion as wealth increases or diminishes. Now this is a very common error, and one which we are all liable to fall into. We naturally suppose that wealth and happiness go hand in hand, but we often find ourselves mistaken. The man who labors constantly—

"From early dawn to gloamin' grey,"

infringes one of the most important laws of his being. He cannot cultivate his mental powers if he would, for the simple reason that excessive labor so weakens the brain that he feels no disposition to study, and would find it impossible were he inclined to do it. We all know that by overloading the stomach with food we are rendered weaker, both physically and mentally. The stomach is then compelled to rob both the muscles and the brain, in order to throw off this excess of food. It is just so with the muscles; when they are over taxed, the brain and the other organs must suffer in consequence. And upon the same principle the brain, when too severely taxed—which there is little danger of among us at present—it will require more than its share of nervous energy in order to supply the demand made upon it.

In order to follow the laws of Nature—which no one can transgress with impunity—we should never cultivate one set of organs while another lies dormant. The mind of itself does not form a man, neither does the body, but both combined, when pro


perly balanced, form a man perfect in every respect. Farmers often complain that their boys, instead of following in the "good old way," are glad of a chance to learn a trade, or get behind the counter. Now I do not wonder at this in the least. We expect too much of them. They are made to work with no inducement but that of necessity, and then we wonder that they "hate farming!" The less boys are required to work beyond their inclinations, the better. Not that they should lie dormant, but let them have proper inducement, and there will be little danger of laziness. They require those energies for growth, which grown people can expend in labor; consequently if we require hard labor of them we injure their health, and induce premature decay. Excessive labor, even if it does not break down their constitutions, has a brutalizing effect, as it extinguishes all love of study, and renders them capable only of animal feelings and enjoyments; thus turning into a curse, what, properly regulated, is man's greatest blessing, and most prolific source of enjoyment. SYLVANUS.

Mole Trap.

In answer to several inquiries for a plan of a mole trap, we give the accompanying cut and description, which was originally furnished for the *Horticulturist*. Eds:

This newly invented trap consists of a frame, composed of two uprights, *a a*, about 22 inches high, joined by a top board, *b*—the whole fastened on a foot or base *c c c*. *d* is a heavy piece of scantling or block, which by means of grooves is guided along the uprights up and down. In the lower part of the block are inserted a number of sharp steel pins, about seven inches long in the clear. In the part *C*, of the foot-board, is attached a small piece of thin board in the manner of a pedal of a piano forte, which, when the trap is set, crosses the passage of the mole. *f* is a wooden latch, suspended by a wire from the cross-piece of the frame, and terminating with a wire hook, *g*, at the lower end, somewhat flattened. In the upper part of the latch is cut a notch or shoulder, (*i*,) as a rest for the pin block when the trap is set.

Set the trap lengthwise over the passage draw the block up and fasten it by the wire hook, *k*, to prevent




accident to the trapper; place the apparatus over the passage of the mole in such a manner that when the block falls it will come exactly in the middle of the passage. The ground under the trap in the passage should be taken out and the bottom levelled, and the sides padded and made hard. The ground taken out should be freed from obstructions, and placed again loose in the passage; but before this is done, the block should be tried if it operates well, and falls right in the passage. Then hang the hook

of the latch into a similar hook, projecting upwards from the pedal, so that they may separate upon the slightest touch, by the lifting of the ground on either side by the mole, which in an instant brings down the block and pierces the animal through.


Drying Fruits.

We cannot better comply with several requests for information on the subject of drying fruits, than by the insertion and description of the annexed cuts. The apparatus was made in Germany, and was designed chiefly for drying prunes, but it will answer equally well, with slight modifications, for drying peaches, or apples. It is described as follows:

"The vault or exterior of the oven, four and a half feet long, is surrounded by a brick wall one foot thick, so that the whole stove, *a b c d*, is exactly six feet every way; the front wall, *n*, being only half a foot in thickness. At the top, the vault is arch-



ed over with six inches of brick work at the crown of the arch. The flues, *i i*, are about fourteen inches square. The hurdles or trays, *m m*, for containing the prunes, rest upon shelves, fixed upon two bearers. It would be better if they rested upon rollers, so as to admit of their being pushed in, and drawn out,



with greater ease. These lines of trays are placed at a distance of six inches from the furnace, so as to keep the fruit from too great a heat; they may be made entirely of wood, but it will be better if the bottoms are of open work, like sieves. Their weight is such that they may be easily managed by a woman; but in preparing prunes on a large scale, let them be made of greater length and breadth, so as to just come within the strength of a more robust person.

"The wooden frame, *h h*, is that on which the two doors are hung. The door, *g*, which covers the

arch, (and which is represented in the cut as open and fastened up,) shuts up the front of the upper part of the oven. In the middle of this upper door or flap, is a round vent hole, for the escape of the moist vapor. *k*, is an iron damper, or slide, to be placed in the flue at *l l*, in order to regulate the heat."

Locusts and Grasshoppers.

An impression prevails among our people that the *Cicada Septendecim*, commonly called the "seventeen years locust," is the same insect, or a species allied to it, which, under the name of locust, sometimes commits fearful ravages on the vegetation of some eastern countries. The two insects bear but little resemblance to each other. The Cicada feeds wholly under ground, and on the roots of plants, during the period of sixteen years which it requires to reach its perfect or winged state, and during the latter state it eats *nothing*—the damage it occasions, being caused wholly by the perforations of branches of trees, by the female, in preparing receptacles for her eggs.

The true locust—(*Acrydium*)—on the other hand, is an insect whose whole period of existence is but one season; it feeds entirely on the leaves and stalks of plants, and its voracity is such that it devours every green thing it can reach. It is what is popularly called, in this country, a grasshopper, though naturalists, very properly, make a distinction between grasshoppers and locusts. The "red-legged grasshopper," so called,—the most devastating species, perhaps, belonging to this country,—is considered by Dr. HARRIS as a proper locust, which he calls *Acrydium femur-rubrum*. It is this species, principally, which has overrun different sections of our country, and caused very great damage by eating up the vegetation of all kinds. They prevail most in dry seasons. Heavy rains, or continued wet weather while they are young destroys them in great numbers. We think it probable that it is this species which has been very numerous and has done much injury the present season, in some of the northern counties of Ohio, where a severe drouth prevailed in May and June. A correspondent of the *Ohio Cultivator*, writing from Erie county, in that State, under date of Aug. 8, says he had never seen grasshoppers (locusts) in anything like such numbers before, as they have appeared this season. "They covered the fences by the roadside—the bushes and small trees were loaded with them, when they went up to roost, so as to bend as with a crop of fruit. I only saved my peach crop in my newly grafted orchard of 500 trees, by driving them off the trees just at evening every night for weeks together, otherwise they would have stripped the leaves all off, and left the fruit bare, as they did in some cases after all our efforts. In many meadows they left scarcely any thing but the bare stalks, and our pastures are gnawed to the ground, notwithstanding the abundant rains. Oats and potatoes are also badly injured by them. They have been taking themselves off for a week in large numbers. They fly so as to fill the air like a swarm of bees, for hours together, in the middle of the day, almost invariably taking advantage of a lake breeze to waft them south, and flying at a great height, are not perceivable except by looking towards the sun."

This migratory habit is possessed by several species of locust. We have accounts of their flying in such numbers in oriental countries, as literally to fill the air, and obscure the sun at noon-day. The same propensity has been manifested by the "red-legged" species above mentioned. The late Presi-

dent DWIGHT, of Yale College, notices their appearance in Massachusetts and parts of Vermont in 1797 and 1798. He observes:

"At times, particularly a little before their disappearance, they collect in clouds, rise high in the atmosphere, and take extensive flights, of which neither the course nor the direction [?] has hitherto been discovered. I was authentically informed that some persons employed in raising the steeple of the church in Williamstown, were, while standing near the same, covered by them, and saw, at the same time, vast numbers of them flying far above their heads."

Thick and Thin Seeding.

The proper quantity of seed, for the various grains, to be sown to the acre, is a subject on which much has been said and written, especially in England, where many experiments in relation to it have been made. The question cannot be fully settled, without a long series of carefully conducted experiments, made and repeated under the same circumstances.

The *Transactions* of the N. Y. State Ag. Society for 1849, contain the results of some trials, by Mr. ADAM CLARK, of West-Dresden, Yates county, in sowing various quantities of wheat to the acre. The communication of Mr. C. was referred to a committee, of which JOHN DELAFIELD, Esq., was chairman, who submitted a report from which we take the following:

The experiments of Mr. Clark show that wheat planted uniformly at distances of $1\frac{1}{2}$ inches apart, will require about 224 $\frac{1}{4}$ lbs. or 3 bushels 44 $\frac{1}{4}$ lbs. per acre. This weight of wheat consists of about 2,890,320 grains. Mr. Clark planted a portion of ground in this manner, which was harvested at the proper season and thrashed on the 22d of August, and weighed on the 17th December—estimating every ounce to contain 800 grains, as weighed by him. The product of an acre similarly treated produces 63,248,000 grains, or 4,160 lbs., which is equal to 69 bushels 10 lbs. of wheat per acre.

The second experiment shows that about *two bushels* of wheat, or 126 lbs., sowed on an acre of ground at the 'uniform distance of *two* inches apart, will yield 3,580 lbs. of wheat, or 59 bushels 40 lbs. per acre. In this experiment the number of grains sowed on an acre is about 1,616,000.

It has been usually estimated that in broad-cast sowing of wheat under favorable circumstances as to weather and condition of the soil, the average deposit of seed is 48 grains per square foot; if so, an acre of broad-cast requires 2,090,880 grains; and estimating this quantity at the weight of Mr. Clark's wheat, it gives 2 bushels and 44 lbs. per acre. It would have been advisable to measure and weigh the seed *before* planting, as well as after harvest, as season and cultivation may essentially vary the relative quantity and quality of the seed and the product. We would have been pleased to know, also, whether every seed planted, arrived at maturity; if not, what proportion was imperfect or destroyed. It is well known that a large per centage of the wheat sown broad-cast is lost to the farmer. We need therefore very exact observation, to approximate a fair estimate of comparisons.

The following is the substance of Mr. Clark's statement:

On 23d September, 1848, I prepared four beds of ground to plant with wheat, on a summer fallow that had been twice plowed during the summer. The ground was prepared by finely pulverising it with a hoe and rake, to the depth of eight inches. Four beds were accurately measured, each one-

fourth of a rod square, leaving a walk of about 7 inches between them; they were numbered and subdivided as follows: No. 1, in squares $1\frac{1}{2}$ inches each way; No. 2, about 2 inches; No. 3, a little short of 3 inches; No. 4, $3\frac{1}{2}$ inches, including the outside lines of each bed. Then with the thumb and finger I carefully dropped a kernel of wheat in the corner of each small square, of No. 1 and 2; then, with a stick prepared for the purpose, I placed each grain $1\frac{1}{2}$ inches below the surface, and then with the head of a rake made the surface entirely smooth. On Monday, 25th, I planted Nos. 3 and 4 in the same manner; they were all planted with the Soule's variety of wheat—the seed dry, without any preparation. The soil is a clay loam, with a slight inclination to the north and north-west, and fully exposed to the winds from those directions. I used no fertilizers, except a little Gypsum; on 17th of May, while sowing on the rest of the field, I gave the bed a slight coating at the rate of from $1\frac{1}{2}$ to 2 bushels per acre. Harvested July 25th, 1849, with a hand cradle and bound it in sheaves and carried it into the barn in about two weeks. The parcels carefully shelled and kept separate. On the 22d August, each parcel was weighed separately, by sealed scales, the result of which may be found in the annexed table. On the 17th of December, 3 oz. were weighed in sealed scales, and by counting all the grains weighed, I found that there were 800 grains in an ounce. An estimate of the amount of seed planted is made from this data, as well as the average product from each.

No. 1.—Number of grains planted 4,488; weight of product in pounds and ounces, 6 lbs. 8 oz.; amount of seed sown per acre, 3 bu. 45 lbs.; yield per acre in bushels, 69 bu. 20 lbs.

No. 2.—Number of grains planted, 2,525; weight of product in lbs. and oz., 5 lbs. $9\frac{1}{2}$ oz.; amount of seed sown per acre, 2 bu. 6 lbs.; yield per acre in bushels, 59 bu. 40 lbs.

No. 3.—Number of grains planted 1,206; weight of product in lbs. and oz., 4 lbs. 12 oz.; amount of seed sown per acre, 1 bu.; yield per acre in bushels, 50 bu. 40 lbs.

No. 4.—Number of grains planted, 870; weight of product in lbs. and oz., 4 lbs. 4 oz.; amount of seed sown per acre, $43\frac{1}{2}$ lbs.; yield per acre in bushels, 45 bu. 20 lbs.

“Notes on American Farming.”

The March and July numbers of the *Scottish Quarterly Journal of Agriculture* contain several pages under this head, purporting to have been written by an Englishman who has spent some time in travelling in this country, and particularly noticing its agriculture. His remarks, in general, are expressed in a kindly spirit, and we think he *intended* to give a fair view of our farming, as he saw it; though he has, nevertheless, fallen into occasional errors—the result, perhaps, of limited observation, and the want of practical knowledge, in some instances, of the subjects on which he speaks. We make some extracts, both for the purpose of correcting errors, and to show how some of our resources and products, as well as some of our customs, strike the mind of a stranger. In regard to the cultivation of fruit in this country, the writer says:

“In scarcely any department of cultivation has there been such a decided improvement as in that of fruit. At present, throughout the whole Union, there is quite an excitement in the object of raising fine fruits. Numerous societies have been formed for the purpose of giving encouragement to cultivators, and not a few of the pages of the agricultural papers are devoted to accounts of improvements, and

of new fruits raised. It is the general opinion that the time is not far distant when the export of fruit will exceed in amount (that is to say, if there is a demand for it) that of any article of export.

“To judge of the value and importance of this crop to the agriculturists of the States, it must be remembered, that what we have been describing as the flourishing condition of only one State is but the type of others. In the Northern States there are numberless orchards, not only of pear and apple, but of peach and other fruit trees. There are peach orchards in New Jersey and Delaware occupying upwards of a hundred acres each. There is one at Reybold's, covering a thousand acres. The crops of this latter orchard are so large as to give constant employment to two steamboats and a schooner in conveying the fruit to market.’ And attached to almost every farm there is a large or small orchard. One of the most striking curiosities of New-York, in the fruit season, is the various steam and sailing boats bringing their freights to the market. Last year we frequently went to the markets, and were abundantly repaid for the trouble. We certainly never expect to see such a gorgeous display of fruit again. As might be expected from the statements we have given, fruit is everywhere cheap. Peaches, large, luscious, three a-penny of our money; some particularly large, one and two cents, sometimes four cents a-piece—the latter would have been charged a shilling or two here. The crop of apples was last year considered a failure, and yet we have bought three beautiful ones for a cent. No one in this country can have an idea of the amazingly rich flavour of some kinds of American apples. Those so highly prized here, as real Americans, convey no idea of the best quality of fruit to be obtained for a mere trifle in the fruit-growing States.”

The writer seems highly pleased with most of our farm implements. He says:

“The agricultural implements in the United States are much lighter in construction than in this country, the plows particularly so. These are well adapted for the peculiarities of the land. It would be impossible to plow land recently cleared, with all the stumps and roots scattered here and there, with the heavy plows of this country. It is astonishing to see how easily the farmer turns aside from the stumps; and even should he fall foul of one, the plough is so light, that he can *flip* it past the obstruction very easily. Old Country farmers are disposed to find fault with them, but they are soon taught to perceive that they are very well adapted to the kind of labour they have to perform. With reference to other implements, the same rule holds. The hay-forks are amazingly light and handy: a young boy can easily use them. Scythes, hatchets, &c., are all made exceedingly light and portable, and in this we think the Yankees show real wisdom. There was no real utility to be gained by having huge heavy instruments to deal with. A farmer who had had, both in this country and in America, much experience as a hard-working man, told us that the result of his experience was, that more work could be done in the same space of time, and with less of fatigue, with the Yankee tools than with those of this country. The axes used for felling trees are very light: we must confess that, at first sight, we thought that heavier heads would have been better; but a sight of the execution they performed in good hands, on the sturdy sons of the forest, soon showed us our mistake. The ‘horse rake’ is almost universally used for gathering the hay off the fields, and forming it into ‘cocks.’ There is scarcely such a thing as reaping corn by hooks, as here performed.

the common scythe, or more generally the cradle-scythe, being used. It is astonishing how much one man can cut down in a day. There is great rivalry in this point amongst farm-servants."

On the subject of fences, the writer complains of our "horrible slovenliness." He admits, however, that "on all well-conducted farms, the fences, &c., are admirably constructed and arranged;" but adds, (and we confess there is too much truth in the remark,) that "this, unfortunately, is the exception, not the rule." The zig-zag or "worm" fence, common in some sections, was regarded as particularly unpleasant to the eye, though the writer admits "it is really very strong, and capable of resisting considerable opposing force," and he concludes, that where wood is plentiful, it is not so bad a fence after all. He thinks our farmers "are very fond of this fence, ugly and cumbersome as it is," and says he was informed that this attachment is so strong "with some old people, that when they build wall fences, they build them in and out, in the same zig-zag way." This singular mistake was probably derived from the fact that in some places where only a few stones, and those of not very good quality for making fence, are to be had, it is sometimes practiced to lay them up in the way mentioned, for the purpose of forming the under part of the fence, topping out with rails, to the requisite height. This form gives to the fence much more stability than it could have if laid straight.

In regard to animals used in farm labor, he falls into a striking error. He says—"Oxen are invariably used for farm purposes, carting of hay, &c. Some of these animals," he continues, "are really wonderfully well paired. A friend of the writer's had a pair so beautifully matched, so alike in respect to color, size, and even shape and length of horns, that it was difficult to distinguish between the two. Farmers vie with one another in raising handsome, well-paired oxen. Much more attention is now paid than formerly, to the raising of stock."

The growth of vegetation, is represented as being wonderfully rapid. "In the Northern States, though the winter can scarcely be said to be broken up till April, barley is generally ready to cut early in June; wheat is ready towards the end of the same month." This would truly be a rapid growth for barley. It is seldom sown before the first week in May, and not unfrequently as late as the second week, and if it gets ripe even a month later than the time this writer gives, it is thought to grow pretty quick.

In regard to Indian corn, he observes—"it is the staple commodity of American farms; it is used in all kinds of ways. *One variety* (!) is taken in its green state and boiled. Its flavour is remarkably fine, and resembles very much that of green pease!" To the latter expression, we can only say, "there is no accounting for tastes." He further says in regard to Indian corn—"Some species (?) grow very high; we have seen stalks ten and twelve feet in height." If he had gone into some of the rich valleys of the west, he might have seen it growing to the height of sixteen to eighteen feet.

In relation to the character of farm laborers, and the facilities afforded them for the acquirement of property, the writer remarks:

"As a general rule, farm-servants are a very sober, quiet, industrious class,—rarely spending their time and money in public-houses, or needlessly. A sober and industrious man has a fair chance of saving as much money, in the course of twelve or eighteen months, as may enable him to 'go West' and purchase a small lot of land. 'The American labourer, if frugal and temperate, may have his own lot, and

house, or cottage, and good furniture in it. By the aid of his cow, his garden, female industry, and good management, he may save his wages entire.' Many eminent professional men and statesmen have had just such a humble beginning; and a great majority of wealthy farmers have begun in a similar position. A great help to parties with small capital is the facilities given for the purchasing of land. In very few cases, indeed, is the purchase-money at all demanded. The general way of doing business is paying by yearly or half-yearly instalments. Where the purchase-money amounts to four or five thousand dollars, the time may extend over a period of six or seven years. Credit is universally given: farming tools and seeds, &c., can be got on easy terms."

Royal Agricultural Society.

The annual show of this association took place at Exeter, in Devonshire, in July last. In the department of live stock there seems not to have been as extensive a competition as in some former years, but in respect to quality, the animals were deemed generally equal to those of former exhibitions. An English paper observes:

"The horned cattle were, as usual, divided into three grand classes. Short-horns, Herefords, and Devons. Of the general characteristics of the animals exhibited of the three breeds, we believe we are right in stating that the show of short-horned bulls was indifferent; that of the heifers decidedly good; that of the cows very fair. The turn-out of Herefords of both sexes and all ages was not extensive, but good. The Devons, however, naturally formed the great attraction of the show, and a finer display of animals of this class was, in the opinion of competent judges, never previously brought together."

The Leicester, Cotswold and South Down sheep, appeared in their usual number and excellence.

At the dinner of the society, Mr. LAWRENCE, our minister to London, and Mr. RIVES, our minister to Paris, were honored with seats, and both responded to complimentary toasts.

The Farmer's Every-Day Book;

Or Sketches of Social Life in the Country; with the popular elements of Practical and Theoretical Agriculture, and twelve hundred laconic and apothegms relating to ethics, religion, and general literature; also five hundred receipts on hygeian, domestic, and rural economy. By Rev. JOHN L. BLAKE, D. D. Auburn, DERBY, MILLER & Co.

The leading design of this work is to induce farmers to investigate the general principles of agriculture, by reading the best books and periodicals on the subject, and ultimately to secure such an education for the rising generation, as will enable them to practice the occupation with the best results. The author endeavors in the outset to overcome the prejudice against "book farming;" he has, therefore, to use his own language,—“instead of offering the rural community a large volume consisting of the didactics of agriculture, concluded to treat them with the tit-bits of domestic economy, with hints on education, with prescriptions for health, and especially with instructions for the better maintaining the social relations of life.” We think the work is well calculated to interest and benefit a large portion of our rural population. The publishers have got it up in handsome style, and its appearance is altogether attractive. It will be seen that we have given, in another part of this number, an extract from its pages.

Notes for the Month.

COMMUNICATIONS have come to hand, since our last, from R. H. Drake, Dr. H. S. Chase, Luther Redfield, A Subscriber, J. Briggs, Charles Nutting, David Hillman & Sons, C. H. Green, T. H. Hyatt, Titrius, W. T. Dennis, D. B. N., D. T. Brown, Chas. Hamilton, J. B.

BOOKS, PAMPHLETS, &c., have been received as follows :

Report of the Naval Committee on the establishment of a line of Mail Steamships to the Western Coast of Africa, from Hon. F. P. STANTON, M. C.

Speech of the Hon. Mr. BINGHAM, of Michigan, in the House of Representatives, on the bill for the Extension of the Patent to the heirs of Jethro Wood, from the author.

Descriptive Catalogue of Trees, Plants, &c., cultivated in the Mount Hope Nurseries of ELLWANGER & BARRY, Rochester, N. Y., for 1850-'51.

Catalogue of the *Highland Nurseries* of A. SAUL & Co., Newburgh, N. Y., for 1850-'51.

REPORT ON TRIAL OF PLOWS.—It will be seen that we have occupied a considerable part of this number with the report on the trial of plows, which took place near this city in June last. This trial created much interest, and much eagerness has been manifested in regard to the report and awards. Our readers will doubtless be gratified with a perusal of the document.

DRAINING TILES.—Mr. A. S. BABCOCK, of this city, is now engaged in the manufacture of drain-tiles of various descriptions. He has one of the most approved machines, imported from Scotland, and recommended by Mr. STEPHENS, author of *The Book of the Farm*, and has all the apparatus required for producing the best tiles. Our farmers will now have the opportunity of obtaining this important article in any quantities, and we hope the business of drainage will now be commenced in earnest, as we are convinced that no improvement, if judiciously executed, can yield a better return. The tiles can be shipped to any part of the country. Samples can be seen at this office.

ANIMALS FROM AFRICA AND SPAIN.—THOS. H. HYATT, Esq., our late Consul at Tangier, on his return to this country, a few days since, brought with him several animals—all of which are interesting from their rarity, and some of them are likely to be useful in this country. Among them are a horse of the Barbary stock, an Arabian pony, a wild boar from the Atlas mountains, a beautiful species of African partridge, several rare kinds of doves, and a pair of pigs and some fine fowls from the south of Spain. The horse was left with a gentleman in New York—the other animals, with the exception of the Spanish fowls, were taken by Mr. H. to Rochester. The pony is of elegant form, and is said to be remarkable for speed and endurance. The wild boar is young, and does not yet show any of the ferocity for which his race is distinguished. He is a singular animal, bearing but a distant resemblance to the domestic pig. His head is rather long, the face straight and narrow, the ears very small and upright, the back arched, the legs long and slender. His coat is more like hair than bristles, and of an iron-grey color. What will be the effect of mingling this blood with the domestic stock, cannot be told at present, but we should suppose the stock of such a cross, would be likely to suit such farmers as wish their hogs to be able to *outrun dogs*.

SALE OF SHORT-HORN CATTLE.—The sale of Mr. SHEAFE's cattle took place at his farm in Dutchess county, on the 29th of August. The sale was well attended, and the animals sold at good prices.

Twenty-eight cows brought sums varying from \$47,50 to \$185; calves from \$55 to \$105; and the imported bull Exeter \$500. The latter was purchased by L. F. ALLEN, Esq., of Buffalo. The sum total brought by the 33 animals in the catalogue, was \$4,857.

PEARS.—We have received from Mr. COLBERT HUNTINGTON, of Painesville, Ohio, a box of pears, supposed to be a new variety. The box did not come to hand till the pears were rotten, so that, unfortunately, we had not the pleasure of tasting them.

SALE OF AYRSHIRE CATTLE.—The bull and cow which obtained the first prizes in their class, at the late Fair, have been sold by Mr. PRENTICE to Mr. TIFFANY, of Coxsackie. They will furnish a good beginning for a valuable dairy stock.

The Ayrshire bull of Mr. WOODFORD, of Connecticut, it will be seen by an advertisement, is left for sale at the farm of Mr. PRENTICE, near this city. He is of good blood, and would be a useful animal to take into a dairying district.

SALE OF STOCK.—It will be seen by the advertisement, that the cattle, sheep and swine, belonging to the estate of the late Wm. STICKNEY, will be sold at auction, at Westminster, Vt., on the 9th of this month. It will afford an opportunity for the purchase of very fine animals, and probably at reasonable prices.

LARGE PRODUCT OF BUTTER.—S. P. CHAPMAN, Esq., of Clockville, Madison county, N. Y., obtained the premium for the best dairy cow at the late State Fair, for a Short-horn cow, five years old, bred by GEO. VAIL, Esq., Troy. It was stated that the milk of this cow, during ten days in June last, yielded 20 lbs. and 4 oz. of butter; and that her milk during ten days in August, yielded 19 lbs, 14 oz. butter.

Mr. Wm. L. COWLES, of Farmington, Ct., exhibited at the fair a very fine Devon cow, bred by Mr. Patterson, of Maryland. He stated that her milk, during ten days in June last, yielded 16 lbs. 14 oz. of butter. She is of medium size, and of beautiful form. She is not only good for the dairy, but is just such a cow as would be chosen to produce the most valuable working oxen, and such an one as would be likely to produce a healthy, hardy and useful progeny for any purpose.

HONEY.—We have received from Mr. ARZA GILMORE, of Wayne, Maine, a sample of honey, of superior quality made the present season in his apiary. He has adopted a plan of keeping bees, which in many respects is novel. His bee-house and his specimens of honey, each received the first premium at our late State Fair. He supports his bees, chiefly, by an artificial compound, prepared by himself. This renders the keeping of bees practicable in all situations. The compound is not expensive, and the honey made from it is pronounced, by all who have seen it, of the very best quality, and in small boxes and jars, readily sells in Boston and other cities at twenty-five cents a pound. Mr. G. states that he has taken this season, from nine hives placed in his house last winter, *twenty-three hundred pounds* of honey.

PROFITABLE SHEEP.—In reply to the inquiry of Mr. JOHN JOHNSTON, in our August number, respecting the returns of flocks of sheep, as compared with his own, we have received the following statement from DAVID HILLMAN & SONS, of East Avon, N. Y. The whole number of their flock was 349, of which 143 were ewes which raised lambs this season; 97 were two-year-old ewes and wethers, 196 yearlings,

and 3 rams. Messrs. H. sheared from all, 1,730 lbs. wool, which sold at home for 39 cts. per pound, or in the aggregate, \$674.70. The two-year-olds and yearlings, 203 in number, sheared 5¼ lbs. washed wool per head. They were Merinos.

ALBANY AND RENSSELAER HORTICULTURAL SOCIETY.—The annual exhibition of this society was held at Albany, on the 18th and 19th of September. It was the finest display of fruits and flowers ever made by the society. Apples, pears and peaches, were numerous and fine, and there were several very handsome specimens of grapes, both of exotic and native varieties. The show of plums was not large—there being rather a scarcity of that fruit in this vicinity the present season, and it being, besides, rather too late in the season for many of the best kinds. There were many fine peaches, all grown in this neighborhood. The principal exhibitors of fruits were Messrs. Dow, Prentice, Wendell, Wilson, Thorburn & Teller, Aiken, E. H. Pease, E. Corning, Jr., Elisha Dorr, Denniston, and J. S. Goold. The show of flowers was very rich. Norman Briggs, of Schaghticoke, exhibited ninety-five varieties of dahlias, most of them very perfect flowers, forming altogether the most attractive display of this kind we have ever seen. A specimen bloom of the variety "Princess Radzville," shown by James Wilson, was universally admired. There was a large show of roses, verbenas, asters, &c. The collection of roses shown by L. Menand, surpassed any similar display we have seen at this season of the year. The collection of Mr. Wilson was also fine. Very handsome collections of flowers of various kinds, were also shown by Messrs. Dingwall, Quinn, Newcomb, Corning, Goold, and Pease. There was a large show of vegetables, and they were generally of a very excellent description.

A PRIZE ANIMAL.—The Short-horned bull "Belleville," bred and owned by J. MASON HOPPER, Esq., of Stockton-on-Tees, which received the sweepstakes prize of £65, (\$325) at the late show of the Highland Agricultural Society, had previously taken the highest prizes in the class of Short-horns, at all the principal shows in the kingdom, viz, the Yorkshire Society, the Royal Society, the Irish Improvement Society, and the Highland Society. He is seven years old. The whole amount he has received in prizes is £160, or about \$800.

LEAP OF A HORSE.—A Pottsville (Pa.) paper states that a mare, on which a boy twelve years old was riding, became frightened and ran away. In her course, she came to where a bridge across a stream had been removed. Here she paused for a moment, as if hesitating to attempt the leap; but gathering her energies, she bounded across the gulph. Several persons immediately measured the distance, and found it to be *twenty-seven feet*. Neither the mare or rider were injured.

MILL-TOLLS IN ARKANSAS.—D. H. BINGHAM advertises in the *Little Rock Gazette and Democrat*, that persons wishing to have corn ground, can have it done at his mill at any time; that there may be no "misunderstanding," he gives notice that "the rates of toll charged, are one-third, or twenty-five cents per bushel."

WILL FISH REVIVE AFTER HAVING FROZEN?—It has often been said that some kinds of fish would revive after they had been frozen entirely through. A correspondent of the *Cleveland Visitor*, states that a lot of perch were caught in the winter, and thrown on the snow, where they soon froze so solid that in handling them, many had their fins broken off. After remaining frozen several hours, they

were put in a tub of water, and on examining them after they had been in the water a while, several of them were found as lively and active as any fish could be. Dr. J. P. KIRTLAND, in the same paper, states that in 1820, he and several other persons caught eight or ten bushels of eels, in a stream in Connecticut. It was in very cold weather, and the eels had been driven from a mill-pond by drawing off the water. He says:—"The eels were taken home, and during the night were placed in a cold and exposed room, and were literally as stiff and almost as brittle as icicles. The next morning a tub was filled with them, into which was poured a quantity of water drawn from the well, and they were then placed in a warm stove-room for the purpose of thawing. In the course of an hour or two the family were astonished to find them resuscitated and as active as if just taken during summer. The experiment was tried with a number of tubs full during the day and with similar results."

SAGACITY AND STRENGTH OF THE SPIDER.—The intelligence and power evinced by the spider in securing its prey, has often attracted attention; but we have seldom heard of so remarkable a display of these faculties as we witnessed a short time since. A small-sized spider had made his web on the under side of a table. Early one morning, a cockroach was noticed on the floor, directly under the web, and on approaching to take it away, it was found that the spider had thrown a line round one of its legs, and while the observer was looking at it, the spider came down and *lassoed* the opposite leg of the cockroach. The spider then went up to his web, but instantly came down and fastened a line to another leg, and continued for several minutes darting down and fastening lines to different parts of the body of his victim. The struggles of the cockroach, (though a full-grown one,) were unavailing to effect his escape—he could not break his bonds, and his efforts seemed only to entangle him the more. As his struggles became more and more feeble, the spider threw his lines more thickly around him; and when he had become nearly exhausted, the spider proceeded to raise him from the floor. This he did by *raising one end at a time*. He at first raised the head and forward part of the body, nearly half an inch; then raised the other end; and so continued to work, till the cockroach was elevated five or six inches from the floor. Thus, "hung in chains," the victim was left to die. The spider was, as before remarked, a small one, and could not have been more than a *tenth* the weight of his prey.

SEEDLING APPLE.—We received some time since, from CHARLES P. COWLES, Esq., of Syracuse, some specimens of a seedling apple. They appeared to have been picked rather too green to admit of their quality being fully ascertained, as they were very hard when received, and rotted without becoming *naturally* ripe. We cannot, therefore, judge fairly of its merits. It is a fruit of fair size and form, and handsome appearance.

Wool Market—Sept. 23, 1850.

The market is firm for all grades—though less active for the fine than for medium and low qualities. The demand for the latter being greater than the supply the prices of Foreign have advanced to an unusually high figure. There is no probability that the quantity imported can be materially increased, and certainly not without further advancing the rates. The recent public sales in London, of Foreign and Colonial wools, show an advance of one penny (2 cts.) per pound, with a very active market. This state of things in both the United States and England, gives the assurance that before the close of the season, the Saxony clips of the U. S. will be wanted at fair prices. We quote,

Saxony Fleece,	44a50c.
Full blood Merino,	40a42c.
¾ to ¾ do.	36a38c.
Native to ¼ do.	33a36c.

Prices of Agricultural Products.

[Review of the Market for the last month.]

ALBANY, SEPT. 20, 1850.

Our market since our last report has been active, though not more so than is general at this season of the year. A good business has been done in the leading articles of produce.

FLOUR.—The early part of the month called forth but a light supply of flour, the demand being confined mainly to the usual city and eastern trade. Within the last week, however, a more active inquiry has sprung up, chiefly from the east, whence buyers have come forward freely and purchases to a fair extent have been made, chiefly stimulated by reports of the extension of the potato rot in the eastern states. Quotations during the month have fallen off, upon the increasing receipts by canal; at present they are firm, with a tendency on the low grades to advance, while a contrary course is anticipated with the high grades. The sales add up 40,000 brls, at \$4.25 to \$4.25 for common State, \$4.25 to \$4.37½ for old Western, which is scarce, \$4.50 to \$4.62½ for fresh ground State, \$4.62½ to \$4.75 for new Western, \$4.87½ to \$5 for pure Genesee, \$5 for fancy Western, \$5.12½ to \$5.37½ for fancy Genesee, and \$5.50 to \$6.50 for extra do. Buckwheat is beginning to arrive and sells at \$2 per cwt.

GRAIN.—The market for grain, especially for Wheat and Barley, has been very active. In Wheat the transactions have reached 108,000 bush., 98,000 of which have been of prime white Genesee, the balance Ohio and Mediterranean; the sales of Wheat for this market are unprecedented in amount; the market closed with our last report at 116½ for prime samples of Genesee, and after falling to 107c, on the 31st ult., has recovered nearly all it had lost, and is firm at 115½ to 115¾ for good samples; the other descriptions sold at 95½ to 100c for Mediterranean, 95½ to 97c for Ohio, and 87½ for a lot of red Ohio. In Canal Rye we have no sales to note; in the street 75c is paid. In Corn there is less doing, and the transactions are confined entirely to Western mixed; during a portion of the month the market has been neglected, but within a few days a more active demand has sprung up, caused in part by the condition of the potato crop, and our highest figure in the last report is fully maintained, with a tendency to a further advance; the sales are 89,000 bush., at prices varying from 59 to 63, closing firm at the higher figure. Oats have been dull of sale until within a few days, when a light stock in New York stimulating prices, we have a more active market, with purchases for future delivery; the sales are 66,000 bush., at a range of 39 to 41½, with sales at 41½ on the spot, and 40½ for lots to arrive within a few days, and for delivery before the 10th of October. The opening of the Barley season has been more than usually brisk; the light stock of malt in the hands of brewers has caused a ready sale and active demand for all lots of prime barley offering, and holders have met the demand promptly, the receipts by canal being in advance of those of the corresponding period last year, about 300,000 bush. The bulk of the barley coming forward is discolored, and purchases of these descriptions are made at a low figure, or are entirely neglected. There are various opinions afloat as to the extent of the present barley crop, and as a consequence as to the price the article will command before the close of the canal; holders, almost without exception, represent the crop much short of last year; some as high as 400,000 bush., and of course look for high figures all this season; buyers, on the other hand, hold off and buy only as their necessities require, or as the article may suit. All agree that the crop is inferior to that of last year, and that it is not so large. Our sales reported are to the extent of 220,000 bush., of which 136,000 is two-rowed, at quotations ranging from 70 to 80 for both descriptions; the market for ordinary to good two-rowed may be quoted at 70½ to 72c, and for four-rowed at 75½ to 77c; last sales were made at 71½ for two-rowed, and 75½ to 77c for four-rowed, the higher figure for a very bright sample; in the street 72½ to 75c.

FEED.—The sales are about 90,000 bush., at 9½ for bran, 11½ to 14c for shorts, 15½ to 18c for second quality, and 60½ to 100c for middlings.

WHISKEY.—The demand has been good and always in excess of the supply; the sales are 1300 brls, closing firm at 27½ for S. P.

SALT.—Sales to a fair extent at 10½ to 11c for bags, and 10c for brls.

HOPS.—Some samples of the new crop have been received and show well; the condition of the English crop, upon which £200,000 duty is backed, forbids high prices here. Sales of the crop of 1849 at 15c.

SEED.—Flax seed arrives sparingly and sells at 125c. Timothy is firm and in demand at \$3.37½.

BROOM CORN.—Sales of Ohio have been made at 8½c.

PROVISIONS.—No demand beyond the retail trade. No change in figures.

Fruit Trees.

THE subscriber offers for sale this fall a good assortment of Apple, Cherry, Apricot, Peach, Plum, (medium size Pear) and Nectarine Trees. Among which are 30,000 fine Apple Trees from 3 to 4 years old and from 7 to 11 feet high; 2,000 to 5,000 each of Baldwin, Newtown Pippin, Rhode Island Greening, Bellflower, &c. 6,000 Cherry Trees, of 40 of the most choice varieties, many of which are of extra size.

4,000 Early Golden Apricot trees of all sizes and shapes.
10,000 Isabella and Catawba Grape vines from 2 to 4 years old.
2,000 Orange Quince bushes (fine).
1,000 Fir Trees from 1½ to four feet high.

The above will be sold as low and on as favorable terms as at any other nursery in this neighborhood. Price catalogues sent to all applications.

CHARLES DUBOIS.

Oct. 1, 1850—1t. Fishkill Landing, N. Y.

The Nursery is two miles south of Fishkill ferry.

Nursery.

THE subscriber offers for sale 5,000 Apple Trees, from 6 to 9 feet high, comprising 100 of the best varieties cultivated, at 17 cents each. 3,000 Peach Trees, from 6 to 9 feet, comprising 50 of the best varieties, at \$12.50 per hundred, 17 cts. per single tree. A few Cherry, Pear and Plum trees; various kinds of Ornamental trees, from 25 to 33 cents. 1,500 Arbor Vitæ, from 3 to 5 feet, suitable for hedges, \$12.50 per hundred.

The Nursery is situated within 2 miles of Daysville depot, on the Norwich and Worcester Railroad. Trees will be carefully packed and delivered at the above place free of charge, when orders exceed \$5. Persons from abroad ordering trees are assured that their orders will be faithfully executed.

SIMON L. COTTON.

Pomfret Landing, Conn., Oct. 1, 1850—1t*.

Samuel Moulson,

At the Old Rochester Nursery, North Clinton-street, Rochester, N. Y.
Office 36 Front-street,

BEGS to offer the usual assortment of fruit and ornamental trees, shrubs, bulbs and herbaceous plants, among which are—

100,000 of the celebrated Northern Spy Apple tree, root grafted, and sufficiently deeply planted to insure roots from the scions. This tree is remarkably thrifty. Those I offer are fine grown, guaranteed true to name, or the purchase money refunded.

6 to 8 feet, 37½ cents each. 5 to 6 feet, 31½ cents. 4 feet, 25 cents. 40,000 various select sorts of Apple. 30,000 Pear, Peach, Cherry, Apricot, Nectarines, Plums, &c. 5,000 fine 4 year Norway Spruce, grown from seeds once transplanted. Orders solicited, and trees properly packed for any part of the United States or Canada. Catalogues to be had gratis.

OFFERED TO THE TRADE,

100,000 one year Pear seedlings; 50,000 two year Apple seedlings; 10,000 one year Cherry seedlings; 50,000 one year Norway Spruce, with many other items, a trade list of which will be furnished early in autumn.

Oct. 1—1t.

Highland Nurseries, Newburgh, N. Y.

(Late A. J. Downing & Co.)

THE proprietors of this establishment offer for sale, this autumn, the largest stock of Fruit and Ornamental Trees, which they have ever before had the pleasure of offering to their patrons, and the public in general.

They would particularly call the attention of dealers and planters on a large scale, to the superior quality of the stock, who will be dealt with on the best and most liberal terms.

Their stock of Pear trees is very large, over twenty thousand, and extra in quality, and comprises all the leading standard varieties, as well as all the recent acquisitions of merit.

Particular attention paid to the cultivation of the Pear on Quince, Cherry on Mahaleb and Apple on Paradise Stocks for pyramids and dwarfs for garden culture; and of which there is a choice assortment of the kinds most suited for those purposes.

Apple trees, of large size, in every variety; also Plum, Cherry, Peach, Nectarine, Apricot and Quince trees, of every known variety worthy of cultivation.

Together with a full assortment of Grape Vines, native and foreign, Raspberries, Gooseberries, Currants, Strawberries, and esculent roots, such as Asparagus, Rhubarb, Sea Kale, &c., of the most approved kinds.

HEDGE PLANTS.—In large quantities of American Arbor Vitæ, Osage Orange, Buckthorn, Three-thorned Acacia, &c.

Also Ornamental Trees and Shrubs, (evergreen and deciduous,) of large size, and in large quantities, at reduced rates.

For further particulars they would refer to a new, improved, and greatly enlarged edition of their Catalogue, just published, and ready for distribution (gratis) to all post-paid applicants.

Oct. 1st, 1850.

A. SAUL & CO.

A New Hardy Climber.

THE new and beautiful CLIMBER, *Calestigia pubescens*, recently introduced from China, by Mr. Fortune, proves perfectly hardy in New England, having stood in the grounds here the past winter, without the least protection. Trained to a single pillar, say 10 feet in height, it is a very striking and beautiful object from the middle of June till cold weather, during which time it is covered with a profusion of its large double flowers, of a delicate rose color. It is very ornamental planted in patches like the verbenas; makes an admirable screen, and is very effective in young plantations, belts, or shrubberies, trailing prettily on the surface, and running up among the lower branches of trees in a very picturesque manner. It is, therefore, particularly suited for ornamenting cemeteries and public gardens. Its culture is very simple, and it thrives in any good garden soil. When required in considerable quantities, it is best to start it under glass in February or March, but the tubers may also be planted in the open ground in May. The subscriber will send to order, by mail or express, October 20th, tubers sufficient for 100 plants, at \$5.00; 50 plants, \$3.00; with directions for propagation and culture.

Strong plants in pots, in April, \$1 per pair. B. M. WATSON.

Old Colony Nurseries, Plymouth, Mass., Oct. 1, 1850—1t

BONE MILL.—For sale, one Bone Mill, for horse power, complete, capable of grinding from 150 to 200 bushels per day. Also, a Steam-Power Mill, capable of grinding from 800 to 1,200 bushels per day. Engine of 16-Horse Power, with two boilers, of 25-Horse Power, all complete. Apply by letter, or otherwise, to

ALEXANDER HORNBY,

26th st., 9th Avenue, New-York.

N. B.—The Horse Power will be sold very cheap.

Oct. 1—1t.*

Chinese Chrysanthemums, &c.

J. M. Thorburn & Co., 15 John street, N. Y., and Astoria, (L. I.)

HAVE now ready for delivery, strong layered plants in pots, (which send up numerous suckers after flowering in October,) of above sixty varieties of this fine autumnal exotic, whose varied and showy flowers lengthen out the season, enlivening the conservatory when all summer flowers have passed away. The present collection is made up from the best in France and England—price \$4 per dozen, (packing included.) A second collection of good, but older sorts, \$3 per dozen. The following are some of the best varieties, and free bloomers. Annie Salter, Bonaparte, Brinda, Boisgerard, Brez, Bianca, Calabasse, Celestial, Charlemagne, Daphne, Émilie, Teisseire, Flechier, Grand Mogul, Gen. Mercier, Grande Napoleon, Isabelle, L'Elegante, Matricarioides, Malvina, Minerva, Reine Victoria, Snowflake, Saladin, Tempel de Salomon, Wm. Penn, Violet Triumphant, &c.

Also—A select collection of FUCHSIAS, in bloom, (can be safely packed.) Among the most desirable is Acantha, Beauty of Salisbury, Conqueror, Coraluna, Delicate Gaylad, Goliath, Hero, Lady of the Lake, Napoleon, One in the Ring, Serratifolia, Snowdrop—50 cents each—mostly light colored, and all free bloomers.

Also—Several varieties of ACHIMENES, now coming into flower. This is a splendid genus, and blooms all the autumn. TORENNIA ASIATICA, with showy China blue flowers, and graceful trailing habit; a very desirable plant, blooming nine months of the year. BEGONIA FUCHIODES, with pretty cherry colored pendant flowers, blooming in warmth all winter. CYCLAMENS, of sorts. OXALIS SPECIOSA, with bright pink flowers till December. TROPÆLUM LOBBIANUM, with brilliant, orange scarlet flowers all winter. MANETTIA BICOLOR, a runner with a profusion of pretty yellow and scarlet flowers, most of the winter. SALVIA OPOSITIFOLIA, a new and pretty variety, with showy flowers. GESNERIA OVATA, GEROLDIANA and ZEBRINA, with rich velvety foliage, and showy scarlet flowers; very desirable plants. PLUMBAGO LARPEŒ, bright azure blue flowers. All the above plants 50 cents each, and worthy a place in the smallest collection of choice plants. ROBINSON'S DEFFIANCE VERBENA, the best variety in cultivation—immense bloomer, good habit, and intense scarlet color; strong spring raised plants, in small pots, which will flower all the fall and winter. 25 cents each. \$2 per dozen.

Also—The following GRAPE VINES in pots—two years old, raised from eyes; the plants are strong, straight, and well formed. \$1 each. Black Hamburg, Black Palestine, Black Frontignac, Black Constantia, Black Tripoli, Early Musk Chasselas, Grizzly Frontignac, Niccirine Chasselas, Muscat of Alexandria, White Lisbon, White Muscadine, Victoria, Violet Chasselas, Flame Tokay, &c. These are all approved sorts, the wood well ripened.

Also a good collection of STRAWBERRIES, now in season for furnishing plantations. Burr's New Pine, Columbus Pine, Rival Hudson, Black Prince, Myatt's Eliza, Princess Alice Maud—\$2 per hundred. Hovey's Seedling, (superior variety.) Boston Pine, Early Scarlet, Scotch Pine-apple, IOWA, (fine and great bearer,) English Whitewood, Jennison's Seedling—\$1.50 per hundred.

☞ Catalogue of Dahlias, Roses, Geraniums, Fuchsias, Cinerarias, &c., for 1850, gratis.

DUTCH BULBOUS ROOTS.

Just received from Holland, a splendid collection of Hyacinths, Tulips, Polyanthus Narcissus, Crocus, &c., mostly of the early sorts for blooming in house, in glasses or in pots, during winter, are now ready for delivery.

Oct. 1—11.

Fitzgerald's Patent Portable Mill.

[From the British American Agriculturist, October, 1849.]

REPORT OF THE COLONIAL FAIR FOR 1849.

“**A** PORTABLE GRIST MILL, known in the States as Fitzgerald's Patent Portable Mill, was exhibited by Mr. Charles Ross, of Rochester, N. Y. The mill, without the bolting apparatus, costs \$100, and is capable of grinding five bushels of wheat in one hour. The proprietor had several medals awarded by the American Institute New-York city. He showed some flour ground by this mill, which took the premium at Syracuse; it was certainly of a fine quality. For new settlements, this invention will supply a desideratum. Mr. Ross, indeed, asserts that when its merits become known, every farmer will be his own miller. He says it is about being put up in a flouring establishment at Rochester, in place of the common flat Burr stones; after which, if it proves its superiority, we have no doubt it will come into general use.”

Mr. C. Ross—

Rochester, May 25th, 1850.

Dear Sir,—The wheat that I purchased and ground when you was here, through that new mill, has astonished me. I got a yield out of 4 bushels 15 lbs. and 4 oz. The wheat, you know, was ordinary, and far from being the best quality. More than this, I did not grind over the middlings, they were so poor that it would not pay to do so.

The flour was of a superior quality, I mean far above the best standard extra brand in Boston, as I have a sample of it in my office. It has been compared with mine by a number of the best judges of flour in the city, and pronounced in every instance to be decidedly better than the Boston standard for extra—and those that have used it, say it is the best flour they have ever had in Rochester—but one brand, all extra. This is saying a good deal in this city, where flouring has been carried on so extensively, and brought, as all supposed, to perfection. I am of the opinion, that with these mills I can make from one-third to double the amount of flour with the same power that I ever could with four and a half feet flat stone. Respectfully yours,

JOSEPH PEIRCE, Corner Main & Water sts.

Mills of various sizes, from \$60 to \$400, complete with attachment, manufactured by

CHARLES ROSS,

Curtis' Building, Main st., Rochester, N. Y.

JOHN MAYHER & Co., 197 Water st., agents for New-York city. Oct. 1, 1850. 11.

Syracuse Nurseries.

Thorp, Smith & Hanchett, Proprietors, Syracuse, N. Y.

THESE Nurseries are now most abundantly stocked with the various kinds of fruit trees suitable to this climate, to which the proprietors feel much satisfaction in calling the attention of cultivators and dealers. The peculiarly favorable season hath given to their trees a vigor of body, a hale outstretching of the limbs, and a beauty of form, which do render it a gratifying entertainment for the eyes to dwell upon them. Trees, superior in those particulars, have rarely been offered to purchasers.


Their nurseries embrace all of the most approved varieties, old or new, of the various kinds of

FRUIT TREES—From which customers can be supplied in quantities of from 10, to 10,000, as excellent in quality, and as reasonable in terms, as can be found at any other like establishment.

ORNAMENTAL TREES—Splendid in size and form, of the Horse Chestnut, Mountain Ash, Balsam Fir, Ailanthus, and various others, may be had, largely or otherwise.

BUCKTHORN FOR HEDGES—One and two years old, very stout; Snowballs, Michigan Roses, Grape roots, Quince Trees, Currants, Gooseberries, &c., &c.; all, or any of which, will be parted with at most reasonable prices.

Catalogues, as usual, supplied to post-paying applicants. Syracuse, 1st Oct., 1850—21.




I. T. GRANT & CO.'S

PATENT FAN MILLS AND CRADLES. We continue to manufacture these celebrated Mills and Cradles.

They have been awarded six first premiums at the New-York State Fairs, and at the great American Institute in New York, and several County Fairs, always taking the first premium over all other mills. The manufacturers feel confident, therefore, in offering these mills to the public, that they are the best in use. During the year 1847 they were introduced into England, by Mr. Slocum, of Syracuse. They were very favorably noticed by the English papers; and from a communication of Mr. S.'s, published in the Transactions of the N. Y. State Ag. Society, for 1847, it will be seen that they were tried by several large farmers, and highly approved. One farmer, it is stated, set aside an almost new winnowing machine, for which he paid £18, (\$90) and used Grant's for cleaning a crop of 300 qrs. (2,700 bushels) of wheat, and several hundred bushels of mustard seed. We have lately made some valuable improvements in the article, though the price remains the same as before.

Our fans are extensively used and highly approved at the south, for cleaning rice. We are permitted to make the following extracts from letters received from Hon. J. R. Poinsett, of South Carolina:—"The fan you sent last summer, [1848] has been successfully used to clean dirty rice, and winnow that from the threshing floor. It answers every purpose." In relation to another of our fans, he writes, (April 23, '49).—"Both this and the first mill you sent, work very well; and the last, which is the largest that can be well worked by a man, cleans the dirty rice perfectly, and is altogether the best wind-fan I ever used for that purpose."



Our Cradles have taken the first premiums at two New York State Fairs, and are considered the best in use.

The great encouragement we have received from dealers and agriculturists, has induced us to greatly enlarge our business, and we hope by strict attention, to merit a further patronage.

Orders will be thankfully received, and receive prompt attention.

I. T. GRANT & CO.

Junction P. O., Rens. Co., 8 miles north of Troy

May 1, 1850—11.

Greenhouse Plants, Vines and Roses.

PARSONS & CO. offer for sale every desirable variety of Greenhouse Plants, and many valuable novelties recently introduced from Europe.

Growers of Grapes are invited to examine their vinerics, now in full fruit, from which they can furnish good vines, of about forty varieties, at

50 cents for those one year old,
75 " " two " "
100 " " of extra size.

Their stock of saleable Roses includes some thousand on their own roots, of the Remontaus, Bourbon, China, and Garden Roses, in their various sub-classes.

Catalogues furnished on application by mail to Flushing, near New York. Sept. 1—2t.

Fruit and Ornamental Trees, &c.

THE subscriber cultivates at his Nurseries, and has for sale at his residence, *Eustis-street*, Roxbury, Mass., all the choice varieties of the Pear, Apple, Plum, Cherry, Peach, and other Fruit Trees, Raspberries, Gooseberries, Currants, Grape Vines, Strawberries, Asparagus Roots, etc., etc.

Also several thousand Pear Trees on the Quince—one, two, three, four and five years from the bud.

Particular attention paid to the cultivation of the Pear.

Persons wishing extra sized trees, or trees on Quince stock in a bearing state, will please call at the Nurseries and make their own selection.

30,000 Buckthorn Plants.

ORNAMENTAL TREES, Shrubs and Roses, Herbaceous Plants, Peonies, &c.

The whole for sale at the lowest market price. Catalogues gratis to post-paid applicants. SAMUEL WALKER,

Roxbury, Sept. 1—3t. Roxbury, Mass.

Apple Trees for Orchards.

MANY thousand fine Trees, mostly 7 to 8 feet high, propagated in all cases from thoroughly proved or bearing trees, for sale at the nursery of J. J. THOMAS, Macedon, Wayne Co., N. Y.

They embrace the best standard varieties, with nearly all the valuable new sorts; among them are Early Harvest, Sine Qua Non, Sweet Bough, Early Joe, Summer Sweet Paradise, Autumn Strawberry, Gravenstein, Dutch Mignonne, Rambo, Fall Pippin, Yellow Bellflower, Rhode Island Greening, Esopus Spitzenburgh, Northern Spy, Svaar, &c., &c.

Price, varying with selections, from sixteen to eighteen dollars per hundred—a first rate selection of summer, autumn, and winter fruit, of fifteen to thirty varieties, if made by the proprietor, furnished at sixteen dollars per hundred, or seventeen if well packed in matted bundles, and delivered at canal or railway. All orders to be accompanied with remittances. Sept. 1—3t.

Commercial Garden and Nursery of

PARSONS & CO.,

Flushing, near New-York.

THE proprietors of this establishment offer for sale their usual assortment of Fruit and Ornamental Trees, Shrubs, Vines, Roses, &c.

Their stock of Apples and Pears is finer than they have before offered. Also Pears on Quince, of their own growing.

The Ornamental department contains the usual well known varieties, and all the best new Trees and Shrubs, for lawns and arborcrotums, including the new Pines, Araucaria Imbricata, Cryptomeria Japonica, with Cedar of Lebanon, at one to two dollars each; and Cedrus Deodara, of various sizes, at one dollar per foot.

Catalogues furnished gratis on application by mail. Sept. 1—2t.

Fruit and Ornamental Trees,

at the Nursery of J. J. THOMAS, Macedon, N. Y.

MOST of the Trees are of large, handsome, and thrifty growth, and they embrace careful selections of the best sorts of Apples, Peaches, Pears, Cherries, Apricots, &c., with the smaller fruits.

When purchasers desire, selections will be made by the proprietor, so as to afford a regular succession of the best varieties throughout the season; and all may be relied on as strictly true to their names, the proprietor having for the past fifteen years invariably adhered to the rule of selling none but THOROUGHLY PROVED sorts.

A carefully assorted collection of hardy Ornamental Trees, Shrubs, and Herbaceous Perennial Plants, furnished at moderate prices.

Trees for canal and railroad well packed in bundles, enclosed in strong mats, with roots mudded and encased in wet moss, so as to preclude all danger of injury.

All communications, post-paid, to be directed Macdon, Wayne Co., N. Y. Sept. 1—3t.

Albany Burr Mill Stone Factory.

A DAM R. SMITH, (late of Troy,) having located at the Corner of Broadway and Quackenbush streets, (three blocks above the Delavan House,) ALBANY, N. Y., invites the attention of Millwrights and others to the stock on hand, which, with his facilities for manufacturing, must render it advantageous for them to call upon him before purchasing elsewhere.

He keeps also, a large supply of Bolting Cloth, Screen Wire, Plaster of Paris, and other articles used in Milling, which will be disposed of on liberal terms.

August 1—3t.*

Agricultural and Horticultural Implements, and

Field and Garden Seeds.

UPWARDS of one hundred different kinds of Plows, and a corresponding variety of all other Implements for the Farmer, Plaitor and Gardener; embracing the largest and most complete assortment to be found in the United States. Also, Field and Garden Seeds, a large and varied assortment. A. B. ALLEN & CO., August 1, 1850.—tf. 189 & 191 Water St., New-York.

To Nurserymen, Dealers, and others.

THE subscriber offers for sale at the *American Botanic Garden and Nursery*, Waterloo, Seneca Co., N. Y., ($\frac{1}{2}$ miles northwest of Waterloo, on the Vienna road):—

20,000 American Balsam Fir.
10,000 Spruce, Red, White, &c.

Also various other Native and Foreign Trees, Shrubs and Herbaceous Plants, together with a choice selection of Fruit Trees. Native Trees and Plants to order.

Orders promptly executed, and Trees and Plants packed for safe transportation to any part of the United States, Canada and Europe. Sept. 1—2t. W. S. DELL.

South Down Sheep.

THE subscriber offers for sale, this season, several pure bred South Down Rams, varying in age from lambs to 4 years old. Also several Ewes, from one year to four years old.

The Lambs and Yearlings of this flock, are from an imported Ram from the Duke of Richmond's celebrated flock.

Applications for the above Sheep may be addressed to the subscriber in this city. JNO. McD. MCINTYRE.

Albany, August 12, 1850—3t.

The American Live Stock Insurance Company,

At Vincennes, Ind.

CHARTER unlimited. Granted January 2, 1850. Capital \$50,000. For the Insurance of HORSES, MULES, PRIZE BULLS, SHEEP AND CATTLE, of every description, against the combined risks of Fire, Water, Accidents and Disease.

Losses paid in 30 days after proof of death.

Directors.—Joseph G. Bowman, Hiram Decker, M. D., Isaac Mass, George D. Hay, John Wise, Alvin W. Tracy, Hon. Abner T. Ellis, Abm. Smith, Hon. Thomas Bishop, Joseph G. Bowman, President. B. S. Whitney, Secretary. Wm. Burch, Treasurer.

Aug. 1, 1850—1yr. B. P. JOHNSON, Agent, Albany.

Drain Tile Works,

63 Jay Street, North of Salamander Works, Albany.

THE subscriber is now manufacturing and prepared to fill orders for Horse Shoe, Sole, Round and Collar Drain Tile, of various sizes, from one to four inches in width and rise. The tile is cut sixteen inches in length, and will be of a superior quality. The price will vary according to the size and shape, from \$10 to \$16 per thousand. Specimens of the article with the prices will soon be distributed to all the agricultural stores in the State. Presidents of county societies adjoining the river and canals, will please send their address with directions to whom a box containing the different sizes of Tile will be forwarded free of charge. July 1, 1850—tf. A. S. BABCOCK.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

May 1, 1850—tf. JOHN MAYHER & CO.,

The Farmers' Encyclopedia,

BY C. W. JOHNSON. Adapted to the United States, by G. EMERSON, Philadelphia, 1850. In one large octavo volume, 1173 pages, containing the latest discoveries and improvements, in Agriculture, with numerous plates of Live Stock, Farming Implements, &c.

"We are fully convinced that such an amount of valuable knowledge for farmers can be found in no other work in so cheap and convenient a form. In fact, no farmer who pretends to be well informed in his profession should be without this book."—*New Genesee Farmer*.

"An excellent work, fit to be distributed in premiums by Agricultural Societies. How much better, and in better taste, than the amount of its cost in money."—*J. S. Skinner*.

Sold by L. TUCKER, Albany; A. HART, Philadelphia; DERBY & Co., Buffalo; W. D. TICKNOR & Co., Boston; and the principal booksellers in the Union. Price \$4. (Cost of the imported work in 1 vol. without any plates, \$14.) July 1—tf.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$8, for sale at the office of THE CULTIVATOR.

Contents of this Number.

Best Method of Fattening Animals,..... 321
 On the Importance of Extended Chemical Investigations, by }
 Prof. J. P. Norton,..... 323
 Report on the Trial of Plows, by the N. Y. State Agricul- }
 tural Society,..... 324
 Selecting Fruit for a Continued Supply—Materials for Potting }
 Plants,..... 331
 The Curculio—Market Gardens and Railroads,..... 332
 Lime for the Curculio—The Stanwick Nectarine—Horticul- }
 tural Miscellanies,..... 333
 Premiums awarded at the late State Fair,..... 334
 New York State Fair at Albany,..... 337
 Steeping Seeds, by CHARLES ROBINSON,..... 339
 Agricultural Capacities of Wisconsin, by C. H. GREEN,..... 340
 Treatment of Birds, by D. T.—“All work and no Play,” &c., }
 by SYLVANUS,..... 341
 Mole Trap—Oven for Drying Fruits,..... 342
 Locusts and Grasshoppers—Thick and Thin Seeding,..... 343
 Notes on American Farming,..... 344
 Royal Agricultural Society—The Farmer’s Every Day Book,..... 345
 Monthly Notices—To Correspondents, &c.,..... 346

ILLUSTRATIONS.

Fig. 205—Mott’s Agricultural Furnace,..... 322
 206—Diagram of Plows,..... 329
 207 to 210—Premium Plows,..... 336
 211—Mole Trap,..... 342
 212, 213—Oven for Drying Fruits,..... 342

Choice Fruit Trees.

Rochester Commercial Nursery. Established 1830.

THE subscribers offer for sale, this autumn and the coming one of the largest stocks of fruit trees in this state; carefully propagated and grown by ourselves, and warranted correctly named.

It has been our constant aim to cultivate none but the good varieties, leaving to others the long list of useless trash.

We sell very much at wholesale, and have furnished as many as 5,000 Apple trees for a single orchard, and 3,000 dwarf Pears.

Persons wishing to purchase in large or small quantities, will find it to their interest to communicate with us.

BISSELL & HOOKER,
 Rochester N. Y.

Oct. 1—2t.

Ayrshire Bull for Sale.

THE two year-old Ayrshire bull, “Governor 3d,” out of “Lady Rose,” by “Governor 2d,” both prize animals in Scotland, selected for and imported by R. S. GRISWOLD, of Hartford, Conn., in 1846. The Bull may be seen at the farm of Mr. PRENTICE, Mount Hope, near Albany. Price \$100. Oct. 1, 1850.

Postponed Sale of full bred Short-horns and improved Dairy Stock.

OWING to affliction in my family, I have postponed the annual sale which was to take place in October, 1850, until the 25th day of June, 1851.

I also decline selling any stock by private sale, so as to offer the public, at auction, all the animals I have to part with, without having any previously selected from the herd, and all animals offered will be sold without reserve.

My new importations of Short-horns, Devons, South Down Sheep and Hogs, will arrive during the fall.

Timely Catalogues, with full descriptions of each animal, will be published in the principal Agricultural journals.

Mount Fordham, Oct. 1st, 1850. L. G. MORRIS.

Great Sale of Imported Stock,

At Westminster, Vt., on the 9th day of Oct., 1850.

THE Administrators of the estate of the late William Stickney, of Boston, will sell at public auction, on Wednesday, Oct., 9th at his farm, in Westminster, Vt., the live stock on said farm, being all imported animals, with their descendants. Among which are the following, viz:

SIXTY-THREE DEVON CATTLE.

1. Sixty head of superior Devon Steers and Heifers, from one to three years old. Many of the Steers are well mated and well broken.
2. One imported Devon Bull, two years old, lately imported.
3. One fine Devon Bull, seven years old, bred by Geo. Patterson, Esq. of Maryland.
4. One yearling Devon Bull, bred on the farm.

SIXTY SUFFOLK, MIDDLESEX, AND ESSEX SWINE.

1. Five imported Boars, of these breeds, 1 to 3 years old. Splendid animals.
2. Six or eight imported Sows. These are, or will be with Pigs.
3. About fifty Swine of these fine breeds unaltered.

THIRTY SOUTH DOWN SHEEP.

1. One lot South Down imported.
2. “ “ purchased of the Hon. Daniel Webster.
3. “ “ “ Col. J. M. Sherwood.
4. “ “ bred on the farm

All the animals here offered, were purchased in England, or of the best breeders in this country, without regard to cost, and with great judgment; or were bred with much care on the farm.

Any further information will be cheerfully furnished, on application in person, or by letter, to WILLIAM S. KING, Woodland Farm, Manton, R. I., or to ISAAC STICKNEY, Administrator, Boston, Mass. Oct. 1—1t.

King Seedling Pear.

THE subscriber offers for sale, at his nursery, several hundred of the King Seedling Pear trees, from 1 to 2 years old, at one dollar each; one dollar a dozen for grafts. A dozen grafts can be sent in a letter in the winter to any part of the States, with safety. Orders directed to S. WORDEN, Minetto, Oswego co., N. Y. Oct. 1—1t*.

Macedon Nursery.

THOMAS WRIGHT, (late Wm. R. Smith,) offers for sale this fall 20,000 Apple trees, 6 to 8 feet in height, 3 to 4 years from graft, with fine heads, by the hundred or thousand, all choice kinds; also, Cherry, Pear, Peach, Plum, and Ornamental trees, Roses, Vines, Shrubs, Pæonias, &c., &c. Apple \$16 per hundred, 13½ cents each; Cherry \$25 per hundred, 31½ cents each; Pear 50 cents, Plum 50 cents, Peach \$12 per hundred—also, 500 Cherry Seedlings of superior growth, \$7 per thousand.

Catalogues supplied gratis to post paid applicants. Immediate attention will be given to all orders accompanied by cash or satisfactory reference. Macedon, Wayne co., N. Y., 10 mo. 1st, 1850.—1t.

Fruit and Ornamental Trees.

THE subscribers would beg leave to give notice to dealers and others purchasing Pear trees, that their stock is remarkably well grown this season, and will be very strong and fine for the fall sales, and is as extensive a collection of saleable trees as can be found at any other nursery in the county. The collection grown on quince stock is also very fine.

The stock of Apple trees will also be very large this fall, in lots to suit purchasers.

PLUMS—A general assortment of most of the leading kinds. CHERRIES, APRICOTS, PEACHES, GRAPE VINES, GOOSEBERRIES, CURRANTS, with other small Fruits, at the lowest market prices.

ORNAMENTAL TREES, being also grown extensively, can be furnished by the hundred at very reasonable rates—European Linden, Mountain Ash, Scotch Elms, English Elms, Horse Chestnuts, with a good collection of ROSES, &c. Catalogues will be forwarded to all applicants. WILSON, THORBURN & TELLER, Oct. 1, 1850—2t Nurserymen, 492 Broadway, Albany.

Selling off to Close the Business.

Linnæan Botanic Garden and Nursery, late of Wm. Prince, deceased, Flushing, L. I., near New-York. WINTER & Co., proprietors.

THE proprietors have still remaining a very considerable stock and variety of FRUIT and ORNAMENTAL TREES, Shrubs, Vines, Plants, Roses, &c., which they will dispose of for cash, at a REDUCTION of 25 to 50 PER CENT. AND UPWARDS from the usual prices according to kind and quantity. DESCRIPTIVE CATALOGUES gratis, on application post paid.

- Apple trees, 2 to 4 years old, \$6 to \$10 per 100.
 - Pear trees, 2 to 4 years old, \$35 to \$50 per 100.
 - Cherry trees, 2 years old, \$12.50 per 100.
 - Orange Quinces, 3½ to 5 feet, \$12.50 per 100.
 - Black Hamburg and other foreign Grape Vines, extra strong plants, \$5 per doz.
 - Two-year-old Seedling Plum Stocks, \$7 per 1,000.
- Oct. 1, 1850—1t.

Plum Stocks Wanted.

SEVERAL THOUSAND PLUM STOCKS, suitable for budding next year, wanted immediately. Apply to Oct. 1—1t. ELISHA DORR, Albany.

Bloodgood Nursery,

Flushing, L. I., near New York.

THE proprietors of this well established Nursery, offer for sale every variety of Fruit and Ornamental Trees, Evergreens, Flowering Shrubs, Grape Vines, Hedge Plants, Raspberries, Strawberries, &c.

Our Fruit trees are of superior quality and large growth, and we are able to furnish them in any quantity, of almost any variety, which is a great inducement to purchasers.

Orders sent to us, at Flushing, or 244 Pearl street, New York, (where Catalogues may be obtained gratis,) will receive immediate attention, and the trees packed with great care for transportation.

Oct. 1st—1t. KING & RIPLEY.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

☞ All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

☞ All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

☞ The back vols. can be furnished to new subscribers—and may be obtained of the following Agents: NEW-YORK—M. H. NEWMAN & Co., 199 Broadway. BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT, 7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms.



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, NOVEMBER, 1850.

VOL. VII.—No. 11.

Agriculture—Its Labors, its Profits, its Pleasures.

THERE are some questions in relation to agriculture that are of vital interest to us as practical farmers. In these days of struggling for wealth and honors, and in these days, too, of striving for making money in the easiest way, questions like the following come to us from many quarters. Is the profit of agriculture at all adequate to its labor? Is not agriculture a life of incessant toil? Of all trades and occupations, is it not the poorest investment for capital?

In a former communication for the *Cultivator*, I simply glanced at the subject; I wish now to consider it a little more in detail. The questions must be met and answered, and they must be answered fairly, too. It will not do to quote one or two instances where men have been particularly favored, and have acquired property by agricultural pursuits. It is with agriculture as a business, a calling, that we have now to do. I say the questions must be answered, and fairly answered, and the answer to them is a matter of vital interest to us as practical farmers.

Many young men are yearly leaving their fathers and going to the large cities to seek employment. Some become clerks in stores, others become cartmen, some become one thing, some another; all however, under the fixed apprehension that anything is better than agriculture, that everything pays a better profit. If it can be proved that everything is more profitable than agriculture, that it is a calling scarce worth following, and in fact only followed either by rich men for their amusement and pleasure, or by those who have been brought up to the business, and who cannot get out of it—then indeed have we found a mystery. What is it but this—that agriculture, the most ancient, the most honorable of all occupations—the main spring of trade, commerce, and of all other occupations,—the source from which all the other callings derive their support—that this, I say, is worthless. But if, on the contrary, it can be shown that the complaint is ill founded, something at least for the honor of agriculture will be achieved. I wish, then, in this article, to consider its labors, its profits, its pleasures. First, then,

ITS LABORS.—Mankind are ever prone to find fault with the occupation which they have chosen, or into which circumstance have called them. It is by no means wonderful that some farmers should complain of their lot; if they did not, it would show a superiority in their calling above all others. Who has not heard the doctor complain of the hardship of his lot, the lawyer of his, the merchant of his, and men of all other occupations and trades of theirs. Now it is no doubt true that the labor of the farmer is severe. He must make hay when the sun shines.

He must plow and hoe through the long summer day. His sweaty brow, his sun-burnt cheek, betoken him a man of toil, but his rugged countenance betokens, too, that his toil is healthy. His face bears not the care worn look of the doctor, anxious for the fate of his patients; or the lawyer, studying patiently and laboriously the cause he is about to try; or yet the merchant, plodding over his account-books. The farmer's toil is hard, but when night comes, he can lie down in calm repose and rest from his labors, while nature is carrying on the process of growth among his crops. The farmer's toil is hard, but we may hope from present appearances that much of the severe physical labor to which he has been subjected, may be ameliorated by the invention of labor-saving machinery.

THE PROFITS OF AGRICULTURE.—Is it at all adequate to its labor? I think it is. I think that all other things being equal, agriculture can be made to pay as good an interest as any other legitimate occupation. It is an axiom of trade and business, that the greater the risk, the greater the profit. Now, agriculture is truly a legitimate business—it is a choice which a man makes from among the various branches of social occupations as to which way he will obtain a livelihood. Any man, therefore, who enters into the pursuit of agriculture as a matter of *speculation*, will be very apt to be disappointed; but if he enter into it and is qualified for his business, I think he cannot fail of making a compensation for his labors. Things, I believe, are more evenly balanced than men are willing at first sight to admit. Now I do not claim that the profits of the farmer are as large as the profits of the merchant. I do not know whether they ever will be—there are many things in the way which forbid it. In the first place, the risk of the farmer is not by any means as great as the risk of the merchant, and according to the axiom of trade, we have mentioned he cannot look for as large profits.

But again, there are facilities connected with the *credit system* which belong solely to the merchant and trader, which the farmer cannot, with safety, avail himself of. A merchant with a capital of five thousand dollars, often trades to the amount of twenty thousand dollars; sometimes to a much greater amount. Some singular developments of the *abuse* of the credit system came to light during the panic of 1837, in the city of New-York. Men with little or no capital, failed for immense amounts. Perhaps some one may say, "well, if my capital of \$5,000 gives me the opportunity of trading to the amount of \$20,000, I am better off in business, and can make more by my business than the farmer can, with the same amount of actual capital which I possess." I would reply to that—yes: so you can, but if you think it both safe and honest, it is more than I do. You run a great risk and get a good profit; so long

as times are good and business prosperous, you may get along, but let a *panic* come, and then what? Not only are you almost certain of failing yourself, but in your downfall you make others suffer with you—you are, in fact, living and doing business on other men's money. It is computed as a moderate calculation that 80 to 85 business men out of 100, fail during a period of 25 years. This thing alone, to any man sensitive to debt, would render him cautious about entering the arena of trade.

From the remark above made, I hope no one will think that I oppose a just and lawful *use* of credit—this is well and good—it is the *abuse* and not the *use* of it, that I would censure. A man may trade and do business to once, twice, and even thrice the amount of his capital, and yet do a safe business, but when he attempts, on a small capital, to do a business unauthorised by that capital, I say then it is not morally honest. Many men make more money than the farmer, but we cannot always measure the amount of actual profit by this alone; for those who make the most, are of necessity obliged to spend the most. Thus the merchant, doing a large business at home and abroad, is of necessity compelled to entertain largely. His profits are doubtless sometimes large, but his losses are often heavy, and his expenses great. His style of living, too, must be somewhat in accordance with his business. Let no man say that this matter is optional, that the merchant *need* not do it—he *must* do it. It is to a great extent by his courtesy and hospitality, and magnificent entertainments, that he *obtains* his business.

The profits of the farmer may be slow, but they are sure, and we entertain a hope that with more knowledge, they will be more rapid and still remain sure. But before we consent to call the profits of the farmer less than those of many other occupations, let us examine a little further into the matter. Take, for example, the mechanic; do his wages enable him to get rich in a little while? So of the doctor and the lawyer; years of toil and study must first be passed through, before they can arrive at great profit or eminence in their professions. If the young farmer leaves his father's farm for the sake of the *profits* attending a clerkship in some large city, we think he will be mistaken, for it is not long ago that meetings were held in the city of New-York, among the clerks, with a view to better their condition, and it was stated as a fact, at some of those meetings, that the average wages of clerks was not equal to those of day laborers; and upon these wages they were obliged to live and make a respectable appearance; and I feel warranted in saying that things are no better now. Here and there a clerk with fine business talents may rise to eminence under favorable circumstances, but as a general thing, the rising of a clerk is like promotion in the army and navy, *very slow*.

The profits of the farmer may appear slow; but look at the facts in many cases; see how many farmers are laboring under heavy debt. Small means and a heavy debt, would be a great drawback in any business; but yet the industrious and enterprising farmer is not dismayed at it; through difficulties, through trials he presses onward and in most cases wins the victory. It must be an occupation worth following that can enable a man to do this. But with the farmer, it is not only the actual profit he derives, for if he is a good manager his farm is always increasing in value, and this is a continual profit to him. Many instances can be shown in almost all sections of the country, where men who began farming with very little means, are now quite comfortably off. If, then, farming has been made

a source of profit in days gone by, may we not hope when the light of science shall be brought to aid practical experience, that the profits of the farmer will be increased according to the intelligence and experience which he brings to his vocation. If the farmer would make his calling profitable, he must learn to think—to work with his head as well as with his hands. The same system of farming will not answer for all parts of our widely-extended country. In one section it may be most profitable to grow wheat, in another corn, in another to raise stock, in another to keep cows, in another to sell hay and buy manure; in almost all to combine with farming the growing of fruit. About these things and a hundred others, the farmer must use his own judgment, and in each and all, must take care not to be wedded too much to the opinions of his fathers, for since their day, things have changed; railroads, canals, steamboats have brought the far off places of the West in close communication with the seaboard, and we, who occupy soils worn by the culture of long years, must redouble our vigilance, if we would compete favorably with our western friends. Above all things, let us never despair. If we think that other men in other callings are making more money than we are, let us be satisfied with our lot, when we think that our calling is less harrassing, and in general far happier. But we must take care and not be deceived by appearances, for when we examine the matter closely, we will find that gold and silver are not accumulated very fast at the present day, in any ordinary business.

I have spoken of the toil and the profits of agriculture. I cannot leave the subject without, for a few moments, turning to its *PLEASURES*. My farmer friends, I cannot but feel that few of us esteem our noble calling as we ought. With many it is a life of ceaseless and unending toil, no higher aim or object is seen in it, save to plow, to sow, to reap, to “do business and get gain;” so that the dollar be made, no matter whether the soul is buried beneath the body's toil or not. Lost in its toil, we think not that it has a pleasure. But let us pause a moment and look around us; there are things that come to us in the way of our business, that to other men, in other occupations, would be looked upon as luxuries. It is in the power of every farmer to have a good garden; from this garden, during the season of vegetables, his table can be supplied at a trifling expense, with the choicest and freshest of them; so too of fruits, apples, pears, peaches, cherries, plums, and a variety of others, all can appear at his social board. During the summer months, the inhabitants of the city fly to the country for health and fine air, whenever opportunity offers; but the farmer and his family, if health and fine air are to be found in the country of his abode, will be sure to possess them. Contrast the pale and sickly appearance of many children inhabiting our large cities, with the rugged and healthy look of our farmers' boys and girls, and tell us if we have not cause of rejoicing. Need I tell you of the many rides you enjoy through the still, sweet summer morn, which to the mechanic or man of trade, would be so welcome? Need I point to the sweet flowers around your dwellings, growing there almost spontaneously, whose perfume greets your senses? Different, ah! different indeed is your abode amid fruits and flowers, to the abode of him who is hemmed in in the busy mart of trade. There is not a busy time or season but hath its joy for us. From the first note of the peepers in the early spring-time, through the flowery summer, the rich and golden autumn, and the social hearth of winter, each and all in their good time, bring to us

cause for rejoicing. What we stand in need of most, are contented hearts and refined minds, to respond to the soft influences of nature that are ever around us. Let us not be so wrapt up in the toil of our life, as to forget the pleasures in our path. H. C. W. *Putnam Valley, N. Y., August, 1850.*

Oriental and Ancient Customs of the Moors and Arabs:

Their rustic habits of rural life—their Plows and modes of Tillage—they are no “book-farmers”—the patriarchal and nomade customs kept up—the women “grinding at the mill,” and “gleaning and thrashing” in the fields—the Arab’s substitute for railroads, &c.—their grain-pits—“plowing with the heifer,” and divers other droll kinds of team—the Arab fond of a roving, pastoral life—concluding with the “Wild Arab Song of Freedom.”


TANGIER, June 20, 1850.

L. TUCKER, Esq.—*Dear Sir:* Above I send you a drawing I have made of a Moorish and Arab plow, with a key, descriptive of its various parts, their proportions, &c. Although I have been thus particular in my description, I do not suppose that this plow will be very generally adopted as a model by the American farmers. And yet, in a land so abounding in *tall timber* and *crooked sticks*, such an earth-scraper may be made very cheap! Should these, or any other motives, induce in any of our Yankee farmers a desire to adopt this very naturally formed implement, they need have no fears of being prosecuted for a breach of patented rights—as I promise to stand between them and all harm, on that score!

It is peculiarly, emphatically and appropriately, the “anti-book farmer’s plow.” For those who make and use these plows are inexorably averse to anything like agricultural reading, or knowledge, whether it be imparted in the form of books, periodicals, or orally. They read no book but the Koran—and I believe that is not particularly prolific in agricultural knowledge. These people believe that all improvements that have been made since the days of the patriarchs, are shocking innovations. As the primitive fathers “tilled the earth and tended the flocks,” so they have been content to do it, and will be henceforth and forever. All innovations upon those time-honored customs, they regard as but the wicked devices of those who would lead the children of “the faithful” astray from their nomade simplicity, into the meshes of the bookmen of modern times. As the women in those days were made to “grind at the mill,” and prepare the corn for their lords and masters—so are they now. There is scarcely a Moorish house in this country, or an Arab tent, but contains these symbols of antiquity. And it is but a day or two since, that on taking a ride into the country we saw the Arab women “gleaning in the field, after the reapers,” ala mode Ruth and her antedeluvian sisterhood. “Lo she (Ruth) gleaned in the field until evening, and *beat out that she had gleaned*; and it was about an ephah of barley.” So, also, we saw the women “beating out” what had been gathered together. In one place we saw about twenty of these nomade damsels, with merry laugh and lively glee, seated on the ground, with loose bundles of barley before them, each taking a handful at a time in one hand, while with the other, they “beat out” the grain with a rough billet of wood, (or “a staff,” as it used to be called,) about the size of a common pastry-cook’s “rolling pin.” The process is thus described by Isaiah, ch. 23: “For the fitches are not threshed with a threshing instrument, neither is a cart-wheel turned about upon the cummin; but the fitches are *beaten out with a staff*, and the cummin with a rod.”

“Rise and thresh, O daughter of Zion,” saith the Prophet Micah. “Rise and thresh, O daughter of the prophet!” exclaims the Moslem task-master to his spouse, on the breaking of morn. This is a famous country for threshing. The women thresh the grain, and the men thresh the women; the Bashaws thresh the men, and the Sultan threshes the Bashaws; and some of the Europeans threaten to thresh the Sultan.

- A. Point of the plow, which is of wrought iron, and 1 foot in length.
 B. Beam, 9 feet long, or 7 feet front of the brace.
 C. Braces, of wood, about 1½ inches thick, by 4 inches broad.
 D. *Wood-bowds*, which consist of rough blocks of wood, about 2 inches square, nailed on each side, which, together with the point, which is about 3 inches broad, makes, not a rut or scratch in the ground, some 6 inches broad and 4 to 6 inches deep.
 E. The *handles*, which consists of a crooked stick, with a Moor at one end, and a sharp point of iron (A) at the other.
 F. A wooden pin, about a foot long, around which a noose or thong is put, and fastened to the belly-yoke.



Moorish Plow, taken at Tangier, June 15, 1850.

As they “laded their asses with corn” in the time of Pharaoh, so do they now, as we see here, on the return of every market day. No such innovations as canals, or railroads, or wagon roads, or wheel carriages, are ever suffered to exist here. The mere suggestion of such a thing would startle the natives from their dreamy propriety. But as in the days of Joseph “they (his brethren) lifted up their eyes and looked, and behold, a company of Ishmaelites came from Gilead, with their camels, bearing spicery and balm, and myrrh, going to carry it down to Egypt”—so will you now see these sons of Ishmael, with their camels bearing spicery, and their various products, going to carry it down to some Egyptian mart, or to the best markets of the Empire.

There, too, are the *grain-pits* of the ancients. There are myriads of these scattered over all the the country, about every town, and secreted among the secret recesses of the mountains. In passing through the soco, or market-place, just outside of

this town, you can scarce avoid treading upon these subterranean granaries. In riding out one day, our horse broke through, with one of his hind feet, the covering of one of these pits, and we came very near being in the predicament of poor Joseph, when thrown, by his envious brethren, into a similar pit. They are usually, however, made very secure, and often, in the country, covered over so carefully and privately, and so completely overgrown with grass, as not to be discoverable except by those who have charge of them. This is to prevent surprise or robbery in times of war, insurrections, &c., and also to keep them out of reach of the Emperor's clutches, who is not very backward or scrupulous about helping himself to all the surplus forage he can lay his hands upon. Quantities of grain frequently remain in these pits for years, without sustaining any material injury, although they are generally constructed by simply digging the pit-holes the required size, (something like the way our cisterns are made,) and lining the sides with cement, leaving a small aperture at the top, through which the grain may be passed, and into which a man may enter, as occasion may require. They are made of any required size.

The Moorish *hoe* is a very useful implement, and not quite as uncouth and primitive as the plow. The Moors never use a shovel or spade, nor a wheelbarrow. They use the hoe in all kinds of digging. In excavating a well, or loading manure, &c., they hoe the earth or manure into small baskets and carry it to its place of destination. The hoe resembles somewhat a small, stout spade, in the blade, and has a handle very much like that of a pick-axe.

The first I had seen of the Moorish plow, or plowing, was about the middle of January, 1849, while taking a short ride into the country. The plow was similar to the one shown in the above sketch, and was drawn by a *bull and cow* yoked together! This, thought I, is "plowing with the heifer" in the most literal manner conceivable. I looked intently in the face of the wild *sans culottes* of a mountaineer at the tail of the plow, to see if he did not betray some symptoms of compunctious shame at this desecration and perversion of feminine rights and privileges; but he appeared as stoical and unconcerned and self-complacent, as any person could be, who considers himself strictly within the line of propriety, and of his duty; and the only emotion discernable was that evinced by an additional stab at the poor animals, with the long pointed goad which the Arab flourished in his hand, as if in retaliation at my looks of surprise and pity.

The apology for a *yoke*, consists of a long, rough stick of wood, three or four inches in diameter, placed across the necks of the animals, and projecting far enough on either side, to admit of a thong or strap being fastened to it; this strap, at the other end, is hitched to a cross-bar which passes under the cattle, just back of the fore legs, and is connected in the centre to the wooden pin (F) at the end of the plow-beam, something upon the plan of a neck-yoke of a pair of horses, when hitched to a wagon. The effect of this constraining harness is, to bring the heads of the animals down so low that their noses nearly touch the ground. If they undertake to raise their heads, they are checked by the cross-bar under their bellies. I have seen another kind of yoke, which operates directly the reverse. It is simply a block of wood passing in front of the horns, (to which it is lashed,) with a thong fastened in the centre, and attached to the end of the plow-beam. This draws the heads of the animals into the air, presenting a very ludicrous appearance. I saw a

similar contrivance in Spain. The cattle are sometimes driven with rope reins, fastened to the outside horn of each animal.

Horses are never used for plowing. It is considered too degrading an occupation for so noble an animal. But oxen, cows, bulls, mules, donkeys, and camels, are all indiscriminately pressed into the service. Sometimes there may be seen yoked together a donkey with an ox, a bull with a mule, two cows, and a *camel with a donkey!*—all trudging on with as much patient philosophy and indifference as the natives who drive them. And it is said that the wilder of the natives sometimes harness their *wives* to the plow. But this I do not credit, although I have seen them employed in almost every degree of menial drudgery conceivable, from grinding at the mill, and hoeing and delving in the fields, to chopping wood, and carrying it to market on their heads!

In plowing, they merely scratch over the ground, leaving a sort of rut scarcely over four or five inches in diameter, looking as though it had been rooted up by the wild boars, and this they have to do in the winter, after the rains have moistened the earth, as it is so hard and baked in the summer, that it would be difficult penetrating it with even a more potent instrument than their wild-boar-nosed plow. Nearly all, in fact of their general tilling, as well as plowing, is done in the winter. From the first of November to the first of June, is the growing season for all vegetation.

The soil, especially of the vallies and flat lands, is rich, deep, and remarkably fertile, notwithstanding it has been worn for ages without manuring. There seems to be no sub-soil, or hard-pan; but for six or eight feet in depth, the same dark, loamy sand, or rich alluvial, appears to prevail; and it produces fine crops in spite of the slip-shod treatment which it receives. With an enlightened, efficient mode of tillage, this part of Africa might be made one of the most productive portions of the earth. But the natives, especially the Arabs, are too fond of a roving pastoral life, ever to settle down to improve the soil in the slow, patient manner that is requisite to success. And there is but little encouragement to patient industry, if they were not naturally averse to it; for were they to build up thriving and profitable plantations, these would, with all their hard-earned profits, be stripped from them by the harsh and grasping hand of despotism, which seizes upon everything that will minister to its pride and luxury. Hence the sons of the desert and mountains, prefer their wild, roving life—they are the Nimrods—the "mighty hunters," who delight in the chase, and are never more at home than when mounted upon their swift barbs, and sweeping over valley and mountain and sandy plain, in all the wild freedom of nature, and making the mountains reverberate with their wild chanting notes, as they sing:

"Away, away, my barb and I,
As free as wave, as fleet as wind,
We sweep the sands of Araby,
And leave a world of slaves behind.
'Tis mine to range in this wild garb,
Nor e'er feel lonely though alone;
I would not change my Arab barb,
To mount a drowsy Sultan's throne.
Away, away, &c.

"Where the pale stranger dare not come,
Proud o'er my native sands I rove;
An Arab tent my only home,
An Arab maid my only love.
Here freedom dwells without a fear,
Coy to the world she loves the wild;
Who ever brings a fetter here,
To chain the desert's fiery child?
Away, away!" &c.

Well, Mr. Editor, I began with a *plow*, and will

close with a *song*, so that you will have at least a little spice of variety, if nothing more. Perhaps at some other time, I may give you an article on the *BARB*, or Arab horse. I have a noble and elegant gray Barb, and a beautiful Arab pony, which I design taking to the States with me, in a month or so, as well as a pair of Spanish pigs, a young wild boar, some Spanish fowls, &c. I hope to reach home in time for your State Fair. Yours, truly, T. H. HYATT.

Means for Mental Improvement.*

There is a tongue in every leaf—
A voice in every rill—
A voice that speaketh every where,
In flood and fire, through earth and air!
A tongue that's never still!

FARMERS often complain that they are deficient in education. For this there is no necessity. Let them support and improve good common schools. Let them avail themselves of the other means of mental improvement within their reach, and they will acquire an education adequate for any occasion they will be called to meet; and they will hold an elevation in society held by no other class of men. It is known that they have a large amount of leisure. Let this be spent in the cultivation of their minds: in laying up stores of useful knowledge.

The benefits of the common school have been named. They make a good foundation for any subsequent mental culture. Then let the leisure time of farmers be spent in reading good books, good family newspapers, and studying the topography and statistics of the country. Read no bad books; they are worse than none. Let every family take a weekly secular newspaper; a weekly religious newspaper; and a monthly agricultural paper. Let the families in the same immediate neighborhood—half a dozen or less—act in concert; not all take the same papers, but as many different ones as they can. Let these secular papers come on different days in the week; one Monday, one Tuesday, one Wednesday, and so on, so that a fresh paper will come into the neighborhood every day. Let all exchange these papers with each other, after each has been read by its owner. The religious papers should come the latter part of the week, so that each family have a fresh one for Sunday. Thus, these six families will all have the benefit of six different secular papers, giving them all the important news fresh, with a vast amount of valuable miscellaneous matter—in the course of a few years sufficient to make a little library, were it in volumes. A year of such reading will be of equal value to a family, especially the young members of it, as going to school three months. If paid in advance, as newspapers always should be paid for, the cost will be to each family only about five dollars—equal in value to twenty-five dollars in tuition for going to school.

An objection is at once made that the expense cannot be endured; and possibly that there is no leisure for all this reading. As for the latter, a plump contradiction is interposed. There is time for it, and much besides. The pecuniary means are easily provided. Let every farmer appropriate the produce of half an acre—if he has a large farm, an acre, for literary purposes—for the education and mental improvement of his family. Let it be well tilled, well manured, and planted with potatoes, corn, cabbage, wheat, oats, or whatever will give the best crop. Let it be understood, that the profits are not to be touched for anything else, and you may depend upon it, there will be no neglect in its supervision. No

more will a weed be found upon it than upon a Macadam turnpike. The women of the family will watch its growth; the boys will keep their hoes bright as swords and bayonets, in destroying whatever should be removed. The profits on this half acre will certainly be fifteen dollars. Here, then, in a district of six families, will be ninety dollars to be expended in mental culture; five dollars to each family in paying for the periodicals above named, and ten dollars to each for the purchase of interesting and useful books! Let the three hundred agricultural families of a town containing, it may be, from three to four thousand inhabitants—a fair equation—do this, and in ten years, when the children are grown to adult stature, what a change will their society exhibit! Think of it, reader! Make a beginning! The example, under proper inducements, will spread like wildfire.

To encourage an enterprise so pregnant with results, let agricultural societies offer a premium of one hundred dollars to the town within the limits of the society's operation that has, according to its population, the greatest number of these fields devoted to literature; and let each town give a premium of ten, fifteen, or twenty dollars, for the greatest profit on any one of these half acres in that town. Are there no persons in our state and county agricultural societies to make such a movement; and may not individuals in every town be selected to do the same? Let some of the old premiums offered by towns for killing wild cats, wolves, and bears, as that description of gentry so troublesome to our forefathers, has been destroyed, or has prudently removed to other regions, be now offered for making our sons and daughters fit for a residence, six months every year, at the seat of the Federal Government. Nothing is wanted for the effecting this, but the zealous efforts of a few distinguished individuals in every town.

It is not often considered what large results come from a cause in itself frequently very diminutive. Many may, and doubtless will, ridicule the proposition suggested. A case may be named apropos to the scheme here recommended. Nearly fifty years since, a boy of eight or ten years old was known to live in one of the then new townships of our country. Probably there was not a book there, save a small family Bible, here and there Watts' Psalms and Hymns, spelling-books, small arithmetics, and half a dozen or so of Morse's dollar geography. These constituted the literature of the town. This boy was allowed to plant a little patch of potatoes, it may be half an acre. The increase was annually sold at about twenty cents the bushel, and the cash laid by. During this period he accidentally came across the last volume of Josephus in six volumes, belonging to a little social library of two hundred volumes, in an older settlement, ten miles distant. He read that volume with eagerness. The influence upon his mind was incredible. Previously he knew nothing of books save those named. Of a library he had never heard. The importance of this one acquired more value in his mind than a gold mine. He resolved to appropriate a portion of his potato funds for an interest in it. He did so; and weekly, for several years, he continued to take a half day for obtaining a book to read the succeeding week. However, this did not satisfy; he wanted books of his own. His potato funds were used up in the purchase of them. At sixteen he resolved to obtain a public education. This he accomplished; studied a profession; took no small part in promoting the literature of the country; and finally received the highest collegiate honors; the whole of which may

* From Dr. BLAKE'S new work "Farmer's Every Day Book."

be referred back to the products of a little potato patch applied to mental improvement.

Although we have given a prompt denial to the excuse for a neglect of reading and study, that there is a deficiency of leisure time, yet we propose here to examine it more minutely. It is admitted that to those who have not examined it carefully, there may appear to be some plausibility in it. Truly, in the summer season, especially, and during the hours of daylight in the winter, farmers may always find something to do. Allusions are elsewhere made, on the one hand, to the constancy of rural occupation, and on the other hand, to the opportunities of persons thus occupied for ample intellectual culture. As the subject is of vast importance, a few paragraphs may well be devoted, to a better comprehension of the nature of these opportunities. They will be found far more numerous and ample than is supposed. The experience of hundreds and of thousands of persons habitually employed in manual labor of some kind or other, is in confirmation of the views here presented. It is too well known to require, in this place, any particular account, of individuals both in this country and elsewhere, who have risen to eminence, having laid the foundation for it in habits of study and reading amidst the most constant applications to mechanical or agricultural occupations. Among these individuals will be recognized those of the first grade of distinction in the learned professions and of political life. Such instances will be more and more frequent as the subject becomes better understood.

The evenings, themselves, afford an average of three hours each for one half of the year. This, in the thirty-five years between the age of fifteen and fifty, is sufficient, if properly applied, for the acquisition of more knowledge from books and study, than is ordinarily acquired during a course of classical and professional study in our best public institutions. Three hours a day, for six months, Sundays excepted, will be four hundred and fifty hours; and this multiplied by thirty-five, the number of years supposed, will be fifteen thousand seven hundred and fifty hours. Now if we suppose a course of classical and professional study in our public institutions to embrace a period of eight years—four in college, and four besides; and, that each individual is occupied eight hours a day, for two hundred and twenty-five days, each year, the rest of the time being Sundays and vacations, the entire period of his study in the eight years, will be fourteen thousand and four hundred hours, less by about one-tenth than is at the control of every farmer, without interference with his labors, and putting the summer six months entirely out of the calculation. Thus it will be apparent, that every farmer between the age of fifteen and fifty years, in his long evenings, has one-tenth more of leisure which might be devoted to intellectual improvement, than the average period which young men devote to classical and professional study in the best public institutions in the country. Yet how little is this realized! How few take advantage of it! How few are aware that such is the fact! Yet, how many might, by this means alone, arrive at a position as scholars, in society, of which they do not dream!

Nevertheless, valuable as these evenings are, when standing alone, it may easily be seen, as we shall show, that they are but a fraction—a small fraction—of what is within the reach of the agriculturist. We beg our readers not to be alarmed. We are to advocate no relaxation of manual labor—no neglect of attention to the various details of occupation in the best forms of husbandry. Far be it from us to

encourage a relaxed vigilance in the supervision, or a superficial adhesion to the most thorough systems of practical farming. Far be it from us to attempt invigorating the mind by reducing the support of the body; or by pursuing mental wealth by impoverishing the purse. The process we shall recommend will be attended with no such liabilities. Indeed, the reverse will be the consequence.

If manual labor, particularly in agriculture, were similar to the labor of the merchant, or to professional occupation, our hypothesis would be unsound, and of course impracticable. The labor of the latter is not manual, but almost exclusively intellectual, leading also to physical exhaustion. Not such is the labor of the agriculturist. With few exceptions, his labor is as mechanical as the action of a clock. After his subject is once understood, the action of his mind is not required; his thoughts can scarcely be said to be upon it. A man, for instance, in walking, moves his feet mechanically, seemingly without the slightest volition. Of course, his thoughts may be on any other subject; the solution of a mathematical problem; or, questions in history, philosophy, and metaphysics. Indeed, how peculiarly favorable to the workings of the meditative mind is the exercise of walking, far more than the seclusion of the closet! This gentle physical action seemingly puts the mental machinery into motion; the vigor and elasticity of the one, facilitates corresponding developments in the other. Besides, what an enlivening influence is here imparted to the mind, by the beautiful array of nature spread over us in unmeasured loveliness! Who can inhale the rich odors of her vast domain, floating on every passing breeze, or behold the graceful waving of trees and grass, or hear the rich, untaught melody of the feathered creation, during his morning walks, and not experience a fresh impulse of thought in his own bosom? The individual that can do it, barely deserves the name of man; is but little elevated above the brutes.

Notes on Farming in Ohio.

EDS. CULTIVATOR.—From Massillon I went to Coshocton. That town is but little changed in appearance from what it was a dozen years ago. The canal being on the opposite side of river, (Muskingum,) the town of Roscoe, at the junction of the Ohio and Erie and Walthonding canals, has the most of the business, and gets the produce for a considerable extent of country around. At Roscoe, there are two very extensive flouring mills, and this year there is wheat enough to keep them in full operation.

In the immediate neighborhood of Coshocton, there is a change. What used to be called "the plains," which fifteen years ago produced little else than scrub-oaks, has now been converted into farms of the most flourishing appearance. Several brothers by name of Burt, and other families from Orange county, N. Y., went there and bought considerable tracts of this plain land, at very low prices, and instead of its being the poorest land in the county, it is now considered almost equal to the best bottom or alluvial lands. It is easy to cultivate, and with a proper rotation of crops, and the judicious manner in which the owners manage it, it is very productive. There seldom occurs a failure of a crop. The wheat and other small grains, do better here than on the bottom land. I have heard of crops of corn that were 90 to 98 bushels to the acre, last year; and this year the prospects are good for crops equally as large. The bottom lands are very rich, and very

extensive, both up the Walhonding and Tuscarawas, and down the Muskingum valleys. Corn is the staple commodity on these bottom lands, and is grown to a very great extent—especially down the river 15 miles, as far as Dresden.* There are here many good farmers, and their crops are generally 75 to 100 bushels to the acre. There are, however, (perhaps unfortunately) many *large landholders*, and some of these rent out their lands on shares, or, for 20 bushels of corn to the acre, (equal to about five dollars) and there are numerous instances where the same land has been kept in corn for 15, 20 or 25 years in succession. I asked the question of different persons, how the crops compare with those raised ten years ago? The answers generally were, 10 to 15 bushels per acre less. This system, if pursued, must, I think, before many years, necessarily require a change. The tenants, occupying only from year to year, naturally want to *get off* all they can; and at the same time bestow as little labor as they can; and as soon as they can accumulate sufficient funds, they are off to the new lands of the west. There is but a small amount of live stock in the valley. The owners, or land-lords, require the corn-stubble to be left on the ground, and plowed in—that generally being all the manure that is applied to the soil.

Messrs. E. and G. W. Adams, near Dresden, pursue a different course from that above described. They have, within the last few years, commenced the stock-feeding business. This year, they cultivate 240 acres in corn, besides other large tracts rented out on shares. Their lands are partly used for hay and pasture, in connection with corn and other grain. They pursue the Sciota system—cut the corn and put it in shocks, and from it feed through the winter. Last year they fed 800 head of cattle; this year they will probably feed 1000, for the Philadelphia market. These gentlemen have recently annulled two flouring mills that were built some 15 or 20 years ago, and have erected, at a great expense, two other mills, which combine all the improvements of the present age, and are so arranged as to save a vast amount of labor. They make and ship to the house of Adams & Sturges, New-York, from fifty to sixty thousand barrels of flour per annum, and it is of such superior quality as commands a price much above the ordinary brands.

At Zanesville, the mills have been put in the best condition, and they are preparing to do a large year's business. Some of the flour made here, is probably equal in *quality* to any made in the whole world. It is a wheat region, and has obtained a *reputation* for its flour, though I believe the quality is this year remarkably good everywhere. The variety of wheat called the "white blue stem," introduced here a few years since, by Mr. Jas. L. Cox, from Pennsylvania, is grown to some extent, and is very highly approved. It makes the most beautiful flour of any kind known. It is sought for at five cents or more per bushel advance on the price of other varieties, and all say the yield is equal to that of any other wheat.

I believe it is a well founded opinion, that the crop of wheat in this State, this year, is one-fourth larger than in any previous year. It is also said the wool clip this year has brought three millions of dollars; and to these add the corn, the beef and the pork, each of which are immensely large, and many other

items of minor importance, and the products of Ohio this year will amount to a sum much larger than has heretofore been conceived of.

I find, almost everywhere, a disposition to extend the sheep and wool-growing business. The country and climate are well adapted to sheep, and if the management is properly understood and pursued, it will, I think, yield more in proportion to the capital and labor employed, than almost any other branch of farming. There are some very fine flocks in this neighborhood. A. C. Howard, C. Merriam, P. Buckingham, and others, have wool of superior fineness. Mr. Buckingham has, in different parcels, upwards of 2,000 sheep, and sold his entire clip this year at 41 cts. a pound.

Mr. Buckingham and Mr. Shelton Sturges, are devoting some attention to the breeding and raising of Devon cattle. Mr. Sturges has a portion of the stock that Mr. Isaac Dillon, of this place, brought from the farm of Mr. Patterson, of Maryland, a few years since. He has a cow and calf which, with some others, will be taken to the State Fair at Cincinnati, in October next. This cow is of beautiful form and symmetry—the hide and hair very soft—color dark red, exhibiting a rich, glossy appearance.

CULTURE OF THE GRAPE.—In the neighborhood of Cleveland, there are several persons who are bestowing considerable attention to the culture of the grape, and in the vicinity of Zanesville and Putnam, something has been done in this way. In the latter section the crop this season has been almost entirely destroyed by the curculio. Some persons think it the same insect that attacks the plum, but it is probably different. Mr. Levi Hartley, of Putnam, has, by much pains, saved a portion of his crop, and will again make a few pressings of wine. I tasted some which he made a year ago—the pure juice of the grape, with 1½ lbs. of loaf sugar to the gallon, which is of very superior quality, and with two or three years age, I think would be equal to imported Madeira. It will readily sell at \$2 per gallon. Mr. H.'s mode of manufacture is very simple, and not expensive. He may furnish you an account of it for publication. JOHN R. HOWARD. Zanesville, O., Sept. 18, 1850.

Wire Fences.

EDS. CULTIVATOR—Agreeably to your request, I write you on the subject of making wire fences.

In the fall of 1846, I commenced making wire fence, along a road running through a piece of wood. Five No. 9 wires, about ten inches apart, were stretched from tree to tree, and between each of these wires was stretched smaller ones. The wires were fastened to the trees by nails driven into the trees, one above and one below the wire, causing their heads to touch each other when they touched the wire. The five large wires, it was thought, would keep out cattle, and with the small ones keep out hogs, sheep, &c. This fence failed in the following points:

1st. The nails opened. This evil was remedied by winding small annealed wire around the nails. This was expensive—has since failed—rusting and being easily broken.

2d. The small wire broke, and sheep and hogs passed through the fence.

3d. The wires became bent; after four years use this fence proved a failure, both in appearance and utility.

The next wire fence was along the line of a lot, running east and west, through ground liable to

* I am sorry to say that large quantities of this corn are used in the distilleries, and the liquid makes a large amount of commerce on the Ohio canals; but it is here, as elsewhere, men will do what they can make money by.

heave with the frost, and from its situation exposed to the north-west winds. Good chestnut posts were well put into the ground, about 12 feet apart—some of them braced. Four wires were stretched along these posts, tightened, and fastened with staples made from the same kind of wire. This fence, when first put up, appeared well and strong; but it was a failure. The posts were loosened and heaved with the frosts; the wind from the south would incline some of the posts one way, and the north-west wind, in its fury, would incline some another way. The wire became bent, and in two years the fence was removed—it had failed.

The next fence was made along both sides of a public highway, running east and west, where the snow was liable to be drifted in. Along this road, ran cattle, horses, sheep, hogs, &c. With post and board fence, they were often, after a storm, getting in from the road. On the south side is a meadow, on the north a meadow and two gardens, close to the fence.

I have been thus particular, for along this road a wire fence has been made that has now stood over two years—neither winds nor frosts affect it; no snow drifts in the road; no cattle or horses or hogs or sheep pass through it, though grass, corn, potatoes, cabbages, beets, &c., are growing in full sight, almost to their very noses, and nothing but the thin and almost invisible wire presenting, as it were, an unseen, but as yet impassible barrier.

This fence and others I now make as follows:

Chestnut posts about eight inches thick, not less than nine feet long, are put into the ground not less than five feet deep, and from 150 to 300 feet apart. Great care is taken to have these posts beyond the reach of frost. The posts at the corner of the lots, are *very firmly* braced. Then a board (or plank, or timber, or pole,) is laid along between these posts, and small chestnut posts or strips about two and a half feet long, sharpened at each end, are driven into the ground at each end of the boards, so that two boards can be nailed to it; and a short post, or strip, is also driven near the centre of the board. The board is then nailed on to the strip, care being taken that the top of the strip will be a little lower than the top edge of the board when the board is nailed to the strips. Four inches above this board, a quarter inch hole is bored through the post; five inches above this another hole is bored, seven inches above this another, eight inches above another, and ten inches above this another—(this for a five wire fence.) The wires are now passed through these holes and fastened with staples. In tightening the wire, the weight of the wires is taken off, by rendering them through staples slightly driven into uprights, set up about every 50 feet for that purpose. Care is taken so to tighten the wire, that in adding the pickets, hereinafter mentioned, the wires will, when the fence is finished, be sufficiently taut. Pickets four feet long and one inch square, are now, about every four feet, nailed with two nails to the board, (or plank, &c.,) or passed through two staples, driven into the board, (or plank, &c.) The pickets are not necessarily driven into the ground but stand upon it. Care is taken to have the wires the same distance apart on each picket, as they are at the posts. This is done by placing a picket near the post, and fastening the wires to this picket by large staples, so large that this picket can slide along the wires as you place the other pickets, and fasten them to the board and wires. The wires are fastened to the pickets by small staples either driven home or so driven that the wires can render through them.

Another fence is made as follows:—Five horizontal wires, nine inches apart; pickets four feet apart—no board or plank, &c., at the bottom. This fence is fastened like a suspension bridge, at the two ends, and oscillates from one to three feet, according as the permanent fastenings are apart. The pickets in some of the stretches, as the ground is uneven, will not touch it—the wires suspending the pickets from the ground. Stones, as wanted, are buried under some of the pickets; strips of iron or wire being wound round them. A piece of wire is then wound round each piece of horizontal wire, close along side of the picket, beneath which a stone is buried. The fence is thus brought down so that the pickets all touch the ground, and these wires being then fastened to the stones, the fence will be held in its place, strongly and well, by this unseen fastening. In some cases I hold down the fence by means of the boards or planks nailed at each end, to each other, by strips of boards about two feet long nailed along the ends. I have a fence like this running along a common, and no cattle or sheep, &c., have broken through it. Instead of wooden pickets, iron ones can be used to keep the wires separate and in place.

The following points should be preserved in a wire fence:

1st. The fence like a suspension bridge, must be *firmly* fastened at both ends, and *firmly* fastened nowhere else.

2d. The fence must be so constructed, that when cows, horses, hogs, &c., come in contact with it, it will be so loose that their contact will not be apt to bend the wire, and the oscillations of the fence will frighten them from it; yet so firmly fastened that the fence will return to its position when the disturbing cause is removed.

3d. You must have upright supports at proper distances to keep the wires apart, which supports must not be too firmly fastened.

4th. A wire fence should be so constructed that it will keep in and out what you intend to keep in and out; yet so constructed that men can climb over it and small boys through it, without bending the wires.

The holes that are bored in the large posts, are never plugged up with wood. Two men, at seventy-five cents each, exclusive of board, will put up 600 feet of this fence in one day. The cost of wire fence is as follows: Say cost of 12 feet or 1 panel—

No. 9 wire at 5 1/2 cts. per lb. is 1/3 of a cent per foot;	
12 feet will cost,.....	\$0 20
1 board	0 8
3 pickets	0 3
12 nails	0 1
1 post cut up	0 7
Staples	0 3
	\$0 42

The gate I use is as follows:—A frame with a horizontal or diagonal bar across it. Holes are bored two inches apart through the three bars of the gate, large enough to receive the wires. The wires are placed vertical, and are cut of such a length that each wire runs from the bottom of the gate up through the top bar, curves about two inches above the top bar, returns down through one of the holes, and projects through the bottom bar from one to two inches. The stuff used for a gate twelve feet long, is 3 by 4; the stuff used for one of four feet, is 2 by 3. The cost of making the first mentioned gate, irrespective of materials, is fifty cents; that of the other is twenty-five cents. BENJAMIN NOTT. *Rock Hill, Bethlehem, Sep. 20, 1850.*

The Rot in Sheep.

The disease in sheep called *rot*, has long been formidable in Europe, and has, in some seasons, been the cause of great losses to the owners of sheep in our country. It is a disease, however, which is but little understood by the American sheep-owners generally,—so little, indeed, that it has often passed under another name, and the mischief which it occasioned has been, in some instances, attributed to causes which had no connection with the disease. In a lecture lately delivered before the Royal Agricultural Society, by Prof. SIMONDS, on the "structure and diseases of the liver," some observations were made which throw much light on the nature of the rot, the means for its prevention, &c. We think a portion of his remarks will be read with advantage. Eds.

Prof. Simonds observed that no disease was probably so much feared by the sheep-owner, as the rot, and with reason, for it was most destructive to his hopes. It was in common parlance looked on as incurable, and therefore it was all important to inquire into the causes which gave rise to it. He need hardly tell them as practical men, that the prevalence of the rot depended very much on the quality and kind of food consumed by the animal. Some pastures were notorious for the rot in sheep; on other pastures, sheep, under all circumstances, in wet seasons or dry, were pastured with impunity. But as a broad principle, it may be laid down that an excess of moisture is prejudicial to the health of the animal. Sheep, by nature, are not only erratic animals, wandering over a large space of ground, but are inhabitants of arid districts. The skill of man has improved the breed, and he has naturalised them in moist and temperate climates, but, nevertheless, circumstances will take place, which show that the animal has not changed its nature; a wet season occurs, the sheep are exposed to cold and moisture, and the rot spreads among the flocks to a fearful extent. The malady is not confined to England or to Europe, it is found in Asia and Africa, and occurs in Egypt on the rising of the waters of the Nile. These facts are valuable, because they show that the cause of disease is general and not local—that it was not caused by soil or temperature, for it was found that animals in any temperature became affected, and on any soil in certain seasons.

A great deal had been written on the rot in sheep, which he could have wished had never been written. Many talented individuals had devoted their time to its investigation, endeavouring to find some one cause for it, as if it originated from one cause alone. But the facts he had or should allude to, would show that it arose from more than one cause. He had mentioned the facts with regard to the land sometimes producing rot and sometimes not; but he would go a step further and ask this question—was there any particular period of the year when animals were more subject to the attack? Undoubtedly there was. This time of the year [July] was the most likely period; and if a large quantity of rain now fell, the combined heat and moisture would produce a most luxuriant herbage. That herbage would be deficient in nutriment, and danger would be run, from the large quantity of moisture in the food acting as a direct excitement to the abnormal functions. When they had disturbance in the liver, and the accumulation of fat consequent on the animals being touched with the rot, it flourished much more than usual; and this reminded the lecturer that he had heard that the celebrated Bakewell was in

the habit of placing his sheep on land notorious for rotting them, in order to prevent other people from getting his stock, and to bring them earlier to market for the butcher.

Referring again to the diseases of the liver, Prof. S. observed that the bile, in consequence of functional derangement lost its property of converting the chymous mass into nutritious matter, the animal fell away. Every part of the system was supplied with impure blood, for they might as well expect pure water from a poisoned fountain as pure blood when the secretion of the bile was interfered with. The liver being thus diseased, and the blood impure, they would have the existence of parasites of a particular kind. Some persons supposed that these parasites, which from their particular form were called flukes, were the cause of the rot. He regarded them as the effect—but although the effect, they multiplied so rapidly, that they became the cause of further disease. Animals in the earlier stages of the disease, before their biliary ducts became filled with flukes, may be restored, but when the flukes exist in abundance there was no chance of the animal's recovery. Those parties who supposed flukes to be the cause of rot had perhaps some reason for that opinion. Flukes are oviparous, they are multiplied by means of eggs, which mingle with the biliary system, and find their way out of the intestinal canal down on the land, for in the feculent matter of rotten sheep might be found millions of flukes. Mr. King, of Bath, unhesitatingly gave it as his opinion that flukes were the cause of the rot, believing that if sheep were pastured on land where their ova existed, they would be taken up with food, enter into the ramifications of the biliary ducts, and thus contaminate the whole of the liver. There was some reason for this assertion, because very little indeed was known with reference to the duration of life in its latent form in the egg. How long the egg would remain without undergoing change, if not placed under circumstances favourable to the development of life was unknown. It was the same with the ova, so long as it remained in the pasture it underwent no change, but place them in the body of the animal, and subject them to the influence of heat, the latent life in the animalcule would be developed. There was, therefore, some show of reason for this assertion, for how long life might be maintained in a latent form was not known. Wheat had been locked up for hundreds of years—nay, for thousands—in Egyptian mummies, without undergoing any change, and yet, when planted, had been found prolific.

In conclusion, Prof. S. made some observations on the mode of treatment. He was not there to say that rot was in all cases a curative affection, but at the same time he was fully aware that many cases of rot, that are now considered incurable, might be cured if sufficient attention was given to the animals. He mentioned one fact in illustration. About two years ago he purchased seven or eight sheep, all of them giving indisputable proof of rot in its advanced stages. He intended them for experiment and dissection; but as he did not require them all during the winter season, in which only he could dissect, he kept some during the summer. They were supplied with food of the most nutritious quality, and perfectly dry; they were protected from every storm, being placed in a shed, and the result was, that without the application of any medicine, two of those rotten sheep quite recovered; and when he killed them, although he found that the liver had undergone organic lesion, they might have lived on for years. Rot, in its advanced stage, was a disease

which they might consider analogous to dropsy—an impure fluid accumulated in various parts of the body, chiefly beneath the cellular tissue; and then there was several names given to it; some called it the water rot, others the fluke rot; but it was nothing more nor less than the same disease in different stages. If flukes were present, it was evident that in order to strike at the root of the disease they must get rid of these animals, and that could only be done by bringing about a healthy condition of the system. Nothing that could be done by the application of medicine would act on them to affect their vitality. It is only by strengthening the animal power that they were enabled to give it sufficient tone to throw off the flukes. The next thing was to lessen the action of the ova on the intestinal canal; for this purpose many advocated salt. It was an excellent stimulative of the digestive organs, and might also be of service from the chloride of sodium which it contained. So well is its stimulative action known, that some individuals always keep salt in the troughs. That it was an excellent preventive, they had good proof, seeing that it mattered not how moist the pasture be in salt marshes; no sheep were ever attacked by rot in them, whilst those sent there infected very often came back free. Salt therefore must not be neglected; but then came the question, could they not do something more? he believed they could. They must throw tonics into the system, especially those which they got from the mineral kingdom. He should prefer sulphate of iron,—iron was found in animals,—it was one of the constituents of the blood, and used in the form of sulphate it gave a greater tone and energy than in any other form. Its use, therefore, ought never to be neglected in the earlier stages of the disease. He had already alluded to the fact, that when the liver did not perform its functions, an effort was made by the kidneys to carry out its functions, the kidneys should therefore be stimulated; but he must not be supposed to recommend the exhibition of diuretics which would produce debility, but of medicines which would give tone and strength to the system and act on the kidneys as well, for which purpose nitric ether was an agent which ought to be administered. The principles he wished to lay down were, to sustain the animal by placing them in a situation where they should not be exposed to the debilitating effects of cold storms, to supply them with the most nutritious food, such as contained but a very small quantity of water, and, as a stimulant, to mix with it salt. To administer sulphate of iron, and occasionally doses of nitric ether. He made no doubt that if those principles were carried out, that instead of sending their sheep to the knacker's yard, they would be able, at least in its early stages, to cure the disease and send their sheep to the butcher.

Fall Plowing.

The question is often asked, whether fall plowing is advisable? It may be advantageous or injurious, according to the character of the soil, and the circumstances under which it is performed. Soils which are too loose in their texture are liable to have their soluble matter drenched out of them, if stirred late in the fall, by the heavy rains of winter and spring. Hill-sides are, also, liable to be washed and gullied by the same causes.

Again, the *particular time* in the fall at which plowing should be done, is an important point, and this must be determined by the objects which it is sought to attain. If the land is in grass, and it is

wished to have the sward rotted by the following spring, the plowing should be done early in autumn, in order that the warm weather may bring on decomposition before winter. If plowing is deferred till the commencement of cold weather, but little change will take place in the sward before spring—so little that if cross-plowed, much of the grass will be found alive, and by being again brought to the surface, will grow and obstruct the growth of the crop which is put on the land, or increase the expense of cultivation.

On clayey soils, there is still another disadvantage in connection with late plowing, if it is done in the ordinary way. The soil is liable to be made into mortar and run together by rains, so that by seeding-time it becomes closely packed. It is difficult after this to bring the soil into the friable condition required to fit it for a crop, without plowing again, and that operation would bring back the undecomposed sod, to which, as just remarked, there are weighty objections.

So far as regards the improvement of the *texture* of soils, it may be assumed that those of a clayey and tenacious nature, and those only, may be benefited by late plowing. The improvement in such cases results from the division of their particles by the action of frost; by this their cohesion is overcome, and access given to the air, which dispels acids injurious to vegetation—thus rendering soluble and available to plants, the food which was before inert. But these desirable results can only be obtained by the soil being frozen when it is in a comparatively dry state. If it is wet at the time it is frozen, and remains so till it is thawed and settled, no pulverizing effect is produced, the favorable agency of the air is excluded, and the soil remains in an ungenial state.

To obtain these advantages of frost, the soil should be thrown into narrow ridges, by turning two furrows together, in the manner called back-furrows. The furrows should be made in the direction best calculated to drain off the water, without allowing it to form large streams, as these might gully the soil. This kind of plowing can be done to the best advantage on land that has been under cultivation one season, or more. It can be done with sward-ground, but, as before stated, the grass will come to the surface when it is cross-plowed in spring, requiring much labor to destroy it. If, however, sward-ground were plowed in August or the first of September, the sward would become dead and so far decomposed by November, that it might be cross-plowed in ridges with advantage. The later in the season the ridging can be done, the better, as the soil will be more fully exposed to the action of frost, before the ridges have been washed down with rains. The ridges should be made as high and narrow as practicable, in order that the frost and air may act thoroughly on the soil.

There is no operation which tends so much to produce friability in tenacious soils, or which so much develops their fertility, and insures the growth of crops, as plowing them late in the fall, in the manner above described. But to derive the full advantages of the operation, the soil should be properly under-drained. This will admit the descent of water so readily that the soil will remain permeable and open; but if the water remains long in the soil, the beneficial effects of pulverization will be comparatively temporary. The *soaking* of the soil will reduce it to its former heavy condition.

Other advantages are claimed for fall plowing, which do not relate to the improvement of the soil; such as that the destruction of worms, in some instan-

ces the killing of noxious plants and in other instances the convenience of doing the work at a season when the farmer has more leisure, and his team is, perhaps, in a better condition to labor, and may be kept at less expense than in spring.

As to the destruction of insects, such accurate experiments have not, so far as we know, been made, as would show the advantages of fall plowing in this respect. It may be remarked, however, that worms prepare themselves for winter by descending into the earth, more or less; and if, after they have fixed themselves in their position, they are turned up to the air, while the weather is so cold as to prevent their motion, it is reasonable to suppose that before spring many of them would be killed. It is thought that this has been favorable to the destruction of wire-worms, which are generally most prevalent on deep soils, and those of a mucky character, though they sometimes do much injury on clays.

Witch grass, a couch grass, (*Triticum repens*,) may be to some extent destroyed by plowing just at the setting in of winter. Those who have had experience with this pernicious grass, know how great a nuisance it is, and how difficult to eradicate. To destroy it by frost, the ground should be plowed deeply in ridges. The plow should run, if practicable, to the bottom of the roots, that they may all be, as much as possible, exposed to the air and frost. The rains will wash out much of the earth, especially in sandy soils, leaving the roots bare, and the alternate freezing and thawing in this situation, will deprive many of them of vitality.

Letters from Prof. Norton—No. II.

Notes of a Tour in Central New-York.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New-Haven, Conn., October 8th, 1850. }

MESSEURS. EDITORS—Having been both interested and instructed, by a recent visit to some of the central districts of your State, I propose to give you in this, and perhaps one or two succeeding letters, some of my impressions relative to the present agricultural condition, and the capabilities, of that region; together with such suggestions on points where improvements seemed desirable, as may properly be made in your columns.

The occasion of my visit, was a series of invitations to address the agricultural societies of the counties of Wayne, Seneca and Ontario, at their annual fairs, upon some subjects connected with scientific agriculture. These fairs coming near together, in point of time, I was able to accomplish the whole in less than two weeks.

Commencing regularly at the beginning of my tour, my first visit was to Wayne county. This county has within two years, adopted the plan of dividing its fairs. The county is long and narrow, and a single fair at one end is not attended largely by people from the other end; even from both ends to the middle, it is something of a journey in the absence of railways and steamboats. Owing to these circumstances the effect of the new system has been excellent. The same officers have the direction of affairs at both places, and theirs is the only extra duty connected with this improvement, for such it has been found to be. Now that the fair is brought into their immediate neighborhood, people begin to take an interest who never thought of such a thing before; and moreover the rivalry which has sprung up between the different ends of the county has stimulated each section to a great in-

crease of exertion. I was assured that either fair is now better than the central fair used to be, and that more money is raised at each one now than was formerly obtained from the whole county. Such facts are encouraging, and point out the wisdom of bringing these exhibitions near to the doors of the farmers in order to draw them out; when once engaged, they are commonly very ready to keep on.

I was present at both fairs in this county, the first being held at Clyde. Here and at the other places which were visited, I was under great obligations to the officers and members of the societies, who drove me about the county in various directions to a great extent, and who also aided in every way the obtaining of information.

From Clyde I made a day's circuit of nearly 40 miles, in company with Mr. Joseph Watson, the excellent president of the Wayne county society. Our journey was through a section of the county which is for the most part new; where in many places the stumps show that the hand of man has but recently let in the light of day to a virgin soil. Here as in most other parts of this central region, plank roads are stretching in every direction, and are affording very great facilities in access to markets and in the ease of transportation; thus involving a consequent saving of expense, to all who have occasion to use them. This must be particularly apparent in winter and spring, whenever the roads are bad.

The geological features of Wayne county are various, it including no less than four of the important groups into which geologists have divided the State. We have the Onondaga salt group, the Niagara group, the Clinton group, and finally on the shores of lake Ontario, the Medina sandstone. These groups include a great variety of rocks, limestone, sandstone, and shales or slates; but from what I saw of the surface, it did not seem to me that there was so great a variety in the character of the soil as might have been expected. This I conceive, is to be explained by the fact, that the surface is almost every where composed of drift or transported materials, usually finely divided, but often in the form of coarse gravel; occasionally there is a sprinkling of boulders. I saw no land that we should consider unpleasantly stony in New England. These soils then, seem mostly to be deposits of a current which has at some long past period of the world's history, swept from the northward, and mingled the ruins of the various strata over which it has passed.

These strata fortunately for the farmers of Wayne county, were of varied character as above, and in their variety, afforded when mixed the material for a fertile soil. Had the granite rocks which lie to the north of Connecticut and Massachusetts, overwhelmed this region with a flood of quartz, feldspar, and micaceous boulders, such as reward the toils of the farmers in many parts of those States, Wayne would be in a condition very far different from that which she at present enjoys. Her farmers fairly shudder at the sight of fields, which would be thought in Litchfield or Berkshire counties, to have only about enough stones on them to keep the land comfortable and warm.

The eastern end of Wayne county being comparatively much newer than the western, its appearance is consequently less finished; the fields are not as a general thing so much cleared, and the farm buildings are less comfortable and extensive. There are most laudable and encouraging exceptions to this remark, on many farms that I noticed. The land in this section, is generally of a rather

light loamy character, easy to cultivate, and all fertile where it has not been run down by cropping without any returns. Except on such farms the wheat crop is good, but still, so far as I could learn, is probably as a whole not quite up to what it was ten years ago. On many farms the yield is increasing as it ought to do, but on many others it is decreasing under the influence of poor cultivation.

I am constrained to observe that this was the most *weedy* district that I visited. The uncommonly wet season which we have had, offers an excuse, but this can not be allowed weight in comparison with neighboring counties where the farmers have labored under equal disadvantages, and where the appearance of things is very different. The road sides are in many places perfect nurseries of weeds; they are allowed to ripen and shed their seed in every direction, over the neighboring fields. The Canada thistle I noticed going to seed in great numbers. The crop of Indian corn in all this region, is remarkably heavy this year; one hardly sees a poor field of it in a long days ride. In this end of Wayne county I was sorry to see that great numbers of the farmers pursued the practice of topping their corn, to which a large portion of our New England farmers so pertinaciously adhere. In the western end of Wayne, in Seneca, and in so much of Ontario as I saw, the opposite practice of cutting at the bottom is almost universal. There is no question whatever, but this is the better plan; it has been well ascertained, that the grain is of superior quality for being cut early and for ripening in the stack, and that the green stalks when thus dried, and afterwards cut up, are equal to hay when fed to cattle. The advantage then is most evidently on the side of cutting at the bottom, both as regards fodder and grain; we may even go still farther, and say according to the testimony of those who have tried both ways, that the labor required is less.

The farm of Col. Briggs, which according to my recollection is in the town of Galen, and which took the first premium in the east end of the county this year, is well worthy of attention: the owner was not at home, but we drove through the centre of the farm and saw many evidences of enterprise and skill. The fields are all large, none less than 50 acres, and some I should think much more. This is excellent economy, to have the fields as large as is consistent with the size of the farm; it saves a great amount of money in fencing, and the work can be carried on more economically on a large scale, as there is a better scope for the introduction of machinery. This principle Col. Briggs evidently understands, as we saw that his wheat was all put in with the drill, and heard that he adopted all the modern improvements in the way of implements and machinery, as corn shellers, cultivators, reapers, &c.

His farming is all on an extensive plan; we saw at least 150 acres of growing wheat, and his crops are said to be uniformly good. The land on this farm looks as if it was cultivated on an improving system. I had not means of ascertaining how much stock is kept, or what manures are applied, neither of inquiring as to the rotation followed. The stone walls which have been extensively built, are an innovation upon the old crooked fences which struck my eye very agreeably, and imparted an air of general neatness. I fear, however, that the stones are rather small for a permanent wall. This farm on the whole presents a pleasing example of industry and skill; having said so much in its praise, I may venture to suggest, that any previous re-

marks as to weeds, apply here as well as in other cases; they were rather too abundant along the fences, and by the road side.

I was sorry not to have an opportunity to visit the farm of Mr. Streeter, in this part of the county; his show of stock at the fair was fine, and I heard of him on all sides as a most enterprising and successful farmer. The farm of Mr. Jos. Watson, President of the Society, has before been publicly described, and I will therefore only say that it will well repay a visit, being for general neatness and cleanliness from weeds, in advance of any farm that I saw in this section. The machinery in his barn is so ingeniously arranged, that it does a great amount of work with little trouble, and by the power of only two horses, moving with much ease to themselves. Much of his work is done by one horse.

I was particularly pleased by the appearance of his clean corn-field, and by four acres of drained swamp, which was formerly impassible to animals. It is now by means of a few drains, firm and dry, and this year is under crop for the first time with broom corn. The growth is gigantic, much of it being fully 13 feet. Under this swamp lies a bed of marl, an analysis of which is now being made in my laboratory. Yours truly, JOHN P. NORTON.

The Horticultural Department.

Village Door Yards.

It is often a cause of regret that so very few of our ornamental grounds approach in finish the highly kept English lawns. Henry Colman, speaking of the latter, says, "Nothing of the kind can be more beautiful; and I never before knew the force of that striking expression of the prince of poets, Milton, of 'walking on the smooth shaven lawn;' for it seems to be cut with a razor rather than with a scythe; and after a gentle shower, it really appears as if the field had had its face washed, and its hair combed with a fine tooth comb."⁷⁷

The truth is, it is hardly desirable to introduce into this country the expense of maintaining such high and costly finish to extensive artificial landscapes. But there is one place where it may very easily be done, with admirable effect and little cost; in the limited front grounds of the village or suburban dwelling. A half hour, spent every morning, before breakfast, by the proprietor himself, would keep the tenth or twentieth of an acre in the highest degree of neatness.

At the present season, when many are about to lay out and plant their grounds, the accompanying plans may afford some useful suggestions. The first, (Fig. 1,) is intended to embrace about the seventh part of an acre, and to avoid the too frequent and stiff appearance of a straight walk directly from the front gate to the door. It is chiefly grass lawn; the evergreen trees, near the outer part or boundary, are distinguished by being more darkly shaded; and if desired, they may be made to shut out neighboring buildings or objects which ought to be concealed. In so small a space only shrubs or small trees can with propriety be introduced, the larger of which should be near the boundary. The Norway fir, the Balsam, the Hemlock and other species of the finest evergreens, which usually attain the height of large trees, may be kept small by shortening in their branches; shearing their surface makes them too stiff and formal. All evergreens and particularly the hemlock and arbor




Fig. 1.

vitæ, will bear pruning into any shape or dimensions.

The ornamental effect of the grounds is much increased by the introduction of a few flower beds, cut into the turf, as shown in the figures. At the same time, the bad appearance which is some times given by cutting up the whole front yard into beds for flowers, is wholly avoided. No arrangement of grounds should ever be made which dispenses with turf in immediate connexion with the dwelling.




Fig. 2.

Fig. 2 is intended as a plan for a more limited space. A small inconspicuous gate at the right, opens a direct passage to the kitchen. In both instances, the kitchen garden, if any, occupies the ground back of the house.

A long chapter might be given relative to the selection and suitable disposition of the shrubs, and the flowering plants for the beds. This must be left mainly to the knowledge and taste of the proprietor or of the person he employs. It may be however observed, that such shrubs should be chosen as will appear well throughout the season, whether in blossom or not; and that if possible, the flowers for the beds should form a constant succession throughout the season. By commencing with the spring flowering bulbs, following those with herbageous perennials, and closing with the finest annuals, a good succession may be kept up; and in addition to these, a supply of the most brilliant green-house plants can be procured, the result will be highly satisfactory. It would be desirable in any case, to raise the plants in the back garden, until near the period of flowering, when they should be removed, roots, earth, and all, to the beds. Green-house plants in pots, are very easily and safely set out; and an equal advantage is derived by growing the others in pots for this purpose.

A very few words as to the treatment of the grass: before it is sown the soil should be trenched two or three feet deep if possible, and made rich with manure; this will keep up a fresh green color through

the dryest summer. The seed may be sown early in spring; and if at the rate of two or three bushels per acre, it will in a very few weeks form a beautiful carpet of green. It must then be mowed with a lawn scythe, and if the mowing is afterwards continued and repeated as often as *once a week*, not a day less frequent, or as soon as a cut one inch high can be taken off with the scythe, it will soon rival in smoothness and softness the surface of velvet itself.

New-York Agricultural Transactions.

The ninth volume of the Transactions of the New-York State Agricultural Society, for a copy of which the writer is indebted to B. P. JOHNSON, corresponding Secretary, contains as usual a great deal of matter of the highest value. The lectures of Prof. Johnston, last winter at Albany, on the application of science to agriculture, occupying 107 pages; and Prof. Norton's Prize Essay on agricultural chemistry and geology, are neither of them productions of any ephemeral or ordinary character, and are rendered more valuable by the well known freedom of their authors from the chimeras which have bewildered some other eminent modern chemists. But we must pass all these, and notice at present more particularly some of the portions of the volume relating to horticultural subjects.

ANALYSIS OF THE APPLE.—An interesting paper on the analysis of the *fruit of the apple*, by DR. SALISBURY, furnishes some facts worthy of notice. Owing to the lateness of the season, (in spring,) before the analysis was commenced, the following sorts only were examined, viz: Swaar, Kilham Hill, Rhode Island Greening, English Russet, Roxbury Russet, and Talman Sweeting. From the numerous tables of results, the following facts are drawn:

The English russet contains less water and more dry matter than any of the other sorts. This is doubtless the reason why this variety is so hard to freeze. The Talman sweeting contains more, the Greening still more, and the Kilham Hill most of all; ranging in all these from 79 to 86 per cent. A fresh potato contains about as much water as the russet. These results show the reason that apples when manufactured into cider, produce nearly their own bulk of juice, a fact which has often puzzled many who merely regarded the solid nature of the fruit.

A striking difference in the composition of the apple and potato, is the entire absence of starch in the former, while in the latter it constitutes about one half of the solid part. The apple, according to this analysis, is rather superior to the potato in fat producing qualities, and which accords with the experience of some accurate farmers. The apple contains about twice as much of the compounds of nitrogen as the potato.

The russets were found to contain a larger portion of tannic and gallic acids than other sorts. These acids impart astringency, and are indicated by the black color given to a knife of iron or steel used in cutting this fruit. The apple is rich in phosphoric and sulphuric acids, and potash and soda. Hence we may infer that bone dust, ashes, salt and plaster, would be likely to prove useful as portions of the manure applied to bearing trees, in addition to what is already contained in yard manure.

KEEPING GRAPES IN WINTER.—At the agricultural discussions, — MARKS, of Greene county, stated that "he had kept Isabella grapes in kiln-dried hemlock saw-dust till April, and they came out well. They were kept in a cool room where there was no frost. The past year, he used ma-

hogany saw dust. Pine saw dust does not answer; the grapes will taste of it. Has found the Catawba grape to keep best when picked just before it is dead ripe." This method of using kiln-dried saw-dust, is an old, familiar, and excellent one. Covering the jars with a cover, sealed with wax or tallow is adopted by some to exclude external moisture from the saw dust.

GRAFTING THE GRAPE.—An experiment, proving very successful, was related in grafting the Isabella into the roots of wild varieties. Pieces of root a foot and a half long are cleft grafted in the common way, and the root is then buried in the soil so as to have the junction fairly below the surface. They grow well and have borne the season they were grafted.

SECURING CROPS OF PEACHES.—A peach orchard at the foot of Catskill mountains, where the thermometer sometimes sinks to 16° below zero, has with a single exception, borne fruit for many years, by the following treatment. After the ground is firmly frozen in the fall, litter is placed round the trees four to six inches thick and trodden down hard. This prevents the buds from starting prematurely by keeping the ground frozen, and being kept back, they escape the frost.

LIST OF FRUITS.—The following varieties are added to the former lists by the fruit committee, as worthy of general cultivation:—

Apples—Wine apple, Dominie and Peck's Pleasant.

Pears—Doyenne d'Ete, Andrews, Flemish Beauty and Urbaniste.

Plums—Madison.

Cherries—Knight's Early Black, Black Eagle, Downer's Late and Grassion.

Peaches—Oldmixon Freestone, Bergen's Yellow, and Crawford's Late.

Gooseberries—Woodward's Whitesmith, Crown Bob, and Green Walnut.

Currants—Knight's Sweet Red, White Grape, and May's Victoria.

Raspberries—Fastolf, Franconia, White Antwerp.

A large portion of these varieties are represented by good figures, but one or two of the apples we should hardly have recognized. The Dominie (which by the way but barely deserves the company in which it is here placed,) is not more than one quarter the size of many specimens often seen; and Peck's Pleasant is not larger than the very smallest specimens, while it is furnished with an unusually long stem. The truth is, this fine early winter variety is often one of the largest apples, and has sometimes attained nearly a pound in weight. The distinction between the deep cavity in Knight's Early Black Cherry, and the very shallow cavity in the Black Eagle, is not well shown, although constituting a striking point of difference in these similar varieties. These are however but few and small defects, among a great deal that is accurate and excellent.

Osage Orange Hedges—Osage Weevil.

It seems to be established that these hedges will succeed well wherever the climate will admit the cultivation of the peach. Their strength, vigor and density is such, when well made, that no animal will try to pass them; and so sharp and numerous are their thorns, that they must form a perfect barrier against ordinary fruit stealers.

Prof. Turner, of Illinois college, in a communication to the Prairie Farmer, says he has now about

five miles of this hedge on his farm, and it has already doubled the price of his land, that is he is now offered twice as much for it as he asked two years ago and could not sell it.

He thinks the chief cause that so large a portion of the seed fail to grow, is the ravages of the "Osage Weevil," a minute and almost microscopic insect, which feeds on the tip of the radicle. A year ago he lost six bushels of seed from this cause, and last spring he lost above thirty bushels, all well got out and cured in Texas. Sometimes, he states, the seed will push their sprouts nearly an inch, after they are incurably injured. Seed has been pronounced by different persons as "very fine" after he had found "by microscopic examination that it was not worth a cent."

Seasonable Hints.

FRUIT IN CELLARS.—A great deal of winter fruit suffers early decay in consequence of a deficiency of ventilation, especially during autumn and after the fruit is deposited. Another cause of decay is the improper location of the shelves or bins, which are placed against or around the walls. By this inconvenient arrangement, the assorting of decayed specimens must be done all from one side, and the shelves must hence be very narrow, or the operator must stretch himself in a most irksome horizontal position. The circulation of the air is at the same time greatly impeded by the want of space next the walls. To avoid these evils, the shelves should be in the center with a passage all round. This allows circulation of air, and the shelves may be twice the width with the same convenience in assorting or picking. If suspended from the joists above on stiff bars, rats cannot reach them. We have never succeeded so well by any other than this arrangement. It is said that the Germans are very successful in the ventilation of their cellars, by a communication with the principal chimney, the heated air in which necessarily maintains a current, which sweeps out the noxious and stagnant gases from the vegetable and other contents.

KEEPING BEETS AND TURNPES FOR THE TABLE.—The epidermis of the beet and turnep root, unlike that of the potato, admits the rapid escape of moisture, and hence if exposed to dry air for a few days, they begin to wilt and lose their freshness. Buried in heaps out of doors, they keep well, but are hard to get at in winter. Good substitutes have been devised, by lining and covering the boxes which contain them in the cellar, with flakes of turf; or by burying them in barrels with slightly moist clean sand. A more convenient way, however, is to substitute *slightly* moist peat for the sand, which is very much lighter than sand, and more easily applied and removed.

UNHEADED CABBAGES.—There are often many of these when the crop is gathered at the approach of winter, commonly thrown away as useless. They may be rendered fine for spring use by transplanting them in a close double row, and then covering them with boards or slabs like the steep roof of a house, with an additional coating of a few inches of earth. They should then be properly ventilated. By next spring a large portion of them will be found well headed and delicately blanched.

REPELLING MICE FROM FRUIT TREES.—We still often hear of the death of trees by mice, girdling. Prevention from this disaster is one of the easiest and most certain things in the world, consisting simply in throwing up a little circular bank or mound of earth round the trunk of each tree, nine

or ten inches high. One man will do hundreds in a day, and we have never known a single instance out of thousands of cases, where it has failed.

PROTECTING TENDER PLANTS AND SHRUBS.—There is one principle which should not be forgotten, whatever be the nature of the covering applied to tender plants, more especially to the woody portions or parts above ground. This is, that the *exclusion of moisture* is an important object without excluding air. Ligatures are sometimes left on inserted buds for protection, and more usually destroy the buds by retaining water like a sponge. Closely wrapped straw operates in the same way, as well as by excluding air, which is often important. Roots and stems like those of the grape, which will bear a greater degree of moisture, are partial exceptions. Roots, even, are often destroyed when in a too moist soil; and their is no doubt that many tender herbaceous perennials would survive the rigors of our winters, if in earth with a dry bottom, and sheltered from rain.

Transplanting Trees.

EDS. CULTIVATOR—At the end of June last, I was forced to remove a quince bush, which stood just on the spot where I was to make an addition to my house. The tree was full of fruit.

I had read, I believe, in your valuable *Cultivator*, that a gentleman, removing rose bushes in the summer, had covered them with a blanket, and every evening put water on the leaves. I tried the same with my quince bush. The tree being nine feet high, was removed the 25th of June. I was forced to employ two horses to pull it out of the ground, and to bring it on the spot, where it was to be set in the soil. There I had dug a hole of seven feet diameter, and put in it a dozen pails of water. Though I tried to preserve on the roots as much earth as possible, the greatest part of it was lost in the transit.

The tree was set in the ground, the fruit all taken off, the ends of the limbs and twigs cut and shortened, and the whole carefully covered with three blankets. In the first week I sprinkled the leaves with water morning and evening; afterwards I did it only occasionally. Having removed the blankets in the beginning of September, I had the pleasure to see on all the limbs new twigs and new leaves, and the tree looking healthy and flourishing. D. B. K. *Washington Valley, N. J., Sept. 16th, 1850.*

Peach Trees.

WILLIAM STONE, of Natick, Mass., gives the officers of the Middlesex Agricultural Society, a statement in regard to his culture of an orchard of one thousand peach trees. The trees have been set three years and are represented as "in a bearing state." The orchard is on a hill, one hundred feet above the general level of the surrounding plain; the soil a yellow loam, abounding in loose boulders of granite. Stones enough were dug from the ground to make a wall round three acres, on which the orchard stands. After several plowings, from 1843 to 1845, it was marked out in squares of twelve feet, and the peach trees set at the crossings. He prunes the trees of all the dry limbs, and all such as interfere with each other, or hinder the growth of the tree. He does not cultivate the ground among the trees, but covers the whole surface with straw or some kind of litter. He says, "Well covered in this way, the straw will last two years, and the

trees will have less worms and flourish better than to cover the land with manure of any kind. I place about a peck of hard coal or wood ashes, at the root of every tree once a year, and it has not failed to keep away the borer. The reasons I give in favor of straw and hay as preferable to compost manure are, it saves labor, is cheaper, it prevents the drouth from penetrating as it would without it, and in case the trees stand on a side-hill it keeps the rains from washing the soil, and when the fruit drops it keeps it clean. I have tried this course for twelve years and am fully satisfied it is the best method."

YELLOW.—Another competitor for the premium offered on peach trees by the above society, states that he has used urine with good effect, as a remedy for the *yellow*s. He put about a gallon round each tree during the autumn and winter. He says he tried one sickly tree earlier in the season with manifest advantage.

Several competitors speak of having fruit from those peach trees only, which stood on quite high ground, the present season.

Cracking of the Doyenne Pear.


It is well known that in many of the eastern portions of the United States, the white Doyenne pear is rendered worthless by the cracking of the fruit. This has been ascribed by A. J. Downing and others to diseased action, consequent on the exhaustion of the soil by the continued growth of the tree on the same spot of ground. The following interesting fact may serve to add to the materials for determining this question:

A young and thifty tree of this variety, standing on a gravelly loam, bore its second crop of fruit the present year. When the pears were two-thirds grown, the leaves were observed to be affected with the black spots which characterise the leaf blight, and always precede the premature falling of the leaf. At the same period, similar black spots began to cover the surface of the young pears, gradually extending on many of them till they cracked, shrivelled, and fell from the tree. Others, side by side with them, escaped this disaster, and continued fine and fair specimens until ripe.


The region of country where this young tree stands, has been long celebrated for the perfection of this variety of the pear, nothing of the kind ever having been known before within two hundred miles. Within a mile from this locality, and on a piece of ground strikingly similar to all external appearance, is another white Doyenne tree, twenty or thirty years old, the crop of which has always been perfectly smooth and fair, and has for some years past sold for twenty to thirty dollars per annum. It stands in a grassy yard, and receives no manure, solid nor liquid, nor any cultivation.

NEW CURRANTS.—S. P. Fowler, of Danvers, Mass., remarks in the *N. E. Farmer*, that Knight's Sweet Red "may perhaps by some persons be considered a little less acid than the White Dutch, while others would not admit it. I should not cultivate it for its supposed comparative sweetness." The Champagne, he says, is not a great bearer, and the fruit, though beautiful, is very acid, most persons leaving it to be eaten by birds. Knight's Early Red he has not found to be much earlier than the other varieties, not being worth cultivating for this characteristic, and possessing no other. The Red and White Dutch are good, and are by some persons thought to be the best." We believe these conclusions have been arrived at by most other cultivators of experience.


NEW-YORK STATE PREMIUM PLOWS.



Prouty & Mears' Centre Draft, No. 25:
Which received the first premium for sandy soil.



Prouty & Mears' Centre Draft, No. 30:
Which received the first premium for stiff soils



Prouty & Mears' Subsoil Plow, C:
Which received the first premium.

REPORT OF TRIAL OF PLOWS.

In our last we gave cuts of four of the plows which received premiums at the trial by the New-York State Agricultural Society, in June last. Herewith we give cuts of the other premium plows, except the one which received the second premium for sandy soil, which has not yet been received. The report appears to be received with general approbation. JOHN DELAFIELD, Esq., in a late letter, observes: "The plow re-

port is admirable, and seems to me a true and sure standard for future trials. Our agricultural artisans have long exhibited a knowledge of the principles of force and motion, but in the plow they have not reached, perfectly, their application for our most economical use. The present report will bring them in close contact with our farm wants, and their skill will, assuredly, ere long, give us all we desire."

The Farmer's Note-Book.

Farming in Indiana.

EDS. CULTIVATOR—There are, perhaps, but few of your readers who are, to any extent, familiar with farming operations in this region of country; and I propose, with your permission, to give them a brief account thereof. This county, (Wayne,) is one of the first in the State in point of population and production as well as in agricultural improvements. It comprises in its eastern portion an undulating beech clay soil, resting upon blue limestone, which is accessible for quarrying in many places, and its western portions include some rich first and second bottom lands unsurpassed in fertility. Its first settlers were from N. Carolina and Pennsylvania principally, with a "sprinkling" of emigrants from most of the south eastern States. Corn has been the crop as long as it could be coaxed to grow, succeeded by wheat in later years. We have, perhaps, some of the finest exemplifications of the "skinning system" extant—many of the original settlers having cropped with corn after corn until it was somewhat problematical whether the yield would equal the seed, and finally sold out at small prices and moved west, there to run another round of "skinning" and starving. This is true only of the clay lands, the "bottoms" like the lamp of Alladin, still bringing forth at every rubbing, very good crops. At this time, but a small portion of clay lands remain in first hands, but are now in the possession of those who are endeavoring, and with more or less success, to restore them to a state of comparative productiveness. We can now number two or three who use the sub-soil plough, in connection with barn yard manure, leached ashes, charcoal, &c., making these same exhausted lands produce 25 to 35 bu. of wheat per acre, and 75 to 100 bu. corn. Others again are ploughing 3 horses abreast 8 to 12 inches deep with the best success, in many cases nearly doubling the crops of the three inch style of ploughing, while hundreds of others are watching these results, and, like king Agrippa, are "almost persuaded" to be (Christian) farmers.

The want of good agricultural implements has been, and is severely felt here, although no part of the country would pay better than this for their introduction. Messrs. Beard and Sinex of Richmond, are now manufacturing the "Empire" ploughs with wrought steel mould boards, made with bar shares and wrought iron standards, which are superseding all other ploughs now in use here. We stand much in need of some good drilling machines for wheat, gang plows, cheap and effective straw and stalk cutters—in short, of farming tools of the best descriptions generally. Any of your eastern manufacturers who would like to introduce their articles into this State, can by addressing me, privately, receive such information as will enable them to do so advantageously. Especially are we in want of the most improved stock of *Cattle, Horses, Hogs and Sheep*. There is a growing interest in these matters here at this time, and some of your eastern breeders would consult their interest by sending some of their surplus stock into this State. I would very willingly undertake to act as agent for the sale or service of stock of any of the improved kinds which might be sent here and any of your readers wishing to do so can write to me on the subject. We are expecting to have a Morgan horse here from Mr. W. H. Ladd of Richmond, Ohio.

Our season has been one of unprecedented drought:

We had no rain from corn planting until 19th of June, at which time rain fell moderately; from that time until the present, we have not had to exceed *half an inch of rain*. Our wheat crop was one of the finest ever raised. Oats mostly very short. Hay, hardly half a crop. Barley a failure. Corn, a light crop, (the best were ploughed the deepest.) Potatoes a complete and total failure—hundreds of vines without any appearance of a potato about the roots. Early apples pretty fair; late ones small and backward in consequence of the drought. Although about seeding time, very little ground is or will be ploughed for want of rain. It is really discouraging, many springs and wells having nearly or quite failed. W. T. DENNIS. *Richmond; Ia., Sept. 1st 1850.*

Minerals in Washington County, N. Y.

Dr. FITCH, in his survey of this county, observes that about 118,000 acres of its surface is underlaid by granite rock, which belongs to the same general range, as the rock which is so prominent in the counties of Warren and Essex. It appears that this rock contains valuable minerals. Dr. F. speaks of them as follows:—

IRON ORE.—Two valuable minerals are being furnished to the world at the present day, by this rock, from within the bounds of this county, viz: iron ore and black lead. Beds of iron ore have been opened, both at Mount Defiance and in the north part of Dresden, and there is little doubt that they occur in all parts of this range from Ticonderoga to Fort Ann; but it is only in the last of these towns, in the neighborhood of Mount Hope furnace that the mines are at present worked to any extent. This is the only smelting or high furnace within the county, and the company to which it belongs is also the proprietor of most of the mines that are as yet known in the neighborhood. The furnace is situated two miles up Furnace brook from the head of south bay, and about a mile from Furnace pond. It gives employment to 150 or 200 men and 50 teams, and is making some 1,500 tuns pig iron annually. About a third of the ore is obtained from down Lake Champlain and the remainder from different ore-beds in the vicinity, this admixture forming a better quality of iron, I am told, than either ore does separately.

GRAPHITE.—Graphite, plumbago or black lead, (which is lead only in name, the mineral being composed of carbon with a slight admixture of iron commonly, but none of lead,) the material from which pencil-points are manufactured and which is in extensive use for polishing stoves, diminishing the friction of wheel-axes, &c., is disseminated through most parts of this rock, and occurs in abundance in the north part of Putnam, from which town is obtained a portion of "Ticonderoga black lead," which has superseded most of the other kinds of black lead in this section of the state. It is at present afforded at fourteen dollars per hundred weight. Twenty-two thousand pounds of this mineral passed the port of Whitehall in 1834, mostly from the vicinity of Ticonderoga, and the quantity has greatly increased since that date. Alexander Robertson, Esq., informs me that no exploration has been made to ascertain how abundant this article is within the town of Putnam—that one of the men engaged in this business at Ticonderoga comes with his wagon to the north-west part of Putnam, digs what he wants out of the rocks, carries it home, and when this is sold out he comes again. Every housewife will hope that the supply may prove to be inexhaustible, so superior is it in its crude, native

state, to the old "British Lustre." or any of the other polishing substances known.

Duties on Wool.

EDS. CULTIVATOR—As a wool grower, I feel to express a sense of gratitude to Mr. H. C. MIRIAM of North Tewksbury, Mass., for his very able article upon foreign and domestic wool, published in the September number of your paper. From his sentiment, however, that because the Scotch black faced laid wool was duty free to the English carpet manufacturers, they are enabled to hold in check and defeat the prosperity of our domestic carpet manufacturers, I must take the liberty of dissenting. If that wool is grown in such immense quantities, and is so very cheap, our manufacturers can avail themselves of it as well as those of England. If it is objected that the wool for our manufacturers has to be transported across the Atlantic, it may be answered that it has also to be transported across the Atlantic in the cloth before it can affect the carpet manufacturer in this country. If it is objected that a duty of thirty per cent is imposed upon the wool in its raw state, it may be answered that a duty of thirty per cent is also imposed upon the wool when manufactured, and when it shall have been converted into cloth, which would place our manufacturers on a par with those of England as far as the wool is concerned, and would give them the advantage of thirty per cent duty imposed upon the labor and other ingredients which enter into the manufacture of those carpets.

It was the attempt to discriminate between the different kinds of wool to be applied to different objects, which produced the most mischief to the wool growers under the tariff act of 1842. I trust I may never see an attempt at such discrimination in any future act that Congress may see fit to pass upon that subject. TITRIUS. *Hillsdale, Sept. 7th, 1850.*

Meteorology.

EDS. CULTIVATOR—The following observations are the results of some attention to the Meteorology of my location for the past twelve months, ending the last day of August 1850:—

The whole amount of rain, 35 9-16 inches; of snow, 59½ inches. More rain in Oct. (6¾ inches) than any other month; although July and August measured, respectively, 5½ and 5 11-16 inches. The greatest amount of rain at any one time was July 17th, (3¼ inches;) a severe storm of wind and rain from E. N. E. More snow in March (25 inches) than any other month, and the greatest depth of any one snow, was 6¾ inches. The first nipping frost of the season was Oct. 9th, and the last the 22d May.

It has been observed that the mean annual amount of rain in different parts of the world are fairly represented in the following list:—

At Paris, the mean annual amount,	20 inches.
London	25 "
Geneva, (Switz.)	30 "
Boston, (U. S.)	36 "
New Orleans,	45 "
Havana, (Cuba)	109 "

Our summer, that has just passed, has been quite different from its predecessor: no "parching drought" has prevailed in this section of the country; no devastating pestilence has "stalked forth at noon-day" in our midst; no frantic excitement in regard to "golden bauble," has taken away the

population of our towns; on the contrary, we have had the continued luxurious growth of June, the salubrity of November, and the quiet of April, the whole summer. Our county, although reputable for its dairy products, at least, has not progressed in the ratio of an earlier period. This is owing to the facilities of agriculture elsewhere, and the peculiarly unfavorable character of our seasons for several years past. Do our seasons observe a cycle in which they are approaching a character they formerly had? Or has physical improvement so far progressed that a permanent change is impressed on our climate? The history of other countries indicates the latter. It has been observed that a country covered with timber or forests, has a temperature about 10° less than when cultivated. Evaporation is supposed to be greater, or rather, more moisture is exhaled from a given extent of forest, than is evaporated from the same extent of water. Evaporation and rain, are also sources of cold, and more abundant in countries covered with forests. Our seasons, or rather our climate, is in a transition stage, without the settled and uniform character of older countries, or even the less variableness of newer ones. The present season then, is not a proper criterion of the future; nor yet is it without some indication of more fruitful periods. D. T. BROWN. *Hamptonburgh, N. Y., Sept. 19th 1850.*

Stumbling Horses.

It is a general, but very mistaken notion that the safety of a roadster depends upon his lifting his fore-feet high from the ground, whereas it all depends on the manner in which he places them down upon it. The highest goers are often the most unsafe; and there are thousands of instances of horses going *very near* the ground and never making a trip. It is, however, a well established fact, that if the form of a horse's shoulder, and the consequent position of the fore leg, enable him to put his foot to the ground *flat*, with the heel down, his lifting the foot high is not at all necessary; whereas, on the other hand, if, by any improper position of the leg, issuing out of a short, upright, ill-formed shoulder, the toe touches the ground first and as it were digs into it; no matter how high such a horse may lift his leg, in any of his paces he will be liable to stumble. *Essay on the Horse.*

Destruction of the Wire Worm.

The injury done to crops by the wire worm is often very great. It attacks the seed grain, after it is sown, and by eating out its substance, and by boring into the heart of the tender stalk, the growth is prevented. It is a hard insect to kill, being protected by a smooth, tough shell. A writer in the Mark-lane Express states that he collected several of these worms, and tried the effect of different substances applied to them. He says, "In my first experiment, I tested their tenacity for life with the most corrosive and powerful poisons. Preparations of corrosive sublimate and arsenic were used in vain. Their immersion in solutions of these poisons occasioned them no inconvenience; in fact, it appeared to give them more pleasure than pain. I then tried the effect of vitriol and aquafortis; these liquids certainly destroyed the worm, but only after a very considerable time. At length, by accident, I was induced to try liquid ammonia. The result was marvellous; in an instant these creatures,

which had hitherto resisted with comparative indifference the most deadly and corrosive acids and poisons, were shrivelled up, and reduced almost to the state of a cinder. Finding that ammonia possessed this astonishing power, it then occurred to me that this agent might be employed in an extremely simple and effective way. I took a portion of the earth containing the worm, and mixed with it a small quantity of lime; to this I added a quantity of powdered sal-ammoniac; the effect of this was the decomposition of the sal-ammoniac by the lime, and the liberation of ammoniacal gas: this had precisely the result of the liquid ammonia; the worm was instantly destroyed as by an electric shock."

We do not know that this method of destroying the wire-worm, can be made practically useful; we publish it to induce a repetition of the experiment, under various forms, in the hope that some valuable results may be brought out.

Addison County (Vt.) Fair.

The Agricultural Society of this county held its exhibition at Vergennes, on the 25th of September. The county embraces the richest portion, perhaps, of that part of Vermont lying between the Green Mountains and Lake Champlain. It is a district more especially devoted to grazing, than any other branch of farming. Hence it was to be expected that the leading objects of this exhibition would be the various kinds of live stock, particularly horses, cattle and sheep. In all these classes of animals the display was highly respectable, and in horses it was decidedly fine. By the politeness of J. H. BARRET, Esq., secretary of the society, we are enabled to state the aggregate number of animals exhibited, excepting swine, as follows:—cattle, 196; horses, 74; sheep, 142.

Among the horses, the "Black-Hawk" stock was very conspicuous. With the exception of one breeding mare, five years old, the oldest of this stock exhibited were but four years old. None of them competed in the class of *matched* horses; in the other classes comprising twenty premiums, the progeny of Black-Hawk took *fourteen*, including the premium for the best breeding mare, best "single driving horse, (mare or gelding)," and all the first premiums excepting one. Among them were some very superior animals. Such stock as the four-year-old mares of Mr. Sherman of Vergennes, and Mr. Moore of Shoreham, the two-year-old colt of Mr. Johnson Middlebury, and the yearlings of Mr. Doane and Mr. Moore of Shoreham, and Mr. Adams of Pantou, as well as others of the same family, cannot fail to be highly valued and admired.

The sheep were mostly Merinos, though there were some Saxons and some Leicesters. With the facilities for rapid and easy transportation to market, which are now open to this section by railroad, we have no doubt that the production of mutton, on the best lands, will be found profitable; and the English breeds of sheep, or some crosses from them, will be adopted to a considerable extent. Those who intend to engage in rearing this description of sheep, should endeavor to breed from the very best animals. We venture to give this hint, from the circumstance that most of the Leicesters exhibited here did not appear to be well bred.

Of the Merinos, we noticed that the fleeces of those which appeared to be generally regarded with most favor, were very heavily loaded with a sticky, adhesive gum, or yolk. On inquiring the object of producing so large a quantity of this matter, we

were told that it was considered *profitable* so long as the manufacturers, or their agents, would pay for it at the same price per pound as wool. This answer somewhat surprised us, as we had supposed the manufacturers were in earnest in their efforts to purchase *clean* wool. Will some one explain? Does the manufacturer deduct from the price of the wool he buys, an equivalent for the weight of yolk which it contains? This is rather an important subject to the wool-grower; it is important that he should know on which he can make the most money,—the production of wool or the production of gum.

The cattle were mostly of large size. Many of them were descended in part from the Short-horn stock introduced by the late Gen. Barnum, of Vergennes. This stock has been crossed, more or less, with Short-horns from other herds. They are, in general, liable to the objection of having too much bone, and rather coarse flesh; though some of the animals exhibited were of good form and quality. There is no natural obstacle to the rearing of the finest cattle in this section; nowhere is grass more abundant or more nutritive; and it is only necessary that the points and quality which constitute excellence in cattle should be understood, and applied by a judicious selection of breeding animals, to rear cows and oxen here, which for the dairy, the stall, or the yoke, might challenge comparison with any in the world.

We noticed several full-blood short-horns. A bull and several cows, fair specimens of the breed, were exhibited by Charles Smith, Esq., of Bristol, the president of the society. A bull shown by R. T. Robinson, of Ferrisburgh, bred by Mr. Vail, of Troy, is a well formed and thrifty animal. There were but few Devons. Mr. Sanford, of Orwell, exhibited the fine young bull which was at our State Fair. We saw no full-blood Herefords. There were several pretty good half-bloods. We were disappointed in not seeing specimens of this valuable herd here, as there are good ones owned in this section, and their thriftiness shows that they are well suited to the location. The only full-blood Ayrshire, was the bull (now thirteen years old) presented several years since by Mr. J. P. Cushing, of Massachusetts, to Mr. Wightman Chapman, of Middlebury. He is still spirited and active, and has sufficient vigor of constitution to render him useful for several years. He has been an animal of great value, and the section where he has been kept, has suffered great loss from his not having been properly appreciated.

We noticed that the Short-horns and Herefords were classed together—that is, competed with each other; and so of Ayrshires and Devons. We do not perceive the advantages of this system. We do not see how a fair comparison can be made between animals belonging to breeds whose characteristics are widely different. The leading qualities of the Ayrshires, for instance, are such as fit them particularly for the dairy; while those of the Devons, on the other hand, are such as adapt them particularly to labor. Hence the points of each must be judged with reference to different objects, which renders comparison impracticable.

Oxen and steers were numerous. Several of them were in high condition, for grass-fed cattle. We saw a pair of five-year-olds, exhibited as working cattle, put on the scales, which weighed upwards of 4,000 lbs. Mr. J. N. Smith, of Addison, showed a pair, six years old, of fine appearance, and in good working trim, which weighed upwards of 3,600 lbs.

The show of fruits, was highly creditable to the section, indicating that the soil and climate are well

adapted to their production. We have never seen finer specimens of apples than were exhibited by Mr. Richards of Panton, Mr. Chapman of Middlebury, Mr. Burroughs of Vergennes, and Mr. Smith of Whiting. They comprehended the varieties of Baldwin, Spitzenburgh, R. I. Greening, Porter, Peck's Pleasant, Jewett's Best, Twenty-ounce, &c. There were also fine specimens of the Bartlett, Beurre Bosc, and Seckel pears, shown by Mr. Jewett and Mr. Smith. Good specimens of the Isabella, Winne, and several varieties of exotic grapes, were shown by Dr. Merrill of Middlebury, Mr. White of Vergennes, and Mr. Smith of Whiting.

"Small Potatoes" for Planting.

EDS. CULTIVATOR—In your paper for January, 1849, I found an article, from which the following is an extract. You will re-publish the extract here, or not, as you think best. I think your readers may be benefited by having their attention turned to the subject again:

Eds. Cultivator—It has long been a prevalent opinion with our farmers, that seed potatoes should be selected from the largest and best. But a gentleman of my acquaintance, the owner of a large farm in the county of Worcester, in the spring of 1847, found his stock of large potatoes completely exhausted, and from the general scarcity could not renew his supply. He then determined, from necessity, to plant his fields with small ones, varying in size from a marble to a small pullet's egg, placing two or three without cutting, in each hill. The result was an unusually fine crop, in size, quantity and quality.

In the spring of 1848, he repeated the experiment, so far as to plant alternate rows of small ones and large ones, cut into four or five pieces. I was present when he was harvesting the crop, in the early part of October, and it was evident that the produce of the small potatoes exceeded that of the larger ones. Should further experiment confirm the fact, that the small are of greater, or even of equal value for seed, it will be of some importance to farmers. M. B.

Beverly, Mass., December, 1848."

As the writer says—"It has long been a prevalent opinion with our farmers, that seed potatoes should be selected from the largest and best." But who has before made a fair experiment to ascertain the facts? Since reading what your correspondent published, my attention has been turned to the subject, and held to it, by my observation and experience in cultivating the sweet potato. It is the common practice, as far as my observation extends, to save and use the smaller of the sweet potatoes for planting. And from five years' experience and observation I have obtained no evidence that the practice causes deterioration, as to size or quality.

During the past season I have made an experiment with other potatoes, using the kind, or variety, called the Neshannock, or Mercer. Side by side, on ground treated alike, and of like quality, as far as it was possible to have it, we planted large potatoes and small ones, separated from each other. Both were planted on the same day, tilled on the same days, and harvested on the same day. The result is, quite as large an amount, and quite as good quality, from the small potatoes used in planting. Our son, M. M., in my absence, dug an equal number of hills, in parallel rows, and called on me to decide between the heaps. I decided without hesitation, as to the amount and size. His mother was then called on, and her ready decision

agreed with mine. Our decision was in favor of those which he said were dug where the smaller were planted. We then went on and dug the whole. The result agreed with the appearance of the heaps first dug.

It might seem to some like exaggeration if we should say the potatoes were more and better from the small ones planted. We say that the quantity was not less. We think the proportion of small potatoes was less from the small potatoes planted, than from the large ones.

There is not the slightest ground for conjecture that any mistake has been made. My own eyes have been on the work, and my own hands in it, from beginning to end—with the exception of the digging of the hills in the parallel rows, by my son, as before mentioned. At the time of planting, the stakes were set, and the facts were written down. All has been done with a carefulness that leaves not a doubt.

It is proper to say here that the contrast in the size of the tubers planted was decided. I think that not more than one fourth, or at most one third, of the amount in weight, was planted where the smaller were used. Of the large, only one potato was used in a hill, the hills being about three feet apart each way. Of the smaller also only a single one was used, except with the smallest, when two were used, the hills being at the same distance with the others, about three feet apart each way.

The subject is worthy of attention. If equal quality and quantity can be produced, on equal ground, from the smaller of the tubers, it is time to have it known. Hitherto it has been thought to be otherwise. I confess that I am now looking for more general experience to confirm us in this new view. In propagating plants from seeds, I should still say, all other things being equal, let us have the largest seeds. But propagating the potato from the tuber, (or what one writer has called a sprout, and others would perhaps call a germ,) is another process. If we can obtain as good a plant from the smaller tuber as from the larger one, it is what we all need to know. I need not enumerate the advantages. They are apparent. ORSON S. MURRAY.

Fruit Hills, Warren co., O., Sept., 1850.

The Season in New-Hampshire.

EDS. CULTIVATOR—The season thus far, has been an extraordinary one. May was extremely wet, so that a great deal of planting had to be done in the first and second weeks of June. Whatever was planted then came up quick and grew rapidly. Haying was fairly commenced about the fifteenth of July, and from that time until the middle of August, there were but ten good hay days. There has been a large amount of hay ruined, but the crop was very large. A gentleman who lives about thirty miles north of here, told me the eleventh day of August, that they had then had but four days of good hay weather, and that all the low mowing land was full of water, and consequently much grass must be left uncut. Grain as a general thing is good and it was secured in good condition. Corn has ripened well. Owing to the lateness of the season a smaller and earlier kind was planted in numerous instances, and also less planted than there otherwise would have been. So that I should think the crop would be below the average. *Potatoes are badly diseased.* In all directions is heard the same general complaint. There will not be more than half a crop, and perhaps not more than a third. The rot is not of the same character as that which

affected the potato a few years since. Then the tubers affected grew black and hard, now they turn a kind of palish red, and then grow soft. We have had much wet weather, with sudden changes, and a great deal of harsh wind. If this has not been the cause of the disease, I think it has greatly aggravated it. The potato tops began to decay about the first of September, those planted the middle of June being affected as soon as any. The disease is developed the most on wet lands; in some instances whole fields are not worth digging. Other vegetables have done well and there is a good supply of fruit. W. L. EATON. *East Weare, N. H., October 8, 1850.*

The Farm of J. Bennett, Esq.

EDS. CULTIVATOR—I was much gratified by a recent visit to the farm of J. BENNETT, Esq., in the town of Mamakating, Sullivan co., N. Y., and having found much to admire and approve, I know nothing which I can furnish for the columns of your excellent journal, that may be as useful as an account of some of the practical operations of this intelligent, skillful, and long experienced farmer and horticulturist.

Mr. B.'s farm is situated on the east side of the Shawangunk mountain, near the top, which range passes through the county, and at an elevation of some hundred feet above the plain below; but the slopes are so gradual as to admit of easy cultivation, and are not liable to be gullied or washed by rains, and there is a most lovely view, from that portion of the farm situated on the top of the mountain, of the surrounding country. To the west the view is extended over Sullivan county to the Delaware river, a distance of 40 miles—eastward, to the highlands below Newburgh, through which flows the beautiful waters of the Hudson, at a distance of 26 miles; while beneath lies, spread out with their fertile fields and groves of woodland, the counties of Orange, a part of Ulster, Dutchess and Rockland.

The soil of Mr. B.'s farm is composed of loam mixed with the debris of slate, and is very productive in all the different kinds of grains, vegetables and grasses, and his mode of farming is to mature well and till well. And his theory is, as it should be that of every farmer, that one acre well cultivated is better than two half done, both as regards the labor and its rewards. His farm, and those in that vicinity, are celebrated for being the best dairy farms in the state, generally yielding from two to two and one half, and sometimes three firkins of butter to the cow during the season, which is attributable, in the first place, to the selection of the best breed of stock for that purpose; secondly,—to not over-stocking—only keeping so many as can be well fed; thirdly, a bountiful supply of good water, from springs which gush forth from the mountain side; and lastly, skillful and judicious management in butter making.

As a fruit grower, Mr. B. is amongst the foremost in this section of the state. He has a large apple orchard, grafted with the most approved varieties. I was shown by him, an apple tree on his farm, which is rather extraordinary in size; it measured 10 feet in circumference, at the trunk, and the branches extend each way from the body about 60 feet; it is in a vigorous condition, and produces a good crop of good quality. He also has a peach orchard of about 800 choice trees, together with an assortment of pears, plums, cherries, &c., most of which have been grafted and budded by himself. He has a mode of propagating the peach

which was new to me, as perhaps it may be to most of the readers of the Cultivator, which is as follows: At the time of transplanting a peach tree in the orchard, he also plants two plum trees of less size than that of the peach, one on each side directly opposite each other and at a distance of about 6 inches from the peach, and when the three are firmly set in the earth, cuts off the plum trees at a distance of about one foot from the ground, with a sloping cut of about 3 inches in length; he then bends the plum stocks, bringing them with the sloping cut directly against that of the peach stock, at the same time getting the size of the slope cut; then removes the bark with a sharp knife from the peach tree, to suit the slope cut already made on the plum stocks. This done, the parts are brought in a close connection, and tightly bound with bass matting and waxed over with grafting wax. The tree is staked and tied to prevent the wind moving it. The time of performing the operation is at spring transplanting. I was shown some which he had treated as above described, which, on examination, I found firmly united together, and in a vigorous and healthy condition, and he is of the opinion that in case the peach worm should injure or destroy the peach tree at the root, the plum trees will act as life preservers.

Mr. B. is also very successful in grafting the grape. Instead of performing it in spring, as generally recommended, he prefers the month of November. He then takes any of our native sorts for stocks, saws them off close to the ground, and inserts them in the usual mode of cleft grafting; then covers them with earth and lets them remain until the next spring; the earth is then carefully removed, and nothing more is required to be done. R. H. DRAKE. *Bloomingburgh, Sullivan county, N. Y., Aug., 1850.*

Washington County (N. Y.) Fair.

EDS. CULTIVATOR—The tenth annual Fair and Cattle show of the Washington County Agricultural Society, was held on the 18th and 19th of September, at the village of Argyle; and notwithstanding autumn, always represented as being so lovely, did not bless these holidays of the farmer with her usual brilliant sun, still the attendance on both days was immense. The tent was finely filled with fruit, the products of the dairy, domestic manufactures, the best vegetables from the garden, the handiwork of the fairer sex in the shape of counterpanes, coverlets, &c. &c. While passing over the useful, we must not forget the ornamental, for the tent was profusely decorated by skillful hands with Flora's rich gifts. The grounds adjoining the tent, were covered with farming implements, fine vehicles and stock, which would probably compare favorably with that of any other county of the State.

The plowing match took place in the forenoon of the second day, and was entered into by several competitors with avidity. Only two varieties of plows were used, that of Eddy & Co. of Union Village, and N. C. Northup & Son of Sandy Hill, the former of which took the first premium of the Society. An interesting address was delivered on the second day, by LE ROY MOWRY, Esq., of Union Village.

Altogether this surpassed in interest, all previous fairs which have been held in the county, notwithstanding the opinion was predominant that it would be the last: that there was not sufficient ambition among the farmers of Washington county to keep up the society, and that it must consequently be

numbered among the things that were. But in this show we have been happily disappointed, for the proceedings of these two days have proved far different things. They have proved that the farmers of "old Washington" begin to think it will subserve their interests to support the Society, for they are fully aware that physical labor "per se," is not the only requisite to the successful cultivation of soil, and believe that it can only be made efficacious by bringing to its aid the light of science. FARMER. *South Hartford, N. Y., Sept. 21, 1850.*

New Hampshire State Agricultural Society.

We had the pleasure of attending the first exhibition of this Society, which was held at Concord on the 2d and 3d days of October. Though the Society had been but recently organized, and the State had refused its aid, a liberal list of premiums was offered, and ample preparations were made for the Fair by its indefatigable officers, who had, we are happy to be able to say, the satisfaction of seeing all their anticipations, in relation to this first exhibition, fully realised, notwithstanding the very unfavorable state of the weather during the first day.

Most of the preparations, as well as the arrangement of the articles shown under cover, were completed on Tuesday the first. The domestic Manufactures, Factory Goods, and Fruits and Flowers, occupied the large and well finished hall over the Concord rail depot, a room admirably adapted to the purpose, and which was well filled with fabrics of factory and domestic manufacture, highly creditable to the artisans and housewives of the Granite State, the whole arranged in a tasteful and judicious manner, so as to show to the best advantage. The show of Fruits was more extensive and richer in variety than we had anticipated, and proved conclusively that with proper attention to the selection of varieties, and reasonable care in the cultivation, the citizens of this State may supply themselves with an abundance of all the choice fruits of the northern States. Col. WILDER of Dorchester, and S. WALKER, Esq., of Roxbury, President of the Mass. Hort. Society, added to the interest of the exhibition, by the contribution of over one hundred varieties of pears. Another gentleman of Massachusetts, Mr. LAKE of Topsfield, exhibited one hundred and thirty varieties of apples, pears, and peaches. Among the apples, were samples said to have been taken from a tree on the farm of Peregrine White, the first white child born in New England, and which tree was planted by him. They were sent by Miss Sybil White, a direct descendant, who now resides on the ancestral farm in Marshfield. The show of flowers was meagre, indicating that but little attention had been given to floriculture, or that untimely frosts had occurred. There were, however, a few very pretty bouquets and floral designs.

In a large warehouse near the depot, were placed the Butter and Cheese, Vegetables, Grains, &c. The exhibition of the products of the dairy, was small. The Cheese appeared well, and there were some samples of superior Butter, several of which were made by girls of from 14 to 18 years of age. There were also fine samples of Honey and Maple Sugar. Of Vegetables, there was a good show, and amongst them specimens of "Marrow Squashes" and "New York Red" potatoes from the farm of ex-Gov. HILL, who raises both these articles extensively, and finds them to pay handsomely. Better samples of Indian corn we have seldom seen any where, than were exhibited by Mr. NESMITH, Presi-

dent of the Society, Gov. HILL and JOSEPH ROBINSON of Concord, Mr. CATE of Northfield, and Mr. BURBANK of Boscawen.

There was but a moderate collection of farm implements and the products of the shop, which were arranged in the car-house, adjoining the depot—among them we noticed two beautiful and substantial ox-yokes which were made by an ex-Governor of the State, Hon. JOHN H. STEELE of Peterboro', and for which he received the second prize.

The exhibition of live stock, which occupied a favorable position in a field of ten or twelve acres in the rear of the depot, was, for the first, extensive and highly creditable, especially in sheep. Superior Saxones were exhibited by Messrs. David Buffum of Walpole, J. N. Sawyer of Salisbury, Hodgskins & Kingsbury of Walpole, and Messrs. Sibley and Barnard of Hopkinton. Merinoes by Messrs. Barker of Enfield, Melvin of Wear, Sawyer of Salisbury, Miller and Dewey of Hanover, Walker of Claremont, and others; and F. A. Wier of Walpole showed some good Cotswolds. Of Swine, there but few in the pens, and we noticed but one, a Suffolk boar, exhibited by Mr. James Wilson of Pembroke, worthy of special notice. Of Horses, there was a good display, but the rain prevented such an examination as would enable us to speak of them individually. Among the horned Cattle, the natives exceeded all others in numbers, and they showed we think, that far less pains have been taken by the farmers of New Hampshire to improve their cattle by introducing well bred foreign stock, than by the farmers of Massachusetts and Connecticut. There is evidently great room for improvement in this respect; and we were glad to see a fair show of Devons, some Durhams, and a few Ayrshires on the grounds, showing that at least some of the exhibitors were beginning to realise the necessity for improvement. Robert Elwell of Langdon, E. M. Dunbar of Warner, L. Brooks of Charlestown, David Buffum of Walpole, and S. G. Wadleigh of Meredith, were the principal exhibitors of Devons, and they had some good specimens of this favorite breed. Durhams were exhibited by Messrs. J. S. Walker and Isaac Hubbard of Claremont, C. E. Starkweather of Walpole, and some others; of Ayrshires we saw but one lot. There were some good cross bred animals. There was one team of 15 yoke of oxen, from Boscawen, among which, and the single yokes, were some fine animals. The show of poultry was quite extensive, embracing most of the fancy varieties—among them a pair of hens hatched from one egg, each minus a wing, so that they appeared when placed together, like a double hen.

A public procession was to have been formed at 2 o'clock on Wednesday afternoon, to march to the Capitol, where the address was to be delivered; but this procession was dispensed with on account of the rain. The wet, however, did not prevent the large Hall of the Capitol from being well filled; and as we looked upon this assemblage of the sturdy farmers of the Granite State, the reflection forced itself upon us that these were the men to carry forward, by their intelligence and energy, the good work which they had commenced under circumstances at first dubious but now in a high degree auspicious. On the platform with the President, were the Speaker, E. P. PRENTICE, Esq., President of the N. Y. State Ag. Society, Hon. LEVI WOODBURY, ex-Governors HILL and STEELE, Gov. DINSMOOR, and others. The meeting was called to order by Mr. NESMITH, the President of the Society, who, after prayer by Rev. Dr. BOUTON, gave an account

of the organization of the Society, which took place at a meeting of a few public spirited individuals the past winter. Application was made to the Legislature for aid, and a bill making a suitable appropriation passed the House of Assembly unanimously, but was lost by a tie vote in the Senate. He thought, and justly too, that the present fair, undertaken and carried into successful operation by the farmers themselves, would have a favorable effect upon the next Legislature. In conclusion the President said, that in looking for a model institution, from which to pattern theirs, they had fixed upon that of New York, and that they had selected and invited one of its members, the Hon. J. P. BEEKMAN of Kinderhook, to address them on this occasion.

After the applause which this announcement elicited, Dr. BEEKMAN commenced his address, in which he gave a history of the rise and progress of the N. Y. State Ag. Society, and the effect it has had on the prosperity of her citizens. He pointed out the small beginning of this now powerful institution,—paid a deserved tribute to the memory and labors of the lamented BUEL, and to the influence of the Agricultural press—stated the discouragements under which the Society labored for years, but which were finally overcome by the determined perseverance of the few who looked forward with confidence to the success which has now crowned their labors. He described the progress which had been made in Agricultural improvements during the existence of the Society, and thus encouraged his audience to press forward in the laudable efforts which they had now so auspiciously commenced, until the influence of their Society should be extended, as was that of New-York, over the whole state.

On motion of Ex-Governor STEELE, the thanks of the Society were voted to Dr. BEEKMAN for his Address, and a copy asked for publication.

In the evening, the hall was again crowded, to hear remarks from all who chose to address them. The meeting was opened by the President, who reminded the Society that there were present a great number of practical farmers, whom they wished to hear, and expressed the hope that the brief time that they could devote together to the interests of the great cause of agriculture, would be every moment improved.

The meeting was successively addressed by Gov. Steele, Judge Woodbury, Gov. Colby, Mr. Cooke of Keene, Mr. Briggs of Ohio, Gen. Pierce of Concord, Mr. Sawyer of Piermont, Dr. Martin of Dover, Col. Berry of Hebron, and several others. The remarks of several of these gentlemen, proved that as farmers they would compare well with the best farmers in the country, and that their lands, as they should do, were, by an intelligent practice, growing more productive each succeeding year. This is the true course. No man can be justly called a good farmer who permits his land to deteriorate. The meeting was altogether, a very interesting one, and we doubt whether there was one farmer present, who had not, before it broke up, formed the determination, so necessary to useful progress in any branch of industry, hereafter to improve the advantages within his reach, better than he had ever done before. We would gladly copy largely from a report of the speeches, furnished by a correspondent of the Boston Traveller, did our limits permit; but we must close with a few brief examples of what has been done, by way of encouragement to those who are disposed to see what they can accomplish.

Gov. STEELE said he had been but five years a farmer, and commenced upon land which had been reduced to the lowest degree. As he was altogether unlearned in the art, he resorted to agricultural books for practical knowledge. He attributed his success in bringing his land from almost barrenness, to a highly productive state, to deep plowing and liberal manuring. My practice, said Gov. S., has been to plow deep, and when time will admit of it, to subsoil, and always with good success.

Gov. COLBY said he was a farmer by profession, and was happy to meet with his brother farmers to receive and impart instruction. He had raised this year forty tons of hay from twenty acres, and thirty tons from twenty acres more. This is pretty good, but his land could do better, and he wanted to know how it could be made to do it at the least cost. He had raised wheat for six years upon plowed green-sward, and never failed of having a good crop and good wheat. He lived in a hilly region, where the wind blows, and no insects affected his wheat. The weevil can't live there, and this was an axiom with him, if you would succeed in wheat, raise it where the wind blows. His carrots this year yielded 800 bushels to the acre; and he considered them the best roots to raise for stock—better by far than potatoes.

Mr. SAWYER of Piermont, explained the mode by which he was enabled to raise his own wheat, which was to top dress his land in the fall with lime compost, and he never failed, his crops averaging from 15 to 25 bushels per acre. He thought that the great amount of money paid for flour brought into the state, should be retained at home, and all that they had to do, was just to turn about and raise it for themselves. "Out of the abundance of our land," said Mr. S., "we want and should have, for agricultural prosperity, more small farms. Let every young man have one. Farms of 200 or 300 acres may profitably be divided into 4 or 5 farms, and each acre could then be made to produce three times its present yield. This is the true policy for New England, and by it we shall excel in agriculture, as we now excel in industry and energy. Let us resolve that everything we touch shall bear the mark of improvement, and we can double our wealth, and sustain double the population upon our soil."

Col. BERRY of Hebron, related his experience with a "field that he bought some years ago. When purchased, it was entirely reduced, and the whole value of the crop upon it was not worth \$15. In the spring of the year, I drew out of the field one hundred and twenty loads of stumps. I then run the plow through it in every direction, driving it to the beam. I manured two acres, and planted it with corn and potatoes. My crop was decent. I plowed and manured again, and sowed to grass and oats, or wheat. I have this year gathered large and profitable crops, but like Gov. Colby, I want to know how I can make that field produce more."

As we left Concord on Thursday morning, we cannot speak of the transactions of the last day; but we learn that the attendance was large—estimated at from eight to ten thousand; and that the exhibition was closed up in a manner most gratifying, both to the public and to the officers of the Society, who,—especially Mr. NESMITH the President, Mr. WALKER, the Secretary, and Mr. BAKER the Treasurer,—deserve great credit for the success which has crowned this first exhibition of the New-Hampshire State Agricultural Society. May still greater success attend their future labors.

Westchester County Ag. Society.

The annual exhibition of this society took place at Tarrytown on the 9th, 10th, and 11th of October. The general display was less extensive than had been anticipated; owing, probably, to the location being on one side of the county, not conveniently reached from the other portions. The number of animals was small, and with a few exceptions they were only of ordinary quality. Of cattle, most of the breeding stock was of common or mixed blood, whose appearance did not indicate extraordinary value for any purpose. We noticed a very good fat ox, four years old, a cross of the short horn breed, owned by Motte Underhill, Westchester. There was, also, three yoke of good working oxen. There were a few good sheep—long wools and South Downs. Among the former we noticed specimens offered by Dyckman Odell and Saml. Acker, Greenburgh, and Daniel Jepson, Yorktown. Of swine, there was a very large and well shaped sow, resembling the large Lincolnshire breed, owned by Ira Miller, and a Berkshire boar, showing the peculiar points of that breed, owned by P. R. Paulding, Tarrytown.

There was a respectable show of fruits, consisting of apples of the popular kinds for late keeping, a few choice pears, and a very handsome show of grapes. The latter were chiefly from the extensive vineyard of the President of the Society, Dr. R. T. Underhill, at Croton Point. He informed us that he has twenty-five acres in grape vines—twenty of which are devoted to the Isabella variety, and five to the Catawba. The Isabella has ripened a good crop the present season, though in many instances there is complaint of a failure in this respect. The Catawba is always more uncertain than the Isabella, throughout our section of the country, but Dr. U. thought his would ripen quite well, if the mild weather continued till the 16th. These two kinds constitute his main crop, though he cultivates others on a small scale, by way of experiment, and to test their adaptedness to his purposes. His grapes are sold in New-York, at eight to ten cents per pound.

The American Institute held its trial of plows, plowing match, and spading match at Tarrytown, in connexion with the show of the Westchester county Society. The competition, both in the trial of plows and plowing match was quite small—only five plows owned by three men, having been entered for trial, and only three plows for the plowing match. In the trial of plows, the specifications for the size of furrow, were given as follows: 1st, sixteen inches wide, eight inches deep; 2d, twelve inches wide, six inches deep. In regard to the propriety of plowing sixteen inches wide, we may have a word to say another time. What were the rules in reference to the awards on the plowing match, except that the furrows were to be six inches deep we are not informed.

A sub-soil plow was exhibited, (not for premium,) by Mr. Samuel Allen, of New-York, who, though passed the age of three-score and ten, showed the operation of this valuable implement, under the guidance of his own hands.

There were four competitors in the spading match. The ground was divided into lots twenty feet long and ten feet wide, and one hour was allowed for the completion of the work. All the lots were finished within the time, and the quality of the work on two of them, was of the best character—the soil being thoroughly pulverized to the depth of from ten to twelve inches.

Addresses were delivered on the show-ground, before large and highly respectable audiences, on the

10th and 11th, by Dr. Gardner, and by Gen. Dix. Both addresses were able, and creditable to the distinguished speakers, but as they are expected to be published, we will not attempt a particular notice of them here.

From what we saw of Westchester county, in our excursion through a portion of it, we should conclude that the agriculture of several neighborhoods was considerably improving, and it is presumed that these examples will be a strong stimulus to further progress. The proximity to New-York, and the means of reaching a market where all productions find a ready sale at good prices, offer great inducements to high cultivation, and we cannot doubt that a judicious course of farming would be here followed with the most satisfactory returns.

Drainage of Soils.

Fancy a soil full of water, so that any rain which falls on it, just rolls over the surface into the next ditch, without getting into the land. The water in such a case, by excluding the air, will sour the land; it will convert what would have been good food for plants, into poison for them; but even supposing it did not do this, the plants would soon starve. For you must remember that a plant in the soil is just as a man would be who was chained, by the leg, to one place in the larder. The larder may be full of food, but as soon as the man had eaten all that was within his reach, he would starve, though in the midst of plenty; that is he would do so if there were not some contrivance in operation for carrying the different dishes by him as he stood, so that he might take a bit here and there as they passed, just as he chose. Now, in a well drained soil, the rain water is just such a contrivance as this. It dissolves out the mineral part of the soil, and carries it by the roots of plants, so that they may take a bit here and a bit there, as they choose, and thus they are fed; but if the land be not drained, the water soon fills it, and then no more rain will sink in, and the water is stagnant in the land—there is no current through it—the dishes in this larder are lying still on their shelves, and as soon as the poor plant has eaten up all the food around it, (even supposing it to be food and not poison,) it must starve, for it cannot go about after its food like an animal; it is like an animal chained by the leg; it is stationary, and must die if food is not brought to it. The use of draining is to keep the soil so that rain shall sink through it and feed plants. Abundance of water is a good thing. What is more fertile than a water meadow? But then it must not be stagnant water, which keeps the food of plants away from them, or converts it into poison. It must be water in motion continually carrying food to the roots of plants, as in a water meadow or that on a well drained field it does. *Ag. Gaz.*

Method of Skinning Calves.

As most dairymen are in the habit of killing their calves as soon as the milk is good, and as buyers of skins have frequent occasion to complain of cuts and hacks, I give the following method of skinning. First rip the skin as usual, and start it from the fore legs and neck, sufficient to fasten a small chain around the neck of the skin, and with another, chain the neck of the calf to something permanent, and with a small windlass attached to the side of the barn or something where you wish to do your work, draw off the skin by means of small levers or arms of your windlass. G. A. HANCHET.

Poultry Exhibition in Boston.

A Society was organized at Boston, last year, called "The New-England Society for the Improvement of Poultry." Its first exhibition was held in Boston, in Nov. last; and its next exhibition was ordered to be held at Boston on the 12th of this month. But it seems some gentlemen about Boston determined to get the start of the "Improvement Society." The latter part of Sept. anonymous notices were issued, for an exhibition of Poultry, to be held at Boston the first week in October. Many supposed that this call came from the original Society, but its officers disclaimed any connection with it. This extemporaneous exhibition, however, proved to be no trifling affair. Being in Boston at the time, we paid it a visit, and were surprised to find the very large hall (the largest we believe in Boston,) over the Fitchburg Railroad Depot, well filled with coops of poultry, embracing almost every variety to be found in New-England. Two-thirds of the birds consisted of the different sorts of Chinese fowls, known there as the Cochins, Shanghaes, Chittagongs, &c., &c. These fowls, now all the rage, are, most of them, a long-legged and long-necked race, with little, we should think, to commend them to public favor, save their great height. Beside these, there were White Dorkings, Black Spanish, Black, Golden and Silver Polands, Bolton Greys or Creoles, Wild India, Game and Yankee Game, and Bantams of all sorts, except the very best, together with a host with names not to be found even in the most modern Poultry Books. For our own use, we should have selected from the whole lot, the White Dorkings and Black Spanish, with perhaps some of the varieties of crested fowls. There were but few Turkeys and Geese on exhibition—a tolerable show of Ducks and Pigeons, some few cage-birds, a pair of Golden Pheasants, and one English Pheasant. Presuming some of our readers will be glad to know where the different varieties of Poultry can be had, we annex a list of the Premiums awarded:

- First premium, for six best fowls, George P. Burnham, of Melrose, Mass., \$10.
- Second premium, for six second best, C. B. Marsh, West Roxbury, \$6.
- For 3 best Cochins, G. P. Burnham, Melrose, \$5.
- For 12 best Chickens, this year's growth, G. P. Burnham, Melrose, \$5.
- For 3 best Shanghaes, Gilman Brackett, Newton, \$6.
- For 3 best Dorkings, Eben Wight, Dedham, \$5.
- For 3 best Game Fowls, O. M. Stacey, Lynn, \$5.
- For 3 best Black Spanish, Francis Blake, Newton, \$3.
- For 3 best Black Bantams, John Fussel, Roxbury, \$4.
- For 3 best Chittagongs, G. W. George, Haverhill, \$4.
- For 12 second best Chickens, Marsh stock, H. H. Williams, Roxbury, \$4.
- For best pair Turkeys, Theodore Drew, Plymouth, \$4.
- For 3 best Golden Polands, spangled Hamburgs, A. H. Hale, Rockport, \$4.
- For 3 best Black Polands, T. G. Morrell, of Georgetown, \$4.
- For 3 best Bolton Greys, George Dorr, Dorchester, \$3.
- For best lot of Geese, Dr. W. G. T. Morton, Needham, \$4.
- For best lot of Ducks, Sidney Packard, Bridgewater, \$3.
- For Fancy Pigeons, G. P. Richardson, Brookline, \$3.
- For 2d best Fancy Pigeons, G. W. Boynton, Georgetown, \$2.
- For best Cage of Canaries, Mrs. J. Merrill, Lowell, \$4.
- For 2d best do., F. A. Bartlett, Boston, \$2.
- For best general lot of Fowls, Pearce & Osborne, Danvers, \$4.
- For specimens of Marsh stock, Capt. F. Alden, Dedham, \$4.
- For specimens of Javas and White Shanghaes, Parker & White, Boston, \$3.
- For best do. Perley stock, G. W. George, Haverhill, \$4.
- For 2d best lot of Chickens, Cyrus Smith, Brookline, \$3.
- For specimens of Shanghaes, Forbes stock, H. B. Coffin, Newton, \$3.
- For specimens of Wild India and Yankee Game, Dr. Bennett, Plymouth, \$5.
- For specimens of Forbes Shanghaes, S. & G. Hyde, Newton, \$3.
- For specimens of Fowls and Ducks, E. C. Thayer, of Braintree, \$3.
- For the 2d best specimens of Black Spanish, Pearce & Osborne, Danvers, \$2.

☞ The regular exhibition of the New-England

Society will be held in Boston on the 12th and 13th of this month.

Deferred Notices.

The following notices of articles exhibited at the State Fair were omitted last month for want of room.

IRON CARRIAGES.—Messrs. ALLEN & MOODY, of Troy, exhibited a beautiful buggy, made wholly of wrought iron. The frame, spokes and rims of the wheels, thills, &c., were of wrought iron rods, of sizes corresponding to their uses. In some instances, as we were told, hollow pipes, such as are used for gas-pipes, were used. The carriage presented a very neat and at the same time firm and substantial appearance. Its price was \$110. Messrs. A. and M. make several descriptions of carriages on this plan.

VEGETABLE CUTTER.—The vegetable cutter offered by E. and N. HALLOCK, Milton, Ulster county, was one of the best and most simple contrivances of this kind that we have seen. It works easily and with great despatch—one man being able to cut with it a bushel of turneps in half a minute. The slices are about three quarters of an inch thick and an inch wide, so that no animal can choke with them, and they can be easily eaten by sheep or other stock.

OSCILLATING ROLLER AXLE.—This is an invention of S. H. MIX, Esq., editor of the Schoharie *Patriot*. To the ends of the axle are attached, by means of a frame, small wheels or rollers, which play within a circle, in the centre of the carriage wheel, and receive the bearing of the load. By these rollers, it is designed to avoid the friction which is produced by the axle playing in the common hub. The principle is similar to that in anti-friction rollers used for large grind stones, &c. A farm wagon, with this kind of axles, was exhibited, and a very favorable opinion was expressed by farmers and others, in regard to its advantages for conveying heavy loads.

GRAIN DRILLS.—Several excellent machines of this kind were exhibited. We noticed those made by P. SEYMOUR, East Bloomfield, Ontario county, J. GANSON & Co., Brockport, Monroe county, N. Y., and WM. CROASDALE, Philadelphia, Pa. They are all well recommended, and their relative merits could not, probably, be precisely ascertained, without actual trial.

CAST IRON MANTELS.—These were invented by HIRAM TUCKER, of Boston. Several specimens of the articles were exhibited by FRANCIS HARVEY, Albany. They are of beautiful design and finish, and in elegance of appearance, cannot be surpassed by the finest marble, which they are made to resemble. Their durability, cheapness, and beauty, will cause them to be substituted to a great extent for the more costly marble.

BINGHAM'S EXTENSION LADDERS.—These were exhibited by S. Bingham, of Troy. The ladders are carried on a pair of wheels, and by means of very simple machinery, moved by a crank, may be quickly and easily raised to the required height.

ELASTIC BOTTOM BEDSTEDS—Hinkley's Patent.—These were exhibited by A. ADAMS, Troy. The bottom consists of wooden slats, made in the usual form, fastened in their places by wires which are twisted around their ends. The wires are attached to the four corners of the bedstead, thus forming an elastic bottom.

A hand used in measuring the height of horses, is four inches.

Fair of the American Institute.

The exhibition of this association for the present year, is thought to have been superior, in several respects, to any previous one. There was a larger collection of machinery and articles of a strictly useful character, than is usually seen here. Among the articles of this kind, we noticed very powerful iron shears, on the principle of Dix's Anti-friction Press, which we understood were designed for exhibition at the World's Fair at London, next year. A steam engine of new and simple construction, was offered by M. P. Coons, of Lansingburgh. King's Railway Washing Machine, also offered by Mr. Coons, appears to be an improvement. Grimes' Improved Cooking Closet, by which baking, boiling, roasting, washing, and ironing may be carried on at the same time, appears to be an economical apparatus.

Good assortments of agricultural implements were exhibited by A. B. Allen & Co., and John Mayher & Co., New-York.

The show of animals was held at the Madison Cottage on the 16th and 17th of October. The display of the different kinds of stock, though not large, was decidedly better in quality, in most of the classes, than we have before witnessed here. Horses were quite numerous, though most of them were too long-legged and too loose made to suit our notion of what horses should be for service and endurance. A compact and heavy Norman horse, bred by Mr. Harris of New-Jersey, was shown by C. F. Howell, Astoria, L. I.

The cattle comprised specimens of Short-horns, Devons, Ayrshires, Alderneys, one Hereford, two Hungarians, and a large number under the denomination of "grades," consisting of mixtures of the various imported and common stocks. There were but few full blood short-horns. A good bull, "Earl Seaham," was shown by Sherwood & Stevens, and a good cow and several young animals by Mr. Vail, of Troy. Seven imported Devons, of various ages, were shown by Ambrose Stevens. They were from the celebrated herds of Messrs. Quartly & Mereer, Devonshire, England, and are most beautiful stock—combining size, substance and symmetry in a remarkable degree. W. P. & C. S. Wainwright, of Rhinebeck, exhibited four fine Devons. They were from the herds of Messrs. Baker and Geo. Turner, of Devonshire. The bull, four years old, is a superior animal. A good bull and cow were shown by J. N. Blakeslee, of Connecticut.

R. L. Colt, Esq., Paterson, N. J., exhibited Ayrshires, Alderneys, and Hungarians. Among the "grades," were several excellent milking cows. We noticed as particularly good those offered by Thomas Bell, (the same which were at our State Fair,) and those offered by James Bathgate, a cross of the Ayrshire and Durham, and those of R. R. Morris, a cross of the Holstein and Durham.

There were several good fat cattle. The beautiful red ox, four years old, purchased by Mr. Bell of Mr. Wadsworth at the State Fair, is as fine as ever. Mr. B. has had the misfortune to lose his mate, having been over-heated on his way to Mr. B.'s farm. A pair of very heavy oxen, of good quality, was shown by John J. Coapman, Poughkeepsie. We saw but one yoke of working oxen, and they were not remarkable for any good qualities that we could discover.

In respect to sheep, the show was very good. They were mostly long-wools and South-Downs, with a few Saxons and Merinos. The long-wools offered by Edward Hallock, Milton, Messrs. Bath-

gate & Bell, of Morrisania, were of good size and form, and strong constitution. There were several lots of excellent South-Downs, particularly those imported by Ambrose Stevens, and those offered by Edward Waite, Montgomery, Orange county, and D. B. Haight, Washington, Dutchess county. D. W. Catlin, of New-York, exhibited several Saxon rams and ewes, of the stock imported by him in connexion with C. B. Smith, of Connecticut. Good Saxons were also shown by Walter Wakeman, North-East, Dutchess county. J. N. Blakeslee & Son, and Mr. Thrall, of Connecticut, showed excellent specimens of Merinos.

Of swine, some fine Suffolk pigs were shown by Edward Hallock; and a first rate imported boar, thirteen months old, of Fisher Hobbs' Black Essex variety, was shown by Samuel Brewer, New-York. Several lots of white hogs, of a very large kind, called Lincolnshires, were exhibited.

There was quite a display of poultry, comprising several varieties of geese, white and dark colored turkeys, several kinds of ducks, and a large assortment of fowls of the *gallus* family, among which the Malay tribe, under the names of Cochin-China, Shanghae, and half a dozen other names, were prominent. The principal exhibitors in this department were R. L. Colt, Paterson, Wm. Moore, New-York.

Franklin Institute.

This old established Institute are now holding their 20th annual exhibition of American Manufactures, in the buildings called the "Chinese Museum," admirably adapted to the purposes of the exhibition. On the main floor as you enter, you find the machinery in operation—a display alike creditable to American artists and to the Institution. Several water rams are in constant operation, exhibiting their almost self-acting powers. Beautiful steam engines, some of miniature dimensions, are in operation—and the variety of articles in this room, is deserving of the special attention which they are receiving from a crowd of visitors. Two of Woodworth's planing machines are in this room. Many ingenious articles are on exhibition which, did not time prevent, would meet a special notice.

Adjoining this room, the stoves, grates, cooking apparatuses, &c., are exhibited in operation. Bread smoking hot, and cakes in like order, are being exhibited fresh from the ovens, and every desirable facility is here given to visitors to test the value of the different articles for actual use. The arrangements in this room exceed any thing I have elsewhere seen. Agricultural implements of various kinds are contained in the room first named. The No. of articles on exhibition in these rooms is 937.

From the stove room you ascend to the grand exhibition rooms above, being the main rooms of the exhibition. This immense room with its gallery is arranged in the most admirable manner, so that visitors have an opportunity of examining every article without the inconvenience so often experienced. By having the exhibition arranged in several apartments, the crowd of visitors is broken up, and no inconvenience from the throng is experienced. The show of cotton goods is most admirable. I noticed the articles from several N. Y. establishments, among others the New York mills Oneida county, who exhibited very choice *shirting*s, *cottonades*, *check* *gingham*, and *chambrays*, and from Benj. Marshall, Troy.

Of *woolen goods* the show is superb—some fine cashmeres from Seneca Falls, fine black cloth, Utica

steam mills. Some splendid long shawls, from James Roy & Co., Watervliet. The show in this department does great credit to American manufactures, as does that in carpet and oil cloths. The show of silks is also very rich. I have not time to notice the various miscellaneous branches of the show which are very extensive and do great credit to American industry and talent. The whole number of articles actually entered before the exhibition opened is 4,305. No articles are allowed on entry after the exhibition opens.

This exhibition is one of American Industry really. It is not made up of fancy articles to entrap visitors—but it is what it professes to be—and does great credit to the Institute, and from the encouragement it receives shows that the Institute may be sustained in the course they have taken to promote American manufactures and the mechanic arts, by an exhibition really useful, and without resort to mere articles of show, attractive only to the story tellers and lovers of sight seeing. *J. Philadelphia, Oct. 19.*

Harvesting Machines.

EDS. CULTIVATOR—As a subscriber to your journal, I have to trouble your friends, of the *Prairie Farmer*, or some other individual, for some particulars respecting reaping machines. Three thousand five hundred machines, equal to the labor of seventeen thousand five hundred men! (Vide note in *The Cultivator* from the *P. F.*) How do you manage this? We are anxious to do things as cheap as possible. I pay nine to twelve shillings [about \$2.75 to \$3.00] an acre for reaping, binding and shocking my wheat—cut close to the ground either with the sickle or bagging-hook—a woman following each man to tie the wheat. Sometimes we use the scythe, but I do not like this plan, as a great deal of grain is scattered in the field, unless the men are very particular. In my case, where I have to harvest about two hundred acres, it cannot be well done by this mode.

How is the work performed with the reaping machines? Are horses used, and what will be the expense for an acre of wheat? What will be the outlay for the machine, and what time will it take to cut an acre? Is much straw left behind? Do women tie the corn, and has the land to be raked afterwards, or gone over with the sickle or bagging-hook? Is the wheat or other grain required to be free from weeds—as May-weed, thistles, docks, &c. This year, we were a good deal troubled with these pests—the season having been rather wet to harvest time. *WM. DENNISON. Manor Farms, Blackheath, London, Sept. 15, 1850.*

We shall feel greatly obliged if our friends of the *Prairie Farmer* or some of our Western correspondents will furnish us with the information asked for in the above communication. *EDS. CULT.*

Long Island Lands.

We would call the attention of our readers to the advertisement of Dr. PECK in this No. of the *Cultivator*, who offers a large tract of valuable land for sale, in the central portion of Long Island. These lands are now attracting the attention of persons desirous of settling in the vicinity of this city. And as the question, as to the productive quality is now entirely settled, there is no longer any doubt that these lands are as good as any new land on the Island. Dr. Peck deserves great credit for the

manner in which he has brought this great portion of the Island to the favorable notice of the public, and as being the first to cultivate them to advantage, in the face of long existing opinions and prejudice, that these lands could not be cultivated, and were worthless for all uses of the garden or farm. Dr. P. introduced a new mode of clearing these lands, or new on the Island, by which the cost of clearing per acre has been greatly reduced from the old mode of *grubbing* out the roots by hand. This was, or is, simply by the use of a strong plow and harrow,—with these instruments Dr. Peck clears the ground without any difficulty whatever, and the success in cultivation is complete, as may be seen at Lake Road. The garden and grounds there will bear a favorable comparison with any garden or fields on the Island. *N. Y. Far. and Mec.*

Hose Coupling.

EDS. CULTIVATOR—Having seen noticed an apparatus for coupling hose, in the September number of the *Cultivator*, and patented Mr. A. H. Brown of Albany, N. Y., I should like to state through the columns of your paper, that I invented, made and used, the coupling noticed, in the year 1841. *D. L. SYKES. East Suffield, Ct., Sept. 25, 1850.*

Answers to Correspondents.

TEMPERATURE FOR CHURNING.—Y., Honesdale, Pa. Experiments have shown that for churning cream, the temperature should be from 50 to 55 degrees. If the milk is churned, or the milk and cream together, the temperature at commencing, should be 60 to 65 degrees. The thermometer churn sold by Emery & Co., of this city, is made double, leaving a space of an inch or more between the parts, for the admission of cold or hot water, as may be required to bring the cream to the proper temperature.

PROPAGATING FOREST TREES.—D. B. K., Washington Valley, N. J. Brief directions in regard to the propagation of those kinds of forest trees in most common use as ornamental trees, can be found in catalogues of nurseries, &c. It is best to plant the seeds of most kinds as soon as they are ripe, and before they shrink. If they are to be kept long, they should be packed in moss, and kept damp.

SLANTING IN DRILLS.—J. B., Annapolis, Md. Machines for sowing wheat in drills can be had at from \$55 to \$75. The seed is deposited in rows, nine to ten inches apart. The seed is dropped in a continuous line, using about two bushels per acre. Seymour's drill was described (with a cut) in our August number. Emery's drill is the kind chiefly used in this section for planting corn. It will drop the seed at any distance required, from four inches to six feet. The rows are from three to four feet apart, according to the size of the variety of corn. The price of the drill, fitted for working with a horse, is \$14.

SYPHON.—J. B., Willet, N. Y. We see no difficulty in raising water twenty feet in the manner you speak of, and we presume it will continue to run so long as the supply will fully fill the pipe, provided the pipe is perfectly air-tight.

ICE-HOUSE ABOVE GROUND.—M. C., Sperryville, Va. You will find a cut and description of an ice-house of this kind, in our volume for 1847, p. 345.

GILMORE'S APIARY.—S. N. S., Hamden, Ct. You will best obtain the information you want in regard to this article, by addressing Mr. G. by letter, at Wayne, Me. He has a patent.

Notes for the Month.

COMMUNICATIONS have come to hand, since our last, from A. K., D. M., A Farmer, D. L. Sykes, W. L. Eaton, One who intends to be a Farmer, Titrius, B. H. Nott, Prof. J. P. Norton, J. R. Howard, O. S. Murray, M. Cooper, A Subscriber, S. N. S., J., L. Durand, W. A. Ela.

BOOKS, PAMPHLETS, &c., have been received, since our last, as follows:

Lectures on the General Relations which Science bears to Practical Agriculture, delivered before the New-York State Agricultural Society, by James F. W. Johnston, F.R.S.S. L. & E., from C. M. Saxton, 123 Fulton street, New-York.

The New-Brunswick Almanac, and Register, for the year of our Lord 1850, from Dr. ROBB, Frederickton.

Journal of the New-Brunswick Society, for the encouragement of Agriculture, Home Manufactures and Commerce, from Dr. ROBB, Frederickton.

Transactions of the New-Haven County Ag. Society, for 1849, with an Address by Prof. John P. Norton, from L. DURAND, Esq.

The Farmer's Guide to Scientific and Practical Agriculture, Nos. 8, 9, and 10, from Leonard Scott & Co., 79 Fulton street and 54 Gold street.

Thorborn's Descriptive Annual Catalogue of Bulbous Flowering Roots, with directions for their Culture and Management, from J. M. Thorburn & Co., 15 John street, New-York.

Minority Report on the Reduction of Letter, Periodical, and Pamphlet Postage, from Hon. CHARLES DURKEE, M. C.

Catalogue of Fruit and Ornamental Trees, Evergreens, Flowering Shrubs and Plants, Roses, &c., cultivated and for sale at the Hopewell Nurseries, near Fredericksburg, Virginia, by Henry R. Roby, from the Proprietor.

WIRE FENCES.—We invite attention to the article on this subject by Judge NOTT. We have visited his place, and seen the various kinds of fence described by him. His experiments have been very thorough, and have done much towards showing what *will not*, as well as *what will* answer the purpose. His fence made on the plan of a suspension bridge, anchored, or fastened as described, is much the most complete and effectual of any wire-fence we have seen. This mode has also the advantage that it may be made across rocks, or bogs, or even sheets of water, without inconvenience, being secured in its position by the weights at the bottom.

SEEDLING PEAR.—We have received from Mr. S. WORDEN, of Minetto, Oswego county, N. Y., specimens of a pear called *King's seedling*. Mr. W. states that it was raised by Lorenzo King, of New-Haven, Oswego county, the original tree being now about twenty years old. It is described as a strong, upright grower, yielding large crops every year, and has never been in the least effected by blight. Mr. W.'s description of the fruit, which is as follows, appears to be quite correct: "Size, medium to large—has been known to weigh 14 ounces; color, greenish yellow, when ripened on the tree; flesh, melting, quite juicy, and very sweet, a little gritty at the core; skin, thick; season, the whole of October."

SEED CORN AND SEEDLING APPLES.—We have received from Mr. D. A. Buckley, Stone-Hill Farm, Williamstown, Mass., a handsome sample of Dutton corn raised by him; also two varieties of seedling apples, one sweet, the other, moderately sour. The former does not appear to possess any very valuable properties; the latter is a fair-sized, and pleasant apple, but not equal to some others ripening at the same season.

WILD POTATOES.—At the late exhibition of the Westchester county Agricultural Society, Mr. JAMES P. SWAIN, of Eastchester, exhibited several kinds of potatoes, the original stock of which was procured from a forest in Peru, in 1847. The tubers were at first about the size of peas. They have

been planted by Mr. S. three years, and with a manifest improvement in size, each year—several of those now exhibited being of ample size for culinary use. We were presented with specimens of three kinds—white, pink and blue, and shall have them carefully cultivated next season. We understood from Mr. HOLMES, of Tarrytown, that the quality of some of them had been proved, and that they were equal to the best kinds known. They have thus far been entirely healthy, though planted in the same fields with others which have rotted. They are well worthy a fair trial.

SPLENDID HARNESSES.—At the late State Fair, Mr. L. J. LLOYD, of this city, exhibited a gold-mounted harness, manufactured by him, which attracted much attention. All the materials used in its construction—the gold, silver, iron, &c., as well as the leather—were *American*. At the late Fair at Vergennes, Vt., a beautiful harness was exhibited, which, (with the exception of the mountings,) was not inferior in materials and workmanship, to any we have ever seen. It was labelled as follows: "From LAMBERT MAYNARD, Esq., Boston; a present for the Morgan horse Black-Hawk." We presume it will be preserved as a holliday attire for the noble steed.

APPLES FROM VERMONT.—Mr. H. C. Hunt, of New-Haven, Vt., has left with us specimens of Jewett's Best, Burroughs' Greening, Danvers Winter-Sweet, Tynmouth Sweet, and several kinds in regard to the proper names of which we are not quite certain. We will speak of the qualities of some of these kinds, with which we are not now acquainted, when they come into a fit state for eating.

OHIO STATE FAIR.—This exhibition took place at Cincinnati, under the supervision of the State Board of Agriculture, on the 3d, 4th, and 5th of October. A very large number of people attended, and the general result, considering that it was the first attempt of the kind in the State, was highly flattering to the friends of agricultural improvement. We have, as yet seen no official account of the exhibition. A correspondent of the *National Era*, states that—"The whole receipts amounted to \$7,285. The amount of premiums paid was \$3,000. The total expenses were something less than \$10,000, leaving about \$3,000 to be supplied by State appropriations and private contributions."

PREMIUM ON BREAD.—At the late exhibition of the Middlesex county (Mass.) Agricultural Society, a premium was given for the best bread. There were thirty-three competitors. After two hours spent in the examination of the different specimens, the premiums (two) were awarded to bread made by Irish girls.

CURE FOR KIDNEY-WORM IN SWINE.—A writer in the *Ohio Cultivator* states, that he cures this disease by giving the animal afflicted with it, one ounce of copperas daily, for six or eight days. He makes a slop of about two quarts of corn meal and dish-water; dissolves the copperas in a cup of warm water, then mixes the whole together, and gives it to the hog. If he does not eat it at first, he shuts him in a pen and gives him nothing else for several days, or until he eats it. He states that this treatment has cured the disease even when at several months standing.

HAY-CAPS.—E. EMERSON, in replying to the remark made by the editor of the *Mass. Plowman*, that "no practical farmer will be very ready to procure hay-caps,"—says "I am a practical farmer—have used hay-caps for years; they have saved

me ten times their cost. In practice I find that a cock of hay may stand out through a storm of a week under a good cap, and receive no other injury only what it receives from the wet ground. From practice I find that the winds have not blown hard enough for the last four years, when I had hay-capped, to blow over a cock with a cap on it. From practice, I find that the caps may remain on after a rain, just as long as you wish to have them, and not injure the hay. You may just as well say that a man must remove his umbrella after a shower as his caps. I have never had a cock of hay as much wet, through a cap, as it would be by a heavy dew without a cap."

SCHOOL OF APPLIED CHEMISTRY.—We would invite particular attention to the advertisement of this School, which is under the charge of Prof. NORTON, Yale College. It will be seen that the fourth course of lectures on Scientific Agriculture, will commence in January next, and we trust that many of our young men will embrace the opportunity here offered, of acquiring a knowledge of those sciences and principles on which the art of husbandry rests. Prof. NORTON is a sound, practical, and thorough teacher, and one who has been eminently successful in that vocation, as well as in the results of scientific investigation. The number of students attending his lectures, increases with each successive course, and several of those of former classes have obtained desirable situations as instructors in various institutions.

SALE OF LIVE-STOCK.—The public sale of live-stock belonging to the estate of the late WILLIAM STICKNEY, took place at Westminster, Vt., on the 9th of October. The number of people in attendance was estimated at one thousand, and the animals brought satisfactory prices. One Devon heifer, two years old, brought \$150, another \$160, and several cows upwards of \$100 each. The Devon bull imported by Mr. STICKNEY, brought \$270. The Suffolk, Middlesex, and Essex pigs sold well. One Suffolk sow and pigs brought over \$100, and one sow alone \$80.

AGRICULTURAL EXHIBITIONS.—These annual jubilees of our rural population, have generally been of an unusually interesting character, the present season, and have been attended by large crowds. We have received accounts of many exhibitions, for which we return our thanks, but are obliged, for want of space, to forego detailed notices.

HEAVY STEERS.—Col. E. LONG, of Cambridge, N. Y., informs us that he has a pair of steers, two years old last April, which weighed alive on the 12th of October, 3,420 lbs. They were intended for exhibition at the State Fair, but by an accident were prevented from arriving in time.

NEW BOOKS.—C. M. SAXTON, 123 Fulton-street, New-York, has just issued a handsome edition of Prof. JOHNSTON'S Lectures before the N. Y. State Ag. Society, delivered at the Capitol last winter. Mr. S. has also in press a new edition of Prof. J.'s Agricultural Chemistry.

LONG AND ROTTEN MANURES.—Were we not guided by experience, perhaps we should be led to imagine there would not only be a saving of the ammoniacal salts, phosphates, &c., by applying manure fresh to the soil, but that all soils would be equally benefitted by being thus treated. Not so. The chemical action of the manure will be equally efficacious on light and heavy soils, but this is more than counteracted by the injurious mechanical action. Whilst unfermented dung will prove most beneficial

to our clays, half rotten dung will be most efficacious to soils of a medium texture, and rotten dung to our light ones. Decomposed farm-yard manure is no better adapted for every soil than one man is adapted for every profession. *Ag. Gaz.*

Merino Sheep for Sale.

500 MERINO LAMBS for sale, in lots of 50 or more, at \$1,50 per head. 800 good sheep to slaughter.

The undersigned will also sell 200 pure bred Merino Ewes, of good age, at from 8 to 10 dollars per head. Cash down, or good credit, one year. S. W. JEWETT.
Middlebury, Vt., Oct. 18, 1850.—1*

Cow Milkers.

A GENUINE ARTICLE—small, compact, and cheap—may be sent by mail or carried in a Pocket Wallet. Price \$2,50.
For sale, by EMERY & CO.
Nov. 1—1t 369 and 371 Broadway, Albany, N. Y.

A New Book for the Practical Farmer.

LECTURES on the GENERAL RELATIONS which SCIENCE bears to PRACTICAL AGRICULTURE, delivered before the New York State Agricultural Society, by JAMES F. W. JOHNSTON, F. R. S. L. and E., Prof. of Agricultural Chemistry in Durham University, Eng., author of Lectures on "Agricultural Chemistry," etc. etc., with notes and additions by an American Farmer. Illustrated by a Portrait of the author—price 75cts in cloth binding, 50cts in paper (mail edition.) C. M. SAXTON,
Agricultural Book Publisher, 120 Fulton st., New-York.

C. M. Saxton has in press a new edition of Prof. Johnston's Lectures on the application of Chemistry and Geology to Agriculture—Price \$1,25 cloth, mail edition \$1.

Also Hoare on the cultivation of the Grape vine with full directions for its management—Price 50cts cloth, mail edition 37¢.
Nov. 1—1t.

Sale of Merino Sheep.

I WILL sell at my Farm, on Wednesday, the 20th day of November, at 1 o'clock, P. M., 40 Merino Rams, and 100 Merino Ewes. These Sheep I have bred from Sheep I purchased of J. N. Blakesly, Esq., of Watertown, Conn. A history of his sheep can be found in the Cultivator for 1844, at page 233.

At my last shearing I took off 180 fleeces, 100 of them from breeding Ewes, 60 from shearlings, and the balance from Rams and Wethers. They averaged 4 3/4 lbs.

For the quality of the Wool, I give the copy of a letter from H. G. Ellsworth, Esq. Agent of Woolen Manufacturing Co. in this city, to the Editor of the Cultivator.

OFFICE OF THE AUBURN WOOLEN COMPANY,
Auburn, N. Y., Oct. 8, 1850.

EDITOR CULTIVATOR, DEAR SIR:—Learning that Col. J. M. Sherwood, of this city, has proposed to sell a portion of his Merino Sheep, I take pleasure in recommending them to the attention of such persons as may wish to improve their stock of this kind. I have manufactured, in the Mills of this Company, the wool taken from this flock, during the last three years, and find it grades higher and more even, spins better, and is, on the whole, superior to any lot of Merino wool I have met with. H. G. ELLSWORTH, Agent.

The Rams will be put up at ten dollars each. The Ewes will be sold in lots of five, and will be put up at five dollars for each Ewe. If these prices are not offered, they will remain mine.

Terms cash at the sale. J. M. SHERWOOD.
Auburn, N. Y., October 10th, 1850—1t.



Isabella Grape Vines,

OF proper age for forming vineyards, propagated from and containing all the good qualities which the most improved cultivation for over twelve years has conferred on the Vineyards at Croton Point, are offered to the public. Those who may purchase will receive such instructions as will enable them to cultivate the grape with entire success, (provided their locality is not too far north.) All communications, post paid, addressed to R. T. UNDERHILL, M. D. Grape Depot, 379 Broadway corner of White st., New York, will receive prompt attention.

He feels quite confident that he has so far meliorated the character and habits of the grape vines in his vineyards and nurseries by improved cultivation, pruning, &c., that they will generally ripen well, and produce good fruit when planted in most of the Northern and all the Western, Middle and Southern States.

Nov. 1, 1850—2t.

\$500 TO \$2000 A YEAR.

FIVE HUNDRED AGENTS WANTED

In all the States of the Union,

Including California

TO CANVASS FOR THE FOLLOWING important and valuable works, which are sold by subscription.

We have now about two hundred Agents in the field, many of them clearing from *two to eight dollars per day*. It will be seen that they are all of a very popular and desirable kind, and calculated to please almost every taste. For further particulars apply (post paid) to the publishers,

DERBY & MILLER,
Auburn, N. Y.

"HOW A FARMER MAY BECOME RICH."**Blake's Farmer's Every Day Book,**

Or how a Farmer can become rich—being sketches of Life in the Country; with the Popular Elements of practical and Theoretical Agriculture, and twelve hundred Laconic and Apothegms relating to Morals, Regime and general Literature; also 500 receipts, on health, Cookery and domestic economy; with ten fine illustrations, representing the various scenes attendant upon Farming, etc., By John L. Blake, D. D., author of "Biographical Dictionary," "Family Encyclopedia," &c.

The publishers respectfully announce that they have undertaken the publication of this large and beautiful work, with a view to supply a desideratum that has long been felt—a book for every Farmer's Library—believing that the venerable author has produced a work that will be worth its weight in gold to every Farmer's family, that thoroughly peruse it. It is proper to state that Dr. Blake is a *practical farmer*, and has reclaimed a sterile and worn out piece of land into a valuable and productive farm—which experience, with his well known qualifications as an author, peculiarly fit him to prepare a book for farmers.

The work contains 654 pages, large octavo, with a motto surrounding each page. It is printed on fine paper, and bound in substantial imitation Turkey Morocco, gilt back. Invariable retail price, \$3.00.

Frost's Pictorial History of California.

The History of the State of California, from the earliest period of her conquest by the Spaniards, to her acquisition by the United States; with an account of the discovery of the immense Gold Mines, and the quantity of Gold already obtained; the enormous increase of population; a description of the Mineral and Agricultural resources of the country; with adventures and travels among the mines. Also, advice to Emigrants, as to the most desirable routes thither. To which is added the Constitution of the State of California, with numerous illustrations, and a Map of California, and the gold mines, in one octavo volume, 500 pages; bound in same style as Mexican War. Retail price, \$2.50.

"I am prepared—I have endeavored to do my duty."

The Life of Zachary Taylor,

Late President of the United States, including the closing scenes of his life and death, by H. Montgomery—embellished with a steel portrait and 15 illustrations, in one elegant octavo vol., 463 pages, well printed on fine paper, and bound in substantial morocco, gilt back.

"The lightnings may flash, the thunders may rattle,
He hears not, he heeds not, he's free from all pain,
He sleeps his last sleep, he has fought his last battle,
No sound can awake him to glory again."

More than 20,000 copies of the above work have been sold by us, and the demand is unabated. It is allowed by critics, to be the most complete and authentic copy of any of the works purporting to be a Life of the Great Man of the Age. Retail price \$2.00.

Drain Tile Works,

63 Jay Street, North of Salamander Works, Albany.

THE subscriber is now manufacturing and prepared to fill orders for Horse Shoe, Sole, Round and Collar Drain Tile, of various sizes, from one to four inches in width and rise. The tile is cut sixteen inches in length, and will be of a superior quality. The price will vary according to the size and shape, from \$10 to \$16 per thousand. Specimens of the article with the prices will soon be distributed to all the agricultural stores in the State. Presidents of county societies adjoining the river and canals, will please send their address with directions to whom a box containing the different sizes of Tile will be forwarded free of charge.

July 1, 1850—tf.

A. S. BABCOCK.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

May 1, 1850—tf.

JOHN MAYHER & CO.,

Agricultural and Horticultural Implements, and*Field and Garden Seeds.*

UPWARDS of one hundred different kinds of Plows, and a corresponding variety of all other Implements for the Farmer, Planter and Gardener; embracing the largest and most complete assortment to be found in the United States. Also, Field and Garden Seeds, a large and varied assortment. A. B. ALLEN & CO.,
August 1, 1850.—tf. 189 & 191 Water St., New-York.

White Dorkings.

THE subscriber has on hand a few choice White Dorking fowls which he will sell at fair prices—bred by himself. As far as his knowledge goes, this variety of the Dorkings is more sought after, both in England and in this country, on account of their color. Price, \$5 per pair.
L. DURAND.

Derby, Ct., Oct. 1, 1850—2t.*

Fruit and Ornamental Trees.

THE subscribers would beg leave to give notice to dealers and others purchasing Pear trees, that their stock is remarkably well grown this season, and will be very strong and fine for the fall sales, and is as extensive a collection of saleable trees as can be found at any other nursery in the county. The collection grown on quince stock is also very fine.

The stock of Apple trees will also be very large this fall, in lots to suit purchasers.

PLUMS—A general assortment of most of the leading kinds. CHERRIES, APRICOTS, PEACHES, GRAPE VINES, GOOSEBERRIES, CURRANTS, with other small Fruits, at the lowest market prices.

ORNAMENTAL TREES, being also grown extensively, can be furnished by the hundred at very reasonable rates—European Linden, Mountain Ash, Scotch Elms, English Elms, Horse Chestnuts, with a good collection of ROSES, &c. Catalogues will be forwarded to all applicants. WILSON, THORBURN & TELLER,
Oct. 1, 1850—2t Nurserymen, 492 Broadway, Albany.

Choice Fruit Trees.*Rochester Commercial Nursery. Established 1830.*

THE subscribers offer for sale, this autumn and the coming, one of the largest stocks of fruit trees in this state; carefully propagated and grown by ourselves, and warranted correctly named.

It has been our constant aim to cultivate none but the good varieties, leaving to others the long list of useless trash.

We sell very much at wholesale, and have furnished as many as 5,000 Apple trees for a single orchard, and 3,000 dwarf Pears.

Persons wishing to purchase in large or small quantities, will find it to their interest to communicate with us.

BISSELL & HOOKER,
Rochester N. Y.

Oct. 1—2t.

Ayrshire Bull for Sale.

THE two-year-old Ayrshire bull, "Governor 3d," out of "Lady Rose," by "Governor 2d," both prize animals in Scotland, selected for and imported by R. S. GRISWOLD, of Hartford, Conn, in 1846. The Bull may be seen at the farm of Mr. PRENTICE, Mount Hope, near Albany Price \$100. Oct. 1, 1850.

Postponed Sale of full bred Short-horns and improved Dairy Stock.

OWING to affliction in my family, I have postponed the annual sale which was to take place in October, 1850, until the 25th day of June, 1851.

I also decline selling any stock by private sale, so as to offer the public, at auction, all the animals I have to part with, without having any previously selected from the herd, and all animals offered will be sold without reserve.

My new importations of Short-horns, Devons, South Down Sheep and Hogs, will arrive during the fall.

Timely Catalogues, with full descriptions of each animal, will be published in the principal Agricultural journals.

Mount Fordham, Oct. 1st, 1850.

L. G. MORRIS.

The Farmers' Encyclopedia,

BY C. W. JOHNSON. Adapted to the United States, by G. EMERSON, Philadelphia, 1850. In one large octavo volume, 1173 pages, containing the latest discoveries and improvements, in Agriculture, with numerous plates of Live Stock, Farming Implements, &c.

"We are fully convinced that such an amount of valuable knowledge for farmers can be found in no other work in so cheap and convenient a form. In fact, no farmer who pretends to be well informed in his profession should be without this book."—*New Genesee Farmer.*

"An excellent work, fit to be distributed in premiums by Agricultural Societies. How much better, and in better taste, than the amount of its cost in money."—*J. S. Skinner.*

Sold by L. TUCKER, Albany; A. HART, Philadelphia; DERBY & CO., Buffalo; W. D. TICKNOR & CO., Boston; and the principal booksellers in the Union. Price \$4. (Cost of the imported work in 1 vol. without any plates, \$14.) July 1—tf.

Transactions of the N. Y. State Ag. Society.

TRANSACTIONS of the New-York State Agricultural Society, from 1841 to 1849, eight vols., price \$8, for sale at the office of THE CULTIVATOR.

Contents of this Number.

Agriculture, its Labors, Profits and Pleasures, by H. C. W. 252
 Oriental and Ancient Customs of the Moors and Arabs, by }
 T. H. HYATT, 355
 Means for mental Improvement, by Rev. Dr. BLAKE, 357
 Notes on Farming in Ohio, by JOHN R. HOWARD, 358
 On the construction of Wire Fences, by B. H. NOTT, Esq., 359
 On the Rot in Sheep, by Professor SIMONDS, 361
 Advantages of Autumn Plowing, 362
 Notes of a tour in Central New York, by Prof. J. P. NORTON, 363
 Improvement of Village Door-yards, 364
 Notice of N. Y. Ag. Transactions, 365
 Osage Orange Hedges—Seasonable Hints, 366
 Transplanting trees—Peach trees—Cracking of the Doyenne }
 Pear—Character of the new Currants, 367
 Premium Plows and notice of Report on, 368
 Farming in Indiana by W. T. DENNIS,—Minerals in Wash- }
 ington county, N. Y., by Dr. A. FITCH, 369
 Duties on wool, by TITMUS—Meteorology by D. T. BROWN }
 —Stumbling Horses—Destruction of the Wire worm, 370
 Addison county, Vt., Cattle Show, 371
 Small Potatoes for Planting, by O. S. MURRAY—The Season }
 in New Hampshire, by W. L. EATON, 372
 The Farm of J. Bennett, by R. H. DRAKE—Washington Co. }
 N. Y., fair, by FARMER 373
 New Hampshire State Agricultural exhibition, 374
 Westchester Co. Ag. Fair—Drainage of Soils—Method of }
 Skinning Calves, by S. A. HANCIET, 376
 Poultry Exhibition in Boston—Deferred Notices, 377
 Fair of the American Institute—Exhibition of the Franklin }
 Institute, 378
 Long Island Lands—McCormick's Reaper—Answers to In- }
 quiries, 379
 Monthly Notices—To Correspondents, &c., 380

ILLUSTRATIONS.

Fig. 214—Moorish Plow, 355
 215, 216—Village Door Yards, 365
 217, 218, 219—Premium Plows, 368

School of Applied Chemistry,

YALE COLLEGE, NEW HAVEN, Conn.

JOHN P. NORTON, Prof. of Scientific Agriculture.
 HENRY WURTZ, First Assistant.

STUDENTS are received in this Laboratory as a special class distinct from the other college departments, and instruction is given in all branches of Chemistry, both organic and inorganic, general and special.

Every facility is afforded to those who desire to become proficient in Scientific Agriculture, in the analysis of soils, plants, animal substances, manures, &c. Students taken with special reference to their becoming instructors.

A Course of Lectures upon *Scientific Agriculture*, by Prof. NORTON, will commence about the middle of January, and continue two and a half months. This course is intended to present a plain and intelligible view of the connections of science with agriculture, which may be understood by any farmer. Mr. Wurtz proposes to lecture on some points of Applied Chemistry during the summer term.

The lectures of Prof. SILLIMAN on Geology and Mineralogy, and those of Prof. OLMSTED, on Natural Philosophy, Astronomy and Meteorology; also the college libraries and cabinets, are accessible to the students.

For information as to terms, &c., apply to Prof. NORTON, Oct. 9, 1850—4t *New-Haven.*

Trees! Trees!! Trees!!!

FOR SALE, at Mount Ida Nursery, Troy, N. Y., a choice variety of Fruit Trees, comprising Apples, Pears, Peaches, Plums and Cherries, of the most approved kinds—the greater part of them worked from bearing trees, and all of them by the subscriber—therefore he can recommend them with confidence. He would also say to those that have not had the experience, that trees brought from the South (if they do live) do not grow as thrifty for a number of years, as those raised in a Northern latitude, which many persons can prove from experience. He also pays particular attention to the transplanting of his trees so as to have them well rooted.

Also, a good variety of Shade Trees, consisting of Scotch Elm, Sycamore, Linden, Horse Chestnut, Mountain Ash, Evergreen Privet for Hedges, China and Hardy Roses, &c., &c.

Catalogues and other information can be had of the Nurseryman, Nov. 1, 1850—1t* JOSEPH CALDWELL.

Choice Fruit Trees.

THE SUBSCRIBER would announce to the public that his stock of Apple Trees especially, this fall, is unusually large and fine, having a full stock of Baldwin, Rhode Island Greening, Northern Spy, Swaar, Boston Russet, Ladies Sweet, Yellow Harvest, &c., 6 to 9 feet and handsome, with all the leading as well as new choice and rare varieties, with a general assortment of Plums, Pears, Cherries, Apricots, Nectarines, Peaches, Quinces, Gooseberries, Grape vines and Currants, with Red Antwerp, Franconia and Fast-tolff Raspberries at \$6 to \$8 per 100. Strawberries of the best varieties assorted at \$5 per 1000.

CHAS. HAMILTON.

Cornwall, Oct. 1850—1t

Valuable Farm for Sale.

THE subscriber offers for sale the farm on which he resides situated in Wayne county, N. Y., 13 miles east of the thriving village of Palmyra. The Lyons and Rochester turnpike passes in front of the house, which is a good two storied frame building 35 feet by 25, with cellar below, and kitchen, woodshed, &c. attached. It is pleasantly situated on the north side of and overlooking the valley of the Erie Canal, surrounded by shrubs and ornamental trees. There is a choice collection of the best varieties of cultivated fruit, consisting of Apple, Peach, Cherry and Plum orchards, also Apricots, Almonds, Nectarines, Filberts, Grapes, &c. The farm contains 100 acres, about 30 of which are between the house and Mud creek well adapted to meadow and pasture. The plough land is a good gravelly loam excellent for wheat, corn, barley, &c. in a high state of cultivation,—of wood there is about 17 acres well timbered. It has about 200 rods of thorn hedge, with abundance of durable fencing materials. The farm is well located as to markets, mills, schools, situation is healthy, water good and convenient, so arranged as to supply almost every lot. Out-buildings convenient and good. Also for sale three young draught Stallions, 4 years old, sired by his imported draught horse "Samson." (For description of whose stock, see "Albany Cultivator" of Sept. 1849, page 259.) Also a fine large breeding mare, of same stock, with a foal by her side "by Nottingham's and Allen's Samson," (who took first premium as the best draught horse at the State Fair of 1849.) Also a large powerfully built two year old stud colt, from same mare, by the imported draught horse "Honest Tom." Inquiry may be made of R. B. Howland, Union Springs, Cayuga county, N. Y., or J. J. Thomas, Macedon, Wayne county, N. Y. For particulars address the subscriber. JOHN ROBINSON
 Palmyra, Wayne county, N. Y., 9 month 26, 1850—1t.*

\$8,000 ACRES LONG ISLAND

Land for Sale,

At Lake Road.

THE UNDERSIGNED IS, AND HAS BEEN FOR several years, engaged in the improvement and cultivation of the wild lands of Long Island. The fact being now fully established, beyond any doubt, that the land in the middle parts of the Island, along the borders of the L. I. Railroad, is as good and productive, when cultivated in the same manner, as any other part of Long Island, 8,000 acres are now offered for sale, in parcels to suit purchasers, from 10 acres, to 100, or 1,000, at a very low price, and on favorable terms. This tract is near the geographical centre of the Island, being about equi-distant from Long Island Sound, and the Great South Bay, (the Island being about 13 miles wide there,) and 43 miles from New-York.

There are many highly cultivated farms in the immediate vicinity, on the North and South side of this land—having been settled and cultivated more than 150 years. It is well watered, being bounded on the north by the famous Ronkonkama Lake—has also a large and never failing stream running through it. The lake and stream are full of fish—perch in the lake, and trout, in great abundance, and of large size, in the stream. The country abounds in game, deer, and wild fowl.

The climate is mild and perfectly healthy, the surface is smooth, gently undulating, with an inclination to the South of about 15 feet to the mile—the soil—free from stone, easy and pleasant to cultivate—is a loam, large portions of which may be called a heavy loam, or it is of sufficient tenacity to make sun-burnt brick, right out of the surface—is from 18 inches to 3 and 5 feet deep, and is susceptible of the highest degree of cultivation. The railroad passes through this tract, affording easy and constant communication with the Brooklyn and New York markets, where the highest price in cash, can always be had for every article that the farmer and gardener can produce. To capitalists, an excellent opportunity is here presented to obtain a large tract of valuable land at a low price, possessing all the advantages for settlement of a new country, without any of the privations, but with all the privileges and comforts of an old. Apply to A. B. ALLEN, Esq., Editor of the *American Agriculturist*, 187 Water st.; to Messrs. Starr & Alburts, Editors of the *Farmer and Mechanic*, 122 Nassau st.; to Messrs. Dewey & Wood, 82 Nassau-st., New-York, or to

E. F. PECK,

306 State st., Brooklyn, L. I.

☞ Lake Road is an important and central depot on the Railroad—there are large buildings and a settlement there. Oct. 1—2t.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

☞ All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.

☞ All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.

☞ The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
 BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT,
 7 Congress-st.
 PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1. for 12 lines, for each insertion. No variation made from these terms



THE CULTIVATOR.

"TO IMPROVE THE SOIL AND THE MIND."

NEW SERIES.

ALBANY, DECEMBER, 1850.

VOL. VII.—No. 12.

Close of the Volume.

THE close of the year brings us again to the point at which it becomes necessary, in accordance with our established plan, to commence our subscription list anew. The present number completes the seventh volume of the new series of *THE CULTIVATOR*, making the seventeenth from the commencement. Concerning our past course, we have little to offer; our work has been long before the public, and has been judged by its merits. We have no desire to appeal from that judgment, but shall labor assiduously, as we have hitherto done, to "IMPROVE THE SOIL AND THE MIND." The past year has brought many circumstances of encouragement, and that upon whose threshold we are about entering, is not without hopeful and cheering prospects. The taste for agricultural improvement is on the increase. The number of farmers who read and *study*—who endeavor to trace the connection of cause and effect, in the various phenomena which pass under their observation, is being gradually but constantly augmented. Thirty years ago, there was one, and only one, regularly issued agricultural periodical in the United States; that was commenced in 1819. Three years later a second was started: it was a subject of doubt, with some, whether the two would be sustained. Now, no less than fifteen are issued monthly, in the States, and one in Canada, besides five weekly papers in which agriculture is the leading subject. There are also two or three periodicals specially devoted to horticulture.

These publications wield a great influence. They have awakened a large body of the farmers to the importance of their calling,—and realizing the great fact that agriculture feeds all and clothes all, they have been led to a just appreciation of their position in the social and political organization of society. They perceive that an art which lies at the foundation of all other arts, is inferior to none in dignity; and as they investigate its principles, they see that it affords ample scope for philosophic investigation, and the exercise of the powers of the mind. Men of intellect and ability have become convinced that agriculture presents a field worthy of their labors. The erroneous notion formerly entertained by many

of our young men, that honors were not to be found in the pursuit of agriculture, has been in a good degree discarded. Many of the most intelligent class have applied themselves to farming with energy. We are witnessing the ultimate effects of this influence on the husbandry of the country. Farm operations are carried on with more system, cultivation is practiced on more rational principles and with better and more certain returns.

Our object will be, as it has always been, to encourage and carry forward this spirit of improvement. Our work will continue to be a medium for the dissemination of principles and facts calculated to benefit all who are engaged in rural pursuits. In this labor we are happy in being permitted to say that we shall receive the continued aid of Prof NORTON, of Yale College, and the Hon. F. HOLBROOK, of Vermont—men whose scientific and practical knowledge of all that pertains to agriculture, places them in the first rank of writers on that subject.

Our terms will be the same as heretofore—Single copy \$1—Seven copies for \$5—Fifteen copies, \$10.

PRESENT TO SUBSCRIBERS FOR 1851.—A copy of "THE PICTORIAL CULTIVATOR ALMANAC for 1851," prepared and published expressly as a New-Year's Present for subscribers to *THE CULTIVATOR*, will be sent to each, with the January number. It is greatly superior to any thing of the kind which has yet appeared in this country, not only in the amount and richness of its engravings, and in its typographical finish, but it has been the aim to make it eminently useful, by presenting as large an amount of valuable condensed reading as can be compressed within the allotted space; and to give nothing in the shape of facts or practical directions, the correctness of which has not been thoroughly proved. It is printed on the same size sheet, and intended to form the first thirty-two pages of the volume of *THE CULTIVATOR* for 1851, with which it should be bound.

☞ For Premiums to Agents, see last page of this number.

☞ We have not thought it necessary to re-publish our list of Agents; but we shall be glad to have all who are disposed to aid in promoting the circulation of *THE CULTIVATOR*, consider themselves as especially appointed AGENTS to receive subscribers for our next volume, and for any aid they may render us, they will receive our hearty thanks.

☞ Prospectuses and sample numbers will be sent, on application, to all who desire them.

“Manure is Money.”

THERE is no maxim in reference to agriculture, the soundness of which is more obvious than this, and none, perhaps, which is more disregarded in practice. It is often argued by farmers who are located on new and fertile soils, that there is no necessity for manuring—that the soil is already rich enough, or that the little benefit of manures would not compensate for the labor of applying them. It is not to be denied that there are particular cases to which this reasoning will apply; that is, there are soils which, for a while, contain all or nearly all the elements necessary for the support of crops; but the inevitable tendency of the growth and removal of plants, without any return, is the exhaustion of the soil, and this result must sooner or later be made manifest under all circumstances.

Besides, the idea of the inexpediency of manuring is, in many instances, carried to a pernicious extreme. A farmer chances to locate on a soil, which, when first subjected to the plow, yields bountiful returns; and flattered, or perhaps made indolent and careless, by the easy living he gets, he continues the course with which he began, till utter barrenness is the consequence. The country abounds with examples of this system of devastation; it has spread from the Eastern to the Western States, and is still progressing in the same direction. Everywhere its ultimate effects are the same,—the difference on different soils, being one of *time* only. Even in the new State of Ohio, the fertility of which, was, a few years since, vaunted the world over, there are many worn-out acres, which have been sold at low prices by their former owners, who have removed still further west, to run over and lay waste more new land. The same operations are in progress, more or less, in Indiana, Illinois, and other western States.

These effects would always be avoided by a proper course of management. It should be the first endeavor of the farmer to save and apply, to the greatest advantage, those fertilizing substances which he can most readily obtain. The excrement of animals, all animal offal—as entrails, flesh, skin, bones, horns, hoofs, &c.,—vegetable matter, in the form of straw, coarse grass, refuse hay,—wood-ashes, &c., should be carefully saved. The waste of these articles, in many parts of the country is really a subject of astonishment. On farms where the soil has already been much exhausted, and is every year growing poorer, it is not uncommon to find much of the manure of the barn-yard and hog-pen washed into the highway, or carried off by some neighboring stream. Inattention to the saving of urine, and the waste of that valuable fertilizer, is still more common, and a cause of still greater loss.

The means to be adopted by the farmer for saving the manure of his domestic animals, must be somewhat varied to suit particular circumstances. In the northern part of the country, stock is generally sheltered in winter—horses and cattle being commonly kept at night in stalls. Perhaps there is no plan which better answers the purpose of saving the liquid and solid excrements, than that of a cellar under the barn or stable where the animals are kept. This receives all, and if the bottom of the cellar has been made tight with clay or cement, there can be no waste. The temperature is not high enough to produce rapid fermentation, leaving the manure to gradually decompose, and its gases to combine with the litter, muck, or other absorbent matters, which should always be mixed with it to such an extent as to make it sufficiently dry to be readily loaded and carted. No situation can be more convenient for

mixing these substances, or forming any kind of compost, as by keeping the manure level, and spreading over the materials to be added, at proper intervals, the whole will become intimately combined. It here undergoes no loss by lying, but may be used whenever required.

In mild weather, cattle are kept more or less in yards and sheds adjoining the barn, and sheep are kept in sheds connected with yards. These sheds and yards should be well coated with muck or litter, before the stock is brought up in the fall. The yards should be in the form of a basin, so tight that nothing will soak through, and muck, potato vines, refuse corn-stalks, and other rubbish should be thrown in to absorb the liquid. The dung of sheep is dry, and from its containing a large proportion of nitrogen, is inclined to heat violently, by which much of its value is dissipated. To prevent this, it would be an advantage to spread a coat of muck, an inch or two thick, through the sheds, once a week, or if litter is more convenient it may be used, and kept sufficiently moist by being watered from a pump or aqueduct, by a spout or hose-pipe. Care should be taken that too much water is not applied—the manure should simply be *moistened*,—if made *wet* the sheep will be injured by being kept on it.

We saw, lately, on the farm of Mr. HENRY KEELER, of South Salem, Westchester county, N. Y., some good arrangements in regard to saving manures. His barns and sheds are so placed as to occupy three sides of a square, the opening being to the south. The basement of the main barn is used for stabling cattle and horses—the storage of hay, &c., being on the floor above, which is nearly on a level with the ground on one side. The horses are ranged on one side of the barn and the cattle on the other. The animals stand on ground considerably higher than the centre of the area—the centre having been excavated for the purpose of forming a receptacle for the manure. Into this, the manure from the cattle and horses is thrown, it being mixed together, and also mixed with litter. The urine from both sides is conducted into a tank, from which it is raised by a chain pump and turned over the manure-heap, in such quantities and as often as is necessary to keep it sufficiently moist. From the large quantity of absorbent matters mixed with the manure, no effluvia or gas is perceived to arise from it.

Mr. K. has, however, adopted another plan, which he likes better, and which we think preferable to the above, in another building, where most of his neat cattle are kept. The cattle stand on flag-stones, nicely laid, and which are kept at all times well covered with litter. Under the floor, between this flagging and the outside of the building is a cellar; but the cellar does not extend under where the cattle stand. The dung and urine all go into this cellar. All the appurtenances in reference to this place are not yet completed. The cellar is to form part of a yard—a firm stone-wall to be made round it. A shed roof is to be attached to the barn, in order to protect the manure from being too much drenched by rains, or dried by the sun and air. An apartment for hogs is made under one end of the building, with an opening connecting with this yard, and here they are to work at composting—the manure from the stock, and such other materials as may be gathered for the purpose, being thrown together to be mixed by them.

Mr. K. has plenty of good water brought in pipes to his stables and yards. This is of great importance, both as to the saving of manure and the well-doing of the animals, yet it is most strangely neglected by many farmers. Where cattle are

obliged to go to a pond or stream for water, they do not drink with proper regularity. If the weather is very cold or stormy, they will undergo much thirst before they will expose themselves, and when they do finally commence drinking, they swallow so much that they are chilled through, (the water being frequently but little above the freezing point) and stand for some time shivering from its effects. From the want of water at the proper time, and from the shock occasioned by drinking too much at once, their digestive organs are deranged, and their food fails to supply the proper nourishment. When water is brought to the yards, and the animals have constant access to it, they drink as they need—usually but a little at a time, and their food being taken as appetite prompts them, and with all the functions in healthy action, they derive from it the greatest possible benefit. The manure is all saved, being left in the stables or yards; but when animals are forced to leave the yards for water, much of the manure is left near where they drink, and is washed off where it does but little good.

ECONOMY OF USING ANIMAL MANURE.—From the value which stable or yard manure has been proved to possess, it was with no little regret that we heard its use discouraged, in strong terms, by Dr. D. P. GARDNER, in his late address before the Westchester County Agricultural Society. His objections to the use of this article were, chiefly, that it is of little value in proportion to what it is usually estimated at. He referred for particulars to an essay on the "Doctrine of Special Manures," written by him, and published in the *Transactions* of the N. Y. State Ag. Society for 1846. One of the objects of this essay, was, to quote the author's language, to "shake the confidence placed in the foul and expensive manure, so long employed." This confidence was to be shaken, by showing that the manure was of trifling value. He estimates the expense of manuring, with yard manure, an acre of land for Indian corn, in Dutchess county, at \$20—allowing twenty loads of manure, of twenty-five bushels each; and in view of this expense, he thinks it reasonable that "the greater part of our intelligent [?] farmers have arrived at the conclusion, that for a man of limited means, the exhaustion of the soil is the most profitable system of farming." He contends that the principal value of common yard or stable manure, consists in the ashes it is capable of affording on being burned. He informs us that the Hindoo, whom he declares is "the most philosophical and successful agriculturist of the present, or of any age," burns the dung which our people "so much prize, and he even cares little for the ashes;" that "the Egyptians, the descendants of the Hindoos, and among the best farmers of ancient or modern times, also burn the dung of their domestic animals." He asserts that "the ashes, and a proper substitute for the nitrogen, will effect the same, or better results on the soil," than the manure. He therefore asks—"Why do farmers still encounter the heavy charge of a dollar a load for the use of yard manure, when they have better substitutes within their reach, for less than a quarter of that sum?"

The value of the ashes of a load (25 bushels) of manure, he estimates at *twelve and a half cents*; the cost of the "proper substitute for the nitrogen" he has not given. It will be seen that the carbonaceous matter of the manure is not estimated as of any value at all!

Dr. G. has not told us, precisely, what he would recommend as a substitute for common manure, but he hints that all the necessary information on the subject, may be found in a manuscript prepared by

him in reference to a premium offered by the N. Y. State Ag. Society, but which "was withdrawn from the action of the committee," and is still in his possession. We are therefore without any special data in regard to the comparative expense of the new article; he simply asserts that it would cost less than a fourth as much as yard manure.

In regard to the theory of special manures, Dr. GARDNER speaks as follows: "If the doctrine be found correct in practice, it will work a great reform in farming, by enabling us not only to manure at a trifling rate as compared with the present expensive means, but by making it a possible thing to raise the same crop on a piece of land without rotation; by removing the necessity of large farms and expensive fixtures for stock; by enlarging crops beyond any point they have hitherto reached, and lastly, by making agriculture much more a science of skill and intellectual expedients than manual labor."

This language does not differ materially from that used by LIEBIG in regard to his "patent manure," or a new system of compounding manures, which was extensively advertised several years since, but which, in regard to its profitable application, has generally failed. By adverting to this, however, we only intend to impress the necessity of caution in the adoption of untried theories. Investigation and experiment should be encouraged, but all things should be proved, and the good only held fast.

Fair of the Maryland State Ag. Society.

The third annual exhibition of this society was held on the 23d, 24th and 25th of October, at Baltimore, and was a very successful exhibition, being a decided improvement upon that of last year. The entries in most of the classes were much larger than heretofore, and in some departments the articles were superior. The great attraction in the stock department was the splendid herd of Devons, of Mr. Patterson, numbering 24 head. They were in fine condition, and were a sight well worth a trip to Baltimore to behold. The milking qualities of this herd are well known, and several of the cows exhibited, showed as good milking properties as any animals on the ground. The bull exhibited was, I think, imported, and was an exceedingly good one. Two pair of Devon working oxen were the admiration of all. Mr. P. declined entering his stock for premiums.

There was a very fair show of Short-horns; but not equal in quality to last year. The very fine herd of Col. Capron, which was then sold, did not appear upon the ground, and we doubt much whether it can be made good in Maryland. There was a large show of Ayrshires, and their crosses—some of them very fine, but many of medium quality. The Holstein cattle on exhibition, appeared to be good milkers, and are highly esteemed for their excellent dairy properties. Col. Calvert, the president of the society, informed us that he prefers them to any other breed, and intends to fill up his dairy with them. He has had several of them for some time past, and is competent to decide on their qualities from the trial he has given them.

One of the most interesting features of the exhibition of cattle was a pair of heifer calves, one six weeks and the other seven weeks old, trained by a lad five years of age, a son of Mr. Bailey of Fairfax county, Virginia, formerly of Dutchess county, New York. The little fellow had trained them in about three weeks time. They were so perfectly manageable that when the little yoke was taken off, he could

make them perform all that he desired, by the motion of the whip—placing one on the right side and the other on the left, and then changing them—in short, in or out of the yoke they were so trained as to be an object of universal attention and admiration. I heard a remark from a group of gentlemen standing by and witnessing the wonderful performance of the boy—"This is the way, after all, to bring up boys. This little fellow will make a man that will take care of himself." There can be no doubt of this, I think. If he lives, Mr. Bailey's good name will be well honored by his son.

The sheep, with the exception of the Long-wools by Mr. Reybold of Delaware, and Col. Ware of Virginia, were not entitled to much notice. Mr. Reybold's New Oxfordshires were the pride of the show. They are exceedingly fine sheep of their class, and cannot, I imagine, be excelled in this country. One of his fat wethers was slaughtered during the Fair, and weighed 206 lbs., very closely dressed. He received for him \$100 on a standing offer of ten years. From Mr. Turner, a Baltimore butcher, and late candidate for mayor of that city. This mutton was purchased by the proprietor of the Eutaw House, who is a very liberal and enterprising gentleman, and it will, in due time, grace the table of that famed hotel. About ten years since, Mr. Turner offered to give \$100 to any breeder who would produce a fat sheep that would weigh 50 lbs. to the quarter, when dressed. On the arrival of Clayton B. Reybold, with his sheep, a day or two previous to the Fair, Mr. Turner saw them, and said to him that he was prepared to give the \$100 for the fat wether, as he was satisfied he would weigh 200 lbs. The wether was slaughtered and dressed by Mr. Turner, and although in dressing him, the skin was taken off down to the very hoofs, much closer than is usual, the weight of the carcass was 206 lbs.

The show of horses was larger than last year, and very fair. The Morgan stallion, Black-Hawk, Jr., (a colt by the Vermont Black-Hawk) owned by Col. Carroll, attracted much notice. His figure and action are very superior, and he will add, I doubt not, much to the character of the horses of the State. There were several other horses that were good, and some very fine colts.

The swine were very fair, some exceedingly good; but not, I think, taken together, equal to last year. The Dutchess county pigs of Mr. Wilkinson, of the Mt. Airy Institute, were very fine. The exhibition of poultry was very extensive, embracing almost all the noted varieties, which have turned the heads of our Boston gentry. Some *Capons* were of such mammoth size, that they would doubtless command for breeders, (as some of like description have, I understand, at the East) \$30 or more per pair!

In the implement department the show was of great merit. E. Whitman's exhibition was one of the largest I have ever seen, and Sinclair & Co.'s was nearly equal, and two or three others very fine. In fact nearly, if not quite, one-fourth of the ground was occupied by their implements. Very many of the articles were of the best of our northern manufacture, and I was pleased to learn that many sales of improved implements took place.

The plowing match was a very interesting scene: Twenty-three plowmen entered the arena, and thousands of spectators were in attendance. The ground was not such as to fully exhibit either the skill of the plowmen, or the perfection of the plow—still the work was well done by many of the competitors. Prouty & Mears' No. 5½, received the award for the best plowing—being one of the plows which received a first premium at the N. Y. trial.

On the last day of the exhibition, an address was delivered by Willoughby Newton, of Virginia, a highly intelligent agriculturist. It was every way worthy of the cause and the speaker. P. A. Browne, Esq., of Philadelphia, gave interesting statements of his experiments in relation to wool, which were listened to with much attention. The attention shown by the officers of the society to strangers who were present, was what might have been expected from the known hospitality of the gentlemen of Maryland. There were in attendance a large number of gentlemen from Virginia, Delaware, Pennsylvania and New-York.

I have omitted to mention the show of *hams*. Twenty competitors contended for the prize, and the superiority of the hams exhibited, over any in our market, was most apparent, and I hope some means may be adopted to bring up ours to the standard of Maryland and Virginia.

The show of fruits, vegetables, flowers, fancy articles, &c., was very creditable to the society.

On Friday evening an election of officers took place, when Col. Calvert was unanimously re-elected president, and consented to serve. He is truly a valuable officer, whose services cannot well be dispensed with.

From the Maryland show I proceeded to Delaware, and had an opportunity of examining the splendid farms of Maj. Reybold and Sons, and others in that vicinity, among which was that of the Hon. J. M. Clayton, who is now most successfully devoting himself to the management of his farm, and I may, if time allows, give your readers some account of Delaware farming, and tell them of forty bushels of wheat to the acre, and of more than 3000 bushels from an 100 acres, raised by one farmer! B. P. J.

Irrigation.

During the late exhibition of the Royal Agricultural Society, a delegation of the officers, members and others, among whom was our countryman, L. G. MORRIS, Esq., of Westchester county, N. Y., visited the farm of Mr. GEORGE TURNER, near Exeter, for the purpose of examining the Water meadows belonging to that gentleman, and which are noted for their productiveness. Mr. T. explained his management to the company, and it was reported somewhat in detail. We extract the following from the printed account. The remarks are worthy the attention of our readers:—

The process by which boggy, or comparatively useless fields, are converted into verdant and luxuriant meadows, bearing very heavy crops of hay, and also affording admirable pasture, is, first of all, thoroughly to drain the land. The land is then allowed to remain for two years, to consolidate. If it be a heavy piece of land, it will probably be broken up, and laid down with fresh and well-selected grass seeds. After one year's grass, if the land be pretty well drained and seeded, in the following or second year from the time it is laid down, the water gutters are cut, and the water let in at the proper season. The proper season is from about Michaelmas till Lady-day; but Mr. Turner entirely objects to summer irrigation, as forcing the land too much, and as calculated to give the sheep, who then depasture upon it, the rot. In the hill-side meadows, the gutters (about two feet broad and three inches deep) conduct the water from a spring on the upper part of the hill-side, in a lateral, but oblique direction, with a gentle fall across the face of the hill. At the opposite side, but so arranged as to leave a

considerable interval between each main gutter, it turns, and brings the stream back, at a lower point, across the face of the hill again, and somewhat parallel with the first line, but still descending, when it again turns, and so on till it reaches the bottom, when it is applied to the meadows on the flat, if required, and the excess carried away in its proper channel. Across these gutters, at proper intervals, are placed dams, which restrain the current from proceeding till it can surmount the dam, which it is not able to do, till the water attains a sufficient height to compel it to overflow at the lower side of the gutter, throughout its whole length. The water thus streams over in a continuous but gentle sheet all down the meadow, thoroughly saturating it, and conveying its nourishment and fertilizing power to all the grasses. Where requisite, from obstructions arising from inequality of surface, &c., small gutters are cut transversely from the main gutters, to supply those portions of the field which would otherwise be left partially, or entirely, without. This is continued for a fortnight or three weeks, according to circumstances. When the water is turned off, the grass is allowed to grow till about March, when it is depastured generally with ewes and lambs, which, after feeding luxuriously below, are then driven to lie in the upper or unirrigated part, which their droppings and manure render as fertile as the part which is irrigated—one acre thus irrigated being deemed sufficient to maintain another adjoining unirrigated acre in the best condition. After a sufficient interval, the water is again turned on, and so the process is repeated, according to circumstances—viz, the quantity and quality of the water, the condition of the land, &c., till the season for irrigation expires. From the extreme value of the pasture, and the weight of the hay obtained, it is calculated that this process, at a very small expense, soon renders the land worth at least double its former rental.

From the opposite hill-side Mr. Turner pointed the attention of the company to his own fertile meadow in the bottom, and, a short distance off, to a field similarly situated, in which was growing a scanty crop of mangolds, intermingled with swedes, which had only quite recently come into his possession, and which had been drained in preparation for the same process of irrigation. Two years ago a dog could not walk across that field; but in a very short time he expected to make it equal to his best bottom land, which was formerly in a similar condition. The three acres, properly irrigated, which they saw below them, kept the five acres on which they stood, in the way before described.

In reply to a series of questions and observations, Mr. Turner said that, practically, he had never found the water diffused by irrigation settle and swamp the land; that in relation to grass seeds, he always made a point of getting the very best; that in Devonshire there existed a great variety of soil in immediate contiguity. He could show them valleys where the land on one side would be worth £2 per acre, while on the other it would hardly be worth more than 2s. an acre. That, according to the rent of the land, he believed no man grew more beef, mutton, corn, or food than he did. Some persons said, "Oh, such a man is a good meadow farmer, such a man is a good tillage farmer, such a man is a good breeder," &c.; but he did not consider any man a good farmer who was not a good meadow, tillage, and stock farmer combined. It was the adaptation and proper and economical rotation in every department, that made the truly good farmer. (This observation gained general concurrence, as did also

another, made by Mr. Turner, as follows): "Remember, gentlemen, that *the artificial watering of meadows robs no dunghill; on the contrary, it raises one for the benefit of other lands.*"

Mr. Mechi and other gentlemen made several observations on the use of artificial manures; in reply to which Mr. Turner generally stated that he did not profess to be a scientific chemist, nor any more than a practical man, whose practice he explained to them, and of the results of whose practice their own observation would enable them to judge; and proceeded to urge upon them strongly the advantage of availing themselves, where practicable, of the less costly fertilizing principles of water. The average cost of preparing land for irrigation varied greatly, according to the nature of the land, supply of water, &c., perhaps from £2 to £3 or more, per acre. The subsequent cost of use, &c., was but trifling; not more than 5s. a year per acre.

Some difference of opinion was expressed on the part of several visitors, as to the advantage to be gained by denying the land water in the summer, and it was urged by some that the water might with advantage be turned on after mowing.

Mr. Turner replied that in 99 cases out of 100 summer watering was found, not only to be of no use, but a positive injury; then (pointing to the water, which having been turned on into the hill side-gutters was diffusing itself over the whole meadow below, making its surface quite plashy) said, he had, in order to give them ocular demonstration, turned on the water to the perhaps but slight detriment of the land, but he should be sorry to repeat the experiment. He then explained that by summer watering the land became exhausted, being pushed beyond its natural strength.

Mr. Turner expressed a general opinion that it was unwise to make such an attempt to thwart nature. One effect of summer watering would be to rot the sheep that fed on land thus watered. He remembered that many years ago, when he was but a little boy, his father bought many rams from the celebrated Bakewell, of Dishley. Now, Mr. Bakewell had a great objection to others getting hold of his breed, especially in any irregular way, and at certain periods of the year the butchers would come to buy his sheep, intending really to breed from them. In order to prevent this, a short time previously to the sale, he would irrigate his meadows from an old mill stream, turning on the sheep, and then say to the disappointed butchers, "Gentlemen, you may try to breed from my sheep if you will, but, I warn you, if you do they will have the rot."

On its being put to Mr. Turner, whether, in very dry summer weather, it might not be desirable to water artificially, he said his experience was against it. They might force grass, but to the average and permanent injury of the land.

In relation to those who were inclined to commence irrigation, he recommended them to have a man who understood the subject, to put their land into proper order. As to the levels, they should be such as to produce a gentle rippling current. To allow the water to stand still would be injurious to the land.

In reply to renewed questions, Mr. Turner said, the period of continuous watering, during the irrigation season, must depend chiefly on the condition of the land, and the goodness of the water. If the water were warm and forcing, the period would not be so long. There could be no specific rule; from one week to one month was, perhaps, the two extremes. In conclusion, he must impress upon them all, as the great value of irrigation, that every acre of land thus

watered was equal at least to the maintenance of another acre; and that every thousand acres of land, judiciously irrigated, would give an increased rental of a thousand a year by means of that irrigation. It is estimated that there are half a million of acres irrigated in Devon—which, therefore, represents an increased rental of £500,000 a year, over what the same land would fetch if it had remained without irrigation.

Letters from Prof. Norton—No. 12.

Notes of a Tour in Central New-York.

ANALYTICAL LABORATORY, YALE COLLEGE, }
New Haven, Conn., Nov. 4, 1850. }

MESSRS. EDITORS—It may be remembered, that in my last letter, when mentioning the various improvements made by Mr. Jos. Watson of Clyde, I referred to a specimen of marl from his reclaimed swamp, as undergoing analysis in my laboratory; the analysis has since been completed, and has given me a high idea of the value of the marls in that section, of which I suppose this to be a fair sample. It contains a remarkably large per centage of carbonate of lime, and also traces of potash, sulphuric and phosphoric acids. These last, although in small quantity, add most materially to its value, and confirm me in the opinion, that these marls are one day destined to be of immense importance in the agriculture of this region. If the present race of farmers find no use for them, or for the swamps under which they lie, they may rest assured that those who come after them, will not always labor under the same delusion.

The exhibition of stock, implements, fruits, &c. at Clyde, was very creditable, and when the hour for the address came, I was greatly surprised, it being a very rainy day, to find the church quite filled by an audience that proved remarkably attentive, and that seemed disposed to consider the subject of the address—a special agricultural education, as one which deserved their most serious consideration.

In coming up from the head of Sodus Bay, with Mr. Watson, he directed my attention to the line of the proposed Sodus canal. The excavation has been in a great degree completed, by the ingenious method of damming a stream which runs through a natural hollow in a straight line to the head of the bay, and then allowing the accumulated water to sweep down, bearing of course a large quantity of material torn from the banks with it. By a repetition of this process, a large channel has been swept out, so that little remains but to build locks, and shape the banks. This canal will drain quite an extended tract of heavily timbered swamp, which, when dry, will make farms of the very richest description.

Near Clyde, we called for a few moments on Mr. Mackay, whose nursery and selection of fruit is well worthy of a longer visit than the closing day permitted us to make; he has a considerable assortment of the rarer fruits, shrubs, and flowers, and all in a highly thriving condition.

From Clyde I went to Palmyra, on the canal, taking the packet by way of variety, in these days of railways and steamboats. I found it even slower than I had expected, and was quite content to stop at Palmyra, after a voyage of about 24 miles.

This beautiful village reminded me more in its appearance of Massachusetts or Connecticut, than any place that I saw in New-York. In company

with Mr. Pardee, the active and intelligent secretary of the society, I made an excursion from Palmyra to the shores of Lake Ontario, at Pultneyville, passing through Marion on our way, and returning through Walworth. This is a superb country, with wonderful natural advantages. The cultivation is in several respects improving; there is a general air of increasing neatness about the fields. Attention seems to be paid to the eradication of weeds, on many farms. The buildings too, bear marks of improvement and thrift. Many of the farms are however, evidently running down, and I heard of some that were almost entirely worn out. The new farm houses in all this section, are very generally built of small rubble stone, faced with regular round or oval ones, brought from the shore of the lake, where they have been worn smooth by the action of its waves. This style of house seemed to me very appropriate for a farm-house, neat, warm, and solid, with a very comfortable, substantial look.

It speaks well for the farmers of this section, that in this drive of about 40 miles, I did not see a single field of corn that was topped; it was all cut close to the ground, and was uncommonly heavy. Mr. Pardee, who has extended opportunities for forming a correct judgment, thinks that the average yield of wheat per acre in this part of the country, has rather increased; though very great numbers farm on an exhausting system, they have learned to sow deeper, and thus to root the young wheat well so that it is not so liable to winter-kill. This improvement will not be a lasting one, if the farmers persist in their exhausting system, and will in that case soon cease to produce any such marked effects as it did at first.

This county is remarkable for fine fruit, and for the extent to which it is cultivated. In an address delivered to the county society a year since, by Mr. Pardee, he brought forward facts to prove that Wayne county exceeded all others east of it on the line of canal taken together, in the amount of fruit shipped for market, both in a dried and fresh state. I saw many orchards that bore evidence of care and skill in their management, and some of them were very remarkable. There was one large orchard that we visited, some ten or twelve miles from Palmyra, the proprietor of which was absent. His name I have unfortunately forgotten, and I regret this the more, as it was in the most healthy and flourishing state, of any large orchard that I ever entered. The trees were all young, just coming into bearing; the varieties being Russets, Greenings, Baldwins, and a few other standard kinds. I picked the largest Russett from one of the trees, that I ever saw. The trunks of all these trees had evidently been washed with a weak lye, or some preparation for cleaning the bark, as it was in a wonderfully smooth, silvery, thrifty state; presenting such a sight as, I will venture to say, can scarcely be surpassed in any country.

In the town of Walworth, we visited the farm and nursery of Mr. Theron G. Yoemans, and found it well worthy of attention. It is an instance of what enterprise and sagacity, may do with this land. We saw there peaches, plums, pears, apples, and cherries, all from 3 to 5 years old only, but wonderfully large for their age, and bearing most luxuriant crops of superb fruit, unsurpassed in size and quality. Mr. Yoemans commenced with but about 18 acres, on a small scale, as in my opinion every beginner should, and has gradually increased as he has improved, until he now cultivates about 50 acres. The original 15 acres, were first dressed with about 70 loads per acre of muck, and leached

ashes, in equal parts. The latter came from an old ashery, where they had lain neglected for years. This accomplished, the next step was to drain the whole tract; it lay on a hill side, and was generally considered dry. There was however in reality, a number of springs which made the ground wet and springy in the early part of the season, and in winter, so that the roots of the young trees were liable to be thrown out and lifted. His draining has been done with tiles of the horse shoe and pipe varieties, mostly of the latter, laid at a depth of three feet. They are made at Waterloo, Seneca county, by the machine imported two or three years since by Mr. Delafield. The 30 or 40 acres which have been added to the original 15, are now under process of drainage. They had heretofore been thought dry, but the drains laid have already run full of water several times, and an improvement in the land is already beginning to show itself most decidedly. Mr. Yoemans has laid 14,000 tiles this season, and is still going on.

The principal object in the cultivation of this farm is fruit, and carried on in the way that I witnessed, on such a soil, and under the influence of such a climate, it can scarcely fail of success. While Mr. Yoemans has thus commenced a liberal and enlightened system of management, he has not neglected matters of general utility, and the neighborhood bears ample testimony to his public spirit. Among other things, he has offered a premium of about 50 cts. for each shade tree that may be planted along the road side within the village limits, and shown to be healthy and thriving at the expiration of three years. In consequence of this offer, some 900 trees have already been set out, and will be well cared for during the next two or three years of course; they will then have obtained such a start, as to grow without farther care. It will be an inestimable benefit to the village of Walworth, and one which its inhabitants some thirty or forty years hence, will fully appreciate. Mr. Yoemans will I trust, excuse me for having spoken so much at length of his proceedings, but I think that such examples as his, are just those that practical farmers ought to become acquainted with.

The fields in this part of the county look older, and more carefully cared for, than the generality of those in the Eastern section. The country has been long settled in comparison with the east end, and consequently has a less rugged and newly settled appearance. Many of the fields however, seem to be much worn out by a defective system of cropping, and nearly all show need of the various remedies which Mr. Yoemans has so abundantly applied to his land. The cultivation here is as I have said considerably neater, and the roads cleaner, than in the other end of the county; the houses are also generally larger, and more substantial. These are however simply the advantages of an older country, and in my opinion they will have to work hard in order to maintain their superiority, as their rivals are pushing on rapidly in this friendly strife. Yours truly,
JOHN P. NORTON.

KIRTLAND'S NEW CHERRIES.—Dr. Kirtland states that out of the new cherries which he has originated, there are some thirty or forty which will range as high as the American Heart. None are as early as the purple Guigne. The *Doctor*, one of the earliest, he states, comes in with the early White Heart. We have found it a trifle earlier.

Protection to Wool-Growers.

EDITORS CULTIVATOR—My article in the September number of the *Cultivator* on the subject of Foreign and Domestic wool, was written amid the pressure of other business, in great haste, from a mass of facts on the subject, which in private correspondence and official documents had been accumulating on my hands, during the many years I have been connected with the wool question; and here, permit me to say, a question, whether we regard the immense amount of the investment or the numbers interested, unsurpassed in importance by any single subject that can be presented to the consideration of Congress in the adjustment of a tariff. Whether such an event is to happen immediately or at a distant day, it is a bad policy, to wait till the horse is stolen before you lock your barn, as was the case in 1842.

In that article, (which an able writer in your November number over the *assumed name* of Titrius a wool grower, has been pleased to notice with great courtesy,) I endeavored to embody a mass of facts which I deemed vitally essential to a fair adjustment of a practical and useful tariff on wool. How necessary a knowledge of the most simple facts is, to the majority of politicians and professional men, who compose Congress, is aptly illustrated by the fact, that Congress in '42 regarded flax-seed and linseed as two distinct articles, and accordingly in the tariff, made them subject to widely different rates of duty, which ridiculous ignorance, any unlettered farmer could have enlightened.

Titrius, notwithstanding his great interest in the wool question and confessed obligation to me, seize upon a purely incidental remark on the subject of Scottish Black faced wool, (which is a mere incident with the grower, the mutton being the main object) and ascribes to me the advocacy of a sentiment conflicting with the whole tenor of my article which I never have and do not advocate, to wit, that of discriminating duties on wool according to the different fabrics, into which it may be manufactured. This would be impracticable, if not impossible, as the wool of the same fleece, is often made into fabrics of very different value with wool of an entirely different character. Had Titrius written over his own name or addressed me a private letter, as many wool growers have done, I have no doubt with his kind feelings, the fervor of his gratitude and deep personal interest in the subject, we might have arrived at a mutual good understanding, without his giving battle to a man of straw, or my appearing again in print.

As I have nothing to do with the duties on fabrics into which wool may be manufactured further than their manufacture creates a demand for wool, I will now simply say, that Titrius is mistaken five per cent in the duty on the fabric to which he alludes, and notice more particularly his last paragraph, in relation to the struggle in the passage of the tariff 1842, on the wool clause. With this struggle I was not an entire stranger or a careless and uninterested observer. The samples of wool used in both houses of Congress and before the committees, to illustrate the subject were furnished by me, in relation to which Ex-Gov. Slade, then in Congress, in his letter to me says, "they were used to good advantage" before the committee of ways and means, who were induced to report an amendment to their bill before the committee of the whole in the house, of five per cent duty on coarse wool costing less than seven cents per lb. &c." Also the facts quoted in behalf of the wool grower in both houses were credited to the paper I then had the pleasure to edit.

This paragraph appears to me to originate in a

misapprehension of the nature of the struggle in '42, and calculated to prepare the way for further injustice to the wool grower; in short, to be just such as a defeated advocate of the now exploded maximum principle, would pen in the last resort, to secure the next best object to the advocates of free trade in wool—to wit: a low, indiscriminate duty on wool, so high, as nearly to exclude the coarse hairy wools which we do not grow, yet so low, as to admit the whole mass of *rival wools*, at a cost here which will enable them to control the price of domestic wool in the home market; too low for the purposes of revenue, incidental or direct protection, and far below what the farmers of the country have a right to demand in return for the payment of 16-20ths of the millions raised by the tariff to support the government. It is not to be winked out of sight that, 82-100ths of the whole population of the United States are agriculturists, and that no class consume more dutiable articles, according to their numbers and the amount of their individual business, than they. They are the principal consumers of all the protected products of our manufacturers, yet no class on account of the great superabundance of the products of our agriculture, receive so little encouragement or aid from the tariff. Then let Congress do all it can for them in a tariff in this *vital* matter of wool, and go even beyond the revenue standard, (even the most scrupulous for justice's sake, need not hesitate,) they will still labor at the shortest end of the yoke and receive a mere pittance from the general government compared to the aggregate amount of their contributions to its support.

Titrius says—it was the attempt to discriminate between the different kinds of wool to be applied to different objects, which produced the greatest mischief to the wool grower in 1842.

Now, I say there was no such attempt or issue in the passage of the tariff of 1842, as Titrius believes, and those who believe it do not and did not understand the game the advocates of free trade in wool were playing, under the guise of the maximum principle, adopted in the tariff of 1832—which admitted all wool costing abroad eight cents or less per pound, duty free. So little was then known on the subject out of the circle of importers and manufacturers, that it was not even imagined in Congress or out of it, that this tariff would virtually establish *free trade* in wool, but when I established the fact in 1841, that fourteen and a half millions out of a little rising fifteen million pounds of wool, were imported duty free, supplanting every grade of domestic wool in our own markets, the wool-growers were alarmed, the agricultural press came to the rescue, a few members of Congress caught the glimmer of the new light, a struggle arose between those who wanted free trade in wool and the wool-growers. The whole issue was made up on the maximum, which drew no line of discrimination between the kinds of wool and the fabrics into which it might be manufactured, but between *free trade* and *protection*. So great was the influence of adverse interests, and so small the information on the subject in Congress, that all the bills, when presented to Congress, adopted a maximum, high enough to establish virtually, free trade in wool. However, the Committee of Ways and Means, at the last moment, imbibed a little light, and were induced to report an amendment to their bill, subjecting *coarse* wool coming under their maximum to five per cent. duty. The word *COARSE*, which was not in the tariff of 1832, with the provisos in the bill, it was contended by the advocates of free trade in wool, would be an abundant security to the wool-growers, while *they* contended the word *coarse*

and the proviso, would be inoperative in the construction of the act, and the sheep husbandry in the United States would progress from bad to worse, under the proposed tariff, all of which has been too sadly realized.

Thus the whole struggle in 1842, was for substantial free trade on the one side, and just and equal protection on the other. The free trade in wool prevailed, losing no ground in the struggle save the trifling amendment of the Ways and Means. Well, the tariff of 1842 went into operation. From the ingenious phraseology of the bill, the word *COARSE* proves to be all a humbug, and without meaning—over 29-30ths of all the wool imported, came in subject to five per cent. duty—about one-eighth as much as the duty on woollens. The importations rose up by 1844 to nearly 25,000,000 pounds, and in 1845, to rising 28,000,000 pounds.

Now I would ask what there is in all this that has even the semblance of a discrimination between different kinds of wool to be applied to different objects? Does the issue on the maximum, for its rejection, reduction, or the substitution of an ad valorem duty as high on wool as woollens, establish the fact? No such thing. The whole issue was free trade or not. Certainly the maximum could make no such discrimination, when all the South American wool could be purchased abroad from one to four cents per pound less than the maximum of seven cents. It is true, that the friends of the wool-grower in Congress, with a faith founded in darkness, thought if they could reduce the maximum, they could subject more *rival wools* to the higher rate of duty established in the bill, but they soon found that they were completely over-reached, and that there was no fact in commerce better established, than that the *coarse, hairy wools* of Crimea, Odessa, Calcutta, &c., *cost the same abroad* as the fine and beautiful wools of South America, east of the Andes.

This fact was established beyond contradiction, in my last; having *then* reliable information that a project for a new tariff had been made at Newport, R. I., by certain eminent politicians, about twelve months previous, designed to be substituted for the present tariff, at the first convenient opportunity, by which free trade in wool was again to be established under the guise of the maximum principle; I set forth this fact distinctly and beyond doubt, so that all could see that a maximum could have no office in a tariff on wool, save its old office of humbug, deception and ruin.

That I made a discrimination between *rival* wools which supplant our own, and the coarse hair wools, which do not, is true, in order to show that the maximum cannot be applied to either, as a rule of discrimination between coarse and fine wools, and also, that unless such a discrimination as this is made in a tariff, it will be found to be impracticable, as it regards both the revenue and incidental or direct protection.

Titrius, would not subject fine and coarse woollens to the same rate of duty—say \$2 per yard. This would exclude the coarse fabrics, costing \$1.50 and under per yard, (the article most wanted,) and be no restriction on the importation of broad-cloth worth \$5 or \$10 per yard, and would defeat the purposes of revenue. This is precisely the case with the present indiscriminate ad valorem of 30 per cent. on all wool. If it is a fact, I believe it does not admit of a doubt, that the coarse hairy Crimea and the Buenos Ayres cost abroad the same, (though the Buenos Ayres will produce three times as much as the Crimea,) then both pay the same amount of duty per pound, which is as absurd as to subject a \$10 and

\$2 broad-cloth to the same amount of duty per yard.

Now, I would ask Titrius, as a wool-grower, what rate of duty he would put on the *rival wools* of Buenos Ayres, Montevideo, Cordova, &c., rivaling every grade of wool grown in the United States, and coming to the cards from 12 to 20 cents per pound cheaper than our domestic wool, and costing about six cents per pound? Why, he would answer me as did a distinguished wool-grower and member of the present Congress—why, sir, 100 per cent. would not be equal in its effects, to the duty on woollens. Now apply this rate of duty, or any just rate of duty on fine or rival wools, to the coarse hairy wools, and you exclude their importation at once, and destroy a demand for our long worsted wools manufactured with them in about equal proportions. You defeat all revenue from this class of wools, and discourage the introduction of the large long-wooled mutton sheep, very desirable in our more populous States, where mutton as well as wool is an object with the farmer. Now, on the other hand, if you adopt a low, indiscriminate ad valorem duty, so low as to raise revenue from the importation of these coarse hairy wools, you will flood the country with all kinds of wools and ruin the majority of the sheep farmers in the United States. This would not be true, did the price of wools abroad generally imported, correspond to their quality, value and fineness, as imported articles generally do.

Hence, in my humble judgment, we are reduced to the necessity of either a general ad valorem duty on all wools, on their home valuation, or two rates of ad valorem duties corresponding to the qualities of the wool and the degree to which they compete with and rival our domestic wools in our own market, or else wool-growing in the United States will continue to be, what wool-growers know it has been, a bad business. I am, with great consideration and respect, your obedient servant, H. C. MERIAM. North Tewksbury, Nov. 7th, 1850.

The Horticultural Department.

CONDUCTED BY J. J. THOMAS.

Successful Treatment of Young Trees.

We gave, last spring, some account of the successful management of newly transplanted fruit trees, furnished by JONATHAN TALCOTT, of Rome, N. Y. Not one tree in a hundred was lost, and the growth of many of the shoots on the apple trees the first season, was 15 inches to 2 feet. This success was mainly owing to large holes filled with fertile soil; careful transplanting; shortening the shoots at the time on the tops of the trees; and clean, enriching, and mellow cultivation, and mulching. He has recently furnished the following additional remarks on the treatment of his young orchards:—

"Last spring the ground was plowed and planted to hoed crops, the manure about the trees was spaded in, and they have been hoed twice. The results have been most promising for a beginner, and encouraging to those in this vicinity who are setting out fruit trees. I find they have grown from one to more than three feet the present season, forming fine heads. When I came to the conclusion to set out an orchard, I made up my mind that I would take care of my trees, and have endeavored to do so to the best of my knowledge. Thus far the result of the experiment has been satisfactory.

"I have just been scrubbing the trunks with soft

soap diluted with water, tying them up for winter, removing the eggs of insects, &c.

"About 100 trees set last spring have made an average growth of about 15 inches each. A part were mulched with oat straw, a part with coarse straw manure, and another portion were mulched at all. The result was most conclusive in favor of the mulching."

The Best Strawberries.

The experiments which have been made in all parts of the country are greatly assisting in the determination of the best sorts for general cultivation. The results of different cultivators under the various external circumstances of soil, locality, &c. must always be interesting.

LEWIS F. ALLEN, of Black Rock, N. Y. remarks in the Horticulturist, "In the plantations of an acre or two which I am about making [founded on previous trial] my chief stock will be the *Large Early Scarlet*, *Burr's New Pine* & *Ed. Rev. Hudson*, with a few *Hovey's Seedlings*." The *Large Early Scarlet*, he says, is "the best berry for a crop, probably, taken altogether, that we have." Twelve square rods, with ordinary care and some drawbacks, gave 260 quarts. *Hovey's Seedling*, "coarse in flavor, 'a tolerable bearer,' not fit for a crop." *Boston Pine*, a good fruit, but stem too short. *Burr's New Pine*, "splendid, early, prolific, highest flavor." *Rival Hudson*, "the most prolific—the most beautiful growing berry, on a high stem—fine rich flavor." *Black Prince*, "color bad—flavor insipid, or sour."

H. E. HOOKER, an extensive and skillful cultivator at Rochester, says, "The best to my palate, are *Burr's New Pine*, *Large Early Scarlet* and *Hudson*; and for a late berry, *Crimson Cone*; but tastes differ." *Boston Pine* is pronounced very productive, but inferior in flavor.* *Black Prince*, the same. *Hovey's Seedling*, large, beautiful, of second quality. *Burr's New Pine*, large, beautiful, fine, productive. *Large Early Scarlet*, very productive, one of the best, good for marketing. *Hudson*, good flavor, firm, excellent for market. *Crimson Cone*, beautiful, fine flavored, late, very vigorous."

At an examination of 37 sorts made at the grounds of L. C. EATON, of Providence, R. I. by a number of gentlemen, the following were selected as the best, viz: *Hovey's Seedling*, *General Jacqueminot*, *Jenny's Seedling*, *Burr's New Pine*, *Rival Hudson*, and *Hudson Bay*. The *New York Hudson Bay*, the *Cincinnati Hudson*, and the *Hudson Bay* of Rhode Island, were pronounced distinct, the latter being decidedly the best. The *General Jacqueminot* was regarded as unrivalled,—large, firm, hardy, vigorous, productive—fruit stalk high and strong.

DR. KIRTLAND, of Cleveland, Ohio, states that *Hovey's Seedling*, *Willey*, *Burr's old Seedling*, and a variety of *Hautbois*, can be so managed as to give an abundant succession of fruit for five or six weeks. He remarks, "Experience has satisfied us that four-fifths of the varieties which have been introduced to public notice, are in nowise superior to a few old favorites, and many are entirely worthless in this vicinity."

G. W. HUNTSMAN, well known as a successful strawberry culturist of Flushing, L. I., places *Burr's New Pine* at the head of the list, as being "decidedly the most desirable strawberry in cultivation." He ranks *Hovey's Seedling* next; then

* How tastes differ—a person, accustomed to eating the best strawberries, preferred, this year, the *Boston Pine* for its excellent flavor, even alongside *Burr's New Pine* and *Swairstone*.

Boston Pine and *Large Early Scarlet*; and the *Crimson Cone* as a valuable market fruit.

Thinning Fruit.

The New England Farmer observes in relation to thinning fruit:—"One peach grower informed us that he had taken off two-thirds of his peaches, and as they increased in size, and appeared too thick on the trees, he said he was sorry that he had not taken off one half of the other third. One man complained to his neighbor, that a certain variety of the peach which his friend had advised him to cultivate, was a poor bearer. 'Stop your complaint,' was the reply, 'until you sell your fruit.' He raised on one tree three dozen of peaches, sold them at two dollars per dozen, and was satisfied."

This, it is true, was an extreme case, but the evils of overbearing, contrasted with the benefits of thinning, can only be understood by actual trial. The cultivator may be aware that, by reducing the number, one hundred specimens may fill his basket, where two hundred were required from an overloaded tree, but until he actually tastes and compares the two products he cannot appreciate the incomparably superior quality of the former.

Many are deterred from thinning their fruit by the slow and tedious nature of the operation; but a very expeditious way more particularly applicable to the peach, is to *shorten in the shoots*—cutting off one half or two thirds of all one season's growth. Where trees have been neglected for several years, and are beginning to extend their branches into long bare arms, the shortening back should extend to larger portions of the branch, until the tree is brought into a more compact shape. We have on former occasions more particularly pointed out the nature of this mode of treatment, but we wish now to urge the necessity of its timely performance. The earlier in winter it is attended to the less will be the liability of its omission. We have found it to succeed quite as well even if performed by mid-autumn as when left till spring.

Horticulture at Cincinnati.

At the same time that the American Pomological Congress at Cincinnati did not prove to be quite so successful a convention as had been hoped, the exhibition of fruits, &c. by the *Horticultural Society* of that place, appears to have been of a very imposing character. The following account is furnished by the Genesee Farmer:

The brilliancy of this exhibition took us quite by surprise. We expected something fine—we were aware that the most liberal arrangements had been made, and that there was abundant material in that city and vicinity, for a grand display; still, as we have already said, it took us completely by surprise, so admirable was it in all its parts. We felt fully compensated for our journey, with the gratification it alone afforded us. We have seen some of the best shows that Philadelphia or Boston has produced; and although this was defective in the display of pears and foreign grapes, yet, as a whole, considering the articles exhibited, the arrangement, &c., we consider Cincinnati up to, if not a little ahead of either; and this is saying a good deal.

The show was held in a splendid hall nearly one hundred feet long and fifty feet wide. On either side was a table, the whole length covered with fruits—not *little, shabby, half grown specimens one of a kind*—but superb dishes of those magnificent

golden and crimson fruits of the west—Fall Pippins as large as a man's head, and peaches that would almost weigh a pound. What a display of fruits!* The "Queen City" and the "Mighty West" might well be proud of it. Then, in the center of the room were three tables, with a walk between each, filled with flowers, flowering plants, and floral designs. The center table was appropriated to the design and taller plants. At the end of this table, just opposite the entrance, was a decorated arch, supported by two columns, mossed and ornamented with flowers, and with nuts of the Buckeye. The words "Buckeye welcome" were tastefully wrought on the arch, with the nuts, and on the top was the American eagle. This tasteful object was the handiwork of the Misses ORANGE, and sold, we understood, for the sum of \$50, at the close of the exhibition. There were many other very beautiful designs, by Mrs. WM. HEAVER and others. At the farther end of the room we noticed a villa residence in miniature, the grounds all laid out and planted with much skill and taste; and, just opposite, a very pretty design of a flower garden, laid out and planted. The two side tables were occupied with smaller plants, dahlias, &c. Messrs. JACKSON, HEAVER, SAYERS, and others, exhibited pot plants, many of which were new and rare, grown in the best manner. Indeed, we think they would do credit even to a Chiswick fete. A better collection of pot plants, and better specimens, have, we are very confident, never been exhibited together before in this country.

The liberal management of the Society brought out this grand display, and it was well rewarded. We were glad to see the great hall filled—thronged—evening after evening, and every visitor go away delighted. *One thousand dollars* were received at the door, and six hundred dollars were received at the sale, making \$1,600 receipts. We congratulate the officers and members of this very excellent Society on the success which has crowned their efforts on this occasion. It affords them great encouragement for the future.

Fruit Memoranda.

GRAFTING OLD APPLE TREES.—Some persons, I have noticed, in grafting old trees put in as many scions at one time as they think the tree ought to have. The next year they trim off all the original branches and leave the bare limbs with one year's growth of the scions at the ends. This causes a rapid growth of the scions, rendering them liable to be broken off by the wind, and as they cannot take up all the nourishment furnished by the roots, shoots start out all over the trees which from their number are very troublesome. *Thomas's American Fruit Culturist* shows a better way, which is, to begin at the top and graft a third of the tree a year till it is completed. This does not throw all the nourishment of the tree up to the scions at once; and they start better, from not being shaded by the foliage above them, when the top is grafted first. From the same source we learn, that "instead of cutting off large branches and grafting them at once, it is better to prune the top in part which will cause an emission of vigorous shoots which may be grafted with ease and success." I have seen trees that had begun to

* Having been unexpectedly prevented from seeing this exhibition, the writer has been favored with a glance at some of its specimens, through the kindness of A. H. ERNST and Dr. S. MOSHER, by the present of a fine collection of fruits, some of them quite exceeding in size and beauty any to be found even in the fertile regions of Western New York. ED. CULT.

decay, grafted on the old branches and the failure showed the folly of such work.

PRUNING GRAPE VINES IN SUMMER.—It is thought necessary by some, to cut off the ends of the shoots of grape vines in summer, in order to facilitate the growth of the grapes, or that the sun's rays may fall directly upon them. The following from the *Fruit Culturist* will set this matter right. "The summer treatment of grapes consists chiefly in thinning the shoots where there is danger of the leaves becoming crowded; thinning out the bunches; and, on exotic sorts, thinning out freely the berries. The frequent practice of nipping off the ends of the shoots, just above the bunches, when the grapes are as large as a pea, lessens their subsequent growth. For all fruits grow and ripen best when fed from a good supply of well grown but not crowded leaves, hence the foliage should not be lessened, nor the shoots shortened, until they interfere with each other's full development." p. 393.

THAT SEEDLING GRAPE.—In the *Cultivator* for 1844, page 382, is noticed a seedling grape obtained of G. B. Emerson, Esq. of Boston. It is represented as about the size of an ounce bullet, perfectly hardy, the flavor richer than the Isabella, and ripening about a month earlier. Such a grape would be very desirable for this climate. Do any of your readers know any thing about this grape or where it may be obtained?

ANOTHER SEEDLING.—A gentleman of this town has a grape vine which sprung from a raisin seed. It is now about five years old, apparently hardy, and, I should think, a slow grower. It has blossomed, but never fruited. It is uncommon to raise vines from foreign seed, in this part of the world, at least, and if the owner of *that* vine expects it will ever ripen fruit, I "rather guess" he will be mistaken, unless he gives it some kind of protection,—and then he may. W. L. EATON.

Apple Trees from the South.

Fruit trees, of most kinds, taken from nurseries along the sea-board and replanted in Vermont, have, in most instances, met with ill success; so much so, that all "Southern trees" have been regarded with disfavor. But the fact is now well established, that those trees re-set in these parts, which were propagated in the nurseries on the banks of the Hudson, are hardy, and thrive better than most of the trees from our nurseries.

Mr. HENRY C. HUNT, of New Haven, has a fine orchard of trees from the Hudson nurseries that are equal in hardihood or thrift to any standard trees that I ever saw in any part of the State of New York, and superior to any that I have seen reared in this State.

Most of his standard trees, set last spring, have this season grown two feet from the end bud, and older trees many of them over three feet. In fact, these trees commence bearing four years from the graft, and six from the seed. From one entire lot of 640 southern trees transplanted last spring, not one has died.

Mr. Hunt is now forwarding over two thousand from the Hudson river nurseries on sale. Such choice varieties of beautiful trees as he selects "go off like hot cakes."

BORERS, MICE AND SHEEP GIRDLING.—Mr. Hunt's method of protecting trees from the depredations of field mice and the borer, is worthy of notice. He procures sheet lead, taken from old tea chests, at a nominal price, cuts into strips, and winds around the body of each tree close to the ground.

This will last for many a year. It is simple, expeditious, and sure to keep off the "varmints."

A little hillock of dirt is raised around each tree, enough to cover the bottom of the lead.

Without protection, the borer is the worst enemy of the insect tribe, to the apple, peach, plum, or quince, that we have to contend with.

I have successfully prevented sheep from girdling my trees by the application of their own dung, quite fresh, plastered upon each tree, as high up as they can reach, one boy can pass over several hundred in a day. *Weybridge, Oct. 18, 1850.* S. W. JEWETT.

Expeditious Budding.


MESSRS. EDITORS—Under the above head, I see it stated in the *Cultivator* for June 1850, page 207, that the Messrs. Overmans of Canton, Ill., and another man in western New York, are at least supposed to be the greatest "Live Budders" ever seen or heard of, they having set about 1,650 buds each in a day, (though it is not stated how many were employed to tie them in;) and this in a region where to "Strip off a bud and fling it at a tree was quite sufficient to have it take." Although we live in a State where the soil and climate will not produce such a rapid growth as in Illinois, yet we have some trees and some "Live Budders" here. My oldest son, now in his 21st year, set 2,300 buds, and prepared his own stocks, on the 22nd of Aug. 1850; and my second son, now in his 17th year, tied them all in; and unless some two persons can be produced, who can bud and tie in 3,000 in one day, you may at least hear of one live budder who can go over the Messrs. Overmans'. *Cornwall, Orange co., N. Y.* CHAS. HAMILTON.

Horticultural Items.

THE CURCULIO.—S. W. Cole, of the New England Farmer, says that he lately observed an orchard of plum trees in Brooklyn "bending beneath their heavy and growing load of fruit," and on inquiry he found that the trees were jarred morning and evening, the curculios being allowed to escape, and as was supposed, flew away. Whether his neighbors suffered any the more for this expulsion, we are not informed; but although this is an easier way than to catch on sheets and kill them, it cannot be so sure, as a living insect may return, but if killed there is no possibility of any further injury on his part.

TRANSPLANTING EVERGREENS.—We have urged the importance of always, where practicable, removing a large mass of earth on the roots, and where this cannot be done, to keep even the surface of the denuded roots constantly moist till they are again replaced in the earth. This is corroborated by a statement from G. Jacques, who transplanted in the spring fifty two young hemlocks, (a very difficult tree to remove successfully,) on a rainy day, all of which are alive and growing.

THE KEW PALM HOUSE.—This celebrated and magnificent erection, built in 1848, is 362 feet in length and 66 feet high; the whole frame-work and sashes are of cast iron, glazed with 45,000 feet of glass. It contains lofty palm trees, huge clusters of golden bananas, cocoa nut trees, and other large tropical productions, while the foliage of cinnamon and camphor scent the atmosphere; "and but for the glass roof that you see, instead of the sky, overhead," remarks the editor, who visited it, "you might be lieve yourself in the West Indies."




DESIGN FOR A COUNTRY SCHOOL-HOUSE.

Rural Architecture.

Country School-House.

It is a singular inconsistency, that, notwithstanding the great value which our people profess to attribute to common schools, the buildings which are devoted to them, frequently evince the utmost neglect. In passing through the country, one cannot fail to be struck with many disagreeable exam-



ples of this kind. Sometimes the school-house is planted within the limits of the highway, and to escape the charge that it incommodes the public travel, it is, perhaps, perched upon some high bank, or precipice, entirely inaccessible to any vehicle. In reaching it, the children realize such a foretaste of the toils incident to climbing the "hill of science," that it is no wonder they become discouraged. In other instances the house is placed in the bleakest situation of the neighborhood, exposed to the most violent winds and storms of winter, and the most intense sunshine of summer; not a tree breaks the force of the blast, or intercepts the scorching ray. The building itself has not one inviting feature. It stands on four piles of stones—one at each corner; the underpinning having never been finished, there is a free circulation of air under the floor. It never had any paint; there are no blinds to the windows; sometimes some calico or paper is hung up as a screen to *half* the window; but more frequently the only protection of this kind, is some bushes with the leaves on, which the "mistress" has fastened into the window-frame. If a certain necessary appendage to the school-house has ever been erected, its situation and condition are such as to outrage decency. Half the boards are torn off, it has no door, and is so near the public road that it might well be complained of as a nuisance.

Such are too many of our country school-houses. But we are happy to know that a reform has commenced. Public school-houses, tasteful in design, and convenient in arrangement, have been erected in many places, and we hope the improvement will speedily spread over all parts of the country.


The design here given was modified by Mr. DOWNING, for the *Horticulturist*, from an English work on school-houses, by KENDALL. It represents a small school-house, in a style admirably suited to harmonize with rural scenery. It might be built of wood for \$600 to \$700. If not exactly copied, the design would afford some excellent hints. The exterior would have an agreeable effect if adopted for a small country church

The Farmer's Note-Book.


Ice-Houses.

In answer to several inquiries, we again insert the accompanying cut of an ice-house above ground. It was originally furnished to the *Horticulturist* by N. J. Wyeth, a celebrated ice merchant of Cambridge, Mass., who describes it as follows:

An ice-house above ground should be built upon the plan of having a double partition, with the hollow space between filled with some non-conducting substance.



In the first place, the frame of the sides should be formed of two ranges of upright *joists*, six by four inches; the lower ends of the joists should be put to the ground *without any sill*, which is apt to let air pass through. These two ranges of joists should be about two feet and one-half a part at the bottom, and two feet at the top. At the top these joists should be morticed into the cross-beams which are to support the upper floor. The joists in the two ranges should be placed each opposite another. They should then be lined or faced on one side, with rough boarding, which need not be very tight. This boarding should be nailed to those edges of the joists nearest each other, so that one range of joists shall be outside the building, and the other inside the ice-room or vault.



Manner of nailing the boards to the joists.

The space between these boardings, or partitions should be filled with wet tan, or sawdust, whichever is cheapest or most easily obtained. The reason for using *wet* material for filling the space is, that during winter it freezes, and until it is again thawed, little or no ice will melt at the sides of the vault.


The bottom of the ice vault should be filled about

a foot deep with small blocks of wood; these are levelled and covered with wood shavings, over which a strong plank floor should be laid to receive the ice.

Upon the beams above the vault, a pretty tight floor should also be laid, and this floor should be covered several inches deep with dry tan or sawdust. The roof of the ice-house should have considerable pitch, and the space between the upper floor and the roof should be ventilated by a lattice window at each gable end, or something equivalent, to pass out the warm air which will accumulate beneath the roof. A door must be provided in the side of the vault to fill and discharge it; but it should always be closed up higher than the ice, and when not in use should be kept closed altogether.

Michigan Sod and Sub-soil Plow.

It will be recollected that this plow received a special premium, equal to the highest offered, at the trial of plows by the N. Y. State Ag. Society in June last. The figure of the implement, as given



in our October number, represents it as first constructed. The accompanying cut shows it with several improvements which have been added. The form of the forward share has been somewhat altered, and a cutter attached to the share, substituted for the former lock-coulter. An improvement has also been made in the attachment of the plow to the beam, and in the gearing belonging to the wheel. NEWELL FRENCH, Rome, N. Y., is the proprietor of the patent for the above plow.

Preparations for Winter.

Such preparations for winter as have not already been made, should be attended to without delay. Domestic animals should be provided with comfortable shelter. This is a duty enforced by the obligations of humanity, as well as a matter of policy in a pecuniary view. The heat of the animal system must be kept up to about 100°; the substances which supply this heat are taken as food—they are the *fuel*, and the colder the atmosphere by which the animal is surrounded, the greater will be the amount of food required to sustain it. Animals should be kept dry, in winter. A cold, drenching rain is more injurious than almost any fair weather to which they are exposed. Moisture is rapidly evaporated, and every particle of water that is thus carried off, takes with it a certain amount of heat. This explains why animals are so likely to "take cold," as the expression is, by exposure to dampness under a low temperature. The heat is absorbed by the vapor, till the cold strikes through the system to the vitals.

Farmers that have not already suitable buildings for their stock, may readily make those which will serve for a while. Sheds for sheep may be made of boards, rails, or poles. If the latter are used, they may be thatched with straw, or with hemlock, fir, or cedar boughs; and by making the sides and ends double, with a space of six or eight inches between and filling the space with straw, they will afford good protection.

Vegetables which have been stored in cellars

should not be kept too much from the air. They are very likely to rot from heating. Windows should be kept open until the vapor is seen to congeal inside the apartment, and even after that, it will be advisable to open them occasionally, in mild weather. If the common English turnip has been grown, it should be put where it can be fed out early, as it is of but little value after the first of January.

Every farmer should have a hay or straw-cutter. Clover hay will be consumed with much less waste by being cut—the stems and leaves are then all eaten together. Cornstalks should also be cut; cattle eat a greater proportion of them in this form than when given whole, and what they do not eat, is left in a much better condition to go into manure. Cut in small pieces, the spongy pith is exposed, and readily absorbs a large amount of liquid. If thrown whole into the heap, they do not rot by spring, and are quite a hindrance in loading the manure. If grain or meal is to be fed to stock, it should be mixed with cut hay or straw. It will be better digested and will go further.

Stock should not be pinched the fore part of the winter. If they must be put on short allowance, it had better be done at the last end of winter, as they will then have to be kept poor less time. But with the general abundance of forage the present season, there will, with proper economy, be no necessity of any stock suffering for food.

Wood and timber should be cut as soon as practicable. It is inconvenient working in deep snow; neither men or teams can do as much work as when the ground is bare or only covered with snow enough to make good sleighing. When there is a great depth of snow, there is much more waste. The stumps are cut higher, and many of the smaller branches are left, which would otherwise be saved. Forests should be cut clean, if it is intended that they shall grow up again. If the whole growth is taken off smoothly, at once, the new crop will start thick and grow evenly.

Sleds should be got ready for use at a minute's warning, for none can tell how soon the snow will fall, and the first that falls of sufficient depth, should be improved. Implements not in use, should be housed. They should not be all tumbled together in a heap, "as the manner of some is," but put up in order, each in its place,—so that any one could be reached whenever wanted—even in the dark.

Stones for walls may be dug till the ground becomes hard frozen, and if the smaller ones are put in heaps, and the larger ones raised up by "blockings" so that they will not be fastened to the ground by frost, they may be moved with the first snow, on a "stone boat" or sled, to where they will be wanted.

Leaves for litter and manure may be gathered to good advantage along the borders of woods. The wind often collects them in considerable quantities near fences. Taken while they are dry, they make the best bed for a pig that he can have; and when so broken up that they are no longer fit for this purpose, they will be the best manure for radishes, early cucumbers and melons, or potatoes, that can be applied.

Large Wheat Crop.

EDS. CULTIVATOR—I have noticed several accounts of large yields of wheat in various places, but I have seen no statement of yields that would compare with a yield from six acres, harvested by Mr. William Hotchkiss, on his farm one mile east

of this village. He harvested and thrashed *three hundred and eighty-five and three-fourth bushels*; a yield of *sixty-four bushels per acre*. The wheat was of the same variety as Mr. Cook's of Lima, (Sonle's,) and was drilled in with a drill invented and made by Mr. Abbot, of Lockport in this county.

Mr. Hotchkiss has taken the premiums at our town and county fairs, and will probably be a competitor for the State premium. He has affidavits to establish facts as herein stated. I think he would be a successful competitor at the World's Fair, as I have conversed with several intelligent farmers from Old England, who say, they never heard of such a yield from the same number of acres. A SUBSCRIBER. *Lewiston, N. Y., Oct. 14th, 1850.*

American Provisions in England.

A considerable trade has been carried on between this country and Great Britain, for several years, in the articles of beef, pork, butter, cheese, &c., and we believe there is but one thing necessary to make this trade more extensive and profitable. The thing needed is an improved quality of the articles. In regard to American cheese, for instance, there would be a very large demand by the English people at fair prices, if the article would bear a comparison with the best of their own manufacture. The same remark will apply to pork, hams and butter.

The following extracts from a review of the provision trade at Liverpool, for the past season, we take from the *Mark-Lane Express*:

CHEESE.—The bulk of the early imports having turned out fine, very good prices were realised, leaving a fair margin of profit to the merchant; but later arrivals proving deficient in quality, were very difficult of sale at any reasonable figure. The consequence was that many importers resolved on holding, and thus we had an accumulation of stock, all of ordinary or inferior character, and which, from deterioration of quality, had eventually to be forced off at very ruinous rates. Indeed, several parcels were returned to New York, in expectation of finding a better market there; in which hope, however, the owners were disappointed. At the end of the season a few lots of very inferior old, and some of the earliest new, came forward, and were sold at prices ranging from 5s. to 30s. per ewt. [or about 1 cent to 6½ cents per pound.] The recent imports of the latter have, we are glad to say, proved of prime quality, and have brought high figures, say 40s. to 44s, and in one case 46s. per ewt. [about 8½ to 10 cents per pound;] rates which, we believe, are pretty remunerative to the importer. At present we have a good demand for all such cheese; and although perhaps these prices cannot be counted upon for any length of time, still a really fine article will always command a ready market here at rates corresponding to the value of English; whilst we believe ordinary and inferior American will, during the present season, be more unsaleable than ever. From all we can learn we conceive the make of English will not reach the large production of last season. The imports of the past year have been about equal to those of the preceding.

HAMS.—We regret that we cannot report any improvement in the quality of American hams generally; the trade during the whole of the season has consequently been of a very dragging character, and prices have ruled much lower than even last season's. Until some amendment in the cure can be effected, we cannot expect a different result, and would therefore refrain from recommending their importation.

Renovation of Worn out Lands.

H. K. BURGUYN Esq., of Jackson, North Carolina, has been very successful in reclaiming the worn out lands of the section where he resides. He has furnished for the agricultural part of the Patent Office report, an account of his mode of improvement, by which he has doubled the product of Indian corn, and increased the yield of wheat in a still greater proportion. The following are the principal points in his system of culture:—

If the "broom straw," in which these waste lands always grow up, retains any sap, by which, when turned under, fermentation will ensue, and cause the straw to rot, let the land *as it is*, be plowed with the largest size plow, drawn by three or four horses, running as deeply as possible—say not less than ten inches—and turning everything under. If the straw has no sap, burn it off, and plow as before. If possible, follow each plow with a subsoil plow, and go 6 or 8 inches deeper. This will make the stiff clay, which almost everywhere underlies our land, more open to the genial influences of the sun and air, and enable it to get rid of the surplus water of winter, and heavy rains in other seasons of the year.

About the middle of June, following when the weeds are about half grown, and before they have formed their seeds, sow the land broad cast at the rate of a bushel per acre, of the numerous varieties of peas among us, except the "black-eyed," which, having very little vine, affords little shade. In all cases I prefer those which have the most vine, and ripen earliest. When the land has much weeds or grass upon it, turn under the peas with any kind of plow, running not over three inches deep. If the land is bare of weeds, I prefer covering the peas with a large heavy harrow, running both ways—first lengthwise and then across the beds. As it is important to give the peas a start over the weeds and grass, I soak them six hours in water, and rub them in plaster of Paris; and, when they begin to leaf and branch, say, when twelve inches high, I sow plaster at the rate of a bushel per acre. This stimulates their growth, and they overpower the weeds and grass.

When about half the peas are ripe—not "half ripe"—hogs should be turned in to trample and cut up the vines, otherwise it is extremely difficult to turn them under. So soon as this can be done, the hogs should be taken off, for shading the land from the summer's sun—a most important matter in all improvement—and giving to the thin soil a large mass of vine leaves and other vegetable substances. From experience in the use of both, I think peas but little inferior to clover (to which family, indeed, it belongs,) as a specific manure for wheat.

After this mass of vine has been turned under, you have a "pea ley," over which sow a bushel and a half of wheat per acre, and six quarts of clover seed. Harrow both in thoroughly, and let the work be finished by the middle of October. The return will, of course, depend somewhat on the quality of the "old field;" but I venture to affirm, that it will amply repay all labor and outlay, and astonish by the great result apparently from so trivial a cause.

I am familiar with the great increase of crops from the use of lime and clover, and I do not mean to compare the two methods of renovating land as equal; but where lime is not to be had, there is no application that can compare for a moment, on well drained land, (if it need draining) with plaster, peas and deep tillage. No gold mine is so valuable

as a good marl pit. I am, however, confining myself to interior districts, where neither lime nor marl can be had.

After the wheat comes off in June following, the clover, if sown early in October, will have grown so as to shade the land pretty well, even on the waste I speak of. It should not be grazed the first year, at all: in the February after, top-dress it with all the manure to be had, not forgetting to apply all the *old ashes* within reach. This time of the year, (winter) is best for applying manure in our country, where the hot sun acts so injuriously on a bare surface. The roots of the young clover being protected from the hard frosts and sudden changes, by the manure, it shoots forward with the earliest warmth of spring, and smother all weeds. When the weeds mature their seeds, they draw upon the fertility of land equal to most crops. Clover gives a crop equal to any other, and is all returned to the land in droppings of the stock while grazing upon it. As proof of its profit, for three years I have never fed my working horses on grain or fodder but once a day, from the middle of May till the clover fails. They are turned on the clover field after the day's work is over, and taken up in the morning in good condition for service. I have never lost one by this management: in fact they improve from the time they are thus treated, and work better.

After the clover has been on the land for two summers, during which period it has dropped three crops of leaves and stalks, and thereby greatly improved the land, either turn it under as before, in September or October, for wheat, or later in the fall for corn the ensuing year. In the former case, you will find your land as thickly set as before with volunteer clover, which ought to remain as a pasture for the summer, after the second crop of wheat comes off. If corn instead of wheat, be grown, sow peas broad cast among the corn at the last plowing, soaking the seed and rolling them in plaster as before. After the corn crop, do not suffer the land to "lie out." No error can be more opposed to good farming, than that which assumes that land is improved by "laying out" and permitting a crop of weeds to mature upon it. If we had duly reflected, this error would long since have been apparent, in the continued quantity, of thousands of acres lying waste around us, *not a whit improved by "lying out."* After the soil has once been brought up by peas, subsoiling, or deep plowing and clover—all within reach of the farmer even in the interior—it will not again relapse unless the former barbarous and senseless practice of exhaustion and negligence be again adopted. If lime can be had, even at a cost of 20 cents a bushel, I would in all cases spread it on the land, after the first crop of peas had been turned under, to the amount of fifteen or twenty bushels per acre. This quantity will greatly benefit the land, and enable the owner shortly to repeat the application of a like quantity.

Canada and the United States.

Hon. Mr. FERGUSON, member of the Canadian Parliament, in his speech at the late meeting of the Canadian Agricultural Association, spoke of the agreeable intercourse he had enjoyed with the people of the state of New-York in the following terms. He said for seven years past he had been in the habit of attending the New-York State Agricultural Fair. He had had the honor of being invited there from year to year, and he would say that if they would only go there with candid feelings and with a desire to improve, they would see something that would aston-

ish them, that would bring them up, as farmers, considerably in the scale of human nature. (Great applause.) They would see farmers where they ought to be, the leading principal men in the country. There was no class of society equal to the farmer, all depended upon the farmers for their support—they had not taken that position which they ought to have done, and which they deserve; but he trusted the natural results of such meetings would make them feel their own importance, as they do on the other side. There he had uniformly met with a great degree of kindness. He could assure their friends from the other side, that there existed the kindest feelings here towards their neighbours, who go hand and heart with them in the way of improvement; and he would say if they would continue to send their notions, they would send them their dollars in return, and besides they would give them the warm hand of friendship,—happy to meet as good friends for the interchange of good feelings and with the desire to do each other all the good they could—of course every one minding what was for his own interest.

In conclusion, he would take this opportunity of thanking his friends for all the kindness and hospitality he had met in attending State fairs, and would beg leave to propose—"Prosperity to the New York State Society, and all its members." (Cheers.)

Characteristics of the Season of 1850.

Throughout a large portion of the country, the distinguishing feature of the past summer has been the unusual quantity of rain, and the frequent displays of lightning. In this respect the season was the opposite of 1849. The theories which some have entertained, as to the effect of rail-roads and electric telegraphs, in preventing thunder storms, are, we presume, pretty well shattered by the numerous severe shocks of the last season.

The following table shows the quantity of rain which fell at Albany, during each month, from May to September, inclusive, for the present and last year. The average quantity for the whole year is 41 inches:

	1849.	1850.
	Inches.	Inches.
May,.....	5.40	6.01
June,.....	4.45	5.72
July,.....	0.70	8.57
Aug.,	4.83	2.50
Sept.,	1.06	6.56
	16.44	29.36

April was cold, and May was cold and wet; from which cause, seeding was much delayed. Little was done in May; and from the Potomac and Ohio, to the St. Lawrence and the lakes, a great portion of the Indian corn, oats, barley, and spring wheat, was not deposited in the soil till the first week in June. Seed-time being thus retarded, the growth of all crops was forced into a very small compass. Vegetation in general was, however, uncommonly rapid and luxuriant, when fairly started. We had no drouth in this section,—the grass preserved its freshest and brightest green from May to November. The foliage of the trees has been of unusual density and richness, and the growth of both forest and fruit trees has been remarkably large.

Hay was abundant through the middle, eastern and northern States; but owing to the watery character of the grass, and to the unfavorable weather at the time of making, the quality is inferior to an average. In Ohio, Indiana and Michigan, the crop was injured by drouth which occurred in June. The meadows along many of the principal streams in

New-York, were overflowed by the great rains of July, and the grass so injured by the deposit of earthy matter, that it was rendered worthless for hay.

Wheat, taking the whole country together, gave a bountiful yield. Probably the whole amount of the crop is considerably larger than any before harvested in this country. In Ohio, and the western States, generally, it is represented as very fine. The drouth in June checked the growth of straw, but the grain filled in the best manner. In some neighborhoods of Western New-York, the grain was injured by being sprouted while standing in the shock; but we think the damage from this cause was of less magnitude than was at first represented. *Spring wheat* has not, generally, done as well as usual, owing, chiefly, to the weather being too wet at the time the grain was forming. The wheat-midge has been less prevalent at the eastward, the past season, than for several previous years.

Rye has given, perhaps, an average yield, though it was injured by too much wet, except on the driest soils.

Barley, it is said, has not done as well as usual, either in yield or quality. The central counties of this State constitute the main district for the cultivation of this grain, and for the supply of the large breweries along the Hudson river.

Oats, in many places, were much injured by the great storm of the 19th of July. They were beaten flat to the ground by the wind and rain, and in many instances did not sufficiently recover to fill well. Comparing the crop of this year, however, with that of 1849, for the whole country, we think it probable that the balance would be in favor of the present year. The crop of the former year, it will be remembered, was greatly injured by drouth.

Indian Corn has generally done well. As before remarked, it had but a short time to grow—scarcely more than three months, and the general maturity of the crop, before the occurrence of frost, is a striking example of the rapid progress of vegetation under the effect of intense summer heat. The yield is represented as satisfactory, except in some instances in the most northern portions of the country, the ears have been small in proportion to the stalks. This defect was chiefly confined to wettish soils, or fields where the planting was too thick to admit the proper action of the sun.

Potatoes have been more affected by rot than in any year since 1845. The crop, except on very wet and heavy soils, flourished well, and in the earlier planted fields, the usual quantity of tubers was formed; but the rot has lessened the value of the crop to the amount of at least fifty per cent.

Fruits, in this section have hardly given their usual yields. The apple crop is light, over most of the New-England and Northern States. The fruit did not set well. This remark is also applicable to plums, and some other fruits. The cause is supposed by some to have been the prevalence of wet weather at the time the trees were in blossom. This, it is thought, prevented the proper deposition of the impregnating pollen. Does observation support this theory? Some kinds of apples, as Spitzenburgs and Newtown Pippins, are more specked with black, and less fair than usual. Pears have been badly affected by blight. Trees that have heretofore escaped this scourge have this year been seriously attacked, and in many instances ruined. The Virgalieu, or White Doyenne, has been cracked and spoiled to a great extent in this vicinity. Peaches were abundant through New Jersey, Delaware, &c., from which they were sent in large quantities, and

at very low prices, over the northern and eastern sections of the country, and to the Canadas. Plums were not equal to a medium crop. Grapes, except in warm soils and sheltered situations, have failed to ripen well, from want of clear, hot weather towards the close of the season.

The weather, during autumn, has been generally mild, with occasional moderate rains. The latter half of September was, for the most part, unseasonably cold, but with only one or two frosts, and even up to the first of November there has been less frost than there often is before the first of October. The ground has been frozen but two or three nights. The leaves have fallen from the trees, from their having died a "natural death"—they had fulfilled their office, and were no longer needed. The autumnal hues of our forests have been splendid indeed, and with the rich green of our pastures and meadows, and the mellow atmosphere of the "Indian summer," our landscape scenery has possessed high attractions for those who can appreciate the beauties of nature.

Culture of the Onion.

EDS. CULTIVATOR—My little girl, who feels a common interest in the cause we are all laboring to promote, has favored me with the annexed copy of a statement by a worthy and intelligent cultivator in this town, which I forward, to be used at your discretion. It shows a net profit of about *one dollar to each square rod cultivated*, which is doing quite well for a yankee soil. I saw the crop in the field, and after it was gathered, and have full confidence in the accuracy of all that is said.

If I do not mistake, Mr. B's manner of preparing his land; of raising his seed; of pulverizing and applying his manures; of keeping his ground entirely free of weeds; of careful attention that every movement shall be made at the best time and in the best manner, affords instructive lessons for the cultivation of other vegetables as well as onions. I know not whether much attention is given to this crop in your region, but this I have observed for a number of years, no labor upon the soil in this neighborhood is more liberally rewarded, than that which is applied to this culture. The demand seems to increase with the growth, so that notwithstanding the products have quadrupled, all are readily sold from 35 to 45 cents the bushel, according to quality.

Our cultivators of late are very partial to the use of the *side hill plow*, even upon their plain lands, because it leaves them free of all *back furrow ridges*, and *dead furrow hollows*, and as they think, in lighter and better condition. The old notion of plowing shallow and keeping the hard land for the raising of the onion is exploded; it being found that deep plowing is equally serviceable in this, as in most other crops.

Particularly do they find that the bulk of the manure applied should be well covered and intermingled with the earth; and that much stirring of the soil has a highly favorable influence on the growing crop. But I forbear to multiply my own remarks, my purpose being simply to give you the *practical results of the hard hands themselves*. Very respectfully and truly yours, J. W. PROCTOR. Nov. 8, 1850.

STATEMENT OF MR. BUXTON.

To the Committee on Root Crops:—I find the piece of land, planted with onions, to which I asked your attention, to contain one hundred and five poles,

and to have produced the present season four hundred and forty-eight bushels of onions fit for the market; being about three and one-third bushels to the square rod. The onions were not extraordinary large, but were remarkable for uniformity of size, and excellence of quality. They are as handsome as any I ever raised. They are of the species called silver skin. They are thick and plump, which form has been produced by careful attention in selecting such for seed for several years; I raise my own seed, and am particular to set only such for this purpose as I wish to raise. I find, in this way, that their form can be modified as I wish.

The land on which they grew is part of a field of 13 acres, on Collins plains, a light soil free of stone. For the last ten years it has been under good cultivation, and freely manured,—most of the time this parcel has yielded onions. Barn manure, compost, ashes, and muscled have been the principal applications. Ordinarily when we plant onions we apply 5 or 6 cords of manure, to the acre. In 1849, finding the crop to have failed on this piece, yielding short of 300 bushels to the acre; I thought it needed some other nutriment, and as soon as the crop was gathered I sowed it with oats, using a cultivator to cover them. These grew luxuriantly, and late in the fall, just as the ground was about to freeze, I turned them under, using a *side hill plough*, running the furrows about eight inches deep. The entire crop was buried by the furrow and so laid until spring. On examining it then I found the oats as sound as when turned in; consequently I could not plow the land. I went over several times with a cultivator, and then applied a moderate dressing of manure from my hog yard to the surface, say about two and a half cords to the lot, and mingled it with the soil as well as I could, taking care to remove all obstruction to the even distribution of the seed; and then planted with a machine in the usual way. It came up evenly and grew well through the season, being kept entirely clear of weeds. The appearance of the plants through the season was uncommonly good—manifestly deriving much aid and support from the decaying green crop underneath. This is proved by another piece of onions in the same field, cultivated and manured in the usual way, where the crop was not more than two thirds as large as this. I am the more particular in describing this experiment with the oats, because it has succeeded beyond my expectations. I have seen other fields of onions where they grew to a larger size than these, and have no doubt mine would have been larger, if I had put on more manure, but as a whole I have never seen a handsomer yield. They sell at the present time for \$1.25 per barrel delivered in Boston. I have so long been accustomed to keep my land clear of weeds, that the labor of taking care of onions is not more than twice as much as is required for indian corn. I had no thought of offering this crop for premium until requested so to do. If this plain statement of facts shall be thought worthy of your notice, I shall feel much gratified. DANIEL BUXTON. Danvers, Mass., Oct. 21st, 1850.

Capons.

Professor Dick, a distinguished veterinarian of Edinburgh, gives in the *North British Agriculturalist*, the following directions for caponising fowls:

Select a young cock—say from three to six months old, keep him fasting for 24 hours—let an assistant hold him on his back, and then make a transverse incision at the posterior end of the sternum (breast

bone,) so as to allow the forefinger to be introduced freely into the cavity of the abdomen; the finger is to be passed first on one side forward, by the side of the spine, and the testicle detached with the nail (which should be allowed to grow long, to facilitate the operation;) and having got out the one, the other must be removed in the same manner. The wound should then be closed with a suture, and the bird placed in a warm room, and fed on soft food for a few days. Instead of cutting away the testicle with the nail of the finger it is the practice in some countries to introduce a small tube, or reed, with a double thread, forming a noose, which, being passed over the testicle, is drawn outwards through the tube, so as to cut off the connection, and the testicles are thus removed, one after the other. The Chinese adopt this method, and use a reed, and a thread of cane fibre, which, by its firmness, and at the same time elasticity, suits well for getting on the noose. The operation may also be performed by making an incision before the thigh, in the side, in the same manner as in spaying pigs; but it is sometimes difficult to get out both the testicles in this way, and an incision is, therefore, sometimes required to be made in the other side, and the double operation is more likely to destroy the animal. Some make capons by passing the finger along the rectum, and break down the testicles by pressure, but it frequently does not succeed, and even if they are not removed from the abdomen, after the operation has been performed by incision, it sometimes happens that they adhere again, and resume their functions, and the bird is not castrated. Examine the body of a dead cock before operating. Pullets are made by dividing the oviduct, in consequence of which the abdomen gets filled with eggs; an incision is made the same as in making capons; the bird must be killed after a certain period.

Knowledge of Geology Important to the Farmer.

EDS. CULTIVATOR—In the preliminary treatise on Natural Philosophy, on the objects, advantages, and pleasures of science, published by the Society for the Diffusion of Useful Knowledge, there are some excellent illustrations given, with one of which we will introduce this communication. The writer says,—“There is hardly any trade or occupation in which useful lessons may not be learned by studying one science or another. To how many kinds of workmen must a knowledge of mechanical philosophy be useful! To how many others does chemistry prove almost necessary! Every one must with a glance perceive that to engineers, watch-makers, instrument-makers, bleachers, and dyers, those sciences are most useful, if not necessary. But carpenters and masons are surely likely to do their work better for knowing how to measure, which practical mathematics teaches them, and how to estimate the strength of timber, of walls, and of arches, which they learn from practical mechanics. Nay, the farm servant, or day laborer, whether in his employer's business, or tending the concerns of his own cottage, must derive great practical benefit for knowing something of the nature of soils and manures, which chemistry teaches, and something of the habits of animals, and the qualities and growth of plants, which he learns from natural history and chemistry together. In truth, though a man be neither mechanic or peasant, but only one having a pot to boil, he is sure to learn from science, lessons which will enable him to cook his morsel better, save his fuel, and both vary his dish and improve it. Science then makes

men more skillful, expert, and useful in the particular kinds of work by which they are to earn their bread, and by which they are to make it go far and taste well when earned.” Thus,

“Though nature weigh our talents and dispense
To every man his modicum of sense;
Yet much depends, as in the tiller's toil,
On culture, and the sowing of the soil.”—*Cowper.*

New names must be given to new sciences as they are born, and the languages of the Greeks and Romans are those most usually drawn upon for this purpose. The science which describes the solid materials of the earth, the order in which they are arranged, and the causes which have affected that arrangement, has been named Geology, from the Greek, *ge*, the earth, and *logos*, discourse. The knowledge of the relations of this science to the successful cultivation of a country, is at present possessed by few farmers. Some understand its connection with the formation of the soils they cultivate, but even these are a minority. It may safely be said, that this knowledge is a desideratum, the want of which, together with that of other sciences of a kindred nature, now distinguishes our agriculturists. But it is remarked there are many good farmers who are not Geologists, who perhaps do not form a correct idea of the meaning of the word. They, however, neither understand the principles of their art, nor can they derive any intellectual enjoyment from the results of their practice; such men are “born to blush unseen!” We do not mean to undervalue that sure practical guide of the farmer, *experience*, nor the result of long and frequent attention to numerous local circumstances; these are wheels within a wheel, yet of no subordinate importance.

Numerous instances might be cited of the benefits conferred by Geology upon agriculture. The intermixture of soils where one kind of earth is either redundant or deficient, is practiced in some places with great advantage. Red sandstone districts are converted into fertile land by intermixing with them the calcareous marl which they frequently contain in detached beds. So with the clay marl generally underlying pine plains. The green sand marl of New-Jersey is applied to sandy soils with much benefit. “When we behold,” says Pro. Rogers, in his report to the Legislature of that State, “a luxuriant harvest, gathered from fields where the soil originally was nothing but sand, and find it all due to the use of a mineral sparsely disseminated in the sandy beach of the ocean, we must look with exulting admiration on the benefits conferred upon vegetation by a few scattered granules of this unique and peculiar substance. The small amount of green-sand dispersed through the common sand, is able, as we behold, to effect immeasurable benefits in spite of a great predominance of the other material, which we are taught to regard as, by itself, so generally prejudicial to fertility.”

We would regard it as a great advance upon the present position of the farming community, if each proprietor was qualified to name the rocks and minerals which are incidentally met with in crossing his fields. What pleasure would be derived by the formation of cabinets of geological specimens found on farms! How many young minds grow up sealed to knowledge, because those around them to whom they naturally apply, are sealed likewise! But it is gained by application, we will not say unremitting, but assiduous and continued, until its attainment seats its possessor on a throne. A. K. *Albany, Nov. 1850.*

New Kind of Manure.

Immense numbers of cattle were formerly slaughtered in South America, chiefly for their hides—the carcasses being left on the plains as food for wolves and vultures. Latterly, however, it has been found that a portion of the flesh and fat may be saved with profit. The process by which this is done is thus described:

“The best part of the beef is cut off in long strips, which are dried in the sun; and the remainder of the flesh and the whole of the bones are put into a large vat, with a double bottom, the upper one of which is perforated with a number of holes. A current of steam is then admitted into the space between the two bottoms, by which means the tallow is gradually melted, runs through the holes, and is collected in a vessel for the purpose; the current of steam being kept up as tallow is obtained. The remainder of flesh and bones is then thrown out, and has hitherto been regarded as refuse; but a considerable quantity of it having accumulated, the proprietors of the works were anxious to find a use for it, and they have accordingly commenced exporting it as a manure.”

Considerable of this substance has been taken to Scotland. It has been analysed in the laboratory of Prof. ANDERSON, chemist to the Highland Agricultural Society, and the results are given as follows:

Water,	9 05
Fat,	11 13
Animal matter,	29 52
Phosphate of lime,	23 74
Carbonate of lime,	3 81
Alkaline salts,	0 57
Sand,	7 16
	100 00

The substance is described as consisting of pieces of bone, mixed with dry and fibrous flesh. It emitted a strong odor, though from the dry state of the mass, its decomposition proceeds with great slowness. Prof. ANDERSON thinks this manure will be likely to prove of considerable importance. He thinks it comes nearer guano than any other manure, though it is not quite equal to the best of that article from Peru. He observes, however, that “it will, in all probability, prove a slower manure than guano; and should this be the case, it will present considerable advantages, for there is little doubt that in many instances guano proves too rapid in its action—not giving sufficient support to the crop the latter part of the season.”

A Receipt to Preserve Pork.

Take 1 lb. of Black pepper, and grind it fine for one barrel, or 200 lbs. of pork, and sprinkle on each layer of pork, until it is quite brown—then put on the salt. It helps to preserve the meat, and adds greatly to the flavor and smell of it. I have practiced it for years. LINDLEY M. VAIL. *Quaker-town, N. J., 10th mo., 22nd, 1850.*

Cultivation of Cranberries.

EDWARD THACHER, of Yarmouth, (Mass.) furnishes the officers of the Barnstable County Agricultural Society an account of his mode of cultivating cranberries. The following is his statement:

July 12th, 1845, I purchased for \$40, then considered more than it was worth, one and a half acres of land—about one half a sandy beach and the remainder a low peat meadow covered with water. A rim of about six feet in width around the bog and between the water and the beach, had a few cranberry vines on it, which had been closely fed off. In the spring of 1846, I drained the bog and covered

about one-eighth of an acre with sand three inches thick, and set it with cranberry vines in rows two feet apart and hoed them four times in the season of 1846, and once in the spring of 1847. The grass then got advantage of me, and I left the vines to work their own way. They have now nearly overcome and worked out the grass and rushes. On the remainder of the bog I strewed vines, and trod them in the mud, by walking over them. These grew with rapidity without any farther care except flowing in the winter. In the fall of 1848 I gathered from ten rods where no sand had been spread, as many bushels of cranberries, while on the part sanded I had scarcely as many quarts. The latter are now doing better, having got the advantage of the grass, and I think will finally work it out. I have this year, on the quarter of an acre offered for premium, quite a good crop, although the worms destroyed nearly one half. I have picked one square rod of the light colored variety, set in the mud, and it yielded two bushels and twelve quarts, (or at the rate of 380 bushels to the acre.) One square rod of the small dark colored variety on the mud yielded one bushel and two quarts. The large red variety yielded on the mud two bushels to the square rod. The whole quarter is not yet gathered; it will yield about thirty-five bushels, about one half of the vines being set on mud and one half on sand.

In selecting soil for cranberries, it is highly necessary to select such as will not dry in summer, but much also depends on the selection of the vines, as the Committee will see by the samples here presented, all having the same soil and the same treatment. *The samples are not selected, but sent in precisely as they grew.* The whole expense on the above bog, up to the present time, does not exceed \$40.

I have received from the sale of cranberries, up to the fall of 1849,..... \$320.00
 Deduct for picking, one-fourth, ... \$80.00
 All other expenses for setting, interest, &c., 40.00
120.00

Net profit, \$200.00

PRIZE WHEAT.—At the late exhibition of the Agricultural Association of Upper Canada, the *Canada Company* offered a prize of £25 for the best 25 bushels of wheat, and £12 10s for second best lot of the same quantity. DAVID CHRISTIE of Dumfries, received the first prize. The variety was the *white blue-stem*, which he first obtained at the New-York State Fair at Buffalo in 1848. It is said to have weighed 66 lbs. to the bushel, and to have yielded 36 bushels to the acre.

TO YOUNG FARMERS.—One of the most important parts of a young agriculturist’s professional education, is the characteristics, marks, qualities, and capabilities of all descriptions of live stock necessary for agriculture. Some knowledge of sketching or drawing the live animals would be highly conducive to the pupil ascertaining a proper idea of shape and proportion; and should there be an intelligent butcher in the neighbourhood, I would recommend him to see as much of *his* business as he can consistently with his other occupations—to weigh the live animal, from its handling, size, and appearance in his mind; attending the slaying of such animal, examining its weight when dead, and comparing this with his own opinion of it when alive, would all lead him to form more correct and solid opinions in his future transactions with fat stock. *Lecture on Agricultural Education.*

Notices of Publications.

PICTORIAL FIELD BOOK OF THE REVOLUTION; or Illustrations, by Pen and Pencil, of the History, Scenery, Biography, Relics, and Traditions of the War for Independence. By **BENSON J. LOSSING.** With six hundred Engravings on wood, by **LOSSING & BARRITT,** chiefly from original sketches, by the author.

This is the title of a work now in course of publication, by **HARPER & BROTHERS,** New-York. It is designed to furnish "a pictorial and descriptive record of a journey recently performed, to all the most important historical localities of the American Revolution." This design is admirably fulfilled, so far as the work has been completed. It is just what the public needed, and we deem it fortunate that it has been undertaken at this time. Mr. Lossing has saved from oblivion, and preserved in an imperishable and beautiful form, the image of many an interesting relic, which, after a few more years, it would have been impossible to obtain. Besides his pictorial sketches, which are of the most truthful and natural description, he has collected many interesting historical incidents from aged patriots, in whose minds the memory of the trying scenes of the Revolution is still fresh. All the illustrations are accompanied by well-written descriptions and explanations, which comprise both the historical facts with which they are connected, and the personal observations of the author. Altogether, the work is one which has many attractions, especially to the young, by whom it cannot fail to be read with great avidity. The engravings are of a style not inferior to anything of the kind which has ever appeared, and the whole execution of the work is of the very best character. It is issued semi-monthly, and will be completed in about twenty-numbers, of forty-eight pages each, octavo; the price only twenty-five cents a number.

HARPER'S NEW MONTHLY MAGAZINE.—This highly useful work, which was only commenced in June, has already attained an unprecedented circulation—**FIFTY THOUSAND** copies being issued. The publishers say it is their "leading object to present to the public, in handsomer style, and at a cheaper rate, a greater amount of reading matter, combining entertainment with instruction, than is given in any other periodical in the world." It is certainly the medium of circulating a very great amount of valuable information. The work is handsomely printed, on good paper, and is issued monthly, at twenty-five cents per number. **HARPER & BROTHERS,** New-York.

Answers to Correspondents.

STEEL CULTIVATOR TEETH.—D. M., Louisa C. H., Va. Rogers' patent steel cultivator teeth are made by various persons. The form of the bottom of the tooth, as now preferred, is triangular. From seven to nine teeth are used for two-horse or field cultivators. The teeth are so long as not be liable to clog. Nathan Ide, Shelby, Orleans county, N. Y., manufactures cultivators for preparing ground for wheat and other grain, which have been much approved. D. Hinkston, Clarkson, Monroe county, and E. R. Dix, Vernon, Oneida county, make good articles of this kind. We have not their prices. For sowing wheat on "corn ground," the use of the cultivator is sufficient, without the plow, if the soil is rather loose; but if it is hard, as clayey soil is likely to be, it had better be plowed. The same remark will apply to sowing spring grains on land

that was cultivated the previous season. In any case, it will be advisable to work the soil before scattering the seed. The teeth alluded to are made and sold by **GAY & HOSKINS,** Seneca Falls, N. Y. The price is 50 cts each, wholesale, or 62½ cts retail.

FOLDING SHEEP IN SUMMER.—D. M. Folding sheep, except in winter, is but little practiced by northern farmers. Sheep would probably be injured by confinement at night, without food, during the extreme heat of summer. At that season, they feed but little during the day, but graze much at night, while the air is cool and the dew is on the grass. They might, probably, be folded on turneps in autumn, without injury. It is true that folding is extensively practiced in England and Scotland, but the weather is there so temperate that the animals can graze in the day time.

Notes for the Month.

To our Agents and Correspondents.

To our **AGENTS,**—who have heretofore done so much to promote the circulation of our journal, and to whom we tender our grateful acknowledgments,—we send with this number a Prospectus for our next year's volume, together with a copy of **THE PICTORIAL ALMANAC,** for 1851, a copy of which is to be sent to all subscribers for next year, and solicit a continuance of their kind offices in behalf of **THE CULTIVATOR.** It will be seen by reference to the last page of this number, that we have renewed our liberal list of Premiums to Agents, for which we trust there will be a spirited competition.

We tender our hearty thanks to all those **CORRESPONDENTS** who have contributed so liberally to our pages, the past and previous years. It is to them that **THE CULTIVATOR** is indebted for a large portion of its interest and usefulness; and we should be glad to receive contributions for our pages from a much larger number of its readers than heretofore. We trust our friends will not be backward in this matter. We want the details of practice and experiments, and facts and suggestions on all subjects in which the farmer is engaged,—everything, indeed, which will enlighten the mind, and increase the profits of the farm. Will not many of those who have been reaping the benefit derived from information received through **THE CULTIVATOR,** now come forward with their quota for the benefit of others?

IMPORTATION OF CATTLE INTO NEW BRUNSWICK.—Mr. **JOHN H. REID,** of Fredericton, N. B., has imported from England a short horn bull and heifer, which we are informed are of the best blood. They were purchased for Mr. R. by H. **STRAFFORD,** Esq., editor of the *Herd Book.* The bull, *Giovanni,* (vol. 9, H. B. 10272,) was bred by Mr. Harvey Combe, Cobham, Surrey. He was calved February 10, 1850. The heifer was bred by Mr. John Bell, Kirkleavington, Yorkshire. She was calved February 13, 1848, and is in calf by *Grand Duke,* which was

sold at the sale of the late Mr. Bates' herd for £215.50. Mr. REID has also imported some valuable swine; and with the fine assortment of poultry which he has collected, we presume his place presents many attractions.

COMMUNICATIONS have come to hand, since our last, from B. P. J., H. C. Meriam, S. W. Jewett, Prof. Norton, A Subscriber, J. W. Proctor, S. B. Buckley, T. S. Gold, John Townley, W. A. Ela, Reviewer, C. H. McCormick, L. M. Vail.

BOOKS, PAMPHLETS, &c., have been received as follows:

Pictorial History of the Revolution, by B. J. Lossing, parts I to IX, and Harpers's New Monthly Magazine, for November—from Messrs. HARPER & BROTHERS, New-York.

The New Englander, for November—from the publisher, J. B. CARRINGTON, New Haven, Ct.

Three Lectures on Hygiene and Hydropathy, by R. S. Houghton, M. D.—from FOWLERS & WELLS, New-York.

The Churches and Sects of the United States, by Rev. P. D. Gorrie—from LEWIS COLBY, publisher, New-York.

V. B. Palmer's Business-men's Almanac, for 1851—from the publisher.

The Agriculturist's Guide and Almanac, for 1851—from J. G. REED, publisher, New-York.

The Illustrated Domestic Bible, by the Rev. Ingram Cobbin, parts VIII and IX—from the publisher, SAMUEL HUESTON, New-York.

LARGE CAULIFLOWER.—We have received from Mr. B. B. KIRTLAND, of the Cantonment Farm, Greenbush, a cauliflower which weighed, closely trimmed, twelve pounds. It was of delicious quality. Mr. K. has been very successful in the culture of this vegetable. His soil is a slaty loam. His method of cultivation is to dig a hole a foot deep, and eighteen inches square; fill it half full with common yard manure, unrotted; lay a fresh sod, three inches thick, grass downward, on the manure; fill the hole with soil, and set the plant. The plants are first started in a hot-bed, and set out in May.

☞ We have also received from Mr. JOHN S. GOULD, of this city, very fine specimens of the Walcheren cauliflower, grown by him. This variety is of superior delicacy and flavor.

FRUITS FROM CLINTON COUNTY, N. Y.—We have received from JONATHAN BATEY, of Keeseville, specimens of the "Northern Sweet" apple, and also a sweet apple under the name of "Surpasse Tallman." The first named was brought to the notice of the Congress of Fruit-growers, last year, and recommended for cultivation. As a sweet apple, we know of none superior to it, in its season—October and November. The "Surpasse Tallman" is a fine and handsome apple, somewhat similar in character to the Tallman Sweeting, but rather richer and sweeter. We do not know for what particular qualities Mr. BATEY thinks the Surpasse superior to its predecessor. Mr. B. sent us a specimen of a pear, called "Platt's Seedling." We have received no particulars in regard to its origin or qualities. The specimen sent was very fair, and of good size. It was so much over ripe that we could not fairly judge of its qualities. It is sweet, melting and juicy.

SALE OF THE STICKNEY STOCK.—We noticed, briefly in our last, the sale of the live stock of the late WM. STICKNEY, at Westminster, Vt., on the 9th of October. We have since received a detailed account of the sale from W. S. KING, Esq. of Manton, R. I., by whom the sale was conducted. From this account it appears that the full blood Devons brought prices averaging as follows: viz., three bulls, \$149.33 each; three cows, from three to eleven years old, \$109.16 each; one two-year old \$160; one yearling \$150. Twelve grade cows, three years old and over, brought an average of \$58.33 each. Seven grade two-year-old and yearling heifers, \$52.85 each. Four grade heifer calves \$22.50 each, and four grade bull calves

\$25 each. One pair four-year-old oxen, \$100; one pair three-year-olds \$80; two pair two-year-olds an average of \$54 each; two pair yearlings an average of \$38.50 each. Of the swine, one Suffolk sow, (imported,) six years old, brought \$80; another, two and a-half years old, \$60; another four years old, \$40; an Essex sow, with nine pigs, \$129; a Suffolk, with six young pigs, \$110; two Suffolk sows, ten months old, \$42.50 each.

POULTRY SHOW AT BOSTON.—The first exhibition of the New England Society for the Improvement of Poultry, was held at the Public Garden in Boston, on the 12th, 13th and 14th of November last. In extent, the display exceeded the expectations of all, and in this respect it was probably unequalled by anything of the kind which was ever before known. The report of the officers will show the details. The whole number of specimens was upwards of twelve thousand. All classes of domestic poultry were represented, but the *Gallus* genus comprised much the largest portion of the show. In this department, almost every distinct variety, as well as every possible mixture, was brought out—from the pert little Bantam of one pound, to the gigantic Malay of twelve pounds weight. The latter tribe of fowls greatly took the lead as to numbers. The object of most of the breeders of this stock, appeared to be to produce the largest frame; and hence a large proportion of the fowls exhibited, were of awkward, uncouth form, with enormous bones, and with comparatively small amount of flesh. There were, however, some exceptions to this, indicating that in judicious hands, a valuable variety of fowls may, by long-continued selection, be bred from this large Asiatic stock. In support of this remark, we might refer to the superior specimens offered by WM. BENT, Cochituate, and the fine white fowls offered by A. A. ANDREWS, Dedham.

Turkies presented but little variety. A singular freak of nature was seen in a male bird of this species, belonging to Dr. H. C. PARKER, of Manchester, N. H. A small bunch of feathers, several inches in length, grew from the back of the head, in the form of a plume. There were three species of pheasants—the English, and the golden and silver Chinese. Pigeons of several species, and all the fancy varieties were shown.

The web-footed birds comprised all domestic species, including swans, and several species of geese and ducks, not common in a domestic state. Among the rarities in this department, was a pair of Egyptian geese, (*Chenalopex egyptiacus*), exhibited by JOHN GILES, of Providence, R. I. We are not aware that this singular species has been before introduced into this country. Among the ducks, were fine specimens of the Aylesbury, the beautiful Summer or Wood duck, the Teal, the Pin-tail, and the Diver.

Several very large and interesting collections of birds, comprising many of the most rare kinds, were offered by various individuals; among which we noticed those of THOS. E. CHICKERING, Roxbury; JOHN GILES, Providence, R. I.; SAML. JACQUES, Jr., Somerville; W. W. CHENERY, West Cambridge, and others.

The exhibition was attended by great crowds of people, during the three days, and every one seemed delighted with the opportunity of seeing and comparing the most interesting and useful species and breeds, belonging to the feathered race.

DEATH OF A NOTED HORSE.—We are informed that the well-known horse *Gifford Morgan*, died at the stable of BENJAMIN GATES, in Walpole, N. H., on the 30th of October last. If we mistake not, he

was twenty-four years old. By reference to the advertisement of Mr. BLODGETT, in this number, it will be seen that he has some of the progeny of this valuable animal.

LARGE EGG.—Col. E. LONG, of Cambridge, N. Y., has sent us an egg laid by a full blood game hen, which measures six by eight inches in circumference. It weighed, just four ounces.

ANDRE LEROY,

Nurseryman at Angers, France,

ALREADY well known in the United States and in Europe, having obtained at the last French National Fair, in Paris, the only Gold Medal awarded, both for his Fruits and Ornamental Trees, begs leave to inform his friends, and the public in general, that he is now ready to execute, with the greatest care and despatch, all the orders that might be sent to him. His Catalogues may be had on application to his agent in New-York, Mr. EDOUARD BOSSANGE, merchant, who will receive and forward all orders for Mr. LEROY directed to his care, and also pass through the Custom House and forward to their respective destinations, without any trouble to the importers, all trees and plants ordered.

Dec. 1—3t.

Agricultural and Horticultural Implements, and Field and Garden Seeds.

UPWARDS of one hundred different kinds of Plows, and a corresponding variety of all other Implements for the Farmer, Planter and Gardener; embracing the largest and most complete assortment to be found in the United States. Also, Field and Garden Seeds, a large and varied assortment. A. B. ALLEN & CO., August 1, 1850.—tf. 189 & 191 Water St., New-York.

School of Applied Chemistry,

YALE COLLEGE, NEW HAVEN, CONN.

JOHN P. NORTON, Prof. of Scientific Agriculture.

HENRY WURTZ, First Assistant.

STUDENTS are received in this Laboratory as a special class distinct from the other college departments, and instruction is given in all branches of Chemistry, both organic and inorganic, general and special.

Every facility is afforded to those who desire to become proficient in Scientific Agriculture, in the analysis of soils, plants, animal substances, manures, &c. Students taken with special reference to their becoming instructors.

A Course of Lectures upon *Scientific Agriculture*, by Prof. NORTON, will commence about the middle of January, and continue two and a half months. This course is intended to present a plain and intelligible view of the connections of science with agriculture, which may be understood by any farmer. Mr. Wurtz proposes to lecture on some points of Applied Chemistry during the summer term.

The lectures of Prof. SILLMAN on Geology and Mineralogy, and those of Prof. OLMSTED, on Natural Philosophy, Astronomy and Meteorology; also the college libraries and cabinets, are accessible to the students.

For information as to terms, &c., apply to Prof. NORTON, Oct. 9, 1850—4t. New-Haven.

A New Hardy Climber.

THE new and beautiful CLIMBER, *Calestigia pubescens*, recently introduced from China, by Mr. Fortune, proves perfectly hardy in New England, having stood in the grounds here the past winter, without the least protection. Trained to a single pillar, say 10 feet in height, it is a very striking and beautiful object from the middle of June till cold weather, during which time it is covered with a profusion of its large double flowers, of a delicate rose color. It is very ornamental planted in patches like the verbenas; makes an admirable screen, and is very effective in young plantations, belts, or shrubberies, trailing prettily on the surface, and running up among the lower branches of trees in a very picturesque manner. It is, therefore, particularly suited for ornamenting cemeteries and public gardens. Its culture is very simple, and it thrives in any good garden soil. When required in considerable quantities, it is best to start it under glass in February or March, but the tubers may also be planted in the open ground in May. The subscriber will send to order, by mail or express, October 20th, tubers sufficient for 100 plants, at \$5.00; 50 plants, \$3.00; with directions for propagation and culture.

Strong plants in pots, in April, \$1 per pair. B. M. WATSON.

Old Colony Nurseries, Plymouth, Mass., Oct. 1, 1850—tf

The American Live Stock Insurance Company,

At Vincennes, Ind.

CHARTER unlimited. Granted January 2, 1850. [Capital \$50,000!] For the Insurance of HORSES, MULES, PRIZE BULLS, SHEEP AND CATTLE, of every description, against the combined risks of Fire, Water, Accidents and Disease.

Losses paid in 30 days after proof of death.

Directors.—Joseph G. Bowman, Hiram Decker, M. D., Isaac Mass, George D. Hay, John Wise, Alvin W. Tracy, Hon. Abner T. Ellis, Abm. Smith, Hon. Thomas Bishop. Joseph G. Bowman, President. B. S. Whitney, Secretary. Wm. Burich, Treasurer.

Aug. 1, 1850—1yr. B. P. JOHNSON, Agent, Albany.

Important to the Farmer, Farrier, and Stage Proprietor.

Geo. W. Merchant's Celebrated Gargling Oil.

Unparalleled in the History of Medicine as the most remarkable External Application ever discovered for Horses and Human Flesh!



Cautions to Purchasers.

This Oil has become so celebrated in the treatment of diseases of the horse, and as a consequence the demand becoming great throughout the country—that the cupidity of designing men has induced them to palm off upon unsuspecting persons, an imitation article for the *Genuine Gargling Oil*; designing thus to ride their base mixture into market upon the popularity of the only true article, which now sustains an enviable reputation, which it has acquired by more than fourteen years' use in the United States and Canada.

It is allowed by farriers and all who have used it, to be decidedly the best application for horses and other domestic animals, of any now in use, and may be used as an internal remedy in some cases, with surprising results.

A faithful trial of this remedy will satisfy any person that the many cures it proposes to perform are neither magnified nor misrepresented.

The following among many others, in the cure of which this Oil has been completely successful, and in which other pretended remedies had entirely failed:—

Sprains, Swellings, Ringbone, Windgalls, Poll Evil, Callous, Cracked Heels, Cuts of all kinds, Fresh wounds, Sprains, Bruises, Fistula, Sifts, Sand Cracks, Strains, Lameness, Fowdered Feet, Scratches or Grease, Mange, Rheumatism, Bites of Animals, External Poisons, Painful Nervous Affections, Frost Bites, Boils, Corns, Whitlows, Burns and Scalds, Chillsains, Chapped Hands, Cramps, Contraction of the Muscles, Swellings, Weakness of the Joints, Caked Breast, &c.

Remarkable Power which the Gargling Oil possesses in reducing Morbid Animal Fungus, or Excrescences.

Extract of a letter, dated, Sunbury, Pa., Aug. 2, 1850.

Dr. G. W. Merchant—SIR—I must relate a new case in which your Gargling Oil has done great things.

I heard a man telling to-day that his little girl had a sore knee that had had a thick scab on for a long time. He had a Doctor attending it, but he could do nothing with it. What it was I do not know, but the scab was from a half, to one inch thick, and covered the whole knee-pan. He said he had the Gargling Oil in the house, and it struck him that it might cure. He put it on, and in two days half the scab came off. He then applied it the second time, and in a day or two the other half came off, and he found a new skin coming on it, with the exception of a few places. He applied it the third time and now she is perfectly well of it. P. B. MASSER.

Extract of a letter ordering a new supply of Gargling Oil, dated, North Bergen, N. Y., Aug. 20, 1850.

Dr. G. W. Merchant—SIR—I have sold all but one bottle of the Gargling Oil you sent me. It gives most excellent satisfaction to every one to whom I have sold, whether they use it as a common Liniment in their families or on their horses.

Please send me two dozen of each size bottles, as I think I shall sell it in about that proportion. Respectfully,

D. F. MERRILL.

All orders addressed to the Proprietor will be promptly responded to.

Get a Pamphlet of the Agent, and see what wonders are accomplished by the use of this medicine.

Sold by respectable dealers generally in the United States and Canada.

The following are wholesale and retail agents, viz:—A McClure & Co., Albany; M. Ward & Co., and C. V. Cleckner & Co., New-York; P. D. Orvis & Co., and C. Heimstreet, Troy; L. M. Rexford, Binghamton; R. Steel, Auburn; Wm. P. Mooers, Plattsburgh; Rossman & McKinstry, Hudson; J. W. Williams & Co., and R. Hollister & Co., Buffalo; T. H. Camp, Watertown; Wm. Pitkin, and Post & Willis, Rochester; Lampman & Williams, Syracuse; Greenman & Smith, Utica; A. D. Platt, Geneva; C. Canfield & Son, Oswego; Jenner, Sprague & Co., Ogdensburg; G. W. Schuyler, Ithaca.

Dec. 1—1t.

THE SATURDAY EVENING POST.

THE LEADING AND LARGEST WEEKLY IN THE UNION.

THE SATURDAY EVENING POST is now, beyond all denial, the leading as well as the largest Weekly Paper in the United States. Its circulation is undeniably greater than that of any other paper, of the same kind in the Union, while its literary contents are allowed, by the best judges, to be unsurpassed. Such tales as "The Deserted Wife," "Shamondale," "The Child Scalper," and "The Two Brides," have placed "The Post," by almost universal admission, a "head and shoulders" above its cotemporaries.

We have now the pleasure of announcing to the American Public, that we have made arrangements with one of the

FIRST NOVELISTS IN AMERICA,

MRS. EMMA D. E. N. SOUTHWORTH, author of "RETRIBUTION," "THE DESERTED WIFE," "SHAMONDALE," etc., by which the productions of her gifted pen will be secured hereafter, (with the exception of an occasional story in a Washington paper)

EXCLUSIVELY FOR THE POST.

Mrs. Southworth, as an American Novelist of great power—a rising Star in the West—has been hailed with acclamation by all those who can recognize genius as well in a native as in a foreign author. We design to commence a

NEW STORY BY MRS. SOUTHWORTH,

about the beginning of the year. How many stories she will be able to furnish during 1851, will depend upon the state of her health, &c. We trust, however, that we shall be able to lay before our readers, at least THREE of those splendid productions which have made her name already so distinguished.

In the intervals of Mrs. Southworth's Novelets, we design publishing other and shorter Novelets from authors of admitted celebrity. We have two now on hand, which we shall publish as soon as possible:

THE IRON HAND, by T. S. ARTHUR, Esq.,

THE TEXAN HUNTRESS, by C. W. WEBBER, Author of "Old Hicks, the Guide," "The Shot in the Eye," etc.

And mark this! What the proprietors of the Post promise, they perform—or do better. They do not announce a long list of distinguished contributors, with whom they have made no arrangement, and whose stories never appear. Such a system may delude an intelligent public one year, but it will not answer a second time. If the public are humbugged *once*, it is the fault of the humbugger; if *twice*, it is their own.

In addition to such choice ORIGINAL articles, involving a large outlay of money, the columns of the Post will contain a great amount of Miscellaneous reading—such as the

CREAM OF THE FOREIGN PERIODICALS.

Witty and Humorous Articles. Selections from the Agricultural Journals, Riddles and Conundrums, etc., etc.

REPORTS OF LECTURES—during the past year we gave the celebrated Lectures on Shakspeare by Mr. Dana; and the instructive and interesting ones of Dr. Baird upon Europe—Letters from Abroad—General News—Reports of the Markets—a Bank Note and Stock List, etc., etc.

One or more PORTRAITS of remarkable persons, or PICTURES OF REMARKABLE PLACES are also weekly given

A MORAL PAPER.

In conclusion, we may say—that we shall maintain for the Post the character it has acquired of being a strictly moral paper; one that a parent may allow to go freely before his innocent sons and daughters. We need hardly repeat here, that the Post has done more to prevent the publication and sale of immoral works, than any half-a-dozen other papers in the land. A careful guard shall also be kept, as heretofore, over our ADVERTISING COLUMNS, that nothing of an improper character may obtain admittance.

In short, whatever is calculated to refine, instruct, amuse, or gratify, shall find its appropriate place in the POST; and let the reader mark one thing, whatever others may promise, we will not be behind in the performance. A paper that has stood for 29 years, steadily progressing all that time, and which has now the largest list of subscribers of any paper of the same class in the United States, is not to be left behind in the race by any rival.

TERMS.

The terms of the POST are Two Dollars if paid in advance, Three Dollars if not paid in advance. For five Dollars one copy is sent three years. We continue the following low terms for Clubs, to be sent, in the city, to one Address, and, in the country, to one post-office.

4 COPIES,		\$5 00 PER ANNUM.
8 " "	(And one to Agent, or getter up of the Club.)	\$10 00 " "
13 " "	(And one to Agent, or getter up of the Club.)	\$15 00 " "
20 " "	(And one to Agent, or getter up of the Club.)	\$20 00 " "

ONE COPY of the Saturday Evening Post, and ONE of either Graham's Magazine, Godey's Lady's Book, or Sartain's Magazine, for FOUR DOLLARS.

The money for Clubs must always be sent in advance. Subscriptions may be sent at our risk. When the sum is large, a draft should be procured, if possible—the cost of which may be deducted from the amount. Address, *always post-paid*.

DEACON & PETERSON,

No. 66 South Third Street, Philadelphia.

N. B.—Any person desirous of receiving a copy of the POST as a sample, can be accommodated by notifying the publishers, by letter *post-paid*.—Dec. 1—1t.

Pear Seedlings.

THE undersigned offers for sale, 100,000 pear seedlings, from \$8.00 to \$20.00 per 1,000, and a great variety of dwarf and free stocks for nurseries at low prices—fruit and ornamental; also

Deodar Cedars, 1 to 3 ft., \$1 to \$3; Araucaria imbricata, \$1, Cedar of Lebanon, \$1; Thuja filiformis, \$1.50; Lonicera Ledebourii, 50 cents; Spiraea Reevesii, 50 cents; — prunifolia fl. pleno, 50 cents; Japan Pear, double crimson, 50 cts; Ribes albidum, 50 cts; Spiraea Lindleyana, 50 cents. New Lilacs, fine Double Hawthorns, and a full assortment of ornamental plants, of which a priced list will be sent, post paid, to order.

APPLES—A few hundred extra Dwarf Pyramidal Apples, of the best sorts, in a bearing state.

RIIUBARB—Ten thousand Willmott's Early, and Myatt's Victoria Rihubarb.

IVES' WASHINGTON SEEDLING PLUM—(Originated by J. M. Ives, Esq., of Salem, Mass.) is pronounced by the best judges equal to any American Plum yet produced. It is of great size and beauty, and of delicious flavor. \$2.00

Local Fruits.—The Watson Pear, an excellent early pear. (August 20), handsome, and of good size, of a peculiar and delicious flavor; an old favorite here, where it has fruited above sixty years. The Horseblock or Manonet, Sassafras or Spur Sweet, Holmes and Hightop Apples, are all excellent fruit, descriptions of which may be found in the leading Horticultural Magazines for the years 1849-50. One of each of the above, \$2.00. B. M. WATSON.

Old Colony Nurseries, Plymouth, Mass., Oct. 1, 1850—1t.

Drain Tile Works,

63 Jay Street, North of Salamander Works, Albany.

THE subscriber is now manufacturing and prepared to fill orders for Horse Shoe, Sole, Round and Collar Drain Tile, of various sizes, from one to four inches in width and rise. The tile is cut sixteen inches in length, and will be of a superior quality. The price will vary according to the size and shape, from \$10 to \$16 per thousand. Specimens of the article with the prices will soon be distributed to all the agricultural stores in the State. Presidents of county societies adjoining the river and canals, will please send their address with directions to whom a box containing the different sizes of Tile will be forwarded free of charge.

July 1, 1850—1t.

A. S. BAEBECK.

Agricultural Warehouse and Seed Store.

No. 197 Water street, (near Fulton,) New-York.



THE subscribers would respectfully invite the attention of planters and dealers in Agricultural and Horticultural Implements, Garden and Field Seeds, &c., &c., to their large and varied assortment of Garden and Field tools, &c., which they are selling at the very lowest rates that they can be procured in the United States. Persons living at a distance can obtain an "illustrated" Catalogue, containing a list of prices, on application by letter, post-paid. Those ordering from us may depend upon their orders being promptly filled.

May 1, 1850—1t.

JOHN MAYHIER & CO,

Premiums to Agents of the Cultivator.

AS an inducement to greater exertion on the part of those disposed to act as Agents, the following Premiums will be paid, in Books, or Implements or Seeds, from the Albany Agricultural Warehouse, to those who send us the largest list of subscribers for our next volume:

1. To the one who shall send us the largest number of subscribers to THE CULTIVATOR for 1851, with the price in advance, at the club price of sixty-seven cents each, previous to the 20th of March next, the sum of FIFTY DOLLARS.
 2. To the one sending us the next largest number, the sum of FORTY DOLLARS.
 3. To the one sending us the next largest number, the sum of THIRTY DOLLARS.
 4. For the next largest list, the sum of TWENTY DOLLARS.
 5. For the next largest list, TEN DOLLARS.
 6. For the FIVE next largest lists, each FIVE DOLLARS.
 7. For the TEN next largest lists, each THREE DOLLARS.
 8. A copy of Thomas' "AMERICAN FRUIT CULTURIST," price one dollar—a very valuable work—or any other dollar book—to every Agent who sends us fifteen subscribers and \$10, and who does not obtain one of the above prizes. LUTHER TUCKER.
- Albany, N. Y., Dec. 1, 1850.

THE HORTICULTURIST

AND

Journal of Rural Art & Rural Taste.

EDITED BY A. J. DOWNING,

Author of "Landscape Gardening," "Designs for Cottage Residences," "Fruits and Fruit Trees of America," &c., &c.

TO all persons alive to the improvement of their gardens, orchards or country seats,—to scientific and practical cultivators of the soil,—to nurserymen and commercial gardeners, this Journal, giving the latest discoveries and improvements, experiments and acquisitions in Horticulture, and those branches of knowledge connected with it, will be found invaluable. Its extended and valuable correspondence presents the experience of the most intelligent cultivators in America; and the instructive and agreeable articles from the pen of the Editor, make it equally sought after by even the general reader, interested in country life. The "FOREIGN NOTICES" present a summary from all the leading Horticultural Journals of Europe; the "DOMESTIC NOTICES," and ANSWERS TO CORRESPONDENTS, furnish copious hints to the novice in practical culture; and the numerous and beautiful Illustrations,—Plans for Cottages, Greenhouses, the Figures of New Fruits, Shrubs and Plants, combine to render this one of the cheapest and most valuable works on either side of the Atlantic.

A NEW VOLUME, (the 6th,) will be commenced with the January number, 1851, when it is proposed to make some material improvements in the mechanical appearance of the work; and no efforts will be spared, by the editor or publisher, to render the work still more worthy of the liberal patronage extended to it.

TERMS—Three Dollars per year—Two copies for Five Dollars. All payments to be made in advance, and orders to be post paid.

☞ All Agents for THE CULTIVATOR, and Post Masters generally, are invited to act as Agents for THE HORTICULTURIST.

LUTHER TUCKER,

Albany, Dec., 1850. Publisher, Cultivator Office, Albany, N. Y.

The Old Gifford Morgan Horse.

THE death of this noted horse, which took place at the stable of Benjamin Gates, in Walpole, N. H., October 30th, 1850, may be considered a public loss, deeply affecting the agricultural interests of the country, cutting them off from the purest source of MORGAN blood. His stock inherit, in a remarkable degree, the nerve, form, strength and action of the original Morgan Horse. For the pedigree of this horse, I would refer the reader to articles from the pen of F. A. Wier, Esq., to be found in the Albany Cultivator, for January and September, 1846, pages 19 and 286.

I consider myself fortunate, however, in having at this time on hand, five colts of his get, all promising well; being very fine colts of their several ages, and from mares of high Morgan blood.

I have a chestnut colored (free from white) stallion colt, two years old the 5th of June last, dam by the Old Woodbury Morgan; also a chestnut colored filly, white stripe in her face, two years old 17th of August last; her dam by the Green Mountain Morgan, grandam, Messenger; also a chestnut colored stallion, one year old last July, no white except about half of one hind foot; his dam by the old General Hebard Morgan. A colt foaled on the 30th day of April last, mahogany bay, with a small star in his forehead, a small spot on his upper lip, and one hind foot nearly to the ancle joint white; his dam, my Green Mountain mare, mother of the two-year old filly described above; and lastly, a chestnut filly, with no white upon her, foaled 20th day of June last, from a mare from which has been raised at least two very fast horses.

My mare, by Green Mountain, and another one by a colt of the old Woodbury, appear to be now in foal by old Gifford. Still I have, in common with others, reason to feel deep regret that so valuable a sire has passed beyond our reach.

The increasing demand for the Morgan stock of horses, through the length and breadth of the United States and the Canadas, is a recommendation in their favor, much stronger than anything that I or any other individual can say or write in their praise.

Waterbury, Vt., Nov. 8th, 1850.

C. BLODGETT.

Devon Stock for Sale.

TWO fine Devon Cows, 3 and 6 years old; also a fine yearling Bull and Heifer.

The subscriber offers the above for sale, of pure blood, and bred from the best stock in the country. FRANCIS W. COWLES.
Farmington, Conn. Nov. 23d, 1850. Dec 1--6t.

\$500 TO \$2000 A YEAR.

FIVE HUNDRED AGENTS WANTED

In all the States of the Union,

Including California,

TO CANVASS FOR THE FOLLOWING important and valuable works, which are sold by subscription.

We have now about two hundred Agents in the field, many of them clearing from two to eight dollars per day. It will be seen that they are all of a very popular and desirable kind, and calculated to please almost every taste. For further particulars apply (post paid) to the publishers,

DERBY & MILLER,
Auburn, N. Y.

"HOW A FARMER MAY BECOME RICH."

Blake's Farmer's Every Day Book,

Or how a Farmer can become rich—being sketches of Life in the Country; with the Popular Elements of practical and Theoretical Agriculture, and twelve hundred Læconics and Apothegms relating to Morals, Regime and general Literature; also 500 receipts, on health, Cookery and domestic economy; with ten fine illustrations, representing the various scenes attendant upon Farming, &c., By John L. Blake, D. D., author of "Biographical Dictionary," "Family Encyclopedia," &c.

The publishers respectfully announce that they have undertaken the publication of this large and beautiful work, with a view to supply a desideratum that has long been felt—a book for every Farmer's Library—believing that the venerable author has produced a work that will be worth its weight in gold to every Farmer's family, that thoroughly peruse it. It is proper to state that Dr. Blake is a practical farmer, and has reclaimed a sterile and worn out piece of land into a valuable and productive farm—which experience, with his well known qualifications as an author, peculiarly fit him to prepare a book for farmers.

The work contains 654 pages, large octavo, with a motto surrounding each page. It is printed on fine paper, and bound in substantial imitation Turkey Morocco, gilt back. Invariable retail price, \$3.00.

Frost's Pictorial History of California.

The History of the State of California, from the earliest period of her conquest by the Spaniards, to her acquisition by the United States; with an account of the discovery of the immense Gold Mines, and the quantity of Gold already obtained; the enormous increase of population; a description of the Mineral and Agricultural resources of the country; with adventures and travels among the mines. Also, advice to Emigrants, as to the most desirable routes thither. To which is added the Constitution of the State of California, with numerous illustrations, and a Map of California, and the gold mines, in one octavo volume, 500 pages; bound in same style as Mexican War. Retail price, \$2.50.

"I am prepared—I have endeavored to do my duty."

The Life of Zachary Taylor,

Late President of the United States, including the closing scenes of his life and death, by H. Montgomery—embellished with a steel portrait and 15 illustrations, in one elegant octavo vol., 463 pages, well printed on fine paper, and bound in substantial morocco, gilt back.

"The lightnings may flash, the thunders may rattle,
He hears not, he heeds not, he's free from all pain,
He sleeps his last sleep, he has fought his last battle,
No sound can awake him to glory again."

More than 20,000 copies of the above work have been sold by us, and the demand is unabated. It is allowed by critics, to be the most complete and authentic copy of any of the works purporting to be a Life of the Great Man of the Age. Retail price \$2.00.

THE CULTIVATOR

Is published on the first of each month, at Albany, N. Y., by

LUTHER TUCKER, PROPRIETOR.

LUTHER TUCKER & SANFORD HOWARD, Editors.

\$1 per ann.—7 copies for \$5—15 for \$10.

☞ All subscriptions to commence with the volume, (the Jan. No.) and to be PAID IN ADVANCE.


☞ All subscriptions, not renewed by payment for the next year, are discontinued at the end of each volume.


☞ The back vols. can be furnished to new subscribers—and may be obtained of the following Agents:

NEW-YORK—M. H. NEWMAN & Co., 199 Broadway.
BOSTON—J. BRECK & Co., 52 North Market-st., and E. WIGHT,
7 Congress-st.

PHILADELPHIA—G. B. ZIEBER.

ADVERTISEMENTS—The charge for advertisements is \$1, for 12 lines, for each insertion. No variation made from these terms





SMITHSONIAN LIBRARIES



3 9088 01914 1332